The Co.LLab™
Building Leadership Infrastructure™

PHASE II · INFRASTRUCTURE PLANNING & MANAGEMENT — A .LLAB CREATORS™ MANUAL

Creator Website **Blueprint™**

A manual for building and running a luxury-style website with Composio, GitHub, Netlify, Claude and ChatGPT. One edition for iPhone. One for computer. Base level to ceiling.

PHASE
II · Infrastructure Planning & Management

LIST PRICE
$100 USD

THE CO.LLAB™ IP LICENSE

Intellectual Property License & Terms of Use

© 2026 The Co.LLab™ Building Leadership Infrastructure™. All Rights Reserved.

1. The Co.LLab IP™

The Co.LLab IP™ refers collectively to the original intellectual property created and developed for **The Co.LLab™ Building Leadership Infrastructure™**, including **The .LLab™** product line (including .LLab Creators™) and all associated frameworks, methodologies, models, systems, tools, templates, assessments, content, terminology, designs, processes, and materials (collectively, "The Co.LLab IP™").

The Co.LLab IP™ is proprietary intellectual property created and controlled by **The Co.LLab™ Building Leadership Infrastructure™ and its owner.**

2. License to Use

Access to, receipt of, or purchase of The Co.LLab IP™ grants the user a **limited, non-exclusive, non-transferable, non-sublicensable license** to use the applicable IP as a tool to **build, develop, strengthen, and sustain infrastructure within the user's own creative practice, venture, or organization.**

This license grants a right of use only. It does not transfer ownership, authorship, copyright, trademark, or other intellectual-property rights to the user.

3. Working Copies

Where a product requires a working copy, the user is expressly authorized to create and maintain copies, including **digital copies, printed copies, and reasonable internal working copies**, solely for authorized personal or organizational use.

Users may complete, annotate, customize, and adapt their working copies for their own needs. **Creating, modifying, or using a working copy does not transfer ownership of The Co.LLab IP™.**

4. Authorized Use

The Co.LLab IP™ may be applied internally to creative, leadership, and organizational planning, strategy, implementation, performance, decision-making, facilitation, training, and related activities.

Users retain ownership of their **own original work** created through use of The Co.LLab IP™. The underlying Co.LLab IP™ remains proprietary to The Co.LLab™ and its owner.

5. Restrictions

Without prior written authorization from The Co.LLab™, the user may not:

- Claim ownership or authorship of The Co.LLab IP™;
- Sell, license, sublicense, distribute, transfer, or provide The Co.LLab IP™ to an unauthorized third party;
- Repackage or present The Co.LLab IP™ as the user's own proprietary framework, methodology, system, or product;
- Commercialize The Co.LLab IP™ or create a competing product substantially based upon it;
- Publish or publicly distribute The Co.LLab IP™ outside authorized personal or organizational use; or
- Remove or alter proprietary, copyright, trademark, or attribution notices.

6. Expanded Use & Collaboration

The Co.LLab™ encourages creators and organizations to use The Co.LLab IP™ to advance their own development, growth, collaboration, and infrastructure.

External, public, commercial, consulting, training, co-branded, licensing, resale, publication, or third-party use of The Co.LLab IP™ requires **prior written authorization from The Co.LLab™ Building Leadership Infrastructure™.**

7. Reservation of Rights

All rights in The Co.LLab IP™ not expressly granted under these Terms are reserved by the intellectual-property owner.

8. Acceptance

By accessing, receiving, downloading, copying, purchasing, or using The Co.LLab IP™, the user acknowledges and agrees to these Terms.

THE CO.LLAB IP™ REMAINS PROPRIETARY TO THE CO.LLAB™ AND ITS OWNER. THE USER RECEIVES A LICENSE TO USE IT — NOT OWNERSHIP OF IT.

THE CO.LLAB™ BUILDING LEADERSHIP INFRASTRUCTURE™ · The .LLab™ | The Co.LLab IP™

These Terms apply to The Co.LLab IP™ provided free of charge, for purchase, through membership, subscription, collaboration, licensing, download, access, or any other means, unless superseded by a separate written agreement.

01 · START HERE

How to use **this manual**

CREATOR WEBSITE BLUEPRINT™

The Co.LLab: Building Leadership Infrastructure™

This manual shows you how to build a luxury-style, ad-style website and keep it running with five tools: ChatGPT, Claude, GitHub, Netlify and Composio. You do not need to write code. You need to give clear instructions, check the result, and approve it.

THE STREAMLINED LOOP™

One short loop, repeated for every change. **Brief** it (ChatGPT) → **Build** it (Claude) → **Hold** it (GitHub) → **Publish** it (Netlify) → **Connect** it (Composio) → **Check** the live page. Then start the next change.

Two editions, five levels

Part 4 is the **iPhone Edition**. Part 5 is the **Computer Edition**. Read the one you work on, or both. Each edition runs from a **base level** (the least you need) to a **ceiling level** (the most the market offers today). Every tool also has its own five-level ladder in Part 3.

PART	WHAT IT HOLDS	READ IT WHEN
1 · The Blueprint	The page pattern, the rules, and a build checklist.	You are planning the site.
2 · Your First Site	A complete starter site, three ways to put it online, and a definition of done.	You want a working website first.
3 · The Five Tools	What each tool does, its level ladder, and links.	You are choosing plans or setting up.
4 · iPhone Edition	A manual for building from an iPhone.	Your phone is your main device.
5 · Computer Edition	A manual for building from a laptop or desktop.	You work at a desk.
6 · Selling	How to put a product on the site and take payment.	You are ready to sell.
7 · Appendices	Troubleshooting, links, the full glossary and a launch checklist.	Something broke, or you are about to launch.

HOW TO READ THE LINKS

Every link in this PDF is clickable. Pricing pages are linked, not quoted, so the numbers you see are current.

PRICES AND LIMITS MOVE

Plan names, limits and prices change often, so this manual names plan families and links to each company's own pricing page instead of quoting dollar amounts. Check the page before you buy. A higher level is never required: finish the work at your current level first.

02 · THE BLUEPRINT

The page pattern **nine parts**

Build every page from the same nine parts, in this order. A visitor learns the pattern on the first page and trusts it on every page after.

PART	DESIGN TERM	THE IDEA	BUILD IT LIKE THIS
Header	Masthead and navigation bar	Orients the visitor and gives one way home.	Logo at left, six top-level links, one "More" dropdown, Sign in at the end. Identical on every page.
Ribbon	Sub-navigation bar with chips	Shows where this page sits in the larger system.	One label, a row of chips, one join button. The chips for this page glow.
Hero	Hero section	States the problem in one headline.	Background photo under a scrim, an eyebrow, a headline, one primary button.
Problem and solution	Split block	Problem on one side, your IP as the solution on the other.	Two columns: eyebrow, headline and one short paragraph each. No promises.
Main points	Cards and product groups	The page's own offer. Nothing repeated from another page.	One idea per page. A grid of cards, one primary button per card.
Strategy table	Ad-style data table	Lets a visitor choose a path.	Gradient header band, page-name tags, glowing chips, one-line idea. Every cell links.
Continue strip	Next-step links	Moves the visitor on without a dead end.	Two links per page, arranged as a one-way ring so no two pages link back and forth.
Sticky button	Sticky call to action	Keeps the main action in reach on phones.	Appears after the first screen on pages that sell. One button, one destination.
Footer	Footer	Legal text, contact and the menu again.	Footer menus mirror the header menu. Give the legal note clear space above it.

03 · THE BLUEPRINT

Seven rules
that hold it together

RULE	WHAT IT MEANS	HOW TO CHECK IT
One idea, one page	Each product or idea lives on exactly one page. Other pages link to it and never repeat it.	Search your site for a product name. It should have one home.
Repeat only the model	The one shared element is the ribbon that shows the whole system.	Every other block is unique to its page.
Problem, then solution	Copy names the problem and offers your IP as the solution. It makes no promises, claims or earnings statements.	Read each headline aloud. Delete any promise.
Tag every tactic	Each ad, page, offer and email is tagged to a direction (who) and a phase (when).	Keep one table that lists every tactic with its tags.
Legible by rule	Small text has a contrast ratio of at least 4.5:1. The smallest text is bold white. Text on photos sits on a frosted panel.	Run a contrast checker on every text and background pair.
Mark what you coined	Every name you created carries the trademark symbol, every time it appears.	Keep a list of your coined names and search the site for each.
Prices in one place	Prices and payment links come from one pricing file, never typed into a page.	Change a price in the file and confirm every page updates.

Choosing your accent color

Pick one accent and use it for actions and active states only. A red-to-orange gradient with a soft glow reads as energy on a dark ground. Test the accent against your background: black text on the gradient and white text on a deep red tag both pass the 4.5:1 rule, but white text on bright orange does not. Avoid yellow-orange, which looks off beside red.

> **PLAN THE SITE ON ONE PAGE**
>
> List your pages, give each one a direction and a one-line slogan, then check that no two pages sell the same thing. That list becomes your strategy table.

04 · THE BLUEPRINT

The build **checklist**

- [ ] Write one sentence that names the problem your visitor has.
- [ ] Write one sentence that names your IP as the solution.
- [ ] List your pages. Give each page one direction and one slogan.
- [ ] Choose the six top-level menu items. Everything else goes in "More".
- [ ] Choose one accent color. Test it for contrast.
- [ ] Gather your own photographs. Blur any third-party logo before you use a photo.
- [ ] List every name you coined. Mark each one with ™ everywhere it appears.
- [ ] Decide where each product lives. One page per product.
- [ ] Put every price and payment link in one pricing file.
- [ ] Build the header, ribbon, footer and strategy table first. They repeat everywhere.
- [ ] Build each page from the nine parts, in order.
- [ ] Make the two-link Continue strip a one-way ring.
- [ ] Test every page at phone width and desktop width.
- [ ] Check that no page scrolls sideways.
- [ ] Read every headline aloud and delete any promise.
- [ ] Publish, then check the live page, not only your preview.

YOUR LOOP

Do the checklist once with ChatGPT and Claude, then keep it as a template. Every new page starts from it.

05 · YOUR FIRST SITE

Your first site **live**

By the end of this part you can have a real website at a public address, built on the nine-part pattern, with every link working. It is a one-page starter. You then make it yours and add pages.

What "working website" means here

CHECK	DONE WHEN
It is public	Anyone can open its https address on a phone or a computer.
Its links work	Every menu item, chip and button goes to a real section.
It fits any screen	No sideways scrolling at phone width or desktop width.
It updates	A change you approve on GitHub appears on the site without uploading anything by hand.
It is yours	The placeholder names, words and colors are replaced with your own.

WHAT THIS PART DOES NOT DO

It gives you a working, live starter and the way to extend it. The words, photographs, products and pages that make it your website are yours to write. How long that takes, and what it earns, depends on you.

Choose your path

PATH	BEST FOR	YOU NEED	RESULT
A · Claude builds it	Anyone with Claude Pro or higher and a GitHub repository	Claude Code, GitHub, Netlify	A live site from one prompt, then you edit by asking.
B · Paste and publish	iPhone or any browser. No tools to install	GitHub and Netlify accounts (both have free levels)	A live site you pasted in yourself.
C · Drag and drop	A computer, fastest first look	A Netlify account	A live site in about a minute, with no Git.

06 · YOUR FIRST SITE

Put it online

Path A · Claude builds it

1. Create an empty repository on GitHub: open github.com/new
2. Connect Netlify to it (Add new site → Import an existing project → GitHub → your repository → Deploy).
3. Open Claude Code on that repository and say the prompt below.
4. Read the pull request on GitHub, then merge it. Netlify publishes it.

```
Create index.html as a one-page website from the nine-part pattern:
header, ribbon, hero, problem and solution, main points, strategy table,
continue strip, footer. Use a dark green background (#0f1d13), a red-to-orange
gradient for buttons, and white or black text only. Use my brand name
[YOUR BRAND]™ everywhere. Make every link work inside the page.
Work on a new branch and open a pull request. Do not merge.
```

Path B · Paste and publish (works on an iPhone)

1. On GitHub choose New repository (github.com/new). Name it, then Create repository.
2. Choose Create a new file. Name it `index.html`. Paste the starter site from the next page. Choose Commit changes.
3. In Netlify choose Add new site → Import an existing project → GitHub → your repository → Deploy.
4. When the deploy says Published, open the address Netlify shows (it ends in .netlify.app).

Path C · Drag and drop (computer)

1. Make a folder. Save the starter site inside it as `index.html`.
2. Open app.netlify.com/drop and drag the folder onto the page.
3. Open the address Netlify gives you. Later, connect GitHub so changes publish by themselves.

> **CHECK**
>
> Open the address on your phone and on a computer. Tap every menu item, chip and button. If each one scrolls to a section, your first site works.

07 · YOUR FIRST SITE

The starter site

Copy everything below into one file named `index.html`. Replace the words in capitals with your own.

```
<!doctype html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width,initial-scale=1">
<title>YOUR BRAND™</title>
<style>
:root{--bg:#0f1d13;--ink:#fff;--muted:#ffd9c4;--red:#ff2e12;--orange:#ff6a2e;--line:rgba(255,106,46,.3)}
*{box-sizing:border-box}
body{margin:0;background:var(--bg);color:var(--ink);font:16px/1.5 system-ui,-apple-system,"Segoe UI",Arial,sans-serif}
a{color:inherit}
.wrap{max-width:1100px;margin:0 auto;padding:0 20px}
header{border-bottom:1px solid var(--line)}
header .wrap{display:flex;justify-content:space-between;align-items:center;flex-wrap:wrap;gap:8px;padding-top:14px;padding-
bottom:14px}
.logo{font-weight:800;text-decoration:none}
nav a{margin-left:16px;font-size:.85rem;font-weight:700;letter-spacing:.08em;text-transform:uppercase;text-decoration:none}
.ribbon .wrap{display:flex;gap:8px;overflow-x:auto;padding-top:12px;padding-bottom:14px}
.chip{white-space:nowrap;padding:.35em .9em;border:1.5px solid var(--orange);border-
radius:999px;background:rgba(255,46,18,.18);box-shadow:0 0 12px rgba(255,96,46,.55);font-size:.75rem;font-
weight:800;letter-spacing:.06em;text-transform:uppercase;text-decoration:none}
.hero{padding:72px 0 48px;background:radial-gradient(120% 90% at 0 0,rgba(255,46,18,.25),transparent 60%)}
.eyebrow{margin:0;color:#ff4a3a;font-size:.8rem;font-weight:800;letter-spacing:.18em;text-transform:uppercase}
h1{margin:.4em 0;font-size:clamp(2.4rem,8vw,5rem);line-height:1;letter-spacing:-.02em;text-transform:uppercase}
h1 b{color:#ff4a3a;text-shadow:0 0 28px rgba(255,46,18,.65)}
h2{margin:.3em 0;font-size:clamp(1.6rem,4vw,2.4rem);line-height:1.1}
.btn{display:inline-block;padding:.8em 1.4em;border-radius:999px;background:linear-gradient(90deg,var(--red),var(--
orange));color:#000;font-weight:800;text-decoration:none;box-shadow:0 0 18px rgba(255,96,46,.7)}
section{padding:48px 0;border-top:1px solid var(--line)}
.split{display:grid;grid-template-columns:1fr 1fr;gap:32px}
.cards{display:grid;grid-template-columns:repeat(auto-fit,minmax(240px,1fr));gap:16px;margin-top:20px}
.card{padding:20px;background:rgba(255,255,255,.05);border:1px solid var(--line);border-top:3px solid var(--orange)}
.card h3{margin:0 0 6px}
table{width:100%;margin-top:20px;border-collapse:collapse}
th,td{padding:12px;text-align:left;border-bottom:1px solid var(--line)}
th{background:rgba(255,46,18,.18);font-size:.8rem;letter-spacing:.12em;text-transform:uppercase}
.next{display:flex;flex-wrap:wrap;gap:16px;margin-top:16px}
footer{padding:32px 0;border-top:1px solid var(--line);color:var(--muted);font-size:.9rem}
@media(max-width:700px){.split{grid-template-columns:1fr}}
</style>
</head>
<body>
<header><div class="wrap"><a class="logo" href="#top">YOUR BRAND™</a><nav><a href="#problem">Problem</a><a
href="#offer">Offer</a><a href="#paths">Paths</a></nav></div></header>
<div class="ribbon"><div class="wrap"><a class="chip" href="#paths">Direction one</a><a class="chip"
href="#paths">Direction two</a><a class="chip" href="#paths">Direction three</a></div></div>
<main id="top">
<section class="hero"><div class="wrap"><p class="eyebrow">YOUR BRAND™ · YOUR FIELD</p><h1>Name the problem. <b>Show the
solution.</b></h1><p>One sentence about who you help.</p><a class="btn" href="#offer">Explore YOUR OFFER™</a></div>
</section>
<section id="problem"><div class="wrap split"><div><p class="eyebrow">The problem</p><h2>What your visitor is up against.
</h2><p>Two sentences. State the problem plainly.</p></div><div><p class="eyebrow">The solution</p><h2>What your IP does
about it.</h2><p>Two sentences. Name your framework or product.</p></div></div></section>
<section id="offer"><div class="wrap"><p class="eyebrow">Main points</p><h2>Your offer.</h2><div class="cards"><div
class="card"><h3>YOUR PRODUCT ONE™</h3><p>One sentence.</p><a class="btn" href="#paths">Learn more</a></div><div
class="card"><h3>YOUR PRODUCT TWO™</h3><p>One sentence.</p><a class="btn" href="#paths">Learn more</a></div></div></div>
</section>
<section id="paths"><div class="wrap"><p class="eyebrow">Find your direction</p><h2>Every page. <b>Every direction.</b>
</h2><table><thead><tr><th>Page</th><th>Direction</th><th>The idea</th></tr></thead><tbody><tr><td><a href="#offer">YOUR
PRODUCT ONE™</a></td><td>Direction one</td><td>One line.</td></tr><tr><td><a href="#offer">YOUR PRODUCT TWO™</a></td>
<td>Direction two</td><td>One line.</td></tr></tbody></table></div></section>
<section><div class="wrap"><p class="eyebrow">Continue</p><div class="next"><a class="btn" href="#problem">Back to the
problem</a><a class="btn" href="#top">Back to the top</a></div></div></section>
</main>
<footer><div class="wrap">© YOUR NAME. YOUR BRAND™ is a name you coined. Add your legal note here.</div></footer>
```

```
</body>
</html>
```

08 · YOUR FIRST SITE

Make it **yours**

- [ ] Replace every **YOUR BRAND™** with the name you coined, with ™ each time.
- [ ] Write one plain sentence for the problem and one for the solution. Make no promises.
- [ ] Replace Direction one, two and three with the three groups you serve.
- [ ] Replace each **YOUR PRODUCT™** with a real offer, one idea per product.
- [ ] Change the two Continue buttons to point at your real next sections or pages.
- [ ] Add your legal note and a contact address to the footer.
- [ ] Check the text on the gradient buttons is black and everything else is white.
- [ ] Open the site on a phone. Fix anything that scrolls sideways.

Add the next pages

Keep the one-page site live. Then add one page at a time, using the same nine parts. Ask Claude for exactly one page per request:

```
Add pages/about.html using the same header, ribbon and footer as index.html.
It needs a hero, a problem and solution block, one main point, and a Continue strip
that links to the next two pages. Update the menu on every page.
Work on a new branch. Open a pull request. Do not merge.
```

When the site is ready to grow

- Add your own domain in Netlify (Domain management).
- Add the photographs only you took, with alternative text.
- Add the strategy table for every page you have.
- Add a product with Part 6, Selling.

09 · THE FIVE TOOLS

The Streamlined Loop™

Five tools, five jobs. Each one does one thing, so you always know which to open.

STEP	TOOL	ITS JOB	YOU GIVE IT	YOU GET BACK
1 · Brief	ChatGPT	Second opinion and writer	A rough idea and your rules	Clean copy and a page plan
2 · Build	Claude	Builder	The plan and the repository	Edited pages and passing tests
3 · Hold	GitHub	Vault and approval step	A branch of changes	A pull request you review and merge
4 · Publish	Netlify	Publisher	The merged main branch	The live website
5 · Connect	Composio	Connector to other apps	Permission to reach an app	Checks, payments data, drafts

How one change travels

1. You tell ChatGPT what you want and ask for the exact wording.
2. You paste that wording to Claude and ask for the change on a new branch.
3. Claude edits the files, runs the tests and pushes the branch to GitHub.
4. GitHub shows the change as a pull request. You read it and merge it.
5. Netlify sees the new main branch and publishes it.
6. You open the live page and check it. If Composio is connected, Claude can check it for you.

WHY THIS ORDER

The branch and pull request are your undo button. Nothing reaches the live site until you merge, and any merge can be reversed in one click on GitHub.

RULE OF THUMB

Ask for one small change at a time. A small change is easy to read, easy to test and easy to undo.

10 · THE FIVE TOOLS

ChatGPT · Brief

Job in the loop. Your second opinion and your writer. Draft and tighten copy, plan a page, compare two ideas, check a table.

ChatGPT — the levels

LEVEL	PLAN FAMILY	WHAT CHANGES	YOUR MOVE
1 · Base	Free	Chat, writing, simple planning. Lower limits.	Draft your headline, problem line and slogans. Paste a section and ask for three shorter versions.
2 · Starter	Go (where offered)	More messages and files than Free.	Use it for daily copy edits when Free runs out.
3 · Builder	Plus	Fuller model access, file uploads, Projects, custom GPTs.	Keep one Project per website. Upload the blueprint and the glossary as reference files.
4 · Studio	Pro	The highest individual limits for heavy daily use.	Run long reviews: paste a whole page and ask for a contrast, wording and structure audit.
5 · Ceiling	Business or Enterprise	Shared workspace, admin controls, data controls for teams.	Give every collaborator the same Project, the same rules and the same reference files.

Links: ChatGPT · Plans and pricing · Help center

Use it like this

- Keep one Project (or one saved chat) for the website. Paste your rules at the top: no promises, mark coined names with ™, one idea per page.
- Ask for three versions of every headline and choose the shortest that is still clear.
- Before you publish, paste a finished section and ask: "Where is this vague, long or promising something?"
- Do not paste secrets or customer data.

11 · THE FIVE TOOLS

Claude
· Build

Job in the loop. Your builder. Reads your project, edits the pages, runs the tests, opens the pull request.

Claude — the levels

LEVEL	PLAN FAMILY	WHAT CHANGES	YOUR MOVE
1 · Base	Free	Chat and drafting. Claude Code is not included.	Use chat to write copy and plan the page. Paste code back by hand.
2 · Starter	Pro	Adds Claude Code and higher limits.	Connect your GitHub repository. Ask for one small change at a time.
3 · Builder	Max (5x usage)	Several times the Pro usage for daily building.	Run a full loop every day: change, test, pull request, merge.
4 · Studio	Max (20x usage)	The largest individual allowance for all-day sessions.	Run long sessions and several tasks side by side.
5 · Ceiling	Team, Enterprise or the API	Shared seats, admin controls, or pay-as-you-go use in your own tools.	Standardize one CLAUDE.md for the team, or build the loop into your own software.

Links: Claude · Plans and pricing · Claude Code documentation

Use it like this

- Start every session by telling Claude the one change you want, the page it belongs to, and the rules.
- Ask it to work on a new branch and to run your tests before it pushes.
- Read the summary it gives you, then read the pull request on GitHub. You approve; Claude does not.
- Keep a short project file (CLAUDE.md) with your pages, rules and commands. Claude reads it at the start of every session.

12 · THE FIVE TOOLS

GitHub
· Hold

Job in the loop. Your vault and your approval step. Holds every version, every change and every review.

GitHub — the levels

LEVEL	PLAN FAMILY	WHAT CHANGES	YOUR MOVE
1 · Base	Free	Repositories, pull requests, issues and a monthly allowance of automation minutes.	One repository, a protected main branch, and a pull request for every change.
2 · Starter	Free plus Copilot (optional add-on)	Inline coding help in your editor.	Only add it if you edit code by hand. Claude already covers the loop.
3 · Builder	Team	Shared private repositories, required reviews and branch rules for several people.	Require one review before anything reaches main.
4 · Studio	Enterprise	Organization-wide controls, single sign-on and audit logs.	Standardize access for a company or a large collective.
5 · Ceiling	Enterprise with security add-ons	Secret scanning and code scanning as paid add-ons.	Turn on secret scanning so a key can never be committed by accident.

Links: GitHub · Plans and pricing · Documentation · GitHub CLI

Use it like this

- Keep one repository for the whole site. Protect the main branch so changes arrive only through pull requests.
- Read the Files changed tab of every pull request. Green means tests passed; you still read it.
- Merge with the Squash option so each change is one tidy step in your history.
- To undo a merge, open the merged pull request and choose Revert.

13 · THE FIVE TOOLS

Netlify
· Publish

Job in the loop. Your publisher. Watches your main branch and puts the new version on the web.

Netlify — the levels

LEVEL	PLAN FAMILY	WHAT CHANGES	YOUR MOVE
1 · Base	Free	A monthly allowance of usage credits, deploy previews, custom domain with a certificate.	Connect the repository once. Every merge to main publishes.
2 · Starter	Personal	A larger credit allowance and extra monitoring.	Move up when a launch or a busy month uses your credits.
3 · Builder	Pro	A larger allowance, shared settings and private team features.	Use shared environment variables so every site reads the same keys.
4 · Studio	Enterprise	Service commitments, single sign-on and support.	Reserve it for a company site with uptime requirements.
5 · Ceiling	Enterprise (custom)	Custom limits and network options.	Talk to Netlify sales about the exact limits you need.

Links: Netlify · Plans and pricing · Documentation · Netlify CLI

Use it like this

- Connect the repository once and set main as the publish branch. After that you never upload files by hand.
- Open Deploys after every merge and wait for Published.
- Open the deploy preview link on a pull request to test on a real phone before you merge.
- Keep secrets in Site configuration → Environment variables, never in the repository.

14 · THE FIVE TOOLS

Composio · Connect

Job in the loop. Your connector. Lets Claude or ChatGPT reach your other apps (GitHub, Stripe, Gmail and more) with managed sign-in.

Composio — the levels

LEVEL	PLAN FAMILY	WHAT CHANGES	YOUR MOVE
1 · Base	Free	A monthly allowance of tool calls to try the connection.	Connect one app (GitHub) and run one read-only check.
2 · Starter	Pro	A larger monthly allowance of tool calls.	Add the apps you use every day, such as Stripe and your email.
3 · Builder	Business	A much larger allowance and team features.	Share connections across a team and run checks on a schedule.
4 · Studio	Enterprise	Custom limits, support and security reviews.	Use it when the connections touch customer data at scale.

Links: Composio · Plans and pricing · Documentation · Dashboard

Use it like this

- Connect one app at a time and test each with a read-only request first.
- Ask Claude or ChatGPT to use the connection for checks: "Confirm the live page shows the new headline." or "List my Stripe products."
- Reconnect an app in the dashboard if a request says the connection expired.
- Give each connection the least access it needs.

15 · IPHONE EDITION

Build from your iPhone

An iPhone is enough to run the whole loop. The heavy work happens in the cloud, on Claude's servers and Netlify's servers. Your phone is where you brief, review, approve and check.

Choose your iPhone level

Level means the device you hold, from the least you need to the most the market offers. Names of models change every year, so judge your phone by these capabilities.

LEVEL	YOUR IPHONE	WHAT IT HANDLES WELL	WHAT TO WATCH
Base	The oldest iPhone that still updates to the current version of iOS. At least 64 GB free space is comfortable.	Briefing, reviewing a pull request, checking the live site, dictating copy.	Small screen for wide tables. Clear photos from Photos before uploading. Slower with big photo batches.
Mid	A current standard iPhone with 128 GB or more.	Everything in Base, plus photo uploads, longer sessions and fast switching between apps.	Battery on long review days. Keep a USB-C or Lightning charger and a power bank.
Ceiling	A current Pro or Pro Max class iPhone with 256 GB to 1 TB.	The largest screen for reading tables, the best camera for your own photographs, the best battery.	Do not buy it for the website. Buy it if the camera or screen serves your craft.

YOU CAN START AT BASE

Everything in this edition works at the base level. A higher level makes reviewing faster and photography better. It does not change what the tools can do.

Add-ons that help

- A Bluetooth keyboard for long drafting sessions.
- A stand or case with a kickstand so the phone sits at eye level for reviews.
- A power bank for a full day away from a desk.
- An Apple Pencil is not needed. Use Dictation for long text.

16 · IPHONE EDITION

Set up
in twenty minutes

1. **Secure your Apple ID.** Turn on two-factor authentication. Use passkeys wherever a service offers them. Open Settings → your name → Sign-In & Security.
2. **Install the apps.** From the App Store, get ChatGPT, Claude and GitHub.
3. **Make home-screen shortcuts for the dashboards.** Netlify and Composio run in Safari. Open app.netlify.com and dashboard.composio.dev, tap Share, then Add to Home Screen.
4. **Sign in to each service once.** Use Sign in with GitHub for Netlify and Composio if offered, so one login covers three tools.
5. **Connect GitHub to Netlify.** In the Netlify dashboard choose Add new site → Import an existing project → GitHub. Pick your repository. Set the publish branch to main.
6. **Connect Claude to your repository.** In the Claude app, open Claude Code and choose your GitHub repository. Follow the prompts to grant access.
7. **Connect Composio.** In the Composio dashboard, connect GitHub first. Then add the other apps you use. Follow the Composio documentation to add Composio as a connector inside Claude or ChatGPT.
8. **Turn on Dictation.** Settings → General → Keyboard → Enable Dictation. Tap the microphone key to speak your changes.

CHECK

Open your live site in Safari. If it loads, Netlify is connected. Open the repository in the GitHub app. If you see your files, GitHub is connected.

NEVER PASTE SECRETS

Do not paste passwords, API keys or the Stripe secret key into any chat. Put them in Netlify under Site configuration → Environment variables. Tools read them there.

17 · IPHONE EDITION

The ten-minute update loop

This is the loop you will run every day from your phone.

1. **Brief (ChatGPT).** Tap the microphone and speak the change: "Rewrite the Partnership headline to name the problem of working alone. Give me three short versions." Pick one.
2. **Build (Claude).** Open Claude Code on your repository. Paste the chosen wording and say: "On a new branch, change the Partnership headline to this exact text. Run the tests. Push the branch."
3. **Hold (GitHub).** Open the GitHub app. Tap the new pull request. Read the Files changed tab. Tap Review, then Approve if you are the reviewer. Tap Merge.
4. **Publish (Netlify).** Netlify publishes main by itself. Open the Netlify shortcut, then Deploys. Wait for a green Published label, usually within a minute or two.
5. **Check (Safari).** Open your live site. Pull down to refresh. If the old text appears, tap the page's reload button once more, then try a private tab.
6. **Connect (Composio, optional).** Ask Claude: "Fetch the live page and confirm the new headline appears." The check runs through your connection.

> **ONE CHANGE PER LOOP**
>
> Keep each loop to one small change. Five small loops are safer than one big one, and each can be undone separately.

A useful prompt pattern

```
Change:
Where:
Rules: keep my wording exact; no promises; mark coined names with ™;
       run the tests; push to a new branch; do not merge.
```

18 · IPHONE EDITION

Photographs, copy and shortcuts

Photographs from your phone

1. Shoot in good light, one clear subject, room for text.
2. Do not include readable third-party logos. If a logo is in the shot, ask Claude to blur it before it goes on the site.
3. Open Photos, tap Share, then AirDrop to a computer, or attach the photo directly in the Claude app.
4. Ask Claude to tone the photo to your palette, resize it and add it to the page you name.
5. Write alternative text for each photo so screen readers can describe it.

Copy with ChatGPT on the phone

- Use voice mode to talk through a page, then ask for a one-paragraph summary.
- Keep a Project for the website. Attach your rules so every chat starts with them.
- Always ask for three versions, then choose and trim.

Shortcuts that save taps

Open the Shortcuts app, tap +, choose Add Action, search for Open URLs. Make four shortcuts, then add each to your Home Screen:

SHORTCUT NAME	OPENS
Live site	Your website address
Pull requests	Your repository's pull requests page on github.com
Deploys	The Deploys page for your site in Netlify
Connections	dashboard.composio.dev

19 · IPHONE EDITION

iPhone levels **base to ceiling**

Combine your device level with your plan levels. This table shows a sensible starting point at each step. Move up only when you hit a real limit.

STAGE	IPHONE LEVEL	PLAN LEVELS	WHAT YOU CAN RUN
Base	Base	ChatGPT Free · Claude Free · GitHub Free · Netlify Free · Composio Free	Write and plan in chat. Edit pages by pasting changes into GitHub. Publish with Netlify. No Claude Code yet.
Starter	Base or Mid	Claude Pro with Claude Code · others at Free	The full loop from your phone, one change at a time.
Builder	Mid	ChatGPT Plus · Claude Max · GitHub Free · Netlify Personal · Composio Pro	Daily loops, photo work, several apps connected.
Studio	Mid or Ceiling	Claude Max (higher) · Netlify Pro · Composio Pro or Business	All-day sessions and a busy launch week.
Ceiling	Ceiling	Team or Enterprise plans where a company needs them	A shared workflow across a team, reviewed on phones.

What a phone cannot do

- Run the website on your own device. You preview on Netlify instead, using a deploy preview link for each pull request.
- Run heavy photo editing. Do batches on a computer, or send the photos to Claude to process in the cloud.
- Show a very wide table at full size. Rotate to landscape or use Safari's Request Desktop Website.

> **PREVIEW ON YOUR PHONE**
>
> When Claude opens a pull request, Netlify builds a deploy preview with its own link. Open that link in Safari to test the change before you merge.

20 · COMPUTER EDITION

Build from **a computer**

A computer gives you the fastest loop: a local preview, a terminal, and room to run tests. You can start with nothing installed and add each tool as you need it.

Choose your computer level

LEVEL	YOUR COMPUTER	HOW YOU WORK	WHAT TO WATCH
Base	Any laptop or Chromebook with a current browser and a reliable connection. 4 to 8 GB of memory is enough.	Cloud only. Use Claude Code on the web, the browser editor at github.dev (press the period key in a repository) and the Netlify dashboard.	No local preview. Use Netlify deploy previews. Close extra tabs to keep it fast.
Mid	A current Windows, Mac or Linux laptop or desktop with 8 to 16 GB of memory and room for photos.	Local tools: Git, Node.js, an editor, Claude Code in the terminal, the GitHub CLI and the Netlify CLI.	Keep the system and tools updated. Back up your photographs.
Ceiling	A high-memory desktop or workstation, 32 GB or more, with one or two large monitors.	Run the site, the tests and a browser test suite at once. Several Claude sessions side by side. Large photo batches.	Buy it for photo and video work, not for the website alone.

YOU CAN START AT BASE

A base computer runs the whole loop in the browser. Add local tools when waiting for previews slows you down.

Install the tools (Mid and Ceiling)

TOOL	GET IT	CHECK IT WORKS
Git	git-scm.com	`git --version`
Node.js (LTS)	nodejs.org	`node --version`
Editor	code.visualstudio.com or any editor you like	Open a folder and a file
GitHub CLI	cli.github.com	`gh --version`
Netlify CLI	docs.netlify.com/cli	`netlify --version`
Claude Code	code.claude.com/docs	`claude --version`

21 · COMPUTER EDITION

Set up the loop

1. **Sign in to GitHub from the terminal.** Run `gh auth login` and follow the prompts.
2. **Get your repository.** Run `gh repo clone your-name/your-repo`, then `cd your-repo`.
3. **Install Claude Code.** Follow the install steps at code.claude.com/docs. A common way is `npm install -g @anthropic-ai/claude-code`. Then run `claude` in your repository folder and sign in.
4. **Install the Netlify CLI.** Run `npm install -g netlify-cli`, then `netlify login` and `netlify link` to connect this folder to your site.
5. **Connect Netlify to GitHub once.** In the Netlify dashboard choose Add new site → Import an existing project → GitHub. Set the publish branch to main. After this, every merge to main publishes by itself.
6. **Connect Composio.** In the Composio dashboard, connect GitHub, then your other apps. Add Composio to Claude or ChatGPT as a connector using the documentation.
7. **Add your project file.** Create CLAUDE.md in the repository with your pages, rules and commands. Commit it.

Preview the site on your computer

For a static site, any local server works. These two commands each start one:

```
npx serve .
# or
python3 -m http.server 8000

# with Netlify features (redirects, functions):
netlify dev
```

> **CHECK**
>
> Open the address the command prints. If your home page loads, the local setup works.

22 · COMPUTER EDITION

The daily **build loop**

1. **Start fresh.** `git checkout main` then `git pull`.
2. **Branch.** `git checkout -b change-headline`.
3. **Brief.** Ask ChatGPT for the exact wording. Ask for three versions and pick one.
4. **Build.** In your repository folder run `claude`. Say what to change, where, and which rules apply.
5. **Preview.** Run `netlify dev` or `npx serve .`. Open the page at desktop width, then narrow the window to phone width.
6. **Test.** Run `npm test` if your project has tests. Ask Claude to fix any failure.
7. **Commit and push.** `git add -A`, `git commit -m "Change the Partnership headline"`, `git push -u origin change-headline`.
8. **Open the pull request.** `gh pr create --fill`. Read the Files changed view on GitHub.
9. **Merge.** `gh pr merge --squash` (or the Merge button on GitHub).
10. **Check live.** Watch Deploys in Netlify until it says Published. Open the live page and check it at both widths.

> **IF SOMETHING IS WRONG**
>
> Open the merged pull request on GitHub and choose Revert. GitHub creates a new pull request that undoes it. Merge that, and Netlify publishes the previous version.

23 · COMPUTER EDITION

Netlify
in practice

NEED	WHERE TO DO IT	NOTES
See why a publish failed	Netlify → your site → Deploys → the failed deploy → Deploy log	Copy the first error line to Claude and ask for a fix.
Preview a change before merge	The deploy preview link on the pull request	Use it to test on a real phone.
Redirect an old address	A netlify.toml or _redirects file in your repository	Ask Claude to add it and test it.
Hide a private file from the public	A forced 404 redirect in netlify.toml	Files in a published folder are public. A redirect with force turned on blocks the address.
Store a secret key	Site configuration → Environment variables	Never put keys in the repository.
Run server code	A Netlify Function in your functions folder	Use for checkout, sign-up and downloads.
Roll back	Deploys → an earlier deploy → Publish deploy	The fastest undo for a bad publish.
Use your own domain	Domain management → Add a domain	Netlify provides a free certificate.

PUBLIC MEANS PUBLIC

Anything in a folder that Netlify publishes can be opened by anyone who knows the address. Keep paid files out of the public path, or block the path with a forced redirect, and serve paid files through a function that checks the purchase first.

24 · COMPUTER EDITION

Computer levels **base to ceiling**

STAGE	COMPUTER LEVEL	PLAN LEVELS	WHAT YOU CAN RUN
Base	Base	All five tools at Free (Claude without Claude Code)	Plan in chat. Edit in the browser at github.dev. Publish with Netlify.
Starter	Base or Mid	Claude Pro with Claude Code · others at Free	The full loop with a local preview at Mid.
Builder	Mid	ChatGPT Plus · Claude Max · Netlify Personal · Composio Pro	Daily builds with tests, deploy previews and connected apps.
Studio	Mid or Ceiling	Claude Max (higher) · Netlify Pro · Composio Pro or Business	Several tasks at once. Scripts that rebuild images, ads and tables.
Ceiling	Ceiling	Team or Enterprise plans	A team workflow with required reviews, shared keys and shared checks.

Level-ups that pay off at a computer

- **Write scripts for anything you repeat.** Ask Claude to write one command that rebuilds your ad images or tables from your data.
- **Add tests.** A test that checks every price against your pricing file, and every link against your page map, catches mistakes before they publish.
- **Use a browser test tool.** Ask Claude to check every page at desktop and phone width for sideways scrolling and console errors.
- **Run checks through Composio.** After each publish, have Claude fetch the live page and confirm the change is there.

25 · SELLING

Put a product on your site

When a page is ready to sell, add the product in four places, in this order.

1. **Create the product and price in Stripe.** Use Stripe Payment Links. Set the name, the price and a one-time payment. Copy the price ID and the link.
2. **Add one entry to your pricing file.** Name, phase, price, price ID, payment link and the file you deliver. Nothing else on the site types a price by hand.
3. **Add the card to its one page.** A name, one sentence, three bullet points and one button. Use the price from the file.
4. **Deliver the file safely.** Serve it through a function that checks the purchase. Block the public address with a forced redirect.

Rules for sale pages

- Describe the problem and your IP as the solution. Do not promise results.
- State what the buyer receives and the format.
- State the license in plain words: a right to use, not ownership.
- Say whether the payment is one-time or a subscription.
- Link to your refund and sales policy.

> **TEST BEFORE YOU ANNOUNCE**
>
> Do a real test purchase, then confirm the file arrives and the account page shows the product. Use Stripe webhooks to deliver automatically after payment.

26 · APPENDICES

Troubleshooting

PROBLEM	LIKELY CAUSE	FIX
My change is not on the live site	The pull request was not merged, or the deploy is still running.	Check GitHub for the merge. Check Netlify Deploys for a Published label.
The live site shows the old version	Your browser or phone is showing a saved copy.	Reload, then try a private tab.
The deploy failed	A build error or a missing file.	Open the Deploy log. Send the first error line to Claude.
Claude changed more than I asked	The request was too broad.	Ask it to undo, then repeat with one change and the words "change only".
Claude cannot see my repository	GitHub access was not granted.	Reconnect GitHub in Claude and grant the repository.
Composio says a connection is inactive	The sign-in expired.	Reconnect the app in the Composio dashboard.
A page scrolls sideways on my phone	An element is wider than the screen.	Ask Claude to find the widest element and constrain it.
Text is hard to read	Low contrast.	Run a contrast check. Use white or black text on strong colors.
A buyer cannot download	The price ID in the pricing file does not match Stripe.	Compare the two. Fix the file and publish.
I ran out of messages or credits	You reached a plan limit.	Wait for the reset, or move up one level for that tool.

27 · APPENDICES

Links
in one place

TOOL	HOME	PLANS AND PRICING	LEARN
ChatGPT	chatgpt.com	Pricing	Help center
Claude	claude.ai	Pricing	Claude Code docs
GitHub	github.com	Pricing	Docs
Netlify	netlify.com	Pricing	Docs
Composio	composio.dev	Pricing	Docs
Stripe	stripe.com	Pricing	Payment Links

Standards worth knowing

- WCAG quick reference for contrast and accessibility.
- MDN Web Docs for the exact meaning of any web term.
- USPTO trademarks if you want to register the names you coined. Ask a lawyer before you file.

> **A NOTE ON NAMES**
>
> The ™ symbol shows you claim a name. It is not a registration. Registration is a separate legal step.

28 · APPENDICES

The full **glossary**

Layout and structure

TERM	MEANING	USE IT FOR
Header / masthead	The top bar with the logo and main menu.	Orienting every visitor on every page.
Navigation bar	The row of primary links.	The few links that never change.
Dropdown / mega menu	A menu that opens a longer list.	Everything that does not earn a top-level link.
Sub-navigation bar	A second nav row under the header.	Showing where a page sits in the system.
Hero	The large opening section with headline and image.	Stating the problem in the first screen.
Section / band	A full-width horizontal block.	Pacing the page in clear chapters.
Grid and gutter	The column structure, and the space between columns.	Aligning cards, tables and text.
Whitespace	Empty space that gives content room.	Separating ideas without extra lines.
Hairline rule	A thin separating line.	Splitting table rows or sections quietly.
Sticky element	Stays fixed while the page scrolls.	A buy button that stays in reach.
Footer	The bottom block with links and legal text.	Repeating navigation and carrying legal notes.
Call to action (CTA)	The button or link that prompts the next step.	One clear action per screen.

Components

TERM	MEANING	USE IT FOR
Chip	A small rounded label or control.	Directions, filters, categories.
Pill / pill button	A fully rounded button.	Primary actions and phase labels.
Badge / tag	A small label marking a category or status.	Page names, "Coming soon".
Primary / secondary button	The main action versus a quieter one.	One solid button per screen, outlines for the rest.
Card	A boxed unit of content.	Products and offers.
Tile	A card that leads with an image.	Collections and categories.
Data table	Rows and columns of comparable facts.	Levels, prices, paths.
Matrix	A grid that crosses two sets of things.	Pages against directions.

TERM	MEANING	USE IT FOR
Stat block	A big figure with a small label.	A single number that carries the po
Breadcrumb / fit strip	A trail showing where you are.	Linking a page back to the model.
Accordion / disclosure	A section that expands on request.	Terms and detail most visitors skip.

Infographic and diagram

TERM	MEANING	USE IT FOR
Infographic	A visual that explains information.	Making a system understood at a glance.
Radial diagram	Items arranged around a center.	A model whose parts all relate to one core.
Node and connector	A point in a diagram and the line that links it.	Showing relationships.
Active state / highlight	The emphasized item.	Marking the nodes a page belongs to.
Legend	A key that explains the marks.	Any diagram using color or shape as code.
Data-ink ratio	The share of ink that carries information.	Cutting decoration that explains nothing.
Visual hierarchy	Which items look most important.	Headline over table over footnote.

Color and effects

TERM	MEANING	USE IT FOR
Accent color	The highlight color, used sparingly.	Calls to action and active states.
Linear gradient	A smooth blend between two colors.	Solid buttons and tags.
Glow / box shadow	A soft halo around an element.	Active chips, tags and circles.
Opacity / translucency	How see-through something is.	Tinted chip fills over a dark ground.
Duotone	An image toned with two colors.	Making different photographs feel like one set.
Scrim / overlay	A dark layer behind text on a photo.	Keeping headlines legible.
Frosted panel	A blurred translucent panel.	Captions that sit on photographs.
Contrast ratio	A legibility measure. WCAG AA needs 4.5:1 for small text.	Checking every text and background pair.
Hue / saturation	Which color it is, and how intense.	Why a yellow-orange can look off beside a red.

Typography

TERM	MEANING	USE IT FOR
Typeface and weight	The letter design, and how heavy it is.	Light headlines against bold emphasis.
Eyebrow / headline / subhead	A small label, the main title, the supporting line.	The three-step reading order of a section.
Slogan / tagline	A short memorable line.	One line that states what a page is for.
Display type	Oversized headline lettering.	An ad-style opener.

TERM	MEANING	USE IT FOR
All caps and tracking	Capital letters and the space between letters.	Chips, labels and table heade
Leading and measure	Space between lines, and the length of a line.	Comfortable paragraphs.
Trademark symbol (™)	The mark that shows a name is owned.	Every name you coined.

Interaction and motion

TERM	MEANING	USE IT FOR
Hover state	How an element looks under the pointer.	A brighter glow on chips.
Focus ring	The outline when tabbing through links.	Keyboard access.
Anchor link	A link to a spot on the same page.	Phase pills that jump to a tier.
Reveal on scroll	Content that fades in as you scroll.	Light pacing, never hiding content.
Responsive breakpoint	The width where a layout changes.	Stacking tables into cards on phones.
Progressive disclosure	Showing detail only when asked.	Menus and accordions.

29 · APPENDICES

Launch **checklist**

- [ ] Every page uses the nine-part pattern.
- [ ] The header, ribbon and footer are identical on every page.
- [ ] Every coined name carries ™ wherever it appears.
- [ ] No headline makes a promise or an earnings claim.
- [ ] Every price and payment link comes from the pricing file.
- [ ] Every paid file is blocked from the public address and delivered by a function.
- [ ] A test purchase works end to end: payment, file, account page.
- [ ] Every page passes a contrast check at small sizes.
- [ ] No page scrolls sideways at phone width.
- [ ] Every link goes where its label says.
- [ ] The Continue strips form a one-way ring.
- [ ] The live site was checked on a phone and on a computer, not only in a preview.
- [ ] Secrets live only in Netlify environment variables.
- [ ] You know how to revert a bad publish.

BUILD THE INFRASTRUCTURE. STRENGTHEN THE PRACTICE. CREATE THE LEGACY.

The Website Glossary™, a free one-page infographic of the words in this manual, is on the Creator page of the Co.LLab™ website.

YOUR NEXT MOVE

Once your site is live and you are updating it with the loop, the next infrastructure question is how to run the whole creative venture without every decision depending on you. That is **The Creator Operating System™** ($300).

Build the infrastructure. Strengthen the practice. Create the legacy.

The Co.LLab: Building Leadership Infrastructure™

Explore .LLab Creators™

GLOSSARY

Glossary Of **Terms.**

Definitions of the terms used across The Co.LLab IP™, in alphabetical order.

Co.LLab IP™ — The proprietary frameworks, tools, models, and materials of The Co.LLab™, owned by Ashley E. Clasby and licensed, never sold, to users.

Foundations (Phase I) — The phase that defines what an organization stands on: vision, values, identity, and strengths.

Infrastructure — The structures, systems, and practices that let an organization perform consistently, independent of any one person.

Infrastructure Planning & Management (Phase II) — The phase that decides what to build and how it connects: priorities, decision rights, and ownership.

Internal Operating Systems (Phase III) — The phase that builds repeatable rhythms, standards, and practices into daily operations.

Leadership Infrastructure™ — Leadership made structural: captured, documented, and embedded so it outlasts the individuals who hold it.

Legacy — What an organization builds that continues after its founders and leaders step away.

License — A limited right to use Co.LLab IP™ for internal purposes. A license grants use, not ownership.

Non-Negotiable — A commitment an organization will not trade away, regardless of financial or competitive pressure.

Omnidirectional Enterprise™ — An ecosystem without hierarchy, in which value moves between companies, people, creators, and communities in every direction.

Preservation (Phase IV) — The phase that ensures knowledge, culture, and intent survive leadership transitions.

Stakeholder — Any person or group the organization serves or depends on: employees, customers, community, partners, and future leaders.

Stewardship — The shared responsibility to protect and advance an organization's founding intent.

Succession — The planned transfer of roles, authority, and knowledge from one leader to the next.

The IV Phases™ — The four-phase Co.LLab™ model: Foundations, Infrastructure Planning & Management, Internal Operating Systems, and Preservation.

Working Copy — A user's completed or annotated copy of a Co.LLab IP™ product, made for authorized internal use.

APPENDIX A

The IV Phases™ **Reference Model.**

PHASE	PURPOSE	GUIDING QUESTION
I · Foundations	Define what the organization stands on.	What should never be lost as we grow?
II · Infrastructure Planning & Management	Decide what to build and how it connects.	What depends on a person that should belong to the organization?
III · Internal Operating Systems	Build the systems that make it run.	How do we make what matters part of how we operate?
IV · Preservation	Make it last beyond any one person.	What must exist for what we built to continue?

APPENDIX B

Citation **& Edition.**

Suggested citation: Clasby, A. E. (2026). *Creator Website Blueprint™*. The Co.LLab: Building Leadership Infrastructure™.

Edition: First edition, 2026. © 2026 The Co.LLab™ Building Leadership Infrastructure™. All rights reserved. Licensed for internal use under The Co.LLab IP™ License & Terms of Use.

APPENDIX C

Revision **Record.**

Record each review or update of your working copy.

DATE	WHAT CHANGED	REVIEWED BY