
Duration : 0.185 s Start: Oct 17, 11:54:56.278 pm End: Oct 17, 11:54:56.463 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 0 SKIPPED - 0 SKIPPED - 0 SKIPPED - 27 27 40 50 60 40 50 60 40 50 60 30 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 100


Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Customers	0.084 s	1	0	1	0	11	0	0	11
Login Page	0.067 s	3	0	3	0	16	0	0	16

Tag		Scer	nario		Feature			
Name	T	P	F	S	T	P	F	S
@Regression	1	0	1	0	1	0	1	0
@Single	1	0	1	0	1	0	1	0
@Multiple	2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Customers	1	0	1	0	0.084 s
2	Login Page	3	0	3	0	0.067 s


SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Customers	Add new Customer	11	0	0	11	0.079 s
2	Login Page	Successful Login with Valid Credentials	6	0	0	6	0.015 s
3	Login Page	Login Data Driven	5	0	0	5	0.010 s
4	Login Page	Login Data Driven	5	0	0	5	0.008 s

DETAILED SECTION -- 6 --

Customers



Add new Customer



#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.038 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\Users\letsm\git\ShivaLocalRepo\TestNGWithBDDCucumberFramework-master\TestNGWithCucumber\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.000 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.001 s
3	And Click on Login	SKIPPED	0.000 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
5	When User click on customers menu	SKIPPED	0.001 s
6	And Click on customer menu item	SKIPPED	0.000 s
7	And Click on Add new button	SKIPPED	0.001 s
8	Then User can view Add new customer page	SKIPPED	0.001 s
9	When User enter customer info	SKIPPED	0.000 s
10	And Click on save button	SKIPPED	0.001 s
11	Then User can view confirmation message "The new customer has been added successfully."	SKIPPED	0.001 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.004 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		

Login Page

FAILED	DURATION - 0.067 s	Scenarios		Steps	
		Total - 3		Total - 16	
/ 11:54:56.396 p	om // 11:54:56.463 pm /	Pass - 0	3	Pass - 0	16
		Fail - 3		Fail - 0	10
		Skip - 0		Skip - 16	


Successful Login with Valid Credentials

FAILED DURATION -	0.015 s	0.15			1				Steps		
/ 11:54:56.396 pm // 11:54:56.4	!11 pm /	0.1 -		-					Total - 6		
Login Page		.05 -			+			+	Pass - 0 Fail - 0	6	
Logiii Fage									Skip - 6		
@Single		0 -1	1	2	3	4	5	6			

#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.lllegalStateException: The driver executable does not exist:		

#	Step / Hook Details	Status	Duration
	C:\Users\letsm\git\ShivaLocalRepo\TestNGWithBDDCucumberFramework-master\TestNGWithCucumber\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.chrome.ChromeDriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.001 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.002 s
3	And Click on Login	SKIPPED	0.001 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.000 s
5	When User click on Log out link	SKIPPED	0.001 s
6	Then Page title should be "Your store. Login"	SKIPPED	0.000 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.000 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		


Login Data Driven



#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.lllegalStateException: The driver executable does not exist:		

#	Step / Hook Details	Status	Duration
	C:\Users\letsm\git\ShivaLocalRepo\TestNGWithBDDCucumberFramework-master\TestNGWithCucumber\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.000 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.000 s
3	And Click on Login	SKIPPED	0.001 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s
5	When User click on Log out link	SKIPPED	0.001 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)	FAILED	0.001 s

Login Data Driven



#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\Users\letsm\git\ShivaLocalRepo\TestNGWithBDDCucumberFramework-master\TestNGWithCucumber\chromedriver.exe		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.001 s
2	When User enters Email as "admin1@yourstore.com" and Password as "admin"	SKIPPED	0.000 s
3	And Click on Login	SKIPPED	0.000 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s
5	When User click on Log out link	SKIPPED	0.001 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		