



Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
Customers	0.138 s	1	0	1	0	11	0	0	11
Login Page	0.108 s	3	0	3	0	16	0	0	16

Tag	Scenario			Feature				
Name	T	P	F	S	Т	P	F	S
@Regression	1	0	1	0	1	0	1	0
@Single	1	0	1	0	1	0	1	0
@Multiple	2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Customers	1	0	1	0	0.138 s
2	Login Page	3	0	3	0	0.108 s

SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Customers	Add new Customer	11	0	0	11	0.130 s
2	Login Page	Successful Login with Valid Credentials	6	0	0	6	0.024 s
3	Login Page	Login Data Driven	5	0	0	5	0.016 s
4	Login Page	Login Data Driven	5	0	0	5	0.013 s

DETAILED SECTION -- 6 --

#### **Customers**

FAILED	DURATION - 0.138 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 12:19:53.854 am //	12:19:53.992 am /	Pass - 0	1	Pass - 0	11
		Fail - 1		Fail - 0	
		Skip - 0		Skip - 11	

#### **Add new Customer**



#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.070 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\TestNGWithCucumber\src\test\resources\drivers\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.001 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.000 s
3	And Click on Login	SKIPPED	0.001 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.000 s
5	When User click on customers menu	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
6	And Click on customer menu item	SKIPPED	0.001 s
7	And Click on Add new button	SKIPPED	0.002 s
8	Then User can view Add new customer page	SKIPPED	0.000 s
9	When User enter customer info	SKIPPED	0.001 s
10	And Click on save button	SKIPPED	0.001 s
11	Then User can view confirmation message "The new customer has been added successfully."	SKIPPED	0.001 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.005 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		

# **Login Page**

FAILED	DURATION - 0.108 s	Scenarios		Steps	
		Total - 3		Total - 16	
/ 12:19:54.038 am	n // 12:19:54.146 am /	Pass - 0	3	Pass - 0	16
		Fail - 3		Fail - 0	
		Skip - 0		Skip - 16	


### **Successful Login with Valid Credentials**

FAILED DURATION - 0.024 s	0.1	15	-			Steps	
/ 12:19:54.038 am // 12:19:54.062 am /	0.1	1		 	 	Total - 6 Pass - 0	
Login Page	.05	5 -		 	 	Fail - 0	6
@Single	0			 <u> </u>	 	Skip - 6	

#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\TestNGWithCucumber\src\test\resources\drivers\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverServiceccreateDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.001 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.002 s
3	And Click on Login	SKIPPED	0.000 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s
5	When User click on Log out link	SKIPPED	0.000 s
6	Then Page title should be "Your store. Login"	SKIPPED	0.002 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		


## **Login Data Driven**



:	#	Step / Hook Details	Status	Duration
		BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
		java.lang.lllegalStateException: The driver executable does not exist: C:\TestNGWithCucumber\src\test\resources\drivers\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.001 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.001 s
3	And Click on Login	SKIPPED	0.001 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s
5	When User click on Log out link	SKIPPED	0.001 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		

### **Login Data Driven**



#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.003 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\TestNGWithCucumber\src\test\resources\drivers\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.001 s
2	When User enters Email as "admin1@yourstore.com" and Password as "admin"	SKIPPED	0.000 s
3	And Click on Login	SKIPPED	0.000 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s
5	When User click on Log out link	SKIPPED	0.000 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		