

Cucumber Report

17-Oct-2024, 11:57:45 pm

Start : Oct 17, 11:57:44.281 pm

End : Oct 17, 11:57:44.496 pm

Duration : 0.215 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 2
SKIPPED - 0


PASSED - 0
FAILED - 4
SKIPPED - 0

PASSED - 0
FAILED - 0
SKIPPED - 27




| Feature | | Scenario | | | | Step | | | |
|-------------------|----------|----------|---|---|---|------|---|---|----|
| Name | Duration | T | P | F | S | T | P | F | S |
| <u>Customers</u> | 0.091 s | 1 | 0 | 1 | 0 | 11 | 0 | 0 | 11 |
| <u>Login Page</u> | 0.085 s | 3 | 0 | 3 | 0 | 16 | 0 | 0 | 16 |

| Tag | Scenario | | | | Feature | | | |
|-------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|
| Name | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> | <i>T</i> | <i>P</i> | <i>F</i> | <i>S</i> |
| @Regression | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Single | 1 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| @Multiple | 2 | 0 | 2 | 0 | 1 | 0 | 1 | 0 |





| # | Feature Name | T | P | F | S | Duration |
|---|-------------------|---|---|---|---|----------|
| 1 | <u>Customers</u> | 1 | 0 | 1 | 0 | 0.091 s |
| 2 | <u>Login Page</u> | 3 | 0 | 3 | 0 | 0.085 s |





| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|-------------------|--|----|---|---|----|----------|
| 1 | <u>Customers</u> | <u>Add new Customer</u> | 11 | 0 | 0 | 11 | 0.085 s |
| 2 | <u>Login Page</u> | <u>Successful Login with Valid Credentials</u> | 6 | 0 | 0 | 6 | 0.032 s |
| 3 | <u>Login Page</u> | <u>Login Data Driven</u> | 5 | 0 | 0 | 5 | 0.011 s |
| 4 | <u>Login Page</u> | <u>Login Data Driven</u> | 5 | 0 | 0 | 5 | 0.006 s |

Customers

| | | | | | |
|--|--------------------|--|---|--|---|
| FAILED | DURATION - 0.091 s | Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0 |  | Steps Total - 11 Pass - 0 Fail - 0 Skip - 11 |  |
| / 11:57:44.281 pm // 11:57:44.372 pm / | | | | | |



Add new Customer

| | | | | |
|---|--|--|---|---|
| <div>FAILED</div> <div>DURATION - 0.085 s</div> | |  | <div>Steps</div> <div>Total - 11</div> <div>Pass - 0</div> <div>Fail - 0</div> <div>Skip - 11</div> |  |
| / 11:57:44.287 pm // 11:57:44.372 pm / | | | | |
| Customers | | | | |
| @Regression | | | | |



| # | Step / Hook Details | Status | Duration |
|---|---|---------------|----------|
| | BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario) java.lang.IllegalStateException: The driver executable does not exist: C:\Users\letsml\git\ShivaLocalRepo\TestNGWithBDDCucumberFramework-master\TestNGWithCucumber\chromedriver.exe at com.google.common.base.Preconditions.checkNotNull(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17) | FAILED | 0.041 s |
| 1 | Given User launch application | SKIPPED | 0.000 s |
| 2 | When User enters Email as "admin@yourstore.com" and Password as "admin" | SKIPPED | 0.000 s |
| 3 | And Click on Login | SKIPPED | 0.001 s |
| 4 | Then Page title should be "Dashboard / nopCommerce administration" | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| 5 | When User click on customers menu | SKIPPED | 0.001 s |
| 6 | And Click on customer menu item | SKIPPED | 0.001 s |
| 7 | And Click on Add new button | SKIPPED | 0.002 s |
| 8 | Then User can view Add new customer page | SKIPPED | 0.001 s |
| 9 | When User enter customer info | SKIPPED | 0.001 s |
| 10 | And Click on save button | SKIPPED | 0.000 s |
| 11 | Then User can view confirmation message "The new customer has been added successfully." | SKIPPED | 0.000 s |
| | AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario) | FAILED | 0.005 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28) | | |

Login Page

| | | | | | |
|--|--------------------|--|---|--|---|
| FAILED | DURATION - 0.085 s | Scenarios Total - 3 Pass - 0 Fail - 3 Skip - 0 |  | Steps Total - 16 Pass - 0 Fail - 0 Skip - 16 |  |
| / 11:57:44.411 pm // 11:57:44.496 pm / | | | | | |
| | | | | | |

Successful Login with Valid Credentials

| | | | | |
|--|--------------------|--|--|---|
| FAILED | DURATION - 0.032 s |  | Steps Total - 6 Pass - 0 Fail - 0 Skip - 6 |  |
| / 11:57:44.411 pm // 11:57:44.443 pm / | | | | |
| Login Page | | | | |
| @Single | | | | |

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario) | FAILED | 0.004 s |
| | java.lang.IllegalStateException: The driver executable does not exist: | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | C:\Users\letsml\git\ShivaLocalRepo\TestNGWithBDDCucumberFramework-master\TestNGWithCucumber\chromedriver.exe at com.google.common.base.Preconditions.checkNotNull(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17) | | |
| 1 | Given User launch application | SKIPPED | 0.001 s |
| 2 | When User enters Email as "admin@yourstore.com" and Password as "admin" | SKIPPED | 0.016 s |
| 3 | And Click on Login | SKIPPED | 0.001 s |
| 4 | Then Page title should be "Dashboard / nopCommerce administration" | SKIPPED | 0.001 s |
| 5 | When User click on Log out link | SKIPPED | 0.000 s |
| 6 | Then Page title should be "Your store. Login" | SKIPPED | 0.000 s |
| | AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28) | FAILED | 0.000 s |

Login Data Driven

| | | | |
|--|--|--|--|
| FAILED DURATION - 0.011 s / 11:57:44.464 pm // 11:57:44.475 pm / Login Page @Multiple | | Steps Total - 5 Pass - 0 Fail - 0 Skip - 5 | |
|--|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario) | FAILED | 0.002 s |
| | java.lang.IllegalStateException: The driver executable does not exist: | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | C:\Users\letsml\git\ShivaLocalRepo\TestNGWithBDDCucumberFramework-master\TestNGWithCucumber\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17) | | |
| 1 | Given User launch application | SKIPPED | 0.000 s |
| 2 | When User enters Email as "admin@yourstore.com" and Password as "admin" | SKIPPED | 0.000 s |
| 3 | And Click on Login | SKIPPED | 0.000 s |
| 4 | Then Page title should be "Dashboard / nopCommerce administration" | SKIPPED | 0.000 s |
| 5 | When User click on Log out link | SKIPPED | 0.000 s |
| | AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario) java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28) | FAILED | 0.001 s |

Login Data Driven

| | | | |
|--|--|--|--|
| FAILED DURATION - 0.006 s / 11:57:44.490 pm // 11:57:44.496 pm / Login Page @Multiple | | Steps Total - 5 Pass - 0 Fail - 0 Skip - 5 | |
|--|--|--|--|

| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| | BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.IllegalStateException: The driver executable does not exist: C:\Users\letsml\git\ShivaLocalRepo\TestNGWithBDDCucumberFramework-master\TestNGWithCucumber\chromedriver.exe | | |

| # | Step / Hook Details | Status | Duration |
|---|--|---------|----------|
| | at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver.<init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17) | | |
| 1 | Given User launch application | SKIPPED | 0.000 s |
| 2 | When User enters Email as "admin1@yourstore.com" and Password as "admin" | SKIPPED | 0.000 s |
| 3 | And Click on Login | SKIPPED | 0.000 s |
| 4 | Then Page title should be "Dashboard / nopCommerce administration" | SKIPPED | 0.000 s |
| 5 | When User click on Log out link | SKIPPED | 0.000 s |
| | AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario) | FAILED | 0.001 s |
| | java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28) | | |