



Feature			Scenario			Step			
Name	Duration	T	P	F	S	T	P	F	S
Customers	0.101 s	1	0	1	0	11	0	0	11
Login Page	0.102 s	3	0	3	0	16	0	0	16

Tag	Scenario			Feature				
Name	T	P	F	S	Т	P	F	S
@Regression	1	0	1	0	1	0	1	0
@Single	1	0	1	0	1	0	1	0
@Multiple	2	0	2	0	1	0	1	0



#	Feature Name	T	P	F	S	Duration
1	Customers	1	0	1	0	0.101 s
2	Login Page	3	0	3	0	0.102 s

SCENARIOS SUMMARY -- 5 -




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Customers	Add new Customer	11	0	0	11	0.096 s
2	Login Page	Successful Login with Valid Credentials	6	0	0	6	0.026 s
3	Login Page	Login Data Driven	5	0	0	5	0.016 s
4	Login Page	Login Data Driven	5	0	0	5	0.013 s

DETAILED SECTION -- 6 --

Customers

FAILED	DURATION - 0.101 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 12:00:06.536 am //	12:00:06.637 am /	Pass - 0	1	Pass - 0	11
		Fail - 1		Fail - 0	l 🖊 '' 🕖 l
		Skip - 0		Skip - 11	

Add new Customer



#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.044 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\TestNGWithCucumber\src\test\resources\drivers\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.001 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.001 s
3	And Click on Login	SKIPPED	0.000 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.000 s
5	When User click on customers menu	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
6	And Click on customer menu item	SKIPPED	0.000 s
7	And Click on Add new button	SKIPPED	0.001 s
8	Then User can view Add new customer page	SKIPPED	0.000 s
9	When User enter customer info	SKIPPED	0.000 s
10	And Click on save button	SKIPPED	0.001 s
11	Then User can view confirmation message "The new customer has been added successfully."	SKIPPED	0.002 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.010 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		

Login Page

Scenarios		Steps	
Total - 3		Total - 16	
Pass - 0	3	Pass - 0	16
Fail - 3		Fail - 0	
Skip - 0		Skip - 16	
	Total - 3 Pass - 0 Fall - 3	Total - 3 Pass - 0 Fail - 3	Total - 3 Pass - 0 Fail - 3 Total - 16 Pass - 0 Fail - 0


Successful Login with Valid Credentials

FAILED	DURATION - 0.026 s	0.15				1	1		Steps			
/ 12:00:06 693 a	m // 12:00:06.719 am /	0.1		 ļ	ļ	ļ_	·	<u> </u>	Total - 6			
7 12.00.00.000 0	, 12.00.00.713 u.i.,								Pass - 0	1	2	
Login Page		.05		 	+		-	+	Fail - 0	<u> </u>	,	
@Single		0		 	<u> </u>	<u> </u>	<u> </u>	<u> </u>	Skip - 6			
			1	2	3	4	5	6				

#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\TestNGWithCucumber\src\test\resources\drivers\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.000 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.002 s
3	And Click on Login	SKIPPED	0.000 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s
5	When User click on Log out link	SKIPPED	0.000 s
6	Then Page title should be "Your store. Login"	SKIPPED	0.000 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		


Login Data Driven



#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\TestNGWithCucumber\src\test\resources\drivers\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35) at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.001 s
2	When User enters Email as "admin@yourstore.com" and Password as "admin"	SKIPPED	0.000 s
3	And Click on Login	SKIPPED	0.000 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.000 s
5	When User click on Log out link	SKIPPED	0.000 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		

Login Data Driven



#	Step / Hook Details	Status	Duration
	BEFORE - com.hook.Hooks.beforeScenario(io.cucumber.java.Scenario)	FAILED	0.002 s
	java.lang.lllegalStateException: The driver executable does not exist: C:\TestNGWithCucumber\src\test\resources\drivers\chromedriver.exe at com.google.common.base.Preconditions.checkState(Preconditions.java:585) at org.openqa.selenium.remote.service.DriverService.checkExecutable(DriverService.java:146) at org.openqa.selenium.remote.service.DriverService.findExecutable(DriverService.java:141) at org.openqa.selenium.chrome.ChromeDriverService.access\$000(ChromeDriverService.java:35)		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.chrome.ChromeDriverService\$Builder.findDefaultExecutable(ChromeDriverService.java:159) at org.openqa.selenium.remote.service.DriverService\$Builder.build(DriverService.java:355) at org.openqa.selenium.chrome.ChromeDriverService.createDefaultService(ChromeDriverService.java:94) at org.openqa.selenium.chrome.ChromeDriver. <init>(ChromeDriver.java:123) at com.base.BaseClass.launchDriver(BaseClass.java:29) at com.hook.Hooks.beforeScenario(Hooks.java:17)</init>		
1	Given User launch application	SKIPPED	0.000 s
2	When User enters Email as "admin1@yourstore.com" and Password as "admin"	SKIPPED	0.001 s
3	And Click on Login	SKIPPED	0.000 s
4	Then Page title should be "Dashboard / nopCommerce administration"	SKIPPED	0.001 s
5	When User click on Log out link	SKIPPED	0.001 s
	AFTER - com.hook.Hooks.afterScenario(io.cucumber.java.Scenario)	FAILED	0.001 s
	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.TakesScreenshot.getScreenshotAs(org.openqa.selenium.OutputType)" because the return value of "java.lang.ThreadLocal.get()" is null at com.utility.Util.takeScreenShot(Util.java:24) at com.hook.Hooks.afterScenario(Hooks.java:28)		