


FIRST AID


Cramps, Sprains & Bandages




Cramps

They are sudden, involuntary, and often painful contractions or tightening of a muscle that do not relax quickly.


They are temporary, commonly affecting the legs or feet, and usually last for a few seconds to minutes, sometimes causing temporary immobility of the muscle.




Do




- Ask the victim gently stretch the affected muscle.
- Apply ice to the cramped muscle to make it relax.



Do




- Pinch the upper tip of the foot hard to reduce calf-muscle cramping.
- Drink lightly salted cool water (dissolve 1/4 teaspoon salt in a quart of water).



Don't

- Massage or rub the affected muscle. This will cause more pain only.



Ice application


- It decreases pain
- It decreases bleeding
- It decreases swelling
- Do not use it directly on skin
- Wrap it in a cotton cloth
- Should not exceed 15 min. per time

Sprain



It is the stretching or tearing of ligaments, which are the tough bands of fibrous tissue that connect two bones together in a joint.


Sprains occur when a joint is forced beyond its normal range of motion, often causing pain, swelling, bruising, and limited mobility, commonly affecting ankles, knees, and wrists

- 
-
- While minor sprains often heal on their own within a few weeks, severe sprains may require immobilization (such as a cast or brace) or surgery

Sign & Symptoms




- Pain which increased with movement, so do not step on it.
- The skin about the joint may be discolored because of bleeding from torn tissues.
- It often is difficult to distinguish between a severe sprain and fracture.



Do

- Protect the affected part from further injury .
- Stop all activities which cause pain to the sprained area .
- Apply ice to the area
- Wrap the sprained area to reduce swelling.
- Elevation the sprained area as possible .



Don't

- Apply ice direct to the skin

Bandage



First aid bandages, including roller, adhesive, triangular, and compression types, are essential for covering wounds, controlling bleeding, supporting injured joints, and securing dressings.

Bandage



They range from fabric bandages for small cuts to triangular bandages for slings, ensuring protection and stability.



**Cohesive
Bandage**



**Gauze
Pad**



**Adhesive
Strip**




**Pressure
Dressing**




**Gauze
Bandage**



**Compression
Bandage**




**Adhesive
Bandage**



**Tubular
Bandage**




**Triangular
Bandage**




**Trauma
Pad**



Head Bandage




Upper extremity Bandage




Hand Bandage



Elbow Bandage



Ankle Bandage





Shoulder



Upper arm



Shoulder



Upper arm

Elbow (straight)



Elbow (bent)

5/11/2026


DR NESRINE EZZAT FIRST AID



Forearm



Wrist



Finger



Thigh

5/11/2026

DR NESRINE EZZAT FIRST AID

27



Knee straight

DR NESRINE EZZAT FIRST AID

5/11/2026



Knee bent

5/11/2026

DR NESRINE EZZAT FIRST AID




Leg



Foot and ankle

DR NESRINE EZZAT FIRST AID

5/11/2026



Support the body by it self