



DESCRIPTION AND IDENTIFICATION OF ANIMALS

BY

Assist. Prof. Dr. Amira Ahmed

Assistant Professor of Animal and Poultry Behavior and
Management, Faculty of Veterinary Medicine, Alexandria
University

Description and Identification:

- Depends on marks and characteristic colors either natural due to hereditary or acquired (temporary and permanent) e.g. scar, fire, tattooing and branding.
- The animal certificate in the farm includes everything about the description of the animal.

Purposes of identification:

1. To prevent substitution or alteration of one animal by another during marketing, showing and racing.
2. For giving certificates following the performance of diagnostic tests such as abortion and tuberculin tests.
3. For making records for high records animals as dairy cow and laying hens.
4. In case of exported animals which demand on official certificate indicating its freedom from diseases.
5. For bulls and stallion used for the artificial insemination centers for its progeny (sexual efficiency).
6. For giving reports of forensic medicine.

There are two types of identification:

Collective (group) identification	Individual identification
To differentiate between group; flock or collection of animals of one species such as sheep, buffaloes, cows from another group of the same species. This method depends on special registered marks known as “Trade Mark”.	To differentiate between one animal to another of the same species in the same breed such as a dairy cow to another dairy cow standing beside it in the same byre of a herd.
The trademarks are given to prevent any mistake especially when they send their animals to general markets, for sale or to slaughter houses for slaughtering.	Is difficult that collective and more accurate because it will remain with the animal.
The trademarks are given by owner which vary from one owner to another where one may choose a red line on the neck, a red circle in the neck, a red line on the quarter, and another owner may choose two red lines on the neck, two blue lines on the neck .	It is based on the following points: Name, Sex, Age, Height, Number, Color, Marks on the head, Marks on the body Marks on the limbs, General marks, Adventitious marks and Species and Breed.
Temporary and superficial.	Permanent

Individual Identification of Equines

- 1. Name:** each animal's owner give an appropriate name to his animal.
- 2. Sex:** in Equines as Stallion, gelding, mare, foal, colt etc.
- 3. Age:** dentition and records.
- 4. Height:** measured by a measuring standard or measuring graduated stick. The graduation is in hands and inches (A hand equals 4 inches).
 - Consists of an upright or perpendicular stick graded up to 18 or 19 hands, and across or horizontal stick carrying a spirit-level balance.
 - The horizontal stick slides up and down the upright stick.
 - It is important that the horse stand on a level hard surface.
 - A horse is measured to the highest point of the withers when standing on level ground.
 - Horse should be measured from near side.
 - Measuring is usually done soon after the horse has been shod.

5. Number: are made by two methods:

A. Firing (Branding):

- ✓ Firing were made formerly on neck, hind quarter and flank but recently on the walls of the hoof.
- ✓ The method is made by means of a pointed tool or a pointed pencil heated in fire to a redness degree and draws the number.
- ✓ Actually leaving its trace or Scar without being lost or missed until the animal die.
- ✓ This method is now prohibited due to its inhumanity, its severe pain and the destruction of skin.
- ✓ The site of the wall of the hoof is preferable than quarters, because it is not destructive and having no pain.
- ✓ The number is fired on the keratin of the hoof at the top portion just below the coronet and not near the lower border otherwise; the number will disappear during growth of the hoof.



B. Tattooing:

- Tattooing is made by Tattooing machine worked by hand and it able to write from one figure to six figures or more.
- Apply the number either in the interior coca of the ears (Cattle, Sheep, and Pig), on the gums (Cattle) or the m.m. of lower lip (Equines) but the letters made may disappear rapidly with the time.
- The following steps should be adopted:
 1. Clip or shave the fine hair of the interior concha of the ear.
 2. The site which was clipped should be cleaned with water and soap and then dried.
 3. Clean the site with alcohol to remove grease.

4. Smear the area with the special dye or color with brush or sponge.
5. Arrange the recommended number correcting in the right position in the jaw of the tattooing machine used.
6. Apply the methods of securing and restraint recommended on the animal before making the number.
7. Introduce the two jaws of the tattooing machine around the skin of the concha of the ear in its correct position, the jaw holding the needle numbers from inside and the other jaw holding the rubber pad from outside.
8. Press the jaws of the machine tightly on the skin of the ear to stamp the numbers or figures deeply in the dermis.
9. Polish the stamped ear with a piece of cotton or with alcohol to clear the letters

6. Colors:

- ❖ Color should not be registered before the age of a 6 month after the foal coat have been shed.
- ❖ Color is of great importance in the identification of animals for the following reasons:
 1. Branding and tattooing marks are not always permanent as they may be altered and it is inhumanity.
 2. Colors and marks found in the body are of hereditary nature, so they cannot be changed or altered and in addition being permanent

The following are the most common colors in horses:

1.Black: Where the black melanin pigment is generally wide spread throughout the body coat, limbs, mane and tail. It varies according to the condition of the horse e.g. when in poor condition, it becomes rust and in old age becomes grayish white.





2.Black-Brown: Where the predominating color of the body coat is black, but muzzle and flanks are brown.

3.Brown: When the body has a mixture of hairs, some which are black and some are chocolate but limbs, mane and tail are black.

4. Bay-Brown: When the predominating color is brown but limbs, mane and tail are black and the muzzle is bay.


5.Bay: Varies considerably from dull red approaching brown to a yellow color approaching chest nut. The mane and tail are black. It includes varieties: bright bay, dark bay, light bay

6.Chest-nut: The coat is covered with a yellowish colored hair in differing degrees of intensity.

- It includes bright, golden and red chestnut, also dark or liver chest nut.
- Mane and tail are chest nut, sometimes lighter and sometimes darker than the body color but never black.

7.Cream: Body cream colored and skin unpigmented. Mane, limb and tail take the same color of the body.

- The iris may be deficient in or devoid of pigment so it is pinkish or bluish in appearance or gray in gray color animal called the wall-eye.



Bay (left) and **chestnut** (right)

Left to right: gray, **chestnut**
and bay roan

8.Gray: Where the white and black hairs are generally distributed throughout the coat of the animal.

Mane, tail and limbs have the same color of the body coat, all grey tend to become lighter in old age.

a. **Steeled gray:** White and bluish hair together.

b. **Doubled gray:** Body grey with white small patches.

c. **Flea/bitten gray:** There may be red or chest nut hairs on general grey color.



A double gray



A gray Arabian

9.Roan: It includes three varieties:

a. Blue roan: The body coat is black or black-brown with a mixture of white hairs give a blue tints to the coat.

Mane, tail and limbs are usually black.

b. Red Roan: The body coat is bay brown or brown with white hairs giving reddish tints to the coat.

Mane, tail and limbs are usually black.

c. Chest nut roan: The body coat is chest nut with white hairs. Mane, tail and limbs are not black and it is chest nut.


10.Pie bald: Where the body coat is black with small irregular patches of white hairs.

11.Skew bald: Where the body coat consists of large irregular patches of white hair in any color either than black.

12.Odd color: Where the body coat consists of a mixture more than two colors tending to merge into each other at the edges of the patches.

7. Marks on the head:


1.Star: Any white mark on the forehead. Size, shape and position should be specified.



2.Stripe: A narrow white marking down the face, it may be continuation of the star so it is called a “Conjoined star and strip” in form of line extend from forehead till end of nasal bridge.



strip



Star, strip & snip



star, strip & snip

3.Blaze: A white marking covering almost of the whole forehead between the eyes and extending down the front of the face involving the whole width of the nasal bones.



4.Snip: An isolated white marking situated between the nostrils. Its position should be specified e.g. near nostrils or off nostril.



Snip



Star, strip & snip connected

5.White face: Where the white colors covers the fore-head and front of the face (nasal bridge) extending laterally towards the mouth. The extension may be unilateral or bilateral in which case it should be described.



white face

6.Lip marking: Should be accurately described, whether embracing the whole or a portion of either lip.



7.White muzzle: Where white markings embrace both lips and extend to the region between nostrils.



8.Wall-Eye (white-eye): This term should be used exclusively where there is such a lack of pigment in the iris as usually to give a purplish, bluish and greyish appearance to the eye in gray color animal.

8. Marks of the body:

1. **Grey-ticked:** Where isolated white hairs are regularly distributed through the animal coat in any part of the body.
2. **Grey-flecked:** Where small collections of white hairs are distributed irregularly in any part of the body.
3. **Black marks:** Small areas of black hairs on white or any other color distributed or around the coronets.
4. **Spots:** Where small circular (circumscribed) collections of hairs differing from the general color of the body distributed in various parts of the body.
5. **Patch:** A larger irregular distributed area of hairs differing from the general color of the body.
6. **Zebra Marks:** Where there is striping on the limbs, neck, withers and quarters.

9. Marks on the limbs:

1.White hoof: Where the hoof looks white in appearance all over.

2.White coronet: Where the hair immediately above the hoof is white



White coronet

3.White heel: Where the white hair covers the back of the pastern and extend to the ergot, the white hair may be confined to one or both bulbs of the heel.

4.White pastern: Where the white hair covers the region immediately below the fetlock and extend downward (pastern region), this may be “half pastern” or three quarters pastern.



White pastern

5.White fetlock: The white hair covers the region of the fetlock joint downwards.

6.Stocking: White hairs cover all cannon.

7.Socking: White hairs cover half way of cannon.



Stockings on all four legs



Blaze and three stockings



Sock



Leg markings. Top row, Left-Right: Stocking, Sock or Boot, Fetlock or Sock.

Bottom row, Left-Right: Pastern, Coronet, Partial Pastern

10. General Marks:

1. **Mixed:** A marking consisting of the general color mixed with much white or lighter colored hair.
2. **Bordered:** To be used where any marking is circumscribed by a mixed border which is lighter color or white hair than the mark e.g. bordered star or bordered stripe.
3. **Flesh marks:** Patches where the pigment of the skin is absent and described as flesh mark.
4. **Whorls:** Edge of star or stripe or any mark is irregular.

11. Adventitious marks:

There are permanent non-congenital marks and include saddle and bridle marks, collar marks, girth marks and other harness marks, permanent bandage marks, firing scars and tattoo marks. It should be noted also if a horse has been docked.

12. Breeds of horse

1. The Arabian horse:

- Characterized by his intelligence, strength, gentle and possessing elastic and graceful movements.
- Used for racing, riding and drawing vehicle.
- The Arab horse is attractive and easily controlled.



a. General characters:

1. The animal stands closer 14 hands and 2 inches.
2. Long distance from the ears to the eyes to give room area for nasal sinus, and wide across for forehead.
3. The forehead is convex and not flat, giving a peculiar dish to the lower part of the face and width between the cheek bones.
4. The cheek bones are wide enough to give more room area for nasal passage.
5. The eyes are soft, wide and glistening; the face is denoted of hair for a small distance around them which gives them the appearance of being circled with rims of dark colored skin (dark rim) and wide nasal bridge.

6.The lower part of the head tapers suddenly towards the muzzle and the lower lip projects slightly.

7.The throat is large, well developed and the neck is very powerful and nicely arched giving beautiful appearance.

8.The shoulder is long and obliquely set.

9.The withers are thick due to the large muscle.

10.The chest is narrow but deep.

11.The back is short and the loins are flat and broad to give strength.

12.The forearms are long to the knee but the feet are deep.

13.The thighs are big and the joints all around are well formed.

14.The skin and coat being soft and silken.

15.The tail is set on high and carried in a beautiful arch.

b. Anatomical features:

1. The coccygeal vertebra of the tail reveals only 16 (others 18).
2. The Arab horse has five instead of six lumbar vertebrae but shorter and stronger back. Also, thoracic vertebra is 17 instead of 18 in others.
3. The shaft of the ulna completes its length with the radius.
4. The capacity of the brain cavity amount to 715 cc. in Arab horse, this rather larger when compared with the size of the skull which indicates intelligence.
5. The stomach is comparatively much smaller than other horses.

c. Colors of Arabian horses:

Bay-brown, chest-nut and flea-bitten grey are the most common and popular colors. Arab horse breeders reject horses having diagonal or lateral white feet. But two white fore or two hind feet are accepted. Three white feet with the right front feet being free and four limbs white is also accepted.

2. The English thoroughbred horse (British racing):

It is the breed of British racing horses originated in southern England. The breed had originated from the union of the blood of Arabian and the native breed of England. Thoroughbred has many features of Arabian. The usual height is 15.1 and 16.2 hand and weight between 1000 and 1150 ponds. Thoroughbreds are bay brown, chest nut, black or less frequently grey. White marks are not uncommon.

3. Coach or carriage type:

This type of horses is specially adapted for the drawing of vehicles. These are about 16 hands in height. They are used for other purposes than pulling on account of their strength and endurance. This is represented by Hackney, French coach and, German coach.

4. Heavy draught horse:

Horses of this type are capable of drawing heavily loads. They usually stand from 16 to 17 hand height. He must weight not less than 1600 ponds and horse weigh one ton are the typical form of draught horse. The horse breeds of draught are the shire, the Suffolk and Perohneron.

Individual Identification of Cattle

- ❖ Identify cattle either by collective identification:
 - using colored dye and branding on (cheek, neck, hind quarter)
 - Given the same marks to distinguish them as a group from other group to prevent substitution when send to abattoir or market
- ❖ or by individual identification which is carried out to enable each individual animal to be permanently identifiable from another of the same species.

1.Name: It is possible to choose any suitable name for your animal.


2.Sex: Bull, Ox, Steer, Heifer or Cow. Cows or Buffaloes should be described as “in milk” “dry”, “in calf”, with calf at foot or if still secreting colostrum.

3.Age: Write the age of the animal.

4. Number:

a. Firing (branding): Marks are mainly seen on horns or Skin of (cheek, neck, hind quarter) but it is inhumanity due to severe pain and destruction.

b. Tattooing: Tattoo marks are made on different sites such as the gums and on the skin of the interior coca of the ear.



Firing (branding)

c. Ear tags: They consist of elongated pieces of lighter aluminum having beveled numbers on its surface are adjusted in the ears of cattle by a machine known as numbering machine (ear tag machine). Nowadays plastic numbers are used instead of aluminum numbers because it is available, lighter, cheaper and easily removed during changing.

d. Ear notches: Each notch denotes a figure, this system not used in Egypt as the ears are usually notched as a sign of vaccination against certain diseases.

e. Liquid nitrogen: Remove pigment of the body and change to white color of number used in Friesian cattle having black patches or black color cattle.

f. Mapping and Photograph cards: Take photo for each side and fixed it to record or make map for marks in each side. Used in

5.Color:

In Egyptian breeds, the following are the common colors, one color may be dominating or there may be a combination of more than one of these colors:

- a. Yellow:** Here the body is lightly yellow in color except patches, neck and chest may be darker.
- b. Red or roan:** The neck and chest may be darker than the rest of the body, while the body is red or roan in color.
- c. Black:** Black hairs may cover the whole body or occur in patches.
- d. White:** The white hairs may cover the whole body or occur in patches.
- e. Brown or cream:** The brown (brown Swiss) or cream (gersy) color may cover the whole body or occur in patches.

With regard Buffaloes, there are two colors, Grey common in northern Egypt, and Black in southern Egypt.

6.Marks on the body:

a. Face: Presence or absence of star (shape, size and position).

b. Muzzle:

- a. Color (flesh, pink, steel, grey, black or lack of coloration).
- b. Spots (pink, black) and describe its position.
- c. Scars (Position, shape and size).

c. Horns:

- a. Presence or absence
- b. Types

1. Stretched horns: The horns are perpendicular on the head.

2. Closed horns: These horns are curved outwards and downwards towards the cheek.

3. Round horns: The horns are curved outwards and upwards and may meet at their tips.

4. Gazelle horns: Slightly curved and are directed upwards nearly parallel to each other and perpendicular on head.



Stretched



Closed



Round



Gazelle

7.Breeds:

A. Native cattle breed:

Egyptian cattle exhibit the same weak points, more or less they are generally too narrow in the chest and the majority of them stand too high on the legs. Egyptian cattle can stand the heat of the country and the rough handling and treatment of the farmers.

➤ Some workers claim that, there are breeds belonging to the following distinct hence their name:

- | | |
|---------------------------|------------|
| 1. The Monzala or Damieta | 2. Menofia |
| 3. The Behera | 4. Giza |
| 5. Saidi & Desert Badawi. | |

Actually these are not distinct breeds since there is difficulty in describing each.

■ **Generally they can be divided into:**

1.The Saidi cattle: These are small, short on the back having a big pendulous body. The head is heavy and narrow between the horns, the fore head is pyramidal in shape, often with heavy short horns and the tail is low and thick

2.The Delta cattle: These have a long light head, narrow in front broad behind, often long horns. They are the best breed in the country, this is chiefly due to the locality and the good food.

3.The Dumiati: A great variety of colors prevails with the reddish fawn predominating. The size of Dumiatic cattle is variable. The mature bull weighs 1000-1400 pounds and the mature cow weighs 800-1000 pounds. They can withstand the adverse condition of heat, humidity, parasites and bad management.

A. Description: The head varies in size and shape. The horns may vary forward, outward or inward. There is excessive dewlap. The tail head is coarse and higher than the rest of the body. The udder is small in size and funnel in shape. There are usually one or extra teat rudimentary teats on the Dumiati udder.

B. Production: The Dumiati cow is a low milk and butter producer. Its average production is about 3000-4000 pounds milk yearly with 3.5% butter fat.

B. Foreign cattle breed:

The following are the most common imported breeds:

a. Beef cattle: includes Short horn beef type, Hereford, Aberdeen Angus and West highland.

The characteristics features of beef breeds are early maturity, rapidly of fattening, good quality of meat i.e. a marbled appearance owing to the deposition of fat between the muscle fibers, a high percentage carcass weight, about 60% of its live weight.

■ **The general appearance of a good quality fat bullock should be as follows:**

- a. The whole body should be compact well balanced, deep, wide and square. Head should be short, face straight and broad, eye deep set. Lower jaw is deep, strong and well-muscled; the neck short, thick and tapering forward.
- b. Brisket should project well forward; shoulder not heavy; hind quarters will filled out and packed tightly with a solid muscles. Legs should be short, straight and fine. Skin should be soft, elastic and freely movable over the underlying muscles.

b. Dairy Cattle: includes Friesian, Brown Swiss, Dairy shorthorn, Ayrshire, Guernsey and Jersey.

The general characters:

1. The outline of the body is wedge-shaped whether viewed from the side or from above, the fore-head being narrower than the hind-end.
2. The head should be fine, long tapered from a broad fore-head to a fine muzzle. The eyes are prominent and the horns fine. The neck and dewlap are long.
3. The shoulders are lightly muscled, move freely and withers are fine and somewhat prominent. The barrel is deep and somewhat more flattened across the ribs than in beef breeds, and the abdomen is wide to give plenty of room for a large rumen, and to accommodate a calf with ease.
4. The external angles of ileum are wide prominent and there is a wide space between them and the last rib. The hind quarters should be long, lean and the thighs is either straight or concave between sciatic tubers and hocks.

5.The udder is very important it should extend well forward with the forequarters lying close up to the abdomen. The hind quarters of the udder should lie back and extend high up between the thighs.

6.The sole of the udder, from which the teats spring should be flat, so that the four teats hang level. The teats should be about equal in size and large enough to allow of easy milking.

7.Milk should flow easily from all four teats. After milking, the udder should collapse and present a silky feel when handled.

C. Dual-purpose cattle: includes Long horn, Red Polls and Short horn (Dual purpose).

■ **The general characters:**

1.They have tendency to lay on flesh readily when dry or when put up for fattening towards the ends their milking life and capable under average farm conditions for yielding 6900-8000 lb. of milk per lactation season.

2.Cows of this type are expected to produce heifers which will reproduce all their dam's good qualities and male calf which will grow into quick maturing and high quality steers.

Individual Identification of buffaloes

1. Breeds:

There are 3 types of buffaloes found in Egypt named according to their distribution:

a. Behera: Characterized by large in size, grey in color, long dense hair on neck and shoulder, large, horn directed backwards with slightly away from the head.

b. Menofia: Characterized by medium size, grey in color but darker, scanty hair at neck, horns directed backwards leaving the head with slight bending.

c. Saidi: Characterized by small in size, black in color, the body is cover with long hairs, then horn directed away from the head.

2. Types of horns:

a. Stretched horns: The horns are perpendicular with the head but slightly curved backwards.

b. Round horns: The horns are curved outward then backwards and meet at the crest.

c. Closed horns: The horns are curved outward then backwards parallel to the neck.

3. Tail:


The tuft of hairs at the end of the tail varies in color, this may be:

1. Either completely white or black.

2. The white color reaching only half the tail altering with black one.

3. The black color reaching two thirds, the last third of the white color.

4. The hairs are of the mixed type one black and one white.



4. Teats: Any non-functioning teat and quarter in a lactating cow should be noted and supernumerary teats may be mentioned.

5. Abnormalities: Big knees, overlapping or ruptured claws, signs of old, fractures in horn, absence of one or both eyes. Iris of eye may be devoid of pigment so appear whitish in color which occur more in buffalo than cattle.

Identification of Sheep and Goat

1. Flock Identification (Collective):

Carried out by a special dye or colored material applied on the wool.

2. Individual Identification:

a. Number:

1. Tattooing either inside the ear like cattle or on the gums,
2. In horned breeds only by branding on horn.
3. Firing on nostrils, neck and forehead.
4. Ear tag or ear notch are made by special machines for each known as “ear tagging machine” which contain a characteristic frame such as round, triangular or rectangular shape.



Ear tag



Branding on horn

b. Breeds of Sheep:

There are more than 400 breeds. On the basis of wool production, they are divided into four classes:

1. Medium-wool breeds as Shropshire, Hampshire and Suffolk.
2. Fine-wool breeds as Merino.
3. Coarse-wool breeds as Karakul used in industry of carpet.
4. Carpet-wool breeds as Egyptian breeds of sheep used in industry of carpet.

I. Egyptian breeds of sheep:

1.Osemi breed:

- a. The head are small and red or chest nut in color, the fore-head is frequently white
- b. The ram has strongly curved horns while ewe is horn-less. The body is covered with white wool, tail is rounded or square and terminated quickly in a narrow pointed end which is often bent to one side or even coiled (corn cob). The flattened portion of the tail is sometimes grooved in the middle.

2.Rhmani breed:

- a. The wool is red or brown colored all over the body including the head.
- b. The tail is oval in shape with terminal twisted(S-shape), ears are very small, and male has large twisted horns and large breed coming from turkey.

3.Fallahi breed:

- a. The wool is black in color. The tail is long and tapering frequently reaching the ground.
- b. The rams have large curved horns. It takes the brown color if crossbreed with other breed as Rhmani but differ in shape of tail.

4.Barki, Darnnawi or Gharbawi breed:

- a. These are mostly imported from Libya, the color of the wool is chiefly white, and the head is red or black and rarely white.
- b. The rams are horned while ewes are hornless. The tail is flattened and rounded, with a fine attenuate end not corn cob, which does not reach below the hock.

5.Saidi or Sanabawi breed:

- a. Small sized breed, the wool is generally black and the head is of the same color as the body. Both males and females are horn-less.
- b. The tail is round and thick through its length and nearly reaching the ground.
- c. This breed appears to have a distinct dewlap which runs along the lower part of the neck. The nose is large and roman shaped.

6.Sudanese sheep:

- a. Few of these come for breeding in Egypt. During certain occasions they are brought and slaughtered shortly after their arrival.
- b. They can be easily recognized by their great size and have large prominent noses. The males are usually horn-less and the tails are long and narrow.

II. Foreign breeds of sheep:

Sheep are reared for two principle purposes:

1. Wool production: The weight of wool per sheep of different breeds varies from 2 to 20 lb. per animal. A yield of 20 lb. per sheep is exceptional but the majority of flock average fall between 4 and 8 lb. per sheep.

2. Mutton production: This sheep characterized by early maturity, rapid fattening and good quality of meat are important due to marbling appearance.

- The most common foreign breeds of sheep in Egypt are:
Lincoln
Hampshire down
Suffolk
Marino

c. Breeds of Goats:

I. Egyptian breeds of goats:

1. Baladi breed: These are small goats with short curved horns. They are all colors, although generally black with brown markings.

2. Zariby breed: These are distinguished by their greater size, characteristic Roman nose, large ears hanging towards the ground and the short coat, their color is generally dark brown or metaled with high colored markings.

II. Foreign breeds (Milk Goats):

1. Nubian milch goats: this is long-legged goat, with generally a polled head, sunken nostrils, projecting lower jaw than upper jaw (under shot mouth), long hanging ears and the color is black or brown. They give about 4 -5 liters of 8 ½ % fat per day.

2.Maltese goat: The breed is usually horn-less male and female and predominant color is white, although there are many other colors are red, brown and black. The ears are moderately long and horizontal. The udder is large and yields 5-10 liters of milk daily.

3.Toggen Burg milk goat: They are horn-less and their body is covered with brown color. The legs and ears are white. The breed is distinguished by two white strips on their heads, running parallel on each side of the face from the ears to the mouth and by two small wattles on the side of the neck. They yield 10-15 liters milk daily.

4.White Saanen goat: It is white colored, ear are horizontal, hornless and of large size. It is a good milker reach 10 liter/day.

Identification of Camel

1. Numbering:

Identification of camels by marks carrying letters or numbers by red hot iron (branding).

2. Breeds:

Camels may be divided into two classes:

a. Double humped or true camel: also called **Bactrian or Northern** this lives in Turkey and Central Asia.

b. Single humped or true Dromedary: also called **Arabian or Southern**. The single humped variety includes two types trained for certain types of work. The first type is called riding camel or hageen which simulates the race horse in body conformation. The second type is *baggage* camel which is found in delta for carrying loads and heavier in body conformation.

There are three main breeds of the single humped camel in Egypt as follows:

1.Sudani Camel: is a first rate riding camel and have a fawn light or sandy color and a light body conformation. It is quite and capable of great endurance but not suited to draught work. The camel is bred in the Nubian Desert between the Nile and Red Sea.

2.Fallahi or Delta camel: is a big soft creature accustomed to green food and plenty of water. For this reason, it is unable to withstand the conditions of the desert life, but it is an excellent means for carrying heavy loads.

3.Maghrabi camel: is originated from Algeria and Tunis. It has a slate-grey coloring. Moreover, its body is smaller in size and lighter in weight than Fallahi with the result that it is fit for riding not for carrying loads.