

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 1/14

Breakpoints

Breakpoints

Extra small < 544px

Small ≥ 544px

Medium ≥ 768px

Large ≥ 992px

Extra large ≥ 1200px

Typography

`.text-left` Left aligned text

`.text-center` Center aligned text

`.text-right` Right aligned text

`.text-justify` Justified text

`.text-nowrap` No wrap text

`.text-lowercase` Lowercase text

`.text-uppercase` Uppercase text

`.text-capitalize` Capitalized text

`.lead` Good for first paragraph of article

Blockquote

```
<blockquote class="blockquote">
<p class="m-b-0">Lorem ipsum dolor sit
amet, consectetur adipiscing elit. Integer
posuere erat a ante.</p>
</blockquote>
```

Headings

```
<h1>h1. Bootstrap heading <small>Secondary
text</small></h1>
```

```
<p class="h1">Paragraph that looks like
heading</p>
```

Colors

`.text-primary`

`.text-secondary`

`.text-success`

`.text-danger`

`.text-warning`

`.text-info`

`.text-light`

`.text-dark`

`.bg-primary`

`.bg-secondary`

`.bg-success`

`.bg-danger`

`.bg-warning`

`.bg-info`

`.bg-light`

`.bg-dark`

`.bg-white`

Lists

`.list-unstyled` Removes default list margin

`.dl-horizontal` Makes list items two columns

`.list-inline` Makes list items inline

`.list-inline-item` Added to each li

Example

```
<ul class="social-icons list-inline">
  <li class="list-inline-item">item 1</li>
</ul>
```

Images

`.img-fluid` Make an image responsive

`.rounded` Adds rounded corners to image

`.rounded-circle` Crops image to be circle

`.img-thumbnail` Adds rounded corner + border

Floats

`.float-left` Floats item left

`.float-right` Floats item right

`.float-none` Removes float

`.float-*` Add breakpoints if needed

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 2/14

Starter Template

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet" href="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/css/
bootstrap.min.css">
    <!-- Main CSS -->
    <link rel="stylesheet" href="css/main.css">
  </head>
  <body>
    <div class="container">
      <h1>Hello, world!</h1>
      <div class="row">
        <div class="col-sm-6">Left Column</div>
        <div class="col-sm-6">Right Column</div>
      </div>
    </div>
    <!-- jQuery first, then Tether, then Bootstrap JS. -->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"></script>
    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.11.0/umd/popper.min.
js"></script>
    <script src="https://maxcdn.bootstrapcdn.com/bootstrap/4.0.0-beta/js/bootstrap.min.
js"></script>
    <!-- Main JS -->
    <script src="js/main.js"></script>
  </body>
</html>
```

One Column Centered Grid

```
<div class="container">
  <div class="row justify-content-center">
    <div class="col-md-6"></div>
  </div>
</div>
```

Two Column Grid

```
<div class="container">
  <div class="row">
    <div class="col-sm-6"></div>
    <div class="col-sm-6"></div>
  </div>
</div>
```

Three Column Grid

```
<div class="container">
  <div class="row">
    <div class="col-sm-4"></div>
    <div class="col-sm-4"></div>
    <div class="col-sm-4"></div>
  </div>
</div>
```

Four Column Grid

```
<div class="container">
  <div class="row">
    <div class="col-sm-3"></div>
    <div class="col-sm-3"></div>
    <div class="col-sm-3"></div>
    <div class="col-sm-3"></div>
  </div>
</div>
```

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 4/14

Navbar

```
<nav class="navbar navbar-toggleable-md navbar-dark bg-primary">
  <button class="navbar-toggler navbar-toggler-right" type="button" data-toggle="collapse"
data-target="#navbarNavDropdown" aria-controls="navbarNavDropdown" aria-expanded="false"
aria-label="Toggle navigation">
    <span class="navbar-toggler-icon"></span>
  </button>
  <a class="navbar-brand" href="#">Navbar</a>
  <div class="collapse navbar-collapse" id="navbarNavDropdown">
    <ul class="navbar-nav">
      <li class="nav-item active">
        <a class="nav-link" href="#">Home <span class="sr-only">(current)</span></a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Features</a>
      </li>
      <li class="nav-item">
        <a class="nav-link" href="#">Pricing</a>
      </li>
      <li class="nav-item dropdown">
        <a class="nav-link dropdown-toggle" href="http://example.com"
id="navbarDropdownMenuLink" data-toggle="dropdown" aria-haspopup="true" aria-
expanded="false">
          Dropdown link
        </a>
        <div class="dropdown-menu" aria-labelledby="navbarDropdownMenuLink">
          <a class="dropdown-item" href="#">Action</a>
          <a class="dropdown-item" href="#">Another action</a>
          <a class="dropdown-item" href="#">Something else here</a>
        </div>
      </li>
    </ul>
  </div>
</nav>
```

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 5/14

Modal

```
<!-- Button trigger modal -->
<button type="button" class="btn btn-primary" data-toggle="modal" data-target="#myModal">
  Launch demo modal
</button>

<!-- Modal -->
<div class="modal fade" id="myModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Modal title</h5>
        <button type="button" class="close" data-dismiss="modal" aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <h2>Modal body heading</h2>
        <p>Modal body text description</p>
      </div>
      <div class="modal-footer">
        <button type="button" class="btn btn-secondary" data-dismiss="modal">Close</
button>
        <button type="button" class="btn btn-primary">Save changes</button>
      </div>
    </div>
  </div>
</div>
</div>
</div>
```

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 6/14

Forms

```
<form>
  <div class="form-group">
    <label for="exampleInputEmail1">Email address</label>
    <input type="email" class="form-control" id="exampleInputEmail1" aria-
describedby="emailHelp" placeholder="Enter email">
    <small id="emailHelp" class="form-text text-muted">We'll never share your email with
anyone else.</small>
  </div>
  <div class="form-group">
    <label for="exampleInputPassword1">Password</label>
    <input type="password" class="form-control" id="exampleInputPassword1"
placeholder="Password">
  </div>
  <div class="checkbox">
    <label>
      <input type="checkbox"> Check me out
    </label>
  </div>
  <button type="submit" class="btn btn-primary">Submit</button>
</form>
```

Buttons

`.btn` Needs to be added to all buttons because it adds padding and margin
`.btn-*` primary, secondary, success, danger, warning, info, light, dark, link
`.btn-outline-*` primary, secondary, success, danger, warning, info, light, dark, link

`.btn-lg` Large button
`.btn-sm` Smaller than default button

```
<a class="btn btn-primary" href="#"
role="button">Link</a>
```

```
<button class="btn btn-secondary"
type="submit">Button</button>
```

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 7/14

Carousel

```
<div id="carousel-name" class="carousel slide" data-ride="carousel">
  <ol class="carousel-indicators">
    <li data-target="#carousel-name" data-slide-to="0" class="active"></li>
    <li data-target="#carousel-name" data-slide-to="1"></li>
    <li data-target="#carousel-name" data-slide-to="2"></li>
  </ol>
  <div class="carousel-inner" role="listbox">
    <div class="carousel-item active">
      
      <div class="carousel-caption d-none d-md-block">
        <h3>Carousel Slider Title</h3>
        <p>Description text to further describe the content of the slide image</p>
        <a href="" class="btn btn-primary">Call to Action</a>
      </div>
    </div>
    <div class="carousel-item">
      
      <div class="carousel-caption d-none d-md-block">
        <a href="" class="btn btn-primary">Call to Action</a>
      </div>
    </div>
  </div>
  <a class="carousel-control-prev" href="#carousel-name" role="button" data-slide="prev">
    <span class="carousel-control-prev-icon" aria-hidden="true"></span>
    <span class="sr-only">Previous</span>
  </a>
  <a class="carousel-control-next" href="#carousel-name" role="button" data-slide="next">
    <span class="carousel-control-next-icon" aria-hidden="true"></span>
    <span class="sr-only">Next</span>
  </a>
</div>
```

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 8/14

Jumbotron

```
<div class="jumbotron jumbotron-fluid">
  <div class="container">
    <h1 class="display-3">Fluid jumbotron</h1>
    <p class="lead">This is a modified jumbotron that occupies the entire horizontal space
of its parent.</p>
  </div>
</div>
```

Card

```
<div class="card" style="width: 20rem;">
  
  <div class="card-body">
    <h4 class="card-title">Card title</h4>
    <p class="card-text">Some quick example text to build on the card title and make up
the bulk of the card's content.</p>
    <a href="#" class="btn btn-primary">Go somewhere</a>
  </div>
</div>
```

Breadcrumbs

```
<ol class="breadcrumb">
  <li><a href="#">Home</a></li>
  <li><a href="#">Library</a></li>
  <li class="active">Data</li>
</ol>
```

Responsive embed

```
<div class="embed-responsive embed-responsive-16by9">
  <iframe class="embed-responsive-item" src="..."></iframe>
</div>
```


Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 9/14

Tables

```
<table class="table">
  <thead class="thead-default">
    <tr>
      <th>#</th>
      <th>thead-default</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th scope="row">1</th>
      <td>Nina</td>
    </tr>
  </tbody>
</table>
```

```
<table class="table">
  <thead class="thead-inverse">
    <tr>
      <th>#</th>
      <th>thead-inverse</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <th scope="row">1</th>
      <td>Nina</td>
    </tr>
  </tbody>
</table>
```

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 10/14

Component CSS Format and Media Queries

```
/*
 * Component section heading
 *
 * Component description and use
 */
```

```
/* base - shared styles */
.component { width: 220px; }
```

```
/* Sub-component with component name as a prefix to isolate styles and break
the cascade. */
```

```
.component-heading {
  display: block;
  width: 100px;
  font-size: 1rem;
}
```

```
/* variant - alert color */
.component-alert {
  color: #ff0000;
}
```

```
/* variant - success color */
.component-success {
  color: #00ff00;
}
```

```
/* Add media queries below components instead of a separate stylesheet or
section to make updating easier */
```

```
@media (min-width: 480px) {
  .component-heading { width:auto; }
}
```

Need the full list of classes?

[Get a textfile of all of the classes](#)

[Reference the classes in a sortable table with an image preview and short description](#)

<https://bootstrapcreative.com/resources/bootstrap-4-css-classes-index/>

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 12/14

Convert Pixels to REMS

Pixels	REMS	Pixels	REMS
1 px	0.0625	26	1.625
2 px	0.125	27	1.6875
3 px	0.1875	28	1.75
4 px	0.25	29	1.8125
5 px	0.3125	30	1.875
6 px	0.375	31	1.9375
7 px	0.4375	32	2
8 px	0.5	33	2.0625
9 px	0.5625	34	2.125
10 px	0.625	35	2.1875
11 px	0.6875	36	2.25
12 px	0.75	37	2.3125
13 px	0.8125	38	2.375
14 px	0.875	39	2.4375
15 px	0.9375	40	2.5
Default Bootstrap 4 font size	1	41	2.5625
16 px			
17 px	1.0625	42	2.625
18 px	1.125	43	2.6875
19 px	1.1875	44	2.75
20 px	1.25	45	2.8125
21 px	1.3125	46	2.875
22 px	1.375	47	2.9375
23 px	1.4375	48	3
24 px	1.5	49	3.0625
25 px	1.5625	50	3.125

Bootstrap 4 Cheat Sheet

1.1:v4.0.0-beta.1 8/12/17 Page 13/14

Multiples of Common Units of Measure

Multiples of 15		Multiples of 30	
15	405	30	810
30	420	60	840
45	435	90	870
60	450	120	900
75	465	150	930
90	480	180	960
105	495	210	990
120	510	240	1020
135	525	270	1050
150	540	300	1080
165	555	330	1110
180	570	360	1140
195	585	390	1170
210	600	420	1200
225	615	450	1230
240	630	480	1260
255	645	510	1290
270	660	540	1320
285	675	570	1350
300	690	600	1380
315	705	630	1410
330	720	660	1440
345	735	690	1470
360	750	720	1500
375	765	750	1530
390	780	780	1560

Learn Bootstrap 4 Basics... *Fast*

Improve your resumé
and learn responsive
web design fundamentals.

- **Stand out** – Improve your resumé by being proficient in the most popular front-end CSS framework.
- **Be more efficient** – Learn what's new in Bootstrap 4 and how it can help you earn more in less time by boosting your productivity.
- **Stay up to date** – Get updated files when framework minor updates are made to help you stay current.
- **Connect** – Ask questions and get to know other web designers that use Bootstrap.



Homepage features


Responsive images

Image cards

Parallax backgrounds

Nested grids

SVG icons



[Get Book Sample](#)