

WORKING MANUAL

☐ REWORK ISSUE ☐ PVT ISSUE ☒ OFFICIAL ISSUE

☒ NEW ☐ CHANGE ☐ REWRITE

REVISION RECORD										PWB PART CODE				MTL	NO OF CAV.	MODEL	A4C30BMMR/ A4C30SMMP/ A4C30BMMP		APPROVAL				
DATE	DESCRIPTION	REF NO.	ENFORCE		DATE	DESCRIPTION	REF NO.	ENFORCE	QPWBCAR3072				94V-0	1	ENG PIC		MANAGER	JMGR	CHIEF	FILLED			
08.07.25	OFFICIAL ISSUE	PWMC 2570002	1ST LOT-->												RAJAN		PC LOW		IRENE	BK TAN			
									PWB ☐ MARK		ENFORCE	PWB ☐ MARK		ENFORCE									
									☐			☐			PROCESS CODE		CHA3072AR-2A	PROCESS NAME	AR REF-A		PAGE NO.		
									☐			☐			DATE		CHA3072AR-2A-A						
									☐			☐			LOT 202		AUTO	W/M LOC : S5.6	15.04.2025	Solder type Senju 1%Ag	Product no M40-LS720	1 / 2	

Oven Center - Support Chain Application
 Production requires to apply ☒ Yes ☐ No Enforcement from mass-prod onwards

NO		S.N.	Rating	SMM CODE	QTY	CH3072AR-2	REMARK	QTY	CH3072AR-2A	REMARK
2213145R2		28C2712GR-1T		V528C2712GR-1T	2	02803	02804			
2216175R2		KTC3875-GR-0r		V5KTC3875GR-1T						
2214375R2		25A1162GR-1T		V525A1162GR-1T	1	02511				
2216169R2		KTA1054-GR-0r		V5KTA1054GR-1T						
2216252R2		KRA1035-1T		V5KRA1035-1T	1	04511				
2214540R2		RN2403		V5RN2403-1T						
2216190R2		KRC1025		V5KRC1025-1T	1	02504	02513			
2214470R2		RNI402		V5RNI402-1T						
2216040R2		KRC1075		V5KRC1075-1T	1	02828				
2216250R2		RNI407		V5RNI407-1T						
2216350R2		KRA1075		V5KRA1075-1T	3	03003	03012	03029		
2216350R2		RN2407TEBSL-FJ-0r		V5RN2407TEBSL-FJ-0r						
2216090R2		OTC123A		V5OTC123A-1T	1	02901				
2217250R2		KRC1055		V5KRC1055-1T						
2217700R2		RTAN300C-T1-2T-1		V5RTAN300C-T1-2T-1	8	03116	03117	03118	03119	04003
2216031R2		RNI444A-0r		V5RNI444A-0r		04004	04005	04006		
2217864R2		KTA1661-Y		V5KTA1661Y-1T	1	03023				
102234144R2		NJM4050SD		V5NJM4050SD	7	03111	03112	03113	03114	03115
						04011	04002			
112224164R2		S-80127CNMC-JM4-T2		V5H80127CNM-LT	1	03007				
122242238R2		S-80140CNMC-JKZT25		V5H80140CNMCL	1	03026				
112224248R2		ICH4045D		V5ICH4045D-1T	1	02201				
142224262R2		KZC7018R05P		V5KZC7018R05P	1	02025				
112224264R2		S-13A1A15-UBT-UB		V5H13A1A15-1T	1	02003				
22242778R2		S-11Y2B15-UBT1-0r		V5H11Y2B15-1Q	1	03002				
112224280R2		R1EX24016A8AS01		V5H1R1EX24016AL	1	03002				
112224280R2		NJM4050SD		V5NJM4050SD	1	03007				
1822242934R2		S-133A33-MET-UB		V5H133A33-1T	2	03005	03004			
22243443R2		S-113A33-MET1-0r		V5H113A33-MET1-0r						
182224348R2		PCM1733DB0R		V5HPCM1733DB0L	1	03001				
202224348R2		VH8A810PFL-1T		V5VH8A810PFL-1T	1	02202				
212224360R2		W7U75P70FL		V5H7U75P70FL	2	02004	02005			
222274004R2T1		SN74AKHD04PWR		V5H5N4H04W-1Y	2	01511	01517			
22274004R2T0		TC74VHC04FT-0r		V5H7CVC04FT-1Y						
222778033QRJL		NJM8550L1-3S		V5HNM8550L1	1	03002				
222780336ARNE		WPC2040T-ET-A-0r		V5WPC2040T-ET-A-0r						
242220138R2		R9F364AENF8		V5HR9F364AENFQ	1	02601				
2223234R2		15S352		V5HDS15S352-1L	17	02051	02052	02053	03001	04511
2223238R2		KDS4148U-0r		V5HDKDS4148U-1Y		03001	03001	03002	03004	03007
						03008	03011	03012	03013	03014
						03015	03016			
2622280318R2		S1N860-7062		V5HDS1N860-1Y		03008				
2724580502R2		UDZVU5.6B-0r		RH4EXA106AWZL	1	03001				
24A550560R2		UDZ55.6B-0r		RH4EX1394CEZY						
224765050R2		UDZ1050ARL-0r		RH4EXA74WJQZY						
224570562R2		UDZV5.6B-0r								
224770562R2		KDZ5.6V-Y-RTKP		RH4EXA49WJQZY						
224772402R2		KDZ24V-Y-RTKP		V5HDKDZ24V-RTKL	1	03024				
24A55400R2		UDZ324B-0r		V5HDKDZ324B-1L						
22476400R2		KDZ1240ARL-0r		RH4EXA73WJQZY						
224572402R2		UDZV24B-0r								
24A58402R2		UDZVU40B-0r		RH4EXA107AWZL						
2923049R2		BLM1FG2210N1		RBLN0210TAZZY	1	03001				
302305071R2		BLM1H80WZ2N10-0r		RBLN1H80WZ2N10-0r	5	01511	01512	01513	01514	04011
230595R2		BK1068LMS02-1T		RBLN0582CEZY	1	03002	03001	03002		
3121364M02R2		LCB2518T52RM		V5PCB2518T52RM	7	01511	02011	02012	02013	02014
						02015	02016			
32232213R2		KS-N100U1		RCLZA186AWZZL	1	01511				
32250534R2		MSA186185-1T8		SCNMSA1861WZZQ	1	01518				
342010397R2		C5TCR6M0055-R0		RFL2003TAZZY	1	04001				
35320310231R1		KZ75B1H102K0		V5KZC75B1H102KY	4	03604	03605	03606	03607	
36332101035R1		CKZ75B1H103K0		V5KZC75B1H103KY	2	02110	02106			
37332101035R1		CKZ75B1H104K0		V5KZC75B1H104KY	4	03604	03605	03606	03607	03608
38332101035R1		CKZ75B1H105K0		V5KZC75B1H105KY	2	02113	02101			
39332102225R1		CKZ75B1H102K0		V5KZC75B1H102KY	1	02007				
40332102235R1		CKZ75B1H102K0		V5KZC75B1H102KY	1	03329				
41332102245R1		CKZ75B1H102K0		V5KZC75B1H102KY	1	03156				
42332102245R1		CKZ75B1H102K0		V5KZC75B1H102KY	1	03156				
43332103325R1		CKZ75B1H103K0		V5KZC75B1H103KY	2	02202	02203			
44332103335R1		CKZ75B1H103K0		V5KZC75B1H103KY	1	02117				
45332104725R1		CKZ75B1H102K0		V5KZC75B1H102KY	1	02111				
46332104725R1		CKZ75B1H102K0		V5KZC75B1H102KY	1	02111				
47332104725R1		CKZ75B1H102K0		V5KZC75B1H102KY	1	02111				
4833211045R1		CKZ75B1H104K0		V5KZC75B1H104KY	1	02118	02119	02120	02121	02122
						02123	02124	02125	02126	02127
						02128	02129	02130	02131	02132
						02133	02134	02135	02136	02137
						02138	02139	02140	02141	02142
						02143	02144	02145	02146	02147
						02148	02149	02150	02151	02152
						02153	02154	02155	02156	02157
						02158	02159	02160	02161	02162
						02163	02164	02165	02166	02167
						02168	02169	02170	02171	02172
						02173	02174	02175	02176	02177
						02178	02179	02180	02181	02182
						02183	02184	02185	02186	02187
						02188	02189	02190	02191	02192
						02193	02194	02195	02196	02197
						02198	02199	02200	02201	02202
						02203	02204	02205	02206	02207
						02208	02209	02210	02211	02212
						02213	02214	02215	02216	02217
						02218	02219	02220	02221	02222
						02223	02224	02225	02226	02227
						02228	02229	02230	02231	02232
						02233	02234	02235	02236	02237
						02238	02239	02240	02241	02242
						02243	02244	02245	02246	02247
						02248	02249	02250	02251	02252
						02253	02254	02255	02256	02257
						02258	02259	02260	02261	02262
						02263	02264	02265	02266	02267
						02268	02269	02270	02271	02272
						02273	02274	02275	02276	02277
						02278	02279	02280	02281	02282
						02283	02284	02285	02286	02287
						02288	02289	02290	02291	02292
						02293	02294	02295	02296	02297
						02298	02299	02300	02301	02302
						02303	02304	02305	02306	02307
						02308	02309	02310	02311	02312
						02313	02314	02315	02316	02317
						02318	02319	02320	02321	02322
						02323	02324	02325	02326	02327
						02328	02329	02330	02331	02332
						02333	02334	02335	02336	02337
						0				

WORKING MANUAL


☐ RWORK ISSUE ☐ PVT ISSUE ☒ OFFICIAL ISSUE ☒ NEW ☐ CHANGE ☐ REWRITE

REVISION RECORD

DATE	DESCRIPTION	REF NO.	ENFORCE	DATE	DESCRIPTION	REF NO.	ENFORCE	PWB PART CODE	MTL	NO OF CAV.	MODEL	PROCESS CODE	PROGRAM LOT	LOT 202	AUTO	W/M LOC : S.5.6	APPROVAL
08.07.25	OFFICIAL ISSUE	PWM 2570002	1ST LOT-->					QPWBCAR3072	94V-0	1		CHA3072AR-2A	CHA3072AR-2A-A				
								PWB MARK	ENFORCE	PWB MARK	ENFORCE	PROCESS NAME	DATE				AR REF-A
												Solder type	Product no				2 / 2
												Senju 1%Ag	M40-LS720				

Oven Center - Support Chain Application	
Production requires to apply	☒ Yes ☐ No
Enforcement from mass-prod onwards	☒ Yes ☐ No

CAUTION; Perhatian:
PLEASE PRINT MODEL CODE "2A" AT 3 LOCATIONS



AUTO WORKING MANUAL UPDATE			
NO	CHECK UPDATE ITEM	UPDATE ON	UPDATE BY
1	W/MANUAL CHANGE LIST	08.07.2025	SERI WARTI
2	COMPARISON W/MANUAL WITH PICK LIST		
3	COMPARISON W/MANUAL WITH M/C DATA		
AUTHORIZED BY SECT HEAD		08.07.2025	IRENE

WMCR NO	2570002	DELTA	PROD ACK
1ST LOT	UNTIL		
ONWARDS	SK.....XXX		

CAUTION
STICK LABEL OR LASER
PRINT 2D BARCODE HERE.

ISSUED
08 JUL 2025
AUTO SECTION

CAUTION:
PLEASE CHECK ALL POLARITY PARTS FOR FIRST
SET IS "OK" BEFORE RUN MASS PRODUCTION.

REFLOW PROCESS (Oven Setting Condition)		
SETTING	TEMPERATURE	TIME
PRE-HEAT	150°C - 190°C	60 sec - 120 sec
REFLOW	220°C	20 sec - 45 sec
MAX TEMP	245°C (Max)	Below 5 sec

CAUTION; Perhatian:
PLS USE ONLY LEAD FREE SOLDER PASTE
& SOLDER WIRE & SOLDERING IRON
Hanya gunakan Lead Free Solder Paste &
Solder Wire & Soldering Iron

ATTENTION
OBSERVE PRECAUTIONS
FOR HANDLING
ELECTROSTATIC
SENSITIVE
DEVICES

CAUTION:
DO NOT USE ANY OZONE DEPLETING SUBSTANCES
IN ANY PHASE OF MANUFACTURING PROCESS.

WORKING MANUAL

☐ RWORK ISSUE☐ PVT ISSUE☒ OFFICIAL ISSUE☐ NEW☒ CHANGE☐ REWRITE

REVISION RECORD

DATE	DESCRIPTION	REF NO.	ENFORCE	DATE	DESCRIPTION	REF NO.	ENFORCE
08.07.25	OFFICIAL ISSUE	PWMC 2570002	1ST LOT-->				


PWB PART CODE	MTL	NO OF CAV.
QPWBCAR3072	94V-0	1
PWB MARK	ENFORCE	PWB MARK

MODEL	A4C30BMMP/ A4C30SMMP/ A4C30BMMP
PROCESS CODE	RAD3072AR-2A
LOT 202	AUTO W/M LOC : R1.2

APPROVAL				
ENG PIC	MANAGER	JMGR	CHIEF	FILLED
RAJAN	PC LOW		IRENE	BK TAN
PROCESS NAME	AR RD			PAGE NO.
DATE	15.04.2025			1/1

AXI/RAD PCB FLOW DIRECTION

VISUAL INSPECTION STAMPING AREA



NO	S.N	VALUE	SNM Code	STN	Qty	REMARK	Qty	REMARK
1	22380260T	RL1N4003	VHD1N40031-1	C	1	D922		
2	25035718T	NPS-111-S681	OSW-KA019WJZZ		9	S801 S802 S803 S805 S811 S812 S813 S814 S815		
4	399241017T or 355741019T	CE04W16V-100M(S5) or CE04W16V-100M	RC-EZD107AF1CT or VCEAKM1CW107M+	+	1	C831		
5	399244707T or 355744709T	CE04W16V-47M(S5) or CE04W16V-47M	RC-EZD476AF1CT or VCEAKM1CW476M+	-	2	C801 C806		
6	399280107T or 355780109T	CE04W50V-1M(S5) or CE04W50V-1M	RC-EZD105AF1HT or VCEAKM1HW105M+	-	1	C930		
7	399281007T or 355781009T	CE04W50V-10M(S5) or CE04W50V-10M	RC-EZD106AF1HT or VCEAKM1HW106M+	+	1	C946		
8	376332214T	2APZTF221JE	RC-QZ3025AWZZ	-	2	C313 C314		
9	376592224T	1JUMKRTF222JE	RC-QZ3094AWZZ	-	4	C317 C318 C319 C320		
10	376592224T	1JUMKRTF222JE	RC-QZ3066AWZZ	-	2	C311 C312		
11	376821044T	C28H104J20A21A	RC-QZ3098AWZZ	-	1	C931		
12	376821044T	C28H104J20A21A	RC-QZ3098AWZZ	-	5	C921 C922 C936 C937 C938		
13	374721044T or 374722244T	EQO-V50V-104J or C28H104J20A21A	VCFYFA1HA104J or RC-QZ3102AWZZ	-	1	C453		
14	397521027T	CE04W6.3V-1000M(UTSP)	RC-EZ3124AWZZ	+	2	C257 C451		
15	397531017AT	CE04W10V-100M(UTSP)	RC-EZ3182AWZZT	-	2	C206 C159		
16	397532217AT	CE04W10V-220M(UTSP)	RC-EZ3121AWZZ	+	7	C172 C204 C226 C242 C245 C259 C601		
17	397534717T	CE04W10V-470M(UTSP)	RC-EZ3143AWZZT	+	4	C282 C306 C308 C613		
18	397544717T	CE04W16V-470M(UTSP)	RC-EZ3117AWZZ	+	3	C327 C328 C939		
19	397552217T	CE04W25V-220M(UTSP)	RC-EZ3116AWZZ	-	1	C201		
20	397580107AT	CE04W50V-1M(UTSP)	RC-EZ3114AWZZ	+	1	C929		
21	397580477AT	CE04W50V-4.7M(UTSP)	RC-EZ3147AWZZT	+	1	C941		
22	397581007AT	CE04W50V-10M(UTSP)	RC-EZ3112AWZZ	+	6	C330 C925 C926 C935 C422 C426		
23	397581017T	CE04W50V-100M(UTSP)	RC-EZ3166AWZZT	+	1	C928		
24	397584707AT	CE04W50V-47M(UTSP)	RC-EZ3110AWZZ	+	5	C321 C322 C331 C332 C927		
25	443521004T	RS1/2WBJ-10	RR-SZA001AWZZ	-	1	R832		
26	443521514T	RS1/2WBJ-150	RR-SZA038AWZZ	-	1	R833		
27	443522204T	RS1/2WBJ-22	RR-SZA011AWZZ	-	3	R309 R362 R363		
28	443526804T	RS1/2WBJ-68	RR-SZA050AWZZ	-	1	R827		
29	453530224T	RNU1/2WCJ-2.2	RR-AZA022AWZZ	-	2	R821 R822		
30	453534794T	RNU1/2WCJ-0.47	RR-AZA046AWZZ	-	1	R830		
31	453532294T	RNU1WCJ-0.22	RR-AZA013AWZZ	-	1	R831		
32	376591034T	1JUMKRTF103JE	RC-QZ3126AWZZ	-	1	C423		
33	397582207AT	CE04W50V-22M(UTSP)	RC-EZ3111AWZZ	-	2	C325 C326		
34	398341027T	CE04W16V-1000M(UTSK)	RC-EZ3539AWZZ	+	1	C940		
35	398351027T	CE04W25V-1000M(UTSK)	RC-EZ3540AWZZ	+	1	C924		
					QTY	90	0	
					GRAND TOTAL			
					90			

AUTO WORKING MANUAL UPDATE			
NO	CHECK UPDATE ITEM	UPDATE ON	UPDATE BY
1	W/MANUAL CHANGE LIST	08.07.2025	SERI WARTI
2	COMPARISON W/MANUAL WITH PICK LIST		
3	COMPARISON W/MANUAL WITH MIC DATA		
AUTHORIZED BY SECT HEAD		08.07.2025	IRENE

WMCR NO	2570002	DELTA	PROD. ACK
1ST LOT	UNTIL		
ONWARDS	SK.....XXX		

ISSUED
08 JUL 2025
AUTO SECTION



CAUTION: Perhatian:
PLS USE ONLY LEAD FREE SOLDER PASTE & SOLDER WIRE & SOLDERING IRON
Hanya gunakan Lead Free Solder Paste & Solder Wire & Soldering Iron



CAUTION:
DO NOT USE ANY OZONE DEPLETING SUBSTANCES
IN ANY PHASE OF MANUFACTURING PROCESS.

SHARP NORTH MALAYSIA SDN. BHD.

ATP 0089 R02



WORKING MANUAL

☐ RWORK ISSUE☐ PVT. ISSUE☒ OFFICIAL ISSUE☒ NEW☐ CHANGE☐ REWRITE

REVISION RECORD

REVISION RECORD									PWB PART CODE			MTL	NO OF CAV.	MODEL	A4C30BMMR/ A4C30SMMP/ A4C30BMMMP		APPROVAL				
	DATE	DESCRIPTION	REF NO.	ENFORCE		DATE	DESCRIPTION	REF NO.	ENFORCE	QPWBCAR3072			94V-0		1	ENG PIC	MANAGER	J.MGR	CHIEF	FILLED	
△	08.07.25	OFFICIAL ISSUE	PWMC 2570002	1ST LOT-->	△					PWB △ MARK	ENFORCE	PWB △ MARK	ENFORCE			RAJAN	PC LOW	/	IRENE	BK TAN	
△					△					△		△			PROCESS CODE	SCP3072AR-2A	PROCESS	AR DIP-B			PAGE NO.
△					△					△		△			PROGRAM LOT	SCP3072AR-2A-B	NAME				1 / 1
△					△					△		△		LOT 202	AUTO	W/M LOC : S1.4	DATE	14.04.2025			

NO.	S.N.	Rating	SNM Code	QTY	SCP3072AR-2	QTY	SCP3072AR-2A
1	2243324F3	ML9208A-13GA20MX	VHML9208ANX1L	1	Q801	REMARK	REMARK

SIDE A VIEW
AOI INSPECTION STAMPING AREA

DATA	X	Y	MARK SHAPE
MACHINE	CO-ORDINATE	CO-ORDINATE	□ ○
SP			
CM / BD	316.00 5.50	298.00 5.00	✓
IC : Q801			✓
RECOGNITION	162.25	45.25	

NC-PROGRAM UPDATED					
M/C	NO.	DELTA	DATE	TIME	BY
KME (202)					
KME (232)					
KME (602)					
STENCIL REF.					

CAUTION:
PLEASE CHECK ALL POLARITY PARTS FOR FIRST SET IS "OK" BEFORE RUN MASS PRODUCTION.

CAUTION: Perhatian:
PLS USE ONLY LEAD FREE SOLDER PASTE & SOLDER WIRE & SOLDERING IRON
Hanya gunakan Lead Free Solder Paste & Solder Wire & Soldering Iron

ATTENTION
OBSERVE PRECAUTIONS FOR HANDLING ELECTROSTATIC SENSITIVE DEVICES

CAUTION:
DO NOT USE ANY OZONE DEPLETING SUBSTANCES IN ANY PHASE OF MANUFACTURING PROCESS.

AUTO WORKING MANUAL UPDATE		
NO	CHECK UPDATE ITEM	UPDATE BY
1	W/MANUAL CHANGE LIST	SERI WARTI
2	COMPARISON W/MANUAL WITH PICK LIST	08.07.2025
3	COMPARISON W/MANUAL WITH M/C DATA	08.07.2025
	AUTHORIZED BY SECT HEAD	IRENE

WMCR NO	2570002	DELTA	PROD ACK
1ST LOT	UNTIL		
ONWARDS	SK.....XXX		

ISSUED
08 JUL 2025
AUTO SECTION

CHIP PCB FLOW DIRECTION
GLUE PROCESS (Oven setting Condition)

SETTING	TEMPERATURE	TIME
HARDENING	115°C	60 sec ~ 120 sec
MAX TEMP	100°C ~ 125°C	NIL
GLUE STRENGTH: ABOVE 1KG AT CHIP RESISTOR SIZE 1608		



SHARP NORTH MALAYSIA SDN. BHD.

ATP 0089 R02