

☐ REWORK ISSUE ☐ PVT ISSUE ☒ OFFICIAL ISSUE ☒ NEW ☐ CHANGE ☐ REWRITE

Oven Center - Support Chain Application		
Production requires to apply	Yes No	Enforcement from mass-prod onwards

NO					CHN3072AR.20						CHN3072AR.20					
NO		S/L	Rating	SMI Code	QTY	REMARK					QTY	REMARK				
48	320131	055R1	CG225H.1A.105K1	VGCCYCIAB105KY	10	C131	C171	C228	C233	C240						
						C243	C258	C260	C305	C307						
						C302	C311	C312	C345	C389						
50	342101	014R1	CG225CH1H.101J1	VGCCYCIAB101JY	9	C405	C406	C407	C408	C429						
						C430	C461	C418	C819							
51	342101	024R1	CG225CH1H.102J1	VGCCYCIAB102JY	7	C409	C410	C427	C428	C569						
						C816	C836									
53	342101	054R1	CG225CH1H.105J1	VGCCYCIAB105JY	7	C154										
53	342101	084R1	CG225CH1H.180J1	VGCCYCIAB180JY	7	C175										
54	342102	024R1	CG225CH1H.220J1	VGCCYCIAB220JY	7	C174										
55	342102	041R1	CG225CH1H.221J1	VGCCYCIAB221JY	7	C333	C384									
56	342103	034R1	CG225CH1H.221J1	VGCCYCIAB221JY	7	C175										
57	342103	040R1	CG225CH1H.470J1	VGCCYCIAB470JY	7	C232										
58	342104	014R1	CG225CH1H.471J1	VGCCYCIAB471JY	7	C220	C254									
58	373046	62R2	ICQABV9.9621 or	VCFRED CMBG3.2	7	C218										
			ICQABV9.9621	ICQABV9.9621												
60	435030	304R1	RFN7K.1.100J1	VR5-CY2AF80JY	21	R108	R203	R207	R204	R205	1	R612				
						R206	R207	R210	R214	R237						
						R262	R270	R271	R273	R456						
						R461	R677	R678	R685	R686						
						R709										
61	435031	004R1	RFN7K.1.103J1	VR5-CY2AF100JY	7	R219	R307									
62	435031	014R1	RFN7K.1.101J1	VR5-CY2AF101JY	21	R311	R352	R423	R424	R601						
						R628	R629	R610	R636	R679						
						R639	R641	R642	R643	R645						
						R646	R648	R654	R658	R673						
						R812										
63	435031	024R1	RFN7K.1.102J1	VR5-CY2AF102JY	7	R313	R314	R346	R348	R355						
						R356	R403	R393	R345							
64	435031	034R1	RFN7K.1.103J1	VR5-CY2AF103JY	21	R236	R237	R328	R329	R330						
						R405	R406	R407	R408	R439						
						R410	R411	R412	R452	R604						
						R607	R632	R639	R649	R633						
						R656										
65	435031	044R1	RFN7K.1.104J1	VR5-CY2AF104JY	7	R355	R356	R319	R328	R630						
						R631	R632									
66	435031	054R1	RFN7K.1.105J1	VR5-CY2AF105JY	21	R217	R227	R665	R345							
67	435031	024R1	RFN7K.1.123J1	VR5-CY2AF123JY	10	R208	R269	R315	R316	R333						
						R334	R335	R336	R367	R308						
68	435031	024R1	RFN7K.1.152J1	VR5-CY2AF152JY	2	R339	R340									
69	435031	054R1	RFN7K.1.153J1	VR5-CY2AF153JY	7	R342	R346	R255	R274	R324						
70	435031	044R1	RFN7K.1.154J1	VR5-CY2AF154JY	7	R343	R344									
71	435031	054R1	RFN7K.1.183J1	VR5-CY2AF183JY	7	R340										
72	435032	004R1	RFN7K.1.220J1	VR5-CY2AF220JY	7	R306	R372									
73	435032	024R1	RFN7K.1.221J1	VR5-CY2AF221JY	6	R201	R206	R247	R348	R403						
						R350	R319	R814								
74	435032	044R1	RFN7K.1.222J1	VR5-CY2AF222JY	6	R203	R209	R263	R283	R324						
						R328										
75	435032	024R1	RFN7K.1.223J1	VR5-CY2AF223JY	10	R203	R231	R238	R240	R254	2	R651	R652			
						R241	R242	R243	R244	R249						
						R303	R304									
76	435032	024R1	RFN7K.1.224J1	VR5-CY2AF224JY	6	R117	R178	R333	R334	R339						
						R403	R404	R427								
77	435032	024R1	RFN7K.1.272J1	VR5-CY2AF272JY	2	R172	R277	R171	R672							
78	435032	034R1	RFN7K.1.332J1	VR5-CY2AF332JY	7	R252	R252									
79	435033	014R1	RFN7K.1.331J1	VR5-CY2AF331JY	2	R357	R359									
80	435033	024R1	RFN7K.1.332J1	VR5-CY2AF332JY	6	R205	R269	R311	R312	R315						
81	435033	034R1	RFN7K.1.333J1	VR5-CY2AF333JY	7	R335										
82	435033	044R1	RFN7K.1.334J1	VR5-CY2AF334JY	7	C241										
83	435033	054R1	RFN7K.1.390J1	VR5-CY2AF390JY	7	R241	R422									
84	435033	014R1	RFN7K.1.391J1	VR5-CY2AF391JY	2	R334	R841									
85	435034	044R1	RFN7K.1.470J1	VR5-CY2AF470JY	36	R208	R209	R213	R215	R216	1	R211				
						R217	R218	R221	R224	R226						
						R225	R227	R228	R229	R232						
						R233	R234	R235	R231	R203						
						R304	R303	R308	R302	R303						
						R205	R414	R617	R618	R620						
						R622	R623	R624	R625	R626						
						R627										
86	435034	014R1	RFN7K.1.471J1	VR5-CY2AF471JY	12	R155	R175	R179	R413	R414						
						R417	R418	R661	R661	R652						
						R355	R642									
87	435034	024R1	RFN7K.1.472J1	VR5-CY2AF472JY	6	R209	R621	R655	R657	R659						
						R660										
88	435034	034R1	RFN7K.1.473J1	VR5-CY2AF473JY	6	R154	R243	R266	R267	R611						
						R612	R613	R339								
89	435034	044R1	RFN7K.1.474J1	VR5-CY2AF474JY	7	R360										
90	435035	004R1	RFN7K.1.561J1	VR5-CY2AF561JY	7	R174										
91	435035	024R1	RFN7K.1.562J1	VR5-CY2AF562JY	2	R205	R226									
92	435037	004R1	RFN7K.1.750J1	VR5-CY2AF750JY	7	R159										
93	435038	014R1	RFN7K.1.821J1	VR5-CY2AF821JY	6	R173	R331	R332	R337	R338						
						R343										
94	435038	024R1	RFN7K.1.822J1	VR5-CY2AF822JY	21	R312										
						R310										
TOTAL QTY:					276							TOTAL QTY:	4			
GRAND TOTAL QTY:					440											

ISSUED
08 JUL 2025
AUTO SECTION

SETTING	TEMPERATURE	TIME
PRE-HEAT	150°C ~ 190°C	60 sec ~ 120 sec
REFLOW	220°C	20 sec ~ 45 sec
MAX TEMP	245°C (Max)	Below 5 sec

 **CAUTION:**
DO NOT USE ANY OZONE DEPLETING SUBSTANCES
IN ANY PHASE OF MANUFACTURING PROCESS.




SHARP NORTH MALAYSIA SDN. BHD.

ATP 0089 R02

☐ REWORK ISSUE ☐ PVT ISSUE ☒ OFFICIAL ISSUE ☒ NEW ☐ CHANGE ☐ REWRITE

Oven Center - Support Chain Application		
Production requires to apply	Yes No	Enforcement from mass-prod onwards

 CAUTION: *Perhatian:*
PLEASE PRINT MODEL
CODE "2G" AT 3
LOCATIONS



WMCR NO	2570002	DELTA	PROD ACK
1ST LOT	UNTIL		
ONWARDS	SK.....XXX		

 **CAUTION:**
PLEASE CHECK ALL POLARITY PARTS FOR FIRST
SET IS "OK" BEFORE RUN MASS PRODUCTION.

SETTING	TEMPERATURE	TIME
PRE-HEAT	150°C ~ 190°C	60 sec ~ 120 sec
REFLOW	220°C	20 sec ~ 45 sec
MAX TEMP	245°C (Max)	Below 5 sec

 **Caution:** *Perhatian:*
PLS USE ONLY LEAD FREE SOLDER PASTE
& SOLDER WIRE & SOLDERING IRON
*Hanya gunakan Lead Free Solder Paste &
Solder Wire & Soldering Iron*



ATTENTION
OBSERVE PRECAUTIONS
FOR HANDLING
ELECTROSTATIC
SENSITIVE
DEVICES

 **CAUTION:**
DO NOT USE ANY OZONE DEPLETING SUBSTANCES
IN ANY PHASE OF MANUFACTURING PROCESS.

CHIP PCB FLOW DIRECTION

WORKING MANUAL

☐ RWORK ISSUE☐ PVT ISSUE☒ OFFICIAL ISSUE☐ NEW☒ CHANGE☐ REWRITE

REVISION RECORD

DATE	DESCRIPTION	REF NO.	ENFORCE	DATE	DESCRIPTION	REF NO.	ENFORCE
08.07.25	OFFICIAL ISSUE	PWMC 2570002	1ST LOT-->				


PWB PART CODE	MTL	NO OF CAV.
QPWBCAR3072	94V-0	1
PWB MARK	ENFORCE	PWB MARK

MODEL	PROCESS NAME	LOT 202
A4C30SMDC/ A4C30BMDC	RAD3072AR-2G	AUTO W/M LOC : R1.2

APPROVAL				
ENG PIC	MANAGER	JMGR	CHIEF	FILLED
RAJAN	PC LOW		IRENE	BK TAN
PROCESS NAME	AR RD	PAGE NO.		
		1/1		
DATE	15.04.2025			

AXI/RAD PCB FLOW DIRECTION

VISUAL INSPECTION STAMPING AREA.



NO	S.N	VALUE	SNM Code	STN	Qty	REMARK	Qty	REMARK
1	22380260T	RL1N4003	VHD1N4003/-1+	C	1	D922		
2	25035718T	NPS-111-S681	QSW-KA019WJZZ+	C	2	D923 D929		
4	399241017T	CE04W16V-100MS) or	RC-EZD107AF1CT	+	1	C831		
5	355741019T	CE04W16V-100M	VCEAKM1CW107M+	-	2	C801 C806		
5	39924707T	CE04W16V-47M(S5) or	RC-EZD476AF1CT	-	2	C801 C806		
5	355744709T	CE04W16V-47M	VCEAKM1CW476M+	-	2	C801 C806		
6	399280107T	CE04W50V-1M(S5) or	RC-EZD105AF1HT	-	1	C930		
6	355780109T	CE04W50V-1M	VCEAKM1HW105M+	-	1	C930		
7	399281007T	CE04W50V-10M(S5) or	RC-EZD106AF1HT	+	1	C946		
7	399281007T	CE04W50V-10M(S5) or	RC-EZD106AF1HT	-	1	C805		
8	355781009T	CE04W50V-10M	VCEAKM1HW106M+	-	1	C805		
8	376332214T	2AUPZTF221JE	RC-QZ3025AWZZ+	+	2	C313 C314		
9	376592224T	1JUMXRTF222JE	RC-QZ3094AWZZ+	+	4	C317 C318 C319 C320		
9	376522224T	1HUMXRTF222JE	RC-QZ3066AWZZ+	+	1	C317 C318 C319 C320		
10	376592724T	1JUMXRTF272JE	RC-QZ3134AWZZ+	+	2	C311 C312		
11	376821044T	C281H104J20A21A	RC-QZ3098AWZZ+	+	1	C931		
12	376821044T	C281H104J20A21A	RC-QZ3098AWZZ+	+	5	C921 C922 C936 C937 C938		
13	374721044T	ECO-V50V-104J or	VCIFYFA1HA104J+	+	1	C453		
13	376822244T	C281H24J20A21A	RC-QZ3102AWZZ+	+	1	C453		
14	374722244T	ECO-V50V-224J or	VCIFYFA1HA224J+	+	1	C453		
14	397521027T	CE04W6.3V-100M(UTSP)	RC-EZ3124AWZZ+	+	2	C257 C451		
15	397531017AT	CE04W10V-100M(UTSP)	RC-EZ3182AWZZT	+	2	C206 C159		
16	397532217AT	CE04W10V-220M(UTSP)	RC-EZ3121AWZZ+	+	7	C172 C204 C226 C242 C245		
17	397534717T	CE04W10V-470M(UTSP)	RC-EZ3143AWZZT	+	4	C262 C306 C308 C613		
18	397544717T	CE04W16V-470M(UTSP)	RC-EZ3117AWZZ+	+	3	C327 C328 C939		
19	397552217T	CE04W25V-220M(UTSP)	RC-EZ3116AWZZ+	+	1	C201		
20	397580107AT	CE04W50V-1M(UTSP)	RC-EZ3114AWZZ+	+	1	C929		
21	397580477AT	CE04W50V-4.7M(UTSP)	RC-EZ3147AWZZT	+	1	C941		
22	397581007AT	CE04W50V-10M(UTSP)	RC-EZ3112AWZZ+	+	6	C330 C925 C926 C935 C422		
23	397581017T	CE04W50V-100M(UTSP)	RC-EZ3166AWZZT	+	1	C928		
24	397584707AT	CE04W50V 47M(UTSP)	RC-EZ3110AWZZ+	+	5	C321 C322 C331 C332 C927		
25	443521004T	RS12WBJ-10	RR-SZA001AWZZ+	+	1	R932		
26	443521514T	RS12WBJ-150	RR-SZA038AWZZ+	+	1	R933		
27	443522204T	RS12WBJ-22	RR-SZA011AWZZ+	+	3	R309 R362 R363		
28	443526804T	RS12WBJ-68	RR-SZA050AWZZ+	+	1	R927		
29	453530224T	RNU12WCJ-2.2	RR-NZA022AWZZ+	+	2	R921 R922		
30	453534794T	RNU12WCJ-0.47	RR-NZA046AWZZ+	+	1	R930		
31	453632294T	RNU1WCJ-0.22	RR-NZA013AWZZ+	+	1	R931		
32	376591034T	1JUMXRTF103JE	RC-QZ3126AWZZ+	+	1	C423		
33	397582207AT	CE04W50V-22M(UTSP)	RC-EZ3111AWZZ+	+	2	C325 C326		
34	398341027T	CE04W16V-100M(UTSK)	RC-EZ3539AWZZ+	+	1	C940		
35	398351027T	CE04W25V-100M(UTSK)	RC-EZ3540AWZZ+	+	1	C924		
					QTY	90	0	
					GRAND TOTAL	90		

NO	CHECK UPDATE ITEM	UPDATE ON	UPDATE BY
1	W/MANUAL CHANGE LIST	08.07.2025	SERI WARTI
2	COMPARISON W/MANUAL WITH PICK LIST		
3	COMPARISON W/MANUAL WITH MIC DATA		
AUTHORIZED BY SECT HEAD		08.07.2025	IRENE

WMCR NO	2570002	DELTA	PROD. ACK
1ST LOT	UNTIL		
ONWARDS	SK.....XXX		

ISSUED
08 JUL 2025
AUTO SECTION



CAUTION: Perhatian:
PLS USE ONLY LEAD FREE SOLDER PASTE
& SOLDER WIRE & SOLDERING IRON
Hanya gunakan Lead Free Solder Paste &
Solder Wire & Soldering Iron



CAUTION:
DO NOT USE ANY OZONE DEPLETING SUBSTANCES
IN ANY PHASE OF MANUFACTURING PROCESS.

SHARP NORTH MALAYSIA SDN. BHD.


ATP 0089 R02

WORKING MANUAL


☐ RWORK ISSUE ☐ PVT. ISSUE ☒ OFFICIAL ISSUE ☒ NEW ☐ CHANGE ☐ REWRITE

REVISION RECORD										PWB PART CODE				MTL	NO OF CAV.	MODEL	A4C30SMDC/ A4C30BMDC		APPROVAL				
DATE	DESCRIPTION	REF NO.	ENFORCE		DATE	DESCRIPTION	REF NO.	ENFORCE	QPWBCAR3072		94V-0	1	ENG PIC	MANAGER	J.MGR				CHIEF	FILLED			
△	08.07.25	OFFICIAL ISSUE	PWMC 2570002	1ST LOT-->	△					PWB △ MARK	ENFORCE	PWB △ MARK	ENFORCE	RAJAN	PC LOW		△	IRENE	BK TAN				
△					△					△		△											
△					△					△		△		PROCESS CODE	SCP3072AR-2G		PROCESS NAME	AR DIP-B		PAGE NO.			
△					△					△		△		PROGRAM LOT	SCP3072AR-2G-B	DATE	14.04.2025		1 / 1				
△					△					△		△		LOT 202	AUTO	W/M LOC : S1.4							

NO		S.N.	Rating	SNM Code	QTY	SCP3072AR-2		SCP3072AR-2G	
						REMARK		QTY	REMARK
1		22243234F3	ML9208A-13GA20MAX	VHML9208A1X1L	1	Q801			



SIDE A VIEW
AQI INSPECTION STAMPING AREA



DATA	X	Y	MARK SHAPE	
MACHINE	CO-ORDINATE	CO-ORDINATE		
SP				
CM / BD	316.00	298.00		✓
IC / Q801	5.50	5.00		✓
RECOGNITION	162.25	45.25		

NC-PROGRAM UPDATED					
M/C	NO.	DELTA	DATE	TIME	BY
KME (202)					
KME (232)					
KME (602)					
STENCIL REF.					

CAUTION:
PLEASE CHECK ALL POLARITY PARTS FOR FIRST SET IS "OK" BEFORE RUN MASS PRODUCTION.

Caution:
PLEASE USE ONLY LEAD FREE SOLDER PASTE & SOLDER WIRE & SOLDERING IRON
Hanya gunakan Lead Free Solder Paste & Solder Wire & Soldering Iron



CAUTION:
DO NOT USE ANY OZONE DEPLETING SUBSTANCES IN ANY PHASE OF MANUFACTURING PROCESS.

AUTO WORKING MANUAL UPDATE		
NO	CHECK UPDATE ITEM	UPDATE BY
1	W/MANUAL CHANGE LIST	08.07.2025 SERI WARTI
2	COMPARISON W/MANUAL WITH PICK LIST	
3	COMPARISON W/MANUAL WITH M/C DATA	
AUTHORIZED BY SECT HEAD		08.07.2025 IRENE

WMCN NO	2570002	DELTA	PROD ACK
1ST LOT	UNTIL		
ONWARDS	SK.....XXX		

ISSUED
08 JUL 2025
AUTO SECTION

CHIP PCB FLOW DIRECTION

GLUE PROCESS (Oven setting Condition)

SETTING	TEMPERATURE	TIME
HARDENING	115°C	60 sec ~ 120 sec
MAX TEMP	100°C ~ 125°C	NIL

GLUE STRENGTH: ABOVE 1KG AT CHIP RESISTOR SIZE 1608



SHARP NORTH MALAYSIA SDN. BHD.

ATP 0089 R02