

Fibonacci Spiderwebs

1. Map W/D BoM S/D Zones
2. Fib anchor price action on 4H timeframe
    - Same anchors as Fib Rockets. Swing Low + Swing High
        - Deepest + Most Recent
        - BoM Anchors - NOT subsequent market structure HL/LH
3. **For BS/WL SWING moves**
    - Look at 1H timeframe price action
    - London Session open position = Trade Setup Anchor **(Use this confirm direction as well. Strong pressure = session move)**
        - Nearest Fib level = entry
        - 1-2 Fib levels back = SL
        - Fib wormhole anchor of entry level = TP (0.618 —> 1.618, etc)
    - **If price has been consolidating/SS for 1+ days, BS is likely imminent.**
        - If 4+ SS trades have been presented over 1-2 days - **NY session = BS begins. Setup your trades accordingly**
            - Target 2 or 3 levels for swings from a SS anchor point over 1




4. **For SS/Rcvry SCALP moves**
    - Look at 15m timeframe price action
    - Anchor to nearest NON-SURGE swing high/swing low
        - Very important the fib anchors **are inside a 15m consolidation range. NOT anchored to previous BS/WL anchors.**
    - **Trade with the trend.**

        - **Direction = Trend.**
    - London Session open position = Trade Setup Anchor
        - Nearest Fib level = entry
            - **Make sure there is a 0.5-1 pip buffer in front of the entry or you will miss the entry. MANDATORY.**
        - 1-2 Fib levels back = SL
            - **Add a 1 pip buffer to the SL from the exact fib level. 2-3 is safer, 1 CAN work if you mapped the spiderweb correctly.**
        - Fib wormhole anchor of entry level = TP (0.382 —> 1.382, etc)
            - **Make sure there is a 1.5-2 pip buffer in front of the TP or you will miss it. MANDATORY.**
                - If Fib TP = 1.34830 ~ **TP for trade setup = 1.34845 or 1.3485**
                    - If you skip this you will miss 60% of TPs and lose 50% of earned profits



5. If the price action is in the MIDDLE OF A SWING during London Session open


- Default to SDL mechanics - spiderweb is secondary and for future trade setups.
- **Spiderweb mapping will reveal the path of the current move.**
    - Look at 30m timeframe price action
    - **ANCHOR THE NEAREST SWING HIGH/LOW FROM THE SAME TRADING DAY.**
    - **Map the 30m SDL entry point to the corresponding fib level**
        - **Wormhole mechanics reveal TP point**



Fibonacci Spiderwebs > SDL

Spiderwebs = Air Density
SDL = Fire/Earth Density

Trading Charts are AIR DENSITY ENVIRONMENTS.
Air is the most powerful element here.
Spiderwebs only “don’t work” if you set them up incorrectly.
Follow this framework and the shrike adds +50% pierce.
<u>Spiderwebs can pierce UM 4H BoM zones.</u>
The reaction will still happen like normal after the pierce, but spiderweb setups CAN PIERCE THROUGH before the reaction.



AFTER 2 STRONG PIERCING SWING MOVES LIKE THIS - <u>EXPECT 1-2 FULL DAYS OF HTF CONSOLIDATION!!!!!</u>

DO NOT BE FUCKING DELUSIONAL AND EXPECT CRAZY WHIPLASH STORMS!!!!

Whiplash Storms do not happen on HTFs right after a STRONG PIERCING MOVE.

Liquidity must be absorbed before it can surge again.

This is why the chain is WL —> RWL —> SWING SCALPS —> BS/WLS/PBS/etc

There MUST be a recovery after high intensity output.

<u>This is a universal mechanic in every form of creation. Sprints cannot be sustained indefinitely.</u>