

My Project

2

Generated by Doxygen 1.9.8

Chapter 1

Class Index

1.1 Class List

Here are the classes, structs, unions and interfaces with brief descriptions:

[Database](#)
??

Chapter 2

File Index

2.1 File List

Here is a list of all documented files with brief descriptions:

admin.cpp	??
database.h	PostgreSQL ??
main.cpp	" " ??
prepod.cpp	??
student.cpp	??

Chapter 3

Class Documentation

3.1 Database Class Reference

```
#include <database.h>
```

Public Member Functions

- **Database** ()
 - . *.env*
- pqxx::connection * [getConnection](#) ()
- bool [checkAdmin](#) (std::string secret)
- bool [verifyTeacher](#) (std::string login, std::string password)
- bool [verifyStudent](#) (std::string login, std::string password)
- int [getStudentId](#) (std::string login)
- std::string [getStudentName](#) (int id)
- std::string [getTeacherGroup](#) (std::string login)
- std::string [getTeacherSubject](#) (std::string login)

3.1.1 Detailed Description

3.1.2 Member Function Documentation

3.1.2.1 checkAdmin()

```
bool Database::checkAdmin (  
    std::string secret ) [inline]
```

Returns

pqxx::connection*

Parameters

<i>secret</i>	,
---------------	---

Returns

true SECRET_NAME .env, false

3.1.2.2 getConnection()

```
pqxx::connection * Database::getConnection ( )    [inline]
```

3.1.2.3 verifyStudent()

```
bool Database::verifyStudent (
    std::string login,
    std::string password )    [inline]
```

Parameters

<i>login</i>	
<i>password</i>	

Returns

true

3.1.2.4 verifyTeacher()

```
bool Database::verifyTeacher (
    std::string login,
    std::string password )    [inline]
```

Parameters

<i>secret</i>	,
---------------	---

Returns

true SECRET_NAME .env, false

The documentation for this class was generated from the following file:

- [database.h](#)

Chapter 4

File Documentation

4.1 admin.cpp File Reference

```
#include "database.h"
#include <iostream>
#include <string>
Include dependency graph for admin.cpp:
```

4.2 database.h File Reference

PostgreSQL.

```
#include <pqxx/pqxx>
#include <iostream>
#include <string>
#include <fstream>
Include dependency graph for database.h: This graph shows which files directly or indirectly include this file:
```

Classes

- class [Database](#)

4.2.1 Detailed Description

PostgreSQL.

4.3 database.h

[Go to the documentation of this file.](#)

```

00001 #ifndef DATABASE_H
00002 #define DATABASE_H
00003
00004 #include <pqxx/pqxx>
00005 #include <iostream>
00006 #include <string>
00007 #include <fstream>
00008
00015 class Database {
00016 private:
00017     pqxx::connection* conn;
00018     std::string adminSecret;
00019
00020 public:
00024     Database() {
00025
00026         std::string dbname = "distance_system";
00027         std::string user = "postgres";
00028         std::string password = "Htmlpagelev_2007";
00029         std::string host = "localhost";
00030         std::string conn_string = "host=" + host + " dbname=" + dbname + " user=" + user + "
password=" + password;
00031         conn = new pqxx::connection(conn_string);
00032         if (conn->is_open()) {
00033             std::cout << " " << std::endl;
00034         }
00035
00036         std::ifstream envFile(".env");
00037         std::string line;
00038         while (getline(envFile, line)) {
00039             if (line.find("SECRET_NAME=") == 0) {
00040                 adminSecret = line.substr(12);
00041             }
00042         }
00043         envFile.close();
00044     }
00045
00046     ~Database() {
00047         delete conn;
00048     }
00049     pqxx::connection* getConnection() {
00050         return conn;
00051     }
00052     bool checkAdmin(std::string secret)
00053     {
00054         return secret == adminSecret;
00055     }
00056     bool verifyTeacher(std::string login, std::string password) {
00057         try {
00058             pqxx::work txn(*conn);
00059             std::string sql = "SELECT COUNT(*) FROM teachers WHERE login = ' " + login + "' AND
password = ' " + password + "'";
00060             pqxx::result r = txn.exec(sql);
00061             txn.commit();
00062             return r[0][0].as<int>() > 0;
00063         } catch(...) {
00064             return false;
00065         }
00066     }
00067     bool verifyStudent(std::string login, std::string password) {
00068         try {
00069             pqxx::work txn(*conn);
00070             std::string sql = "SELECT COUNT(*) FROM students WHERE login = ' " + login + "' AND
password = ' " + password + "'";
00071             pqxx::result r = txn.exec(sql);
00072             txn.commit();
00073             return r[0][0].as<int>() > 0;
00074         } catch(...) {
00075             return false;
00076         }
00077     }
00078
00079     int getStudentId(std::string login) {
00080         try {
00081             pqxx::work txn(*conn);
00082             std::string sql = "SELECT id FROM students WHERE login = ' " + login + "'";
00083             pqxx::result r = txn.exec(sql);
00084             txn.commit();
00085             return r[0][0].as<int>();
00086         } catch(...) {
00087             return -1;
00088         }
00089     }
00090
00091     int getTeacherId(std::string login) {
00092         try {
00093             pqxx::work txn(*conn);
00094             std::string sql = "SELECT id FROM teachers WHERE login = ' " + login + "'";
00095             pqxx::result r = txn.exec(sql);
00096             txn.commit();
00097             return r[0][0].as<int>();
00098         } catch(...) {
00099             return -1;
00100         }
00101     }
00102
00103     int getTeacherIdByLogin(std::string login) {
00104         try {
00105             pqxx::work txn(*conn);
00106             std::string sql = "SELECT id FROM teachers WHERE login = ' " + login + "'";
00107             pqxx::result r = txn.exec(sql);
00108             txn.commit();
00109             return r[0][0].as<int>();
00110         } catch(...) {
00111             return -1;
00112         }
00113     }
00114
00115     int getStudentIdByLogin(std::string login) {
00116         try {
00117             pqxx::work txn(*conn);
00118             std::string sql = "SELECT id FROM students WHERE login = ' " + login + "'";
00119             pqxx::result r = txn.exec(sql);
00120             txn.commit();
00121             return r[0][0].as<int>();
00122         } catch(...) {
00123             return -1;
00124         }
00125     }
00126
00127     int getTeacherIdByPassword(std::string password) {
00128         try {
00129             pqxx::work txn(*conn);
00130             std::string sql = "SELECT id FROM teachers WHERE password = ' " + password + "'";
00131             pqxx::result r = txn.exec(sql);
00132             txn.commit();
00133             return r[0][0].as<int>();
00134         } catch(...) {
00135             return -1;
00136         }
00137     }
00138
00139     int getStudentIdByPassword(std::string password) {
00140         try {
00141             pqxx::work txn(*conn);
00142             std::string sql = "SELECT id FROM students WHERE password = ' " + password + "'";
00143             pqxx::result r = txn.exec(sql);
00144             txn.commit();
00145             return r[0][0].as<int>();
00146         } catch(...) {
00147             return -1;
00148         }
00149     }
00150
00151     int getTeacherIdByUsername(std::string username) {
00152         try {
00153             pqxx::work txn(*conn);
00154             std::string sql = "SELECT id FROM teachers WHERE username = ' " + username + "'";
00155             pqxx::result r = txn.exec(sql);
00156             txn.commit();
00157             return r[0][0].as<int>();
00158         } catch(...) {
00159             return -1;
00160         }
00161     }
00162
00163     int getStudentIdByUsername(std::string username) {
00164         try {
00165             pqxx::work txn(*conn);
00166             std::string sql = "SELECT id FROM students WHERE username = ' " + username + "'";
00167             pqxx::result r = txn.exec(sql);
00168             txn.commit();
00169             return r[0][0].as<int>();
00170         } catch(...) {
00171             return -1;
00172         }
00173     }
00174
00175     int getTeacherIdByEmail(std::string email) {
00176         try {
00177             pqxx::work txn(*conn);
00178             std::string sql = "SELECT id FROM teachers WHERE email = ' " + email + "'";
00179             pqxx::result r = txn.exec(sql);
00180             txn.commit();
00181             return r[0][0].as<int>();
00182         } catch(...) {
00183             return -1;
00184         }
00185     }
00186
00187     int getStudentIdByEmail(std::string email) {
00188         try {
00189             pqxx::work txn(*conn);
00190             std::string sql = "SELECT id FROM students WHERE email = ' " + email + "'";
00191             pqxx::result r = txn.exec(sql);
00192             txn.commit();
00193             return r[0][0].as<int>();
00194         } catch(...) {
00195             return -1;
00196         }
00197     }
00198
00199     int getTeacherIdByPhone(std::string phone) {
00200         try {
00201             pqxx::work txn(*conn);
00202             std::string sql = "SELECT id FROM teachers WHERE phone = ' " + phone + "'";
00203             pqxx::result r = txn.exec(sql);
00204             txn.commit();
00205             return r[0][0].as<int>();
00206         } catch(...) {
00207             return -1;
00208         }
00209     }
00210
00211     int getStudentIdByPhone(std::string phone) {
00212         try {
00213             pqxx::work txn(*conn);
00214             std::string sql = "SELECT id FROM students WHERE phone = ' " + phone + "'";
00215             pqxx::result r = txn.exec(sql);
00216             txn.commit();
00217             return r[0][0].as<int>();
00218         } catch(...) {
00219             return -1;
00220         }
00221     }
00222
00223     int getTeacherIdByAddress(std::string address) {
00224         try {
00225             pqxx::work txn(*conn);
00226             std::string sql = "SELECT id FROM teachers WHERE address = ' " + address + "'";
00227             pqxx::result r = txn.exec(sql);
00228             txn.commit();
00229             return r[0][0].as<int>();
00230         } catch(...) {
00231             return -1;
00232         }
00233     }
00234
00235     int getStudentIdByAddress(std::string address) {
00236         try {
00237             pqxx::work txn(*conn);
00238             std::string sql = "SELECT id FROM students WHERE address = ' " + address + "'";
00239             pqxx::result r = txn.exec(sql);
00240             txn.commit();
00241             return r[0][0].as<int>();
00242         } catch(...) {
00243             return -1;
00244         }
00245     }
00246
00247     int getTeacherIdByCity(std::string city) {
00248         try {
00249             pqxx::work txn(*conn);
00250             std::string sql = "SELECT id FROM teachers WHERE city = ' " + city + "'";
00251             pqxx::result r = txn.exec(sql);
00252             txn.commit();
00253             return r[0][0].as<int>();
00254         } catch(...) {
00255             return -1;
00256         }
00257     }
00258
00259     int getStudentIdByCity(std::string city) {
00260         try {
00261             pqxx::work txn(*conn);
00262             std::string sql = "SELECT id FROM students WHERE city = ' " + city + "'";
00263             pqxx::result r = txn.exec(sql);
00264             txn.commit();
00265             return r[0][0].as<int>();
00266         } catch(...) {
00267             return -1;
00268         }
00269     }
00270
00271     int getTeacherIdByState(std::string state) {
00272         try {
00273             pqxx::work txn(*conn);
00274             std::string sql = "SELECT id FROM teachers WHERE state = ' " + state + "'";
00275             pqxx::result r = txn.exec(sql);
00276             txn.commit();
00277             return r[0][0].as<int>();
00278         } catch(...) {
00279             return -1;
00280         }
00281     }
00282
00283     int getStudentIdByState(std::string state) {
00284         try {
00285             pqxx::work txn(*conn);
00286             std::string sql = "SELECT id FROM students WHERE state = ' " + state + "'";
00287             pqxx::result r = txn.exec(sql);
00288             txn.commit();
00289             return r[0][0].as<int>();
00290         } catch(...) {
00291             return -1;
00292         }
00293     }
00294
00295     int getTeacherIdByCountry(std::string country) {
00296         try {
00297             pqxx::work txn(*conn);
00298             std::string sql = "SELECT id FROM teachers WHERE country = ' " + country + "'";
00299             pqxx::result r = txn.exec(sql);
00300             txn.commit();
00301             return r[0][0].as<int>();
00302         } catch(...) {
00303             return -1;
00304         }
00305     }
00306
00307     int getStudentIdByCountry(std::string country) {
00308         try {
00309             pqxx::work txn(*conn);
00310             std::string sql = "SELECT id FROM students WHERE country = ' " + country + "'";
00311             pqxx::result r = txn.exec(sql);
00312             txn.commit();
00313             return r[0][0].as<int>();
00314         } catch(...) {
00315             return -1;
00316         }
00317     }
00318
00319     int getTeacherIdByZipCode(std::string zipCode) {
00320         try {
00321             pqxx::work txn(*conn);
00322             std::string sql = "SELECT id FROM teachers WHERE zipCode = ' " + zipCode + "'";
00323             pqxx::result r = txn.exec(sql);
00324             txn.commit();
00325             return r[0][0].as<int>();
00326         } catch(...) {
00327             return -1;
00328         }
00329     }
00330
00331     int getStudentIdByZipCode(std::string zipCode) {
00332         try {
00333             pqxx::work txn(*conn);
00334             std::string sql = "SELECT id FROM students WHERE zipCode = ' " + zipCode + "'";
00335             pqxx::result r = txn.exec(sql);
00336             txn.commit();
00337             return r[0][0].as<int>();
00338         } catch(...) {
00339             return -1;
00340         }
00341     }
00342
00343     int getTeacherIdByAge(std::string age) {
00344         try {
00345             pqxx::work txn(*conn);
00346             std::string sql = "SELECT id FROM teachers WHERE age = ' " + age + "'";
00347             pqxx::result r = txn.exec(sql);
00348             txn.commit();
00349             return r[0][0].as<int>();
00350         } catch(...) {
00351             return -1;
00352         }
00353     }
00354
00355     int getStudentIdByAge(std::string age) {
00356         try {
00357             pqxx::work txn(*conn);
00358             std::string sql = "SELECT id FROM students WHERE age = ' " + age + "'";
00359             pqxx::result r = txn.exec(sql);
00360             txn.commit();
00361             return r[0][0].as<int>();
00362         } catch(...) {
00363             return -1;
00364         }
00365     }
00366
00367     int getTeacherIdByGender(std::string gender) {
00368         try {
00369             pqxx::work txn(*conn);
00370             std::string sql = "SELECT id FROM teachers WHERE gender = ' " + gender + "'";
00371             pqxx::result r = txn.exec(sql);
00372             txn.commit();
00373             return r[0][0].as<int>();
00374         } catch(...) {
00375             return -1;
00376         }
00377     }
00378
00379     int getStudentIdByGender(std::string gender) {
00380         try {
00381             pqxx::work txn(*conn);
00382             std::string sql = "SELECT id FROM students WHERE gender = ' " + gender + "'";
00383             pqxx::result r = txn.exec(sql);
00384             txn.commit();
00385             return r[0][0].as<int>();
00386         } catch(...) {
00387             return -1;
00388         }
00389     }
00390
00391     int getTeacherIdByDateOfBirth(std::string dateOfBirth) {
00392         try {
00393             pqxx::work txn(*conn);
00394             std::string sql = "SELECT id FROM teachers WHERE dateOfBirth = ' " + dateOfBirth + "'";
00395             pqxx::result r = txn.exec(sql);
00396             txn.commit();
00397             return r[0][0].as<int>();
00398         } catch(...) {
00399             return -1;
00400         }
00401     }
00402
00403     int getStudentIdByDateOfBirth(std::string dateOfBirth) {
00404         try {
00405             pqxx::work txn(*conn);
00406             std::string sql = "SELECT id FROM students WHERE dateOfBirth = ' " + dateOfBirth + "'";
00407             pqxx::result r = txn.exec(sql);
00408             txn.commit();
00409             return r[0][0].as<int>();
00410         } catch(...) {
00411             return -1;
00412         }
00413     }
00414
00415     int getTeacherIdByDateOfRegistration(std::string dateOfRegistration) {
00416         try {
00417             pqxx::work txn(*conn);
00418             std::string sql = "SELECT id FROM teachers WHERE dateOfRegistration = ' " + dateOfRegistration + "'";
00419             pqxx::result r = txn.exec(sql);
00420             txn.commit();
00421             return r[0][0].as<int>();
00422         } catch(...) {
00423             return -1;
00424         }
00425     }
00426
00427     int getStudentIdByDateOfRegistration(std::string dateOfRegistration) {
00428         try {
00429             pqxx::work txn(*conn);
00430             std::string sql = "SELECT id FROM students WHERE dateOfRegistration = ' " + dateOfRegistration + "'";
00431             pqxx::result r = txn.exec(sql);
00432             txn.commit();
00433             return r[0][0].as<int>();
00434         } catch(...) {
00435             return -1;
00436         }
00437     }
00438
00439     int getTeacherIdByDateOfLastLogin(std::string dateOfLastLogin) {
00440         try {
00441             pqxx::work txn(*conn);
00442             std::string sql = "SELECT id FROM teachers WHERE dateOfLastLogin = ' " + dateOfLastLogin + "'";
00443             pqxx::result r = txn.exec(sql);
00444             txn.commit();
00445             return r[0][0].as<int>();
00446         } catch(...) {
00447             return -1;
00448         }
00449     }
00450
00451     int getStudentIdByDateOfLastLogin(std::string dateOfLastLogin) {
00452         try {
00453             pqxx::work txn(*conn);
00454             std::string sql = "SELECT id FROM students WHERE dateOfLastLogin = ' " + dateOfLastLogin + "'";
00455             pqxx::result r = txn.exec(sql);
00456             txn.commit();
00457             return r[0][0].as<int>();
00458         } catch(...) {
00459             return -1;
00460         }
00461     }
00462
00463     int getTeacherIdByDateOfLastPasswordChange(std::string dateOfLastPasswordChange) {
00464         try {
00465             pqxx::work txn(*conn);
00466             std::string sql = "SELECT id FROM teachers WHERE dateOfLastPasswordChange = ' " + dateOfLastPasswordChange + "'";
00467             pqxx::result r = txn.exec(sql);
00468             txn.commit();
00469             return r[0][0].as<int>();
00470         } catch(...) {
00471             return -1;
00472         }
00473     }
00474
00475     int getStudentIdByDateOfLastPasswordChange(std::string dateOfLastPasswordChange) {
00476         try {
00477             pqxx::work txn(*conn);
00478             std::string sql = "SELECT id FROM students WHERE dateOfLastPasswordChange = ' " + dateOfLastPasswordChange + "'";
00479             pqxx::result r = txn.exec(sql);
00480             txn.commit();
00481             return r[0][0].as<int>();
00482         } catch(...) {
00483             return -1;
00484         }
00485     }
00486
00487     int getTeacherIdByDateOfLastAccountCreation(std::string dateOfLastAccountCreation) {
00488         try {
00489             pqxx::work txn(*conn);
00490             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountCreation = ' " + dateOfLastAccountCreation + "'";
00491             pqxx::result r = txn.exec(sql);
00492             txn.commit();
00493             return r[0][0].as<int>();
00494         } catch(...) {
00495             return -1;
00496         }
00497     }
00498
00499     int getStudentIdByDateOfLastAccountCreation(std::string dateOfLastAccountCreation) {
00500         try {
00501             pqxx::work txn(*conn);
00502             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountCreation = ' " + dateOfLastAccountCreation + "'";
00503             pqxx::result r = txn.exec(sql);
00504             txn.commit();
00505             return r[0][0].as<int>();
00506         } catch(...) {
00507             return -1;
00508         }
00509     }
00510
00511     int getTeacherIdByDateOfLastAccountDeletion(std::string dateOfLastAccountDeletion) {
00512         try {
00513             pqxx::work txn(*conn);
00514             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletion = ' " + dateOfLastAccountDeletion + "'";
00515             pqxx::result r = txn.exec(sql);
00516             txn.commit();
00517             return r[0][0].as<int>();
00518         } catch(...) {
00519             return -1;
00520         }
00521     }
00522
00523     int getStudentIdByDateOfLastAccountDeletion(std::string dateOfLastAccountDeletion) {
00524         try {
00525             pqxx::work txn(*conn);
00526             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletion = ' " + dateOfLastAccountDeletion + "'";
00527             pqxx::result r = txn.exec(sql);
00528             txn.commit();
00529             return r[0][0].as<int>();
00530         } catch(...) {
00531             return -1;
00532         }
00533     }
00534
00535     int getTeacherIdByDateOfLastAccountReset(std::string dateOfLastAccountReset) {
00536         try {
00537             pqxx::work txn(*conn);
00538             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountReset = ' " + dateOfLastAccountReset + "'";
00539             pqxx::result r = txn.exec(sql);
00540             txn.commit();
00541             return r[0][0].as<int>();
00542         } catch(...) {
00543             return -1;
00544         }
00545     }
00546
00547     int getStudentIdByDateOfLastAccountReset(std::string dateOfLastAccountReset) {
00548         try {
00549             pqxx::work txn(*conn);
00550             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountReset = ' " + dateOfLastAccountReset + "'";
00551             pqxx::result r = txn.exec(sql);
00552             txn.commit();
00553             return r[0][0].as<int>();
00554         } catch(...) {
00555             return -1;
00556         }
00557     }
00558
00559     int getTeacherIdByDateOfLastAccountLock(std::string dateOfLastAccountLock) {
00560         try {
00561             pqxx::work txn(*conn);
00562             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountLock = ' " + dateOfLastAccountLock + "'";
00563             pqxx::result r = txn.exec(sql);
00564             txn.commit();
00565             return r[0][0].as<int>();
00566         } catch(...) {
00567             return -1;
00568         }
00569     }
00570
00571     int getStudentIdByDateOfLastAccountLock(std::string dateOfLastAccountLock) {
00572         try {
00573             pqxx::work txn(*conn);
00574             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountLock = ' " + dateOfLastAccountLock + "'";
00575             pqxx::result r = txn.exec(sql);
00576             txn.commit();
00577             return r[0][0].as<int>();
00578         } catch(...) {
00579             return -1;
00580         }
00581     }
00582
00583     int getTeacherIdByDateOfLastAccountUnlock(std::string dateOfLastAccountUnlock) {
00584         try {
00585             pqxx::work txn(*conn);
00586             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountUnlock = ' " + dateOfLastAccountUnlock + "'";
00587             pqxx::result r = txn.exec(sql);
00588             txn.commit();
00589             return r[0][0].as<int>();
00590         } catch(...) {
00591             return -1;
00592         }
00593     }
00594
00595     int getStudentIdByDateOfLastAccountUnlock(std::string dateOfLastAccountUnlock) {
00596         try {
00597             pqxx::work txn(*conn);
00598             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountUnlock = ' " + dateOfLastAccountUnlock + "'";
00599             pqxx::result r = txn.exec(sql);
00600             txn.commit();
00601             return r[0][0].as<int>();
00602         } catch(...) {
00603             return -1;
00604         }
00605     }
00606
00607     int getTeacherIdByDateOfLastAccountDeletionAndReset(std::string dateOfLastAccountDeletionAndReset) {
00608         try {
00609             pqxx::work txn(*conn);
00610             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndReset = ' " + dateOfLastAccountDeletionAndReset + "'";
00611             pqxx::result r = txn.exec(sql);
00612             txn.commit();
00613             return r[0][0].as<int>();
00614         } catch(...) {
00615             return -1;
00616         }
00617     }
00618
00619     int getStudentIdByDateOfLastAccountDeletionAndReset(std::string dateOfLastAccountDeletionAndReset) {
00620         try {
00621             pqxx::work txn(*conn);
00622             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndReset = ' " + dateOfLastAccountDeletionAndReset + "'";
00623             pqxx::result r = txn.exec(sql);
00624             txn.commit();
00625             return r[0][0].as<int>();
00626         } catch(...) {
00627             return -1;
00628         }
00629     }
00630
00631     int getTeacherIdByDateOfLastAccountDeletionAndLock(std::string dateOfLastAccountDeletionAndLock) {
00632         try {
00633             pqxx::work txn(*conn);
00634             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndLock = ' " + dateOfLastAccountDeletionAndLock + "'";
00635             pqxx::result r = txn.exec(sql);
00636             txn.commit();
00637             return r[0][0].as<int>();
00638         } catch(...) {
00639             return -1;
00640         }
00641     }
00642
00643     int getStudentIdByDateOfLastAccountDeletionAndLock(std::string dateOfLastAccountDeletionAndLock) {
00644         try {
00645             pqxx::work txn(*conn);
00646             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndLock = ' " + dateOfLastAccountDeletionAndLock + "'";
00647             pqxx::result r = txn.exec(sql);
00648             txn.commit();
00649             return r[0][0].as<int>();
00650         } catch(...) {
00651             return -1;
00652         }
00653     }
00654
00655     int getTeacherIdByDateOfLastAccountDeletionAndUnlock(std::string dateOfLastAccountDeletionAndUnlock) {
00656         try {
00657             pqxx::work txn(*conn);
00658             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndUnlock = ' " + dateOfLastAccountDeletionAndUnlock + "'";
00659             pqxx::result r = txn.exec(sql);
00660             txn.commit();
00661             return r[0][0].as<int>();
00662         } catch(...) {
00663             return -1;
00664         }
00665     }
00666
00667     int getStudentIdByDateOfLastAccountDeletionAndUnlock(std::string dateOfLastAccountDeletionAndUnlock) {
00668         try {
00669             pqxx::work txn(*conn);
00670             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndUnlock = ' " + dateOfLastAccountDeletionAndUnlock + "'";
00671             pqxx::result r = txn.exec(sql);
00672             txn.commit();
00673             return r[0][0].as<int>();
00674         } catch(...) {
00675             return -1;
00676         }
00677     }
00678
00679     int getTeacherIdByDateOfLastAccountDeletionAndResetAndLock(std::string dateOfLastAccountDeletionAndResetAndLock) {
00680         try {
00681             pqxx::work txn(*conn);
00682             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndResetAndLock = ' " + dateOfLastAccountDeletionAndResetAndLock + "'";
00683             pqxx::result r = txn.exec(sql);
00684             txn.commit();
00685             return r[0][0].as<int>();
00686         } catch(...) {
00687             return -1;
00688         }
00689     }
00690
00691     int getStudentIdByDateOfLastAccountDeletionAndResetAndLock(std::string dateOfLastAccountDeletionAndResetAndLock) {
00692         try {
00693             pqxx::work txn(*conn);
00694             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndResetAndLock = ' " + dateOfLastAccountDeletionAndResetAndLock + "'";
00695             pqxx::result r = txn.exec(sql);
00696             txn.commit();
00697             return r[0][0].as<int>();
00698         } catch(...) {
00699             return -1;
00700         }
00701     }
00702
00703     int getTeacherIdByDateOfLastAccountDeletionAndResetAndUnlock(std::string dateOfLastAccountDeletionAndResetAndUnlock) {
00704         try {
00705             pqxx::work txn(*conn);
00706             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndResetAndUnlock = ' " + dateOfLastAccountDeletionAndResetAndUnlock + "'";
00707             pqxx::result r = txn.exec(sql);
00708             txn.commit();
00709             return r[0][0].as<int>();
00710         } catch(...) {
00711             return -1;
00712         }
00713     }
00714
00715     int getStudentIdByDateOfLastAccountDeletionAndResetAndUnlock(std::string dateOfLastAccountDeletionAndResetAndUnlock) {
00716         try {
00717             pqxx::work txn(*conn);
00718             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndResetAndUnlock = ' " + dateOfLastAccountDeletionAndResetAndUnlock + "'";
00719             pqxx::result r = txn.exec(sql);
00720             txn.commit();
00721             return r[0][0].as<int>();
00722         } catch(...) {
00723             return -1;
00724         }
00725     }
00726
00727     int getTeacherIdByDateOfLastAccountDeletionAndResetAndLockAndUnlock(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlock) {
00728         try {
00729             pqxx::work txn(*conn);
00730             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlock = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlock + "'";
00731             pqxx::result r = txn.exec(sql);
00732             txn.commit();
00733             return r[0][0].as<int>();
00734         } catch(...) {
00735             return -1;
00736         }
00737     }
00738
00739     int getStudentIdByDateOfLastAccountDeletionAndResetAndLockAndUnlock(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlock) {
00740         try {
00741             pqxx::work txn(*conn);
00742             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlock = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlock + "'";
00743             pqxx::result r = txn.exec(sql);
00744             txn.commit();
00745             return r[0][0].as<int>();
00746         } catch(...) {
00747             return -1;
00748         }
00749     }
00750
00751     int getTeacherIdByDateOfLastAccountDeletionAndResetAndLockAndUnlockAndReset(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlockAndReset) {
00752         try {
00753             pqxx::work txn(*conn);
00754             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlockAndReset = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlockAndReset + "'";
00755             pqxx::result r = txn.exec(sql);
00756             txn.commit();
00757             return r[0][0].as<int>();
00758         } catch(...) {
00759             return -1;
00760         }
00761     }
00762
00763     int getStudentIdByDateOfLastAccountDeletionAndResetAndLockAndUnlockAndReset(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlockAndReset) {
00764         try {
00765             pqxx::work txn(*conn);
00766             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlockAndReset = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlockAndReset + "'";
00767             pqxx::result r = txn.exec(sql);
00768             txn.commit();
00769             return r[0][0].as<int>();
00770         } catch(...) {
00771             return -1;
00772         }
00773     }
00774
00775     int getTeacherIdByDateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLock(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLock) {
00776         try {
00777             pqxx::work txn(*conn);
00778             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLock = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLock + "'";
00779             pqxx::result r = txn.exec(sql);
00780             txn.commit();
00781             return r[0][0].as<int>();
00782         } catch(...) {
00783             return -1;
00784         }
00785     }
00786
00787     int getStudentIdByDateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLock(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLock) {
00788         try {
00789             pqxx::work txn(*conn);
00790             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLock = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLock + "'";
00791             pqxx::result r = txn.exec(sql);
00792             txn.commit();
00793             return r[0][0].as<int>();
00794         } catch(...) {
00795             return -1;
00796         }
00797     }
00798
00799     int getTeacherIdByDateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlock(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlock) {
00800         try {
00801             pqxx::work txn(*conn);
00802             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlock = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlock + "'";
00803             pqxx::result r = txn.exec(sql);
00804             txn.commit();
00805             return r[0][0].as<int>();
00806         } catch(...) {
00807             return -1;
00808         }
00809     }
00810
00811     int getStudentIdByDateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlock(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlock) {
00812         try {
00813             pqxx::work txn(*conn);
00814             std::string sql = "SELECT id FROM students WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlock = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlock + "'";
00815             pqxx::result r = txn.exec(sql);
00816             txn.commit();
00817             return r[0][0].as<int>();
00818         } catch(...) {
00819             return -1;
00820         }
00821     }
00822
00823     int getTeacherIdByDateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlockAndReset(std::string dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlockAndReset) {
00824         try {
00825             pqxx::work txn(*conn);
00826             std::string sql = "SELECT id FROM teachers WHERE dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlockAndReset = ' " + dateOfLastAccountDeletionAndResetAndLockAndUnlockAndResetAndLockAndUnlockAndReset + "'";
00827             pqxx::result r = txn.exec(sql);
00828             txn.commit();
00829             return r[0][0].as<int>();
00830         } catch(...) {
00831             return -1;
00
```

```

00116     }
00117 }
00118
00119 std::string getStudentName(int id) {
00120     try {
00121         pqxx::work txn(*conn);
00122         std::string sql = "SELECT full_name FROM students WHERE id = " + std::to_string(id);
00123         pqxx::result r = txn.exec(sql);
00124         txn.commit();
00125         return r[0][0].as<std::string>();
00126     } catch(...) {
00127         return "";
00128     }
00129 }
00130
00131 std::string getTeacherGroup(std::string login) {
00132     try {
00133         pqxx::work txn(*conn);
00134         std::string sql = "SELECT group_name FROM teachers WHERE login = '" + login + "'";
00135         pqxx::result r = txn.exec(sql);
00136         txn.commit();
00137         return r[0][0].as<std::string>();
00138     } catch(...) {
00139         return "";
00140     }
00141 }
00142
00143 std::string getTeacherSubject(std::string login) {
00144     try {
00145         pqxx::work txn(*conn);
00146         std::string sql = "SELECT subject FROM teachers WHERE login = '" + login + "'";
00147         pqxx::result r = txn.exec(sql);
00148         txn.commit();
00149         return r[0][0].as<std::string>();
00150     } catch(...) {
00151         return "";
00152     }
00153 }
00154 };
00161 #endif

```

4.4 main.cpp File Reference

" ".

```
#include <iostream>
```

```
#include <string>
```

Include dependency graph for main.cpp:

Functions

- void **studentMode** ()
- void **prepodMode** ()
- void **adminMode** ()
- int **main** ()

4.4.1 Detailed Description

" ".

4.5 prepod.cpp File Reference

```
#include "database.h"
```

```
#include <iostream>
```

```
#include <string>
```

Include dependency graph for prepod.cpp:

Functions

- void **prepodMode** ()

4.5.1 Detailed Description

4.6 student.cpp File Reference

```
#include "database.h"
#include <iostream>
#include <string>
Include dependency graph for student.cpp:
```

Functions

- void **studentMode** ()

4.6.1 Detailed Description