
Combinator Explorer

Orbán Levente


Konzulens: Németh Gábor

2026-05-25


Paradigmaváltozás




Paradigmaváltozás




Paradigmaváltozás




Paradigmaváltozás




Paradigmaváltozás



Paradigmaváltozás



Paradigmaváltozás



Paradigmaváltozás

- az újabb nyelvek már multiparadigmálisak (Rust, Kotlin)

Paradigmaváltozás

- az újabb nyelvek már multiparadigmálisak (Rust, Kotlin)
- a régebbi nyelvek is efelé mozognak

Feladat

[…] A hallgató feladata egy

- **webes eszköz** (Combinator Explorer) elkészítése, amely
- SKI-kifejezések esetén **megmutatja a redukciós lépéseket, vizualizálja a redexeket, és felrajzolja a kiértékelési fát**.
- A redukció során **többféle kiértékelési stratégiát támogat**, valamint az **SKI-kifejezéseket lefordítja λ-kalkulusba**. […]

— Témakiírás

Kezdeti állapot

Test

We can use `#pause` to

Meanwhile,

Test

We can use `#pause` to display something later.

Meanwhile, we can also use `#meanwhile` to

Test

We can use `#pause` to display something later.

Just like this.

Meanwhile, we can also use `#meanwhile` to display other content synchronously.

Complex Animation

At subslide 1, we can

use for reserving space,

use for not reserving space,

call `#only` multiple times ✕ for choosing one of the alternatives.

Complex Animation

At subslide 2, we can

use `#uncover` function for reserving space,

use `#only` function for not reserving space,

use `#alternatives` function ✓ for choosing one of the alternatives.

Callback Style Animation

At subslide 1, we can

use for reserving space,

use for not reserving space,

call `#only` multiple times ✕ for choosing one of the alternatives.

Callback Style Animation

At subslide 2, we can

use `#uncover` function for reserving space,

use `#only` function for not reserving space,

use `#alternatives` function ✓ for choosing one of the alternatives.

Callback Style Animation

At subslide 3, we can

use `#uncover` function for reserving space,

use `#only` function for not reserving space,

use `#alternatives` function ✓ for choosing one of the alternatives.

Math Equation Animation

Equation with pause:

$$f(x) =$$

Here,

Math Equation Animation

Equation with pause:

$$f(x) = x^2 + 2x + 1$$

$$=$$

Here, we have the expression of $f(x)$.

Math Equation Animation

Equation with pause:

$$f(x) = x^2 + 2x + 1$$
$$= (x + 1)^2$$

Here, we have the expression of $f(x)$.

By factorizing, we can obtain this result.

Theorems

Others

Multiple columns

First column.

Second column.

Multiple columns with equal height blocks

First column with equal height: Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do.

Second column with equal height: : Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore.

Multiple Pages

Appendix

Appendix

Please pay attention to the current slide number.