

Read Actions

(Rails)

C

Create

R

Read

U

Update


D

Delete

Create

get “products/new” => “products#new”

post “products” => “products#create”



resources :products, only: [:new, :create]

\$ rails routes

```
class ProductsController
```



```
  def new
```

```
    ...
```

```
  end
```

```
  def create
```

```
    ...
```

```
  end
```

```
end
```

```
<form action="/products" method="post">
  <input type="text" name="product[name]">
  <input type="text" name="product[tagline]">
  <input type="submit">
</form>
```



POST "/products"

```
params = {
  product: {
    name: "Kudoz",
    tagline: "tinder for job search"
  }
}
```

```
class ProductsController
```



```
  def new
```

```
    @product = Product.new
```



```
  end
```

```
  def create
```

```
    ...
```

```
  end
```

```
end
```


```
<%= simple_form_for @product do |f| %>
  <%= f.input :name %>
  <%= f.input :tagline %>
  <%= button :submit %>
<% end %>
```



```
<form action="/products" method="post">
  <input type="text" name="product[name]" id="name">
  <input type="text" name="product[tagline]" id="address">
  <input type="hidden" name="authenticity_token" value="HJYkH...">
  <input type="submit">
</form>
```




```
params = {  
  product: {  
    name: "Kudoz",  
    tagline: "tinder for job search"  
    review: "I am a hater.."
```



```
params.require(:product)
```

```
{  
  name: "Kudoz",  
  tagline: "tinder for job search"  
  review: "I am a hater.."
```



```
params.require(:product).permit(:url, :tagline)
```

```
{  
  name: "Kudoz",  
  tagline: "tinder for job search"
```

```
class ProductsController
```



```
  def new  
    @product = Product.new  
  end
```

```
  def create  
    safe_params = params.require(:product).permit(:url, :tagline)  
    product = Product.new(safe_params)  
    product.save  
    redirect_to products_path  
  end
```

```
end
```

Let's code it