


Feed-in 3/N/PE 400V
50Hz Back-up
fuse
max.16A

Bushing Wheel

Rolling 1

Rolling 2

Feeder bowl

Version	V01_00		Modification	03.01.2025	
Date			Edited by	AW	
Creator			Checked	AW	

Wegmann
rolling machine


WEGMANN automotive

Feed-in Back-up
fuse

V01_00

+ S1

Page. 1
from



Version	V01_00		Modification	03.01.2025	
Date			Edited by	AW	
Creator			Checked	AW	

Wegmann
rolling machine


WEGMANN automotive


24VDC
Potential distribution
emergency stop


V01_00

+ S1

Page. 2
from



2.2 / 1201
2.2 / 2201
PE
-3A1
/4.0
32 INPUTS
PE
-
+
MITSUBISHI
IP : 192.168.3.250
FX5U-64M
32 OUTPUTS


2.2 / 1202
2.2 / 2202
PE
-3A2
MITSUBISHI
PE
-
+
IP : 192.168.3.18
GS2107-WTBD-N



3 5

Version	V01_00		Modification	03.01.2025	Wegmann rolling machine	WEGMANN automotive	FX5U-64M X00-X07	+ S1
Date			Edited by	AW				V01_00 Page. 4
Creator			Checked	AW				from



pole sleeves available

Start sequence of the firing unit

Verticle Cylinder Extended

Vertical Cylinder Retracted

Horizontal Cylinder Extended

Horizontal Cylinder Retracted

Pusher Cylinder Retracted

Pusher Cylinder Extended

Version	V01_00		Modification	03.01.2025	
Date			Edited by	AW	
Creator			Checked	AW	

Wegmann
rolling machine


WEGMANN® automotive

FX5U-64M
X10-X17

V01_00

+ S1

Page. 5
from


2.2 / 1203
2.2 / 2203
2203 / 8.0
-6S2.0 E
-6S2.1 F
/6.2
-6S2.1
/6.2
-6H1
-6H2
-6S2.2 E
X23 /2.5
-3A1
/3.0
X20
X21
X22
X23
X24
X25
X26
X27
INPUT BYTE 2 15-30VDC
PART 3 OF 4
Single step
Automatic
Lamp Hand
Lamp Automatic
Initial position Home
Control On emergency stop o.k.
Reserve
Reserve
Reserve
Reserve

-3A1
/3.0

OUTPUT-BYTE 0 15-30VDC PART 1 OF 4

COM1 Y00 Y01 Y02 Y03 Y04 Y05 Y06 Y07

2.6 / 1030 → 1030 / 8.0

-1K2 /7.2 (11/12) -1K1 /7.1 (11/12)

-1K1 A1/A2 -7H1 x1/x2
-1K2 A1/A2 -7H1.1 x1/x2 -7H1.2 x1/x2
-1K3 A1/A2
-1K4 A1/A2 -7H3/4 x1/x2
-1K6 A1/A2
+EXT -1K7 A1/A2

4.8 / 2103
2.1 / 2109

SIE.3RT2016-1BB41
1 2 /1.2
3 4 /1.2
5 6 /1.2
11 12 /7.2

SIE.3RT2016-1BB41
1 2 /1.2
3 4 /1.3
5 6 /1.3
11 12 /7.1

SIE.3RT2016-1BB41
1 2 /1.3
3 4 /1.4
5 6 /1.4

SIE.3RT2016-1BB41
1 2 /1.5
3 4 /1.5
5 6 /1.5

SIE.3RT2016-1BB41
1 2 /1.8

Pole wheel clockwise rotation In	Lamp Pole wheel clockwise rotation On	Pole wheel anti-clockwise rotation In	Lamp Pole wheel anti-clockwise rotation On	Lamp Pole wheel anti-clockwise rotation On	Roller 1 On	Roller 2 On	Lamp Rolling On	Reserve	Feed bowl On	Signal to Tote Conveyor to push New box in place	Reserve	Reserve

Version	V01_00		Modification	03.01.2025	Wegmann rolling machine	FX5U-64M Y00-Y07	+ S1
Date			Edited by	AW			V01_00
Creator			Checked	AW			Page. 7 from

WEGMANN automotive

-3A1
/3.0

OUTPUT-BYTE 1 15-30VDC PART 2 OF 4

COM2 Y10 Y11 Y12 Y13 Y14 Y15 Y16 Y17

7.8 / 1030

-X2 11 pink
-X2 12 white
-X2 13 yellow

+EXT -8Y1 x1 x2
+EXT -8Y2 x1 x2
+EXT -8Y3 x1 x2
-8H1 x1 x2

6.8 / 2203
4.0 / 2209

Horizontal Cylinder Retract	Vertical Cylinder Retract	Pusher Cylinder Extend	Machine in Home Position Lamp	Reserve	Reserve	Reserve	Reserve

Version	V01_00		Modification	03.01.2025	Wegmann rolling machine	WEGMANN automotive	FX5U-64M Y10-Y17
Date			Edited by	AW			
Creator			Checked	AW			V01_00

+ S1