



BRAND GUIDE

THE FUTURE OF CLOUD BASED BUILDING

Version 1.0 | February 2026

TABLE OF CONTENTS

01	Brand Overview
02	Logo System
03	Logo Usage Rules
04	Color Palette
05	Typography
06	Brand Voice & Tone
07	Photography & Imagery
08	Iconography & Service Marks
09	Do's & Don'ts
10	Application Templates

BRAND OVERVIEW

Who we are and what we stand for

OUR MISSION

Redex is a field service management platform designed to run full security and technology installation operations end-to-end. From selling and planning work, through dispatch and scheduling, to offline-first field execution and enterprise governance — Redex is one app, one login, and one unified Work OS for security integrators and technology service companies.

WHAT WE DO

- **Sell & Plan:** Proposals, projects, site surveys, and customer management
- **Dispatch & Schedule:** AI-assisted smart dispatch, route optimization, SLA governance
- **Field Execution:** Offline-first mobile installation flows, checklists, photos, signatures
- **Operate & Govern:** Expenses, fleet management, permits, compliance, analytics
- **Integrate:** Salesforce sync, alarm system webhooks, OCR scanning, AI photo analysis

BRAND PROMISE

One app, one login, offline-first field execution, and a unified Work OS — so your team can focus on securing what matters.

LOGO SYSTEM

Primary logo and approved variations

PRIMARY LOGO — FULL COLOR

Use on white or light backgrounds. This is the preferred logo for all applications.



LOGO VARIATIONS



Without Tagline



All Black (1-Color)



Reversed (Dark BG)




Circle Mark

LOGO USAGE RULES

Clear space, minimum size, and placement guidelines

CLEAR SPACE

Maintain a minimum clear space around the logo equal to the height of the 'E' in REDEX. This ensures the logo always has visual breathing room and is never crowded by other elements.



MINIMUM SIZE

The logo should never be reproduced smaller than the following minimum sizes to ensure legibility and brand integrity:

- **Print (with tagline):** 1.5 inches / 38mm wide
- **Print (without tagline):** 1.0 inch / 25mm wide
- **Digital (with tagline):** 150px wide minimum
- **Digital (without tagline):** 100px wide minimum
- **Favicon / app icon:** Use circle mark only at 32px+

PREFERRED PLACEMENT

Position the logo in the top-left or center of materials. On dark backgrounds, use the full-color version (red arc stays red, letterforms remain visible). On busy photographic backgrounds, place the logo within a solid color container with proper clear space.

COLOR PALETTE

Primary brand colors and specifications

PRIMARY PALETTE

These three colors form the foundation of all Redex brand materials.

REDEX RED

HEX: #ED1B24

CMYK 0/89/85/7

Pantone 1788 C

RGB 237, 27, 36

REDEX BLACK

HEX: #000000

CMYK 0/0/0/100

Pantone Black 6 C

RGB 0, 0, 0

REDEX WHITE

HEX: #FFFFFF

CMYK 0/0/0/0

— —

RGB 255, 255, 255

COLOR USAGE GUIDELINES

- **Redex Red:**
Use for the logo arc, the E/X letterforms, CTAs, accent elements, and key highlights. Never use as a full background color for large areas.
- **Redex Black:**
Primary color for text, logo letterforms (R, E, D), and dark backgrounds. Use for professional, authoritative contexts.
- **Redex White:**
Default background color. Use for clean layouts, reversed text on dark/red backgrounds, and breathing space.

RECOMMENDED RATIO

White/Light: 60% | Black/Dark: 30% | Red (accent): 10%

TYPOGRAPHY

Brand fonts and typographic hierarchy

LOGO TYPEFACE

BITSUMISHI

Modified | Logo wordmark only | Do not use for body text

This custom-modified typeface is exclusive to the REDEX logo. It is not available for general use.

BRAND TYPEFACE

NEXA BOLD

Headlines | Tagline | Call-to-action text | UI headers

ABCDEFGHIJKLMNOPQRSTUVWXYZ

abcdefghijklmnopqrstuvwxyz 0123456789

(Shown in Helvetica Bold as system proxy. Use Nexa Bold font files for production.)

TYPOGRAPHIC HIERARCHY

ELEMENT	FONT	SIZE	COLOR
H1 — Page Titles	Nexa Bold	32–40pt	REDEX Black
H2 — Section Headers	Nexa Bold	24–28pt	REDEX Black
H3 — Subsections	Nexa Bold	18–20pt	REDEX Black or Red
Body Text	System sans-serif*	14–16pt	REDEX Black
Captions / Labels	System sans-serif*	10–12pt	60% Black

* System sans-serif: Inter, SF Pro, Segoe UI, or Helvetica Neue — whichever is native to the platform.

BRAND VOICE & TONE

How Redex communicates across all touchpoints

BRAND VOICE ATTRIBUTES

AUTHORITATIVE

We know security and field operations inside and out. Our expertise is earned, not assumed.

DIRECT

Clear, concise communication. No jargon unless it serves the technician. Get to the point.

TECHNICAL

We speak the language of integrators — access control, cameras, alarm panels, network drops.

RELIABLE

Consistent, trustworthy messaging. Like our platform, our words deliver on their promise.

tone spectrum by context

- **Sales & Marketing:** Confident, compelling, solution-oriented
- **Technical Docs:** Precise, instructional, zero ambiguity
- **Field Communications:** Brief, action-focused, mobile-friendly
- **Client Portals:** Professional, transparent, data-driven
- **Internal Comms:** Direct, collaborative, efficiency-minded

30-SECOND ELEVATOR PITCH

"Redex is the all-in-one operations platform built for security integrators. From proposals to field installation to compliance tracking — one app, offline-first, with AI-powered dispatch and real-time analytics. Your team stays productive whether they're in the office or on a roof with no signal."

PHOTOGRAPHY & IMAGERY

Visual style guidelines for photos and graphics

PHOTOGRAPHY STYLE

Redex imagery should convey professionalism, technical precision, and real-world field operations. Avoid overly staged or stock-looking photos. Prioritize authentic images of technicians in the field, security installations, and modern commercial buildings.

PREFERRED SUBJECTS

- Technicians installing access control panels, cameras, or alarm systems
- Commercial building exteriors and interiors (modern, clean aesthetics)
- Close-ups of security hardware: card readers, camera housings, control panels
- Dashboard/app interface screenshots showing the Redex platform in use
- Team collaboration moments — dispatch coordination, planning sessions
- Fleet vehicles with professional branding

PHOTO TREATMENT RULES

Color Overlay: When using photos as backgrounds, apply a 70-80% black overlay to maintain text legibility.

Duotone: For stylized treatments, use Black + Red duotone to stay on-brand.

Cropping: Use tight crops for detail shots (hardware close-ups). Use wide angles for building/site context.

Filters: Avoid heavy color grading. Keep colors natural with slight contrast enhancement. No sepia, vintage, or saturated filter.

BRAND ILLUSTRATION STYLE

The Redex service wheel (showing Security, Video, Locks, etc.) is the approved illustration format for depicting our full service capabilities. Use only the official version with red icons on grey/dark backgrounds.

ICONOGRAPHY & SERVICE MAP

Service categories and icon system

SERVICE ECOSYSTEM WHEEL

The Redex service wheel represents the full ecosystem of connected building technologies we support. It is a key brand asset used in proposals, marketing materials, and presentations.



SERVICE CATEGORIES

- Intrusion Protection
- Video Surveillance
- Access Control (Locks)
- Garage / Gate Control
- Energy Management
- Water Detection
- Audio Systems
- Irrigation Control
- Wellness Monitoring
- Image Verification
- Lighting Control
- Thermostat / HVAC

DO'S & DON'TS

Protecting brand consistency across all applications

DO

- ✓ Use the logo in its original proportions at all times
- ✓ Maintain minimum clear space around the logo
- ✓ Use approved color variations only (full color, black, reversed)
- ✓ Place the logo on clean, uncluttered backgrounds
- ✓ Use Nexa Bold for headlines and taglines
- ✓ Keep the red arc as a continuous, unbroken element
- ✓ Use the circle mark for favicons and small applications
- ✓ Follow the 60/30/10 color ratio (white/black/red)
- ✓ Write in an authoritative, direct, technical tone
- ✓ Use authentic field photography over stock images

DON'T

- ✗ Stretch, distort, or rotate the logo
- ✗ Add drop shadows, outlines, or effects to the logo
- ✗ Change the logo colors or use unapproved color combinations
- ✗ Place the logo on busy backgrounds without a container
- ✗ Use decorative or script fonts for brand materials
- ✗ Separate the arc from the wordmark
- ✗ Recreate or redraw the logo — use only provided files
- ✗ Use red as a primary background color for large areas
- ✗ Use casual, slangy, or overly promotional language
- ✗ Use heavily filtered, vintage, or low-quality images


APPLICATION TEMPLATES

Brand application across common touchpoints

BUSINESS CARD




Front



Back

EMAIL SIGNATURE



DOCUMENT HEADER / LETTERHEAD



ADDITIONAL APPLICATIONS

- Vehicle wraps: Logo on driver/passenger doors, URL on tailgate, red accent stripe along lower body
- Uniform embroidery: Circle mark on left chest, full logo on back (white thread on dark fabric)
- Proposal covers: Full-color logo centered, black background, tagline below, building service wheel
- Trade show banners: Vertical format, logo at top, service wheel centered, URL at bottom



THE FUTURE OF CLOUD BASED BUILDING

www.goredex.com

For brand inquiries and asset requests

contact your Redex operations team

© 2026 Redex. All rights reserved.

This brand guide and all associated assets are proprietary.