Advanced 3D Monte Carlo Algorithms for Biophotonic and Medical Applications

Lewis McMillan



This thesis is submitted in partial fulfilment for the degree of PhD at the University of St Andrews

March 2019

Declaration

I, Lewis McMillan, hereby certify that this thesis, which is approximately ***** words in length, has been written by me, that it is the record of work carried out by me, or principally by myself in collaboration with others as acknowledged, and that it has not been submitted in any previous application for a higher degree.

I was admitted as a research student in September 2015 and as a candidate for the degree of PhD in September 2015; the higher study for which this is a record was carried out in the University of St Andrews between 2015 and 2019.

University of St Andrews between 20	015 and 2019.
Date	Signature of candidate
v v	be has fulfilled the conditions of the Resolution and Regula hD in the University of St Andrews and that the candidat pplication for that degree.
Date	Signature of supervisor
Date	Signature of supervisor

Abstract

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.



Acknowledgements

Lorem ipsum dolor sit amet, consectetuer adipiscing elit. Ut purus elit, vestibulum ut, placerat ac, adipiscing vitae, felis. Curabitur dictum gravida mauris. Nam arcu libero, nonummy eget, consectetuer id, vulputate a, magna. Donec vehicula augue eu neque. Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Mauris ut leo. Cras viverra metus rhoncus sem. Nulla et lectus vestibulum urna fringilla ultrices. Phasellus eu tellus sit amet tortor gravida placerat. Integer sapien est, iaculis in, pretium quis, viverra ac, nunc. Praesent eget sem vel leo ultrices bibendum. Aenean faucibus. Morbi dolor nulla, malesuada eu, pulvinar at, mollis ac, nulla. Curabitur auctor semper nulla. Donec varius orci eget risus. Duis nibh mi, congue eu, accumsan eleifend, sagittis quis, diam. Duis eget orci sit amet orci dignissim rutrum.

Nam dui ligula, fringilla a, euismod sodales, sollicitudin vel, wisi. Morbi auctor lorem non justo. Nam lacus libero, pretium at, lobortis vitae, ultricies et, tellus. Donec aliquet, tortor sed accumsan bibendum, erat ligula aliquet magna, vitae ornare odio metus a mi. Morbi ac orci et nisl hendrerit mollis. Suspendisse ut massa. Cras nec ante. Pellentesque a nulla. Cum sociis natoque penatibus et magnis dis parturient montes, nascetur ridiculus mus. Aliquam tincidunt urna. Nulla ullamcorper vestibulum turpis. Pellentesque cursus luctus mauris.

Contents

Declaration	iii
Abstract	v
Acknowledgements	vi
Abbreviations	ix
List of Figures	х
1 3D Phase Tracking Monte Carlo Algorithm 1.1 Introduction	1 1
1.3 Conclusion	2

Abbreviations

MCRT Monte Carlo radiation transfer.

List of Figures

- 1.1 Bessel beam power in each ring.
- 1.2 Bessel beam in the far field.

Chapter 1

3D Phase Tracking Monte Carlo Algorithm

1.1 Introduction

1.2 Theory

The Monte Carlo radiation transfer (MCRT) algorithm as described in ??, must be adjusted so that wave phenomena such as interference and diffraction can be modelled. Modelling these wave behaviours allows us to model complex beams, where these phenomena are required to form the beam, e.g Bessel beams. As MCRT is a ballistic simulation of photon packets, meaning that the MCRT simulation presented thus far in this thesis only modelled the ballistic behaviour of photons. However for the work presented in this chapter, wave like behaviours is crucial to modelling the various experiments and phenomena.

In order to convert a ballistic simulation of photon packets into a ballistic/wave-like simulation, the complex phase of each photon packet is tracked. This is achieved, by simply tracking the complex phase of the photon as it propagates through a medium. Equation (1.1) shows how the phase is calculated.

$$\varphi = \cos\left(\frac{2\pi l}{\lambda}\right) + i\,\sin\left(\frac{2\pi l}{\lambda}\right) \tag{1.1}$$

Where φ [-] is the phase of a photon packet, l [m] is the distance the photons has travelled, and λ [m] is the wavelength of the photon. Now we can calculate the phase of a photon at a position $\hat{p_o}$, if we know the distance it has travelled, and its original phase. To be able model the wave-like behaviour of photons, we let the photons packets interfere with one another in a volume or area element. We do not model the interference at just the points where photons packets cross one another as due to the ballistic nature of the MCRT simulation, this does not occur with enough frequency in order to give a good signal to noise ratio. The interference takes place in a volume element dV or area element dA instead. To calculate the interference from the phase, the phase if summed in each volume or area element and the absolute value taken, and then squared, as seen in in Eq. (1.2).




Figure 1.1: Bessel beam power in each ring.

$$I(\xi) = \left| \sum_{\xi} \cos\left(\frac{2\pi d}{\lambda}\right) + i \sum_{\xi} \sin\left(\frac{2\pi d}{\lambda}\right) \right|^2, \quad \xi = (x, y, z)$$
 (1.2)

Where:

l is the total distance travelled by a photon [m];

 λ is the wavelength of the photon [m]; I is the intensity at the ξ^{th} cell [dunno].

a [1]

Conclusion 1.3




Figure 1.2: Bessel beam in the far field.

Bibliography

[1] Charles Mignon, Aura Higuera Rodriguez, Jonathan A Palero, Babu Varghese, and Martin Jurna. Fractional laser photothermolysis using bessel beams. *Biomedical optics express*, 7(12):4974–4981, 2016.