

LVDS (Tx/Rx) Design With 5V Devices in Sky130nm Process Receiver Simulation Netlist

Nov 2023 Revision 0.1

PO Box 9276 San Jose, CA 95157

www.lewiz.com

Email: support@lewiz.com

LVDS Receiver Simulation Netlist

```
** sch path: /home/saumeek/xschem test/Reciever SimNet.sch
**.subckt Reciever SimNet Vout VCC INP INN
*.opin Vout
*.iopin VCC
*.opin INP
*.opin INN
XM1 OP B Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=30 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM2 B B Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=30 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM3 ON B Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=30 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM9 OP A VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=10 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
```

```
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM11 ON A VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=10 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
x1 Vss newVss
IO net4 net1 500u
I1 net5 net2 500u
R3 C B 0.5k m=1
R4 A C 0.5k m=1
R5 OP INP 0.5k m=1
R6 ON INN 0.5k m=1
XM7 C C Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=2.5 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM4 Vss OP net1 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=40 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
```

```
XM5 C net3 net1 VCC sky130_fd_pr__pfet_g5v0d10v5 L=0.5 W=40 nf=1 \,
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM6 C net3 net2 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=40 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM8 Vss ON net2 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=40 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
V1 net3 Vss 2.5
.save i(v1)
R1 net4 VCC 10 m=1
R2 net5 VCC 10 m=1
XM12 BGR BGR Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=5 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM13 net6 BGR Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=10
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
```

```
XM14 F F Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM15 net9 F Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM16 N1 net10 Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM17 net10 vss vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29)' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM18 net6 net6 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=40
nf=1 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29) ' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM19 net8 net6 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=50
nf=2 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29) ' ps='2*int((nf+2)/2) * (W/nf + 0.29) '
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
```

```
XM20 net9 vCC vCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29) ' ps='2*int((nf+2)/2) * (W/nf + 0.29) '
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM21 N1 net9 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM22 H net7 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM23 net7 net7 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67
nf=2 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29)' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM24 E E VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM25 N1 E VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
```

```
XM26 net10 OP net8 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=50
nf=4 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29) ' ps='2*int((nf+2)/2) * (W/nf + 0.29) '
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM27 F ON net8 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=50 nf=4
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM28 net7 ON D Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM29 E OP D Vss sky130 fd pr nfet q5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM30 Vinv N1 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=30
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM31 \ Vinv \ N1 \ Vss \ Vss \ sky130 \ fd \ pr \ nfet \ g5v0d10v5 \ L=0.5 \ W=35
nf=2 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
```

```
+ sa=0 sb=0 sd=0 mult=1 m=1
XM32 Vout Vinv VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=50
nf=2 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29)' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM33 Vout Vinv Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29)' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM34 D BGR Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=83 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM35 H H Vss Vss sky130 fd pr nfet q5v0d10v5 L=0.5 W=83 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM36 N1 H Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=83 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
x3 net14 newVcc 5
x4 Vss newVss
I2 net11 net12 500u
R9 BGR net12 1k m=1
```

```
V4 net11 Vss 3.3
.save i(v4)
x9 net13 net15 VCC Vss inv 0 5 3v3
R8 net13 Vout 10 m=1
Vmeas net14 VCC 0
.save i(vmeas)
V2 INP Vss pulse(3.06 3.395 Ons 0.1ns 0.1ns 0.4ns 1ns)
.save i(v2)
V3 INN Vss pulse(3.395 3.06 Ons 0.1ns 0.1ns 0.4ns 1ns)
.save i(v3)
**.ends
* expanding
              symbol:
/home/saumeek/simulation library/newVss.sym # of pins=1
** sym path: /home/saumeek/simulation library/newVss.sym
** sch path: /home/saumeek/simulation library/newVss.sch
.subckt newVss VSS
*.iopin VSS
R2 net1 GND 5 m=1
L1 VSS net1 2n m=1
C1 VSS GND 20p m=1
.ends
* expanding
              symbol:
/home/saumeek/simulation library/newVcc 5.sym # of pins=1
** sym path: /home/saumeek/simulation library/newVcc 5.sym
** sch path: /home/saumeek/simulation library/newVcc 5.sch
.subckt newVcc 5 Vcc
```

```
V1 net1 GND 5
.save i(v1)
R1 net2 net1 0.1 m=1
L1 Vcc net2 2n m=1
C1 Vcc GND 20p m=1
.ends
* expanding
              symbol:
/home/saumeek/simulation library/inv 0 5 3v3.sym # of pins=4
** sym path: /home/saumeek/simulation library/inv 0 5 3v3.sym
** sch path: /home/saumeek/simulation library/inv 0 5 3v3.sch
.subckt inv 0 5 3v3 Vin Vout Vcc Vss
*.ipin Vin
*.opin Vout
*.iopin Vcc
*.iopin Vss
XM3 Vout Vin Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=10
nf=1 \text{ ad}='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM1 Vout Vin Vcc Vcc sky130 fd pr pfet g5v0d10v5 L=0.5 W=20
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
.ends
```

*.iopin Vcc

.GLOBAL GND

.end