

## LVDS (Tx/Rx) Design With 5V Devices in Sky130nm Process Receiver Netlist

Nov 2023 Revision 0.1

PO Box 9276 San Jose, CA 95157

www.lewiz.com

Email: <a href="mailto:support@lewiz.com">support@lewiz.com</a>

## **LVDS Receiver Netlist**

```
** sch path: /home/saumeek/xschem test/Reciever Netlist.sch
**.subckt Reciever Netlist Vinp Vinn Vout VCC INN INP BGR Vss
*.ipin Vinp
*.ipin Vinn
*.opin Vout
*.iopin VCC
*.opin INN
*.opin INP
*.ipin BGR
*.iopin Vss
XM1 OP B Vss Vss sky130 fd pr nfet q5v0d10v5 L=0.5 W=30 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM2 B B Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=30 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM3 ON B Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=30 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
```

```
XM9 OP A VCC VCC sky130_fd_pr__pfet_g5v0d10v5 L=0.5 W=10 nf=1 \,
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM10 A A VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=10 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM11 ON A VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=10 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
IO ref VCC net1 500u
I1 ref VCC net2 500u
R3 C B 0.5k m=1
R4 A C 0.5k m=1
R5 OP INP 0.5k m=1
R6 ON INN 0.5k m=1
XM7 C C Vss Vss sky130 fd pr nfet q5v0d10v5 L=0.5 W=2.5 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM4 Vss OP net1 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=40 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
```

```
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM5 C net3 net1 VCC sky130 fd pr pfet q5v0d10v5 L=0.5 W=40 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM6 C net3 net2 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=40 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM8 Vss ON net2 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=40 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
V1 net3 Vss 2.5
.save i(v1)
XM12 BGR BGR Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=5 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM13 net4 BGR Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=10
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
```

```
+ sa=0 sb=0 sd=0 mult=1 m=1
XM14 F F Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM15 net7 F Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
 (W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM16 N1 net8 Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM17 net8 vss Vss sky130 fd pr ufet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29') pd='2*int((
0.29) ' ps='2*int((nf+2)/2) * (W/nf + 0.29) '
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM18 net4 net4 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=40
nf=1 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29) ' ps='2*int((nf+2)/2) * (W/nf + 0.29) '
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM19 net6 net4 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=50
nf=2 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29)' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
```

```
XM20 net7 vCC vCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29) ' ps='2*int((nf+2)/2) * (W/nf + 0.29) '
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM21 N1 net7 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM22 H net5 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM23 net5 net5 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67
nf=2 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29)' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM24 E E VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM25 N1 E VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=67 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
```

```
XM26 net8 OP net6 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=50
nf=4 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM27 F ON net6 VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=50 nf=4
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM28 net5 ON D Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM29 E OP D Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM30 Vinv N1 VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=30
nf=1 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM31 Vinv N1 Vss Vss sky130_fd_pr__nfet g5v0d10v5 L=0.5 W=35
nf=2 ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
```

```
+ sa=0 sb=0 sd=0 mult=1 m=1
XM32 Vout Vinv VCC VCC sky130 fd pr pfet g5v0d10v5 L=0.5 W=50
nf=2 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29)' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM33 Vout Vinv Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=67
nf=1 ad='int((nf+1)/2) * W/nf * 0.29'
+ as='int((nf+2)/2) * W/nf * 0.29' pd='2*int((nf+1)/2) * (W/nf + 0.29' pd='2*int((nf+1)/2) * (W/nf +
0.29)' ps='2*int((nf+2)/2) * (W/nf + 0.29)'
+ nrd='0.29 / W' nrs='0.29 / W' sa=0 sb=0 sd=0 mult=1 m=1
XM34 D BGR Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=83 nf=2
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM35 H H Vss Vss sky130 fd pr fd = 0.5 \text{ M} = 0.5 \text{ M} = 83 \text{ nf} = 1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
XM36 N1 H Vss Vss sky130 fd pr nfet g5v0d10v5 L=0.5 W=83 nf=1
ad='int((nf+1)/2) * W/nf * 0.29' as='int((nf+2)/2) * W/nf *
0.29'
+ pd='2*int((nf+1)/2) * (W/nf + 0.29)' ps='2*int((nf+2)/2) *
(W/nf + 0.29)' nrd='0.29 / W' nrs='0.29 / W'
+ sa=0 sb=0 sd=0 mult=1 m=1
**.ends
 .end
```