# **Courses**

# Courses - Create a new course

This is Courses API

**POST** 

```
api/courses/
```

#### **Parameter**

Field	Туре	Description
courseNumber	String	Mandatory courseNumber
title	String	Mandatory course title string

• Request-example [#parameter-examples-Courses-CreateCourse-0\_1\_0-0]

```
{
  courseNumber: 4380
  title: Software Engineering
}
```

### Success 200

Field	Description
returns	newly created course object

• Example of successful response [#success-examples-Courses-CreateCourse-0\_1\_0-0]

```
{
    "_id" : "56d0d98c8aac33e7505c9cb4",
    "professor" : "56cfc9e4554036bf1ddc6764",
    "title" : "Soft Eng",
    "courseNumber" : 4380,
    "description" : "Cool course",
    "questions" : [],
    "students" : [],
    "created" : "2016-02-26T23:02:36.118Z",
    "__v" : 0
}
```

### Courses - Delete a course

DELETE

```
api/courses/:courseID
```

# Success 200

Field	Description
returns	deleted object

• Example of successful response [#success-examples-Courses-Destroy-0\_1\_0-0]

```
{
```

```
"_id" : "56d0d98c8aac33e7505c9cb4",
    "professor" : "56cfc9e4554036bf1ddc6764",
    "title" : "Soft Eng",
    "courseNumber" : 4380,
    "description" : "Cool course",
    "questions" : [],
    "students" : [],
    "created" : "2016-02-26T23:02:36.118Z",
    "__v" : 0
}
```

#### Error 4xx

Name	Description
Course	to Delete not found

• Example of GET api/courses/56cdbe3e7f6fce18121d0f91 after DELETE api/courses/56cdbe3e7f6fce18121d0f91 [#error-examples-Courses-Destroy-0\_1\_0-0]

```
{
    null
}
```

# Courses - Get a list of courses

GET

```
api/courses/
```

#### Success 200

Field	Туре	Description
returns	Object	array of course objects

• Example of GET api/courses [#success-examples-Courses-All-0\_1\_0-0]

```
Γ
{
   "_id": "56d0d98c8aac33e7505c9cb4",
   "professor" : "56cfc9e4554036bf1ddc6764",
   "title": "Updated new title",
   "courseNumber" : 4380,
   "description" : "Updated new description",
   "questions" : [],
   "students" : [],
   "created": "2016-02-26T23:02:36.118Z",
   "__v" : 0
},
* {
   "_id" : "56d0d68d8bcc33e7505c9cb4",
   "professor": "56cfc9e4554036bf1ddc6764",
   "title": "Updated new title 2",
   "courseNumber" : 4380,
   "description" : "Updated new description 2",
   "questions" : [],
   "students" : [],
   "created": "2016-02-26T23:01:36.118Z",
   "__v" : 0
} ]
```

# Courses - Get a specific course

```
api/courses/:courseId
```

#### Success 200

Field	Description
returns	specific course by parameter ID

 $\bullet \ \ \text{Example of GET api/courses/56d062c9f86af3c022bf6f0e} \ [\#success-examples-Courses-Show-0\_1\_0-0]$ 

```
{
   "_id" : "56d0d98c8aac33e7505c9cb4",
   "professor" : "56cfc9e4554036bf1ddc6764",
   "title" : "Updated new title",
   "courseNumber" : 4380,
   "description" : "Updated new description",
   "questions" : [],
   "students" : [],
   "created" : "2016-02-26T23:02:36.118Z",
   "__v" : 0
}
```

# Courses - Update a course

PUT

```
api/courses/:courseID
```

### **Parameter**

Field	Туре	Description
title	String	
description	String	

• Request-example [#parameter-examples-Courses-Update-0\_1\_0-0]

```
{
  "title" : "Updated new title",
  "description" : "Updated new description"
}
```

## Success 200

Field	Description		
returns	updated question object		

• Example of successful response [#success-examples-Courses-Update-0\_1\_0-0]

```
{
   "_id" : "56d0d98c8aac33e7505c9cb4",
   "professor" : "56cfc9e4554036bf1ddc6764",
   "title" : "Updated new title",
   "courseNumber" : 4380,
   "description" : "Updated new description",
   "questions" : [],
   "students" : [],
   "created" : "2016-02-26T23:02:36.118Z",
   "__v" : 0
}
```

# Questions

# Questions - Create a new question

This is Questions API

POST

```
api/questions/
```

#### **Parameter**

Field	Туре	Description
title	String	Mandatory question title
options	Object	Mandatory options object. eg. { '0': 'Opt1', '1': 'opt2', '2': 'opt3', '3': 'opt3' }
answer	String	Mandatory answer. eg. 2
id	creator	of the creator e.g. 56b2a9b3897e13640eeba6e9

• Request-example [#parameter-examples-Questions-CreateQuestion-0\_1\_0-0]

```
{
  title: this is a new Q
  options: { '0': 'kkk', '1': 'kkk', '2': 'llk', '3': 'mm123' }
  answer: 1
  creator: 56b2a9b3897e13640eeba6e9
}
```

## Success 200

Field	Description
returns	newly created question object

• Example of POST api/questions/ [#success-examples-Questions-CreateQuestion-0\_1\_0-0]

```
{
    "_id": "56d0d788500d71c7b948bb0e",
    "title": "updated Title from postman",
    "options": "{ '0': 'kkk', '1': 'kkk', '2': 'llk', '3': 'mm123' }",
    "answer": "1",
    "creator": {
        "_id": "56b2a9b3897e13640eeba6e9",
        "username": "test",
        "name": "yuriy"
    },
    "__v": 1,
    "answers": [],
    "type": "MULTIPLE-CHOICE",
    "created": "2016-02-26T22:54:00.170Z"
}
```

# Questions - Delete a question

DELETE

```
api/questions/:questionID
```

#### Success 200

Field	Description
returns	deleted object

• Example of DELETE api/questions/56cdbe3e7f6fce18121d0f91 [#success-examples-Questions-Destroy-0\_1\_0-0]

```
"_id": "56cdbe3e7f6fce18121d0f91",
"creator": {
  "_id": "56a438f67c239e7040c61a07",
  "username": "test",
  "name": "Bryan"
"title": "From web",
"options": {
  "0": "wev",
  "1": "bbb",
 "2": "bb",
 "3": "jjj"
"answer": "1",
"__v": 1,
"answers": [
    "_id": "56cfc7d3023517942b86d77d",
    "student": {
      "_id": "56a438f67c239e7040c61a07",
      "email": "test@gmail.com",
      "username": "test",
      "name": "Bryan",
      "__v": 0,
      "provider": "local",
      "roles": [
       "authenticated",
        "admin",
        "professor"
      ]
    "answer": "TEST",
    "__v": 0,
    "created": "2016-02-26T03:34:43.544Z"
 }
"type": "MULTIPLE-CHOICE",
"created": "2016-02-24T14:29:18.469Z"
```

### **Error 4xx**

Name	Description
Question	to Delete not found

• Example of GET api/questions/56cdbe3e7f6fce18121d0f91 after DELETE api/questions/56cdbe3e7f6fce18121d0f91 [#error-examples-Questions-Destroy-0\_1\_0-0]

```
{
    null
}
```

# Questions - Get a list of questions

GET

```
api/questions/
```

### Success 200

Field	Туре	Description
returns	Object	array of question objects

• Example of GET api/questions [#success-examples-Questions-All-0\_1\_0-0]

```
( "_id": "56d062c9f86af3c022bf6f0e",
 "creator": {
   "_id": "56a438f67c239e7040c61a07",
   "username": "test",
   "name": "Bryan"
 "title": "What is the ebst movie?",
 "options": {
  "0": "not sure",
  "1": "Start wars",
   "2": "Lord of rings",
   "3": "Deadpool"
 "answer": "3",
 "__v": 2,
 "answers": [
   "56d063ace672c5f427200fc9",
   "56d06560536996f82477ffbe"
],
"type": "MULTIPLE-CHOICE",
""0016-02-26T14:
 "created": "2016-02-26T14:35:53.762Z"
{
"_id": "56cdc4f2e7895cec2959e1f9",
 "creator": {
   "_id": "56a438f67c239e7040c61a07",
   "username": "test",
   "name": "Bryan"
 "title": "dfd",
 "options": {
   "0": "cvc",
   "1": "c",
   "2": "cv",
   "3": "cvc"
 "answer": "0",
 "__v": 17,
 "answers": [
   "56cfc6196dda272428c93417",
   "56cfc686df0c241c370b69ec",
   "56cfc689df0c241c370b69ed",
   "56cfc6a8df0c241c370b69ee",
   "56cfc74026dd1c0436e1c0bf",
   "56cfc74326dd1c0436e1c0c0",
   "56cfc83a2fafa42c31dbc931"
 "type": "MULTIPLE-CHOICE",
 "created": "2016-02-24T14:57:54.961Z"
```

# Questions - Get a specific question

GET

```
api/questions/:questionID
```

### Success 200

Field	Description
returns	specific questions by parameter ID

• Example of GET api/questions/56d062c9f86af3c022bf6f0e [#success-examples-Questions-Show-0\_1\_0-0]

```
{
    "_id": "56d062c9f86af3c022bf6f0e",
    "creator": {
      "_id": "56a438f67c239e7040c61a07",
      "username": "test",
      "name": "Bryan"
    },
"title": "What is the ebst movie?",
    "options": {
      "0": "not sure",
      "1": "Start wars"
      "2": "Lord of rings",
      "3": "Deadpool"
    "answer": "3",
    "__v": 2,
    "answers": [
        "_id": "56d063ace672c5f427200fc9",
        "student": {
          "_id": "56a438f67c239e7040c61a07",
          "email": "test@gmail.com",
          "username": "test",
          "name": "Bryan",
          "__v": 0,
          "provider": "local",
          "roles": [
            "authenticated",
            "admin",
            "professor"
          ]
        "answer": "3",
        "__v": 0,
        "created": "2016-02-26T14:39:40.531Z"
        "_id": "56d06560536996f82477ffbe",
        "student": {
          "_id": "56a438f67c239e7040c61a07",
          "email": "test@gmail.com",
          "username": "test",
          "name": "Bryan",
          "__v": 0,
          "provider": "local",
          "roles": [
            "authenticated",
            "admin",
            "professor"
          ]
        "answer": "1",
        "__v": 0,
        "created": "2016-02-26T14:46:56.708Z"
     }
    "type": "MULTIPLE-CHOICE",
    "created": "2016-02-26T14:35:53.762Z"
```

# Questions - Update a question

PUT

```
api/questions/:questionID
```

#### **Parameter**

Field	Туре	Description
title	String	

• Request-example [#parameter-examples-Questions-Update-0\_1\_0-0]

```
{
  "title" : "Updated new title"
}
```

### Success 200

Field	Description
returns	updated question object

• Example of PUT api/questions/56cdbe3e7f6fce18121d0f91 [#success-examples-Questions-Update-0\_1\_0-0]

```
{
   "_id": "56d0d788500d71c7b948bb0e",
   "title": "updated Title from postman",
   "options": "{ '0': 'kkk', '1': 'kkk', '2': 'llk', '3': 'mm123' }",
   "answer": "1",
   "creator": {
        "_id": "56b2a9b3897e13640eeba6e9",
        "username": "test",
        "name": "yuriy"
   },
   "__v": 0,
   "answers": [],
   "type": "MULTIPLE-CHOICE",
   "created": "2016-02-26T22:54:00.170Z"
}
```

Generated with apidoc [http://apidocjs.com] 0.15.1 - 2016-02-27T01:06:43.529Z