Probability and processing speed of scalar inferences is context-dependent

names

{names}@school Address

Abstract

The past two decades have seen a wealth of studies addressing the question of whether or not scalar inferences - whereby a listener takes a sentence like Alex ate some of the cookies to mean that he did not eat all of them – generally incur a processing cost, with conflicting results. This has spurred the development of studies seeking to understand the contextual conditions that facilitate scalar inferences. Here, we test a prediction made by Degen and Tanenhaus (2015)'s constraint-based account: that the probability of an interpretation and the speed with which it is processed is a function of the contextual support it receives. We manipulated the contextual support for the scalar inference in two truth-value judgment experiments via the manipulation of a lexical feature (presence of partitive "of the") and a pragmatic feature (the implicit Question Under Discussion). Participants' responder type – whether they generally produced pragmatic responses reflecting the inference or literal responses reflecting its absence – was the main predictor of response times: pragmatic responses were faster than literal responses when generated by a pragmatic responder, whereas the reverse was true for literal responders. This suggests that, rather than generally incurring a processing cost, inferences are easy to process by listeners who take the context to generally support the inference, and hard to process by listeners who take the context not to support the inference. We interpret this as evidence against literal-first or costly-implicature accounts and in support of constraint-based accounts of pragmatic processing.

Keywords: psycholinguistics; experimental pragmatics; scalar implicature; Question Under Discussion

Introduction

[jd: this is still the elm abstract – need to flesh out each part in more detail]

The past two decades have seen a wealth of studies addressing the question of whether or not scalar inferences – whereby a listener takes a sentence like *Alex ate some of the cookies* to mean that he did not eat all of them – generally incur a processing cost, with conflicting results (Bott & Noveck, 2004; Huang & Snedeker, 2008; Grodner, Klein, Carbary, & Tanenhaus, 2010; Breheny, Ferguson, & Katsos, 2013; Degen & Tanenhaus, 2016). This has spurred the development of studies seeking to understand the contextual conditions that facilitate scalar inferences (Zondervan, 2010; Degen, 2015; Augurzky, Franke, & Ulrich, 2019; Marty & Chemla, 2013; Degen & Goodman, 2014).

Here, we test a prediction made by Degen and Tanenhaus (2015)'s constaint-based account: that the probability of an interpretation and the speed with which it is processed is a function of the contextual support it receives. In contrast,

if scalar inferences generally incur a processing cost, pragmatic responses reflecting that the scalar inference was drawn should be slower to process than literal responses regardless of context. To test the constraint-based versus the costly inference account, we manipulated two features of context between participants in a truth-value judgement task: one lexical (presence of partititve "of") and one pragmatic (implicit QUD, see (1) and (2)). This allowed us to obtain estimates of inference rate and processing speed. We further considered a participant's responder type – whether they have a preference to respond literally or pragmatically – as a predictive feature for response times. While the partitive and the QUD have previously been shown to affect the probability of drawing a scalar inference (Zondervan, 2010; Degen, 2015; Degen & Goodman, 2014; Degen & Tanenhaus, 2015), contextual and participant-specific effects on processing speed have remained under-explored.

Implicit QUDs (manipulated via cover stories as in Degen (2013)):

- 1. Did I get all of the gumballs? (all-QUD, more supportive of scalar inference)
- 2. Did I get any of the gumballs? (any-QUD, less supportive of scalar inference)

Experimental paradigm

In both of our experiments, participants' interpretations were probed using a 'gumball paradigm' introduced by Degen and Tanenhaus (2015). This paradigm was developed to test XXXX. On each trial, participants were shown a display of a gumball machine with 13 gumballs in the upper chamber and an empty lower chamber. After 4 seconds, some number of gumballs moved to the lower chamber and the machine reported how many gumballs were distributed (Fig. 1). This pre-recorded statement was of the form "You got X gumballs", where X is a quantifier (some, all, none, or a number between 1 and 13). The number of gumballs that are dropped to the lower chamber and the quantifier reported by the gumball machine were varied and they did not always match (see Table 1).

Participants were assigned to one of the two conditions (all-QUD, any-QUD) which differed in the cover story they were presented with at the beginning of the experiment.




Figure 1: Example display from gumball paradigm. Left: initial display. Right: display with 5 gumballs dropped.

These cover stories were designed to establish an implicit QUD.

all-QUD Participants assigned to the all-QUD condition read a cover story explaining them that they are at a candy store and testing a row of special gumball machines. These gumball machines report how many gumballs they distribute but are sometimes faulty in their report. The store worker's boss has threatened to fire him if the gumabll machines are left empty and he cannot see the machines from the register and only tell how full they are by their statements. Participants were asked to help the store worker by telling him if this statement is right or wrong by pressing the yes or no key. They were also told that they have 4 seconds to notify the sotre worker and they should make a decision as quickly as possible.

Is the machine empty? \rightarrow Did I get all of the gumballs?

any-QUD Participants in the any-QUD condition read the same cover story except in their story, the gumball machines sometimes jam and don't deliver gumballs. The store worker's boss has threatened to fire him if the gumball machines stay jammed.

Is the machine jammed? \rightarrow Did I get any of the gumballs?

Experiment 1: Partitive statement

Procedure, materials, analyses and exclusions were preregistered on OSF (https://osf.io/suwtr).

Methods

Participants We recruited 800 participants on Amazon Mechanical Turk. Participants were required to have a US-based IP address and a minimal approval rating of 95%. They were paid \$2.3.

Set size							
Quantifier	0	2	5	8	11	13	Total
some/some of	4	1	1	1	1	8	16
all of	2	1	2	1	2	8	16
none of	4	1	0	1	1	1	8
number	3	7	7	7	5	3	32
Total	13	10	10	10	9	20	72

Table 1: Distribution of experimental trials over quantifiers and set sizes.

Materials and procedure After reading the cover story of their QUD condition, participants went through a scripted demonstration that showed the consequences of store worker's responses to various scenerios. To ensure that they paid attention to the cover story, they were asked a multiple choice question about when the store worker will be fired. When participants answered this question incorrectly, they were presented with the cover story again and went through the same demonstration. Halfway through the experiment, participants were asked to answer this multiple-choice question again. This was done to prevent the decay of the implicit QUD over time.

There were 4 practice trials with *all* and *none*. On 2 of these trials, the statement was correct, and on 2 of them it was incorrect.

After the practice trials, there were 72 experimental trials. On 32 of the trials, the expected answer was yes, and on 32 of the trials, the expected answer was no. The remaining 8 trials were occurances of the critical trial and the main focus of this experiment. On these trials, all 13 gumballs dropped to the lower chamber and participants heard the partitive statement "You got *some of* the gumballs". When participants press YES to agree with this statement, they interpret it semantically as "You got some, and possibly all, of the gumballs" and when they press NO to disagree, they interpret it pramatically as "You got some, but not all, of the gumballs".

Exclusions We excluded participants who were self-reported non-native English speakers (n=X), participants who got the second cover story comprehension questions wrong more than twice (n=Y) and participants with accuracy lower than 85% on non-critical trials (n=Z).

Analysis and predictions Only responses to critical trials are reported below. (?)...

Results and discussion

Judgements 48% of responses given by the participants in the *all*-QUD condition were pragmatic compared to 30% of pragmatic responses given by participants in the *any*-QUD condition (Figure 2)(β =1.31, SE=0.52, p<.05).

or A mixed effects logistic regression predicting response type with random by-participant intercepts from fixed effects of QUD found a main effect of QUD such that there are more pragmatic responses for *all*-QUD compared to *any*-QUD (β =1.31, SE=0.52, p<.05).




Figure 2: Proportion of pragmatic responses on partitive "some of" (left) and non-partitive "some" (right) critical trials. Error bars indicate bootstrapped 95% confidence intervals.

Participants were divided into two groups based on their responses. Participants with more than 4 pragmatic responses were categorized as pragmatic responders (38%) and participants with less than 4 pragmatic responses were categorized as literal responders (60%).

Response Times There was an interaction between QUD and response (β =-0.12, SE=0.03, t=-3.70, p<.0001) such that pragmatic responses were faster under the *all*-QUD than under the *any*-QUD.

The largest observed effect was the interaction between responder type and response (β =-0.28, SE=0.03, t=-8.37, p<.0001), such that pragmatic responses were faster than literal responses for pragmatic responders and literal responses were faster than pragmatic responses for literal responders.

Experiment 2: Non-partitive statement

Methods

Participants We recruited 800 participants on Amazon Mechanical Turk. Participants were required to have a US-based IP address and a minimal approval rating of 95%. They were paid \$2.3.

Materials and procedure The materials and procedures were the same as in Exp. 1 except on critical trials, when all 13 gumballs dropped to the lower chamber, participants hear the non-partitive statement "You got *some* gumballs".

Exclusions As in Experiment 1, we excluded non-native English speakers (n=X), participants who got the second comprehension question wrong more than twice (n=Y), and participants that had accuracy lower than 85% on non-critical trials (n=Z).




Figure 3: Distribution of participants over number of pragmatic responses given on critical trials.

Analysis and predictions

Results and discussion

Judgements As shown in Figure 2, participants in the *all*-QUD condition gave more pragmatic "disagree" responses than participants in the *any*-QUD (β =4.69, SE=0.80, p<.0001).

Response Times (change wording - same as exp1) There was an interaction between QUD and response (β =-0.07, SE=0.03, t=-2.25, p<.01) such that pragmatic responses were faster under the *all*-QUD than under the *any*-QUD.

The largest observed effect was the interaction between responder type and response (β =-0.26, SE=0.03, t=-8.17, p<.0001), such that pragmatic responses were faster than literal responses for pragmatic responders and literal responses were faster than pragmatic responses for literal responders.

General discussion and conclusion

Overall, pragmatic "disagree" responses were more likely in the partitive (β =7.16, SE=0.69, p<.0001) and in the *all*-QUD (β =2.85, SE=0.44, p<.0001) condition, replicating previous results.

In both experiments, the QUD and

This suggests that contextual factors affect listeners' overall contextual response strategy which in turn impacts the speed with which they process the preferred interpretation. This is evidence against costly inferece accounts and in support of constraint-based accounts.




Figure 4: Mean response times for literal (green) and pragmatic (orange) responses generated by literal (upper panels) and pragmatic (lower panels) responders on partitive "some of" and non-partitive "some" critical trials.




Figure 5: Mean response times for participants grouped based on the number of pragmatic responses they gave.

References

- Augurzky, P., Franke, M., & Ulrich, R. (2019, 08). Gricean expectations in online sentence comprehension: An erp study on the processing of scalar inferences. *Cognitive Science*, 43. doi: 10.1111/cogs.12776
- Bott, L., & Noveck, I. (2004, 10). Some utterances are underinformative: The onset and time course of scalar inferences. *Journal of Memory and Language*, *51*, 437-457. doi: 10.1016/j.jml.2004.05.006
- Breheny, R., Ferguson, H. J., & Katsos, N. (2013). Investigating the timecourse of accessing conversational implicatures during incremental sentence interpretation. *Language and Cognitive Processes*, 28(4), 443-467. doi: 10.1080/01690965.2011.649040
- Degen, J. (2013). Alternatives in pragmatic reasoning.
- Degen, J. (2015, May). Investigating the distribution of *some* (but not *all*) implicatures using corpora and webbased methods. *Semantics and Pragmatics*, 8(11), 1–55. doi: 10.3765/sp.8.11
- Degen, J., & Goodman, N. (2014). Lost your marbles? the puzzle of dependent measures in experimental pragmatics. In *Proceedings of the annual meeting of the cognitive sci*ence society (Vol. 36).
- Degen, J., & Tanenhaus, M. K. (2015). Processing scalar implicature: A constraint-based approach. *Cognitive science*, 39(4), 667–710.
- Degen, J., & Tanenhaus, M. K. (2016). Availability of alternatives and the processing of scalar implicatures: A visual world eye-tracking study. *Cognitive science*, 40(1), 172–201.
- Grodner, D., Klein, N., Carbary, K., & Tanenhaus, M. (2010, 07). "some," and possibly all, scalar inferences are not delayed: Evidence for immediate pragmatic enrichment. *Cognition*, 116, 42-55. doi: 10.1016/j.cognition.2010.03.014
- Huang, Y.-t., & Snedeker, J. (2008, 11). Online interpretation of scalar quantifiers: Insight into the semantics-pragmatics interface. *Cognitive psychology*, *58*, 376-415. doi: 10.1016/j.cogpsych.2008.09.001
- Marty, P., & Chemla, E. (2013, 07). Scalar implicatures: Working memory and a comparison with only. *Frontiers in psychology*, *4*, 403. doi: 10.3389/fpsyg.2013.00403
- Zondervan, A. (2010, 01). Scalar implicatures or focus: an experimental approach.