

Pragmatics in CTSL - Norming for Feature Selection (TURKISH)


`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)




`summarise()` regrouping output by 'img_name' (override with `.groups` argument)



`summarise()` regrouping output by 'img_name' (override with `.groups` argument)



`summarise()` regrouping output by 'img_name' (override with `.groups` argument)



`summarise()` regrouping output by 'img_name' (override with `.groups` argument)

