



Rapid Connect® UMF Specification

Version: 12.04.13 | October 25, 2023

Disclaimer

Please check with your Fiserv Global Product Management (GPM) Representative before attempting to implement the features described in this specification. For future upgrades or general concerns, please contact your Relationship Manager. Fiserv Merchant Services Corporation reserves the right to make changes to specifications at any time and without notice. The information furnished in this publication is believed to be accurate and reliable; however, no responsibility is assumed by Fiserv Merchant Services for its use.

Table of Contents

Chapter 1	: UMF Specification Standards	1-1
1.1	Field Conventions Abbreviations	1-2
1.1.1	Attribute Type Definitions.....	1-3
1.1.2	XML Attribute Conventions	1-4
1.1.3	Table Conventions.....	1-4
1.1.4	Rule Conventions	1-5
1.1.5	Amount Format	1-5
1.1.6	Error Handling	1-6
Chapter 2	: Rapid Connect® Overview	2-1
2.1	About Rapid Connect®	2-3
2.2	Introduction	2-4
2.3	Industries	2-4
2.4	Payment Types	2-5
2.5	Message Types	2-6
2.6	Transaction Types	2-7
2.7	Reversal Types	2-10
2.8	Subsequent Transactions.....	2-11
2.9	UMF Field Conventions	2-12
2.10	Sequential Order of UMF Groups	2-13
Chapter 3	: Common Chapter	3-1
3.1	COMMON Group	3-19
3.1.1	Payment Type.....	3-19
3.1.2	Reversal Reason Code.....	3-20
3.1.3	Transaction Type.....	3-23
3.1.4	Local Date and Time	3-27
3.1.5	Transmission Date and Time	3-28
3.1.6	System Trace Audit Number (STAN)	3-29
3.1.7	Reference Number.....	3-30
3.1.8	Order Number.....	3-31

3.1.9	TPP ID	3-32
3.1.10	Terminal ID	3-33
3.1.11	Merchant ID	3-34
3.1.12	Alternate Merchant ID.....	3-35
3.1.13	Merchant Category Code	3-36
3.1.14	POS Entry Mode	3-37
3.1.15	POS Condition Code.....	3-40
3.1.16	Terminal Category Code	3-42
3.1.17	Terminal Entry Capability	3-43
3.1.18	Transaction Amount.....	3-44
3.1.19	Transaction Currency	3-45
3.1.20	Terminal Location Indicator	3-46
3.1.21	Card Capture Capability	3-47
3.1.22	Program Identifier	3-47
3.1.23	Group ID.....	3-48
3.1.24	POS ID	3-49
3.1.25	Settlement Indicator.....	3-50
3.1.26	Clerk ID	3-52
3.1.27	Supervisor ID	3-53
3.1.28	Service Entitlement Number	3-54
3.1.29	PINLess POS Debit Flag.....	3-55
3.1.30	Universal Product Code	3-56
3.1.31	Network Access Indicator	3-57
3.1.32	Merchant Echo	3-58
3.1.33	Wallet Identifier	3-59
3.1.34	Non US Merchant	3-59
3.1.35	Device Batch ID	3-61
3.1.36	Digital Wallet Indicator.....	3-62
3.1.37	Digital Wallet Program Type.....	3-63
3.1.38	Transaction Initiation	3-64
3.1.39	Payment Service	3-65
3.1.40	Merchant Tran ID	3-66

3.1.41	Refund Type	3-67
3.1.42	Customer Identifier	3-68
3.1.43	Routing Fallback Indicator	3-69
3.1.44	Deferred Authorization Indicator.....	3-70
3.1.45	Secondary Security Code.....	3-71
3.1.46	Single Tap Indicator	3-72
3.1.47	Duplicate ATC Indicator	3-73
3.1.48	Business Payment Type.....	3-74
3.1.49	Terminal Classification Code	3-75
3.1.50	Merchant Country of Origin	3-76
3.1.51	Universal Unique Identifier	3-77
3.1.52	Plan Registration System Identifier	3-78
3.1.53	Agreement ID	3-79
3.1.54	Delayed Charge Indicator	3-80
3.1.55	No Show Indicator.....	3-81
3.1.56	Merchant Payment Gateway ID	3-82
3.1.57	Alternate Network Transaction ID	3-83
3.2	Card Group	3-84
3.2.1	Account Number	3-84
3.2.2	Card Expiration Date.....	3-86
3.2.3	Card Type	3-88
3.2.4	AVS Result Code	3-91
3.2.5	CCV Indicator	3-96
3.2.6	CCV Data	3-97
3.2.7	CCV Result Code	3-98
3.2.8	MVV MAID.....	3-99
3.2.9	Card Info Request indicator.....	3-100
3.2.10	Funding Account Number.....	3-101
3.2.11	Payment Account Reference Request Indicator	3-102
3.2.12	Payment Account Reference.....	3-103
3.2.13	ALM Service Code.....	3-103
3.2.14	ALM Product Code.....	3-104

3.2.15	ALM Product Class	3-105
3.2.16	ALM Rate Type	3-106
3.3	Additional Amounts Group.....	3-107
3.3.1	Additional Amount	3-107
3.3.2	Additional Amount Currency.....	3-108
3.3.3	Additional Amount Type	3-109
3.3.4	Additional Amount Account Type.....	3-118
3.3.5	Partial Authorization Approval Capability	3-119
Chapter 4	: Alternate Merchant Name and Address Group	4-1
4.1	Alternate Merchant Name and Address Group	4-3
4.1.1	Merchant Name.....	4-3
4.1.2	Merchant Address	4-4
4.1.3	Merchant City	4-5
4.1.4	Merchant State	4-6
4.1.5	Merchant County	4-7
4.1.6	Merchant Postal Code	4-8
4.1.7	Merchant Country	4-8
4.1.8	Merchant Email Address	4-9
4.1.9	Merchant Service Location City	4-10
4.1.10	Merchant Service Location State.....	4-11
4.1.11	Merchant Service Location Postal Code	4-12
4.1.12	Merchant Service Location Country	4-13
Chapter 5	: Response Group.....	5-1
5.1	Response Group.....	5-5
5.1.1	Response Code	5-5
5.1.2	Authorization ID.....	5-6
5.1.3	Response Date	5-6
5.1.4	Additional Response Data	5-7
5.1.5	Settlement Date	5-8
5.1.6	Authorizing Network ID	5-8
5.1.7	Authorizing Network Name	5-9

5.1.8	Routing Indicator.....	5-10
5.1.9	Signature Indicator	5-12
5.1.10	Error Data.....	5-13
5.1.11	Debit Trace Number.....	5-14
5.1.12	Settlement Transaction Type	5-15
5.1.13	Association Response Code.....	5-16
5.1.14	Category Code.....	5-18
Chapter 6 : Card Info Response Group.....		6-1
6.1	Card Info Response Group.....	6-2
6.1.1	Issuing Bank	6-2
6.1.2	Issuing Country Code	6-3
6.1.3	Card Brand	6-3
6.1.4	Card Indicator	6-4
6.1.5	Detailed Product ID	6-6
Chapter 7 : Original Authorization Group		7-1
7.1	Original Authorization Group	7-2
7.1.1	Original Authorization ID	7-2
7.1.2	Original Response Date	7-3
7.1.3	Original Local Date and Time	7-4
7.1.4	Original Transmission Date and Time.....	7-5
7.1.5	Original STAN.....	7-6
7.1.6	Original Response Code	7-7
7.1.7	Original Authorizing Network ID.....	7-7
7.1.8	Original Debit Trace Number	7-8
Chapter 8 : Real Time Account Updater Group.....		8-1
8.1	Real Time Account Updater Group	8-2
8.1.1	Account Updater Request Indicator	8-2
8.1.2	Account Updater Card Status	8-3
8.1.3	Account Updater Card Number	8-4
8.1.4	Account Updater Expiration Date	8-5
8.1.5	Account Updater Result Code.....	8-6

Chapter 9	: Auth Optimization Group.....	9-1
9.1	Auth Optimization Group	9-2
9.1.1	Deferred Auth Tran ID	9-2
9.1.2	Override Indicator	9-3
9.1.3	Auth Optimization Reason Code	9-4
Chapter 10	: Track 1 Data	10-1
10.1	Track 1 Data	10-2
Chapter 11	: Track 2 Data	11-1
11.1	Track 2 Data	11-3
Chapter 12	: Bill Payment Group	12-1
12.1	Bill Payment Group	12-8
12.1.1	Bill Payment Transaction Indicator.....	12-8
12.1.2	Merchant Advice Code	12-11
12.1.3	Installment Payment Invoice Number.....	12-12
12.1.4	Installment Payment Description	12-13
12.1.5	Installment Type	12-14
12.1.6	MIT Total Payment Count	12-15
12.1.7	MIT Amount Type.....	12-16
12.1.8	MIT Amount.....	12-17
12.1.9	MIT Unique ID	12-18
12.1.10	MIT Frequency	12-19
12.1.11	MIT Validation Flag	12-20
12.1.12	MIT Validation Reference.....	12-22
12.1.13	MIT Sequence Indicator	12-23
12.1.14	MIT Payment Currency	12-24
12.1.15	MIT Total Payment Amount	12-25
12.1.16	MIT Payment Type	12-26
12.1.17	MIT Registration Reference Number	12-27
Chapter 13	: TransArmor	13-1
13.1	TransArmor Group.....	13-2
13.1.1	Security Level	13-2

13.1.2	Token Type	13-3
13.1.3	Token	13-4
13.1.4	ExpDate	13-6
13.1.5	CA Key ID	13-7
13.1.6	Account Updater Token	13-8
Chapter 14 : Tokenization Group		14-1
14.1	Tokenization Group	14-2
14.1.1	Token Requestor ID	14-2
14.1.2	Token Assurance Method	14-3
14.1.3	Last Four Digits of PAN	14-4
14.1.4	Token Block A	14-5
14.1.5	Token Block B	14-6
14.1.6	Payment Token Request Indicator	14-7
14.1.7	Token Authorization Indicator	14-8
14.1.8	Payment Token Value	14-9
14.1.9	Payment Token Expiration Date	14-10
14.1.10	Additional Token Response Info	14-11
14.1.11	Token Authorization Try1 Indicator	14-11
14.1.12	Token Authorization Try2 Indicator	14-12
14.1.13	Token Authorization Try3 Indicator	14-13
14.1.14	NTI Token/PAN Lookup Result	14-14
Chapter 15 : EMV Group		15-1
15.1	EMV Group	15-3
15.1.1	EMV Data	15-3
15.1.2	Card Sequence Number	15-4
15.1.3	X-Code Response Code	15-5
15.1.4	Service Code	15-6
15.1.5	Application Expiration Date	15-6
15.1.6	Card Authentication Results Code	15-7
15.1.7	Processing Indicator	15-8
15.1.8	Processing Information	15-9

15.1.9	Final Amount Indicator	15-10
Chapter 16	: VISA Group.....	16-1
16.1	VISA Group	16-4
16.1.1	Authorization Characteristics Indicator (ACI).....	16-4
16.1.2	Market Specific Data Indicator.....	16-6
16.1.3	Card Level Result Code	16-7
16.1.4	Source Reason Code	16-8
16.1.5	Transaction Identifier.....	16-9
16.1.6	VISA BID	16-10
16.1.7	VISA AUAR	16-11
16.1.8	Tax Amount Capability	16-11
16.1.9	Spend Qualified Indicator	16-12
16.1.10	Visa Checkout Indicator.....	16-13
16.1.11	Quasi-Cash Indicator.....	16-14
16.1.12	Auth Indicator.....	16-15
16.1.13	Stored Credential Indicator	16-16
16.1.14	Card On File Schedule Indicator	16-17
16.1.15	CryptoCurrency Purchase Indicator.....	16-18
Chapter 17	: Existing Debt Indicator	17-1
17.1.1	Existing Debt Indicator	17-2
Chapter 18	: MasterCard Group.....	18-1
18.1	MasterCard Group.....	18-3
18.1.1	BankNet Data	18-3
18.1.2	Market Specific Data Indicator	18-4
18.1.3	CCV Error Code.....	18-6
18.1.4	POS Entry Mode Change.....	18-7
18.1.5	Transaction Edit Error Code	18-8
18.1.6	MasterCard POS Data	18-9
18.1.7	Device Type Indicator	18-9
18.1.8	MasterCard ACI.....	18-15
18.1.9	MasterCard Additional Data.....	18-16

18.1.10	Authorization Type.....	18-17
18.1.11	Transaction Integrity Class	18-17
18.1.12	Auth Indicator.....	18-19
18.1.13	Stored Credential Indicator	18-19
18.1.14	CryptoCurrency Purchase Indicator	18-20
18.1.15	High Risk Security Purchase Indicator.....	18-21
18.1.16	Card On File Schedule Indicator.....	18-21
18.1.17	CIT/MIT Framework Indicator.....	18-22
Chapter 19 : Discover Group		19-1
19.1	DISCOVER Group.....	19-3
19.1.1	Discover Processing Code	19-3
19.1.2	Discover POS Entry Mode	19-4
19.1.3	Discover Response Code	19-4
19.1.4	Discover POS Data	19-5
19.1.5	Discover Transaction Qualifier.....	19-6
19.1.6	Discover NRID	19-7
19.1.7	MOTO Indicator.....	19-8
19.1.8	Registered User Indicator	19-9
19.1.9	Registered User Profile Change Date	19-9
19.1.10	Auth Indicator.....	19-10
19.1.11	Partial Shipment Indicator	19-11
19.1.12	Discover ACI.....	19-12
19.1.13	Stored Credential Indicator	19-13
19.1.14	Discover STAN.....	19-14
19.1.15	Card On File Schedule Indicator	19-14
19.1.16	NRID Request Indicator.....	19-15
Chapter 20 : AMEX Group		20-1
20.1	AMEX Group	20-3
20.1.1	Amex POS Data	20-3
20.1.2	Am Ex Tran ID	20-4
20.1.3	Goods Sold Code.....	20-5

20.1.4	Re-Auth Indicator	20-6
20.1.5	Auth Indicator	20-7
20.1.6	Stored Credential Indicator	20-8
Chapter 21 : Purchase Card Level 2		21-1
21.1	PURCHASE CARD L2 Group	21-2
21.1.1	Tax Amount.....	21-2
21.1.2	Tax Indicator	21-3
21.1.3	VAT/ Alternate TAX Amount	21-4
21.1.4	VAT/ Alternate TAX Rate	21-5
21.1.5	Purchase Identifier	21-5
21.1.6	Order Number / Customer Reference Number	21-6
21.1.7	Discount Amount	21-7
21.1.8	Freight Amount.....	21-7
21.1.9	Duty Amount	21-8
21.1.10	Destination Postal Code	21-9
21.1.11	Ship From Postal Code	21-9
21.1.12	Destination Country Code	21-10
21.1.13	Merchant Tax ID	21-11
21.1.14	Product Description.....	21-11
21.1.15	PC3 Addenda	21-12
21.1.16	Merchant Reference Number	21-13
21.1.17	Merchant Type	21-14
21.1.18	Destination State Code	21-16
21.1.19	Commercial Card Type	21-17
21.2	Order Group.....	21-18
21.2.1	Order Date	21-18
Chapter 22 : Order Group		22-1
22.1	Order Group	22-2
22.1.1	Order Date.....	22-2
22.1.2	Order Time	22-3
22.1.3	Biller Reference Number	22-3

22.1.4	SKU.....	22-4
Chapter 23 : Ecommerce		23-1
23.1	ECOMM Group	23-13
23.1.1	Ecomm Transaction Indicator	23-13
23.1.2	Customer Service Phone Number	23-15
23.1.3	EComm URL	23-16
23.1.4	Multiple Clearing Sequence Number	23-17
23.1.5	Multiple Clearing Sequence Count	23-18
23.1.6	MOTO Indicator	23-19
23.2	Secure Transaction Group	23-20
23.2.1	Visa XID	23-20
23.2.2	Visa Secure Transaction Authentication Data	23-21
23.2.3	CAVV Result Code	23-22
23.2.4	Amex XID	23-23
23.2.5	Amex Secure Data.....	23-24
23.2.6	Safekey Result Code	23-25
23.2.7	UCAF Collection Indicator	23-26
23.2.8	MasterCard Secure Data	23-27
23.2.9	Discover Authentication Type	23-28
23.2.10	Discover Secure Data	23-29
23.2.11	Secure Data Downgrade	23-30
23.2.12	Token Authentication Verification Data	23-31
23.2.13	TAVV Result Code	23-33
23.2.14	Program Protocol	23-34
23.2.15	Directory Server Transaction ID	23-35
23.2.16	Low Value Exemption Indicator	23-36
23.2.17	Transaction Risk Analysis Exemption Indicator	23-37
23.2.18	Trusted Merchant Exemption Indicator	23-38
23.2.19	Secure Corporate Payment Exemption Indicator	23-39
23.2.20	Delegated Authentication Indicator.....	23-40
23.2.21	Merchant Authentication Identifier.....	23-41

23.2.22	Recurring Payment Exemption Indicator	23-42
23.2.23	Exemption Reason Code	23-43
23.2.24	Remote Commerce Acceptor Identifier	23-44
23.2.25	Authentication Outage Exemption Indicator	23-45
23.2.26	UnionPay Secure Data	23-46
23.2.27	Digital Authentication Framework Indicator	23-47
Chapter 24	: AVS	24-1
24.1	Customer Info Group	24-2
24.1.1	AVS/Billing Address	24-2
24.1.2	AVS/Billing Postal Code	24-3
24.1.3	Card Holder First Name	24-4
24.1.4	Card Holder Last Name	24-5
24.1.5	Card Holder Full Name Result	24-6
Chapter 25	: Debit Group	25-1
25.1	DEBIT Group	25-2
25.1.1	Payee Phone Number	25-2
25.1.2	Payee Account Number	25-3
25.1.3	Payee ID	25-4
25.1.4	Billing Indicator	25-5
25.1.5	Fee Program Indicator	25-6
25.1.6	Auth Indicator	25-6
25.1.7	Stored Credential Indicator	25-7
25.1.8	Debit Product Code	25-8
Chapter 26	: PIN Group	26-1
26.1	PIN Group	26-4
26.1.1	PIN Data	26-4
26.1.2	Key Serial Number Data	26-6
26.1.3	Key Offset	26-7
26.1.4	Key Management Data	26-8
26.1.5	Master Session Key ID	26-9
Chapter 27	: DCC Group	27-1

27.1	Dynamic Currency Conversion Group	27-2
27.1.1	DCC Indicator	27-2
	DCC Transaction Time Zone	27-3
	Cardholder Currency Amount	27-4
	Currency Conversion Rate	27-5
	Cardholder Currency Code	27-5
Chapter 28	: Transit Group	28-1
28.1	Transit Group	28-2
28.1.1	Transit Transaction Type Indicator	28-2
28.1.2	Transportation Mode Indicator	28-3
28.1.3	ATC Update Indicator	28-5
28.1.4	Transit Access Terminal Indicator	28-6
28.1.5	Transit Access Terminal Function Code	28-7
28.1.6	Expresspay Translation PAN	28-8
Chapter 29	: Appendix A	29-1
29.1	Response Codes	29-3
29.2	State Codes	29-13
29.3	Country Codes	29-15
29.4	Currency Codes	29-19
29.5	Authorizing Network ID	29-27
29.6	Sample Association Product IDs	29-31
29.7	Association Response Codes	29-40
29.7.1	Visa Response Codes	29-40
29.7.2	MasterCard Response Codes	29-43
29.7.3	Discover Response Codes	29-45
29.7.4	AMEX Response Codes	29-47
Chapter 30	: Appendix B1	30-1
30.1	Appendix — Track Data Standards for Credit	30-2
30.1.1	Track Data Layout	30-2
Chapter 31	: Appendix D	31-1

31.1	Void/Full Reversal or Adjustment Processing	31-7
31.2	Timeout Reversal Processing	31-9
31.3	Partial Reversal Processing	31-11
31.3.1	Single Completion Transaction	31-11
31.3.2	Partial Reversal for Multiple Shipments and Completions	31-11
31.3.3	Partial Reversal for Merchants using PTS Direct Settlement	31-12
31.3.4	Partial Reversal with Incremental Authorization.....	31-12
31.3.5	Supported Card Types	31-13
Chapter 32	: Card Not Present Debit Routing Appendix E4.....	32-1
32.1	Card Not Present Debit Routing	32-2
Chapter 33	: Appendix H	33-1
33.1	Zero Dollar Supported Transactions	33-2
Chapter 34	: Appendix I	34-1
34.1	BIN Ranges for Card Type Identification.....	34-3
Chapter 35	: FSA Appendix Q	35-1
35.1	FSA/HSA PROCESSING	35-2
Chapter 36	: Tokenization Appendix R.....	36-1
36.1	Tokenization	36-2
36.2	Digital Wallet Indicator	36-3
Chapter 37	: Appendix Y	37-1
37.1	Real Time Account Updater	37-2
37.1.1	Definition	37-2
Chapter 38	: Appendix Z	38-1
38.1	Deferred Authorization	38-3
38.1.1	Definition	38-3
Chapter 39	: Credit Card Transactions.....	39-1
39.1	UMF Transaction and Field Matrix – Credit.....	39-4
Chapter 40	: Debit Card Transactions.....	40-1
40.1	UMF Transaction and Field Matrix - Debit	40-2

Chapter 41	: EMV Transactions.....	41-1
41.1	UMF Transaction and Field Matrix – EMV Credit	41-2
41.2	UMF Transaction and Field Matrix – EMV Debit	41-3
Chapter 42	: TransArmor Transactions	42-1
42.1	UMF Transaction and Field Matrix - TransArmor	42-2
Chapter 43	: TransArmor Credit Transactions	43-1
43.1	UMF Transaction and Field Matrix – TransArmor Credit	43-4
Chapter 44	: TransArmor Debit Transactions	44-1
44.1	UMF Transaction and Field Matrix – TransArmor Debit	44-2
Chapter 45	: TransArmor DCC Transactions	45-1
45.1	UMF Transaction and Field Matrix – TransArmor DCC.....	45-3
Chapter 46	: Tokenization Transactions	46-1
46.1	UMF Transaction and Field Matrix – Tokenization Transactions	46-4
Chapter 47	: DCC Transactions	47-1
47.1	UMF Transaction and Field Matrix – DCC	47-3
Chapter 48	: Glossary.....	48-1
48.1	Glossary.....	48-2

Chapter 1 : UMF Specification Standards

Revision History

Section	Change Log	Version	Date
4	Added the following verbiage: “Rules that refer to lowercase “authorization” must be considered for any kind of authorization transaction types like Authorization, Sale, Verification, Online Refund, etc.”	10.02.16	February 23, 2022
2	Added the following Note: “After a character is replaced by the entity reference for that character, the total length of the field shouldn’t exceed the length defined for that specific field.”	10.02.13	June 23, 2021

Chapter Contents

1	Field Conventions Abbreviations -----	1-2
---	---------------------------------------	-----

1.1 Field Conventions Abbreviations

Different aspects of each field are defined in this document according to the following conventions.

Terminology	Description
Rules	For each field, a pair of values is given separated by a vertical bar in each UMF Transaction and Field Matrix. The first value applies to the request and the second value applies to the response. The possible values are: - M (Mandatory) - O (Optional) - C (Conditional) - E (Echoed) - (Not Present) If additional rules apply to the use of a particular field, they are stated in the rules section of the field description in this document.

1.1.1 Attribute Type Definitions

Rapid Connect supports a pre-defined set of *Field Attribute Types*. Each type identifies specific characteristics of a field. The pre-defined types and their characteristics are listed below. Any exceptions are noted in the format section of specific field definitions.

Field Attribute Type	Description	Characters Allowed	Comments
A	Alphabetic	a-z, A-Z	Alphabetic characters only
an	Alpha-numeric	a-z, A-Z, 0-9	Alphabetic and numeric characters only
ans	Alpha-numeric Special	a-z, A-Z, 0-9, printable characters and space	Alphabetic, numeric, space and printable characters only For Prepaid Closed Loop, valid characters are a-z, A-Z, 0-9 and the special character '=' is allowed for track 2 data.
h	Display Hexadecimal	0-9, A-F	ASCII representation of a Hexadecimal digit
b64	Base 64	a-z, A-Z, 0-9, +, /, =	Base 64 Encoded data
N	Numeric	0-9	Numeric characters only

1.1.2 XML Attribute Conventions

In XML, some characters are reserved for internal use only and must be replaced by the entity reference for that character when they are sent or received. Please refer to the table below.

Character	Meaning	Entity reference
>	Greater than	>
<	Less than	<
&	Ampersand	&
%	Percent	%
'	Apostrophe	'
"	Quote	"

For example: If a merchant name "Mike & Dave" is to be sent or received, it would be sent or received as "Mike & Dave". If the merchant name is printed on the receipt it must be printed as "Mike & Dave" not "Mike & Dave".

Only the characters "<" and "&" are strictly illegal in XML. The character ">" is legal, but it is a good habit to replace it, except when contained within CDATA. The FBData field is the only field that is allowed to contain CDATA.

Note: After a character is replaced by the entity reference for that character, the total length of the field shouldn't exceed the length defined for that specific field.

1.1.3 Table Conventions

The fields in the Transaction and Field Matrix appendixes illustrate the list of top-level fields supported by the UMF specification, and the message composition based on Industry, Payment and Transaction Type. Each cell under a Transaction Type denotes the field presence for that request message and for its response. The values M/O/C/E/- are used to indicate Mandatory/ Optional/ Conditional/ Echo/ Not Present.

1.1.4 Rule Conventions

The following field rule conventions will be used:

- ▶ **If you receive an unexpected value or field while processing a Rapid Connect response message, you should continue processing as normal and ignore the unexpected data. A correctly formatted XML message with unexpected values or fields should never cause your application to cease processing.**
- ▶ Rules that indicate that a field is mandatory for a given payment type or transaction type will be assumed based on the presence of M in the Transaction and Field Matrix appendixes (i.e. not contained in field descriptions).
- ▶ Where a field is identified as conditional the rules will identify when the field should be supplied. For response fields, in a few cases, it may not be possible to list all the specific conditions when a field may be present. In these cases, the merchant must be prepared to receive the field in question.
- ▶ Where a field in the Transaction and Field Matrix appendixes Definition is listed as "-" for any Message Type transaction type combination, then the rules listed in the UMF specification for that field will not apply to that particular Message Type transaction type combination.
- ▶ Rules that refer to lowercase "authorization" must be considered for any kind of authorization transaction types like Authorization, Sale, Verification, Online Refund, etc.

1.1.5 Amount Format

Amount is assumed to be positive unless otherwise stated in the format section of a specific field. The format of all amount fields should be formatted as Nn where:

- ▶ Currency with 0 minor units: N is maximum 99999999999 (twelve 9s) and n is absent. In this scenario, no decimal is present.
- ▶ Currency with 2 minor units: N is maximum 9999999999 (ten 9s) and n is maximum 99 (two 9s).
- ▶ Currency with 3 minor units: N is maximum 999999999 (nine 9s) and n is maximum 999 (three 9s).

E.g. For currency code 392 (Japanese Yen) 120 will be "120", for currency code 840 (US Dollars) 120.34 will be "12034" and for currency code 512 (Omani Riyal) 120.342 will be "120342" in the amount field.

See Appendix A – Currency Codes for a complete list of currency codes and corresponding minor units.

1.1.6 Error Handling

In the event that an error is encountered, the message will be immediately turned around without being sent to the processing host. The error code listed will be returned in the “Error Data” field of the response. The possible error codes are defined in the RESPONSE Group.Error Data section of the document.

Chapter 2 : Rapid Connect® Overview

Revision History

Section	Change Log	Version	Date
3	Added 'Transit' under Industries.	12.04.3	August 24, 2022
10	Added the 'OTC Group' and the 'TRANSIT Group'.	12.04.3	August 24, 2022
10	Added the 'ENHANCED FLEET Group', 'ENHANCED FLEET PRODUCT LIMIT Group' and 'ENHANCED FLEET PROMPT Group'.	12.04.2	June 29, 2022
10	Spring 2021 Compliance updates: Added the 'INSTALLMENT PAYMENT SERVICE Group'.	10.02.12	May 6, 2021
6	Added the 'CancelDeferredAuth' Transaction Type.	10.02.9	March 26, 2021
10	Added the 'AUTH OPTIMIZATION Group'.	10.02.9	March 26, 2021

Chapter Contents

1	About Rapid Connect® -----	2-3
2	Introduction-----	2-4
3	Industries-----	2-4
4	Payment Types-----	2-5
5	Message Types-----	2-6
6	Transaction Types-----	2-7
7	Reversal Types-----	2-10
8	Subsequent Transactions-----	2-10
9	UMF Field Conventions-----	2-12
10	Sequential Order of UMF Groups -----	2-13

2.1 About Rapid Connect®

The Rapid Connect® payment interface is designed to make the job of developing payment applications simpler and more efficient. Rapid Connect provides a single point of integration with Fiserv using an XML based message known as the Universal Message Format (UMF).

Fiserv suggests that as a matter of good business practices, all merchants and third parties that process, transmit, or store cardholder data should become aware of PCI program PCI Data Security Standard (PCI DSS), and current PA-DSS requirements (<https://www.pcisecuritystandards.org/>).

For additional information, please contact your Client Certification and Implementation representative. Information is also available at www.visa.com and <http://www.mastercard.us/>.

2.2 Introduction

This document defines the Universal Message Format (UMF) including the XML tags that are used in Rapid Connect. Each Industry (e.g. Retail, Restaurant, EComm, etc.) provides services that are represented by Payment Types and Transaction Types available in the UMF. The fields required by these services are defined in terms of their attributes and the rules that govern their presence, content and use. Fields are grouped according to usage e.g. Card, Ecomm, TransArmor, etc.

2.3 Industries

The following industries are supported in this release:

- ▶ Retail/Quick Service Restaurant (QSR)/Grocery
- ▶ Restaurant
- ▶ Ecommerce
- ▶ MOTO
- ▶ Supermarket
- ▶ Petroleum
- ▶ Lodging/Cruise
- ▶ Auto Rental
- ▶ Airline
- ▶ Transit

2.4 Payment Types

The following Payment Types are supported in this release:

- ▶ Credit
- ▶ PIN Debit
- ▶ PINLess Debit
- ▶ Check
- ▶ Electronic Benefit Transfer (EBT)
- ▶ Prepaid
- ▶ Private Label
- ▶ Fleet
- ▶ Alternate Card not Present (CNP)

2.5 Message Types

The following Message Types are supported in this Rapid Connect release. The UMF Transaction and Field Matrix table provides the list of transactions and fields supported for each of these message types.

Request Message Types	Response Message Types
CreditRequest	CreditResponse
DebitRequest	DebitResponse
PinlessDebitRequest	PinlessDebitResponse
EBTRequest	EBTResponse
CheckRequest	CheckResponse
PrepaidRequest	PrepaidResponse
GenPrepaidRequest	GenPrepaidResponse
PrivateLabelRequest	PrivateLabelResponse
FleetRequest	FleetResponse
TransArmorRequest	TransArmorResponse
AdminRequest	AdminResponse
BatchRequest	BatchResponse
AltCNPRequest	AltCNPResponse
MTRRequest	MTRResponse
ReversalRequest	ReversalResponse
ANY	RejectResponse

Note: PrepaidRequest and PrepaidResponse must be used for Fiserv Prepaid Closed Loop cards only. GenPrepaidRequest and GenPrepaidResponse must be used for all other Prepaid cards. GenPrepaidRequest and GenPrepaidResponse are applicable to Retail, Restaurant, Petroleum and Supermarket.

The maximum size limit of a single message is 14336 bytes.

2.6 Transaction Types

The following Transaction Types are supported in this release.

- ▶ **Activation** – A transaction that is performed when the purchase of a Prepaid Closed Loop or Open Loop card occurs. It adds value and changes the status of the Prepaid Closed Loop or Open Loop card to active.
- ▶ **Authorization** – A transaction that is used to transmit an authorization request to Fiserv where it is not captured for settlement processing. A subsequent Completion transaction is then submitted to Fiserv to be captured for settlement processing.
- ▶ **BalanceInquiry** – A transaction that is used to return the current balance on an active account.
- ▶ **BalanceLock** – This transaction will lock the requested amount up to the current available balance for a preset time. One or more locks can be active on a Prepaid Closed Loop card at one time.
- ▶ **BatchSettleDetail** – A transaction that is used to send Batch Settlement Details to Rapid Connect.
- ▶ **BatchSettleL3** – A transaction that is used to send Level 3 Batch Settlement Details to Rapid Connect.
- ▶ **CanadaKeyRequest** – A transaction that is used to request a new key for Canadian merchants.
- ▶ **CancelDeferredAuth** – A transaction that is used to cancel the deferred authorization attempt by the optimizer process.
- ▶ **Cashout** – A transaction that is used to remove the remaining balance from the card. The cashout transaction will bring the account balance to zero.
- ▶ **CashoutActiveStatus** – This transaction is used to remove the remaining balance from the card and the account status stays as active.
- ▶ **Change** – A Transaction used to adjust the amount of a previously submitted Check Completion transaction.
- ▶ **CloseBatch** - This transaction is sent upon the successful transmission of the last BatchSettleDetail or BatchSettleL3 transaction for the batch. This transaction indicates the end of the batch.
- ▶ **Completion** – A transaction that is used to submit for settlement a previously approved Authorization or a voice approved transaction. Completion transactions where the merchant receives a Response Code of '000', must not be resent to Rapid Connect, as that could result in multiple charges to the same card.

Note: Vendors/Gateways, who systematically send all Completion transactions during their end of day processing or at a specific time for their entire chain, must configure/program their systems to send the Completion transactions for all locations or merchants varying times of day based on the MerchID or TermID (whichever provides a more random value).

To assist with implementing this logic, Rapid Connect recommends sending the Completion transactions based on the Terminal ID in each location.

For example, if the last digit of the Terminal ID is 0, set the time for the Completion transactions to be sent as xx:00 (xx=hh:mm). The time for the Terminal ID ending with 1 would be xx:05. The time for the Terminal ID ending with 2 would be xx:10. All remaining Terminal ID's would follow this same logic. This logic would be applied across the entire chain or merchant base, to ensure that all Completions for all merchants are not systematically sent to Fiserv the same time.

We recommend that the software calculates the offset of time based on the MerchID or Term ID, and not rely on a user to specify the time as noted above.

- ▶ **DisableInternetUse** – A transaction used to disable a Prepaid Closed Loop card so that it cannot be used on the Internet.
- ▶ **EncryptionKeyRequest** – A transaction that is used to request a new Master Session encryption key for merchants supporting a Host Security Module (HSM).
- ▶ **EchoTest** – An Admin transaction used to validate the Network Health check connection to Rapid Connect.
- ▶ **FileDownload** – A transaction submitted by the merchant/software to check the status of a file or download a file from Rapid Connect.
- ▶ **FraudScore** – A transaction to obtain a fraud score without performing an authorization.
- ▶ **GenerateKey** – A transaction that is used to generate a merchant specific key that is used in all Prepaid Closed Loop transactions with an extended account number (EAN).
- ▶ **HostTotals** – A transaction submitted to request a Host Totals Report for a particular day.
- ▶ **InternetActivation** – A transaction used to activate a Prepaid Closed Loop card via the Internet.
- ▶ **Load** – This transaction will add value to a Prepaid Closed Loop card and change the status to active when purchasing a card. If the Prepaid Closed Loop card is already active, the value is added to the existing balance of the Prepaid Closed Loop card.
- ▶ **OpenBatch** – This transaction initiates the transfer of a batch from the POS device to the Host.
- ▶ **PCL3AddDetail** – This transaction is used to send additional Purchase Card Level 3 details related to a prior Purchase Card Level 3 Sale or Completion Transaction (Host Capture merchants only).
- ▶ **Redemption** – A Redemption transaction reduces the balance of an active Prepaid Closed Loop or Open Loop card.
- ▶ **RedemptionUnlock** – This transaction is performed after a Balance Lock transaction to complete the purchase on a Prepaid Closed Loop card and unlock any remaining balance from the Balance Lock transaction.
- ▶ **Refund** – A transaction that is used to credit funds to the account holder.
- ▶ **Reload** – This transaction adds value to an already active Prepaid Closed Loop or Open Loop card account.
- ▶ **Sale** – A transaction that is used to authorize and capture the amount in one transaction.
- ▶ **TACertAuthority** – A transaction submitted by the merchant/software to obtain a signing certificate.

- ▶ TAKeyRequest – A transaction submitted by the merchant/software to update the key used for encryption of the card data.
- ▶ TATokenRequest – A transaction submitted by the merchant/software solely to obtain a token.
- ▶ Verification – A transaction that is used to determine if the card is active.
 - Note:** Private Label Verification Transactions are only supported when the Card Type is SpeedPass. The purpose of a SpeedPass Verification Transaction is to obtain the Actual Account Number and the Actual Expiration Date.
- ▶ VoucherClear – A transaction submitted for a previously voice-authorized EBT SNAP or EBT eWIC transaction. The transaction will be routed to the original authorization network for validation and settlement.

2.7 Reversal Types

The following Reversal Transactions are supported in this Rapid Connect release. The types listed in this section are contained in the “Reversal Reason Code” field.

- ▶ **Timeout** – This transaction is used when the merchant does not receive a response to a transaction. At that point it is unknown whether the host received the transaction or not; therefore a timeout reversal request must be submitted. Upon the successful completion of the timeout reversal, the original transaction may be sent again. The merchant is responsible for sending the timeout reversals.

Note: Timeout reversals are not supported on Check transactions. For Rules see Appendix D.

- ▶ **Void** – A transaction that is used to cancel or fully reverse a previous transaction.
- ▶ **VoidFr** – A transaction that is voided for suspected fraud.
- ▶ **TORVoid** – A Timeout Reversal of a Void/Full Reversal. . Note: TORVoid’s are only supported for Prepaid Closed Loop transactions.
- ▶ **Partial Reversal** – A reversal transaction where the amount is less than the original authorization amount.
- ▶ **EditErr** – Edit Error Parse error at the terminal (Canadian Debit only)
- ▶ **MACVeri** – MAC Verification Error terminal MAC is invalid or data used to verify the MAC is incorrect (Canadian Debit only)
- ▶ **MACSync** – MAC Synch Error terminal MAC is out of synch with host MAC (Canadian Debit only)
- ▶ **EncrErr** – Message Encryption Error terminal message encryption key is out of synch with host message encryption key or there is an error with the input data (Canadian Debit only)
- ▶ **SystErr** – System Error all other errors except for timeout (no response received) such as communication errors between the terminal and the PIN pad (Canadian Debit only)

2.8 Subsequent Transactions

A reference to “subsequent transactions” elsewhere in this document includes the following transactions unless otherwise stated:

- ▶ Credit, Debit, EBT, Generic Prepaid, Private Label, Fleet – Completion, Reversal of any transaction. PCL3AddDetail transactions, Visa transactions with the ACI value of ‘I’ (Incremental), MasterCard transactions with the MCACI value of ‘I’ (Incremental), Discover transactions with the DiscACI value of ‘I’ (Incremental), STAR transactions with the SAACI value of ‘I’ (Incremental), BatchSettleDetail, and BatchSettleL3 Transactions.
- ▶ Check (when the Check Service Provider value is TeleCheck ECA) – Reversal of any transaction.
- ▶ Check (when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD) – Refund, Change, and Reversal of an Authorization or Completion.

Note: A Refund can be either a subsequent transaction or a standalone transaction.

- ▶ Prepaid Closed Loop – Redemption Unlock which follows the Balance Lock, Reversal of any transaction.
- ▶ Credit transactions that receive the Routing Indicator value of “D” (Processed as Debit) in the response message, must process subsequent transactions as the Payment Type Debit (not Credit).
- ▶ Subsequent authorization transactions initiated with already stored credential on file which can be cardholder initiated or merchant initiated e.g. recurring, installment, re-authorization, or separate transaction to buy a different item, once again, using the same card at the same merchant location or website.

2.9 UMF Field Conventions

Different aspects of each field are defined in this document according to the following conventions.

Terminology	Description
Description	A description of the field.
XML Tag Name	The name of the XML Tag for this field as defined in the UMF schema.
Field Group	The name of the Field Group to which this field belongs.
Attribute Type	The Attribute Type identifies the set of characters that the field is allowed to contain, how it is encoded, and how it is justified/ padded if the field value is less than the length of the field in the message. See Attribute Type Definitions below for a definition of available attributes.
Length	The length of the field. In the event that a length indicator is present and contains two dots preceding the length, this is an indication that the length is variable up to the size specified (i.e. “..99” means a field can be up to 99 in length).
Format	This describes the format of the field. Date/Time fields may have a format of YYMMDD or MMY or YYYYMMDD or YYYYMMDDhhmmss etc. For example, 20140122163030 is Jan 22nd 2014 04:30:30 PM in YYYYMMDDhhmmss format.
Value Set	Some fields are constrained to a set of values. If this is the case, these values will be listed. For example, 0 = No, 1 = Yes. Generally, fields do not have values such as unknown or unspecified as these fields are optional and not included within the UMF message if the value is unknown.
Rules	For each field a pair of values is given separated by a vertical bar in the separate UMF Message Definition spreadsheet. The first value applies to the request and the second value applies to the response. The possible values are: - M (Mandatory) - O (Optional) - C (Conditional) - E (Echoed) - (Not Present) If additional rules apply to the use of a particular field, they are stated in the rules section of the field description in this document.

2.10 Sequential Order of UMF Groups

The groups within any UMF message must be ordered in the sequence mentioned below.

Group Name	XML Tag Name
COMMON Group	CommonGrp
BILL PAYMENT Group	BillPayGrp
ALTERNATE MERCHANT NAME AND ADDRESS Group	AltMerchNameAndAddrGrp
PAYMENT FACILITATOR Group	PFGrp
CARD Group	CardGrp
REAL TIME ACCOUNT UPDATER Group	RealTimeAcctUpdGrp
AUTH OPTIMIZATION Group	AuthOptGrp
INSTALLMENT PAYMENT SERVICE Group	InstallPaySvcGrp
MEXICAN CARD Group	MEXCardGrp
CHECK Group	CheckGrp
TELECHECK ECA Group	TeleCheckECAGrp
TELECHECK NFTF Group	TeleCheckNFTFGrp
PIN Group	PINGrp
ADDITIONAL AMOUNTS Group	AddtlAmtGrp
EMV Group	EMVGrp
TRANSARMOR Group	TAGrp
TOKENIZATION Group	TknGrp
ECOMM Group	EcommGrp
SECURE TRANSACTION Group	SecrTxnGrp
VISA Group	VisaGrp
MASTERCARD Group	MCGrp
DISCOVER Group	DSGrp

Group Name	XML Tag Name
AMEX Group	AmexGrp
UNION PAY Group	UnionPayGrp
PRIVATE LABEL Group	PrvLblGrp
EBT Group	EbtGrp
EWIC Group	EWICGrp
EWIC BALANCE INFORMATION Group	EWICBalInfoGrp
EWIC DETAIL Group	EWICDetGrp
DEBIT Group	DebitGrp
CANADIAN DEBIT Group	CanDebitGrp
PURCHASE CARD L2 Group	PurchCardlvl2Grp
PURCHASE CARD L3 Group	PurchCardlvl3Grp
CUSTOMER INFO Group	CustInfoGrp
DEBT REPAYMENT Group	DebtRepayGrp
ORDER Group	OrderGrp
SHIPPING Group	ShipGrp
OTC Group	OTCGrp
STORED VALUE Group	StoredValueGrp
STAR Group	SAGrp
RESPONSE Group	RespGrp
CARD INFO RESPONSE Group	CardInfoRespGrp
ORIGINAL AUTHORIZATION Group	OrigAuthGrp
DYNAMIC CURRENCY CONVERSION Group	DCCGrp
HOST TOTALS Group	HostTotGrp
HOST TOTALS DETAIL Group	HostTotDetGrp
PRODUCT CODE Group	ProdCodeGrp

Group Name	XML Tag Name
PRODUCT CODE DETAIL Group	ProdCodeDetGrp
FILE DOWNLOAD Group	FileDLGrp
TABLE LOAD Group	TLGrp
RECEIPT TEXT DETAIL Group	RctTxtDetGrp
HOST DISCOUNT DETAIL Group	HostDiscDetGrp
FLEET Group	FltGrp
ENHANCED FLEET Group	EnhdtFltGrp
ENHANCED FLEET PRODUCT LIMIT Group	EnhdtFltProdLimitGrp
ENHANCED FLEET PROMPT Group	EnhdtFltPromptGrp
TRANSIT Group	TransitGrp
LODGING Group	LodgingGrp
AUTO RENTAL Group	AutoRentalGrp
BATCH Group	BatchGrp
FRAUD MITIGATION Group	FraudMitGrp
FRAUD MITIGATION Response Group	FraudMitRespGrp
MONEY SEND Group	MnySndGrp
RESTAURANT Group	RestGrp

All XML tags within the Groups listed above must be sent in the same order they are listed in the UMF Transaction and Field Matrix.

Note: In each transaction only send the groups that are applicable and not all groups. Rapid Connect does not support empty XML elements i.e., both <Element></Element> and <Element /> are invalid.

Chapter 3 : Common Chapter

Revision History

Section	Change Log	Version	Date
1	Added the following countries to the description of the value 'Europe' in the Non US Merchant field: Bulgaria, Croatia and Malta. Changed the rule in the Terminal Classification Code field from "This field is mandatory and can only be sent when the Card Type is 'MasterCard', 'MaestroInt', 'Discover', 'JCB', 'Diners' or 'AMEX', and Terminal Category Code field contains the value of '09'." to "This field is mandatory and can only be sent when the Card Type is 'MasterCard', 'MaestroInt', 'Discover', 'JCB', 'Diners' or 'AMEX', Terminal Category Code field contains the value of '09', <u>and the POS Condition Code field does not contain value '08' or '59'.</u>" Fall 2023 Compliance updates: Added the Merchant Payment Gateway ID and Alternate Network Transaction ID fields.	12.04.13	October 25, 2023
2	Added the following rules to the Card Expiration Date field: "This field must be sent when Encryption Target is 'PAN', and Encryption Type is either 'RSA' or 'AESDUKPT'.", and "For all authorizations, merchants must send a value even for expired cards."	12.04.13	October 25, 2023
3	Added the following rule to the Additional Amount Type field: "When the Payment Type is Check, the value of 'Cashback' is only applicable when the Check Service Provider is 'TeleCheck' or 'TeleCheckECA'."	12.04.13	October 25, 2023
3	Added the value 'Tip – Tip Amount' to the Additional Amount Type field. Added the following Note to the Tip value: "The value 'Tip' has limited platform availability. For more information, please contact your Account Representative. This value is reflected in downstream reporting systems and has no compliance regulations tied to it. This applies to QSR industry only."	12.04.12	September 19, 2023

1	Added “***** Note: This has limited platform availability. For more information, please contact your Account Representative.” to Timeout Reversal of Debit Completion in Reversal Support table of the Reversal Reason Code field.	12.04.11	August 23, 2023
2	Added the following rule to the Account Number field: “This field must be submitted in subsequent transactions (e.g. Completions and Voids/Full Reversals) with the same value that was sent in the XML Tag: AcctNum field from the original transaction request even when the merchant receives the Account Updater Card Number field XML Tag: AcctUpdCardNum in original transaction response. <u>Note:</u> This rule has limited platform availability.” Added the following rule to the Card Expiration Date field: “This field must be submitted in subsequent transactions (e.g. Completions and Voids/Full Reversals) with the same value that was either sent in the XML Tag: CardExpiryDate field from the original transaction request, or that was received in XML Tag: TAExpDate field from the original transaction response (for a TransArmor transaction) even when the merchant receives the Account Updater Expiration Date field XML Tag: AcctUpdExpDate in original transaction response. <u>Note:</u> This rule has limited platform availability.”	12.04.11	August 23, 2023

2	Changed the rule in the Card Expiration Date field from “This field must only be present if the card number is manually entered (POS Entry Mode = 01 or 79) except for TATokenRequest, Canadian Debit In-App / In-Browser transaction, Prepaid Closed Loop request, SpeedPass transactions, VeriFone Encryption transactions, or RSA Encryption transactions where the expiration date of the card is included in the Encryption Block.” to “This field must only be present if the card number is manually entered (POS Entry Mode = 01 or 79) except for TATokenRequest, Canadian Debit In-App / In-Browser transaction, Prepaid Closed Loop request, SpeedPass transactions, <u>3DES / AESDUKPT / VSP</u> / VeriFone Encryption transactions, or RSA Encryption transactions where the expiration date of the card is included in the Encryption Block.” Changed the rule in the Card Expiration Date field from “This field must not be sent in VeriFone Encryption Transactions.” to “This field must not be sent in <u>VSP and</u> VeriFone Encryption Transactions.”	12.04.11	August 23, 2023
---	---	----------	-----------------

1	Removed the following rule from the Delayed Charge Indicator and No Show Indicator fields: "This field is not applicable when the transaction contains Settlement Indicator field with value '3'." Changed the rule in the Terminal Classification Code field from "This field is mandatory and can only be sent in the following scenarios: - When the Card Type is 'MasterCard', 'Discover', 'JCB', 'Diners' or 'AMEX', and Terminal Category Code field contains the value of '09'." to "This field is mandatory and can only be sent in the following scenarios: - When the Card Type is 'MasterCard', MaestroInt, 'Discover', 'JCB', 'Diners' or 'AMEX', and Terminal Category Code field contains the value of '09'." Added the value 'Bermuda' to the Non US Merchant field. Changed the rule in the Non US Merchant field from "This field must only be sent if the merchant is a Canadian, Mexican, Jamaica, Bahamas, Barbados, StVincent, Anguilla, StKittsNevis, StLucia, Europe or APAC merchant." to "This field must only be sent if the merchant is a Canadian, Mexican, Jamaica, Bahamas, Barbados, StVincent, Anguilla, StKittsNevis, StLucia, Bermuda, Europe or APAC merchant." Changed the rule in the Non US Merchant field "This field must be sent in all Credit transactions if the merchant is a Mexican, Jamaica, Bahamas, Barbados, StVincent, Anguilla, StKittsNevis, StLucia, Europe or APAC merchant." to "This field must be sent in all Credit transactions if the merchant is a Mexican, Jamaica, Bahamas, Barbados, StVincent, Anguilla, StKittsNevis, StLucia, Bermuda, Europe or APAC merchant."	12.04.10	June 21, 2023
---	--	----------	---------------

2	Changed the rule in the Card Type field from “When the Non US Merchant field is present in a transaction with the value of ‘Europe’, only the following Card Types are allowed: Visa, MasterCard, Maestrolnt and UnionPay.” to “When the Non US Merchant field is present in a transaction with the value of ‘Europe’, only the following Card Types are allowed: Visa, MasterCard, Maestrolnt, <u>JCB, Diners</u> and UnionPay.” Changed the rule in the Card Type field from “When the Non US Merchant field is present in a transaction with the value of ‘APAC’, only the following Card Types are allowed: Visa, MasterCard and UnionPay.” To “When the Non US Merchant field is present in a transaction with the value of ‘APAC’, only the following Card Types are allowed: Visa, MasterCard, <u>JCB, Diners</u> and UnionPay.”	12.04.10	June 21, 2023
2	Changed the description of the CCV Data field from “CVV2, DTVV, CVC2, CID and CVN2 (referred to in Rapid Connect as CCV Data) are, Visa, MasterCard, Maestrolnt, American Express, Discover and UnionPay card verification tools designed to reduce fraud losses primarily on transactions when the card is not present.” to “CVV2, DTVV, CVC2, CID, <u>CAV2</u> and CVN2 (referred to in Rapid Connect as CCV Data) are, Visa, MasterCard, Maestrolnt, American Express, Discover, <u>JCB</u> and UnionPay card verification tools designed to reduce fraud losses primarily on transactions when the card is not present.”	12.04.10	June 21, 2023

1	Spring 2023 Compliance updates: Added the value “6 – mPOS Software-based PIN Entry Capability” in second part of the POS Entry Mode field. Changed the rule in the Terminal Classification Code field from “This field can only be sent when the Card Type is ‘Discover’, ‘JCB’, ‘Diners’ or ‘AMEX’ and Terminal Category Code field contains the value of ‘09’.” to “This field is mandatory and can only be sent when the Card Type is ‘<u>MasterCard</u>’, ‘Discover’, ‘JCB’, ‘Diners’ or ‘AMEX’ and Terminal Category Code field contains the value of ‘09’.” Changed the description of value ‘InstallRepay’ in the Business Payment Type field from “Installment-based Repayment” to “Purchase Repayment”. Added the following rule to the POS Condition Code field: “For Discover, the value ‘04’ must be sent for All MIT transactions such as Incremental, re-authorization, delayed charge, no show, recurring, installment, re-submission, partial shipment, unscheduled MIT, etc.” Changed the rule in the Merchant Category Code field from “This field must not be sent if the merchant is setup through a Multi-Mid Payment Facilitator.” to “This field must not be sent if the merchant is setup through a Multi-Mid Payment Facilitator, <u>except when the transaction contains the Existing Debt Indicator field or Debt Repayment Group.</u>”	12.04.9	April 26, 2023
---	---	---------	----------------

1	Changed the rule in the Merchant Country of Origin field from “This field is required to be sent for transactions conducted by government-controlled merchants (e.g. embassies) whether the home country / country of origin is the same or different from the country in which the merchant is located or the transaction occurs.” to “This field is mandatory and must only be sent for transactions conducted by government-controlled merchants (e.g. embassies) whether the home country / country of origin is the same or different from the country in which the merchant is located or the transaction occurs.”	12.04.9	April 26, 2023
2	Spring 2023 Compliance updates: Changed the Description for Visa AVS Result Code value ‘U’ from “Address information is unavailable” to “AVS unable to verify”. Removed the following values for ‘Visa’ in the AVS Result Code field: B, C, G, I, S, D, F, M, X, P and W.	12.04.9	April 26, 2023
3	Changed the rule in the Partial Authorization Approval Capability field from “This field must not be sent for the following scenarios: - When the Money Transfer Processing Indicator field is present with the value of ‘Payment’.” to “This field must not be sent for the following scenarios: - When the Money Transfer Processing Indicator field is present.”	12.04.9	April 26, 2023

1	Added the following verbiage in the Description of the Merchant Country of Origin field: "For example, embassies are physically located in countries that are not their "home country" (that is, the embassy of US may be physically located in India however the "home country" or "country of origin" is US)." Added the following rule to the Merchant Country of Origin field: "This field is required to be sent for transactions conducted by government-controlled merchants (e.g. embassies) whether the home country / country of origin is the same or different from the country in which the merchant is located or the transaction occurs." Changed the Attribute from 'an' to 'ans' in the 'Order Number' field. Added the following rules to the Settlement Indicator field: "This field may be present when Transaction Type is Completion, Non US Merchant field is present in the transaction with the value of 'Canadian' and Union Pay Group is sent in the transaction.", "When the Payment Type Indicator field is present in a transaction, this field must not contain the value of 1 or 2.", and "When this field contains the value of '1' and the Non US Merchant field with the value of 'Canadian' is also present in the transaction, Debit Voids/Full Reversals are only supported when the Union Pay Group is also present in the transaction." Additional Compliance Updates: Added the 'Delayed Charge Indicator' and 'No Show Indicator' fields.	12.04.7	February 22, 2023
2	Added the following rule to the ALM Service Code, ALM Product Code, ALM Product Class and ALM Rate Type fields: "If present in the original transaction response message, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail). The value must be the same as returned in the original transaction response message."	12.04.7	February 22, 2023

3	Changed the Additional Amounts Group Description from “This section contains repeatable fields which may occur up to a maximum of six times in a single transaction. For each set of amount information that needs to be passed, a group of Additional Amount, Additional Amount Currency, and Additional Amount Type must be present. In Responses, Additional Amount Account Type information may also be present.” to “This section contains repeatable fields which may occur up to a maximum of six times in a single transaction, <u>except for EBT transaction types which may occur up to a maximum of twelve times</u>. For each set of amount information that needs to be passed, a group of Additional Amount, Additional Amount Currency, and Additional Amount Type must be present. In Responses, Additional Amount Account Type information may also be present.” Added the Request value “IncElig - F&V (Fruits & Vegetables) Healthy food purchase amount for which Incentive is eligible” to Additional Amount Type field. Added the Response values “IncEarned – Incentive earned on this transaction for F&V (Fruits & Vegetables) Healthy food purchase”, and “IncEarnMonth – Total Incentive earned in the current month for F&V (Fruits & Vegetables) Healthy food purchase” to Additional Amount Type field. Added the following rules to the Additional Amount Type field: “The values ‘IncElig’, ‘IncEarned’ and ‘IncEarnMonth’ are applicable only when the EBT Type field was sent with the value of ‘SNAP’.”, and “If the value ‘IncElig’ was sent in the original Sale transaction, it must be sent in subsequent Reversal transactions (e.g. Void/Full Reversal, Timeout Reversal).”	12.04.7	February 22, 2023
---	--	---------	-------------------

1	Fall 2022 Compliance updates: Changed the rule in the Terminal Classification Code field from “This field can only be sent when the Card Type is ‘AMEX’ and Terminal Category Code field contains the value of ‘09’.” to “This field can only be sent when the Card Type is ‘<u>Discover</u>’, ‘<u>JCB</u>’, ‘<u>Diners</u>’ or ‘AMEX’ and Terminal Category Code field contains the value of ‘09’.” Added the following rule to the Terminal Classification Code field: “If sent in the original transaction, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail, Void/FullReversal, etc). The value must be the same as that submitted in the original transaction.” Added the following value to the Digital Wallet Program Type field: ‘ClickToPay’ (Discover Click to Pay). Added the following rule to the the Digital Wallet Program Type field: “This field with the value of ‘ClickToPay’ must be sent in a transaction that was initiated through a Discover ClickToPay Digital Wallet In-App.” Changed the rule in the Refund Type field from “This field is permitted only in the following scenarios: - When the Payment Type is ‘Credit’, the Card Type is Visa, MasterCard, MaestroInt, Discover, JCB or Diners, and the Transaction Type is ‘Refund’.” to “This field is permitted only in the following scenarios: - When the Payment Type is ‘Credit’, the Card Type is Visa, MasterCard, MaestroInt, Discover, JCB, Diners or <u>AMEX</u>, and the Transaction Type is ‘Refund’.”	12.04.5	October 26, 2022
1	Changed the Note in the Business Payment Type field from “The Merchant Name must be submitted in the format as follows: Installment Provider name followed by an asterisk (*) followed by the merchant name, e.g. “XYZ*A SMALL CO”.” to “The Merchant Name <u>must have the following information</u> in the format as follows: Installment Provider name followed by an asterisk (*) followed by the merchant name, e.g. “XYZ*A SMALL CO”. <u>Optionally, merchant name can also be sent as per the below format:</u> <u>Installment Provider name followed by an asterisk (*) followed by the merchant name followed by the sequence number, e.g. “XYZ*A SMALL COPYMT 1 of 4”</u>” Changed the rule in the Transaction Type field from “If the Settlement Indicator = 2, all Visa, MasterCard and Discover Credit Refund transactions must be performed	12.04.5	October 26, 2022

	both as a Credit Refund transaction and a BatchSettleDetail transaction.” to “If the Settlement Indicator = 2, all Visa, MasterCard, Discover <u>and AMEX</u> Credit Refund transactions must be performed both as a Credit Refund transaction and a BatchSettleDetail transaction. <u>Note: The Refund Type field must be sent in the Credit Refund transaction for the above rule.</u>” Removed the following rule from the Transaction Type field: “If the Settlement Indicator = 2, all AMEX Credit Refund transactions must only be performed via BatchSettleDetail transactions.” Changed the rule in the Transaction Type field from “When the Settlement Indicator value is 3, the following transactions are not supported: • Refund (except when the Payment Type is either Check or PLDebit, the Card Type is PPayCL, Visa, MasterCard, MaestroInt, JCB, Diners or Discover, or the Message Type is MTRequest)” to “When the Settlement Indicator value is 3, the following transactions are not supported: • Refund (except when the Payment Type is either Check or PLDebit, the Card Type is PPayCL, Visa, MasterCard, MaestroInt, JCB, Diners, Discover <u>or AMEX</u>, or the Message Type is MTRequest”.		
1	Changed the rule in the Settlement Indicator field from “This field must not be present in a Completion, Sale, or a Credit Refund transaction, except in the following scenarios: • When the transaction is a Credit Refund and the Card Type is Visa, MasterCard, MaestroInt, Discover, JCB, Diners or UnionPay, this field can be present in the transaction.” to “This field must not be present in a Completion, Sale, or a Credit Refund transaction, except in the following scenarios: • When the transaction is a Credit Refund and the Card Type is Visa, MasterCard, MaestroInt, Discover, JCB, Diners, <u>AMEX</u> or UnionPay, this field can be present in the transaction. <u>Note: The Refund Type field must be sent when Card Type is Visa, MasterCard, MaestroInt, Discover, JCB, Diners or AMEX.</u>”	12.04.5	October 26, 2022

2	Removed the card type “Buypass - Buypass Fleet Card” from the Card Type field. Fall 2022 Compliance updates: Change the description in the CCV Data field from “CVV2, CVC2, CID/4DBC and CVN2 (referred to in Rapid Connect as CCV Data) are, Visa, MasterCard, Maestrolnt, American Express, Discover and UnionPay card verification tools designed to reduce fraud losses primarily on transactions when the card is not present.” to “CVV2, DTVV, CVC2, CID/4DBC and CVN2 (referred to in Rapid Connect as CCV Data) are, Visa, MasterCard, Maestrolnt, American Express, Discover and UnionPay card verification tools designed to reduce fraud losses primarily on transactions when the card is not present.”	12.04.5	October 26, 2022
1	Added the following countries to the value ‘Europe’ in the Non US Merchant field: Cyprus, Czech Republic, Denmark, Estonia, Finland, Iceland, Ireland, Greece, Hungary, Gibraltar (FDEL), Latvia, Liechtenstein, Lithuania, Luxembourg, Monaco, Norway, Portugal, Romania, Slovakia, Slovenia. Added the following countries to the value ‘APAC’ in the Non US Merchant field: Hong Kong and Australia. Changed the rule in the Program Identifier field from “If the Program Identifier = InComm, the Transaction Type must be Activation, Authorization or Reload.” to “If the Program Identifier = InComm, the Transaction Type must be Activation, Authorization, Reload, BalanceInquiry, Redemption or Refund.” Added ‘Redemption’ and ‘Refund’ to the Void/Full Reversal and Timeout Reversal columns for Program Identifier ‘InComm’ in the Reversal Support table of the Reversal Reason Code field. Added the following value to the Terminal Entry Capability field: “13 – Terminal does not read card data”. Changed the Description of the Deferred Authorization Indicator field from “This field indicates the transaction occurred while the merchant’s connectivity was interrupted or unavailable and the merchant captured the transaction information. This indicator should be present in the transaction that is sent once the connectivity is restored.” to “This field indicates the transaction occurred while the merchant’s connectivity was interrupted or unavailable and the merchant captured the transaction information. This indicator should be present in the transaction that is sent	12.04.3	August 24, 2022

	once the connectivity is restored, <u>except for Mass Transit transactions where this field should be sent in mass transit transactions such as aggregated, debt recovery to indicate the authorization is a deferred authorization.</u> Added the following rule to the Deferred Authorization Indicator field: "This field must be sent for all Transit Aggregated and Transit Debt Recovery transactions for the MCC's 4111, 4112, 4131, 4784 and 7523."		
1	Changed the rule in the Business Payment Type field from "If this field is sent in a transaction with the value of 'InstallRepay' when the Card Type is 'MasterCard' or 'MaestroInt', then the MVV/MAID field and the Merchant Name field must also be present in the transaction." to "If this field is sent in a transaction with the value of 'InstallRepay' when the Card Type is 'MasterCard' or 'MaestroInt', then the MVV/MAID field and the Merchant Name field must also be present in the transaction <u>if available.</u>" Removed the following Note from the POS Condition Code field: "For other card brands except MasterCard, the value of '04' should not be used for Installment and Unscheduled MIT transactions." Changed the rule in the POS Condition Code field from "The POS Condition Code must be 08 or 59 in an MTRequest message, except on the following scenario: - When the Card Type is 'Visa' for which 04 is also a valid value." to "The POS Condition Code must be 08 or 59 in an MTRequest message, except on the following scenarios: <u>When the Fast Refund Indicator field is present in the transaction.</u> - When the Card Type is 'Visa' for which 04 is also a valid value."	12.04.3	August 24, 2022
2	Added the 'Funding Account Number' field.	12.04.3	August 24, 2022
3	Removed 'Colorado' and 'Kansas' from Prohibited States List in the Merchant Surcharge section in the Additional Amount Type field.	12.04.3	August 24, 2022
1	Added the following rule to the Transaction Type field: "When the Payment Type is 'Fleet', the Transaction Type 'Verification' is only permitted when the Card Type of 'Comdata' is present in the transaction." Added the 'Universal Unique Identifier' field.	12.04.2	June 29, 2022

2	Added the 'Comdata' value for Payment Type 'Fleet' in the Card Type field. Added the following rule to the Card Type field: "When the Card Type is 'Comdata', the following transaction types are permitted: Authorization, Completion, Sale and Verification."	12.04.2	June 29, 2022
3	Added the following rule to the Additional Amount Type field: "When the Payment Type is Fleet, the value of 'Cashback' is only applicable when the Card Type is 'Comdata'."	12.04.2	June 29, 2022
1	Spring 2022 Compliance updates: Added the Plan Registration System Identifier and Agreement ID fields. Changed the rule in the POS Entry Mode field from "The POS Entry Mode of 10 is mandatory and must only be present for the Card Type of MasterCard, when the Auth Indicator field XML Tag: MCAuthInd contains the value of 'CrOnFile', and the Stored Credential Indicator field XML Tag: StoredCredenInd is present with the value of 'Subsequent'." to "The POS Entry Mode of 10 is mandatory and must only be sent for the Card Type of MasterCard <u>when the Stored Credential Indicator field XML Tag: StoredCredenInd is present, except when the CIT/MIT Framework Indicator field contains the value of 'C101' and the Stored Credential Indicator field XML Tag: StoredCredenInd is present with the value of 'Initial' for which the POS Entry Mode will contain value other than 10.</u>" Changed the Description of the POS Condition Code value of '04' from "Cardholder Not Present – Recurring" to "Cardholder Not Present – Recurring / <u>Installment / Unscheduled MIT</u>". Added the following rule to the POS Condition Code field: "When the Card Type is 'MasterCard' or 'MaestroInt', this field is mandatory and must only be sent with the value of '04' in the following scenarios: • The Bill Payment Transaction Indicator is 'Recurring' or 'Installment' • Transaction Initiation is 'Merchant' and Card on File Schedule Indicator XML Tag: CofSchdInd is 'Unscheduled' Note: For other card brands except MasterCard, the value of '04' should not be used for Installment and Unscheduled MIT transactions."	12.04.1	April 27, 2022

1	Changed the rule in the Transaction Initiation field from “This field is mandatory in a transaction that also includes the Auth Indicator field XML Tag: MCAuthInd <u>with the value of ‘CrdOnFile’</u>.” to “This field is mandatory in a transaction that includes the Auth Indicator field XML Tag: MCAuthInd.” Added the following rule to the Transaction Initiation field: “This field must be sent in all MasterCard Merchant-Initiated Industry Practice transactions e.g. partial shipment, delayed charge, no show, resubmission.” Added the value ‘InstallRepay’ to the Business Payment Type field. Changed the rule in the Business Payment Type field from “This field is only applicable when the Card Type is ‘Visa’.” to “The <u>value ‘ConsrBillPay’</u> is only applicable when the Card Type is ‘Visa’.” Added the following rules to the Business Payment Type field: “The value ‘InstallRepay’ is only applicable when the Card Type is ‘MasterCard’ or ‘MaestroInt’.”, “If this field is sent in a transaction with the value of ‘InstallRepay’ when the Card Type is ‘MasterCard’ or ‘MaestroInt’, then the MVV/MAID field and the Merchant Name field must also be present in the transaction. Note: The Merchant Name must be submitted in the format as follows: Installment Provider name followed by an asterisk (*) followed by the merchant name, e.g. “XYZ*A SMALL CO””, and “If sent in the original transaction, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail, Void/FullReversal, etc). The value must be the same as that submitted in the original transaction.” Changed the rule in the Settlement Indicator field from “When this field contains a value of “2”, none of the fields in the Alternate Merchant Name and Address group are permitted.” to “When this field contains a value of “2”, none of the fields in the Alternate Merchant Name and Address group are permitted, <u>except when the Business Payment Type field is present with the value of ‘InstallRepay’</u>.”	12.04.1	April 27, 2022
---	---	---------	----------------

2	Added the following fields: “ALM Service Code”, “ALM Product Code”, “ALM Product Class” and “ALM Rate Type”. Changed the rule in the Card Expiration Date field from “This field must only be present if the card number is manually entered (POS Entry Mode = 01 or 79) except for TATokenRequest, Prepaid Closed Loop request, SpeedPass transactions, VeriFone Encryption transactions, or RSA Encryption transactions where the expiration date of the card is included in the Encryption Block.” to “This field must only be present if the card number is manually entered (POS Entry Mode = 01 or 79) except for TATokenRequest, Canadian Debit In-App / In-Browser transaction, Prepaid Closed Loop request, SpeedPass transactions, VeriFone Encryption transactions, or RSA Encryption transactions where the expiration date of the card is included in the Encryption Block.”	12.04.1	April 27, 2022
1	Added 'Authorization' to Void/FullReversal column for the Card Type 'UnionPay' in the Reversal Support table of the Reversal Reason Code field. Added 'Authorization' and 'Completion' to TimeoutReversal column for Card Type 'UnionPay' in the Reversal Support table of the Reversal Reason Code field. Changed the rule in the POS Entry Mode field from “The POS Entry Mode of 10 is mandatory and must only be present for the Card Type of Visa, when the Auth Indicator field XML Tag: VisaAuthInd contains the value of 'CrdOnFile', and the Stored Credential Indicator field XML Tag: StoredCredInd is present with the value of 'Subsequent'.” to “The POS Entry Mode of 10 is mandatory and must only be present for the Card Type of Visa, when the Stored Credential Indicator field XML Tag: StoredCredInd is present with the value of 'Subsequent'.” Changed the rule in the POS Condition Code field from “Recurring transactions are only applicable for Visa, MasterCard, American Express, Discover (including Diners and JCB Domestic), TelecheckICA, TeleCheckPPD, and PINLess Debit transactions.” to “Recurring transactions are only applicable for Visa, MasterCard, American Express, Discover (including Diners and JCB Domestic), UnionPay, TelecheckICA, TeleCheckPPD, and PINLess Debit transactions.”	10.02.16	February 23, 2022

2	Changed the rule in the Card Type field from "When the Non US Merchant field is present in a transaction with the value of Europe, only the following Card Types are allowed: Visa, MasterCard and MaestroInt." to "When the Non US Merchant field is present in a transaction with the value of 'Europe', only the following Card Types are allowed: Visa, MasterCard, MaestroInt and UnionPay." Changed the rule in the Card Type field from "When the Non US Merchant field is present in a transaction with the value of 'APAC', only the following Card Types are allowed: Visa and MasterCard." to "When the Non US Merchant field is present in a transaction with the value of 'APAC', only the following Card Types are allowed: Visa, MasterCard and UnionPay." Removed the following rules from the Card Type field: "The Card Type value of 'UnionPay' is only applicable when the Non US Merchant field is present with the value of 'Canadian'.", and "When the Payment Type is 'Credit' and Card Type is 'UnionPay', the following Transaction Types are supported: Sale and Refund." Added the following rules to the Card Type field: "When the Payment Type is 'Credit', Card Type is 'UnionPay' and the Non US Merchant field is present with the value of 'Canadian', the following Transaction Types are supported: Authorization, Sale and Refund.", "When the Payment Type is 'Credit', Card Type is 'UnionPay' and the Non US Merchant field is present with the value of 'Europe' or 'APAC', the following Transaction Types are supported: Authorization, Completion, Sale and Refund.", and "If the Non US Merchant field is present in the transaction, this field with the value of 'UnionPay' is only applicable when the Non US Merchant field is present with the value of 'Canadian', 'Europe' or 'APAC'."	10.02.16	February 23, 2022
1	Removed 'Reload' from Void/Full Reversal column for the Program Identifier 'Blackhawk' in the Reversal Support Table of the Reversal Reason Code field. Changed the rule in the POS Entry Mode field from "The POS Entry Mode of 08 is mandatory on all Amex transactions that contain the Tokenization Group." to "The POS Entry Mode of 08 is mandatory on all Amex transactions that contain the Tokenization Group, except when the Auth Indicator field XML Tag: AmexAuthInd is present with the value of 'CrdOnFile'." Fall 2021 Compliance Updates: Added the Terminal Classification Code and Merchant Country of Origin fields.	10.02.15	October 27, 2021

	Changed the rule in the POS Condition Code field from “The POS Condition Code must be 08 or 59 in an MTRequest message.” to “The POS Condition Code must be 08 or 59 in an MTRequest message, except on the following scenario: When the Card Type is ‘Visa’ for which 04 is also a valid value.” Removed the value ‘PayButton’ (Discover Paybutton) from the Digital Wallet Program Type field. Removed the following rules from the Digital Wallet Program Type field: “This field with the value of PayButton must be sent in a transaction that was initiated through a Discover PayButton Digital Wallet In-App.”, and “When this field is present in a transaction with the value of PayButton the POS Condition Code field must have a value of 59.”		
2	Added the following rule to the CCV Indicator, CCV Data and CCV Result Code fields: “When the Card Type is ‘GenProp’, this field is applicable only when the POS Condition Code field is present with the value of ‘59’. <u>Note:</u> This rule has limited platform availability, please contact your Account Representative for more information.”	10.02.15	October 27, 2021

Chapter Contents

1	Common Group -----	3-19
2	Card Group -----	3-84
3	Additional Amounts Group -----	3-107

3.1 COMMON Group

Description

The fields in this group are common to most transaction types.

XML Group Tag Name

CommonGrp

3.1.1 Payment Type

Description

This field represents the payment type of the transaction.

XML Tag Name

PymtType

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..7

Format

None

Value Set

The following values are defined:

- ▶ Credit – Credit (Including EMV, Contactless and MoneyTransfer)
- ▶ Debit – PIN Debit / PINLess Debit
- ▶ PLDebit – PINLess Debit
- ▶ EBT – EBTCash, SNAP, and eWic
- ▶ Check – Checking
- ▶ Prepaid – Prepaid
- ▶ PvtLabl – Private Label (Proprietary)
- ▶ Fleet – Fleet Card
- ▶ AltCNP – Alternate Card not Present

Rules

The following field rules are defined:

- ▶ When performing a BatchSettleDetail Transaction, the valid Payment Types are Credit, Debit, PLDebit, EBT, and Private Label.
- ▶ The value of PLDebit is only applicable to Ecommerce Bill Payment and FraudScore transactions.
- ▶ When the Non US Merchant field is present in a transaction with the value of Mexican, Credit, PvtLabi and Prepaid are the only supported Payment Types.
- ▶ When the Non US Merchant field is present in a transaction with the value of 'Jamaica', 'Bahamas', 'Barbados', 'StVincent', 'Anguilla', 'StKittsNevis' or 'StLucia', Credit is the only supported Payment Type.

3.1.2 Reversal Reason Code

Description

This field indicates the reason that a transaction is being reversed. Additional information regarding reversal processing can be found in Appendix D.

XML Tag Name

ReversalInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..7

Format

None

Value Set

The following values are defined for this field:

- ▶ Timeout – Timeout Reversal / System Timeout
- ▶ Void – Void / Full Reversal (excluding Canadian Debit)
- ▶ VoidFr – Void for Suspected Fraud (excluding Canadian Debit)
- ▶ TORVoid – Timeout Reversal of Void (excluding Canadian Debit)
- ▶ Partial – Partial Reversal
- ▶ EditErr – Edit Error Parse error at the terminal (Canadian Debit only)
- ▶ MACVeri – MAC Verification Error terminal MAC is invalid or data used to verify the MAC is incorrect (Canadian Debit only)

- ▶ MACSync – MAC Synch Error terminal MAC is out of synch with host MAC (Canadian Debit only)
- ▶ EncrErr – Message Encryption Error terminal message encryption key is out of synch with host message encryption key or there is an error with the input data (Canadian Debit only)
- ▶ SystErr – System Error; mandatory for reversals when there was a communication error between the terminal and the PIN pad (Canadian Debit only)

Rules

The following field rules are defined:

- ▶ This field must be supplied when a transaction is to be reversed.
- ▶ The Reversal Reason Codes of EditErr, MACVeri, MACSync, EncrErr, and SystErr are only applicable to Canadian merchants.
- ▶ The Reversal Reason Codes of EditErr, MACVeri, MACSync, EncrErr and SystErr are not applicable for Canadian Debit In-App / In-Browser transactions.
- ▶ The Reversal Reason Code of SystErr must not be used in place of the Reversal Reason Code of Timeout.
- ▶ The Reversal Reason Codes of Timeout and Partial are not supported when the Settlement Indicator value is 3.
- ▶ The Reversal Reason Code field must not be present in a transaction that includes the Money Transfer Processing Indicator field with the value of Payment.
- ▶ The Reversal Reason Code of Partial must not be sent in a transaction that includes the Non US Merchant field with the value of Mexican, Europe or APAC.
- ▶ The Reversal Reason Code of Partial must only be sent when the Transaction Type is 'Authorization' and the Payment Type is 'Credit'.
- ▶ For Canadian Debit Reversals, when a response is not received to the transaction the Reversal Reason Code should be "Timeout".
- ▶ For Canadian Debit Reversals, Void, VoidFr and TORVoid are not applicable except when the Union Pay Group is present in the transaction.
- ▶ For Canadian Debit reversals, when there is a communication error (such as the card being prematurely removed from the device) the Reversal Reason Code should be "SystErr".

Reversal Support Table

Note: For additional information see the Private Label Support Table or the Fleet Transaction Support Table.

Card Type/Payment Type/Program Identifier	Void/Full Reversal	Timeout Reversal	Timeout Reversal of a Void (TORVoid)	Void for Suspected Fraud (VoidFR)	Edit Error Reversal	MAC Verification Error Reversal	MAC Synch Error Reversal	Message Encryption Error Reversal	System Error Reversal
Solspark	Activation	Activation	-	-	-	-	-	-	-
Blackhawk	Activation	Activation, Reload	-	-	-	-	-	-	-
Incomm	Activation, Redemption, Refund	Activation, Reload, Redemption, Refund	-	-	-	-	-	-	-
SVS	Authorization, Activation, Reload	Authorization, Activation, Reload, Refund, Redemption	-	-	-	-	-	-	-
Netspend	Activation, Reload	Activation, Reload	-	-	-	-	-	-	-
Paypal	Authorization	-	-	-	-	-	-	-	-
PpayCL	Activation, Reload, Load, Cashout, Cashout Active Status, Redemption, Redemption Unlock, Refund	Activation, Reload, Load, Cashout, Cashout Active Status, Redemption, Redemption Unlock, Refund	Activation, Reload, Load, Cashout, Cashout Active Status, Redemption, Redemption Unlock, Refund	-	-	-	-	-	-
Check	Only when the Check Service Provider is TeleCheckECA, TeleCheckICA, TeleCheckCBP and TeleCheckPPD	Only when the Check Service Provider is TeleCheckECA	-	-	-	-	-	-	-
Debit	Authorization, Sale, ****Refund	Authorization, ****Completion, ****Refund, Sale	-	-	Sale, Refund	Sale, Refund	Sale, Refund	Sale, Refund	Sale, Refund
PINLess POS Debit	Authorization, Sale	Authorization, Sale, Refund	-	-	-	-	-	-	-
PLDebit	**Authorization, **Refund	Authorization, Sale, Refund	-	-	-	-	-	-	-
EBTCash	***Authorization, ***Sale	Authorization, Sale	-	-	-	-	-	-	-
EBTeWic	Completion, Sale	Completion, Sale	-	-	-	-	-	-	-
EBTSNAP	****Authorization, Sale, ****Refund	****Authorization, Sale, Refund	-	-	-	-	-	-	-
GenProp	Completion, Sale, ****Refund	Completion, Sale	-	-	-	-	-	-	-
Visa, Amex, Discover, JCB, Diners	Authorization, Sale, Refund	Authorization, Completion, Sale, Refund	-	-	-	-	-	-	-
MasterCard	Authorization, Sale, Refund	Authorization, Completion, Sale, Refund	-	Authorization, Sale	-	-	-	-	-
UnionPay	Authorization, Sale, Refund	Authorization, Completion, Sale, Refund	-	-	-	-	-	-	-
Mexican	Authorization, Sale	Authorization, Completion, Sale	-	-	-	-	-	-	-

**** Note:** When the transaction includes the Settlement Indicator value of 3, and the Void is made within 90 minutes of the original transaction.

***** Note:** Not applicable to transactions with Cashback.

****** Note:** Only applicable to transactions when the Authorizing Network ID value is 12 and the BIN is either 524303 or 604593.

******* Note:** This has limited platform availability. For more information, please contact your Account Representative.

3.1.3 Transaction Type

Description

This field represents the type of transaction being performed.

XML Tag Name

TxnType

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..20

Format

None

Value Set

The following values are defined:

- ▶ Activation – Activation
- ▶ Authorization - Authorization
- ▶ BalanceInquiry – Balance Inquiry
- ▶ BalanceLock – Balance Lock
- ▶ BatchSettleDetail – Batch Settle Detail
- ▶ BatchSettleL3 – Batch Settle Level 3 Item information
- ▶ CanadaKeyRequest – New key request for Canadian merchants
- ▶ CancelDeferredAuth – Cancel Deferred authorization
- ▶ Cashout – Cashout
- ▶ CashoutActiveStatus – Cashout Active Status
- ▶ Change – Change
- ▶ CloseBatch – Close Batch
- ▶ Completion – Completion
- ▶ DisableInternetUse – Disable Internet Use
- ▶ EncryptionKeyRequest – Request a new Master Session encryption key for merchants supporting a Host Security Module (HSM).
- ▶ EchoTest – Network Health check

- ▶ FileDownload – File Download
- ▶ FraudScore – Fraud Score
- ▶ GenerateKey – Generate Key
- ▶ HostTotals – Host Totals
- ▶ InternetActivation – Internet Activation
- ▶ Load – Generic Load
- ▶ OpenBatch – Open Batch
- ▶ PCL3AddDetail – Purchase Card Level 3 Additional Details
- ▶ Redemption – Redemption
- ▶ RedemptionUnlock – Redemption Unlock
- ▶ Refund – Refund
- ▶ Reload – Reload
- ▶ Sale – Sale
- ▶ TACertAuthority – TransArmor Certificate Request
- ▶ TAKeyRequest – TransArmor Key Update
- ▶ TATokenRequest – TransArmor Token Only Request
- ▶ Verification – Verification
- ▶ VoucherClear – Voucher Clear

Rules

The following field rules are defined:

- ▶ On a Timeout Reversal, Void/Full Reversal or Timeout Reversal of Void, this field should reflect the Transaction Type of the original transaction being reversed.
- ▶ The transaction type BalanceInquiry is applicable to Credit (MasterCard only), Debit, EBT, Prepaid Closed Loop and Generic Prepaid.
- ▶ When the Payment Type is Credit, BalanceInquiry is only supported for MasterCard unless the Settlement Indicator value is 3, in which case Visa, Discover, and MaestroInt are also supported.
- ▶ Transaction type TAKeyRequest is applicable to TransArmor RSA encryption only.
- ▶ One of the Account Number, Track 1 Data, Track 2 Data, Token or Encryption Block fields must be present in all requests, except for TAKeyRequest, FileDownload, and HostTotals requests, which do not require account information. This rule does not apply to Check transactions where MICR or Driver's License must be provided, or transactions where the Card Type is SpeedPass.

- ▶ No more than one of the Account Number, Track 1 Data, Track 2 Data, Token or Encryption Block fields may be present in any request.
- ▶ Debit Completion transactions are only applicable to the following scenarios:
 - Terminal Category Code “05” (Automated Fuel Dispensing Machine) is present in the transaction
 - Credit Authorization transactions that received the Routing Indicator field value of “D” (Processed as Debit) in the response
 - An Original Authorization transaction must have been processed prior to the Debit Completion transaction submission
- ▶ A BatchSettleDetail Transaction must be the next transaction after an OpenBatch Transaction.
- ▶ A BatchSettleDetail Transaction must always be followed either by a BatchSettleL3 transaction, another BatchSettleDetail Transaction, or a CloseBatch Transaction.
- ▶ A BatchSettleL3 Transaction must always be followed either by another BatchSettleL3 transaction, a BatchSettleDetail Transaction, or a CloseBatch Transaction.
- ▶ If the Settlement Indicator = 2, all Visa, MasterCard, Discover and AMEX Credit Refund transactions must be performed both as a Credit Refund transaction and a BatchSettleDetail transaction.
- ▶ **Note:** The Refund Type field must be sent in the Credit Refund transaction for the above rule.
- ▶ PLDebit Authorization and Refund transactions with Reversal Reason Code “Void” are supported only when the Settlement Indicator value is 3.
- ▶ Check Refund transactions are only supported when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD.
- ▶ Check Change transactions are only supported when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD.
- ▶ Check Completion transactions are only supported when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD.
- ▶ When reversing a Check Completion Transaction, the Reversal Reason Code of Void/Full Reversal is only supported when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD.
- ▶ Check Change transactions and Check Void/Full Reversal of Completion transactions must be processed before the cut-off time of 4.00 PM Central Time. It is recommended these transactions are submitted by 3.30 PM Central Time.
- ▶ When the Card Type is PpayCL, the Transaction Type must not be GenerateKey, or DisableInternetUse unless the Settlement Indicator value is 3.
- ▶ When the Settlement Indicator value is 3, the following transactions are not supported:

- Activation
 - CashoutActiveStatus
 - Completion (except when the Payment Type is Check or if the Message Type is MTRequest)
 - Load
 - Refund (except when the Payment Type is Check or PLDebit, the Card Type is PPayCL, Visa, MasterCard, MaestroInt, Discover, JCB, Diners or AMEX, or the Message Type is MTRequest)
 - Sale (except when the Message Type is MTRequest)
- ▶ If the Settlement Indicator value is 2, all Debit and EBT Refunds must be sent as both a Refund transaction and a BatchSettleDetail transaction with the correct Settlement Transaction Type.
 - ▶ The Transaction Type EchoTest is optional. Rapid Connect recommends that Echo Test Transactions not be performed more than once every 30 seconds.
Note: If no response is received to an EchoTest request, the customer must reestablish Network connectivity to Rapid Connect.
 Also, EchoTest is only applicable for Direct port configurations to Fiserv and should not be utilized for Secure Transport.
 - ▶ The Transaction Type CanadaKeyRequest is only applicable to Canadian merchants.
 - ▶ The Transaction Type Authorization is not supported for Canadian Debit transactions.
 - ▶ When the Money Transfer Processing Indicator field contains the value of “Funding”, the Transaction Type must not be Sale.
 - ▶ When the Money Transfer Processing Indicator field contains the value of “Payment”, the Transaction Type must be Sale.
 - ▶ When the Message Type is MTRequest, voice approved transactions are not allowed.
 - ▶ For eWIC VoucherClear transactions the Account Number must be manually entered. The Original Authorization ID and Voucher Number fields are both required.
 - ▶ When the Card Type value is ‘Mexican’, the Transaction Type Authorization is supported only when the BIN of the account number used in the transaction has been identified as a credit BIN in the MEXLOCBIN file.
 - ▶ The Transaction Type EncryptionKeyRequest is only applicable to merchants who support a Host Security Module (HSM).
 - ▶ The Key Offset field must be sent in an EncryptionKeyRequest transaction only when the merchant supports more than one Master Session encryption key.

- ▶ The Deferred Auth Tran ID field is mandatory to be sent when the Transaction Type is 'CancelDeferredAuth'.
- ▶ When the Payment Type is 'Fleet', the Transaction Type 'Verification' is only permitted when the Card Type of 'Comdata' is present in the transaction.

3.1.4 Local Date and Time

Description

This field represents the local date and time in which the transaction was performed.

Note: For OpenBatch and CloseBatch transactions this field contains the local date and time when the batch was opened and closed respectively. The date can be different for the OpenBatch and CloseBatch transactions for the same batch.

XML Tag Name

LocalDateTime

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

14

Format

YYYYMMDDhhmmss

Value Set

None

Rules

The following field rules are defined:

- ▶ This field will always contain the local date and time for the transaction being submitted. For subsequent transactions, the "Local Date and Time" of the original request should be submitted in the ORIGINAL AUTHORIZATION Group.Original Local Date and Time field.
- ▶ In a BatchSettleDetail transaction the following rules apply:
 - For MOTO Transactions this field must contain the shipping date.
 - For Auto Rental Transactions that contain the No Show field, this field must contain the settlement date.
 - For Auto Rental Transactions that do not contain the No Show field, this field must contain the rental return date.

- For Lodging Transactions with the Program Indicator value of 2 -Assured Reservation No Show, 3-Card Deposit, or 4-Delayed Charges, the Local Date and Time is the date and time of settlement.
- For Lodging Transactions that contain a Program Indicator value of 1-Normal Charge this field must contain the date of checkout.

3.1.5 Transmission Date and Time

Description

This field represents the transmission date and time of the transaction (in GMT/UTC).

XML Tag Name

TrnmsnDateTime

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

14

Format

YYYYMMDDhhmmss

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must contain the transmission date and time for the transaction being submitted. For subsequent transactions the “Transmission Date and Time” of the original request should be submitted in the ORIGINAL AUTHORIZATION Group.Original Transmission Date and Time field.
- ▶ Every response message will contain the date and time of the Rapid Connect system, that passed the response back to the merchant.

3.1.6 System Trace Audit Number (STAN)

Description

This field represents a number assigned by the merchant to uniquely reference the transaction.

XML Tag Name

STAN

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

6

Format

None

Value Set

000001 - 999999

Rules

The following field rules are defined:

- ▶ This field must contain the STAN for the transaction being submitted. For subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.) the “STAN” of the original authorization should be submitted in the ORIGINAL AUTHORIZATION Group.Original STAN field.
- ▶ The STAN for the message being submitted will be returned in that transaction’s response message.
- ▶ The STAN must be unique within a day per Merchant ID and Terminal ID.
- ▶ If multiple terminals are used at a merchant’s location, the STAN must be different for each terminal.
- ▶ The STAN must increment from 000001 to 999999 and not reset until it reaches 999999.
- ▶ Every transaction received by Fiserv must have a different STAN, even if the previous transaction was unsuccessful.
- ▶ In Debit/EBT Transaction requests and Voids/Full Reversals, this number is the “receipt” to comply with Debit Network Provider requirements.

3.1.7 Reference Number

Description

A value assigned by the merchant to uniquely reference a transaction and any subsequent related transactions.

XML Tag Name

RefNum

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..22

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be numeric and contain no more than 12 bytes of data unless the transaction includes the Settlement Indicator value of 3.
- ▶ This field must contain no more than 10 bytes of data if the Merchant will be sending BatchSettleDetail transactions.
- ▶ The alphanumeric attribute and variable length of up to 22 are only applicable when the Settlement Indicator value is 3.
- ▶ In all Prepaid Closed Loop transactions that include a Settlement Indicator value of 3, this field must be numeric and contain no more than 17 digits.
- ▶ The value in this field must be unique within a day for a given Merchant ID and Terminal ID.
- ▶ When the Settlement Indicator value is 3, the value in this field must be unique within a 30 day period for a given Merchant ID and Terminal ID, except when resending a timed out transaction, which should include the same Reference Number that was sent in the original transaction.
- ▶ The Reference Number in subsequent transactions (e.g. Voids/Full Reversals, Completion, RedemptionUnlock, and BatchSettleDetail Messages, etc.) should be the same as the Reference Number submitted in the original transaction.
- ▶ The Reference Number for the message being submitted will be returned in that transaction's response message, except when the Transaction Type is BatchSettleDetail.

- ▶ For Paypal the first 12 bytes must be numeric and unique.
- ▶ This field must be sent in a PCL3AddDetail transaction that contains the TransArmor Group.
- ▶ When the transaction contains the Canadian Debit Group, this field must contain the value in the following format:
 - The first 4 bytes (1 – 4) should contain "0000"
 - The next 2 bytes (5 – 6) should contain the last two digits of the Terminal ID
 - The last 6 bytes (7 – 12) should contain the terminal generated STAN

3.1.8 Order Number

Description

A number assigned by the merchant to uniquely reference a transaction.

XML Tag Name

OrderNum

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

..15

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ If the Settlement Indicator value is 3, this field must be numeric and contain no more than 8 bytes of data.
- ▶ The Order Number in subsequent transactions (e.g. Voids/Full Reversals, Completion and BatchSettleDetail Messages, etc.) must be the same as the Order Number submitted in the original transaction.
- ▶ The Order Number for the message being submitted will be returned in that transaction's response message.
- ▶ The Order Number is mandatory for all MOTO and Ecommerce financial transactions.

- ▶ This field is mandatory for certain Retail transactions when the transaction includes the Settlement Indicator value of 1.
Note: For more information please contact your Account Representative.
- ▶ When the Settlement Indicator value is 1, this field may be required to be all numeric with a maximum byte length of 8 digits.
Note: For more information please contact your Account Representative.
- ▶ The Order Number must not be sent on Check transactions when the CHECK GROUP.MICR field is present.
- ▶ The value in this field cannot contain all zeroes.

3.1.9 TPP ID

Description

This is a Rapid Connect ID assigned by Fiserv for a specific version of vendor/merchant software.

XML Tag Name

TPPID

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

6

Format

None

Value Set

All TPP IDs are assigned by Fiserv.

Rules

None

3.1.10 Terminal ID

Description

A unique ID assigned by Fiserv to identify a terminal.

XML Tag Name

TermID

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..8

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ The Terminal ID submitted in a subsequent transaction (e.g. Void, Completion Message, etc.) must match the Terminal ID that was submitted with the original authorization request.
- ▶ The Terminal ID in all Canadian Debit In-App / In-Browser subsequent Refund and subsequent Adjustment transactions should be the same as the Terminal ID submitted in the original transaction.

3.1.11 Merchant ID

Description

A unique ID used to identify the Merchant. The merchant must use the value assigned by Fiserv.

Note: In order to process VISA and MasterCard Money Transfer transactions, the merchant must obtain a separate Merchant ID from Fiserv and be properly setup in the Fiserv back office. A separate Merchant ID is required for each Payment Type Indicator value. These separate Merchant IDs are only used in Money Transfer transactions.

XML Tag Name

MerchID

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..16

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ The Merchant ID submitted in a subsequent transaction (e.g. Void, Completion Message, etc.) must match the Merchant ID that was submitted with the original authorization.
- ▶ The Merchant ID in all Canadian Debit In-App / In-Browser subsequent Refund and subsequent Adjustment transactions should be the same as the Merchant ID submitted in the original transaction.

3.1.12 Alternate Merchant ID

Description

An Alternate ID assigned to a merchant by Fiserv Prepaid Closed Loop. For additional information regarding the Alternate Merchant ID for Fiserv Prepaid Closed Loop, please contact your Account Representative.

XML Tag Name

AltMerchID

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..11

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ The Alternate Merchant ID is mandatory for Prepaid Closed Loop transactions.
- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions. The value must be the same as submitted in the original transaction.

3.1.13 Merchant Category Code

Description

The merchant category code (MCC) is an industry standard four-digit number used to classify a business by the type of goods or services it provides.

XML Tag Name

MerchCatCode

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

4

Format

None

Value Set

The values for this field are industry standard values.

Rules

The following field rules are defined:

- ▶ This field is optional and supplied if the merchant desires to use a specific MCC rather than the MCC set up in the merchant record, except when the Message Type is MTRequest.
- ▶ If present in the original transaction, this field must be present in Refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value must be the same as that submitted in the original transaction.
- ▶ If the Settlement Indicator has a value of 1 in the Authorization request, this field will be returned in the response.
- ▶ This field may be returned in the response message when it was included in the request message.
- ▶ This field must not be sent if the merchant is setup through a Multi-Mid Payment Facilitator, except when the transaction contains the Existing Debt Indicator field or Debt Repayment Group.
- ▶ This field may be returned in a Refund response message when the Refund Type field is present in the request message.
- ▶ When the Card Type is Visa, the Estimated, Initial and Incremental authorization transaction for MCC 5411 is permitted only when the transaction is a Card Not Present transaction.

- ▶ This field can only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

3.1.14 POS Entry Mode

Description

An identifier used to indicate how the account number was entered on the transaction and the PIN entry capability of the Point of Sale.

XML Tag Name

POSEntryMode

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

3

Format

This field consists of a two digit entry mode value followed by a one digit electronic/PIN authentication capability indicator.

Value Set

This field consists of 2 parts.

The first part is the account number entry mode, consisting of the following values:

- ▶ 00 – Unspecified
- ▶ 01 – Manual (Key entered)
- ▶ 03 – Barcode
- ▶ 04 – OCR (Optical Character Reader)
- ▶ 05 – Integrated Circuit Read (CVV data Reliable)
- ▶ 07 – Contactless Integrated Circuit Read (Reliable) / Canadian Debit In-App or In-Browser
- ▶ 08 – AMEX Digital Wallet (or AMEX In-App)
- ▶ 09 – MasterCard remote chip entry
- ▶ 10 – Credential on File
- ▶ 79 – EMV fallback to manual entry
- ▶ 80 – EMV fallback to Magnetic Strip entry
- ▶ 82 – Contactless Mobile Commerce or Discover InApp
- ▶ 86 – EMV Transaction switched from Contactless to Contact entry

- ▶ 90 – Magnetic Stripe - Track Read
- ▶ 91 – Contactless Magnetic Stripe Read
- ▶ 95 – Integrated Circuit Read (CVV data unreliable)

The second part is the electronic/PIN authentication capability, consisting of the following values:

- ▶ 0 – Unspecified
- ▶ 1 – PIN entry capability
- ▶ 2 – No PIN entry capability
- ▶ 3 – PIN Pad Inoperative
- ▶ 4 – PIN verified by terminal device
- ▶ 5 – Traditional Terminal not available
- ▶ 6 – mPOS Software-based PIN Entry Capability

Rules

The following field rules are defined:

- ▶ The only valid values for check transactions, for the Account Entry Mode (i.e. first two digits), are 01 and 04.
- ▶ The second part of this field must have the value of 1 (PIN entry capability) or 4 (PIN Verified by Terminal Device) when Payment Type is Debit except in the following scenarios:
 - Debit Voids/Full Reversals,
 - Subsequent transactions to an original Card Not Present Credit transaction that received the Routing Indicator field value of 'D' in the response,
 - Program Identifier is 'ConnectPay' in which case it can be 1 (PIN entry capability), 2 (No PIN Entry Capability) or 4 (PIN Verified by Terminal Device).
 - Canadian Debit In-App or In-Browser (e.g. Applepay) transaction in which case it must be 5 (Traditional Terminal not available).
- ▶ The same value submitted at the time of authorization must be submitted on all subsequent transactions (e.g. Voids/Full Reversals, Completion, and BatchSettleDetail Messages and Partial Reversals) except for Prepaid Closed Loop.

Note: Prepaid Closed Loop Void/Full Reversal Transactions where the POS Entry Mode 90 or 91 was sent on the original transaction must be sent with the POS Entry Mode 01 using the account number received in the original Authorization response.
- ▶ The POS Entry Mode of 07 must be sent for Canadian Debit In-App or In-Browser transactions.
- ▶ The POS Entry Mode of 08 is only applicable to AMEX digital wallet (or AMEX In-App) transactions.

- ▶ The POS Entry Mode of 08 is mandatory on all Amex transactions that contain the Tokenization Group, except when the Auth Indicator field XML Tag: AmexAuthInd is present with the value of 'CrdOnFile'."
- ▶ The POS Entry Mode of 09 is only applicable to MasterCard remote chip entry transactions.
- ▶ The field EMVData is mandatory on all transactions when the POS Entry Mode is 09.
- ▶ The POS Entry Mode must be 01 for all SpeedPass transactions and subsequent transactions to the original SpeedPass transaction.
- ▶ The POS Entry Mode of 86 is only applicable to Discover transactions.
- ▶ The POS Entry Mode of 10 is mandatory and must only be present for the Card Type of Visa, when the Stored Credential Indicator field XML Tag: StoredCredInd is present with the value of 'Subsequent'.
- ▶ The POS Entry Mode of 10 is mandatory and must only be sent for the Card Type of MasterCard when the Stored Credential Indicator field XML Tag: StoredCredenInd is present, except when the CIT/MIT Framework Indicator field contains the value of 'C101' and the Stored Credential Indicator field XML Tag: StoredCredenInd is present with the value of 'Initial' for which the POS Entry Mode will contain value other than 10.
- ▶ The POS Entry Mode of 10 is mandatory and must only be present for the Card Type of Discover, when the Auth Indicator field XML Tag: DiscAuthInd contains the value of 'CrdOnFile', and the Stored Credential Indicator field XML Tag: StoredCrdnInd is present with the value of 'Subsequent'.
- ▶ The POS Entry Mode of 10 is mandatory and must only be present for the Card Type of Amex, when the Auth Indicator field XML Tag: AmexAuthInd contains the value of 'CrdOnFile', and the Stored Credential Indicator field XML Tag: StoredCrdInd is present with the value of 'Subsequent'.
- ▶ When a transaction includes the Non US Merchant field with the value of Europe and the Card Type is MaestroInt, if the card cannot be swiped or dipped, the value of 01 – Manual (Key entered) is not allowed.
- ▶ When the card cannot be swiped or dipped, the POS Entry Mode of '01' - Manual (Key entered) is only supported for Lodging, Auto Rental and Airline industries for Union Pay transactions.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

3.1.15 POS Condition Code

Description

An identifier used to indicate the transaction condition at the Point-of-Sale (POS).

XML Tag Name

POSCondCode

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

2

Format

None

Value Set

The following values are defined for this field:

- ▶ 00 – Cardholder Present, Card Present
- ▶ 01 – Cardholder Present, Unspecified
- ▶ 02 – Cardholder Present, Unattended Device
- ▶ 03 – Cardholder Present, Suspect Fraud
- ▶ 04 – Cardholder Not Present – Recurring / Installment / Unscheduled MIT
- ▶ 05 – Cardholder Present, Card Not Present
- ▶ 06 – Cardholder Present, Identity Verified
- ▶ 08 – Cardholder Not Present, Mail Order/Telephone Order
- ▶ 59 – Cardholder Not Present, Ecommerce
- ▶ 71 – Cardholder Present, Magnetic Stripe Could Not Be Read

Rules

The following field rules are defined:

- ▶ When the Check Service Provider value is TeleCheck, TeleCheckECA, or Certegy, this field must contain the value of 06.
- ▶ When the Check Service Provider value is TeleCheckCBP this field must contain the value of 08.
- ▶ When the Check Service Provider value is TeleCheckICA this field must contain the value of 04 or 59.

- ▶ When the Check Service Provider value is TeleCheckPPD, this field must contain the value of 04, 08, or 59.
- ▶ Recurring transactions are only applicable for Visa, MasterCard, American Express, Discover (including Diners and JCB Domestic), UnionPay, TelecheckICA, TeleCheckPPD, and PINLess Debit transactions.
- ▶ The only valid values for PINLess Debit are 04 and 59.
- ▶ The POS Condition Code must be 59 on MasterCard Ecommerce Completion transactions where the transaction amount is less than the transaction amount in the approved Authorized transaction that contained the Tokenization Group.
- ▶ The value of 71 is only applicable for the Card Type of 'Visa'.
- ▶ The value of 71 is not applicable to Visa Auto Rental or Lodging transactions.
- ▶ The POS Condition Code must be 08 or 59 in an MTRequest message, except on the following scenarios:
 - When the Fast Refund Indicator field is present in the transaction.
 - When the Card Type is 'Visa' for which 04 is also a valid value.
- ▶ The POS Condition Code of 08 must not be sent when the Payment Type Indicator value is 'P2P', 'P2PBankInit', or 'WltTrnsfr'.
- ▶ This field must have the value of '59' for all Discover Ecommerce (including InApp) transactions.
- ▶ When the Card Type is MasterCard and POS Condition Code is 04, then POS Entry Mode must be 10.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.
- ▶ This field must have the value of 59 for all Canadian Debit In-App or In-Browser transactions.
- ▶ For Discover, the value '04' must be sent for All MIT transactions such as Incremental, re-authorization, delayed charge, no show, recurring, installment, re-submission, partial shipment, unscheduled MIT, etc.
- ▶ When the Card Type is 'MasterCard' or 'MaestroInt', this field is mandatory and must only be sent with the value of '04' in the following scenarios:
 - The Bill Payment Transaction Indicator is 'Recurring' or 'Installment'
 - Transaction Initiation is 'Merchant' and Card on File Schedule Indicator XML Tag: CofSchdInd is 'Unscheduled'

3.1.16 Terminal Category Code

Description

An identifier used to describe the type of terminal being used for the transaction.

XML Tag Name

TermCatCode

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

2

Format

None

Value Set

The following values are defined:

- ▶ 00 – Unspecified
- ▶ 01 – Electronic Payment Terminal (POS)
- ▶ 05 – Automated Fuel Dispensing Machine (AFD)
- ▶ 06 – Unattended Customer Terminal
- ▶ 07 – Ecommerce Customer present
- ▶ 08 – Mobile Terminal (Transponder for example: a wireless terminal)
- ▶ 09 – Mobile POS (mPOS for example: a cellphone or tablet device on a cellular network)
- ▶ 12 – Electronic Cash Register
- ▶ 13 – Interactive Voice Response (IVR)
- ▶ 17 – Ticket Machine
- ▶ 18 – Call Center Operator

Rules

The following field rules are defined:

- ▶ For MOTO (POS Condition Code = 08), this field must have a value of 00.
- ▶ For Ecommerce (POS Condition Code = 59), this field must have a value of 00 except on the following scenarios:
 - Payment Type is PLDebit, in which case the value could be 00 or 13.

- Check Service Provider value is TeleCheckPPD, in which case the value could be 00 or 13.
 - Payment Type is Credit or PvtLbl, in which case the value could be 00 or 05.
 - Visa and MasterCard Ecommerce transactions that contain the Secure Transaction Group and/or Tokenization Group when the customer is present, must have the value of 07.
 - This field must have the value of '09' for Discover InApp transactions initiated through a mobile or tablet device.
- ▶ If this field has a value of 05 (AFD) then POS Entry Mode must be 82, 90, or 91 unless the Card Type is SpeedPass, or is a subsequent transaction where the original transaction was initiated with the Card Type SpeedPass.
 - ▶ If this field has a value of 05 (AFD) and the Card Type is SpeedPass or is a subsequent transaction where the original transaction was initiated with the Card Type SpeedPass, the POS Entry Mode must be 01.
 - ▶ The value of 13 (IVR) is only valid when the Settlement Indicator value is 3, and the Payment Type is PLDebit or the Check Service Provider value is TeleCheckPPD.
 - ▶ The value of 05 (AFD) is not applicable when the Transaction Type = 'Refund'.
 - ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

3.1.17 Terminal Entry Capability

Description

An identifier used to indicate the entry mode capability of the terminal.

Note: A value of '04', '06', '08', '09' or '12' cannot be sent until the client is certified and the device is enabled for EMV.

XML Tag Name

TermEntryCapabl

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

2

Format

None

Value Set

The following values are defined:

- ▶ 00 – Unspecified
- ▶ 01 – Terminal not used (eCommerce)
- ▶ 02 – Magnetic stripe only
- ▶ 03 – Magnetic stripe and key entry
- ▶ 04 – Magnetic stripe, key entry and chip
- ▶ 05 – Barcode
- ▶ 06 – Proximity terminal - contactless chip / RFID
- ▶ 07 – OCR
- ▶ 08 – Chip only
- ▶ 09 – Chip and magnetic stripe
- ▶ 10 – Manual entry only
- ▶ 11 – Proximity terminal - contactless magnetic stripe
- ▶ 12 – Hybrid – Magnetic stripe, Integrated Circuit Card Reader & contactless capabilities
- ▶ 13 – Terminal does not read card data

Rules

The following rules are defined:

- ▶ The value of 01 must only be sent when a terminal is not used to perform the transaction.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

3.1.18 Transaction Amount

Description

This field represents the amount of the transaction inclusive of all additional amounts provided in the Additional Amounts Group and all other amount fields throughout the message (e.g. Tax Amount in Purchase Card L2 Group) except the RX, Dental, Vision, Clinical, and FirstAuthAmt values found in the Additional Amounts Group. It is submitted in the currency represented by the Transaction Currency field. The transaction amount returned in the response will be different than the amount submitted in the request for an approved partial authorization transaction.

XML Tag Name

TxnAmt

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

..12

Format

For more details, refer to the Amount Format section.

Value Set

None

Rules

The following field rules are defined:

- ▶ If the Transaction Type = BalanceInquiry or Verification, the transaction amount must be zero in the request message. For example, 000 for USD.
- ▶ The field must have the correct number of implied decimal places as identified by the Transaction Currency.
- ▶ For Prepaid Closed Loop Transactions, if the card is denominated then the Transaction Amount can be provided but it's not required for Activation and Load. If the Transaction Amount is provided, then it must match the denomination of the card.
- ▶ For Generic Prepaid Transactions, if the card is denominated then the Transaction Amount can be provided but it's not required for Activation. If the Transaction Amount is provided, then it must match the denomination of the card.
- ▶ For all requests where the Transaction Amount is required, it will also be returned in the response.
- ▶ This field must include any Tax Amounts in a transaction that includes Purchase Card Level 3 Data.
- ▶ When the Settlement Indicator value is 3, the maximum value for currency with 0 minor unit is 9,999,999,999 currency units (i.e. 9999999999).
- ▶ When the Card Type is Paypal the maximum value is 10,000.00 currency units (i.e. 1000000).
- ▶ This field must not be sent in a transaction when the Non US Merchant = 'Mexican', Card Type = 'PPayCL' and Transaction Type = 'BalanceLock'.

3.1.19 Transaction Currency

Description

This field contains the numeric currency code of the Transaction Amount.

XML Tag Name

TxnCrncy

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

3

Format

None

Value Set

The values for this field are contained in Appendix A – Currency Codes.

Rules

The following field rules are defined:

- ▶ When the Settlement Indicator value is 2 the only valid currency code is 840.
- ▶ When the Settlement Indicator value is 3, currencies with 3 minor units must not be sent.

3.1.20 Terminal Location Indicator

Description

This field indicates the location of the terminal.

XML Tag Name

TermLocInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 0 – On Premises – Used in a Card Present environment
- ▶ 1 – Off Premises – Used in a Card not Present environment

Rules

None

3.1.21 Card Capture Capability

Description

This field represents the terminal capability to capture the card data.

XML Tag Name

CardCaptCap

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 0 – Terminal has no card capture capability or no terminal used
- ▶ 1 – Terminal has card capture capability

Rules

The following field rule is defined:

- ▶ If the value is 0 then Track Data should not be present.

3.1.22 Program Identifier

Description

An identifier used by the merchant to designate the preferred authorizer for a debit, check or prepaid card.

XML Tag Name

ProgramID

Field Group

This field is contained within the Common Group.

Attribute Type

an

Length

..20

Format

None

Value Set

The following values are defined for this field:

- ▶ InComm – InComm Stored Value Card Mall Program
- ▶ Solspark – Solspark Gift (Everywhere Gift Card)
- ▶ Blackhawk – Safeway/Blackhawk Stored Value Card Mall Program
- ▶ ConnectPay – Connect Pay
- ▶ NetSpend – Netspend Network

Rules

The following field rules are defined:

- ▶ This field is required for InComm, Solspark, Blackhawk, NetSpend and ConnectPay transactions.
- ▶ If the Program Identifier = InComm, the Transaction Type must be Activation, Authorization, Reload, BalanceInquiry, Redemption or Refund.
- ▶ If the Program Identifier = Solspark, the Transaction Type must be Activation.
- ▶ If the Program Identifier = Blackhawk, the Transaction Type must be Activation or Reload.
- ▶ If the Program Identifier = ConnectPay, the Transaction Type must be Authorization, Completion, Refund or Sale.
- ▶ If the Program Identifier = NetSpend, the Transaction Type must be Activation or Reload.
- ▶ When the PIN Data field is not present in a Debit Authorization transaction, this field with the value of 'ConnectPay' must be present in the transaction.
- ▶ When the PIN Data field is not present in a Debit Sale or Debit Refund transaction, this field with the value of 'ConnectPay' must be present in the transaction, except for a Canadian Debit In-App/In-Browser transaction for which PIN Data is not applicable.
- ▶ When Program Identifier = InComm, this field is mandatory for merchants who support the combination of both InComm Authorization and Reload transactions.

3.1.23 Group ID

Description

An ID assigned by Fiserv, to identify the individual merchant or group of merchants.

XML Tag Name

GroupID

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

5..13

Format

None

Value Set

None

Rules

None

3.1.24 POS ID

Description

This field identifies the specific device or point of entry where the transaction originated. For example, pump number, lane number, etc.

XML Tag Name

POSID

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

..4

Format

None

Value Set

None

Rules

The following rules are defined:

- ▶ This field is not required if the POS Condition Code is 04, 08, or 59 (Cardholder not present Recurring, MOTO, or Ecommerce).
- ▶ This field is mandatory when the transaction is initiated from a mobile application being used at an Automated Fuel Dispenser (AFD).

3.1.25 Settlement Indicator

Description

This field indicates a particular type of settlement other than Host Capture. This field is not applicable for Host Capture merchants. If this field is sent with a value of 1, then response messages will contain several fields that are normally not returned for host capture merchants, but are needed to build a PTS settlement file. These fields include the Merchant Category Code in COMMON Group for Debit, PINLess Debit, EBT, and Credit transactions. If the transaction is a MasterCard transaction, MasterCard POS Data in the MASTERCARD Group will also be returned.

Note: Non Host Capture merchants are required to send the Settlement Indicator on all transactions, including transactions for which there will be no subsequent settlement, e.g. a Prepaid Closed Loop Load.

XML Tag Name

SettleInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

1

Format

None

Value Set

The following values are defined:

- ▶ 1 – Merchant sends a Credit, Debit, PLDebit, EBT or Private Label settlement file outside of Rapid Connect via the PTS format or another Fiserv settlement message format. These are the only Payment Types that can be settled using this Settlement Indicator value.
- ▶ 2 – On-Line Terminal Capture: Rapid Connect BatchSettleDetail and BatchSettleL3 messages are used to settle Credit, Debit, EBT, and Private Label transactions. These are the only Payment Types that support On-Line Terminal Capture Settlement.
- ▶ 3 – Compass Batch Settlement: Enhanced card not present transactions that are settled outside of Rapid Connect via settlement files conforming to the Compass Batch Technical Specification format.

Rules

The following rules are defined:

- ▶ This field is mandatory in all transactions for NON-host capture merchants.
- ▶ This field must not be present in a Completion, Sale, or a Credit Refund transaction, except in the following scenarios:

- When the transaction is a Credit Refund and the Card Type is Visa, MasterCard, Discover, AMEX or UnionPay this field can be present in the transaction.
Note: The Refund Type field must be sent when Card Type is Visa, MasterCard, MaestroInt, Discover, JCB, Diners or AMEX.
- In transactions where the Message Type is MTRequest, this field can be present only when the value is 3.
- Check Completion transactions where this field must be present with the value of 3.
- This field may be present when Transaction Type is Sale, Card Type is 'UnionPay' and Non US Merchant field is sent in the transaction with the value of 'Canadian'.
- This field may be present when Transaction Type is Completion, Non US Merchant field is present in the transaction with the value of 'Canadian' and Union Pay Group is sent in the transaction.
- This field may be sent for Debit Sale transactions when the Non US Merchant field is present in the transaction with the value of 'Canadian'.
- ▶ When this field contains a value of "2", none of the fields in the Alternate Merchant Name and Address group are permitted, except when the Business Payment Type field is present with the value of 'InstallRepay'.
- ▶ When the Payment Type Indicator field is present in a transaction, this field must not contain the value of 1 or 2.
- ▶ When this field contains the value of "1", Debit Sale transactions are only supported when the Non US Merchant field is present in the transaction with the value of "Canadian".
- ▶ When this field contains the value of '1' and the Non US Merchant field is present in the transaction with the value of "Canadian", the Union Pay Group is not allowed in a Debit Sale transaction.
- ▶ When this field contains the value of '1' and the Non US Merchant field with the value of 'Canadian' is also present in the transaction, Debit Voids/Full Reversals are only supported when the Union Pay Group is also present in the transaction.
- ▶ When this field contains a value of 2 or 3, the Non US Merchant field with the value of Mexican, Jamaica, Bahamas, Barbados, StVincent, Anguilla, StKittsNevis or StLucia are not allowed.

3.1.26 Clerk ID

Description

This field is used to uniquely identify the merchant's store clerk accepting the transaction.

XML Tag Name

ClerkID

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

..6

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions (except for partial reversal). The value must be the same as submitted in the original transaction.

3.1.27 Supervisor ID

Description

This field is used to uniquely identify the merchant's store supervisor accepting the transaction.

XML Tag Name

SupID

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

..10

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ It is optional for TeleCheck ECA and EBT transactions.

3.1.28 Service Entitlement Number

Description

This field represents an alternate Service Entitlement Number to be used instead of the one loaded on the Fiserv Merchant File.

XML Tag Name

SENum

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..15

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This optional field is applicable to Discover and American Express only.
- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value should be the same as submitted in the original transaction.

3.1.29 PINLess POS Debit Flag

Description

An identifier used to indicate whether the terminal/software can support swiped or dipped PINLess Debit transactions. Swiped PINLess Debit is allowed in a card-present environment. Some merchants with or without PIN pad can perform PINLess Debit transactions to provide an additional routing option where they can be authorized, processed and settled as Debit transactions, rather than being authorized and settled as credit (signature debit). In the response message this field indicates whether the transaction was processed as credit or debit.

Note: For more information, please contact your Account Representative.

XML Tag Name

PLPOSDebitFlg

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

Request Values

- ▶ 1 – PINLess POS Debit is supported

Response Values

- ▶ C – Processed as Credit
- ▶ D – Processed as Debit

Rules

The following field rules are defined:

- ▶ This field must not be present in a transaction that contains Non US Merchant field with the value of 'Canadian'.
- ▶ This field can only be submitted when the Payment Type is Credit and Transaction Type is Authorization, Sale or Refund.
- ▶ This field must not be sent when the Settlement Transaction Type value is '5' (Refund Credit).
- ▶ If this field is present in the request, then it must include either Track 2 Data or in the case of TransArmor, the Encryption Block with the Encryption Target = Track2.

- ▶ When this field is present and the Settlement Indicator field is not present, the Transaction Type Authorization is only supported when the EMVData field with Tag 9F06 and/or 84 is also present in the transaction.
- ▶ If this field is present in a Credit Authorization transaction, and the Settlement Indicator field is not present, when the response value of “D” (Processed as Debit) is returned in this field, the merchant must perform a Debit Completion transaction with the Transaction Amount that was approved in the response to the Credit Authorization transaction.
- ▶ If this field is present, the Settlement Indicator field with the value of “1” is also present in a Credit Authorization transaction, and the response value of “D” (Processed as Debit) is returned in this field, the merchant must perform a Debit Settlement with the Transaction Amount that was approved in the response to the Credit Authorization transaction.
- ▶ If this field is present, the Settlement Indicator field with the value of “2” is also present in a Credit Authorization transaction, and the response value of “D” (Processed as Debit) is returned in this field, the merchant must perform a Debit BatchSettleDetail transaction with the Transaction Amount that was approved in the response to the Credit Authorization transaction.

3.1.30 Universal Product Code

Description

This field identifies the gift card Universal Product Code (UPC).

XML Tag Name

UPC

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

..25

Format

None

Value Set

Any valid UPC

Rules

The following field rules are defined:

- ▶ This field must only be present when Program Identifier = Blackhawk or InComm.
- ▶ This field is mandatory for all transactions when Program Identifier = Blackhawk.
- ▶ When Program Identifier = InComm, this field is mandatory for merchants who support the combination of both InComm Authorization and Reload transactions.

3.1.31 Network Access Indicator

Description

This field indicates the merchant participates in non-traditional signature Debit routing.

Note: For more information, please contact your Account Representative.

XML Tag Name

NetAcclnd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

Request Values

- ▶ 1 – Routing as STAR Signature Debit is supported
 - ▶ C – Routed through STAR Signature Debit
- Note:** The value of 'C' must be present in subsequent transactions only when the Response Value of 'C' was returned in the original transaction response.

Response Values

- ▶ C – Routed through STAR Signature Debit

Rules

The following field rule is defined:

- ▶ If this field is returned on a transaction response, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.).
Note: If this field is present in a request message and not present in a response message, the Routing Indicator field will detail how the transaction was processed.

3.1.32 Merchant Echo

Description

If this field is present in the request, the same value will be returned in the response.

XML Tag Name

MerchEcho

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

..99

Format

None

Value Set

None

Rules

None

3.1.33 Wallet Identifier

Description

This field provides information about transactions initiated through the MasterPass Online platform and indicates who the wallet provider was for the transaction.

XML Tag Name

WtID

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

3

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field is mandatory in a MasterPass Wallet Transaction.

3.1.34 Non US Merchant

Description

This field identifies the merchant as a Non US Merchant processing Customer Present transactions from their domiciled location.

XML Tag Name

NonUSMerch

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..15

Format

None

Value Set

The following values are defined for this field:

- ▶ Canadian
- ▶ Mexican
- ▶ Jamaica
- ▶ Bahamas
- ▶ Barbados
- ▶ StVincent
- ▶ Anguilla
- ▶ StKittsNevis
- ▶ StLucia
- ▶ Bermuda
- ▶ Europe - Austria, Belgium, Switzerland, Germany, Spain, France, U.K, Italy, Netherlands, Sweden, Poland, Cyprus, Czech Republic, Denmark, Estonia, Finland, Iceland, Ireland, Greece, Hungary, Gibraltar (FDEL), Latvia, Liechtenstein, Lithuania, Luxembourg, Monaco, Norway, Portugal, Romania, Slovakia, Slovenia, Bulgaria, Croatia and Malta
- ▶ APAC - Singapore, Hong Kong, Australia

Rules

The following rules are defined for this field:

- ▶ This field must only be sent if the merchant is a Canadian, Mexican, Jamaica, Bahamas, Barbados, StVincent, Anguilla, StKittsNevis, StLucia, Bermuda, Europe or APAC merchant.
- ▶ This field must be sent in all Debit transactions if the merchant is a Canadian merchant.
- ▶ This field must be sent in all Credit transactions if the merchant is a Canadian merchant except when the transaction includes the Settlement Indicator value of 3.
- ▶ This field must be sent in all Prepaid Closed Loop transactions if the merchant is a Mexican merchant.
- ▶ When the transaction includes the Settlement Indicator value of 3, this field must not be present.
- ▶ This field must be sent in all Credit transactions if the merchant is a Mexican, Jamaica, Bahamas, Barbados, StVincent, Anguilla, StKittsNevis, StLucia, Bermuda, Europe or APAC merchant.
- ▶ When this field is present in a transaction with a value of Mexican and the Payment Type is Credit, the Card Types Diners, Discover and JCB are not permitted.
- ▶ When this field is present with the value of 'Mexican', Refund Type field is not allowed for account numbers that have been identified as a local account number in the MEXLOCBIN file.

- ▶ When this field is present in a transaction with the value of Europe or APAC, the Merchant Country Field must also be present in the transaction.
- ▶ When this field is present in a transaction with the value of Europe or APAC, the Settlement Indicator field is not allowed in the transaction.
- ▶ When the Non US Merchant field is present in a transaction with the value of Europe or APAC, the Reversal Reason Code of Partial is not supported in the transaction.
- ▶ When this field is present in a transaction, the transaction must be Customer Present.
Note: When any rule in the UMF specification describes the merchant location for e.g. "Merchant is in Europe", we should consider the rule for both Customer Not Present and Customer Present transactions unless otherwise stated specific in the UMF specification and/or in the Transaction and Field Matrix (for e.g. field is supported only for Ecomm and MOTO industries).

3.1.35 Device Batch ID

Description

This field contains a merchant assigned id identifying the device at the merchant's location.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

DevBatchID

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..4

Format

None

Value Set

None

Rules

The following rule is defined for this field:

- ▶ The value in this field must contain unique device batch ID per each device for a given Merchant ID.

3.1.36 Digital Wallet Indicator

Description

This field identifies the type of digital wallet used in a transaction.

XML Tag Name

DigWltInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..8

Format

None

Value Set

- ▶ Staged
- ▶ Passthru

Rules

The following rules are defined for this field:

- ▶ This field must be sent in a Visa transaction that was initiated through a Digital Wallet.
- ▶ If present in the original transaction, this field must be present in Refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value must be the same as that submitted in the original transaction.

3.1.37 Digital Wallet Program Type

Description

This field identifies the brand of digital wallet or tokenization program used in a transaction.

XML Tag Name

DigWltProgType

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..10

Format

None

Value Set

- ▶ AndroidPay – Android Pay (rebranded to Google Pay)
- ▶ ApplePay – Apple Pay
- ▶ MerchToken – MasterCard Merchant Tokenization program
- ▶ SamsungPay – Samsung Pay
- ▶ ClickToPay – Discover Click to Pay

Rules

The following rules are defined for this field:

- ▶ This field with the value of 'AndroidPay' must be sent in a transaction that was initiated through an AndroidPay (rebranded to Google Pay) Digital Wallet In-App.
- ▶ This field with the value of 'ApplePay' must be sent in a transaction that was initiated through an ApplePay Digital Wallet In-App.
- ▶ This field with the value of 'MerchToken' must be sent in a transaction that was initiated through a MasterCard Merchant Tokenization program Digital Wallet In-App.
- ▶ This field with the value of 'SamsungPay' must be sent in a transaction that was initiated through a SamsungPay Digital Wallet In-App.
- ▶ This field with the value of 'ClickToPay' must be sent in a transaction that was initiated through a Discover ClickToPay Digital Wallet In-App.
- ▶ When this field has a value of 'ApplePay' and the Card Type is Discover, for an InApp transaction the POS Entry Mode must be 820, the POS Condition Code must be 59, the Terminal Category Code must be 09 and the Terminal Entry Capability must be 01.

- ▶ If present in the original transaction, this field must be present in Refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value must be the same as that submitted in the original transaction.

3.1.38 Transaction Initiation

Description

This field details how the transaction was initiated.

XML Tag Name

TranInit

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

8

Format

None

Value Set

- ▶ Merchant – Transaction initiated by Merchant
- ▶ Terminal – Transaction initiated by Terminal
- ▶ Customer – Transaction initiated by Customer

Rules

The following rules are defined for this field:

- ▶ This field is mandatory in a transaction that also includes either of the following:
 - ACI value of 'I'
 - MCACI value of 'I'
 - DiscACI value of 'I'
- ▶ This field is mandatory when the Payment Type is Private Label or Fleet, and the EMV Group is present in a transaction.
- ▶ This field is mandatory in a transaction that includes the VisaAuthInd field with the value of 'CrdOnFile', and/or the Stored Credential Indicator XML Tag: StoredCredInd field.
- ▶ This field is mandatory in a transaction that includes the Auth Indicator field XML Tag: MCAuthInd.

- ▶ This field must be sent in all MasterCard Merchant-Initiated Industry Practice transactions e.g. partial shipment, delayed charge, no show, resubmission.
- ▶ This field is mandatory in a transaction that also includes the Auth Indicator field XML Tag: DiscAuthInd with the value of 'CrdOnFile' and/or the Stored Credential Indicator XML Tag: StoredCrdnInd field.
- ▶ This field is mandatory in a transaction that also includes the Auth Indicator field XML Tag: AmexAuthInd with the value of 'CrdOnFile'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.).

3.1.39 Payment Service

Description

This field contains the payment service (RPS) values used in certain Completion transactions.

XML Tag Name

PymntSvc

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

7

Format

None

Value Set

- ▶ Incrmnt – Settlement of a previous Incremental Authorization transaction

Rules

The following rule is defined for this field:

- ▶ This field must only be sent in a Completion transaction when the Card Type is Visa and the merchants MCC is one of the following: 4457, 7033, 7394, 7519 or 7999.

3.1.40 Merchant Tran ID

Description

A value assigned by the merchant to identify a transaction.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

MerchCustom1

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

..95

Format

None

Value Set

None

Rules

None

3.1.41 Refund Type

Description

This field indicates whether a Credit or Fleet Refund is authorized real time.

XML Tag Name

RefundType

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..8

Format

None

Value Set

The following values are defined for this field:

- ▶ Online – Refund Authorization
- ▶ AuthOnly – Refund Authorization where the subsequent refund settlement transaction will be submitted by the merchant

Rules

The following field rules are defined:

- ▶ This field is permitted only in the following scenarios:
 - When the Payment Type is 'Credit', the Card Type is Visa, MasterCard, MaestroInt, Discover, JCB, Diners or AMEX, and the Transaction Type is 'Refund'.
 - When the Payment Type is 'Credit', Reversal Reason Code is either 'Void' or 'Timeout', Transaction Type is 'Refund' and the ORIGINAL AUTHORIZATION GROUP.Original Authorizing Network ID is '126'.
 - When the Payment Type is 'Fleet', Card Type is 'VisaFleet' or 'MCFleet', and the Transaction Type is 'Refund'.
- ▶ This field is mandatory only when the merchant wants to support real time refund authorizations.
- ▶ The value of 'Online' is not permitted when the Settlement Indicator value is 3.

- ▶ The values of 'AuthOnly' must only be sent when the transaction includes the Settlement Indicator value of 3.
- ▶ The response message to a successfully approved 'CreditRequest' message that included this field with a value of 'AuthOnly' will include the Response Date and Authorization ID fields in the RESPONSE group. These fields must be submitted by the merchant in a Settlement file sent outside of Rapid Connect.
- ▶ If this field is present in the original transaction with the value of 'Online' or 'AuthOnly', this field must be present in subsequent reversal transactions with the same value as was submitted in the original transaction, except when the Routing Indicator field was returned in the Refund response message with the value of 'D' (Processed as Debit).

3.1.42 Customer Identifier

Description

This field contains the personal identification number of a cardholder.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

CustomerId

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

4..12

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ For SVS, this field is limited to 4 bytes.
- ▶ This field is only applicable for Manual and Barcode entry transactions.

3.1.43 Routing Fallback Indicator

Description

This field indicates that the transaction must be declined if it cannot be routed to a Debit network. This field must not be sent if the merchant opts for the ability to route the transaction to the credit association if the transaction cannot be routed to a Debit network.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

RtFallbackInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..2

Format

None

Value Set

- ▶ No – Fallback to Credit not supported

Rules

The following field rules are defined:

- ▶ This field is permitted in the Message Type 'CreditRequest' only when the Transaction Type is Authorization, Sale or Refund.
- ▶ If present in the original transaction, this field must be present in subsequent reversal transactions. The value must be the same as submitted in the original transaction.

3.1.44 Deferred Authorization Indicator

Description

This field indicates the transaction occurred while the merchant's connectivity was interrupted or unavailable and the merchant captured the transaction information. This indicator should be present in the transaction that is sent once the connectivity is restored, except for Mass Transit transactions where this field should be sent in mass transit transactions such as aggregated, debt recovery to indicate the authorization is a deferred authorization. For more information, please refer Appendix Z.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

DfrdAuthInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes – Deferred transaction

Rules

The following field rules are defined:

- ▶ This field is applicable only when one of the following scenarios is valid:
 - The Card Type is 'Visa', 'MasterCard', 'MaestroInt', 'Diners', 'JCB', 'Discover', 'AMEX', 'VisaFleet' or 'MCFleet'.
 - The Program Identifier is 'Blackhawk' and the Transaction Type is 'Activation'.
- ▶ This field must not be sent when the Auto Rental No Show, Hotel No Show or Program Indicator fields are present in the transaction.
- ▶ This field must be sent for all Transit Aggregated and Transit Debt Recovery transactions for the MCC's 4111, 4112, 4131, 4784 and 7523.

3.1.45 Secondary Security Code

Description

This field contains the Secondary Security Code associated with a GiftCard transaction.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

SSC

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

4

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable when the Card Type field contains the value of 'GiftCard'.
- ▶ This field is only applicable for Barcode entry transactions.

3.1.46 Single Tap Indicator

Description

This field indicates whether the merchant terminal supports single tap processing.

XML Tag Name

SingleTapInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes – Single Tap terminal

Rules

The following field rules are defined:

- ▶ This field is only applicable for the Card Type of 'MasterCard' and 'MaestroInt'.
- ▶ This field must only be sent when the Non US Merchant field is present with the value of 'Europe'.

3.1.47 Duplicate ATC Indicator

Description

This field indicates whether the subsequent authorization transaction is a duplicated transaction.

XML Tag Name

DupATCInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes – Duplicated ATC

Rules

The following field rules are defined:

- ▶ This field is only applicable for the Card Type of 'MasterCard' and 'MaestroInt'.
- ▶ This field must only be sent when the Non US Merchant field is present with the value of 'Europe', the PIN Data and Single Tap Indicator fields are also present, and the original authorization transaction received a response code of '351' (Customer PIN Authentication required).
- ▶ When this field is present in a transaction, the PIN Data and the Single Tap Indicator field must also be present in the transaction.

3.1.48 Business Payment Type

Description

This field is used to indicate the various business payment types.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

BusPymtType

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..12

Format

None

Value Set

The following values are defined for this field:

- ▶ ConsrBillPay – Consumer Bill Payment Service Provider
- ▶ InstallRepay – Purchase Repayment

Rules

The following field rules are defined:

- ▶ The value 'ConsrBillPay' is only applicable when the Card Type is 'Visa'.
- ▶ If this field is sent in a transaction with the value of 'ConsrBillPay', then the Bill Payment Transaction Indicator field and the Market Specific Data Indicator field XML Tag: MrktSpecificDataInd with value of 'BillPayment' must also be present in the transaction.
- ▶ If this field is sent in a transaction, the Digital Wallet Indicator field must not be sent in the transaction.
- ▶ The value 'InstallRepay' is only applicable when the Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ If this field is sent in a transaction with the value of 'InstallRepay' when the Card Type is 'MasterCard' or 'MaestroInt', then the MVV/MAID field and the Merchant Name field must also be present in the transaction if available.

Note: The Merchant Name must have the following information in the format as follows:
Installment Provider name followed by an asterisk (*) followed by the merchant name, e.g.
"XYZ*A SMALL CO"

Optionally, merchant name can also be sent as per the below format:

Installment Provider name followed by an asterisk (*) followed by the merchant name followed by the sequence number, e.g. "XYZ*A SMALL COPYMT 1 of 4"

- ▶ If sent in the original transaction, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail, Void/FullReversal, etc). The value must be the same as that submitted in the original transaction.

3.1.49 Terminal Classification Code

Description

An identifier that identifies the terminal classification code e.g. transactions originated using a mobile device terminal.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

TermClassCode

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

..13

Format

None

Value Set

The following values are defined for this field:

- ▶ mPOSCon – mPOS Accessory/dongle with contact and contactless interfaces, with or without PIN pad.
- ▶ mPOSSPoCPIN – mPOS Accessory/dongle with contact and contactless interfaces and PIN on Glass support (SCRIP, Software-based PIN on COTS).
- ▶ mPOSCPoCNoPIN – Contactless Payment on COTS (CPoC) - Mobile device based contactless only mPOS without PIN support.
- ▶ mPOSCPoCPIN – Contactless Payment on COTS (CPoC) - Mobile device based contactless only mPOS with PIN on Glass support.

Rules

The following field rules are defined:

- ▶ This field is mandatory and can only be sent when the Card Type is 'MasterCard', 'MaestroInt', 'Discover', 'JCB', 'Diners' or 'AMEX', Terminal Category Code field contains the value of '09', and the POS Condition Code field does not contain value '08' or '59'.
- ▶ This field is not applicable when the Settlement Indicator field is sent with the value of '3'.
- ▶ If sent in the original transaction, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail, Void/FullReversal, etc). The value must be the same as that submitted in the original transaction.

3.1.50 Merchant Country of Origin

Description

This field identifies the merchant country of origin. This field is required to be sent for transactions conducted by government-controlled merchants (e.g. embassies) whether the home country / country of origin is the same or different from the country in which the merchant is located or the transaction occurs.

For example, embassies are physically located in countries that are not their "home country" (that is, the embassy of US may be physically located in India however the "home country" or "country of origin" is US).

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

MerchCtryOfOrigin

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

3

Format

None

Value Set

The values for this field are contained in Appendix A – Country Codes.

Rules

The following field rules are defined:

- ▶ This field can only be sent when the Card Type is 'MasterCard' or 'MaestroInt'.

- ▶ This field is mandatory and must only be sent for transactions conducted by government-controlled merchants (e.g. embassies) whether the home country / country of origin is the same or different from the country in which the merchant is located or the transaction occurs.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.). The value must be the same as that submitted in the original transaction.

3.1.51 Universal Unique Identifier

Description

This field contains a unique identifier generated by Fiserv internal systems that uniquely identifies a transaction throughout the entire Fiserv infrastructure.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

UUID

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

41

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable in transactions which contain the Card Type field with the value of 'Comdata'.
- ▶ If present in the original authorization response, this field must be sent in all subsequent transactions. The value must be the same as that returned in the original authorization response.

3.1.52 Plan Registration System Identifier

Description

This field will contain the value to identify installment payments via Installment Solution Service.

XML Tag Name

PlanRegSysId

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

10

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be sent in a transaction only when the Card Type is 'Visa'.
- ▶ If present in the original transaction request message, this field must be sent in subsequent transactions (e.g. Completion, Void/FullReversal, etc). The value must be the same as sent in the original transaction request message.

3.1.53 Agreement ID

Description

This field will contain a value used to identify when a merchant is eligible for the preferred Commercial Choice interchange rates.

XML Tag Name

AgreementID

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

4

Format

For Examples: A023, A045

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in a response message only when the Card Type is 'Visa'.
- ▶ If present in the original transaction response message, this field must be sent in subsequent transactions (e.g. Completion, Void/FullReversal, etc). The value must be the same as returned in the original transaction response message.

3.1.54 Delayed Charge Indicator

Description

This field indicates the transaction included a delayed charge.
e.g. DMV /State parks processing a service fee using the DPAN from previous auth.

XML Tag Name

DelChargeInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

7

Format

None

Value Set

The following value is defined for this field:

- ▶ DelChrg – Delayed Charges

Rules

The following field rules are defined:

- ▶ This field can only be sent when the Card Type is Discover, Diners or JCB, and the Transaction Initiation field contains value 'Merchant'.
- ▶ If present in the original transaction, this field must be sent in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value from original transaction.
- ▶ If this field is sent in a transaction, the Delayed Charge Indicator XML Tag: DelChrgInd, Program Indicator field with value '4' (Delayed Charge) or '2' (Assured Reservation No Show), Hotel No Show, Auto Rental No Show or No Show Indicator fields must not be present in the same transaction.

3.1.55 No Show Indicator

Description

This field indicates whether the customer showed up or not.

e.g. Airlines merchants where a merchant would be required to charge a No-Show to cardholder.

XML Tag Name

NoShowInd

Field Group

This field is contained within the COMMON Group.

Attribute Type

an

Length

6

Format

None

Value Set

The following value is defined for this field:

- ▶ NoShow – No Show

Rules

The following field rules are defined:

- ▶ This field can only be sent when the Card Type is Discover, Diners or JCB, and the Transaction Initiation field contains value 'Merchant'.
- ▶ If present in the original transaction, this field must be sent in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value from original transaction.
- ▶ If this field is sent in a transaction, the Auto Rental No Show, Hotel No Show, Program Indicator field with value '2' (Assured Reservation No Show) or '4' (Delayed Charge), Delayed Charge Indicator XML Tag: DelChrgInd or Delayed Charge Indicator XML Tag: DelChargeInd must not be present in the same transaction.

3.1.56 Merchant Payment Gateway ID

Description

This field identifies the registered Merchant Payment Gateway used by the merchant and is assigned to Merchant Payment Gateway service provider at the time of their registration with the association.

XML Tag Name

MerchPymtGtwyID

Field Group

This field is contained within the COMMON Group.

Attribute Type

N

Length

..11

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field can only be sent when the Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ If present in the original transaction, this field must be sent in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value from original transaction.

3.1.57 Alternate Network Transaction ID

Description

This field contains the transaction identifier that is assigned by a different card brand which can be sent in subsequent MIT transactions such as recurring, etc when there is a co-branded card switch.

XML Tag Name

AltNetTranID

Field Group

This field is contained within the COMMON Group.

Attribute Type

ans

Length

..15

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is applicable only when the Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ This field can be sent only on the scenario when there is a co-branded card switch e.g. from Visa to MasterCard, merchants can continue to send the Visa Transaction ID (15 bytes) within this field in subsequent MIT transactions such as recurring, installment, etc.
- ▶ When this field is sent in a transaction, the BankNet Data field must not be present in same transaction.
- ▶ This field must be submitted on subsequent transactions (e.g. Voids/Full Reversals, Completions, BatchSettleDetails, etc) with the same value as it was sent in the original transaction request message.

3.2 Card Group

Description

This group of fields provides data that is specific to the card being used in the transaction.

XML Group Tag Name

CardGrp

Rules

None

3.2.1 Account Number

Description

This field represents the account number of the card used in the transaction.

XML Tag Name

AcctNum

Field Group

This field is contained within the CARD Group.

Attribute Type

N

Length

..23

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be present if the Account Number is manually entered (POS Entry Mode = 01 or 79) except if the Card Type is SpeedPass.
- ▶ In a Funding transaction, this field represents the Account Number of the Sender.
- ▶ In a Payment transaction, this field represents the Account Number of the Receiver.

- ▶ This field will not be returned on transactions in which a token is returned.
- ▶ This field must not be present when the TransArmor Token field is present in the transaction.
- ▶ This field must not be present in check transactions.
- ▶ The Account Number will always be returned on Prepaid Closed Loop.
- ▶ This field must be sent on Prepaid Closed Loop transaction when the Track 2 Data field is not sent.
- ▶ This field must be sent on 'CancelDeferredAuth' transactions when TransArmor Multi-pay Token or Encryption Block is not sent.
- ▶ This field must be submitted in subsequent transactions (e.g. Completions and Voids/Full Reversals) with the same value that was sent in the XML Tag: AcctNum field from the original transaction request even when the merchant receives the Account Updater Card Number field XML Tag: AcctUpdCardNum in original transaction response.
Note: This rule has limited platform availability.
- ▶ For Completions, this field should always be populated, except in the following cases:
 - The Payment Type is Generic Prepaid, Private Label or Fleet
- ▶ For Voids/Full Reversals, this field should always be populated, except in the following cases:
 - The Payment Type is Generic Prepaid, Private Label or Fleet
 - The reversal was swiped, dipped, or waved with the Cardholder present
- ▶ If the transaction being submitted contains encrypted data in the TransArmor Encryption Block, this field will not be present.
- ▶ On subsequent SpeedPass transactions the Actual Account Number received in the original response must be sent in this field.
- ▶ For Paypal Transactions, this field must contain a 16-Digit Certification Number obtained independently by the Merchant.
- ▶ This field is required in an InternetActivation or DisableInternetUse request when the Stored Value Activation Type is 'P' or 'F'.
- ▶ This field is limited to 19 digits unless the Card Type is Sunoco or Valero.

3.2.2 Card Expiration Date

Description

This field represents the expiration date of the card used in the transaction.

XML Tag Name

CardExpiryDate

Field Group

This field is contained within the CARD Group.

Attribute Type

N

Length

6 or 8 depending on the absence or presence of “DD” part

Format

YYYYMMDD

Value Set

None

Rules

The following field rules are defined:

- ▶ The “DD” part of this field is optional except for Prepaid Closed Loop.
- ▶ This field must only be present if the card number is manually entered (POS Entry Mode = 01 or 79) except for TATokenRequest, Canadian Debit In-App / In-Browser transaction, Prepaid Closed Loop request, SpeedPass transactions, 3DES / AESDUKPT / VSP / VeriFone Encryption transactions, or RSA Encryption transactions where the expiration date of the card is included in the Encryption Block.
- ▶ This field must not be present when the RSA Encryption block includes the Card Expiration Date field.
- ▶ This field must not be present in check transactions.
- ▶ This field must not be sent in VSP and VeriFone Encryption Transactions.
- ▶ This field must not be present when the AESDUKPT Encryption block includes the Card Expiration Date field.

- ▶ This field is mandatory for Credit Refund transactions initiated with a payment token.
- ▶ This field must be submitted in subsequent transactions (e.g. Completions and Voids/Full Reversals) with the same value that was either sent in the XML Tag: CardExpiryDate field from the original transaction request, or that was received in XML Tag: TAEExpDate field from the original transaction response (for a TransArmor transaction) even when the merchant receives the Account Updater Expiration Date field XML Tag: AcctUpdExpDate in original transaction response.
Note: This rule has limited platform availability.
- ▶ If the Card Expiration Date field was submitted in the original authorization, then the Card Expiration Date field must also be submitted in any subsequent Timeout Reversal, or Void/Full Reversal requests.
- ▶ For Completions, this field should always be populated, except in the following cases:
 - The Payment Type is Private Label or Fleet
- ▶ This field is mandatory when the Program Identifier = Blackhawk.
- ▶ On subsequent SpeedPass transactions the Actual Expiration Date received in the original response must be sent in this field.
- ▶ This field must not be sent when the Card Type is Paypal.
- ▶ This field is optional when the transaction includes the Money Transfer Processing Indicator field with the value of Payment.
- ▶ This field must be sent when Encryption Target is 'PAN', and Encryption Type is either 'RSA' or 'AESDUKPT'.
- ▶ For all authorizations, merchants must send a value even for expired cards.

3.2.3 Card Type

Description

This field represents an identifier used to indicate the card type.

XML Tag Name

CardType

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined for this field:

Payment Type	Card Type	Description
Credit	Amex	American Express
	Diners	Diners
	Discover	Discover
	JCB	JCB
	MaestroInt	Maestro International
	MasterCard	MasterCard
	Visa	Visa
Prepaid	UnionPay	Union Pay
	PPayCL	Prepaid Closed Loop
	GiftCard	Gift Card

PvtLabl	Exxon	Exxon/Mobil Proprietary
	SpeedPass	SpeedPass
	CarCareOne	Car Care One
	Shell	Shell
	ValeroUCC	Valero UCC
	GenProp	Generic Proprietary
	Gulf	Sohio/Gulf
	Sinclair	Sinclair
	Sunoco	Sunoco
	CostPlus	Cost Plus
	Dicks	Dick's Sporting Goods
	Mexican	Mexican Local Unbranded Cards
Fleet	BPBusiness	BP Business
	EssoFleet	Esso Fleet
	ExxonFleet	Exxon Fleet
	FleetCor	FleetCor/Fuelman/Gascard
	FleetOne	Fleet One
	MCFleet	MasterCard Fleet
	ValeroFlt	Valero Fleet
	VisaFleet	Visa Fleet
	Voyager	Voyager
	Wex	Wright Express
	Comdata	Comdata
Alternate CNP	Paypal	Paypal

Rules

The following field rules are defined:

- ▶ Card Type is mandatory when Payment Type is Fleet or Prepaid.
- ▶ Card Type is mandatory when Payment Type is PvtLbl, except when the Card Type is Dicks or CostPlus in which case the Card Type is optional.
- ▶ This field is mandatory for all Card Types in a TransArmor Transaction except TAToken Request transactions when the Payment Type is Credit.
- ▶ Card Type is mandatory when Payment Type is Credit and POS Condition Code equals = 04, 08, or 59 (Ecommerce or MOTO).
- ▶ If the Program Identifier is InComm, Solspark, Blackhawk or NetSpend; the Card Type must be GiftCard.
- ▶ The Card Type will be returned when the host changes the card type.
- ▶ The Card Type may be returned in the response message when it was included in the request message.
- ▶ If the Card Type was changed by the host any subsequent transactions must be sent with the new Card Type.
- ▶ The Card Type is mandatory when the Payment Type is Alternate CNP.
- ▶ The value of MaestroInt is only permitted when the Settlement Indicator value is 3 and the POS Condition Code is 59, or when the Non US Merchant field is present in the transaction with the value of Europe.
- ▶ The Card Type Field must be sent when the value of the Funding Source is "Debit" or "Prepaid". The Funding Source field must be linked to a Visa or MasterCard Debit or Prepaid account. Please refer to the Fiserv Global BIN file to obtain the eligible BIN ranges.
- ▶ When the Payment Type is Credit, the Card Types Diners, Discover and JCB are not permitted in a transaction that includes the Non US Merchant field with a value of Mexican.
- ▶ When the Card Type value is 'Mexican', the Non US Merchant field with the value of 'Mexican' must also be present in the transaction.
- ▶ When the Payment Type is Credit and Non US Merchant field contains the value Europe, the following Transaction Types are supported: Authorization, Completion, Sale, Verification, Refund and BalanceInquiry.
- ▶ When the Payment Type is Credit and Non US Merchant field contains the value 'APAC', the following Transaction Types are supported: Authorization, Completion, Sale, Refund and BalanceInquiry.
- ▶ When the Non US Merchant field is present in a transaction with the value of 'Europe', only the following Card Types are allowed: Visa, MasterCard, MaestroInt, JCB, Diners and UnionPay.
- ▶ When the Non US Merchant field is present in a transaction with the value of 'APAC', only the following Card Types are allowed: Visa, MasterCard, JCB, Diners and UnionPay.

- ▶ When the Payment Type is 'Credit', Card Type is 'UnionPay' and the Non US Merchant field is present with the value of 'Canadian', 'Europe' or 'APAC', the following Transaction Types are supported: Authorization, Completion, Sale and Refund.
- ▶ When the Payment Type is 'Credit', Card Type is 'UnionPay' and the Non US Merchant field is not present, the following Transaction Types are supported: Authorization, Completion, Sale and Refund.
- ▶ If the Non US Merchant field is present in the transaction, this field with the value of 'UnionPay' is only applicable when the Non US Merchant field is present with the value of 'Canadian', 'Europe' or 'APAC'.
- ▶ When the Card Type is 'PPayCL' and Non US Merchant field contains the value 'Mexican', the following Transaction Types are supported: Activation, Load, Redemption, RedemptionUnlock, Reload, BalanceInquiry, BalanceLock, Cashout, CashoutActiveStatus and Refund.
- ▶ When the Card Type is 'Comdata', the following transaction types are permitted: Authorization, Completion, Sale and Verification.

3.2.4 AVS Result Code

Description

The result of checking the cardholder's postal code and any additional address information provided against the Issuer's system of record.

XML Tag Name

AVSResultCode

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

If CARD Group.Card Type = Visa

- ▶ A – Street address matches, postal code does not match
- ▶ N – No match; neither the street addresses nor the postal codes match
- ▶ R – Retry, system unavailable to process
- ▶ U – AVS unable to verify
- ▶ Y – Both postal code and address match
- ▶ Z – Postal code matches, Street address does not match or Street address not included in request

If CARD Group.Card Type = MasterCard or MaestroInt

- ▶ A – Street address matches, postal code does not match
- ▶ N – No match; neither the street addresses nor the postal codes match
- ▶ R – Retry, system unavailable to process
- ▶ S – Service not supported
- ▶ U – Address information is unavailable
- ▶ W – U.S. – Street Address does not match, nine digit postal code matches; For address outside the U.S., postal code matches, address does not
- ▶ X – Exact: U.S. – Address and 9-digit postal code match; For address outside the U.S., postal code matches, address matches
- ▶ Y – Yes: Address and 5-digit postal code match for US address
- ▶ Z – Five digit postal code matches, address does not match

If CARD Group.Card Type = Amex

- ▶ A – Street address matches, postal code does not match
- ▶ N – No match; neither the street addresses nor the postal code matches
- ▶ R – Retry, system unavailable to process
- ▶ S – Service not supported
- ▶ U – Address information is unavailable
- ▶ Y – Both postal code and address match

- ▶ Z – Nine or five digit postal code matches, address does not match
- ▶ L – Card member Name and Billing Postal Code match
- ▶ M – Card member Name, Billing Address and Postal Code match
- ▶ O – Card member Name and Billing Address match
- ▶ K – Card member Name matches
- ▶ D – Card member Name incorrect, Billing Postal Code matches
- ▶ E – Card member Name incorrect, Billing Address and Postal Code match
- ▶ F – Card member Name incorrect, Billing Address matches
- ▶ W – No, Card member Name, Billing Address and Postal Code are all incorrect

If CARD Group.Card Type = Discover or JCB

- ▶ A – Street address and matches, postal code does not match
- ▶ G – Address information not verified for international transaction
- ▶ N – No match; neither the street addresses nor the postal code matches
- ▶ R – Retry, system unable to process
- ▶ S – Service not supported
- ▶ U – No data received from Issuer
- ▶ W – Nine digit postal code matches, address does not match
- ▶ X – All digits match (nine digit zip code)
- ▶ Y – Both address, and five digit postal code match
- ▶ Z – Five digit postal code matches, address does not match

If RESPONSE Group.Authorizing Network ID = '69' (ACCEL)

- ▶ A – Address matches, but postal code does not match
- ▶ N – Neither the address or the postal code match
- ▶ S – AVS is currently not supported (Debit Mastercard only)
- ▶ W – 9-digit postal code matches, but address does (Debit Mastercard only) not match
- ▶ X – Address and 9-digit postal code match (Debit Mastercard only)
- ▶ Y – Address and 5-digit postal code match
- ▶ Z – 5-digit postal code matches, but address does not match

If RESPONSE Group.Authorizing Network ID = '06' (PULSE)

- ▶ 0 – AVS not performed yet or not requested (Visa and MasterCard only)
- ▶ A – Address matches, postal code does not match
- ▶ E – Error, ineligible transaction
- ▶ N – Neither address nor postal code matches
- ▶ R – Retry, system unavailable or timed out
- ▶ S – AVS not supported at this time
- ▶ U – No data from Issuer
- ▶ W – Nine-digit postal code matches, address does not match
- ▶ X – Address and nine-digit postal code match
- ▶ Y – Address and five-digit postal code match
- ▶ Z – Five-digit postal code matches, address does not match

If RESPONSE Group.Authorizing Network ID = '28' (NYCE)

- ▶ 0 – NYCE stands in for an issuer or otherwise does not receive a specific code in response from an issuer
- ▶ A – Address matches, postal code does not match
- ▶ N – Nothing matches
- ▶ R – Retry, system unable to process
- ▶ S – Address verification not supported
- ▶ U – No data from Issuer
- ▶ W – 9 digit postal code matches, address does not match
- ▶ X – 9 digit postal code and address match
- ▶ Y – 5 digit postal code match
- ▶ Z – 5 digit postal code matches, address does not match

If RESPONSE Group.Authorizing Network ID = '17' (STAR NorthEast)

- ▶ A – Address matches, postal code does not match
- ▶ E – Error on request
- ▶ N – Neither address nor postal code match
- ▶ R – Retry, System unavailable or timed out
- ▶ S – AVS service is not supported

- ▶ U – Unavailable, unable to perform address verification
- ▶ W – Nine-digit postal code matches, address does not match
- ▶ X – Exact match on address and nine-digit postal code
- ▶ Y – Address and five-digit postal code sufficiently match
- ▶ Z – Match on five-digit ZIP, but not address

If RESPONSE Group.Authorizing Network ID = '07' or '23' (STAR SouthEast or STAR West)

- ▶ A – Address matches, postal code does not match
- ▶ E - Err, ineligible tran, or content error
- ▶ N – Address and postal code do not match
- ▶ R – System unavailable or timed out
- ▶ S – Issuer does not support AVS
- ▶ U – Address information unavailable
- ▶ W – Nine-digit postal code matches, address does not match
- ▶ X – Address and nine-digit postal code match
- ▶ Y – Address and five-digit postal code match
- ▶ Z – Five-digit postal code matches, but address does not match

Rules

The following field rules are defined:

- ▶ This field may be returned on any transaction in which Customer address information is provided except when the Card Type is PPayCL.
- ▶ If the transaction is a Completion transaction and address verification was processed on the original Authorization, the AVS Result Code must be present in the Completion message.
- ▶ If the transaction is a BatchSettleDetail transaction and address verification was processed on the original Authorization, the AVS Result Code must be present in the BatchSettleDetail message.

3.2.5 CCV Indicator

Description

This field contains an identifier provided in the authorization request to indicate the presence or absence of CCV data on the card.

XML Tag Name

CCVInd

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

..12

Format

None

Value Set

The following values are defined for this field:

- ▶ Ntprvd – CCV value is deliberately bypassed or not provided
- ▶ Prvded – CCV value is present
- ▶ Illegible – CCV value is on the card but is illegible
- ▶ NtOnCrd – No CCV value on card

Rules

The following field rules are defined:

- ▶ If the CCV data is sent in the Onguard Encryption Block, do not send this field.
- ▶ This field can be sent on a Refund transaction only when the Refund Type field is present in the transaction.
- ▶ When the Card Type is 'GenProp', this field is applicable only when the POS Condition Code field is present with the value of '59'.

Note: This rule has limited platform availability, please contact your Account Representative for more information.

3.2.6 CCV Data

Description

CVV2, DTVV, CVC2, CID, CAV2 and CVN2 (referred to in Rapid Connect as CCV Data) are, Visa, MasterCard, MaestroInt, American Express, Discover, JCB and UnionPay card verification tools designed to reduce fraud losses primarily on transactions when the card is not present. With the exception of American Express, this is a three character value printed on the back of the card in the signature panel, after the card number. For American Express, it is a four character value printed on the face of the card.

XML Tag Name

CCVData

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

3 or 4

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is submitted when requesting CCV verification.
- ▶ When this field is present in the transaction, the CCV Indicator field must also be present in the transaction with the value of 'Prvded'.
- ▶ If the CCV data is sent in the Onguard Encryption Block, do not send this field.
- ▶ This field can be sent on a Refund transaction only when the Refund Type field is present in the transaction.
- ▶ When the Card Type is 'GenProp', this field is applicable only when the POS Condition Code field is present with the value of '59'.

Note: This rule has limited platform availability, please contact your Account Representative for more information.

3.2.7 CCV Result Code

Description

This field is used to indicate the result code of the CCV verification.

XML Tag Name

CCVResultCode

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

..6

Format

None

Value Set

The following values are defined:

- ▶ Match – Values match
- ▶ NoMtch – Values do not match
- ▶ NotPrc – Not processed
- ▶ NotPrv – Value not provided
- ▶ NotPrt – Issuer not participating
- ▶ Unknwn – Unknown

Rules

The following field rules are defined:

- ▶ This field is present in response messages when CCV validation is attempted.
- ▶ If present in the Authorization Response, this field must be present in the Completion transaction.
- ▶ When the Card Type is 'GenProp', this field is applicable only when the POS Condition Code field is present with the value of '59'.

Note: This rule has limited platform availability, please contact your Account Representative for more information.

3.2.8 MVV MAID

Description

The field contains a Visa assigned Merchant Verification Value (MVV) or a MasterCard Assigned ID (MAID). The MVV and MAID are critical to accurately process transactions for merchants that have been assigned a MVV or MAID. This MVV/MAID field must be sent by Payment Service Providers (PSP) or Payment Facilitators where the sponsored merchant record resides at the PSP or Payment Facilitator, has an MVV or MAID assigned, and is not on a Fiserv system.

XML Tag Name

MVVMAID

Field Group

This field is contained within the CARD Group.

Attribute Type

N

Length

..10

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be sent by a PSP or Payment Facilitator that has an assigned MVV or MAID value for a sponsored merchant on Visa, MasterCard or MaestroInt transactions only.
- ▶ This field must be sent on a transaction when the Card Type is 'Visa' and the Digital Wallet Indicator field contains the value of 'Staged'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions.

3.2.9 Card Info Request indicator

Description

This field is used to request detailed information regarding the type of card being used. The requested information will be returned in the Card Info Response Group fields.

Note: This field has limited platform availability. Please contact Account representative.

XML Tag Name

InfoReqInd

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following value is defined for this field:

- ▶ Y – Card information is requested

Rules

The following field rules are defined:

- ▶ This field must only be sent when the Card Type is Visa, MasterCard, MaestroInt, Amex, Discover, JCB or Diners.
Note: 'MaestroInt' has limited platform availability.
- ▶ This field must only be sent when the Transaction Type is Authorization, Sale, Refund, BalanceInquiry, or Verification.

3.2.10 Funding Account Number

Description

This response only field represents the funding primary account number (FPAN) of the card used in the transaction.

XML Tag Name

FndAcctNum

Field Group

This field is contained within the CARD Group.

Attribute Type

N

Length

..23

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is applicable only when Card Type is 'Visa', 'MasterCard', 'Discover', 'JCB', or 'Diners'.
- ▶ This field is only applicable for the MCC's 4111, 4112 and 4131 for Visa.
- ▶ This field is only applicable for the MCC's 4111, 4131, 4784 and 7523 for MasterCard.
- ▶ This field is only applicable for the MCC's 4111, 4112 and 4131 for Discover (including JCB – US Domestic Only and Diners).

3.2.11 Payment Account Reference Request Indicator

Description

This field is used to request the Payment Account Reference (PAR).

XML Tag Name

PymtAcctRefReqInd

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes – Request Payment Account Reference (PAR)

Rules

The following field rule is defined:

- ▶ This field is only applicable for Visa, MasterCard, MaestroInt, Discover, Diners, JCB, AMEX, Interlink and Maestro transactions.

3.2.12 Payment Account Reference

Description

This field contains the Payment Account Reference (PAR) which is a unique identifier associated with a specific cardholder PAN.

XML Tag Name

PymtAcctRef

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

29

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field will only be returned in a transaction response when the transaction request contains the Payment Account Reference Request Indicator field.

3.2.13 ALM Service Code

Description

This field indicates the ALM program and service. ALM Service Code represents the Account Level Management service or combination of ALM services for which the PAN is actively registered.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

ALMSvcCode

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

5

Format

For Examples:

01323 (AFFLUENT SHORTFALL WORLD ELITE MASTERCARD)

00000 (ALM SERVICE UNAVAILABLE IN AUTHORIZATION)

00126 (PAN NOT REGISTERED FOR ALM, BUT ISSUERS ACCOUNT RANGE IS ACTIVE)

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in a transaction response only when the Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ If present in the original transaction response message, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail). The value must be the same as returned in the original transaction response message.

3.2.14 ALM Product Code

Description

This field contains the licensed graduated product code or the registered product code for those transactions identified with a PAN registered and qualifying for Product Graduation Plus or Consumer Product Monitoring Service, or a combination of Account Level Management Services.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

ALMProdCode

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

3

Format

For Examples:

DPL (Digital Platinum Mastercard Card)

XXX (PAN is not registered in Product Graduation Plus or Consumer Product Monitoring Service)

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in a transaction response only when the Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ If present in the original transaction response message, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail). The value must be the same as returned in the original transaction response message.

3.2.15 ALM Product Class

Description

This field indicates the Product Class Override for the applicable ALM Service.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

ALMProdClass

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

3

Format

For Examples:

MAC (CORPORATE WORLD ELITE)

XXX (Product Class Override does not apply, or has not been configured for the ALM Service Code)

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in a transaction response only when the Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ If present in the original transaction response message, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail). The value must be the same as returned in the original transaction response message.

3.2.16 ALM Rate Type

Description

This field indicates the Rate Type number for the applicable ALM Service.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

ALMRateType

Field Group

This field is contained within the CARD Group.

Attribute Type

an

Length

3

Format

For Examples:

811 (Core Business to Level 1 Adjustment)

XXX (Rate Type does not apply, or has not been configured for the ALM Service Code)

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in a transaction response only when the Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ If present in the original transaction response message, this field must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail). The value must be the same as returned in the original transaction response message.

3.3 Additional Amounts Group

Description

This section contains repeatable fields which may occur up to a maximum of six times in a single transaction, except for EBT transaction types which may occur up to a maximum of twelve times. For each set of amount information that needs to be passed, a group of Additional Amount, Additional Amount Currency, and Additional Amount Type must be present. In Responses, Additional Amount Account Type information may also be present.

XML Group Tag Name

AddtlAmtGrp

Rules

The following Group rule is defined:

- ▶ The Additional Amounts group will always be returned if balance information is available.

3.3.1 Additional Amount

Description

This field represents the value for a single additional amount instance.

XML Tag Name

AddAmt

Field Group

This field is contained within the ADDITIONAL AMOUNTS Group.

Attribute Type

ans

Length

..13 (12 digits for numbers with a conditional minus sign)

Format

The field may start with a “-” to indicate a negative amount. For more details, refer to the Amount Format section.

Value Set

None

Rules

The following field rules are defined:

- ▶ Multiple Additional Amounts may be contained within a single request or response message.
- ▶ For each Additional Amount field that is present the corresponding Additional Amount Currency and Additional Amount Type fields will also be present.

- ▶ The field must have the correct number of implied decimal places as identified by the Transaction Currency.

3.3.2 Additional Amount Currency

Description

This field represents the numeric currency of the Additional Amount in the transaction.

XML Tag Name

AddAmtCrncy

Field Group

This field is contained within the ADDITIONAL AMOUNTS Group.

Attribute Type

N

Length

3

Format

None

Value Set

The values for this field are contained in Appendix A – Currency Codes.

Rules

The following field rules are defined:

- ▶ Multiple Additional Amounts may be contained within a single request or response message.
- ▶ If the Additional Amount field is present then this field must also be present.

3.3.3 Additional Amount Type

Description

This field represents the type of Additional Amount in the transaction.

XML Tag Name

AddAmtType

Field Group

This field is contained within the ADDITIONAL AMOUNTS Group.

Attribute Type

an

Length

..12

Format

None

Value Set

The following values are defined:

Request Values

- ▶ Cashback – Cashback – Debit, EBT/Cash, or Credit – the amount of cash requested by the cardholder at the time of purchase
- ▶ Surchrgr – Surcharge – identifies the transaction’s surcharge amount
- ▶ Hltcare – Healthcare (Visa/MC Only) – qualified medical expenses
- ▶ Transit – Transit (Visa Only)
- ▶ RX – RX (Visa/MC Only) – sub-total of prescription
- ▶ Vision – Vision (Visa Only) – sub-total of vision/optical charge
- ▶ Clinical – Clinical (Visa Only) – sub-total of clinical charge
- ▶ Copay – Copay (Visa/MC Only) – sub-total of co-payment charge
- ▶ Dental – Dental (Visa Only) – sub-total of dental charge
- ▶ FirstAuthAmt – First Authorized Amount – the amount that was originally authorized.
- ▶ PreAuthAmt – Pre-Authorized Amount (EBT) – the amount that was pre-authorized.
- ▶ TotalAuthAmt – Total Authorized Amount – the total transaction amount that was authorized including incremental authorizations and Partial Reversals.
- ▶ Tax – Tax Amount– optional sales tax amount included in a transaction. This value is not to be used in lieu of the Purchase Card Tax amount xml tag name “TaxAmt”.
- ▶ Fee – Fee Amount – (Debit, EBT, and ECA)

- ▶ Fuel – Fuel Amount
- ▶ Service – Automotive Service Center Charges
- ▶ eWICDiscount – eWIC Discount – discount or coupon
- ▶ IncElig – F&V (Fruits & Vegetables) Healthy food purchase amount for which Incentive is eligible
- ▶ TranFee – Merchant Surcharge (Processing fee associated with Credit Visa, MasterCard, Discover and Amex)
Note: The value 'TranFee' has limited platform availability. For more information, please contact your Account Representative.
 Please refer to [Merchant Surcharge](#) in the Rules and Glossary section for additional information. Failure to do this will cause all credit card transactions with the surcharge amount field populated to be declined.
- ▶ Tip – Tip Amount
Note: The value 'Tip' has limited platform availability. For more information, please contact your Account Representative.
 This value is reflected in downstream reporting systems and has no compliance regulations tied to it. This applies to QSR industry only.

Response Values

- ▶ BegBal – Beginning Balance – The balance before the transaction was applied, in the currency noted in the ADDITIONAL AMOUNTS Group.Additional Amounts Currency field. This value could be returned on EBT and Prepaid Closed Loop transactions only.
- ▶ EndingBal – Ending Balance – The balance after the approved transaction amount was applied, in the currency noted in the ADDITIONAL AMOUNTS Group.Additional Amounts Currency field. This value can be returned on EBT, Prepaid Closed Loop and Gift Card transactions only.
- ▶ AvailBal – Available Balance – Current available balance. Typically, this amount is the balance less outstanding authorizations (since depository institutions also include pending deposits and the credit or overdraft line associated with the account). The available balance may be returned on Credit, Debit, EBT, Open Loop Gift Card, or Gift Card transactions. This amount is the Card Holders open to buy.
- ▶ LedgerBal – Ledger Balance – The “posted” balance for a deposit account.
- ▶ Cashback – Cashback – For Prepaid Closed Loop “Cashback” refers to payout from the POS to the cardholder as a result of the balance falling below the minimum. Functionality is based on promo set-up. For Credit and Debit transactions, this is the amount that was provided to the cardholder, in cash.
- ▶ HoldBal – Hold Balance – The value on the card that is locked due to a previous Balance Lock transaction. This value can be returned on Prepaid Closed Loop only.
- ▶ Surchrg – Surcharge – The transaction’s surcharge amount in the local currency of the Acquirer or the merchant’s location.
- ▶ OrigReqAmt – Original Requested Amount – the amount that was originally requested.

- ▶ PreAuthAmt – Pre-Authorized Amount (EBT) – the amount that was pre-authorized.
- ▶ OpenToBuy – Open-to-buy (Credit Card)
- ▶ eWICDiscount – eWIC Discount – discount or coupon
- ▶ IncEarned – Incentive earned on this transaction for F&V (Fruits & Vegetables) Healthy food purchase
- ▶ IncEarnMonth – Total Incentive earned in the current month for F&V (Fruits & Vegetables) Healthy food purchase
- ▶ TranFee – Merchant Surcharge (Processing fee associated with Credit Visa, MasterCard, Discover and Amex)
Note: The value 'TranFee' has limited platform availability. For more information, please contact your Account Representative.
 Please refer to [Merchant Surcharge](#) in the Rules and Glossary section for additional information. Failure to do this will cause all credit card transactions with the surcharge amount field populated to be declined.

Rules

The following field rules are defined:

- ▶ Multiple Additional Amount Types may be contained within a single request or response message.
- ▶ If the Additional Amount field is present then this field must also be present.
- ▶ The FirstAuthAmt value must be submitted in Completion transactions and must contain the transaction amount that was initially authorized for the original transaction.
- ▶ For Discover transactions, the approved amount from the original transaction must be sent as the FirstAuthAmt in all subsequent incremental transactions.
- ▶ For Discover recurring or installment transactions, the approved amount from the original transaction must be sent as the FirstAuthAmt in all subsequent recurring or installment transactions in a given series.
Note: If the original amount is not available, the recent amount returned in this field must be sent in the subsequent recurring or installment transactions.
- ▶ For Discover transactions, the approved amount from the original transaction must be sent as the FirstAuthAmt in all subsequent re-authorization/partial shipment/re-submission/delayed charge/no show transactions.
- ▶ For Discover transactions, the approved amount from the original transaction must be sent as the FirstAuthAmt in all subsequent Unscheduled MIT (Merchant Initiated Transaction).
- ▶ The TotalAuthAmt amount must be submitted on Void messages except for Prepaid Closed Loop or when the Settlement Indicator value is 3.
- ▶ The TotalAuthAmt amount must be submitted in Completion and BatchSettleDetail transactions.
- ▶ The TotalAuthAmt amount must be submitted in a transaction that includes the Visa Group ACI field with the value of I.

- ▶ The TotalAuthAmt amount must be submitted in a transaction that includes the Discover ACI field with the value of 'I'.
- ▶ For Completion transactions the TotalAuthAmt must contain the transaction amount that was initially authorized for the original transaction.
- ▶ The OrigReqAmt may be returned on any transaction.
- ▶ The Cashback amount for Debit or EBTCash Void/Full reversals must match the original Debit or EBTCash Authorization request.
- ▶ For Discover transactions that contain the Additional Amount Type field with the value of Cashback, the transaction amount without the Cashback amount must be at least \$0.01. The maximum Cashback amount is \$100.00.
- ▶ The FirstAuthAmt and TotalAuthAmt are required on partial reversals in addition to the Transaction Amount (which contains the revised transaction amount after the partial reversal).
- ▶ When one or more of the Additional Amount Types of Clinical, Copay, Dental, RX, and Vision are present, then the Additional Amount Type of Hltcare must be present in the same message.
- ▶ If Cashback was approved in a Debit or EBT Authorization transaction that included a Settlement Indicator value of '2', the approved amount must be included in the subsequent BatchSettleDetail message.
- ▶ When the Settlement Indicator Value is 3, the only values permitted in this field in a request message are Surchrg and FirstAuthAmt.
- ▶ When the Additional Amount Type of Hltcare is present, the Market Specific Data Indicator (XML Tag MrktSpecificDataInd or MCMSDI) with the value of Healthcare must also be present in the same message.
- ▶ The Additional Amount Type of Fuel must be sent in any transaction when fuel is being purchased.
- ▶ The Additional Amount Type of Service must only be sent in any transaction when the Industry is Petroleum, and must be sent in any transaction that includes Service Center charges.
- ▶ The Additional Amount Type of eWICDiscount is only applicable when the EBType is eWIC.
- ▶ When a transaction containing the Non US Merchant field with the value of Europe and the Additional Amount Type field with the value of Cashback, the Transaction Amount without the Cashback amount must be at least the local currency equivalent of one U.S. Penny. The maximum Cashback amount is the local currency equivalent of one hundred U.S. dollars.
- ▶ If the value of 'TranFee' is sent in the original transaction, it must be sent in subsequent transactions (e.g. Completion, BatchSettleDetail, Void/Full Reversal, Partial Reversal).
- ▶ The value 'TranFee' is not applicable when the Settlement Indicator value is '3'.
- ▶ When the Payment Type is Fleet, the value of 'Cashback' is only applicable when the Card Type is 'Comdata'.
- ▶ When the Payment Type is Check, the value of 'Cashback' is only applicable when the Check Service Provider is 'TeleCheck' or 'TeleCheckECA'.

- ▶ The values 'IncElig', 'IncEarned' and 'IncEarnMonth' are applicable only when the EBT Type field was sent with the value of 'SNAP'.
- ▶ If the value 'IncElig' was sent in the original Sale transaction, it must be sent in subsequent Reversal transactions (e.g. Void/Full Reversal, Timeout Reversal).

Merchant Surcharge:

Surcharge Requirements:

A "Surcharge" is an additional fee that merchants add to relevant transactions as permitted by Card Organization Rules and applicable laws (together, "Applicable Laws"). Merchants must receive prior approval from Fiserv and certify for surcharging before assessing a Surcharge in production. Failure to do this will cause all credit card transactions with the surcharge amount field populated to be declined.

In order for merchants to support Surcharging the following terms and conditions apply:

Merchants must:

- **Contract**
 - Contact their Relationship Manager to set up Surcharging.
 - Merchants must sign Fiserv Surcharging contract or addendum.
- **Registration**
 - Merchants must contact Fiserv to be registered with the Card Brands for participation in the Surcharge program.
- **Disclosure Requirements**
 - The merchant is responsible for displaying clear and prominent disclosure of the Surcharge rate at the point-of-sale (POS) and point-of-entry (POE). The disclosure includes signs or postings, webpages, advertising materials, catalogs or menus, so cardholders know that a Surcharge applies when they pay for their purchase with a credit card.
 - The merchant must provide disclosures that are prominent and easily visible to customers.
 - The merchant must place disclosures prominently on websites and the information should appear at a minimum before proceeding to checkout, in addition to other webpages.
 - If a POS register is being used for the transaction the sign should be located near the register so customers would see it prior to initiating their purchase.
 - The merchant must also display another sign prominently near an entrance or other high-traffic part of the facility.
 - The Surcharge amount is calculated as a percentage of the transaction amount. Merchants must clearly disclose the amount of the Surcharge prior to processing the charge.

- **Receipt Requirements**

- On the cardholder receipt the Surcharge amount must be broken out as its own line item. The cardholder receipt must list the Surcharge amount and how that amount is added to the total amount of the transaction.
- Use the word "Surcharge" to describe the fee accurately to reflect the reason for the Surcharge. Describe it as a Surcharge being assessed for accepting relevant transactions as permitted by applicable laws.
- If the Surcharge amount is not returned in the transaction response message, the merchant must use the Surcharge amount sent in the transaction request message for receipt purposes.

- **Refunds**

- Merchants must return the Surcharge amount to cardholders on refund transactions. For full refunds the exact amount of the original transaction including any Surcharge amount collected on the original sale. For partial refunds the Surcharge amount must be prorated and refunded

- **Authorization / Settlement fields**

- Merchants must combine the full amount of items purchased and the surcharge fee in the Transaction Amount field in a single transaction. Merchants must send the Surcharge amount in the Additional Amount field. Merchants must also send the Additional Amount Type value of "TranFee" for all transactions that include a Surcharge.

- **Surcharge Rate**

- Must be the contractually agreed upon rate and must be applied to all eligible credit card transactions and all items in the sale. Merchants cannot selectively apply a Surcharge and cannot adjust the Surcharge rate.

- **Multiple POS / POE Solutions**

- Merchants must have all POS / POE solutions enabled for Surcharge functionality. For example if a merchant supports customer present transactions and also supports customer not present transactions (e.g. Ecommerce), both solutions will need to be enabled with surcharging functionality.

- **State / U.S. Territory Restrictions**

- Surcharging is currently not allowed for businesses located in prohibited states and the territory listed below.
Connecticut, Massachusetts, and Puerto Rico.
- Merchants cannot apply a Surcharge to any Card Not Present credit card transaction initiated by a cardholder whose billing address is in one of the prohibited states or territory listed below.
Connecticut, Massachusetts, and Puerto Rico.

- **Certification**

- Merchant solution(s) must be certified for surcharging, inclusive of all requirements identified in this specification to support the solution(s).

Merchants must NOT:

- **Surcharge on Debit**

- A Surcharge cannot be applied on debit (including Signature, PIN and PINless) or Prepaid card transactions. A Surcharge is only to be applied on credit transactions. (The Global BIN file should be used for consistent identification of Debit/Prepaid cards).
- A Surcharge cannot be applied on debit card transactions when the cardholder using a debit card chooses "Credit" on the POS terminal.

- **Improperly Disclosed Surcharge**

- A Surcharge cannot be characterized in a way that suggests it is not being imposed by the business itself (such as calling it "mandatory") or that it is being imposed solely to cover credit card costs.

Additional Third Party Vendor Requirements:

- Third parties coding to Surcharge requirements must have the ability to support both surcharging and non-surcharging merchants. For example, if a merchant is not eligible for Surcharging, the Additional Amount Type value of “TranFee” must not be sent as the transaction will be declined.
- Third party providers would need to configure Surcharge rate specific to each merchant (i.e., Merchant A Surcharge rate = 3.50%, Merchant B Surcharge rate = 3.25%).

State / U.S. Territory Restrictions:

- A Surcharge applies to U.S. merchants only.
- A Surcharge is not allowed for businesses located in prohibited states and territory listed below.
- If a merchant operates in multiple states or a territory where one state or territory prohibits Surcharging and one state allows it, the rules do not prevent the merchant to apply Surcharging in the state that allows it.
- Merchants cannot apply a Surcharge to any Card Not Present credit card transaction initiated by a cardholder whose billing address is in a prohibited state or territory.

Prohibited States and Territory:

- Connecticut
- Massachusetts
- Puerto Rico

Disclosure Requirements:

- On the cardholder receipt the Surcharge must be broken out as its own line item, showing a Surcharge amount and how that amount is added into the total cost of the purchase.
- Merchants must use the word “Surcharge” to describe the fee accurately reflect the reason for the Surcharge. Merchants must describe it as a Surcharge being assessed for accepting relevant transactions as permitted by applicable laws. The size of the font used for the surcharge amount and description of the surcharge cannot be smaller or less prominent than surrounding text.

Sample POS / POE disclosure:

- Merchants will be responsible to create their own signage that meets Surcharge requirements with card brand rules and any relevant state laws.
- Merchants must clearly and prominently display the Surcharge rate at the point-of-sale (POS) and point-of-entry (POE), and must disclose the Surcharge amount on every receipt as a separate line item. The below is suggested language based on card brand rules. Some states may have additional requirements. Merchants will be responsible to create their own signage that complies with Surcharge requirements by the card brand rules and any relevant state laws.

We impose a surcharge of 3.50% on the transaction amount when paying with a credit card, which is not greater than our cost of acceptance. We do not surcharge debit cards.

3.3.4 Additional Amount Account Type

Description

This field represents the additional amount account type returned in response messages.

XML Tag Name

AddAmtAcctType

Field Group

The field is contained within the ADDITIONAL AMOUNTS Group.

Attribute Type

an

Length

..15

Format

None

Value Set

The following values are defined:

- ▶ Unknown – Unknown
- ▶ Checking – Checking
- ▶ Credit – Credit
- ▶ CashBenefit – Cash Benefit
- ▶ SNAP – Food Benefit
- ▶ Prepaid – Prepaid
- ▶ Savings – Savings
- ▶ SpendingPower – Spending Power
- ▶ Universal – Universal

Rules

The following field rule is defined:

- ▶ For each instance of Additional Amount in the response message, this field will also be present.

3.3.5 Partial Authorization Approval Capability

Description

An identifier used to indicate whether or not the terminal/software can support partial authorization approvals. Partial Authorization support is generally required for all Merchants in card-present environments in order to accommodate cardholder accounts where limited funds may be available (e.g. Debit or Open Loop Prepaid cards). Additionally, Merchant Payment Facilitators (Aggregators) and MOTO Merchants are required to support Partial Authorization approvals. Ecommerce merchants have the option to support Partial Authorization approvals and are strongly encouraged to do so.

Note: If a Merchant sends the Partial Authorization Approval Capability indicator of (0), when required to use (1), they will receive higher fees, interchange downgrades or possibly both. For more information, please contact your Account Representative.

XML Tag Name

PartAuthrznApprvlCapabl

Field Group

This field is contained within the ADDITIONAL AMOUNTS Group.

Attribute Type

N

Length

1

Format

None

Value Set

The following values are defined:

- ▶ 0 – Not Supported
- ▶ 1 – Partial authorization approvals are supported

Rules

The following field rules are defined:

- ▶ For Prepaid Closed Loop Redemption and RedemptionUnlock transactions the value must be 1, except when the Non US Merchant field is present with the value of Mexican.

- ▶ This field must not be sent for the following scenarios:
 - When transactions contain the Dynamic Currency Conversion Group.
 - When the Money Transfer Processing Indicator field is present.
 - When the Card Type of 'UnionPay' is present in the transaction.
- ▶ This field with the value of 1 must not be sent in a transaction that includes the Non US Merchant field with the value of Mexican.

Chapter 4 : Alternate Merchant Name and Address Group

Revision History

Section	Change Log	Version	Date
1	Additional Compliance updates: Added the following fields: Merchant Service Location City, Merchant Service Location State, Merchant Service Location Postal Code and Merchant Service Location Country.	12.04.10	June 21, 2023
1	Spring 2023 Compliance updates: Changed the Description in the Merchant Name field from “MasterCard Installment-based Repayments” to “MasterCard Purchase Repayments”.	12.04.9	April 26, 2023
1	Added the following rule to the Merchant Address field: “This field is required to be a maximum length of 25 bytes for certain platforms. <u>Note:</u> For more information please contact your Account Representative.”	12.04.8	February 27, 2023
1	Changed the group rule from “This group must not be sent when <u>the Card Type is ‘UnionPay’ or</u> the merchant is setup through a Multi-Mid Payment Facilitator, except for the Merchant Country field which is mandatory when the Non US Merchant field is present in the transaction with the value of ‘Europe’ or ‘APAC’.” to “This group must not be sent when the merchant is setup through a Multi-Mid Payment Facilitator, except for the Merchant Country field which is mandatory when the Non US Merchant field is present in the transaction with the value of ‘Europe’ or ‘APAC’.”	12.04.7	February 22, 2023

1	Fall Compliance 2022 Updates: Added the following verbiage in the Format of the Merchant Name field: “For MasterCard Installment-based Repayments, the following information must be present in the format as follows: Installment Provider name followed by an asterisk (*) followed by the merchant name, e.g. “XYZ*A SMALL CO”. Optionally, merchant name can also be sent as per the below format: Installment Provider name followed by an asterisk (*) followed by the merchant name followed by the sequence number, e.g. “XYZ*A SMALL COPYMT 1 of 4.”	12.04.5	October 26, 2022
---	---	---------	------------------

Chapter Contents

1	Alternate Merchant Name and Address Group -----	4-3
---	---	-----

4.1 Alternate Merchant Name and Address Group

Description

These fields are optional with the exception of the Merchant Country field and supplied if the merchant desires to use given merchant information in the transaction instead of the information stored in the Fiserv Merchant Record. This group of fields has limited platform availability. For more information, please contact your Account Representative.

XML Group Tag Name

AltMerchNameAndAddrGrp

Rules

The following Group rule is defined:

- ▶ This group must not be sent when the merchant is setup through a Multi-Mid Payment Facilitator, except for the Merchant Country field which is mandatory when the Non US Merchant field is present in the transaction with the value of 'Europe' or 'APAC'.

4.1.1 Merchant Name

Description

This field contains the merchant name/product/service to be used in lieu of the DBA name on the Fiserv Merchant File.

XML Tag Name

MerchName

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

ans

Length

..38

Format

Upper case

For Visa and MasterCard non Payment Facilitators the DBA Name may be optionally be followed by an asterisk, and then additional information following the asterisk, such as product description, order number, reference number or other information that will further assist with cardholder recognition. In this case, the asterisk may only appear in position 5, 9 or 14.

For Discover, Visa, and MasterCard Single Merchant ID Payment Facilitators, the format is as follows:

The first 3 characters of this field are the abbreviated Payment Facilitator name followed by an asterisk (*) followed by the sub merchant name, e.g. "XYZ*A SMALL CO"

For Amex Single Merchant ID Payment Facilitators the format is as follows:

This field must only contain the sub merchant name, e.g. "A SMALL CO"

For MasterCard Purchase Repayments, the following information must be present in the format as follows:

Installment Provider name followed by an asterisk (*) followed by the merchant name, e.g. "XYZ*A SMALL CO".

Optionally, merchant name can also be sent as per the below format:

Installment Provider name followed by an asterisk (*) followed by the merchant name followed by the sequence number, e.g. "XYZ*A SMALL COPYMT 1 of 4"

Value Set

None

Rules

The following field rule is defined:

- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value should be the same as submitted in the original transaction.

4.1.2 Merchant Address

Description

This field contains the merchant address to be used in lieu of the merchant address on the Fiserv Merchant File.

XML Tag Name

MerchAddr

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

ans

Length

..30

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value should be the same as submitted in the original transaction.
 - ▶ This field is required to be a maximum length of 25 bytes for certain platforms.
- Note:** For more information please contact your Account Representative.

4.1.3 Merchant City

Description

This field contains the merchant city to be used in lieu of the city on the Fiserv Merchant File.

XML Tag Name

MerchCity

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

ans

Length

..20

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value should be the same as submitted in the original transaction.

4.1.4 Merchant State

Description

This field contains the merchant state code to be used in lieu of the state code on the Fiserv Merchant File.

XML Tag Name

MerchState

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

an

Length

2

Format

None

Value Set

The values for this field are contained in [Appendix A – State Codes](#).

Rules

The following field rules are defined:

- ▶ This field is optional and is supplied if the merchant desires a specific merchant state to be shown on the cardholder's statement other than the one loaded on the Fiserv Merchant File.
- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value should be the same as submitted in the original transaction.

4.1.5 Merchant County

Description

This field contains the merchant county to be used in lieu of the merchant county on the Fiserv Merchant File.

XML Tag Name

MerchCnty

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

an

Length

3

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value should be the same as submitted in the original transaction.

4.1.6 Merchant Postal Code

Description

This field contains the merchant postal code to be used in lieu of the merchant postal code on the Fiserv Merchant File.

XML Tag Name

MerchPostalCode

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

ans

Length

..9

Format

Only Alphanumeric and Spaces are allowed in this field.

Value Set

None

Rules

The following field rule is defined:

- ▶ If present in the original transaction, this field must be present in refunds and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value should be the same as submitted in the original transaction.

4.1.7 Merchant Country

Description

This field contains the merchant country code to be used in lieu of the merchant country code on the Fiserv Merchant File.

XML Tag Name

MerchCtry

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

N

Length

3

Format

None

Value Set

The values for this field are contained in Appendix A – Country Codes.

Rules

The following field rules are defined:

- ▶ When the Non US Merchant field is present in the transaction with the value of Europe or APAC, this field must also be present in the transaction.
- ▶ If present in the original transaction, this field must be present in refunds, and subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.). The value should be the same as submitted in the original transaction.

4.1.8 Merchant Email Address

Description

This field contains the Merchant contact email address.

XML Tag Name

MerchEmail

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

ans

Length

..40

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ For Visa and Discover transactions, the maximum length is 13 bytes.
- ▶ This field is limited to 19 digits unless the transaction includes the Settlement Indicator value of '3'.

4.1.9 Merchant Service Location City

Description

This field must contain the name of the city where the cardholder received the services.

For Ecomm or MOTO In-store pickup or In-store service transactions, this field must be sent with the city of the merchant store location where cardholder will pick up the item or receive the service.

XML Tag Name

MerchSvcLocCity

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

ans

Length

..20

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable for Card Type 'MasterCard' or 'MaestroInt' when Payment Type is 'Credit'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completions). The value should be the same as submitted in the original transaction.

4.1.10 Merchant Service Location State

Description

This field must contain the code of the country subdivision (state or province) where the cardholder received the services.

For Ecomm or MOTO In-store pickup or In-store service transactions, this field must be sent with the state/province code of the merchant store location where cardholder will pick up the item or receive the service.

XML Tag Name

MerchSvcLocState

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

an

Length

2

Format

None

Value Set

The values for this field are contained in Appendix A – State Codes.

Rules

The following field rules are defined:

- ▶ This field is only applicable for Card Type 'MasterCard' or 'MaestroInt' when Payment Type is 'Credit'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completions). The value should be the same as submitted in the original transaction.

4.1.11 Merchant Service Location Postal Code

Description

This field must contain the zip/postal code of the country where the cardholder received the services. For Ecomm or MOTO In-store pickup or In-store service transactions, this field must be sent with the zip/postal code of the merchant store location where cardholder will pick up the item or receive the service.

XML Tag Name

MerchSvcLocPostalCode

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

ans

Length

..9

Format

Only Alphanumeric and Spaces are allowed in this field.

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable for Card Type 'MasterCard' or 'MaestroInt' when Payment Type is 'Credit'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completions). The value should be the same as submitted in the original transaction.

4.1.12 Merchant Service Location Country

Description

This field must contain the country code where the cardholder received the services.

For Ecomm or MOTO In-store pickup or In-store service transactions, this field must be sent with the country code of the merchant store location where cardholder will pick up the item or receive the service.

XML Tag Name

MerchSvcLocCtry

Field Group

This field is contained within the ALTERNATE MERCHANT NAME AND ADDRESS Group.

Attribute Type

N

Length

3

Format

None

Value Set

The values for this field are contained in Appendix A – Country Codes.

Rules

The following field rules are defined:

- ▶ This field is only applicable for Card Type 'MasterCard' or 'MaestroInt' when Payment Type is 'Credit'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completions). The value should be the same as submitted in the original transaction.

Chapter 5 : Response Group

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the Routing Indicator field from “When this field is present in a Credit Authorization, Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is not present, the merchant must perform all subsequent transactions either as a DebitRequest message with the Transaction Amount that was approved in the response to the Credit Authorization request message, or as a Debit ReversalRequest message, except for card not present debit routed transactions.” to “When this field is present in a Credit Authorization, Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is not present, the merchant must perform all subsequent transactions either as a DebitRequest message with the Transaction Amount that was approved in the response to the Credit Authorization request message, or as a Debit ReversalRequest message, except for card not present debit routed transactions <u>and ‘UnionPay’ Canadian transactions.</u>” Changed the rule in the Routing Indicator field from “For ‘UnionPay’ Canadian transactions, when this field is present in a Credit Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator value of ‘1’ was present in the transaction request message, the merchant must perform subsequent reversal transactions as ‘Debit’.” to “For ‘UnionPay’ Canadian transactions, when this field is present in a Credit <u>Authorization</u>, Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator value of ‘1’ was present in the transaction request message, the merchant must perform subsequent reversal transactions as <u>‘Credit’.</u>”	12.04.10	June 21, 2023

1	Added the following rule to the Routing Indicator field: “For ‘UnionPay’ Canadian transactions, when this field is present in a Credit Authorization, Sale or Refund transaction response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator was not present in the transaction request message, the merchant must perform all subsequent transactions as ‘Credit’.”	12.04.10	June 21, 2023
1	Added the following rules to the Response Code field: “For MasterCard, merchants must also look at the Merchant Advice Code field (XML Tag: MerchAdviceCode) to decide on how to handle a declined transaction.”, and “For Visa, merchants must also look at the Category Code field (XML Tag: CategoryCode) to decide on how to handle a declined transaction.”	12.04.8	February 27, 2023
1	Changed the rule in the Routing Indicator field from “When this field is present in a Credit Authorization, Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is not present, the merchant must perform all subsequent transactions either as a DebitRequest message with the Transaction Amount that was approved in the response to the Credit Authorization request message, or as a Debit ReversalRequest message.” to “When this field is present in a Credit Authorization, Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is not present, the merchant must perform all subsequent transactions either as a DebitRequest message with the Transaction Amount that was approved in the response to the Credit Authorization request message, or as a Debit ReversalRequest message, <u>except for card not present debit routed transactions</u> .”	12.04.3	August 24, 2022

1	Changed the rule in the Routing Indicator field from “When this field is present in a Credit Authorization or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is present with the value of ‘2’, the merchant must perform all subsequent transactions as either a BatchSettleDetail transaction with the Settlement Transaction Type of either ‘1’ (Settlement of a previously approved Authorization) or ‘13’ (Refund Debit) with the Transaction Amount that was approved in the response to the Credit Authorization request message, or a Debit ReversalRequest message.” to “When this field is present in a Credit Authorization or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is present with the value of ‘2’, the merchant must perform all subsequent transactions as either a BatchSettleDetail transaction with the Settlement Transaction Type of either ‘1’ (Settlement of a previously approved Authorization) or ‘13’ (Refund Debit) with the Transaction Amount that was approved in the response to the Credit Authorization request message, or a Debit ReversalRequest message, <u>except for card not present debit routed transactions.</u>” Added the following rules to the Routing Indicator field: “For card not present debit routed transactions, when this field is present in a Credit Authorization, Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is not present, the merchant can opt to perform all subsequent transactions either as ‘Credit’ or ‘Debit’.”, “For card not present debit routed transactions, when this field is present in a Credit Authorization or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is present with the value of ‘2’, the merchant can opt to perform all subsequent reversal transactions either as ‘Credit’ or ‘Debit’.”, and “For ‘UnionPay’ Canadian transactions, when this field is present in a Credit Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator value of ‘1’ was present in the transaction request message, the merchant must perform subsequent reversal transactions as ‘Debit’.”	12.04.3	August 24, 2022
---	--	---------	-----------------

1	Added the “MasterCard Transaction Processing Excellence (TPE) program specific values” table in the Association Response Code field.	10.02.16	February 23, 2022
---	--	----------	-------------------

Chapter Contents

1	Response Group	5-5
---	----------------------	-----

5.1 Response Group

Description

Fields in this group may be returned in Response messages.

XML Group Tag Name

RespGrp

5.1.1 Response Code

Description

This field contains a value representing the status of the transaction.

Note: If the message format is not valid then a RejectResponse message may be returned containing Error Data.

XML Tag Name

RespCode

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

N

Length

3

Format

None

Value Set

The values for this field are contained in Appendix A – Response Codes.

Rules

The following field rules are defined:

- ▶ This field is present in responses to transactions that are successfully processed by Fiserv.
- ▶ For MasterCard, merchants must also look at the Merchant Advice Code field (XML Tag: MerchAdviceCode) to decide on how to handle a declined transaction.
- ▶ For Visa, merchants must also look at the Category Code field (XML Tag: CategoryCode) to decide on how to handle a declined transaction.

5.1.2 Authorization ID

Description

The value assigned by the authorizer and returned in the response to the authorization request.

XML Tag Name

AuthID

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

ans

Length

..8

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field is returned if the transaction was approved.
- ▶ **Note:** Only Alphanumeric and Spaces will be returned in this response field.

5.1.3 Response Date

Description

This field contains the date returned to the merchant in the authorization response message.

Note: It is possible that the value in this field may not be the same as the value submitted in either the Local Date and Time field or the Transmission Date and Time field of the original transaction.

XML Tag Name

ResponseDate

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

N

Length

6

Format

YYMMDD

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in the response to an authorization request.
- ▶ If a value is returned in the authorization response, the same value must be submitted on subsequent transactions (e.g. Voids/Full Reversals Messages, etc.) in the Original Response Date field of the ORIGINAL AUTHORIZATION Group.

5.1.4 Additional Response Data

Description

This field contains additional data that may be returned in an authorization response message. This field could contain values that describe items such as the reason for a decline, the field in error, etc.

XML Tag Name

AddtlRespData

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

ans

Length

..50

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field will be returned when data is available.

5.1.5 Settlement Date

Description

This field contains the date the transaction will be settled.

XML Tag Name

SttlmDate

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

N

Length

4

Format

MMDD

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned for debit transactions when available.
- ▶ This field may be returned in a Credit transaction response when available, only if the Routing Indicator field returned in the response message contains the value of 'D'.
- ▶ If a transaction is declined due to no response from the authorizer system the settlement date may be unavailable and will have a value of 0000.

5.1.6 Authorizing Network ID

Description

This field indicates the Network ID as returned by the host, when available.

XML Tag Name

AthNtwkID

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The values for this field are contained in Appendix A – Authorizing Network ID.

Rules

The following field rules are defined:

- ▶ This field may be present in the response message.
- ▶ If this field is returned in a transaction response, the value received in this field must be sent in the Original Authorizing Network ID field in subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.).

5.1.7 Authorizing Network Name

Description

This field indicates the Authorizing Network Name which should be printed on the cardholder's receipt.

XML Tag Name

AthNtwkNm

Field Group

This field is contained within the Response Group

Attribute Type

ans

Length

..10

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field will be returned when available.

5.1.8 Routing Indicator

Description

A response field used to indicate how the transaction was processed.

XML Tag Name

RtInd

Field Group

This field is contained within the Response Group

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ C – Processed as Credit
- ▶ D – Processed as Debit
- ▶ S – Processed as STAR Signature Debit

Rules

The following field rules are defined:

- ▶ This field will be returned on EMV transactions when routing was determined based on the contents of the EMV Data field when available.
- ▶ This field will be returned when the Network Access Indicator is present in the request message.
- ▶ When this field is present in a Credit Authorization, Sale or Refund response message with the value of 'D' (Processed as Debit) and the Settlement Indicator field is not present, the merchant must perform all subsequent transactions either as a DebitRequest message with the Transaction Amount that was approved in the response to the Credit Authorization request message, or as a Debit ReversalRequest message, except for card not present debit routed transactions and 'UnionPay' Canadian transactions.
- ▶ For card not present debit routed transactions, when this field is present in a Credit Authorization, Sale or Refund response message with the value of 'D' (Processed as Debit) and the Settlement Indicator field is not present, the merchant can opt to perform all subsequent transactions either as 'Credit' or 'Debit'.

- ▶ If this field is present with the response value of “D” (Processed as Debit) and the Settlement Indicator field with the value of “1” was also present in the Credit Authorization request message, the merchant must perform a Debit Settlement with the Transaction Amount that was approved in the response to the Credit Authorization transaction.
- ▶ For ‘UnionPay’ Canadian transactions, when this field is present in a Credit Authorization, Sale or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator value of ‘1’ was present in the transaction request message, the merchant must perform subsequent reversal transactions as ‘Credit’.
- ▶ For ‘UnionPay’ Canadian transactions, when this field is present in a Credit Authorization, Sale or Refund transaction response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator was not present in the transaction request message, the merchant must perform all subsequent transactions as ‘Credit’.
- ▶ When this field is present in a Credit Authorization or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is present with the value of ‘2’, the merchant must perform all subsequent transactions as either a BatchSettleDetail transaction with the Settlement Transaction Type of either ‘1’ (Settlement of a previously approved Authorization) or ‘13’ (Refund Debit) with the Transaction Amount that was approved in the response to the Credit Authorization request message, or a Debit ReversalRequest message, except for card not present debit routed transactions.
- ▶ For card not present debit routed transactions, when this field is present in a Credit Authorization or Refund response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is present with the value of ‘2’, the merchant can opt to perform all subsequent reversal transactions either as ‘Credit’ or ‘Debit’.
- ▶ When this field is present in a Credit Authorization response message with the value of ‘D’ (Processed as Debit) and the Settlement Indicator field is present with the value of ‘3’, the merchant must perform all subsequent transactions either in the Batch Settlement File, or as a Debit Void/Full Reversal message.

5.1.9 Signature Indicator

Description

A response field to indicate to the merchant to print a credit receipt which requires the cardholder's signature.

Note: If this field is not returned in the response message the POS device should use the logic it uses today to determine the signature requirement for the transaction.

XML Tag Name

SigInd

Field Group

This field is contained within the Response Group.

Attribute Type

N

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 1 – Cardholder signature recommended on merchant receipt
- ▶ 2 – Cardholder signature not recommended on merchant receipt

Rules

The following field rule is defined:

- ▶ This field will be returned when available.

5.1.10 Error Data

Description

A code and description returned in the response message that describes an error condition encountered when processing the transaction.

XML Tag Name

ErrorData

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

ans

Length

..255

Format

None

Value Set

The following values are defined for this field:

- ▶ EC000 – XML Validation Error: <text describing error>
- ▶ EC001 – Invalid Field Length: <field name>
- ▶ EC002 – Invalid Field Value: <field name>
- ▶ EC003 – Invalid Field Format: <field name>
- ▶ EC004 – Invalid Field Attribute: <field name>
- ▶ EC005 – Missing Mandatory Field: <field name>
- ▶ EC006 – Missing: <field name> related field to: <field name>
- ▶ EC007 – Invalid Field Value: <field name> related to: <field name>
- ▶ EC008 – Unexpected Field: <field name>
- ▶ EC009 – Unsupported Field: <field name>
- ▶ EC010 – Unexpected Message
- ▶ EC011 – Unsupported Message
- ▶ EC012 – Transaction larger than 14k
- ▶ RENnnn – <text describing Rules Engine error> e.g. RE0288 – ProdDesc is missing
- ▶ RXnnnn – <text describing Rules Engine error> e.g. RX001:RE unable to process transaction
- ▶ TCnnnn – <text describing Test Case error>

- ▶ TPnnnn – <text describing TPP ID error>

Rules

The following field rule is defined:

- ▶ This field will only be returned if the transaction could not be processed successfully.

Note: In addition to the Error Codes listed above, the following could be returned on a transaction that failed validation:

```
<GMF xmlns="..." xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance">
```

```
<RejectResponse>
```

```
RespGrp>
```

```
<ErrorData>... </ErrorData>
```

```
</RespGrp>
```

```
<![CDATA[...Original UMF Request transaction might be present]]></RejectResponse></GMF>
```

5.1.11 Debit Trace Number

Description

This field contains a number returned from a debit network that identifies a PINLess Debit Authorization transaction, or an Ecommerce Credit transaction that received the Routing Indicator field value of 'D' in the response.

XML Tag Name

DebitTraceNum

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

an

Length

..8

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field may be returned when the Payment Type is Credit, Debit or PLDebit.

5.1.12 Settlement Transaction Type

Description

This field contains transaction specific data that may be returned in response messages for merchants that send Settlement Indicator value of 3.

XML Tag Name

SettlementTxnType

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

an

Length

1

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned only when the Settlement Indicator value is 3.
- ▶ The value returned in this field must be sent in the Transaction Type field in the 'S' record in any related transaction in a Compass Batch Specification file.

5.1.13 Association Response Code

Description

This field indicates the actual response code returned by the association. For more information, please refer to the Association specifications.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

AssocRespCode

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

an

Length

..3

Format

None

Value Set

For values see Appendix A – Association Response Codes.

Rules

The following field rules are defined:

- ▶ This field will only be returned when the Payment Type is 'Credit' and the Card Info Request Indicator is present in the transaction request, except when the transaction request includes the Settlement Indicator field with the value of '3' where the Card Info Request Indicator field is not required to receive this field in response.
- ▶ This field will be returned when available.

MasterCard Transaction Processing Excellence (TPE) program specific values:

AssocRespCode	MerchAdviceCode	Meaning
79	01	Expired Card /Account Upgrade /Portfolio Sale/Conversion - New account information available
82	01	Expired Card /Account Upgrade /Portfolio Sale/Conversion - New account information available
79	03	Account Closed Fraudulent - Do not retry
82	03	Account Closed Fraudulent - Do not retry
83	01	Expired Card /Account Upgrade /Portfolio Sale/Conversion - Retry with 3DS
83	03	Account Closed Fraudulent - Fraud do not retry
79	02	Over Credit Limit. Insufficient Funds - Retry Later
82	02	Over Credit Limit. Insufficient Funds - Retry Later
83	02	Over Credit Limit. Insufficient Funds - Retry Later

5.1.14 Category Code

Description

This field indicates the category code of a declined response code.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

CategoryCode

Field Group

This field is contained within the RESPONSE Group.

Attribute Type

N

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 1 – Issuer never approves
- ▶ 2 – Issuer cannot approve at this time
- ▶ 3 – Data quality/revalidate payment information

Rules

The following field rule is defined:

- ▶ This field may be returned in a response message only when the Card Type is 'Visa'.

Chapter 6 : Card Info Response Group

Revision History

Section	Change Log	Version	Date
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019
1	Changed the Format of the Issuing Bank field from “an” to “ans”.	7.10.29	October 23, 2018

Chapter Contents

1	Card Info Response Group -----	6-2
-		

6.1 Card Info Response Group

Description

The fields in this group are returned in the response when the Card Info Request Indicator field is present in the request. This group of fields has limited platform availability. For more information, please contact your Account Representative.

XML Group Tag Name

CardInfoRespGrp

6.1.1 Issuing Bank

Description

This field contains the name of the bank that issued the card.

XML Tag Name

IssBank

Field Group

This field is contained within the CARD INFO RESPONSE Group.

Attribute Type

ans

Length

60

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field may be returned in a response message only when the authorization request included the Card Info Request Indicator field.

6.1.2 Issuing Country Code

Description

This field contains the country code of the bank that issued the card.

XML Tag Name

IssCtryCode

Field Group

This field is contained within the CARD INFO RESPONSE Group.

Attribute Type

an

Length

3

Format

None

Value Set

For values see Appendix A – Country Codes

Rules

The following field rule is defined:

- ▶ This field may be returned in a response message only when the authorization request included the Card Info Request Indicator field.

6.1.3 Card Brand

Description

This field indicates the brand of the card used in the transaction.

XML Tag Name

CardBrnd

Field Group

This field is contained within the CARD INFO RESPONSE Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ A – Amex
- ▶ D – Discover
- ▶ M – MasterCard
- ▶ V – Visa

Rules

The following field rule is defined:

- ▶ This field may be returned in a response message only when the authorization request included the Card Info Request Indicator field.

6.1.4 Card Indicator

Description

This field indicates the type of card used in the transaction.

XML Tag Name

CardInd

Field Group

This field is contained within the CARD INFO RESPONSE Group.

Attribute Type

an

Length

2

Format

None

Value Set

The following values are defined for this field:

- ▶ P - Debit - PIN Only without EBT
- ▶ E - Debit - PIN Only with EBT
- ▶ C - Credit Hybrid (meaning it has PIN capability also)
- ▶ H - Debit Hybrid (PIN and Signature)
- ▶ S - Signature Only (not PIN Capable)
- ▶ X - True Credit (No PIN / Signature Capability)
- ▶ J - US Commercial Debit - Signature Only, No PIN Access
- ▶ K - US Commercial Debit - PIN Capable
- ▶ L - Non-US Consumer Debit - No PIN Access
- ▶ M - Non-US Commercial Debit - No PIN Access
- ▶ N - Non-US Consumer Debit - PIN Capable
- ▶ O - Non-US Commercial Debit - PIN Capable
- ▶ R - Private Label (MasterCard)
- ▶ U - Reloadable Prepaid (Amex Only)
- ▶ V - Stored Value Prepaid (Amex Only)

Rules

The following field rule is defined:

- ▶ This field may be returned in a response message only when the authorization request included the Card Info Request Indicator field.

6.1.5 Detailed Product ID

Description

This field contains the association's product identifier.

XML Tag Name

DetProdID

Field Group

This field is contained within the CARD INFO RESPONSE Group.

Attribute Type

ans

Length

3

Format

None

Value Set

For sample values see Appendix A – Sample Association Product IDs.

Rules

The following field rule is defined:

- ▶ This field may be returned in a response message only when the authorization request included the Card Info Request Indicator field.

Chapter 7 : Original Authorization Group

Revision History

Section	Change Log	Version	Date
1	Added the following Note to the Original Authorization ID, Original Local Date and Time, Original Transmission Date and Time, Original STAN and Original Authorizing Network ID field rules: <u>Note:</u> In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction. e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.”	12.04.13	October 25, 2023
1	Changed the rule from “This field is required for all subsequent transactions (e.g. Completion, Void/FullReversal, etc).” to “This field is required for all subsequent transactions (e.g. Completion, Void/FullReversal, etc), <u>except for Voice approved completions.</u>” in the following fields: Original Local Date and Time, Original Transmission Date and Time and Original STAN. Added the following rule to the Original Authorization ID field: “This field may be echoed back in the response message if present in a request message.”	12.04.11	August 23, 2023

Chapter Contents

1	Original Authorization Group -----	7-2
---	------------------------------------	-----

7.1 Original Authorization Group

Description

This group of fields is used to provide data from the original authorization transaction that may be needed for subsequent transaction processing.

XML Group Tag Name

OrigAuthGrp

7.1.1 Original Authorization ID

Description

The Authorization ID of the response to the original message.

XML Tag Name

OrigAuthID

Field Group

This field is contained within the ORIGINAL AUTHORIZATION Group.

Attribute Type

ans

Length

..8

Format

None

Value Set

Only the following characters are allowed in this field

- ▶ Alphanumeric
- ▶ Spaces

Rules

The following field rules are defined:

- ▶ If the Authorization ID was returned in the response to the original authorization the same value should be provided in subsequent transactions (e.g. Completion, Void/FullReversal, etc).
Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.
 e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.
- ▶ This field can only be sent in a Debit Refund or Debit Sale transaction when the transaction is a Canadian Debit In-App / In-Browser subsequent Refund or subsequent Adjustment transaction.

- ▶ This field must be submitted in all Canadian Debit In-App / In-Browser subsequent Refund and subsequent Adjustment transactions with the same value returned in the original transaction.
- ▶ This field may be returned in a Timeout Reversal, if available.
- ▶ This field may be echoed back in the response message if present in a request message.

7.1.2 Original Response Date

Description

The date returned to the merchant in the authorization response message.

XML Tag Name

OrigResponseDate

Field Group

This field is contained within the ORIGINAL AUTHORIZATION Group.

Attribute Type

N

Length

6

Format

YYMMDD

Value Set

None

Rules

The following field rule is defined:

- ▶ If the Response Date was returned in the response to the original authorization the same value must be provided in this field in subsequent transactions (e.g. Completion, Void/FullReversal, etc).

7.1.3 Original Local Date and Time

Description

This field contains the local date and time of the original authorization transaction.

XML Tag Name

OrigLocalDateTime

Field Group

This field is contained within the ORIGINAL AUTHORIZATION Group.

Attribute Type

N

Length

14

Format

YYYYMMDDhhmmss

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is required for all subsequent transactions (e.g. Completion, Void/FullReversal, etc), except for Voice approved completions.
Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.
 e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.
- ▶ This field is required for Timeout Reversals.
- ▶ If the Reversal Reason Code is TORVoid, this field must have the Original Local Date and Time of the Void message and not the original transaction.

7.1.4 Original Transmission Date and Time

Description

This field contains the transmission date and time of the original transaction (in GMT/UTC).

XML Tag Name

OrigTranDateTime

Field Group

This field is contained within the ORIGINAL AUTHORIZATION Group.

Attribute Type

N

Length

14

Format

YYYYMMDDhhmmss

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is required for all subsequent transactions (e.g. Completion, Void/FullReversal, etc), except for Voice approved completions.
Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.
 e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.
- ▶ This field is required for Timeout Reversals.

7.1.5 Original STAN

Description

This field contains the STAN (System Trace Audit Number) of the original transaction.

XML Tag Name

OrigSTAN

Field Group

This field is contained within the ORIGINAL AUTHORIZATION Group.

Attribute Type

N

Length

6

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is required for all subsequent transactions (e.g. Completion, Void/FullReversal, etc), except for Voice approved completions.
Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.
 e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.
- ▶ This field is required for Timeout Reversals.
- ▶ This field is mandatory for a Visa Authorization where Authorization Characteristics Indicator = I (Incremental Authorization) and the value must be equal to the STAN in the original authorization.
- ▶ This field is mandatory for a MasterCard Authorization where MasterCard ACI = I (Incremental Authorization) and the value must be equal to the STAN in the original authorization.
- ▶ This field is mandatory for a Discover Authorization where Discover ACI = I (Incremental Authorization) and the value must be equal to the STAN in the original authorization.
- ▶ This field is mandatory for transactions where the STAR ACI = I (Incremental Authorization) and the value must be equal to the STAN in the original authorization.

7.1.6 Original Response Code

Description

This field contains the Response Code returned in the original authorization response.

XML Tag Name

OrigRespCode

Field Group

This field is contained within the ORIGINAL AUTHORIZATION Group.

Attribute Type

N

Length

3

Format

None

Value Set

None

Rules

None

7.1.7 Original Authorizing Network ID

Description

This field contains the Network ID returned in the original authorization response.

XML Tag Name

OrigAthNtwkID

Field Group

This field is contained within the ORIGINAL AUTHORIZATION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is required for all subsequent EMV and STAR transactions (e.g. Completion, Void/FullReversal, etc) when the Authorizing Network ID field was returned in the original authorization response.
Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.
 e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.
- ▶ When the Settlement Indicator value is 3, this field is required for all subsequent PLDebit transactions when the Authorizing Network ID field was returned in the original authorization response.
- ▶ This field is required for all subsequent transactions when the Authorizing Network ID field was returned in the original Ecommerce Credit authorization transaction that received the Routing Indicator field value of “D” in the response.

7.1.8 Original Debit Trace Number

Description

This field contains the original Debit Trace Number that was returned in a PINLess Debit Authorization Response, or an Ecommerce Credit transaction that received the Routing Indicator field value of ‘D’ in the response.

XML Tag Name

OrigDebitTraceNum

Field Group

This field is contained within the ORIGINAL AUTHORIZATION Group.

Attribute Type

an

Length

..8

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field is required for all subsequent transactions (e.g. Void/FullReversal) when the Debit Trace Number field was returned in the original authorization response.

Chapter 8 : Real Time Account Updater Group

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the Account Updater Request Indicator field from “This field can be sent on a Refund transaction only if the Card Type is ‘Visa’, and the Refund Type field is also present in the transaction.” to “This field can be sent on a Refund transaction <u>only if the Card Type is ‘Visa’ or ‘MasterCard’</u> , and the Refund Type field is also present in the transaction.”	12.04.1	April 27, 2022
1	Added the following rule to the Account Updater Request Indicator field: “When this field is sent in a transaction, the Override Indicator field with the value of ‘Yes’ must not be present in the transaction.”	10.02.13	June 23, 2021
1	Spring 2021 Compliance Updates: Added the following values to the Account Updater Result Code field: “VAU013 – Expiry date in the authorization request is later than VAU data”, “VAU014 – PAN has been opted out of VAU”, and “VAU016 – PAN has stop advice set up”. Changed the Description of value ‘VAU004’ in the Account Updater Result Code field from “Transaction is not original purchase” to “Transaction is not original purchase, purchase return, bill payment, account funding, original credit”. Added the following rule to the Account Updater Request Indicator field: “This field can be sent on a Refund transaction only if the Card Type is ‘Visa’ and the Refund Type field is also present in the transaction.”	10.02.11	April 28, 2021

Chapter Contents

1	Real Time Account Updater Group -----	8-2
---	---------------------------------------	-----

8.1 Real Time Account Updater Group

Description

This group of fields provides real time card account updater information. This group of fields has limited platform availability. For more information, please contact your Account Representative.

For more information about Real Time Account Updater, please refer Appendix Y.

XML Group Tag Name

RealTimeAcctUpdGrp

8.1.1 Account Updater Request Indicator

Description

This field is used to request the most updated account details like the updated account number and updated expiration date.

XML Tag Name

AcctUpdReqInd

Field Group

This field is contained within the REAL TIME ACCOUNT UPDATER Group.

Attribute Type

an

Length

..4

Format

None

Value Set

The following values are defined for this field:

- ▶ Yes – Account update requested
- ▶ Info – Informational only fields requested

Rules

The following field rules are defined:

- ▶ This field must only be sent in a transaction when the Card Type is 'Visa' or 'MasterCard', and the POS Entry Mode is present with the value of '10' in the transaction.
- ▶ When this field contains the value of 'Info' in the transaction request message, only the Account Updater Card Status and/or Account Updater Result Code fields will be returned in the transaction response message.

- ▶ This field is only applicable for merchants in US and Canada.
- ▶ When this field is sent in a transaction, the CCV Data field must not be present in the transaction.
- ▶ This field must not be sent in a transaction when the MCC is one of the following: 5962, 5966 or 5967.
- ▶ This field is only applicable for Ecommerce and MOTO transactions.
- ▶ This field can be sent on a Refund transaction only if the Card Type is 'Visa' or 'MasterCard', and the Refund Type field is also present in the transaction.
- ▶ When this field is sent in a transaction, the Override Indicator field with the value of 'Yes' must not be present in the transaction.

8.1.2 Account Updater Card Status

Description

This field contains the account status received from the issuer.

XML Tag Name

AcctUpdCardStat

Field Group

This field is contained within the REAL TIME ACCOUNT UPDATER Group.

Attribute Type

an

Length

..12

Format

None

Value Set

The following values are defined for this field:

- ▶ CloseAcctAdv – Closed Account Advice
- ▶ ConChAdv – Contact Cardholder Advice
- ▶ AcctExpDate – Account Number Only Change, or Both Account Number and Expiration Date Change
- ▶ ExpDateOnly – Expiration Date Only Change

Rules

The following field rules are defined:

- ▶ This field will only be returned in a transaction response when the transaction request contains the Account Updater Request Indicator field and the Card Type value of 'Visa' or 'MasterCard'.
- ▶ This field will be returned when available.
- ▶ When this field is returned in a transaction response with either the value of 'CloseAcctAdv' or 'ConChAdv', the Account Updater Card Number, Account Updater Expiration Date and Account Updater Token fields will not be present in the transaction response.

8.1.3 Account Updater Card Number

Description

This field contains the updated account number received from the issuer.

XML Tag Name

AcctUpdCardNum

Field Group

This field is contained within the REAL TIME ACCOUNT UPDATER Group.

Attribute Type

N

Length

..19

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field will only be returned in a transaction response when the transaction request contains the Account Updater Request Indicator field with the value of 'Yes' and the Card Type value of 'Visa' or 'MasterCard'.
- ▶ This field will be returned when available.
- ▶ When this field is returned in a transaction response, the Account Updater Card Status field will contain the value of 'AcctExpDate'.
- ▶ This field will not be present in a transaction that contains the Account Updater Token field.

8.1.4 Account Updater Expiration Date

Description

This field contains the updated expiration date received from the issuer.

XML Tag Name

AcctUpdExpDate

Field Group

This field is contained within the REAL TIME ACCOUNT UPDATER Group.

Attribute Type

N

Length

4

Format

YYMM

Value Set

None

Rules

The following field rules are defined:

- ▶ This field will only be returned in a transaction response when the transaction request contains the Account Updater Request Indicator field with the value of 'Yes' and the Card Type value of 'Visa' or 'MasterCard'.
- ▶ This field will be returned when available.
- ▶ When this field is returned in a transaction response, the Account Updater Card Status field will contain either the value of 'ExpDateOnly' or 'AcctExpDate'.

8.1.5 Account Updater Result Code

Description

This field contains the result code received from the issuer.

XML Tag Name

AcctUpdResultCode

Field Group

This field is contained within the REAL TIME ACCOUNT UPDATER Group.

Attribute Type

an

Length

6

Format

None

Value Set

The following values are defined for this field:

- ▶ VAU001 – Transaction did not qualify for Real Time VAU because the transaction contains token
- ▶ VAU002 – Real Time VAU is supported only for Visa branded PAN
- ▶ VAU003 – Real Time VAU is not supported for this network
- ▶ VAU004 – Transaction is not original purchase, purchase return, bill payment, account funding, original credit
- ▶ VAU005 – Transaction contain CVV2
- ▶ VAU006 – Transaction is not a qualifying transaction type
- ▶ VAU007 – Real Time VAU is not supported for this MCC
- ▶ VAU008 – Acquirer or processor is not activated for Real Time VAU
- ▶ VAU009 – Issuer does not support Real Time VAU
- ▶ VAU010 – Issuer or Visa blocked the merchant
- ▶ VAU011 – Preauthorized Payment Cancellation Service (PPCS) stop-payment order for this transaction
- ▶ VAU012 – Credentials in the authorization request is the latest VAU data
- ▶ VAU013 – Expiry date in the authorization request is later than VAU data
- ▶ VAU014 – PAN has been opted out of VAU

- ▶ VAU016 – PAN has stop advice set up

Rules

The following field rules are defined:

- ▶ This field will only be returned in a transaction response when the transaction request contains the Account Updater Request Indicator field and the Card Type value of 'Visa'.
- ▶ This field will be returned when available.

Chapter 9 : Auth Optimization Group

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the Deferred Auth Tran ID field from “This field must be sent when the Transaction Type is ‘CancelDeferredAuth’.” to “This field must be sent when the Transaction Type is ‘CancelDeferredAuth’, and also may be received in the same transaction.” Changed the rule in the Deferred Auth Tran ID field from “This field can only be present in a transaction request that was initiated with the POS Entry Mode value of ‘10’ and the Bill Payment Transaction Indicator field with value of ‘Recurring’ or ‘Installment’, or may be received in the transaction response message.” to “This field can only be present in a transaction request that was initiated with the POS Entry Mode value of ‘10’ and the Bill Payment Transaction Indicator field with value of ‘Recurring’, or may be received in the transaction response message.”	10.02.11	April 28, 2021

Chapter Contents

1	Auth Optimization Group	9-2
---	-------------------------------	-----

9.1 Auth Optimization Group

Description

This group of fields provides authorization optimization information.

Note: This group of fields has limited platform availability. For more information, please contact your Account Representative.

XML Group Tag Name

AuthOptGrp

9.1.1 Deferred Auth Tran ID

Description

This field will contain a unique ID assigned by Fiserv when there is a Deferred Auth attempt by the Fiserv optimizer process.

XML Tag Name

DfrdAuthTranID

Field Group

This field is contained within the AUTH OPTIMIZATION Group.

Attribute Type

an

Length

16

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field can only be present in a transaction request that was initiated with the POS Entry Mode value of '10' and the Bill Payment Transaction Indicator field with value of 'Recurring', or may be received in the transaction response message.
- ▶ When the Settlement Indicator value is '3', this field may be returned in an authorization response only when the Override Indicator field was sent in the authorization request with the value of 'No'.
- ▶ This field must be sent when the Transaction Type is 'CancelDeferredAuth', and also may be received in the same transaction.

9.1.2 Override Indicator

Description

This field is used to override any types of auth optimization services (including real time account update) by Fiserv.

XML Tag Name

OverrideInd

Field Group

This field is contained within the AUTH OPTIMIZATION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following values are defined for this field:

- ▶ Yes – Override Optimization (i.e. No Optimization will be attempted)
- ▶ No – No Optimization Override (i.e. Optimization will be attempted)

Rules

The following field rules are defined:

- ▶ When this field is sent in a transaction with the value of 'Yes', the Account Updater Request Indicator field must not be present in the transaction.
- ▶ This field with the value of 'No' is only applicable for the Settlement Indicator value of '3'.

9.1.3 Auth Optimization Reason Code

Description

This response field will contain the reason code for the re-authorization attempt by Fiserv optimizer process.

XML Tag Name

AuthOptReasonCode

Field Group

This field is contained within the AUTH OPTIMIZATION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The values for this field are contained in Appendix A – Association Response Codes.

Rules

The following field rules are defined:

- ▶ When the Settlement Indicator value is '3', this field may be returned in an authorization response only when the Override Indicator field was sent in the authorization request with the value of 'No'.
- ▶ This field will be returned in an authorization response when the authorization was declined by the issuer but approved after the re-authorization attempt by the Fiserv optimizer process.

Chapter 10 : Track 1 Data

Revision History

Section	Change Log	Version	Date
1	Added the following note: "If the AFD transaction being submitted contains encrypted data in the TransArmor Encryption Block, Track 1 data must be present inside the Encryption Block with Encryption Target as Track 1."	12.04.10	June 21, 2023
1	Added the following rule: "This field must not be sent in a transaction when the Card Type is 'PpayCL'."	12.04.3	August 24, 2022
1	Added the following rule: "Track 1 is Mandatory for all AMEX AFD transactions with POS Entry Mode value '90' or '91' but Preferred for all other Amex transactions."	12.04.1	April 27, 2022

Chapter Contents

1	Track 1 Data -----	10-2
---	--------------------	------

10.1 Track 1 Data

Description

This field contains the unaltered track 1 data from the magnetic stripe of the card.

XML Tag Name

Track1Data

Field Group

This field is contained within the CARD Group.

Attribute Type

ans

Length

..76

Format

Track Data should not be altered, but start sentinel, end sentinel, and LRC must not be included.

Value Set

None

Rules

The following field rules are defined:

- ▶ This field can be present if the POS Entry Mode = 05, 07, 80, 82, 90 or 91.
 - ▶ If the transaction being submitted contains encrypted data in the TransArmor Encryption Block, this field will not be present.
 - ▶ If the TRANSARMOR Group.Token field is present, this field should not be submitted.
 - ▶ This field must not be sent if Track 2 is sent.
 - ▶ This field must not be sent in a transaction when the Card Type is 'PpayCL'.
 - ▶ For Prepaid Closed Loop transactions the rules have been provided in Prepaid Track Data Appendix B.
 - ▶ This field must not be sent if the Card Type is SpeedPass.
 - ▶ When the POS Entry Mode value is 90, this field must be present in an SVS Completion transaction when Track 1 Data was present in the Authorization transaction, except when the merchant supports TransArmor.
 - ▶ Track 1 is Mandatory for all AMEX AFD transactions with POS Entry Mode value '90' or '91' but Preferred for all other Amex transactions.
- Note:** If the AFD transaction being submitted contains encrypted data in the TransArmor Encryption Block, Track 1 data must be present inside the Encryption Block with Encryption Target as Track 1.

Chapter 11 : Track 2 Data

Revision History

Section	Change Log	Version	Date
1	Added the following note: "If the AFD transaction being submitted contains encrypted data in the TransArmor Encryption Block, Track 1 data must be present inside the Encryption Block with Encryption Target as Track 1."	12.04.10	June 21, 2023
1	Changed the rule from "When the Card Type is AMEX, Track 1 data is preferred in the authorization request instead of Track 2 when the POS device has the ability to read both Track 1 and Track 2 data." to "When the Card Type is AMEX, Track 1 data is preferred in the authorization request instead of Track 2 when the POS device has the ability to read both Track 1 and Track 2 data, except for AFD transactions with POS Entry Mode value '90' or '91' in which case Track 1 data is Mandatory."	12.04.1	April 27, 2022
1	Changed the rule from "When the POS device has the ability to read both Track 1 and Track 2 data, Track 2 data should be provided in the authorization request instead of Track 1." to "When the POS device has the ability to read both Track 1 and Track 2 data, Track 2 data should be provided in the authorization request instead of Track 1, <u>except when the Card Type is AMEX.</u> " Added the following rule: "When the Card Type is AMEX, Track 1 data is preferred in the authorization request instead of Track 2 when the POS device has the ability to read both Track 1 and Track 2 data."	10.02.16	February 23, 2022

1	Changed the rule from "Track 2 data or the Encryption Block field with the Encryption Target field value of Track2 is required on all Debit transactions, except for Timeout Reversals and Void/Full Reversals when the Account Number and Expiration Date fields are provided, when the Encryption Type is AESDUKPT, or a Canadian Debit In-App / In-Browser transaction in which case Account Number, Encryption Block field with the Encryption Target field value of PAN or TRANSARMOR Group.Token field must be sent." to "Track 2 data or the Encryption Block field with the Encryption Target field value of Track2 is required on all Debit transactions, except for Timeout Reversals and Void/Full Reversals when the Account Number and/or Expiration Date fields are provided, when the Encryption Type is AESDUKPT, or a Canadian Debit In-App / In-Browser transaction in which case Account Number, Encryption Block field with the Encryption Target field value of PAN or TRANSARMOR Group.Token field must be sent."	10.02.14	August 25, 2021
1	Changed the rule from "Track 2 data or the Encryption Block field with the Encryption Target field value of Track2 is required on all Debit transactions, except for Timeout Reversals and Void/Full Reversals when the Account Number and Expiration Date fields are provided." to "Track 2 data or the Encryption Block field with the Encryption Target field value of Track2 is required on all Debit transactions, except for Timeout Reversals and Void/Full Reversals when the Account Number and Expiration Date fields are provided, when the Encryption Type is AESDUKPT, or a Canadian Debit In-App / In-Browser transaction in which case Account Number, Encryption Block field with the Encryption Target field value of PAN or TRANSARMOR Group.Token field must be sent."	10.02.13	June 23, 2021

Chapter Contents

1	Track 2 Data -----	11-3
---	--------------------	------

11.1 Track 2 Data

Description

This field contains the unaltered track 2 data from the magnetic stripe of the card.

XML Tag Name

Track2Data

Field Group

This field is contained within the CARD Group.

Attribute Type

ans

Length

..37

Format

Track Data should not be altered, but start sentinel, end sentinel, and LRC must not be included.

Value Set

None

Rules

The following field rules are defined:

- ▶ Track 2 Data or the Encryption Block field with the Encryption Target field value of Track2 must not be stored for any Payment Type except Generic Prepaid, Private Label or Fleet, for which it may be stored until a successful Completion or Timeout Reversal response has been received, or a Debit transaction that includes the Non US Merchant field with the value of 'Canadian', in which case Track 2 Data or the Encryption Block field with the Encryption Target field value of Track2 can be stored only when no response is received to the Debit transaction.
- ▶ Track 2 Data or the Encryption Block field with the Encryption Target field value of Track2 must be sent in a Debit Timeout Reversal or a Debit Reversal with Reversal Reason Code of 'SystErr' that includes the Non US Merchant field with the value of 'Canadian'. After a response is received from the Debit Reversal, Track 2 Data or the Encryption Block field with the Encryption Target field value of Track2 must not be stored.
- ▶ Track 2 Data must be sent in Completions and Timeout Reversals when the Card Type is WEX or Voyager.
- ▶ This field should be present if the POS Entry Mode = 05, 07, 80, 82, 86, 90 or 91, except on Credit Reversals and Completions for which it must not be sent unless otherwise stated specific in a rule.
- ▶ If the transaction being submitted contains encrypted data in the TransArmor Encryption Block, this field must not be present.
- ▶ If the TRANSARMOR Group. Token field is present this field should not be submitted.

- ▶ Track 2 data or the Encryption Block field with the Encryption Target field value of Track2 is required on all Debit transactions, except for Timeout Reversals and Void/Full Reversals when the Account Number and/or Expiration Date fields are provided, when the Encryption Type is AESDUKPT, or a Canadian Debit In-App / In-Browser transaction in which case Account Number, Encryption Block field with the Encryption Target field value of PAN or TRANSARMOR Group.Token field must be sent.
- ▶ When the POS device has the ability to read both Track 1 and Track 2 data, Track 2 data should be provided in the authorization request instead of Track 1, except when the Card Type is AMEX.
- ▶ When the Card Type is AMEX, Track 1 data is preferred in the authorization request instead of Track 2 when the POS device has the ability to read both Track 1 and Track 2 data, except for AFD transactions with POS Entry Mode value '90' or '91' in which case Track 1 data is Mandatory.
Note: If the AFD transaction being submitted contains encrypted data in the TransArmor Encryption Block, Track 1 data must be present inside the Encryption Block with Encryption Target as Track 1.
- ▶ For Prepaid Closed Loop transactions the rules have been provided in Prepaid Track Data Appendix B.
- ▶ This field is mandatory for EBTCash Void/Full Reversals when the Token is not present.
- ▶ This field must not be sent if the Card Type is SpeedPass.
- ▶ When the POS Entry Mode value is 90, this field with the Track 2 Data from the original request must be present in a Completion transaction when the Card Type is WEX or Voyager.
- ▶ When the POS Entry Mode value is 90, if this field was present in the original SVS transaction, this field must also be present in an SVS Completion transaction with the Track 2 Data that was sent in the original request.

Chapter 12 : Bill Payment Group

Revision History

Section	Change Log	Version	Date
1	Fall 2023 Compliance updates: Added the following values to the Merchant Advice Code field: "40 – Consumer non-reloadable prepaid card", and "41 – Consumer single-use virtual card number".	12.04.13	October 25, 2023
1	Additional Compliance Updates: Added the 'MIT Payment Currency' and 'MIT Total Payment Amount' fields. Removed the following rules from the MIT Total Payment Count, MIT Amount and MIT Frequency fields: "When this field is sent for Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'." and "When this field is sent for Visa, the Bill Payment Transaction Indicator must be present with the value of 'Recurring'." Added the following rule to the MIT Total Payment Count, MIT Amount and MIT Frequency fields: "When this field is sent for Visa or Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'." Added the following rule to the MIT Frequency field: "When Card type is 'Visa' and Bill Payment Transaction Indicator is 'Installment', valid values are 02, 03 and 04."	12.04.7	February 22, 2023

1	Fall 2022 Compliance Updates: Changed the rule in the Bill Payment Transaction Indicator field from “This field with the value of 'Recurring' or 'Installment' must not be sent in a transaction that satisfies any of the below conditions: • Card On File Schedule Indicator field XML Tag: CofSchdInd present with the value of 'Unscheduled' • Card On File Schedule Indicator field XML Tag: CofSchdInd present with the value of 'Unscheduled' • Card On File Schedule Indicator field XML Tag: CofSchInd present with the value of 'Unscheduled'” to “This field with the value of 'Recurring' or 'Installment' must not be sent in a transaction that satisfies any of the below conditions: • Card On File Schedule Indicator field XML Tag: CofSchdInd present with the value of 'Unscheduled' <u>and Transaction Initiation present with value 'Merchant'</u> • Card On File Schedule Indicator field XML Tag: CofSchdInd present with the value of 'Unscheduled' <u>and Transaction Initiation present with value 'Merchant'</u> • Card On File Schedule Indicator field XML Tag: CofSchInd present with the value of 'Unscheduled' <u>and Transaction Initiation present with value 'Merchant'</u>”. Added the following rule to the Bill Payment Transaction Indicator field: “If this field is sent with the value of 'Recurring' or 'Installment' with the Transaction Initiation as 'Customer' and Stored Credential Indicator as 'Initial', then the Card On File Schedule Indicator field must be present with value 'Unscheduled'.” Changed the rule in the Bill Payment Transaction Indicator field from “If this field is present with the value of 'Recurring', then POS Condition Code must be sent with the value of 04.” to “If this field is present with the value of 'Recurring', then POS Condition Code must be sent with the value of 04, <u>except for Visa, Discover and AMEX Ecomm Recurring CIT transactions in which case POS Condition Code must be 59.</u>”	12.04.5	October 26, 2022
---	--	---------	------------------

1	Added the following values to the Merchant Advice Code field: “24 – Retry after 1 hour”, “25 – Retry after 24 hours”, “26 – Retry after 2 days”, “27 – Retry after 4 days”, “28 – Retry after 6 days”, “29 – Retry after 8 days” and “30 – Retry after 10 days”. Changed the rule in the MIT Total Payment Count field from “This field is only applicable when Card Type is ‘Discover’, ‘JCB’ or ‘Diners’.” to “This field is only applicable when Card Type is ‘Visa’, ‘Discover’, ‘JCB’ or ‘Diners’.” Added the following rules to the MIT Total Payment Count field: “For Discover, the valid values should be from 02 to 99, UD and UC.”, “For Visa, the value values should be from 01 to 99. <u>Note:</u> For Visa recurring payments, value of ‘99’ means that recurring payments are authorized until canceled or that the Number of Recurring Payments is not defined.”, “When this field is sent for Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of ‘Recurring’ or ‘Installment’.”, “When this field is sent for Visa, the Bill Payment Transaction Indicator must be present with the value of ‘Recurring’.”, and “For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.” Changed the rule in the MIT Amount Type, MIT Amount and MIT Validation Flag fields from “This field is only applicable when Card Type is ‘Discover’, ‘JCB’ or ‘Diners’.” to “This field is only applicable when Card Type is ‘Visa’, ‘Discover’, ‘JCB’ or ‘Diners’.” Added the following rules to the MIT Amount Type, MIT Amount and MIT Validation Flag fields: “When this field is sent for Visa, the Bill Payment Transaction Indicator must be present with the value of ‘Recurring’.”, and “For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.” Added the following values to the MIT Frequency field: “09 – Ten days”, “10 – Twice weekly”, “11 – Every two months” and “12 – Trimester”. Changed the Description of value ‘03’ in the MIT Frequency field from “Bi-weekly” to “Bi-weekly / Fortnightly”.	12.04.5	October 26, 2022
---	---	---------	------------------

1	Changed the rule in the MIT Frequency field from “This field is only applicable when Card Type is ‘Discover’, ‘JCB’ or ‘Diners’.” to “This field is only applicable when Card Type is ‘Visa’, ‘Discover’, ‘JCB’ or ‘Diners’.” Added the following rules to the MIT Frequency field: “When the Card Type is ‘Discover’, ‘JCB’ or ‘Diners’, the valid values are 01, 02, 03, 04, 05, 06, 07 and 08.”, “When Card type is ‘Visa’ and Bill Payment Transaction Indicator is ‘Recurring’, valid values are 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11 and 12.”, “When this field is sent for Visa, the Bill Payment Transaction Indicator must be present with the value of ‘Recurring’.”, and “For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.” Added the following fields: “MIT Payment Type” and “MIT Registration Reference Number”.	12.04.5	October 26, 2022
1	Added the rule “If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).” to the following fields: Installment Type, MIT Total Payment Count, MIT Amount Type, MIT Amount, MIT Unique ID, MIT Frequency, MIT Validation Flag and MIT Sequence Indicator.	12.04.3	August 24, 2022

1	Spring 2022 Compliance Updates: Added the following fields: "Installment Type", "MIT Total Payment Count", "MIT Amount Type", "MIT Amount", "MIT Unique ID", "MIT Frequency", "MIT Validation Flag", "MIT Validation Reference" and "MIT Sequence Indicator". Changed the Description of the Bill Payment Group from "This group of fields provide information used in processing a payment for a bill." to "This group of fields provide information used in processing a payment for a bill <u>or a MIT transaction</u>." Changed the Description of the Bill Payment Transaction Indicator field from "An identifier used to indicate the type of bill payment." to "An identifier used to indicate the type of bill payment <u>or MIT transaction</u>." Changed the rule in the Bill Payment Transaction Indicator field from "This field is mandatory for all bill payment transactions." to "This field is mandatory for all bill payment <u>and MIT such as recurring, installment transactions</u>." Added the following value to the Merchant Advice Code field: "22 – Merchant does not qualify for product code".	12.04.1	April 27, 2022
1	Changed the Description of the Merchant Advice Code field from "This field contains a code which may be returned by the issuer to provide additional information when a card not present transaction is declined." to "This field contains a code which may be returned by the issuer to provide additional information <u>for a card not present transaction</u>." Changed the rule in the Merchant Advice Code field from "This field will be returned on card not present Visa and MasterCard transactions only when a denial is received from the Issuer." to "This field <u>may be returned on card not present Visa and MasterCard transactions</u>." Changed the rule in the Merchant Advice Code field from "This field will be returned on bill payment (e.g. recurring) STAR Access transactions when a denial is received from the Issuer." to "This field <u>may be returned on bill payment (e.g. recurring) STAR Access transactions</u>."	10.02.17	March 11, 2022

1	Changed the rule in the Bill Payment Transaction Indicator field from “When the Non US Merchant field is present in a transaction with the value of ‘Canadian’, only the value of ‘Recurring’ is supported.” to “When the Non US Merchant field is present in a transaction with the value of ‘Canadian’, only the value of ‘Recurring’ is supported, <u>except when the Card Type is ‘UnionPay’.</u>” Added the following rule to the Bill Payment Transaction Indicator field: “When the Card Type is ‘UnionPay’, ‘Recurring’ and ‘Installment’ are the only supported values in this field, except when the Non US Merchant field is present with the value of ‘Canadian’ for which this field is not supported.” Removed the following rule from the Bill Payment Transaction Indicator field: “Refunds made for Bill Payment transactions must not contain the Bill Payment Transaction Indicator.” Changed the rule in the Bill Payment Transaction Indicator field from “Recurring Payments with Visa, MasterCard, Discover (including JCB – US Domestic Only and Diners) and American Express are supported for Authorization, Completion, Refund, BatchSettleDetail, and Sale transactions.” to “Recurring Payments with Visa, MasterCard, Discover (including JCB – US Domestic Only and Diners), American Express <u>and UnionPay</u> are supported for Authorization, Completion, Refund, BatchSettleDetail, and Sale transactions.”	10.02.16	February 23, 2022
1	Changed the rule in the Bill Payment Transaction Indicator field from “Installment Payments are supported by MasterCard, Visa, AMEX and Discover (including JCB – US Domestic Only and Diners) for Authorization, Completion, Refund, BatchSettleDetail, and Sale transactions.” to “Installment Payments are supported by MasterCard, Visa, AMEX, Discover (including JCB – US Domestic Only and Diners) <u>and UnionPay</u> for Authorization, Completion, Refund, BatchSettleDetail, and Sale transactions.” Changed the Bill Payment Group rule from “This group is not allowed when the Card Type of ‘UnionPay’ is present in the transaction.” to “This group is not allowed when the Card Type of ‘UnionPay’ <u>and the Non US Merchant field with the value of ‘Canadian’ is present</u> in the transaction.”	10.02.16	February 23, 2022

1	Fall 2021 Compliance Updates: Changed the Description of the Merchant Advice Code field from “This field contains a code which may be returned by the issuer to provide additional information when a recurring transaction is approved or declined.” to “This field contains a code which may be returned by the issuer to provide additional information when a card not present transaction is declined.” Changed the rule in the Merchant Advice Code field from “This field will be returned on recurring Visa and MasterCard transactions only, when a denial is received from the Issuer.” to “This field may be returned on card not present Visa and MasterCard transactions only when a denial is received from the Issuer.” Changed the verbiage of value ‘21’ in the Merchant Advice Code field from “Do not honor – Issuer has blocked recurring payment service” to “Do not honor – Issuer has blocked recurring payment service / Payment Cancellation”.	10.02.15	October 27, 2021
---	--	----------	------------------

Chapter Contents

1	Bill Payment Group	12-8
---	--------------------------	------

12.1 Bill Payment Group

Description

This group of fields provide information used in processing a payment for a bill or a MIT transaction.

XML Group Tag Name

BillPayGrp

Rules

The following Group rule is defined:

- ▶ When the Non US Merchant field is present in a transaction with the value of Europe or APAC, this group is not allowed.
- ▶ This group is not allowed when the Card Type of 'UnionPay' and the Non US Merchant field with the value of 'Canadian' is present in the transaction.

12.1.1 Bill Payment Transaction Indicator

Description

An identifier used to indicate the type of bill payment or MIT transaction.

XML Tag Name

BillPymtTxnInd

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

..12

Format

None

Value Set

The following values are defined:

- ▶ Single – Single transaction
- ▶ Recurring – Recurring transaction
- ▶ Installment – Installment transaction
- ▶ Deferred – Deferred Billing transaction

Rules

The following field rules are defined:

- ▶ This field is mandatory for all bill payment and MIT such as recurring, installment transactions.
- ▶ Single Bill Payment transactions are supported by Visa Credit for Authorization, Completion, Refund, BatchSettleDetail, and Sale transactions.
- ▶ Single Bill Payment transactions are supported by Visa Debit and Visa PINLess Debit for Authorization, BatchSettleDetail, and Sale transactions.
- ▶ When the Non US Merchant field is present in a transaction with the value of 'Canadian', only the value of 'Recurring' is supported, except when the Card Type is 'UnionPay'.
- ▶ When the Card Type is 'UnionPay', 'Recurring' and 'Installment' are the only supported values in this field, except when the Non US Merchant field is present with the value of 'Canadian' for which this field is not supported.
- ▶ Recurring Payments with PINLess Debit are supported for Authorization, BatchSettleDetail, and Sale transactions.
- ▶ Recurring Payments with Visa, MasterCard, Discover (including JCB – US Domestic Only and Diners), American Express and UnionPay are supported for Authorization, Completion, Refund, BatchSettleDetail, and Sale transactions.
- ▶ Visa requires that the initial authorization indicate the card and cardholder presence at the time of the transaction. The initial Authorization, Completion or Sale transaction must not contain the Bill Payment Transaction Indicator; only the subsequent recurring billing transactions will contain the Bill Payment Transaction Indicator value of Recurring.

Note: For European Union merchants only

- When performing recurring transactions the merchant must send the Bill Payment Transaction Indicator value of Recurring on the initial Visa Authorization, Completion, or Sale transaction.
- Discover (including JCB – US Domestic Only and Diners), MasterCard and American Express require indication of the transaction being recurring both with the initial authorization and subsequent recurring authorizations.
- ▶ Installment Payments are supported by MasterCard, Visa, AMEX, Discover (including JCB – US Domestic Only and Diners) and UnionPay for Authorization, Completion, Refund and Sale transactions.

Note: AMEX, MasterCard and UnionPay Installment payments have limited platform availability. Please contact your account representative.

- ▶ Deferred Payments are only supported by Visa for Authorization, Completion, Refund, BatchSettleDetail, and Sale transactions.
- ▶ If this field is provided at the time of authorization the same value must be provided in subsequent transactions (e.g. Voids/Full Reversals, Completion, and BatchSettleDetail Messages).
- ▶ The CCV Indicator field with the value of 'Prvded' must be present in the first Discover installment transaction.

- ▶ The CCV Data field may be present in the first Discover installment transaction.
- ▶ The CCV Data field may be present in the first Discover recurring transaction in a series of recurring transactions.
- ▶ The CCV Data field must not be present in any subsequent Discover recurring transaction in a series of recurring transactions.
- ▶ The CCV Indicator and CCV Data fields are optional in all other Discover installment transactions.
- ▶ For Check transactions, Single Bill Payments are supported only when the Check Service Provider value is TeleCheckICA, TeleCheckCBP or TeleCheckPPD.
- ▶ For Check transactions, Recurring and Installment Payments are supported only when the Check Service Provider value is TeleCheckICA or TeleCheckPPD.
- ▶ For Check transactions, Deferred Payments are supported only when the Check Service Provider value is TeleCheckPPD.
- ▶ When this field contains the value of 'Recurring', the AVS Postal Code and/or AVS/Billing Address fields must be included with the initial authorization request in a series of recurring transactions.
- ▶ When this field contains the value of 'Recurring', the AVS Postal Code and/or AVS/Billing Address fields must be included once a year if the series of recurring transactions lasts 13 months or longer.
- ▶ This field with the value of 'Recurring' or 'Installment' must not be sent in a transaction that satisfies any of the below conditions:
 - Card On File Schedule Indicator field XML Tag: CofSchdInd present with the value of 'Unscheduled' and Transaction Initiation present with value 'Merchant'
 - Card On File Schedule Indicator field XML Tag: CofSchdInd present with the value of 'Unscheduled' and Transaction Initiation present with value 'Merchant'
 - Card On File Schedule Indicator field XML Tag: CofSchInd present with the value of 'Unscheduled' and Transaction Initiation present with value 'Merchant'
- ▶ If this field is present with the value of 'Recurring', then POS Condition Code field must be sent with the value of 04, except for Visa, Discover and AMEX Ecomm Recurring CIT transactions in which case POS Condition Code must be 59.
- ▶ If this field is sent with the value of 'Recurring' or 'Installment' with the Transaction Initiation as 'Customer' and Stored Credential Indicator as 'Initial', then the Card On File Schedule Indicator field must be present with value 'Unscheduled'.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

12.1.2 Merchant Advice Code

Description

This field contains a code which may be returned by the issuer to provide additional information for a card not present transaction.

XML Tag Name

MerchAdviceCode

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

2

Format

None

Value Set

The following values are defined:

- ▶ 01 – New account information available
- ▶ 02 – Try again later (must wait 72 hours before sending the recurring transaction again)
- ▶ 03 – Do not try again
- ▶ 04 – Token requirements are not fulfilled for this token type
- ▶ 05 – Card account closed or fraud
- ▶ 06 – Cardholder canceled recurring payment
- ▶ 07 – Cancel specific payment
- ▶ 21 – Do not honor – Issuer has blocked recurring payment service / Payment Cancellation
- ▶ 22 – Merchant does not qualify for product code
- ▶ 24 – Retry after 1 hour
- ▶ 25 – Retry after 24 hours
- ▶ 26 – Retry after 2 days
- ▶ 27 – Retry after 4 days
- ▶ 28 – Retry after 6 days
- ▶ 29 – Retry after 8 days
- ▶ 30 – Retry after 10 days
- ▶ 40 – Consumer non-reloadable prepaid card
- ▶ 41 – Consumer single-use virtual card number

Rules

The following field rules are defined:

- ▶ This field may be returned on card not present Visa and MasterCard transactions.
- ▶ This field may be returned on bill payment (e.g. recurring) STAR Access transactions.

12.1.3 Installment Payment Invoice Number

Description

This field contains the Invoice Number of an Installment Bill Payment Transaction.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

InstallInvNum

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

ans

Length

..12

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must only be sent in a transaction that includes the Bill Payment Transaction Indicator field with the value of 'Installment' or 'Recurring'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.). The value must be the same as that submitted in the original transaction.

12.1.4 Installment Payment Description

Description

This field contains the merchant's description of an Installment Bill Payment Transaction.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

InstallPymntDesc

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

ans

Length

..15

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must only be sent in a transaction that includes the Bill Payment Transaction Indicator field with the value of 'Installment' or 'Recurring'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.). The value must be the same as that submitted in the original transaction.

12.1.5 Installment Type

Description

This field identifies the type of the installment payment.

XML Tag Name

InstallmentType

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined:

- ▶ Merchant – Merchant Installment Payment
- ▶ ThirdParty – Third Party Installment Payment
- ▶ Issuer – Issuer Installment Payment

Rules

The following field rules are defined:

- ▶ This field is only applicable for the Card Type of 'Discover', 'JCB' or 'Diners'.
- ▶ This field is mandatory for All Discover (including JCB – US Domestic Only and Diners) installment transactions.
- ▶ When this field is sent with the value of 'Issuer' in an authorization transaction, the Bill Payment Transaction Indicator field with the value of 'Installment' and the Transaction Initiation field with the value of 'Customer' must be present in the transaction.
- ▶ When this field is sent with the value of 'Merchant' or 'ThirdParty' in an authorization transaction, the Bill Payment Transaction Indicator field with the value of 'Installment', and the Transaction Initiation field with the value of 'Merchant' must also be present in the same transaction.
- ▶ When this field is sent with the value of 'ThirdParty', merchants must provide the MCC of the underlying retailer in the transaction.
- ▶ When this field is sent with the value of 'ThirdParty', the Merchant Name and Merchant Address fields must also be present in the transaction.

Note: The Merchant Name must be submitted in the format as follows:

Third party installment provider name followed by an asterisk (*) followed by the underlying retailer name, e.g. "XYZ*A SMALL CO".

The Merchant Address must include the address of the underlying retailer.

- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc)

12.1.6 MIT Total Payment Count

Description

This field indicates the number of Recurring payments or Installments per the Cardholder agreement with the Merchant.

XML Tag Name

MITTotPymtCt

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

2

Format

None

Value Set

The following values are defined:

- ▶ 01 to 99
- ▶ UD – Not Defined
- ▶ UC – Until Canceled

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Visa', 'Discover', 'JCB' or 'Diners'.
- ▶ For Discover, the valid values should be from 02 to 99, UD and UC.
- ▶ For Visa, the value values should be from 01 to 99.

Note: For Visa recurring payments, value of '99' means that recurring payments are authorized until canceled or that the Number of Recurring Payments is not defined.

- ▶ When this field is sent for Visa or Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field can only be sent when the Installment Type field contains the value of 'Merchant' or 'ThirdParty'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field must be sent for ALL Installment transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.
- ▶ For Discover (including JCB – US Domestic Only and Diners) recurring transactions, this field must be sent for India-issued card ALL MIT (Recurring) transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.
- ▶ For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc)

12.1.7 MIT Amount Type

Description

This field identifies the type of the recurring or installment payment amount.

XML Tag Name

MITAmtType

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

..8

Format

None

Value Set

The following values are defined:

- ▶ Fixed – subscription e.g. monthly newspaper subscription
- ▶ Variable – standing order e.g. monthly utility payment

Rules

The following field rules are defined:

- ▶ This field is only applicable to Card Type of 'Visa', 'Discover', 'JCB' or 'Diners'.
- ▶ When this field is sent for Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'.

- ▶ When this field is sent for Visa, the Bill Payment Transaction Indicator must be present with the value of 'Recurring'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field can only be sent when the Installment Type field contains the value of 'Merchant' or 'ThirdParty'.
- ▶ For Discover (including JCB – US Domestic Only and Diners), this field must be sent for India-issued card ALL MIT (Recurring/Installment) transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.
- ▶ For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

12.1.8 MIT Amount

Description

This field indicates the amount of the Recurring or Installment payment.

XML Tag Name

MITAmt

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

N

Length

..12

Format

For more details, refer to the Amount Format section.

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Visa', 'Discover', 'JCB' or 'Diners'.
- ▶ When this field is sent for Visa or Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field can only be sent when the Installment Type field contains the value of 'Merchant' or 'ThirdParty'.

- ▶ For Discover (including JCB – US Domestic Only and Diners), this field must be sent for India-issued card ALL MIT (Recurring/Installment) transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.
- ▶ For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

12.1.9 MIT Unique ID

Description

This field is used to uniquely identify each of the Recurring or Installment Payment. This ID is used to reference authorization transactions.

XML Tag Name

MITUniqueID

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

14

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Discover', 'JCB' or 'Diners'.
- ▶ When this field is sent for Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field can only be sent when the Installment Type field contains the value of 'Merchant' or 'ThirdParty'.
- ▶ For Discover (including JCB – US Domestic Only and Diners), this field must be sent for India-issued card ALL MIT (Recurring/Installment) transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

12.1.10 MIT Frequency

Description

This field indicates the frequency of a Recurring or Installment payment.

XML Tag Name

MITFreq

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

N

Length

2

Format

None

Value Set

The following values are defined:

- ▶ 01 – Daily
- ▶ 02 – Weekly
- ▶ 03 – Biweekly / Fortnightly
- ▶ 04 – Monthly
- ▶ 05 – Quarterly
- ▶ 06 – Half-Yearly (Biannually)
- ▶ 07 – Annually
- ▶ 08 – Unscheduled (Type of MIT)
- ▶ 09 – Ten days
- ▶ 10 – Twice weekly
- ▶ 11 – Every two months
- ▶ 12 – Trimester

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Visa', 'Discover', 'JCB' or 'Diners'.
- ▶ When the Card Type is 'Discover', 'JCB' or 'Diners', the valid values are 01, 02, 03, 04, 05, 06, 07 and 08.
- ▶ When Card type is 'Visa' and Bill Payment Transaction Indicator is 'Recurring', valid values are 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11 and 12.
- ▶ When Card type is 'Visa' and Bill Payment Transaction Indicator is 'Installment', valid values are 02, 03 and 04.

- When this field is sent for Visa or Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field can only be sent when the Installment Type field contains the value of 'Merchant' or 'ThirdParty'.
- ▶ For Discover (including JCB – US Domestic Only and Diners), this field must be sent for India-issued card ALL MIT (Recurring/Installment) transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.
- ▶ For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

12.1.11 MIT Validation Flag

Description

This field indicates the validation source for the validity of a transaction.

XML Tag Name

MITValFlag

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

..12

Format

None

Value Set

The following values are defined:

- ▶ Validated – Validated Card Transaction
- ▶ NotValidated – Not Validated Card Transaction

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Visa', 'Discover', 'JCB' or 'Diners'.
- ▶ When this field is sent for Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'.
- ▶ When this field is sent for Visa, the Bill Payment Transaction Indicator must be present with the value of 'Recurring'.

- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field can only be sent when the Installment Type field contains the value of 'Merchant' or 'ThirdParty'.
- ▶ For Discover (including JCB – US Domestic Only and Diners), this field must be sent for India-issued card ALL MIT (Recurring/Installment) transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.
- ▶ For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

12.1.12 MIT Validation Reference

Description

This field contains a cryptogram generated by the validation source for each cardholder account, for an Issuer to validate a transaction.

XML Tag Name

MITValRef

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

ans

Length

20

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Discover', 'JCB' or 'Diners'.
- ▶ When this field is sent for Discover (including JCB – US Domestic Only and Diners), the Bill Payment Transaction Indicator must be present with the value of 'Recurring' or 'Installment'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field can only be sent when the Installment Type field contains the value of 'Merchant' or 'ThirdParty'.
- ▶ For Discover (including JCB – US Domestic Only and Diners), this field must be sent for India-issued card ALL MIT (Recurring/Installment) transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.

12.1.13 MIT Sequence Indicator

Description

This field is used to identify the sequence of the transactions when multiple Installment payments will be submitted. Sequence Indicator should be populated in ascending order.

XML Tag Name

MITSeqInd

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

N

Length

2

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Discover', 'JCB' or 'Diners'.
- ▶ When this field is sent, the Bill Payment Transaction Indicator must be present with the value of 'Installment'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field can only be sent when the Installment Type field contains the value of 'Merchant' or 'ThirdParty'.
- ▶ For Discover (including JCB – US Domestic Only and Diners) installment transactions, this field must be sent for ALL Installment transactions for a series of payments, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

12.1.14 MIT Payment Currency

Description

This field contains the installment payment currency.

XML Tag Name

MITPymtCrncy

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

N

Length

3

Format

None

Value Set

The values for this field are contained in Appendix A – Currency Codes.

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Visa'.
- ▶ When this field is sent, the Bill Payment Transaction Indicator must be present with the value of 'Installment'.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

12.1.15 MIT Total Payment Amount

Description

This field contains the total installment amount.

XML Tag Name

MITTotPymtAmt

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

N

Length

..12

Format

None

Value Set

For more details, refer to the Amount Format section.

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Visa'.
- ▶ When this field is sent, the Bill Payment Transaction Indicator must be present with the value of 'Installment'.

Note: The total amount cannot exceed USD 500,000.

- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

12.1.16 MIT Payment Type

Description

This field contains the type of recurring payment.

XML Tag Name

MITPymtType

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

..12

Format

None

Value Set

The following values are defined:

- ▶ Registration – Registration / first transaction
- ▶ Subsequent – Subsequent transaction
- ▶ Modification – Modification
- ▶ Cancellation – Cancellation

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Visa'.
- ▶ For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).
- ▶ The POS Entry Mode must be '10' when this field contains value 'Subsequent'.

12.1.17 MIT Registration Reference Number

Description

This field contains a unique reference number for the recurring payment transaction.

XML Tag Name

MITRegRefNum

Field Group

This field is contained within the BILL PAYMENT Group.

Attribute Type

an

Length

35

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable when Card Type is 'Visa'.
- ▶ When this field is sent, the Bill Payment Transaction Indicator must be present with the value of 'Recurring'.
- ▶ For Visa, this field must be sent for ALL India-issued card Recurring transactions, and the original CIT transaction must be initiated with 3DS.
- ▶ If this field is provided at the time of authorization, the same value must be provided in subsequent transactions (e.g. Voids/Full Reversal, Completion, BatchSettleDetail, etc).

Chapter 13 : TransArmor

Revision History

Section	Change Log	Version	Date
1	Added the following rule to the Token field: “This field must be submitted in subsequent transactions (e.g. Completions and Voids/Full Reversals) with the token that was either sent in the XML Tag: Tkn field from the original transaction request, or received in the XML Tag: Tkn field from the original transaction response even when the merchant receives the Account Updater Token field XML Tag: AcctUpdTkn in original transaction response. <u>Note:</u> This rule has limited platform availability.”	12.04.11	August 23, 2023

Chapter Contents

1	TransArmor Group -----	13-2
---	------------------------	------

13.1 TransArmor Group

Description

This group contains fields used in TransArmor transactions in which the card number or track data are encrypted and/or tokenized. TransArmor functionality has limited platform availability. For more information, please contact your Account Representative.

XML Group Tag Name

TAGrp

Rules

The following Group rule is defined:

- ▶ When the Non US Merchant field is present in a transaction with the value of Europe or APAC, this group is not allowed.

13.1.1 Security Level

Description

This field indicates the security level used on a TransArmor transaction.

XML Tag Name

SctyLvl

Field Group

This field is contained within the TRANSARMOR Group.

Attribute Type

an

Length

..15

Format

None

Value Set

The following values are defined for this field:

- ▶ Tknizatn – Tokenization Only
- ▶ EncriptTknizatn – Encryption and Tokenization

Rules

The following field rules are defined:

- ▶ This field must be submitted for TransArmor request messages which expect a token in the response instead of a card number. The request may have the card number in the clear or encrypted.
Note: If the tokenization process fails, the account number will not be returned in the response message.
- ▶ This field must be submitted for TransArmor request messages that are sending a previously acquired token instead of the PAN/card number, Track 1, or Track 2 data.
- ▶ This field must be submitted in a TAKeyRequest transaction.
- ▶ This field must be submitted in a TATokenRequest transaction.
- ▶ When the Settlement Indicator value is 3, the value of EncrptTknizatn is not permitted.
- ▶ If the Payment Type is Fleet, this field can only be sent when Card Type is VisaFleet or MCFleet.
- ▶ This field and all other fields in this group must not be sent if the Card Type is SpeedPass.
- ▶ The Private Label Group can only be present in the transaction that includes the TransArmor Group when the Card Type is Dicks or CostPlus.
- ▶ When the Settlement Indicator value is 3, this field is not permitted when the Transaction Type is BalanceInquiry.

13.1.2 Token Type

Description

This field indicates the Multi-pay token type identifier used in a transaction. It is assigned by Fiserv.

XML Tag Name

TknType

Field Group

This field is contained within the TRANSARMOR Group.

Attribute Type

an

Length

4

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be submitted for TransArmor request messages which expect a token in the response instead of a card number. The request may have the card number in the clear or encrypted.
- ▶ This field must be submitted for TransArmor request messages that are sending a previously acquired token instead of the PAN/card number, Track 1, or Track 2 data.
- ▶ This field must be submitted in a TATokenRequest transaction that is solely for the purpose of requesting tokenization of a card number.
- ▶ Multi-pay token types are assigned by Fiserv and are specific to the merchant/merchant chain submitting the transaction. The assigned Multi-pay Token Type must be submitted on all token related transactions.
- ▶ The Private Label Group can only be present in the transaction that includes the TransArmor Group when the Card Type is Dicks or CostPlus.

13.1.3 Token

Description

This field contains the Multi-pay token which can be used to replace the PAN. The Multi-pay token is the same length as the card number and contains the same last four digits. Multi-pay tokens can be used to initiate subsequent transactions that would normally be submitted using a PAN (e.g. recurring transactions).

Note: A TATokenRequest Transaction must be performed before a Voice approved TransArmor Completion transaction is performed. The Voice approved TransArmor Completion transaction will contain the token and must not contain the card holder account information.

XML Tag Name

Tkn

Field Group

This field is contained within the TRANSARMOR Group.

Attribute Type

an

Length

..19

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be submitted in request messages in which the previously acquired token is being used instead of the PAN.
- ▶ This field is returned in all successful TransArmor transactions in which a token was used or acquired.
- ▶ Debit and EBT transactions cannot be initiated with a token.
- ▶ Merchants using TransArmor must wait for at least 10 seconds after the original request before sending any subsequent transactions (Completions, Partial Reversals and Voids/Full Reversals) to be processed via the token.
- ▶ This field must be submitted in subsequent transactions (e.g. Completions and Voids/Full Reversals) with the token that was either sent in the XML Tag: Tkn field from the original transaction request, or received in the XML Tag: Tkn field from the original transaction response even when the merchant receives the Account Updater Token field XML Tag: AcctUpdTkn in original transaction response.
Note: This rule has limited platform availability.
- ▶ The POS Entry Mode must be 01 for Credit Authorization, Sale, Verification, Refund, and Balance Inquiry transactions initiated with a token, except in the following scenarios:
 - For the Card Type of Visa, when the Auth Indicator field XML Tag: VisaAuthInd contains the value of 'CrdOnFile', and the Stored Credential Indicator field XML Tag: StoredCredInd is present with the value of 'Subsequent'.
 - For the Card Type of MasterCard, when the Auth Indicator field XML Tag: MCAuthInd contains the value of 'CrdOnFile', and the Stored Credential Indicator field XML Tag: StoredCredenInd is present with the value of 'Subsequent'.
 - For the Card Type of Discover, when the Auth Indicator field XML Tag: DiscAuthInd contains the value of 'CrdOnFile', and the Stored Credential Indicator field XML Tag: StoredCrdnInd is present with the value of 'Subsequent'.
 - For the Card Type of Amex, when the Auth Indicator field XML Tag: AmexAuthInd contains the value of 'CrdOnFile', and the Stored Credential Indicator field XML Tag: StoredCrdInd is present with the value of 'Subsequent'.**Note:** Subsequent transactions (Completions, Partial Reversals and Voids/Full Reversals) must contain the same value that was submitted in the original transaction.
- ▶ The Private Label Group can only be present in the transaction that includes the TransArmor Group when the Card Type is Dicks or CostPlus.
- ▶ This field must be sent on 'CancelDeferredAuth' transactions when Account Number or Encryption Block is not sent.

13.1.4 ExpDate

Description

This field specifies the Expiration Date of the card being submitted in the Encryption block or submitted in the original transaction.

XML Tag Name

TAExpDate

Field Group

This field is contained within the TRANSARMOR Group.

Attribute Type

N

Length

4

Format

MMYY

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is returned in the response for all encryption types, except when the transaction includes the Settlement Indicator value of 3.
- ▶ The value returned in this field in the transaction response must be sent in the Card Expiration Date field in transactions initiated with the token received in the original transaction response.
Note: The length and format of the value returned in this field must be changed to a length of '6' and the format of 'YYYYMM' when the value is sent in the Card Expiration Date field. For Example, if the value '1020' is returned in this field, the value '202010' must be sent in the Card Expiration Date field in transactions initiated with a token.

13.1.5 CA Key ID

Description

This field contains the Certificate Authority Identifier.

XML Tag Name

CAKeyID

Field Group

This field is contained within the TRANSARMOR Group.

Attribute Type

an

Length

2

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field will be returned on an approved TACertAuthority transaction response.
- ▶ This field must be sent on a TAKeyRequest transaction if the merchant supports Certificate Authority.
- ▶ This field will be returned on a TAKeyRequest response if the merchant supports Certificate Authority.
- ▶ The Private Label Group can only be present in the transaction that includes the TransArmor Group when the Card Type is Dicks or CostPlus.

13.1.6 Account Updater Token

Description

This field contains the updated multi-pay token. If the merchant request contained a multi-pay token, and the account number associated with that token has been updated, a new token will be generated and returned in this field.

XML Tag Name

AcctUpdTkn

Field Group

This field is contained within the TRANSARMOR Group.

Attribute Type

an

Length

..19

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field will only be returned in a transaction response when the transaction request contains the Account Updater Request Indicator field with the value of 'Yes' and the Card Type value of 'Visa' or 'MasterCard'.
- ▶ This field will be returned when available.
- ▶ When this field is returned in a transaction response, the Account Updater Card Status field will contain the value of 'AcctExpDate'.
- ▶ This field will not be present in a transaction which contains the Account Updater Card Number field.



Chapter 14 : Tokenization Group

Revision History

Section	Change Log	Version	Date
1	Added the Token Authorization Try1 Indicator, Token Authorization Try2 Indicator, Token Authorization Try3 Indicator and NTI Token/PAN Lookup Result fields. Changed the rule in the Payment Token Request Indicator field from “This field must be sent in the request message in order to receive the Token Authorization Indicator, Payment Token Value and Payment Token Expiration Date fields in the response message.” to “This field must be sent in the request message in order to receive the Token Authorization Indicator, Payment Token Value, Payment Token Expiration Date, Token Authorization Try1 Indicator , Token Authorization Try2 Indicator , Token Authorization Try3 Indicator and NTI Token/PAN Lookup Result fields in the response message.”	12.04.7	February 22, 2023
1	Added the following fields: Payment Token Request Indicator, Token Authorization Indicator, Payment Token Value and Payment Token Expiration Date. Fall 2021 Compliance Updates: Added the Additional Token Response Info field. Changed the verbiage from “Token Assurance Level” to “Token Assurance Method” in the Token Assurance Level field.	10.02.15	October 27, 2021
1	Spring 2021 Compliance Updates: Changed the rule in the Token Requestor ID field from “This field is mandatory for MasterCard and MaestroInt card-on-file token transactions.” to “This field must not be sent for MasterCard and MaestroInt card-on-file token (or static token) transactions.” <u>Note:</u> The above rule will be effective from 8 June 2021.”	10.02.11	April 28, 2021

Chapter Contents

1	Tokenization Group	14-2
---	--------------------------	------

14.1 Tokenization Group

Description

The presence of this group of fields in a request or response message means the actual Cardholder account number is not present in the transaction. An association generated Token replaced the actual Cardholder account number.

XML Group Tag Name

TknGrp

14.1.1 Token Requestor ID

Description

An identification number assigned by a token service provider to identify a token requestor.

XML Tag Name

TknReqID

Field Group

This field is contained within the Tokenization Group.

Attribute Type

an

Length

..11

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ For credit transactions this field is only applicable to Visa, MasterCard, MaestroInt, Amex, and Discover Ecommerce transactions that contain the Tokenization Group.
- ▶ For credit transactions this field may be sent for Visa, MasterCard, MaestroInt, Amex, and Discover Ecommerce transactions that contain the Tokenization Group.
- ▶ For debit transactions this field may be sent in transactions that contain the Tokenization Group.
- ▶ This field may be returned when available.
- ▶ This field must be submitted in subsequent transactions if returned in the authorization response.

- ▶ This field must not be sent for MasterCard and MaestroInt card-on-file token (or static token) transactions.

Note: The above rule has been effective since 8 June 2021.

14.1.2 Token Assurance Method

Description

A value that allows the Token Service Provider to indicate the confidence level of the Payment Token to PAN/Cardholder binding.

XML Tag Name

TknLvl

Field Group

This field is contained within the Tokenization Group.

Attribute Type

an

Length

..2

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned on Visa, MasterCard, MaestroInt, and Discover transactions.
- ▶ This field is only returned in a response message that included the Tokenization Group.
- ▶ This field is only returned on Balance Inquiry Transactions when the Card Type is MasterCard or MaestroInt.
- ▶ This field must be submitted in subsequent transactions if returned in the authorization response.

14.1.3 Last Four Digits of PAN

Description

This field contains the last four digits of the Cardholder PAN.

XML Tag Name

TknLstFour

Field Group

This field is contained within the Tokenization Group.

Attribute Type

N

Length

4

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is returned only on Visa, MasterCard, Amex, Discover, and Debit transactions.
- ▶ This field will be returned in an authorization response when it's available from the authorizer.
- ▶ This field is returned on Balance Inquiry Transactions only when the Card Type is MasterCard.

14.1.4 Token Block A

Description

This field contains the Amex Token Cryptogram Data. This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

TknBlkA

Field Group

This field is contained within the Tokenization Group.

Attribute Type

b64

Length

28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable to transactions with the POS Entry Mode of 08.
- ▶ This field is mandatory on transactions with the POS Entry Mode of 08.
- ▶ This field must be submitted in the following subsequent transactions if present in the authorization request:
 - Partial Reversal
 - Void/Full Reversal
 - Timeout Reversal

14.1.5 Token Block B

Description

This field contains the Amex Token Cryptogram Data. This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

TknBlkB

Field Group

This field is contained within the Tokenization Group.

Attribute Type

b64

Length

28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is only applicable to transactions with the POS Entry Mode of 08.
- ▶ This field must be submitted in the following subsequent transactions if present in the authorization request:
 - Partial Reversal
 - Void/Full Reversal
 - Timeout Reversal

14.1.6 Payment Token Request Indicator

Description

This field is used to request the payment token information for merchants participating in the Fiserv Network Token Program.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

PymtTknReqInd

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes

Rules

The following field rules are defined:

- ▶ This field must only be sent by merchants who participate in the Fiserv Network Token Program.
- ▶ This field must be sent in the request message in order to receive the Token Authorization Indicator, Payment Token Value, Payment Token Expiration Date, Token Authorization Try1 Indicator, Token Authorization Try2 Indicator, Token Authorization Try3 Indicator and NTI Token/PAN Lookup Result fields in the response message.

14.1.7 Token Authorization Indicator

Description

This field indicates whether the transaction is authorized via payment token or actual PAN.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

TknAuthInd

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

an

Length

..5

Format

None

Value Set

The following values are defined for this field:

- ▶ PAN – Transaction is authorized via PAN
- ▶ Token – Transaction is authorized via Payment Token

Rules

The following field rule is defined:

- ▶ This field will only be returned to merchants who participate in the Fiserv Network Token Program.

14.1.8 Payment Token Value

Description

This field represents the full payment token value provisioned via Fiserv, can be saved as PAN for future credential-on-file transactions.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

PymtTknValue

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

N

Length

..19

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field will only be returned to merchants who participate in the Fiserv Network Token program.
- ▶ When this field is returned along with the Token Authorization Indicator XML Tag: TknAuthInd field with the value of 'Token', then all subsequent transactions (e.g. Completions, Void/Full Reversals) should be submitted using this payment token value instead of the original PAN in the Account Number XML Tag: AcctNum field.

Note: For TransArmor merchants who also participate in the Fiserv Network Token program, it is recommended for them to continue using the TransArmor token for future Credential-on-file transactions. If TransArmor merchants do use the payment token value in the Account Number XML Tag: AcctNum field for future Credential-on-file transactions, then the TransArmor Group should not be included for those transactions.

14.1.9 Payment Token Expiration Date

Description

This field represents the expiration date of token value provisioned via Fiserv, can be saved for future credential-on-file transactions.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

PymtTknExpDate

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

N

Length

6

Format

YYYYMM

Value Set

None

Rules

The following field rules are defined:

- ▶ This field will only be returned to merchants who participate in the Fiserv Network Token program.
- ▶ When this field is returned along with the Token Authorization Indicator XML Tag: TknAuthInd field with the value of 'Token', then all subsequent transactions (e.g. Completions, Void/Full Reversals) should be submitted using this value instead of the original PAN expiration date in the Card Expiration Date XML Tag: CardExpiryDate field.

14.1.10 Additional Token Response Info

Description

This field will contain a value used to identify transactions eligible for token services.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

AddTknResplInfo

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following value is defined for this field:

- ▶ 1 – Token Program

Rules

The following field rules are defined:

- ▶ This field may be returned in a response message only when the Card Type is 'Visa'.
- ▶ This field must be sent with the same value returned from original transaction response in subsequent transactions (e.g. Completion, BatchSettleDetail).

14.1.11 Token Authorization Try1 Indicator

Description

This response field indicates whether the authorization is tried with PAN or Token on the first attempt.

XML Tag Name

TknAuthTry1Ind

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

an

Length

..5

Format

None

Value Set

The following values are defined for this field:

- ▶ PAN – authorization is tried with PAN
- ▶ Token – authorization is tried with Token

Rules

The following field rule is defined:

- ▶ This field will only be returned to merchants who participate in the Fiserv Network Token Program.

14.1.12 Token Authorization Try2 Indicator

Description

This response field indicates whether the authorization is tried with PAN or Token on the second attempt.

XML Tag Name

TknAuthTry2Ind

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

an

Length

..5

Format

None

Value Set

The following values are defined for this field:

- ▶ PAN – authorization is tried with PAN
- ▶ Token – authorization is tried with Token

Rules

The following field rule is defined:

- ▶ This field will only be returned to merchants who participate in the Fiserv Network Token Program.

14.1.13 Token Authorization Try3 Indicator

Description

This response field indicates whether the authorization is tried with PAN or Token on the third attempt.

XML Tag Name

TknAuthTry3Ind

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

an

Length

..5

Format

None

Value Set

The following values are defined for this field:

- ▶ PAN – authorization is tried with PAN
- ▶ Token – authorization is tried with Token

Rules

The following field rule is defined:

- ▶ This field will only be returned to merchants who participate in the Fiserv Network Token Program.

14.1.14 NTI Token/PAN Lookup Result

Description

This response field indicates the Network Token/PAN lookup result.

XML Tag Name

TknPANLkpResult

Field Group

This field is contained within the TOKENIZATION Group.

Attribute Type

an

Length

..6

Format

None

Value Set

The following values are defined for this field:

- ▶ Match – NTI lookup successful, matching Token/PAN received from NTI
- ▶ NoMtch – NTI lookup unsuccessful, no token provided or timed out

Rules

The following field rule is defined:

- ▶ This field will only be returned to merchants who participate in the Fiserv Network Token Program and if the Network Token/PAN lookup is performed for the transactions.

Chapter 15 : EMV Group

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the EMV Data field from “The Terminal Entry Capability must be 01, 04, 06, 08, 09 or 12 when the EMV Data field is present.” to “The Terminal Entry Capability must be 04, 06, 08, 09 or 12 when the EMV Data field is present, except for Canadian Debit In-App/In-Browser transaction for which the Terminal Entry Capability must be 01.”	10.02.14	August 25, 2021
1	Changed the description of the EMV Group from “The fields in this group are applicable to chip card transactions using the Europay, MasterCard and Visa (EMV) international standard.” to “The fields in this group are applicable to chip card, contactless digital wallet and Canadian Debit In-App/In-Browser transactions using the Europay, MasterCard and Visa (EMV) international standard.” Added the following rules to the EMV Data field: “For Offline Canadian Debit In-App / In-Browser transactions i.e. subsequent Refund and subsequent Adjustment transactions, this field must not contain EMV Tag 9F26 and EMV Tag 9F36 and default values should be used for all other data elements except for EMV Tag 9F10.”, “EMV Tags 9F10, 5F2A, 9F1A and 9F02 are mandatory for Canadian Debit In-App / In-Browser subsequent Refund and subsequent Adjustment transactions and they must be submitted from the original transaction.	10.02.13	June 23, 2021

1	<u>Note:</u> Please see Glossary for definitions of Online Canadian Debit In-App / In-Browser and Offline Canadian Debit In-App / In-Browser.” Changed the rule in the EMV Data field from “The Terminal Entry Capability must be 04, 06, 08, 09 or 12 when the EMV Data field is present.” to “The Terminal Entry Capability must be 01, 04, 06, 08, 09 or 12 when the EMV Data field is present.”	10.02.13	June 23, 2021
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019
1	Changed the Description in the EMV Group from “Rapid Connect supports EMV functionality for Visa, MasterCard, Discover, American Express, Maestro and Interlink.” to “Rapid Connect supports EMV functionality for Visa, MasterCard, Discover, American Express, Union Pay, Maestro and Interlink.”	9.02.12	August 27, 2019

Chapter Contents

1	EMV Group -----	15-3
---	-----------------	------

15.1 EMV Group

Description

The fields in this group are applicable to chip card, contactless digital wallet and Canadian Debit In-App/In-Browser transactions using the Europay, MasterCard and Visa (EMV) international standard. EMV functionality has limited platform availability. Rapid Connect supports EMV functionality for Visa, MasterCard, Discover, American Express, Union Pay, Maestro and Interlink. For more information, please contact your Account Representative. For information about referenced EMV tags, please refer to the EMV specifications available at <http://www.emvco.com>.

XML Group Tag Name

EMVGrp

15.1.1 EMV Data

Description

The transaction EMV data block. This block contains all EMV tags with the exception of tags 5A and 57.

XML Tag Name

EMVData

Field Group

This field is contained within the EMV Group.

Attribute Type

h

Length

..999

Format

None

Value Set

For values please refer to the EMV specifications available at <http://www.emvco.com>.

Rules

The following field rules are defined:

- ▶ This field must be present in all EMV transactions.
- ▶ If the POS Entry Mode = 05, 07, 86, 91, or 95 the value of EMV Tag 5A, if provided, must be used to populate the Account Number field, or if TransArmor Encryption is present, populate the Encryption Block field. EMV Tag 5A must not be sent in the EMV Data field.
- ▶ If the POS Entry Mode = 05, 07, 86, 91, or 95 the value of EMV Tag 57, if provided, must be used to populate the Track 2 Data field or, if TransArmor Encryption is present, populate the Encryption Block field. EMV Tag 57 must not be sent in the EMV Data field.
- ▶ If this field is present, the PIN Group can also be present.
- ▶ The Terminal Entry Capability must be 04, 06, 08, 09 or 12 when the EMV Data field is present, except for Canadian Debit In-App/In-Browser transaction for which the Terminal Entry Capability must be 01.
- ▶ For Offline Canadian Debit In-App / In-Browser transactions i.e. subsequent Refund and subsequent Adjustment transactions, this field must not contain EMV Tag 9F26 and EMV Tag 9F36 and default values should be used for all other data elements except for EMV Tag 9F10.
- ▶ EMV Tags 9F10, 5F2A, 9F1A and 9F02 are mandatory for Canadian Debit In-App / In-Browser subsequent Refund and subsequent Adjustment transactions and they must be submitted from the original transaction.

Note: Please see Glossary for definitions of **Online Canadian Debit In-App / In-Browser** and **Offline Canadian Debit In-App / In-Browser**.

15.1.2 Card Sequence Number

Description

The Card Sequence Number is a number used to differentiate cards that have the same primary account number (PAN).

XML Tag Name

CardSeqNum

Field Group

This field is contained within the EMV Group.

Attribute Type

N

Length

3

Format

Right Justified, zero filled

Value Set

000 - 099

Rules

The following field rules are defined:

- ▶ For transactions with POS Entry Mode = 05 or 07, this field may be required when the card product includes the Card Sequence Number.
- ▶ The Card Sequence Number must contain the same value as Application PAN Sequence number (EMV tag 5F34), if present in the EMV Group.EMV Data field.
- ▶ If EMV Tag 5F34 is not available, the Card Sequence Number must be omitted.

15.1.3 X-Code Response Code

Description

This field represents the Authorizing Agent ID Code as received from MasterCard.

XML Tag Name

XCodeResp

Field Group

This field is contained within the EMV Group.

Attribute Type

an

Length

6

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned on MasterCard or Maestro EMV transactions.
- ▶ If this field is received in Authorization response, it should be present in subsequent transactions (Completion, Void/Full Reversal).

15.1.4 Service Code

Description

The Service Code is a three digit value contained in the Track Data.

XML Tag Name

ServCode

Field Group

This field is contained within the EMV Group.

Attribute Type

ans

Length

3

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in EMV transactions.
- ▶ If this field is returned in an authorization response, this field with the same value returned must be provided in the subsequent Completion transaction.

15.1.5 Application Expiration Date

Description

This is the date after which the application expires. Its value comes from Tag 5F24 captured from the chip data in the field EMV Group.EMV Data.

XML Tag Name

AppExpDate

Field Group

This field is contained within the EMV Group.

Attribute Type

N

Length

6

Format

YYMMDD

Value Set

None

Rules

The following field rule is defined:

- ▶ This field may be returned in EMV transactions.

15.1.6 Card Authentication Results Code

Description

This field contains the Visa-defined code to indicate Card Authentication results.

XML Tag Name

CARC

Field Group

This field is contained within the EMV Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined:

- ▶ 1 - The Authorization Request Cryptogram (ARQC) was checked but failed verification.
- ▶ 2 - The ARQC was checked and passed verification.

Rules

The following field rule is defined:

- ▶ This field may be returned on Visa or Interlink EMV transactions.

15.1.7 Processing Indicator

Description

This field indicates the transaction processing type as returned by MasterCard.

XML Tag Name

ProcInd

Field Group

This field is contained within the EMV Group.

Attribute Type

an

Length

2

Format

None

Value Set

The following values are defined:

- ▶ 02 - MasterCard On-behalf Service—M/Chip Cryptogram Pre-validation
- ▶ 03 - MasterCard On-behalf Service—M/Chip Cryptogram Validation in Stand-in Processing
- ▶ 50 - Issuer Chip Validation
- ▶ 90 - Chip Fall-back Transaction Downgrade Process

Rules

The following field rule is defined:

- ▶ This field may be returned on MasterCard or Maestro EMV transactions.

15.1.8 Processing Information

Description

This field contains additional information about the issuer returned by MasterCard during the cryptogram validation.

XML Tag Name

ProcInfo

Field Group

This field is contained within the EMV Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined:

- ▶ C - Completed Successfully
- ▶ F - Format error in EMV Group.EMV Data
- ▶ G - Application Cryptogram is valid but is not an ARQC
- ▶ I - Application Cryptogram invalid
- ▶ T - Application Cryptogram is valid but TVR/CVR was invalid.
- ▶ U - Application Cryptogram could not be validated due to technical error.
- ▶ X - Issuer provided incorrect value for Processing Information field.

Rules

The following field rule is defined:

- ▶ This field may be returned on MasterCard or Maestro EMV transactions.

15.1.9 Final Amount Indicator

Description

This field indicates if the Completion, BatchSettleDetail, or Settlement transaction amount could potentially differ from the approved amount in an EMV Credit Authorization transaction. For example: a transaction where a tip is included in a Completion, BatchSettleDetail, Settlement transaction, or a transaction that could be followed by a Partial Reversal.

XML Tag Name

FinAmtInd

Field Group

This field is contained within the EMV Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following value is defined:

- ▶ 1 – Final amount not known at the time of Authorization.

Rules

The following field rules are defined:

- ▶ This field may only be sent in an EMV Credit Authorization transaction.
- ▶ This field must be sent in an EMV Credit Authorization transaction when the final amount is not known at the time of Authorization.

Chapter 16 : VISA Group

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the Transaction Identifier field from “This field must be sent on Completion Transactions that contain the Multiple Clearing Sequence Number and the Multiple Clearing Sequence Count fields.” to “This field must be sent on Completion Transactions that contain the Multiple Clearing Sequence Number and the Multiple Clearing Sequence Count fields, <u>except when the transaction includes the Network Access Indicator value of 'C', or the transaction is a card not present debit routed transaction.</u> ”	12.04.10	June 21, 2023
1	Added the following rule to the ACI field: “This field must be sent with the value of ‘P’ for Visa Lodging/Auto Rental Ecomm & MOTO transactions, except when it is an Incremental transaction for which the value must be ‘I’.”	12.04.9	April 26, 2023

1	Changed the rule in the Market Specific Data Indicator field from “If the BILL PAYMENT Group.Bill Payment Transaction Indicator is “Single”, “Recurring”, “Deferred”, or “Installment” then this field must be submitted as “BillPayment”.” to “If the BILL PAYMENT Group.Bill Payment Transaction Indicator is “Single”, “Recurring”, “Deferred”, or “Installment” then this field must be submitted as “BillPayment”, <u>except when the Lodging Group is present in which case the value ‘Hotel’ must be sent</u>”. Changed the rule in the Market Specific Data Indicator field from “This field must be sent with the value of ‘Hotel’ when the Lodging Group is present in the transaction.” to “This field must be sent with the value of ‘Hotel’ when the Lodging Group is present in the transaction, <u>except when the STAR ACI field with value ‘I’ is present in the transaction</u>.” Changed the rule in the Market Specific Data Indicator field from “This field must be sent with the value of ‘AutoRental’ when the Auto Rental Group is present in the transaction.” to “This field must be sent with the value of ‘AutoRental’ when the Auto Rental Group is present in the transaction, <u>except when the STAR ACI field with value ‘I’ is present in the transaction</u>.”	12.04.7	February 22, 2023
1	Added the following rule to the Auth Indicator: “This field with the value of ‘ReSubmit’ must be sent for all Visa Debt Recovery transactions for the MCC’s 4111, 4112 and 4131.”	12.04.3	August 24, 2022
1	Spring 2022 Compliance updates: Changed the rule in the CryptoCurrency Purchase Indicator field from “This field is only applicable for the MCC ‘6051’.” to “This field is only applicable for the MCC ‘6051’ <u>or ‘6012’</u>.” Added the following rule to the CryptoCurrency Purchase Indicator field: “This field can be sent on a transaction containing the Money Transfer Processing Indicator value of ‘Funding’ only when the Payment Type Indicator field contains the value of ‘WltTrnsfr’ or ‘FundsTrnsfr’.”	12.04.1	April 27, 2022
1	Fall 2021 Compliance updates: Removed the response value ‘B’ (Tokenized Ecommerce via mobile device (Payment Token)) from the ACI field.	10.02.15	October 27, 2021

1	Added the following rules to the Market Specific Data Indicator field: “This field must be sent with the value of ‘Hotel’ when the Lodging Group is present in the transaction.”, “This field must be sent with the value of ‘AutoRental’ when the Auto Rental Group is present in the transaction.”, “If this field with the value of ‘Hotel’ is sent in a transaction, then the Duration field must also be present in the same transaction.”, and “If this field with the value of ‘AutoRental’ is sent in a transaction, then the Rental Duration field must also be present in the same transaction.”	10.02.13	June 23, 2021
---	--	----------	---------------

Chapter Contents

1	VISA Group	16-4
---	------------------	------

16.1 VISA Group

Description

This group contains fields used in Visa and JCB (Non-US International except Canada) transactions.

XML Group Tag Name

VisaGrp

16.1.1 Authorization Characteristics Indicator (ACI)

Description

A mandatory code used for qualification in the Custom Payment Service (CPS) program as defined by Visa. Upon evaluation, the code may be changed in the response message if provided by Visa.

XML Tag Name

ACI

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined:

Request Values

- ▶ P – Card-not-present (preferred customer only e.g. Lodging or Auto Rental)
- ▶ I – Incremental Authorization
- ▶ Y – Transaction requests participation
- ▶ R - Card-not-present, AVS not required (permitted for certain MCCs only, see rules below)

Response Values

- ▶ A – Card Present
- ▶ C – Card present with merchant name and location data (cardholder activated)
- ▶ E - Card present with merchant name and location data
- ▶ F - Card not present, Account Funding
- ▶ I – Incremental Authorization
- ▶ J – Card not present Recurring bill payment transaction

- ▶ K - Key Entered Transaction (error while reading magnetic stripe data)
- ▶ N - Not a custom payment service transaction
- ▶ P – Card-not-present (preferred customer participation)
- ▶ R - Card-not-present, AVS not required
- ▶ S - Card not present, e-commerce 3-D secure attempt
- ▶ T - Transaction cannot participate in CPS programs
- ▶ U - Card not present, 3-D secure
- ▶ V - Card-not-present, AVS requested
- ▶ W - Card not present, e-commerce non-3-D secure

Rules

The following field rules are defined:

- ▶ Mandatory for Visa Credit Authorization, BatchSettleDetail and Sale transactions, except when the transaction includes the Network Access Indicator value of 'C'.
- ▶ The value of "R" in the request message is only allowed for specific "Select Developing Market" merchants with the following MCC's - 4899, 5960, 5968, 5983, 6300, 8211, 8220, 8299, 8351, 8398, 9211, 9222, or 9399. Card-not-present transactions with these MCC's are not required to send AVS.
- ▶ If a value is returned in the authorization response, the same value must be submitted on all subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.).
- ▶ This field must not be sent in a transaction that includes the Network Access Indicator value of 'C'.
- ▶ This field must be sent with the value of 'P' for Visa Lodging/Auto Rental Ecomm & MOTO transactions, except when it is an Incremental transaction for which the value must be 'I'.

16.1.2 Market Specific Data Indicator

Description

The Market Specific Data Indicator (MSDI) identifies the industry for which the transaction data applies (i.e. Healthcare, Bill Payment, etc.). It must be provided when the transaction is being submitted for one of the categories listed in the Value Set, and has a payment type of Credit.

XML Tag Name

MrktSpecificDataInd

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

..15

Format

None

Value Set

The following values are defined:

- ▶ BillPayment – Bill Payment
- ▶ Healthcare – Healthcare/Medical
- ▶ Transit – Transit(Healthcare Transactions only)
- ▶ EcomAgg – Ecommerce Transaction Aggregation
- ▶ B2B – Business to Business Invoice Payments
- ▶ Hotel – Hotel
- ▶ AutoRental – Auto Rental

Rules

The following field rules are defined:

- ▶ If the BILL PAYMENT Group.Bill Payment Transaction Indicator is “Single”, “Recurring”, “Deferred”, or “Installment” then this field must be submitted as “BillPayment”, except when the Lodging Group is present in which case the value ‘Hotel’ must be sent.
- ▶ This field must be sent with the value of ‘BillPayment’ when the Existing Debt Indicator field is present in the transaction.
- ▶ The same value submitted at the time of authorization must be submitted on all subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.) except when the Private Label Group is present.
- ▶ The same value submitted at the time of authorization must be submitted on all incremental authorizations.

- ▶ If this field has a value of Healthcare then Additional Amount Type of Hltcare must be present in the same message.
- ▶ If this field has a value of Transit then Additional Amount Type of Transit must be present in the same message.
- ▶ This field must not be sent in a transaction that includes the Network Access Indicator value of 'C'.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.
- ▶ This field must be sent with the value of 'Hotel' when the Lodging Group is present in the transaction, except when the STAR ACI field with value 'I' is present in the transaction.
- ▶ This field must be sent with the value of 'AutoRental' when the Auto Rental Group is present in the transaction, except when the STAR ACI field with value 'I' is present in the transaction.
- ▶ If this field with the value of 'Hotel' is sent in a transaction, then the Duration field must also be present in the same transaction.
- ▶ If this field with the value of 'AutoRental' is sent in a transaction, then the Rental Duration field must also be present in the same transaction.

16.1.3 Card Level Result Code

Description

A value returned by Visa, to designate the type of card product used to process the transaction.

XML Tag Name

CardLevelResult

Field Group

This field is contained within the VISA Group.

Attribute Type

ans

Length

..2

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ If this field is received in an authorization response message, it must be submitted in any subsequent BatchSettleDetail or Completion transactions except when the Private Label Group is present.
- ▶ This field may be returned in a Refund response message when the Refund Type field is present in the request message.

16.1.4 Source Reason Code

Description

This field identifies the source of the decision for the transaction.

XML Tag Name

SourceReasonCode

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined:

- ▶ 0 – Timeout – Response Provided by STIP, Timed Out by Switch
- ▶ 1 – Visa Stand-In Processing – Response Provided by STIP, Transaction Amount was Below Issuer Limit or Below Sliding Dollar Amount
- ▶ 2 – Suppress Inquiry Mode – Response Provided by STIP, Issuer is in Suppress Inquiry (SI) Mode
- ▶ 3 – Issuer Unavailable – Response Provided by STIP for One of the Following Reasons: Issuer was Not Available for Processing (for reasons other than being in SI Mode) or CCV or ICCV was Invalid and Visa has Acted on the Negative Results
- ▶ 4 – Issuer – Response Provided by Issuer
- ▶ 5 – Not Applicable
- ▶ 6 – Response provided by STIP. Transaction met Visa Transaction Advisor Service criteria
- ▶ V – Authorization obtained via VisaNet (issuer or STIP response)

Rules

The following field rules are defined:

- ▶ This field may be returned in credit authorization response messages, when available.
- ▶ The value of 5 will only be returned when the transaction included the Settlement Indicator value of 1.

16.1.5 Transaction Identifier

Description

This field represents a unique value up to 20 digits assigned by Visa, used to identify and link all related transactions for authorization and settlement through Visa. This field contains Transaction Identifier and Validation Code.

XML Tag Name

TransID

Field Group

This field is contained within the VISA Group.

Attribute Type

ans

Length

..20

Format

The last 4 characters represent Validation Code and all the characters before that represent Transaction ID

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned on Visa authorization response messages, when the payment type is Credit.
- ▶ This field must be submitted on subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc) just as it was returned in the authorization response message, if available except when the Private Label Group is present.
- ▶ This field must be submitted on incremental authorizations and BatchSettleDetail transactions just as it was returned in the authorization response message, if available.
- ▶ This field must be sent on Completion Transactions that contain the Multiple Clearing Sequence Number and the Multiple Clearing Count fields, except when the transaction includes the Network Access Indicator value of 'C', or the transaction is a card not present debit routed transaction.

- ▶ The value returned in this field in the initial Credential on File response message must be sent in all subsequent Unscheduled Credential on File request messages only when the subsequent Credential on File transaction is MIT (Merchant Initiated Transaction).
- ▶ The value returned in this field in a recurring or installment transaction may be sent in the next subsequent recurring or installment transaction in a given series of payments, except when the merchant is in Europe.
- ▶ This field is mandatory for subsequent recurring or installment transaction when the merchant is in Europe.
Note: If the original value is not available, the recent value returned in this field must be sent in the subsequent recurring or installment transaction.
- ▶ The value returned in this field in the initial Credential on File response message may be sent in all subsequent Credential on File request messages when the subsequent Credential on File transaction is CIT (Cardholder Initiated Transaction).
- ▶ This field may be returned in a Refund response message when the Refund Type field is present in the request message.

16.1.6 VISA BID

Description

This field contains the Business Identifier (BID) provided by Visa to Third Party Servicers (TPS).

XML Tag Name

VisaBID

Field Group

This field is contained within the VISA Group.

Attribute Type

ans

Length

..10

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ Multiple VISA BID values up to a maximum of three occurrences may be contained within a single request message.

16.1.7 VISA AUAR

Description

This field contains Agent Unique Account Result (AUAR) provided by Visa to Third Party Servicers (TPS).

XML Tag Name

VisaAUAR

Field Group

This field is contained within the VISA Group.

Attribute Type

h

Length

12

Format

12 hex digits

Example: 12345AD89012

Value Set

None

Rules

The following field rules are defined:

- ▶ Multiple VISA AUAR values up to a maximum of three occurrences may be contained within a single request message.
- ▶ If an AUAR has not been assigned by Visa, 12 zeroes should be submitted.

16.1.8 Tax Amount Capability

Description

This field indicates the capability of the terminal to prompt for the Tax Amount, and then handle the Commercial card type in the response message.

XML Tag Name

TaxAmtCapabl

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

..2

Format

None

Value Set

The following values are defined:

Request Values

- ▶ 0 – Terminal is Not Tax Prompt Capable
- ▶ 1 – Terminal is Tax Prompt Capable

Response Values

- ▶ VB – Visa Business Card
- ▶ VC – Visa Corporate Card
- ▶ VP – Visa Purchasing Card
- ▶ TX – Unable to obtain information (prompt for Tax)
- ▶ NA – The card is not listed as Business, Corporate or Purchasing Card

Rules

The following field rule is defined:

- ▶ If a Visa commercial card (Business, Corporate, or Purchasing) is used, the terminal should prompt for the Tax Amount.

16.1.9 Spend Qualified Indicator

Description

This field indicates whether the transaction met the spend assessment threshold defined by Visa.

XML Tag Name

SpendQInd

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined:

- ▶ B – Base spend assessment threshold defined by Visa has been met
- ▶ N – Spend assessment threshold requirement defined by VISA has not been met

- ▶ Q – Spend assessment threshold requirement defined by VISA has been met
- ▶ X – Spend processing does not apply

Rules

The following field rules are defined:

- ▶ This field is returned in the response of a Visa Authorization or Sale.
- ▶ If this field is returned in an authorization response, this field with the same value returned must be provided in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.).

16.1.10 Visa Checkout Indicator

Description

This field is used to indicate that the transaction is a Visa Checkout transaction.

XML Tag Name

CheckoutInd

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

1

Format

None

Value Set

- ▶ Y – Visa Checkout transaction

Rules

The following field rule is defined:

- ▶ This field is mandatory for a Visa Checkout transaction.

16.1.11 Quasi-Cash Indicator

Description

This field indicates whether the merchant is registered for Quasi-Cash transactions. The value sent in this field will override the default value on file.

XML Tag Name

QCI

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

1

Format

None

Value Set

- ▶ Y – Merchant is registered for Quasi-Cash and transaction is Quasi-Cash
- ▶ N – Merchant is registered for Quasi-Cash but transaction is not Quasi-Cash

Rules

The following field rules are defined:

- ▶ Payment Facilitators must send this field in every Visa Quasi-Cash transaction.
- ▶ MCCs '6012' and '6051' support the values of both 'Y' and 'N'.
- ▶ MCCs 4829, 7995, 7801, and 7802 only support the value of 'Y'.

Note: Merchants performing Quasi-Cash activity using these MCCs can override defaults as shown in the table below:

Quasi-Cash MCC	Default Values	Allowable Values
4829	'Y'	'Y' only
7995	'Y'	'Y' only
6051	'Y'	'Y' or 'N'
6012	'N'	'Y' or 'N'
7801	'Y'	'Y' only
7802	'Y'	'Y' only

16.1.12 Auth Indicator

Description

This field is used to indicate the type of authorization requested.

XML Tag Name

VisaAuthInd

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

..9

Format

None

Value Set

The following values are defined for this field:

- ▶ ReAuth – Re-authorization
- ▶ ReSubmit – Resubmission
- ▶ EstAuth – Estimated Authorization
- ▶ CrdOnFile – Credential on File

Rules

The following field rules are defined:

- ▶ The field with the value of CrdOnFile must be sent in all Visa credential-on-file transactions, except for the following scenarios:
 - Re-authorization transaction.
 - Resubmission transaction when the original authorization was declined for insufficient funds.
 - Estimated Authorization transaction when the final amount is not known at the time of Authorization.
- ▶ The value of ReSubmit is only valid when the original authorization was declined for insufficient funds.
- ▶ This field with the value of 'ReSubmit' must be sent for all Visa Debt Recovery transactions for the MCC's 4111, 4112 and 4131.
- ▶ The field with the value of EstAuth must be sent in all Visa Authorization transactions if the final amount is not known at the time of Authorization.

- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

16.1.13 Stored Credential Indicator

Description

This field is used to indicate the usage of stored credentials.

XML Tag Name

StoredCredInd

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined for this field:

- ▶ Initial – Initial
- ▶ Subsequent – Subsequent

Rules

The following field rules are defined:

- ▶ The field must be sent in a transaction that includes the Auth Indicator field XML Tag: VisaAuthInd with the value of CrdOnFile.
- ▶ The field must be sent in all Visa credential-on-file transactions where the Auth Indicator field may contain 'ReAuth', 'ReSubmit', 'EstAuth' or 'CrdOnFile' values.
- ▶ This field must be present with the value of 'Subsequent' when the POS Entry Mode value is 10.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

16.1.14 Card On File Schedule Indicator

Description

This field is used to indicate if the stored credential transaction was scheduled.

XML Tag Name

CofSchedInd

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

..11

Format

None

Value Set

The following values are defined for this field:

- ▶ Scheduled – Scheduled
- ▶ Unscheduled – Unscheduled

Rules

The following field rules are defined:

- ▶ The field must be sent in a transaction that includes the Auth Indicator field XML Tag: VisaAuthInd with the value of CrdOnFile.
- ▶ The field must be sent in all Visa credential-on-file transactions where the Auth Indicator field may contain 'ReAuth', 'ReSubmit', 'EstAuth' or 'CrdOnFile' values.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

16.1.15 CryptoCurrency Purchase Indicator

Description

This field indicates whether the transaction is a purchase of cryptocurrency.

XML Tag Name

CryptoCrncyPurchInd

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes – Purchase of cryptocurrency

Rules

The following field rules are defined:

- ▶ This field is only applicable for the MCC '6051' or '6012'.
- ▶ This field can be sent on a transaction containing the Money Transfer Processing Indicator value of 'Funding' only when the Payment Type Indicator field contains the value of 'WltTrnsfr' or 'FundsTrnsfr'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Reversals, Completion or BatchSettleDetail transactions.) The value must be the same as that submitted in the original transaction.

Chapter 17 : Existing Debt Indicator

Revision History

Section	Change Log	Version	Date
1	Changed the description of the Existing Debt Indicator field from “This field is an indicator that identifies an authorization request or a BatchSettleDetail transaction as payment of an existing debt obligation, such as a car loan, student loan, consumer mortgage etc. Merchants must be enrolled with Visa in order to participate in this program” to “This field is an indicator that identifies an authorization request as payment of an existing debt obligation, such as a car loan, student loan, consumer mortgage etc. Merchants must be enrolled with Visa in order to participate in this program.” Removed the following rule from the Existing Debt Indicator field: “This field can be sent in a Refund transaction when the Refund Type field is present in the transaction.”	9.02.18	January 7, 2020
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019
1	Fall 2018 Compliance updates: Added the following rule to the Existing Debt Indicator field: “This field can be sent in a Refund transaction when the Refund Type field is present in the transaction.”	7.10.29	October 23, 2018

Chapter Contents

1	Existing Debt Indicator -----	17-2
---	-------------------------------	------

17.1.1 Existing Debt Indicator

Description

This field is an indicator that identifies an authorization request as payment of an existing debt obligation, such as a car loan, student loan, consumer mortgage etc. Merchants must be enrolled with Visa in order to participate in this program.

XML Tag Name

ExistingDebtInd

Field Group

This field is contained within the VISA Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following value is defined:

- ▶ 1 – Existing Debt Payment

Rules

The following field rules are defined:

- ▶ This field should only be sent for Merchant Category Codes of 6012 or 6051.
- ▶ This field is applicable for consumer debit cards only.

Chapter 18 : MasterCard Group

Revision History

Section	Change Log	Version	Date
1	Added the following rule to the CIT/MIT Framework Indicator field: “This field must be present when POS Entry Mode value is ‘10’. <u>Note:</u> This field is not mandatory for refunds, however if a merchant populates it in refund authorizations (or Online Refunds), then ‘M101’ value should be used.”	12.04.11	August 23, 2023
1	Changed the rule in the Market Specific Data Indicator field from “This field must be sent with the value of ‘Hotel’ when the Lodging Group is present in the transaction.” to “This field must be sent with the value of ‘Hotel’ when the Lodging Group is present in the transaction, <u>except when the STAR ACI field with value ‘I’ is present in the transaction.</u>” Changed the rule in the Market Specific Data Indicator field from “This field must be sent with the value of ‘AutoRental’ when the Auto Rental Group is present in the transaction.” to “This field must be sent with the value of ‘AutoRental’ when the Auto Rental Group is present in the transaction, <u>except when the STAR ACI field with value ‘I’ is present in the transaction.</u>”	12.04.7	February 22, 2023
1	Spring 2022 Compliance updates: Added the CIT/MIT Framework Indicator field. Changed the rule in the Auth Indicator field from “This field with the value of CrdOnFile must be sent in all Mastercard credential-on-file transactions, <u>except when the POS Condition Code is 04 for which it is optional.</u>” to “This field with the value of CrdOnFile must be sent in all Mastercard credential-on-file transactions.” Changed the rule in the Stored Credential Indicator field from “This field must be present with the value of ‘Subsequent’ when the POS Entry Mode value is 10, except when the POS Condition Code is 04 for which it is optional.” to “This field must be present with the value of ‘Subsequent’ when the POS Entry Mode value is 10, <u>except when the POS Condition Code is 04 for which it can be ‘Initial’ or ‘Subsequent’.</u>”	12.04.1	April 27, 2022

Chapter Contents

1	MasterCard Group -----	18-3
-		

18.1 MasterCard Group

Description

This group contains fields that may be used in MasterCard and MaestroInt transactions.

XML Group Tag Name

MCGrp

18.1.1 BankNet Data

Description

This field contains data that is assigned by MasterCard, to every transaction that is processed through MasterCard's Banknet System.

XML Tag Name

BanknetData

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

13

Format

This field consists of BankNet Date (MMDD) followed by a 9 byte BankNet Reference Number.

Value Set

None

Rules

The following field rules are defined:

- ▶ The BankNet Reference Data will be returned in authorization response messages, when available.
- ▶ This field may be returned in a Refund response message when the Refund Type field is present in the request message.
- ▶ When submitting subsequent transactions the same BankNet Reference Data must be provided if returned in the authorization response.
- ▶ This field must be submitted on incremental authorizations just as it was returned in the authorization response message, if available.

- ▶ The value returned in this field in a recurring or installment transaction may be sent in the next subsequent recurring or installment transaction in a given series of payments, except when the merchant is in Europe.
- ▶ This field is mandatory for MIT transactions such as recurring or installment transaction when the merchant is in Europe.
Note: When a value is available, best practice is to send the value returned on the very first authorization response in a given series.
 But, if that is not available the most recent value in the series must be provided.
 When no previous values are available, MasterCard has allowed merchants to provide the Default value of 1231MCC999999 instead for a transitional period giving merchants time to store BankNet Data for any subsequent transactions.
- ▶ The value returned in this field in the initial Credential on File response message may be sent in all subsequent Credential on File request messages when the subsequent Credential on File transaction is CIT (Cardholder Initiated Transaction).

18.1.2 Market Specific Data Indicator

Description

The Market Specific Data Indicator (MSDI) identifies the industry for which the transaction data applies (i.e. Healthcare, Bill Payment, etc.). It must be provided when the transaction is being submitted for one of the categories listed in the Value Set, and has a payment type of Credit.

XML Tag Name

MCMSDI

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

..15

Format

None

Value Set

The following values are defined:

- ▶ BillPayment – Bill Payment
- ▶ Healthcare – Healthcare/Medical
- ▶ Transit – Transit (Healthcare Transactions only)
- ▶ EcomAgg – Ecommerce Transaction Aggregation
- ▶ B2B – Business to Business Invoice Payments

- ▶ Hotel – Hotel
- ▶ AutoRental – Auto Rental

Rules

The following field rules are defined:

- ▶ If the Bill Payment Data.Bill Payment Transaction Indicator is “Recurring”, then this field must be submitted as “BillPayment”.
- ▶ The same value submitted at the time of authorization must be submitted on all subsequent transactions.
- ▶ The same value submitted at the time of authorization must be submitted on all incremental authorizations.
- ▶ If this field has a value of Healthcare then Additional Amount Type of Hltcare must be present.
- ▶ If this field has a value of Transit then Additional Amount Type of Transit must be present.
- ▶ This field must not be sent in a transaction that includes the Network Access Indicator value of ‘C’.
- ▶ This field is mandatory and must only be sent on a ‘CancelDeferredAuth’ transaction when the Settlement Indicator field is present with the value of ‘3’.
- ▶ This field must be sent with the value of ‘Hotel’ when the Lodging Group is present in the transaction, except when the STAR ACI field with value ‘I’ is present in the transaction.
- ▶ This field must be sent with the value of ‘AutoRental’ when the Auto Rental Group is present in the transaction, except when the STAR ACI field with value ‘I’ is present in the transaction.
- ▶ If this field with the value of ‘Hotel’ is sent in a transaction, then the Duration field must also be present in the same transaction.
- ▶ If this field with the value of ‘AutoRental’ is sent in a transaction, then the Rental Duration field must also be present in the same transaction.

18.1.3 CCV Error Code

Description

An error code that may be returned in response to the CCV data submitted at the time of authorization.

XML Tag Name

CCVErrorCode

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following value is defined:

- ▶ Y – CCV Error

Rules

The following field rule is defined:

- ▶ If this field is returned in an authorization response, the same value must be provided in subsequent transactions.

18.1.4 POS Entry Mode Change

Description

This field indicates the POS Entry Mode was changed by the Issuer.

XML Tag Name

POSEntryModeChg

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following value is defined:

- ▶ Y – POS Entry Mode was changed by Issuer

Rules

The following field rule is defined:

- ▶ If this field is received on a MasterCard transaction response, it must be submitted on any subsequent transactions.

18.1.5 Transaction Edit Error Code

Description

This field contains an indicator that identifies the error encountered with the track data provided in the authorization request message.

XML Tag Name

TranEditErrCode

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined:

- ▶ 0 – Track 1 or Track 2 Not Present in the Message
- ▶ 1 – PAN is Not the Same as the Card Number Submitted in the Track Data
- ▶ 2 – Expiration Date is Not the Same as the Expiration Data in the Track Data
- ▶ 3 – Card Type is Invalid in the Track Data
- ▶ 4 – Field Separators are Invalid in the Track Data
- ▶ 5 – A Field Within the Track Data Exceeds the Maximum Length
- ▶ 6 – The Transaction Category Code is “T”
- ▶ 7 – POS Customer Presence Indicator is “1”
- ▶ 8 – POS Card Presence Indicator is “1”

Rules

The following field rule is defined:

- ▶ If there is an error with Track Data, this field may be returned from the Issuer with a value describing the error.

18.1.6 MasterCard POS Data

Description

This field contains transaction specific data that may be returned in MasterCard response messages. For merchants that send settlement files directly to PTS, the values in this field would be sent in the XE02 PTS record for MasterCard transactions.

XML Tag Name

MCPOSData

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

12

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ The MasterCard POS Data will be returned in the response message to an original authorization request when available.
- ▶ This field must be submitted on subsequent transactions (e.g. Completions) with the same value as it was returned in the authorization response message.

18.1.7 Device Type Indicator

Description

This field is used to identify the form factor used at the POS for MasterCard PayPass transactions.

XML Tag Name

DevTypeInd

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

..2

Format

None

Value Set

NOTE: Some values from 00–19 may indicate not only the physical form factor but also other attributes such as device technology and payment app specifications.

The following values are defined:

- ▶ 00 – Card
- ▶ 01 – Mobile Network Operator (MNO) controlled removable secure element (SIM or UICC) personalized for use with a Mobile Phone or Smartphone
- ▶ 02 – Key Fob
- ▶ 03 – Watch
- ▶ 04 – Mobile Tag
- ▶ 05 – Wristband
- ▶ 06 – Mobile Phone Case or Sleeve
- ▶ 07 – Mobile Phone or Smartphone with a fixed (non-removable) secure element controlled by the MNO, for example, code division multiple accesses (CDMA).
- ▶ 08 – Removable secure element not controlled by the MNO, for example, memory card personalized for use with a Mobile Phone or Smartphone.
- ▶ 09 – Mobile Phone or Smartphone with a fixed (non-removable) secure element not controlled by the MNO.
- ▶ 10 – MNO controlled removable secure element (SIM or UICC) personalized for use with a Tablet or E-Book reader.
- ▶ 11 – Tablet or E-Book reader with a fixed (non-removable) secure element controlled by the MNO.
- ▶ 12 – Removable secure element not controlled by the MNO, for example, (SD Card) personalized for use with a Tablet or E-Book reader.
- ▶ 13 – Tablet or E-Book with fixed (non-removable) secure element not controlled by the MNO.
- ▶ 14 – Mobile phone or smartphone with a payment application running in a host processor.
- ▶ 15 – Tablet or E-Book with a payment application running in a host processor.
- ▶ 16 – Mobile phone or smartphone with a payment application running in the TEE of a host processor.
- ▶ 17 – Tablet or e-book with a payment application running in the TEE of a host processor.

- ▶ 18 – Watch with a payment application running in the TEE of a host processor.
- ▶ 19 – Watch with a payment application running in a host processor.

NOTE: Values from 20–99 exclusively indicate the form factor only without also indicating the storage technology.

- ▶ 20 – Card
- ▶ 21 – Phone Mobile phone
- ▶ 22 – Tablet computer or e-reader
- ▶ 23 – Watch or wristband, including a fitness band, smart strap, disposable band, watch add-on, and security/ID band
- ▶ 24 – Sticker
- ▶ 25 – PC or laptop
- ▶ 26 – Device Peripheral Mobile phone case or sleeve
- ▶ 27 – Tag Key fob or mobile tag
- ▶ 28 – Jewelry Ring, bracelet, necklace, and cuff links
- ▶ 29 – Fashion Accessory Handbag, bag charm, and glasses
- ▶ 30 – Garment Dress
- ▶ 31 – Domestic Appliance Refrigerator, washing machine
- ▶ 32 – Vehicle, including vehicle attached devices
- ▶ 33 – Device Media or gaming device, including a set top box, media player, and television
- ▶ 34 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 35 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 36 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 37 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 38 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 39 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 40 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.

- ▶ 41 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 42 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 43 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 44 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 45 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 46 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 47 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 48 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 49 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 50 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 51 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 52 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 53 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 54 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 55 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 56 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 57 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 58 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.

- ▶ 59 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 60 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 61 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 62 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 63 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 64 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 65 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 66 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 67 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 68 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 69 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 70 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 71 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 72 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 73 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 74 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 75 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 76 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.

- ▶ 77 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 78 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 79 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 80 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 81 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 82 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 83 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 84 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 85 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 86 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 87 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 88 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 89 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 90 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 91 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 92 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 93 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 94 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.

- ▶ 95 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 96 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 97 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 98 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.
- ▶ 99 – Reserved for future form factors. Any value in this range may occur within form factor and transaction data without prior notice.

Rules

The following field rules are defined:

- ▶ The Device Type Indicator is mandatory in MasterCard transactions when contactless POS device is used (POS Entry Mode = 07, 82 or 91), except when the EMV Tag 9F6E is not available, or the Device Type is blank or invalid if available.
- ▶ When the EMV Tag 9F6E is not available or the Device Type is blank or invalid if available, both Tag 9F6E and the Device Type Indicator field must not be sent.

18.1.8 MasterCard ACI

Description

A code used to identify an Incremental transaction or any transaction that participates in the Preferred Rate program.

XML Tag Name

MCACI

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

1

Format

None

Value Set

Request Values:

- ▶ P – Preferred Rate/ Customer Status (Lodging/ Auto Rental)

- ▶ I – Incremental Authorization

Response Values:

- ▶ P – Preferred Rate/ Customer Status (Lodging/ Auto Rental)
- ▶ I – Incremental Authorization

Rules

The following field rules are defined:

- ▶ Mandatory in MasterCard Credit Authorization, Reversals, and BatchSettleDetail transactions that contain the Lodging or Auto Rental Groups, except when the transaction is a BatchSettleDetail transaction with the Settlement Transaction Type (XML Tag: SettleTxnType) = 5, or when the transaction includes the Network Access Indicator value of 'C'.
- ▶ The value returned in the authorization response must be submitted on all subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.).
- ▶ This field must not be sent in a transaction that includes the Network Access Indicator value of 'C'.

18.1.9 MasterCard Additional Data

Description

This field provides the additional data required for an Incremental transaction.

XML Tag Name

MCAddData

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

13

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be sent zero filled in all transactions (except Void/Full Reversals) when the transaction includes the MCACI field with the value of 'I'.

- ▶ If this field is sent in a request, the value received in the response must be sent in any subsequent Void/Full Reversal transaction.

18.1.10 Authorization Type

Description

This field designates whether the authorization is a final authorization.

Note: This field was previously named “Final Authorization Indicator”.

XML Tag Name

FinAuthInd

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

N

Length

1

Format

None

Value Set

The following values are defined:

- ▶ 0 – Preauthorization - The Settlement Amount may be different than the amount authorized
- ▶ 1 – Final Authorization - The settlement amount must equal the approved authorized amount

Rules

The following field rules are defined:

- ▶ This field can only be sent in a MasterCard or MaestroInt Transaction.
- ▶ This field with a value of ‘0’ must be present in all MasterCard and MaestroInt transactions if the settlement amount may be different than the approved amount authorized.
- ▶ When this field is present in a transaction with the value of ‘1’, the Reversal Reason Code of “Partial” must not be sent in a subsequent transaction.
- ▶ This field is mandatory in MasterCard and MaestroInt transactions.

18.1.11 Transaction Integrity Class

Description

This field details the transaction integrity class assigned by MasterCard for a U.S. merchant in an authorization response message.

XML Tag Name

TranIntgClass

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined for this field:

- ▶ Checkout – Card and/or Cardholder Not Present Authenticated Checkout Transactions
- ▶ Digital – Card and/or Cardholder Not Present Digital Transactions
- ▶ EMV – Card and Cardholder Present EMV/Chip Equivalent
- ▶ Enhanced – Card and/or Cardholder Not Present Enhanced Data
- ▶ Generic – Card and/or Cardholder Not Present Generic Messaging
- ▶ Keyed – Card and Cardholder Present Key Entered
- ▶ Swiped – Card and Cardholder Present Mag Stripe
- ▶ Token – Token in a Secure, Trusted Environment
- ▶ Unknown – Card and Cardholder Present Unclassified
- ▶ UnknownCNP – Card and Cardholder Not Present Unclassified
- ▶ Validated – Card and/or Cardholder Not Present Transaction Validation

Rules

The following field rules are defined:

- ▶ This field may be returned in the authorization response, if available.
- ▶ If this field is returned on a transaction response, this field must be present in subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.) with the same value that was returned in the original transaction response.

18.1.12 Auth Indicator

Description

This field is used to indicate the type of authorization requested.

XML Tag Name

MCAuthInd

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

..9

Format

None

Value Set

The following value is defined for this field:

- ▶ CrdOnFile – Credential on File

Rules

The following field rules are defined:

- ▶ This field with the value of CrdOnFile must be sent in all Mastercard credential-on-file transactions.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

18.1.13 Stored Credential Indicator

Description

This field is used to indicate the usage of stored credentials.

XML Tag Name

StoredCredenInd

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined for this field:

- ▶ Initial – Initial
- ▶ Subsequent – Subsequent

Rules

The following field rules are defined:

- ▶ The field must be sent in a transaction that includes the Auth Indicator field XML Tag MCAuthInd with the value of CrdOnFile.
- ▶ This field must be present with the value of 'Subsequent' when the POS Entry Mode value is 10, except when the POS Condition Code is 04 for which it can be 'Initial' or 'Subsequent'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

18.1.14 CryptoCurrency Purchase Indicator

Description

This field indicates whether the transaction is a purchase of cryptocurrency.

XML Tag Name

CrypCrncyPurchInd

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes – Purchase of cryptocurrency

Rules

The following field rule is defined:

- ▶ This field is only applicable for the MCC '6051'.

18.1.15 High Risk Security Purchase Indicator

Description

This field indicates whether the transaction is a purchase of high risk securities.

XML Tag Name

HighRiskSecrPurchInd

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes – Purchase of high risk securities

Rules

The following field rule is defined:

- ▶ This field is only applicable for the MCC '6211'.

18.1.16 Card On File Schedule Indicator

Description

This field is used to indicate if the stored credential transaction was scheduled.

XML Tag Name

CofSchdInd

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

..11

Format

None

Value Set

The following values are defined for this field:

- ▶ Scheduled – Scheduled
- ▶ Unscheduled – Unscheduled

Rules

The following field rules are defined:

- ▶ The field must be sent in a transaction that includes the Auth Indicator field XML Tag MCAuthInd with the value of CrdOnFile.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.
- ▶ This field is mandatory and must only be sent on a 'CancelDeferredAuth' transaction when the Settlement Indicator field is present with the value of '3'.

18.1.17 CIT/MIT Framework Indicator

Description

This field is used to identify whether the transaction was initiated by the cardholder or the merchant as well as providing more detail as to the type of stored credential being used for the transaction.

XML Tag Name

CITMITFrameInd

Field Group

This field is contained within the MASTERCARD Group.

Attribute Type

an

Length

4

Format

None

Value Set

The following values are defined for this field:

- ▶ C101 – Cardholder-Initiated Credential-on-file (adhoc)
- ▶ C102 – Cardholder-Initiated Standing Order (variable amount and fixed frequency)
- ▶ C103 – Cardholder-Initiated Subscription (fixed amount and frequency)
- ▶ C104 – Cardholder-Initiated Installment
- ▶ M101 – Merchant-Initiated Unscheduled Credential on File
- ▶ M102 – Merchant-Initiated Standing Order (variable amount and fixed frequency)
- ▶ M103 – Merchant-Initiated Subscription (fixed amount and frequency)
- ▶ M104 – Merchant-Initiated Installment
- ▶ M205 – Merchant-Initiated Partial Shipment
- ▶ M206 – Merchant-Initiated Related/Delayed Charge
- ▶ M207 – Merchant-Initiated No Show Charge
- ▶ M208 – Merchant-Initiated Resubmission

Rules

The following field rules are defined:

- ▶ This field must be sent in a credential-on-file transaction that includes the Auth Indicator field XML Tag MCAuthInd.
- ▶ This field must be present when POS Entry Mode value is '10'.

Note: This field is not mandatory for refunds, however if a merchant populates it in refund authorizations (or Online Refunds), then 'M101' value should be used."
- ▶ The Transaction Initiation field must be sent when this field is present in a transaction.
- ▶ The POS Entry Mode must be '10' when this field is sent on a credential-on-file transaction which contains the POS Condition Code of '59' or '04', except when this field contains the value of 'C101', and the Stored Credential Indicator field XML Tag: StoredCredenInd contains the value of 'Initial' in a transaction for which the value must be '01'.
- ▶ This field with the value of 'M205', 'M206', 'M207' or 'M208' must be sent in all Merchant-Initiated Industry Practice transactions.

Note: The POS Entry Mode value should not be '10' in these MIT industry practice transactions if cardholder has not agreed to participate in the credential-on-file program.
- ▶ This field with the value of 'C102', 'C103', 'C104', 'M101', 'M102', 'M103' or 'M104' can only be sent in a transaction which contains the POS Condition Code value of '04'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.

Chapter 19 : Discover Group

Revision History

Section	Change Log	Version	Date
1	Fall 2023 Compliance updates: Changed the rule in the Discover NRID field from “This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message except when the Private Label Group is present.” to “This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message except when the Private Label Group is present.” Note: <u>In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.</u> <u>e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.</u> Changed the rule in the Discover POS Entry Mode, Discover Response Code, Discover POS Data, Discover Transaction Qualifier fields from “This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message.” to “This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message.” Note: <u>In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.</u> <u>e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.</u>	12.04.13	October 25, 2023

1	Changed the Description of the Partial Shipment Indicator field from “This field is used to indicate the Completion or BatchSettleDetail transaction represents a partial shipment.” to “This field is used to indicate the Authorization , Completion or BatchSettleDetail transaction represents a partial shipment.”	12.04.11	August 23, 2023
1	Changed the rule in the Discover NRID field from “This field must be sent on Completion Transactions that contain the Multiple Clearing Sequence Number and the Multiple Clearing Sequence Count fields.” to “This field must be sent on Completion Transactions that contain the Multiple Clearing Sequence Number and the Multiple Clearing Sequence Count fields, except when the transaction includes the Network Access Indicator value of 'C', or the transaction is a card not present debit routed transaction. ”	12.04.10	June 21, 2023
1	Added the following value to the Auth Indicator field: “TraAgg – Transit Aggregated Transaction”. Added the following rule to the Auth Indicator field: “This field with value ‘TraAgg’ is only applicable for the MCC’s 4111, 4112 and 4131.”	12.04.3	August 24, 2022

Chapter Contents

1	Discover Group -----	19-3
---	----------------------	------

19.1 DISCOVER Group

Description

This group contains fields used in Discover, JCB (US Domestic only), and Diners transactions.

XML Group Tag Name

DSGrp

19.1.1 Discover Processing Code

Description

A composite value used to identify the type of transaction.

XML Tag Name

DiscProcCode

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

6

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in the authorization response, if available.
- ▶ This field may be returned in a Refund response message when the Refund request message contains the Refund Type field.
- ▶ This field must be submitted in subsequent transactions if it was returned in the authorization response message.

19.1.2 Discover POS Entry Mode

Description

The entry mode provided to Discover for the transaction.

XML Tag Name

DiscPOSEntry

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

N

Length

4

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in the authorization response, if available.
- ▶ This field may be returned in a Refund response message when the Refund request message contains the Refund Type field.
- ▶ This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message.
Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.
 e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.

19.1.3 Discover Response Code

Description

The code assigned by Discover which indicates the status of the transaction.

XML Tag Name

DiscRespCode

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

2

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in the authorization response, if available.
- ▶ This field may be returned in a Refund response message when the Refund request message contains the Refund Type field.
- ▶ This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message.
Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.
 e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.

19.1.4 Discover POS Data

Description

The specific POS capture conditions for the card information at the time of the transaction.

XML Tag Name

DiscPOSData

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

13

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in the authorization response, if available.
- ▶ This field may be returned in a Refund response message when the Refund request message contains the Refund Type field.
- ▶ This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message.

Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.

e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.

19.1.5 Discover Transaction Qualifier

Description

The indicator used to identify the magnetic stripe conditions and the vulnerability to fraud for Discover Card transactions.

XML Tag Name

DiscTransQualifier

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

2

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in the authorization response, if available.
- ▶ This field may be returned in a Refund response message when the Refund request message contains the Refund Type field.

- ▶ This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message.

Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.

e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.

19.1.6 Discover NRID

Description

The Network Result Indicator (NRID) assigned by Discover.

XML Tag Name

DiscNRID

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

..15

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field may be returned in the authorization response, if available.
- ▶ This field may be returned in a Refund response message when the Refund request message contains the Refund Type field.
- ▶ This field must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) if it was returned in the authorization response message except when the Private Label Group is present.

Note: In case of multiple authorizations before a final Completion/BatchSettleDetail transaction is submitted, this field must contain the value from first initial authorization transaction in the Completion/BatchSettleDetail transaction.

e.g. If an authorization is followed by multiple Incremental authorizations, the value from first initial authorization should be submitted in the Completion/BatchSettleDetail transaction.

- ▶ The value returned in this field in an original authorization response must be sent in all subsequent recurring or installment transactions in a given series.
Note: If the original value is not available, the recent value returned in this field can be sent in the subsequent recurring or installment transaction.
- ▶ This field must be sent on Completion Transactions that contain the Multiple Clearing Sequence Number and the Multiple Clearing Sequence Count fields, except when the transaction includes the Network Access Indicator value of 'C', or the transaction is a card not present debit routed transaction.
- ▶ This field must be submitted on re-authorization/partial shipment/re-submission/delayed charge/no show transactions with the same value just as it was returned in the original authorization response message, if available.
- ▶ This field must be submitted on incremental authorizations just as it was returned in the original authorization response message, if available.
- ▶ This field must be submitted on Unscheduled MIT (Merchant Initiated Transaction) with the same value just as it was returned in the original authorization response message, if available.

19.1.7 MOTO Indicator

Description

This field indicates whether the transaction is Mail Order or Telephone Order.

XML Tag Name

MOTOInd

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 1 – Mail Order
- ▶ 2 – Telephone Order

Rules

The following field rule is defined:

- ▶ If present in the original transaction, this field must be present in subsequent transactions.

19.1.8 Registered User Indicator

Description

This field indicates whether the cardholder is a registered user.

XML Tag Name

RegUserInd

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ Y – Registered user
- ▶ N – Not a registered user

Rules

The following field rule is defined:

- ▶ This field may only be sent when the Card type is Discover.

19.1.9 Registered User Profile Change Date

Description

This field contains the date when the cardholder voluntarily changed his/her registered profile (not due to a merchant change policy).

XML Tag Name

RegUserData

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

N

Length

8

Format

DDMMYYYY

Value Set

None

Rules

The following field rule is defined:

- ▶ This field may only be sent when the Card type is Discover.

19.1.10 Auth Indicator

Description

This field is used to indicate the type of authorization requested.

XML Tag Name

DiscAuthInd

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

..9

Format

None

Value Set

The following values are defined for this field:

- ▶ ReAuth – Re-authorization
- ▶ CrdOnFile – Credential on File
- ▶ ReSubmit – Resubmission
- ▶ TraAgg – Transit Aggregated Transaction

Rules

The following field rules are defined:

- ▶ This field with the value of 'ReAuth' is only applicable to ProtectBuy or Tokenized (e.g. ApplePay) transactions.
- ▶ The field with the value of 'CrdOnFile' must be sent in all Discover credential-on-file transactions, except for the following scenarios:
 - Re-authorization transaction.
 - Resubmission transaction when the original authorization was declined for insufficient funds or daily limits exceeded.
- ▶ The value of 'ReSubmit' is only valid when the original authorization was declined for insufficient funds or daily limits exceeded.
- ▶ This field with value 'TraAgg' is only applicable for the MCC's 4111, 4112 and 4131.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.

19.1.11 Partial Shipment Indicator

Description

This field is used to indicate the Authorization, Completion or BatchSettleDetail transaction represents a partial shipment.

XML Tag Name

PartShipInd

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

7

Format

None

Value Set

The following value is defined for this field:

- ▶ Partial – Partial shipment

Rules

The following field rule is defined:

- ▶ This field is required for Discover partial shipment transactions that contain the Tokenization Group.
- ▶ This field must be present in Discover partial shipment transactions that also contain the Multiple Clearing Sequence Number field.

19.1.12 Discover ACI

Description

A code used to identify an Incremental transaction.

XML Tag Name

DiscACI

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

Request Value:

- ▶ I – Incremental Authorization

Response Value:

- ▶ I – Incremental Authorization

Rules

The following field rules are defined:

- ▶ This field must only be sent in Discover Credit Authorization, Completion, Reversals, and BatchSettleDetail transactions that contain the following MCC's:
3351 - 3441, 3501 - 3999, 4111, 4112, 4121, 4131, 4411, 4457, 5411, 5552, 5812, 5813, 7011, 7033, 7512, 7513, 7519, 7523, 7996, 7394 or 7999.
- ▶ The value returned in the authorization response must be submitted on all subsequent transactions (e.g. Voids/Full Reversals, Completions, etc).

19.1.13 Stored Credential Indicator

Description

This field is used to indicate the usage of stored credentials.

XML Tag Name

StoredCrdnInd

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined for this field:

- ▶ Initial – Initial
- ▶ Subsequent – Subsequent

Rules

The following field rules are defined:

- ▶ The field must be sent in all Discover credential-on-file transactions where the Auth Indicator field may contain 'ReAuth', 'ReSubmit', or 'CrdOnFile' values.
- ▶ The field must be sent in a transaction that includes the Auth Indicator field XML Tag DiscAuthInd with the value of 'CrdOnFile'.
- ▶ This field must be present with the value of 'Subsequent' when the POS Entry Mode value is 10.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.

19.1.14 Discover STAN

Description

This field contains the STAN returned for a Discover Incremental transaction.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

DiscSTAN

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

N

Length

6

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field is only applicable to Discover Incremental transactions.

19.1.15 Card On File Schedule Indicator

Description

This field is used to indicate if the stored credential transaction was scheduled.

XML Tag Name

CofSchInd

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

..11

Format

None

Value Set

The following values are defined for this field:

- ▶ Scheduled – Scheduled
- ▶ Unscheduled – Unscheduled

Rules

The following field rules are defined:

- ▶ The field must be sent in a transaction that includes the Auth Indicator field XML Tag DiscAuthInd with the value of 'CrdOnFile'.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.

19.1.16 NRID Request Indicator

Description

This field is used to request the most recent network reference id be returned in the Discover NRID field, if available, instead of the original NRID.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

NRIDReqInd

Field Group

This field is contained within the DISCOVER Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes

Rules

The following field rules are defined:

- ▶ This field is only applicable when the Card Type is 'Discover', and the Settlement Indicator field contains the value of '3'.
- ▶ This field can be sent on a Refund transaction only when the Refund Type field is also present in the transaction.

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the Am Ex Tran ID field from “The value returned in this field in a recurring or installment transaction may be sent in the next subsequent recurring or installment transaction in a given series of payments, except when the merchant is in Europe.” to “The value returned in this field on the initial authorization response may be sent in the subsequent MIT authorization transactions, except when the merchant is in Europe for which it is mandatory to be sent.” Removed the following rule from the Am Ex Tran ID field: “This field is mandatory for MIT transactions such as recurring or installment transaction when the merchant is in Europe.” Changed the Note in the Am Ex Tran ID field from “When a value is available, best practice is to send the value returned on the initial authorization response in a given series. But, if that is not available the most recent value in the series must be provided.” to “For recurring and installment MIT transactions, if the original tran id is not available, then the most recent value in a given series must be provided.”	10.02.14	August 25, 2021
1	Changed the rule in the Auth Indicator and Stored Credential Indicator fields from “If present in the original transaction, this field must be present in subsequent transactions with the same value that was sent in the original transaction.” to “If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.”	10.02.9	March 26, 2021

1	Fall 2020 Compliance Updates: Added the following rules to the Am Ex Tran ID field: “The value returned in this field in a recurring or installment transaction may be sent in the next subsequent recurring or installment transaction in a given series of payments, except when the merchant is in Europe.”, and “This field is mandatory for MIT transactions such as recurring or installment transaction when the merchant is in Europe.” Added the following Note to the Am Ex Tran ID field: “When a value is available, best practice is to send the value returned on the very first authorization response in a given series. But, if that is not available the most recent value in the series must be provided.”	10.02.7	October 21, 2020
1	Changed the description in the AMEX Group from “Fields in this group are used for American Express transactions.” to “Fields in this group are used for American Express and JCB (Canada) transactions.”	10.02.3	June 23, 2020
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019

Chapter Contents

1	AMEX Group	20-3
---	------------------	------

20.1 AMEX Group

Description

Fields in this group are used for American Express and JCB (Canada) transactions.

XML Group Tag Name

AmexGrp

20.1.1 Amex POS Data

Description

This field contains transaction specific data that is returned by American Express and required on subsequent transactions.

XML Tag Name

AmExPOSDData

Field Group

This field is contained within the AMEX Group.

Attribute Type

an

Length

12

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ The Am Ex POS Data may be returned in the response message to an original authorization request.
- ▶ The same Am Ex POS Data values that were received in the original response message must be submitted in subsequent transactions.

20.1.2 Am Ex Tran ID

Description

A unique value up to 20 digits assigned by American Express, used to identify and link all related transactions for authorization and settlement through American Express. This field contains the Transaction Identifier and Validation Code.

XML Tag Name

AmExTranID

Field Group

This field is contained within the AMEX Group.

Attribute Type

ans

Length

..20

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ The Am Ex Tran ID may be returned in the response message to an original authorization request.
- ▶ The value returned in this field on the initial authorization response may be sent in the subsequent MIT authorization transactions, except when the merchant is in Europe for which it is mandatory to be sent.

Note: For recurring and installment MIT transactions, if the original tran id is not available, then the most recent value in a given series must be provided.

- ▶ The same Am Ex Tran ID that was received in the original response message must be submitted in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.) except when the Private Label Group is present.

20.1.3 Goods Sold Code

Description

This field indicates a specific type of goods. It is used to help identify potentially fraudulent sales in a card present environment.

XML Tag Name

GdSoldCd

Field Group

This field is contained within the AMEX Group.

Attribute Type

an

Length

..4

Format

None

Value Set

The following value is defined:

- ▶ 1000 – Gift Card

Rules

The following field rule is defined:

- ▶ The Goods Sold Code in subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.) must be the same as the Goods Sold Code submitted in the original transaction.

20.1.4 Re-Auth Indicator

Description

This field is used to designate a non-recurring reauthorization transaction (e.g. standing approval, card on file or split shipment transaction). This field is also used to denote an American Express payment token transaction where cryptogram data is NOT available.

XML Tag Name

ReAuthInd

Field Group

This field is contained within the AMEX Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following value is defined for this field:

- ▶ Y – Re-authorization

Rules

The following field rules are defined:

- ▶ The field may only be sent when the Settlement Indicator value is 3.
- ▶ This field is required on a payment token Authorization transaction (and any subsequent Void) when Token Block A and Token Block B are not available.

20.1.5 Auth Indicator

Description

This field is used to indicate the type of authorization requested.

XML Tag Name

AmexAuthInd

Field Group

This field is contained within the AMEX Group.

Attribute Type

an

Length

9

Format

None

Value Set

The following value is defined for this field:

- ▶ CrdOnFile – Credential on File

Rules

The following field rules are defined:

- ▶ This field with the value of CrdOnFile must be sent in all AMEX credential-on-file transactions.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.

20.1.6 Stored Credential Indicator

Description

This field is used to indicate the usage of stored credentials.

XML Tag Name

StoredCrdInd

Field Group

This field is contained within the AMEX Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined for this field:

- ▶ Initial – Initial
- ▶ Subsequent – Subsequent

Rules

The following field rules are defined:

- ▶ The field must be sent in a transaction that includes the Auth Indicator field XML Tag: AmexAuthInd with the value of CrdOnFile.
- ▶ This field must be present with the value of 'Subsequent' when the POS Entry Mode value is 10.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Completion, Void/Full Reversal, etc) with the same value that was sent in the original transaction.

Chapter 21 : Purchase Card Level 2

Revision History

Section	Change Log	Version	Date
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019
1	Changed the Description in the Purchase Card Level 2 Group from “The fields in this group are applicable to Purchase Card transactions.” to “The fields in this group are applicable only to Visa, MasterCard and AMEX purchase card transactions.”	9.02.5	April 30, 2019

Chapter Contents

1	Purchase Card Level 2 Group -----	21-2
2	Order Group -----	21-18

21.1 PURCHASE CARD L2 Group

Description

The fields in this group are applicable only to Visa, MasterCard and AMEX purchase card transactions. This group includes Level 2 information as well as Level 3 summary (order level) data. The Purchase Card L3 Group contains item level information. Merchants should not send any of the fields in this group for a refund transaction.

Note: The ORDER Group.Order Date may also be used for Purchase Card L2 and L3 transactions.

XML Group Tag Name

PurchCardLvl2Grp

21.1.1 Tax Amount

Description

This field contains the portion of the transaction amount that represents the Sales tax.

XML Tag Name

TaxAmt

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

..12

Format

For more details, refer to the Amount Format section.

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must have the correct number of implied decimal places as identified by the Transaction Currency.
- ▶ This field must be present for Visa and MasterCard Purchase Card transactions, only when PURCHASE CARD L2.Tax Indicator = 1.
- ▶ For Visa this is the amount of state or provincial tax included in the transaction amount. The tax amount must be within 0.1 % and 22% of the pre-tax transaction amount.
- ▶ For MasterCard the total amount of sales tax on the total purchase must be between 0.1% and 30 % of the total pre-tax transaction amount; zeroes indicate that the card acceptor is capable of transmitting the tax amount and the tax amount is zero.

21.1.2 Tax Indicator

Description

This field indicates the taxable status of the transaction.

XML Tag Name

TaxInd

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

1

Format

None

Value Set

The following values are defined:

- ▶ 0 – No tax information provided
- ▶ 1 – Tax Amount is provided
- ▶ 2 – Purchase item is tax exempt or non-taxable

Rules

The following field rules are defined:

- ▶ This field must be present for Visa and MasterCard Purchase Card transactions only.
- ▶ If PURCHASE CARD L2 Group.Tax Amount is provided, this field must be submitted with a value of "1" for Visa and MasterCard Purchase Card transactions.

21.1.3 VAT/ Alternate TAX Amount

Description

This field represents the Level 2 VAT (Value Added Tax) or Alternate Tax amount applied at the Order Level. For Visa, this represents the tax on the freight or shipping costs for the entire order.

XML Tag Name

VATTaxAmt

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

..12

Format

The last two digits are implied decimal places.

Value Set

None

Rules

The following field rules are defined:

- ▶ This optional field is applicable to Visa and MasterCard Purchase Card transactions.

21.1.4 VAT/ Alternate TAX Rate

Description

This field represents the Level 2 VAT (Value Added Tax) or Alternate Tax Rate applied at Order Level. This represents the tax rate on the freight or shipping costs for the entire order.

XML Tag Name

VATTaxRt

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

4

Format

The last two digits are implied decimal places.
For example, 2.5% is expressed as 0250.

Value Set

None

Rules

The following field rules are defined:

- ▶ This optional field is applicable for Visa Purchase Card transactions only.

21.1.5 Purchase Identifier

Description

This field represents the data used by the merchant or customer to identify the purchase. This can be a SKU, code, or reference number.

XML Tag Name

PurchIdfr

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

ans

Length

..25

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field must be present for Visa, MasterCard and American Express Purchase Card transactions.

21.1.6 Order Number / Customer Reference Number

Description

The reference number or order number to be reported as part of the Purchase Card data.

XML Tag Name

PCOrderNum

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

ans

Length

..17

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ If PURCHASE CARD L2 Group.Tax Amount is provided, this field must also be provided.

21.1.7 Discount Amount

Description

This field contains the discount amount for the purchase.

XML Tag Name

DiscntAmt

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

..12

Format

For more details, refer to the Amount Format section.

Value Set

None

Rules

The following field rules are defined:

- ▶ The field must have the correct number of implied decimal places as identified by the Transaction Currency.
- ▶ This field must be present for Visa, MasterCard and American Express Purchase Card transactions when a discount has been applied.

21.1.8 Freight Amount

Description

This field contains the amount for freight included in this purchase.

XML Tag Name

FrghtAmt

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

..12

Format

For more details, refer to the Amount Format section.

Value Set

None

Rules

The following field rules are defined:

- ▶ The field must have the correct number of implied decimal places as identified by the Transaction Currency.
- ▶ This field must be present for Visa, MasterCard and American Express Purchase Card transactions when a freight amount has been applied.

21.1.9 Duty Amount

Description

This field contains the duty amount for this purchase.

XML Tag Name

DutyAmt

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

..12

Format

For more details, refer to the Amount Format section.

Value Set

None

Rules

The following field rules are defined:

- ▶ The field must have the correct number of implied decimal places as identified by the Transaction Currency.
- ▶ This field must be present for Visa, MasterCard and American Express Purchase Card transactions when a duty amount has been applied.

21.1.10 Destination Postal Code

Description

This field contains the postal or zip code of the location the item(s) in this purchase are being delivered to.

XML Tag Name

DestPostalCode

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

ans

Length

..9

Format

Only Alphanumeric and Spaces are allowed in this field.

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be present for American Express Purchase Card transactions.
- ▶ This is equal to the Ship from Postal/Zip Code when the customer takes possession of the items at the merchant location.

21.1.11 Ship From Postal Code

Description

The postal or zip code the item(s) in this purchase are to be shipped from.

XML Tag Name

ShipFromPostalCode

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

ans

Length

..9

Format

Only Alphanumeric and Spaces are allowed in this field.

Value Set

None

Rules

None

21.1.12 Destination Country Code

Description

This field represents the country code of the location the items in this purchase are being delivered to.

XML Tag Name

DestCtryCode

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

3

Format

None

Value Set

Valid values are provided in Appendix A – Country Codes

Rules

None

21.1.13 Merchant Tax ID

Description

This field should contain the Tax ID collected by the merchant for this transaction.

XML Tag Name

MerchTaxID

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

ans

Length

..15

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field must be present for MasterCard Purchase Card transactions.

21.1.14 Product Description

Description

This field should contain a description of an item purchased with this card.

XML Tag Name

ProdDesc

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

ans

Length

..40

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is applicable to American Express Purchase Card transactions only.
- ▶ For American Express Purchase Card transactions this field is required.
- ▶ Up to four occurrences of the Product Description field may be contained within a single authorization request message.
- ▶ If multiple products are being purchased then this field should repeat for each product grouping up to a maximum of four occurrences.

21.1.15 PC3 Addenda

Description

This field represents the number of Level III details in the Purchase Card transaction.

XML Tag Name

PC3Add

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

N

Length

..3

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field is mandatory in a Completion or Sale Transaction for Purchase Card Level III.

21.1.16 Merchant Reference Number

Description

For MasterCard, this field contains a code that facilitates merchant/corporation communication and record keeping. For Visa, this field contains the invoice number associated with the VAT invoice.

XML Tag Name

MerchRefNum

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

an

Length

..17

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field must contain no more than 15 bytes of data on Visa transactions.
- ▶ This field is applicable only in a BatchSettleDetail transactions which include Purchase Card Level 2 data.

21.1.17 Merchant Type

Description

Merchant type is a four-position field defined by MasterCard that describes various merchant classifications. Each position in the field has a separate, special meaning for categorizing the merchant. If the data for a particular position is not available, that position must contain a zero.

XML Tag Name

MerchType

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

an

Length

4

Format

None

Value Set

This field consists of 4 positions.

The first Position is - Business Classification, consisting of the following values:

- ▶ 0 – Unknown
- ▶ 1 – Corporation
- ▶ 2 – Other Business Structure (e.g., Partnership, Sole Proprietorship, Joint Venture, etc.)

The second Position is - Type of Business Owner Classification, consisting of the following values:

- ▶ 0 – Unknown
- ▶ 1 – No Applicable Classification (not female or handicapped)
- ▶ 2 – Female Business Owner
- ▶ 3 – Physically Handicapped Female Business Owner
- ▶ 4 – Physically Handicapped Business Owner

The third Position is - Minority, Small Business, Disadvantaged Certification, consisting of the following values:

- ▶ 0 – Unknown
- ▶ 1 – Certification Not Applicable
- ▶ 2 – SBA Certification as Small Business
- ▶ 3 – SBA Certification as Small Disadvantaged Business
- ▶ 4 – Other Government or Agency Recognized Certification (e.g., Minority Supplier Development Council)
- ▶ 5 – Self-certified Small Business
- ▶ 6 – Definition 2 and Definition 4
- ▶ 7 – Definition 3 and Definition 4
- ▶ 8 – Definition 4 and Definition 5

The fourth Position is - Racial or Ethnic Type (Unconditional Majority Owner), consisting of the following values:

- ▶ 0 – Unknown
- ▶ 1 – African American
- ▶ 2 – Asian Pacific American
- ▶ 3 – Subcontinent Asian American
- ▶ 4 – Hispanic American
- ▶ 5 – Native American Indian
- ▶ 6 – Native Hawaiian
- ▶ 7 – Native Alaskan
- ▶ 8 – Caucasian
- ▶ 9 – Other

Rules

The following field rules are defined:

- ▶ This field is applicable only for MasterCard transactions.
- ▶ This field is applicable only in BatchSettleDetail transactions.
- ▶ This field is mandatory for BatchSettleDetail transactions which include Purchase Card Level 2 data.

21.1.18 Destination State Code

Description

This field contains a State code indicating where the goods will be delivered.

XML Tag Name

DestStCode

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

an

Length

2

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is applicable only for MasterCard transactions.
- ▶ This field is must only be sent in BatchSettleDetail Transactions.

21.1.19 Commercial Card Type

Description

This field indicates the type of Commercial card type used.

XML Tag Name

ComCardType

Field Group

This field is contained within the PURCHASE CARD L2 Group.

Attribute Type

an

Length

2

Format

None

Value Set

The defined values for this field are:

- ▶ 01 – Purchasing Card
- ▶ 02 – Corporate Card
- ▶ 03 – Business Card
- ▶ 04 – Unknown

Rules

The following field rules are defined:

- ▶ This field is applicable only for Visa and MasterCard transactions.
- ▶ This field is must only be sent in BatchSettleDetail Transactions.

21.2 Order Group

Description

The fields in this group provide order related details. These fields are optional and only supplied when shipping an item or order. Some of the fields in this group have limited platform availability. For more information, please contact your Account Representative.

XML Group Tag Name

OrderGrp

21.2.1 Order Date

Description

The date the order was placed.

XML Tag Name

OrderDate

Field Group

This field is contained within the ORDER Group.

Attribute Type

N

Length

6

Format

YYMMDD

Value Set

None

Rules

The following field rule is defined:

- ▶ This date can be different from the date the transaction was submitted.
- ▶ This field can only be sent in Purchase Card transactions.

Chapter 22 : Order Group

Revision History

Section	Change Log	Version	Date
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019

Chapter Contents

1	Order Group -----	22-2
---	-------------------	------

22.1 Order Group

Description

The fields in this group provide order related details. These fields are optional and only supplied when shipping an item or order. Some of the fields in this group have limited platform availability. For more information, please contact your Account Representative.

XML Group Tag Name

OrderGrp

22.1.1 Order Date

Description

The date the order was placed.

XML Tag Name

OrderDate

Field Group

This field is contained within the ORDER Group.

Attribute Type

N

Length

6

Format

YYMMDD

Value Set

None

Rules

The following field rules are defined:

- ▶ This date can be different from the date the transaction was submitted.
- ▶ This field can only be submitted in Purchase Card transactions.

22.1.2 Order Time

Description

This is the local time when the order was placed. This time can be different from the time the transaction was submitted.

XML Tag Name

OrderTime

Field Group

This field is contained within the ORDER Group.

Attribute Type

N

Length

6

Format

hhmmss

Value Set

None

Rules

None

22.1.3 Biller Reference Number

Description

This field contains the reference number used by the biller (merchant) to identify the customer.

XML Tag Name

BillerRefNum

Field Group

This field is contained within the ORDER Group.

Attribute Type

an

Length

..25

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field must be sent when the payment type is PLDebit and the Settlement Indicator value is 3.

22.1.4 SKU

Description

This field contains the SKU of the first or only product in the order.

XML Tag Name

SKU

Field Group

This field is contained within the ORDER Group.

Attribute Type

ans

Length

..15

Format

None

Value Set

None

Rules

None

Chapter 23 : Ecommerce

Revision History

Section	Change Log	Version	Date
2	Changed the rule in the Visa XID field from “This field is present only if the merchant is using the VISA 3D Secure protocol version 1.0.2.” to “This field is present only if the merchant is using the <u>JCB International or</u> VISA 3D Secure protocol version 1.0.2.” Changed the rule in the Visa XID field from “If a Visa XID is provided during authentication to the Issuer’s Access Control Server (ACS), then the same Visa XID may also be provided in this field.” to “If a <u>JCB International XID or</u> Visa XID is provided during authentication to the Issuer’s Access Control Server (ACS), then the same XID may also be provided in this field.” Added the following rule to the Visa Secure Transaction Authentication Data field: “This field must be present if the transaction being submitted is a JCB International 3D Secure transaction with ECOMM Group.Ecomm Transaction Indicator as 01 or 02.”	12.04.13	October 25, 2023
1	Added the following rule to the Ecomm Transaction Indicator field: “The value of ‘04’ is not applicable when Card Type is ‘MasterCard’ or ‘MaestroInt’.” Removed the value “91 – No security protocol; cardholder certificate not used” from the Ecomm Transaction Indicator field. Changed the rule in the Ecomm Transaction Indicator field from “The values 21, 22, 24 <u>and 91</u> must not be sent in authorization request messages.” to “The values 21, 22 and 24 must not be sent in authorization request messages.” Changed the rule in the Multiple Clearing Sequence Number and Multiple Clearing Sequence Count fields from “This field can only be sent in a Visa, MasterCard, Discover or AMEX Completion or BatchSettleDetail, or a Debit Completion transaction where POS Condition Code = 08 or 59.” to “This field can only be sent in a Visa, MasterCard, Discover or AMEX Completion or BatchSettleDetail, or a Debit Completion transaction where POS Condition Code = <u>04</u>, 08 or 59.”	12.04.11	August 23, 2023

2	Additional Compliance Updates: Added the following rule to the UCAF Collection Indicator field: "If this field is sent with value '8' in an authorization transaction, then the CIT/MIT Framework Indicator field must also be present with the values 'M101', 'M102', 'M103', 'M104', 'M205', 'M206', 'M207' or 'M208'." Added the following values to the Program Protocol field: 3, 4, 5, 6, 7, 8 and 9. Changed the Description of value 1 of Program Protocol field from "3D Secure Version 1.0 (3DS 1.0)" to "3D Secure Version 1.0 (3DS 1.0) / EMV 3-D Secure Version 2.1". Changed the Description of value 2 of Program Protocol field from "EMV 3-D Secure (3DS 2.0)" to "EMV 3-D Secure Version 2.2". Added the following rule to the Program Protocol field: "The values 3, 4, 5, 6, 7, 8 and 9 are only applicable when Card Type is 'MasterCard' or 'MaestroInt'." Changed the rule in the Program Protocol field from "This field <u>with the value of '2'</u> must be present in a transaction that contains the MasterCard Secure Data field and the Bill Payment Transaction Indicator field with the value of 'Recurring' or 'Installment'." to "This field must be present in a transaction that contains the MasterCard Secure Data field and the Bill Payment Transaction Indicator field with the value of 'Recurring' or 'Installment'." Changed the rule in the Directory Server Transaction ID field from "When the Card Type is 'MasterCard' or 'MaestroInt', this field is mandatory to be sent only if the Program Protocol field is present <u>with the value of '2' (3DS 2.0)</u>." to "When the Card Type is 'MasterCard' or 'MaestroInt', this field is mandatory to be sent only if the Program Protocol field is present." Added the value "InvSecLvInd – Invalid Security level Indicator" to the Secure Data Downgrade field.	12.04.10	June 21, 2023
1	Spring Compliance 2023 Updates: Changed the rule in the Ecomm Transaction Indicator field from "In the response message, the value of 01 could be changed to the value of 03 if Visa determined the incorrect value was sent in the transaction." to "In the response message, the value of 01 could be changed to the value of 03 if Visa determined the incorrect value was sent in the transaction <u>and vice-versa</u>."	12.04.9	April 26, 2023

1	Added the following rule to the Ecomm Transaction Indicator field: "When the Card Type is 'Visa', Ecomm Transaction Indicator is '01', '02' or '03' and the transaction is an In-App token CIT, then the Visa Secure Transaction Authentication Data or the Token Authentication Verification Data field must be present in the transaction."	12.04.7	February 22, 2023
2	Changed the rule in the Directory Server Transaction ID field from "When this field is sent in a transaction for Card Type 'MasterCard' or 'MaestroInt', the Ecomm Transaction Indicator value of '01' or '02' must also be present in the transaction." to "When this field is sent in <u>an authorization</u> transaction for Card Type 'MasterCard' or 'MaestroInt', the Ecomm Transaction Indicator value of '01' or '02' must also be present in the transaction."	12.04.7	February 22, 2023
1	Fall 2022 Compliance Updates: Added the following rule to the Ecomm Transaction Indicator field: "For a Visa recurring transaction initiated with a card issued in India, the Ecomm Transaction Indicator field must be sent with a value of '01'." Changed the rule in the Ecomm Transaction Indicator field from "This field must be supplied on all E-commerce transactions, except on the following scenarios: • <u>When the Payment Type is 'Credit', Card Type is 'Visa', POS Condition Code value is '04' and the Bill Payment Transaction Indicator value is 'Recurring' for which this field is not permitted.</u>" to "This field must be supplied on all E-commerce transactions."	12.04.5	October 26, 2022

2	Fall 2022 Compliance Updates: Added the following response values to the Low Value Exemption Indicator field: “Yes – Low value exemption validated / honored”, and “No – Low value exemption failed validation / not honored”. Added the following response values to the Secure Corporate Payment Exemption Indicator field: “Yes – Secure corporate payment exemption validated / honored “, and “No – Secure corporate payment exemption failed validation / not honored”. Changed the Description of Request value ‘Yes’ from “Low Value Exemption apply to the transaction” to “Low value exemption claimed / requested” in the Low Value Exemption Indicator field. Changed the Description of Request value ‘No’ from “Low Value Exemption does not apply to the transaction” to “Low value exemption not claimed / requested” in the Low Value Exemption Indicator field. Changed the Description of Request value ‘Yes’ from “Secure Corporate Payment Exemption apply to the transaction” to “Secure corporate payment exemption claimed/requested” in the Secure Corporate Payment Exemption Indicator field. Changed the Description of Request value ‘No’ from “Secure Corporate Payment Exemption does not apply to the transaction” to “Secure corporate payment exemption not claimed/requested” in the Secure Corporate Payment Exemption Indicator field. Added the following rule to the Low Value Exemption Indicator and Secure Corporate Payment Exemption Indicator fields: “This field may be returned in the response message only when the Card Type is ‘Visa’, and this field was sent in the request message with the value of “Yes”.”	12.04.5	October 26, 2022
---	---	---------	------------------

2	Changed the Description of Request value 'Yes' from "Transaction Risk Analysis Exemption apply to the transaction" to "Transaction risk analysis exemption claimed / requested" in the Transaction Risk Analysis Exemption Indicator field. Changed the Description of Request value 'No' from "Transaction Risk Analysis Exemption does not apply to the transaction" to "Transaction risk analysis exemption not claimed / requested" in the Transaction Risk Analysis Exemption Indicator field. Changed the Description of Request value 'Yes' from "Issuer has delegated SCA" to "Delegated Authentication claimed / requested" in the Delegated Authentication Indicator field. Changed the Description of Request value 'No' from "Delegated authentication does not apply to the transaction" to "Delegated Authentication not claimed / requested" in the Delegated Authentication Indicator field. Removed the following values from the Exemption Reason Code field: "8401 - Merchant not participating in Visa Trusted Listing Program", "8402 - Issuer not participating in Visa Trusted Listing Program", "8403 - Cardholder has not trusted the merchant" and "8404 - Indeterminate or invalid issuer response". Changed the description in the Exemption Reason Code field from "For example, a value of 84018403 would indicate that Merchant is not participating in Visa Trusted Listing Program and Cardholder has not trusted the merchant." to "For example, a value of <u>84738474 would indicate that Cardholder has not trusted merchant and transaction did not meet the exemption criteria.</u>" Changed the rule in the Merchant Authentication Identifier field from "This field is mandatory and must only be sent when either the Delegated Authentication Indicator field with the value of "Yes" or the Trusted Merchant Exemption Indicator field with the value of "Yes" is present in the transaction." to "This field <u>can only be sent</u> when either the Delegated Authentication Indicator field with the value of "Yes" or the Trusted Merchant Exemption Indicator field with the value of "Yes" is present in the transaction." Changed the rule in the Directory Server Transaction ID field from "When the Card Type is '<u>Visa</u>', 'MasterCard' or 'MaestroInt', this field is mandatory to be sent only if the Program Protocol field is present with the value of '2' (3DS 2.0)." to "When the Card Type is 'MasterCard' or 'MaestroInt', this field is mandatory to be sent only if the Program Protocol field is present with the value of '2' (3DS 2.0)."	12.04.5	October 26, 2022
---	--	---------	------------------

1	Removed the following rule from the Ecomm Transaction Indicator field: "When the Money Transfer Processing Indicator field is present in the transaction with the value of Payment, the only valid values for this field are 03 and 04."	12.04.3	August 24, 2022
2	Changed the Description of the UCAF Collection indicator value '2' from "The merchant supports UCAF data collection and fully authenticated AAV data has been provided" to "The merchant supports UCAF data collection and fully authenticated AAV data has been provided / Applicable to In-App". Changed the Description of the UCAF Collection indicator value '8' from "Partial Shipment or Recurring Payment. Applicable to In-App." to "Partial Shipment/Recurring Payment/MIT. Required for payment token/In-App based MIT". Added the 'MasterCard Cryptogram Usage' and 'Visa Cryptogram Usage' tables in the Token Authentication Verification Data field. Added the following rules to the UCAF Collection Indicator field: "This field must be sent with value '2' when Token Authentication Verification Data field is present and Ecomm Transaction Indicator field contains value '07'.", and "For any payment token-based MIT (regardless of initial CIT from a mobile device being an EMV Contactless / Contactless Mag Stripe / In-App based), the Ecomm Transaction Indicator of value '07' with UCAF Collection Indicator of value '8' should be sent by merchant."	12.04.3	August 24, 2022
2	Changed the Description of the TAVV Result Code value '4' from "DTVV or Visa-defined format cryptogram failed validation." to "DTVV or Visa-defined format cryptogram passed validation."	12.04.2	June 29, 2022
2	Spring 2022 Compliance Updates: Added the Digital Authentication Framework Indicator field.	12.04.1	April 27, 2022

1	Added the following rule to the Ecomm Transaction Indicator field: "The value of 08 is only applicable when the Card Type is 'UnionPay'." <u>Note:</u> This UMF mapped value may be returned by the Issuer's ACS (Access Control Server) during the authentication process which occurs outside of Rapid Connect, and merchant is expected to send the same UMF value in authorization transactions." Added the following rule to the Ecomm Transaction Indicator field: "The values 21, 22, 24 and 91 must not be sent in authorization request messages." Added the following Note to the Multiple Clearing Sequence Count (MCSC) and Multiple Clearing Sequence Number (MCSN) fields: "As per card brand guidelines, acquirers and merchants are reminded not to populate this field for: • Card-present transactions • Installment transactions • Recurring transactions". Additional Compliance Updates: Added the MOTO Indicator field.	10.02.16	February 23, 2022
---	---	----------	-------------------

2	Added the UnionPay Secure Data field. Removed the following rule from the Directory Server Transaction ID field: “This field is applicable in an authorization request message only when the Card Type is ‘MasterCard’ or ‘MaestroInt’ and the Ecomm Transaction Indicator value of ‘01’ or ‘02’ is also present in the transaction.” Added the following rules to the Directory Server Transaction ID field: “This field is applicable in an authorization request message only when the Card Type is ‘MasterCard’, ‘MaestroInt’ or ‘UnionPay’.”, “When this field is sent in a transaction for Card Type MasterCard’ or ‘MaestroInt’, the Ecomm Transaction Indicator value of ‘01’ or ‘02’ must also be present in the transaction.”, “When this field is sent in a transaction for Card Type ‘UnionPay’, the Ecomm Transaction Indicator value of ‘01’, ‘02’ or ‘08’ must also be present in the transaction.”, and “When the Card Type is ‘UnionPay’, this field must only be sent for a merchant domiciled in Europe.” Changed the rule in the Directory Server Transaction ID field from “This field must be sent only if the Program Protocol field is present with the value of ‘2’ (3DS 2.0).” to “<u>When the Card Type is ‘Visa’, ‘MasterCard’ or ‘MaestroInt’</u>, this field must be sent only if the Program Protocol field is present with the value of ‘2’ (3DS 2.0).”	10.02.16	February 23, 2022
---	---	----------	-------------------

2	Changed the rule from “This field is only applicable for the Card Type of ‘Visa’, ‘MasterCard’ and ‘MaestroInt’.” to “This field is only applicable for the Card Type of ‘Visa’, ‘MasterCard’, ‘MaestroInt’ <u>and ‘UnionPay’</u>.” in the following fields: Low Value Exemption Indicator, Transaction Risk Analysis Exemption Indicator, Trusted Merchant Exemption Indicator and Delegated Authentication Indicator. Changed the rule in the Recurring Payment Exemption Indicator field from “This field is only applicable for the Card Type of ‘MasterCard’ and ‘MaestroInt’.” to “This field is only applicable for the Card Type of ‘MasterCard’, ‘MaestroInt’ <u>and ‘UnionPay’</u>.” Changed the description of the Recurring Payment Exemption Indicator field from “This field indicates whether a transaction is exempt from Strong Customer Authentication (SCA) as the merchant/acquirer has determined it as a recurring payment.” to “This field indicates whether a transaction is exempt from Strong Customer Authentication (SCA) as the merchant/acquirer has determined it as a recurring payment <u>or a merchant initiated transaction</u>.” Changed the rule in the Secure Corporate Payment Exemption Indicator field from “This field is only applicable for the Card Type of ‘Visa’, ‘MasterCard’, ‘MaestroInt’ and ‘AMEX’.” to “This field is only applicable for the Card Type of ‘Visa’, ‘MasterCard’, ‘MaestroInt’, ‘AMEX’ <u>and ‘UnionPay’</u>.”	10.02.16	February 23, 2022
2	Fall 2021 Compliance Updates: Changed the rule in the Authentication Outage Exemption Indicator field from “This field must only be sent for a merchant in Europe.” to “This field must only be sent for a merchant in Europe and U.K. <u>Note:</u> For AMEX, this field is applicable for a merchant domiciled in Europe and U.K. For Visa and MasterCard, this field is applicable for a merchant domiciled only in Europe.” Changed the rule in the Authentication Outage Exemption Indicator field from “This field is only applicable for the Card Type of ‘Visa’, ‘MasterCard’ and ‘MaestroInt’.” to “This field is only applicable for the Card Type of ‘Visa’, ‘MasterCard’, ‘MaestroInt’ and ‘AMEX’.”	10.02.15	October 27, 2021

1	Changed the description in the Ecomm Transaction Indicator field from “In the following description, the term 3-D Secure refers to authentication programs such as Verified by Visa, MasterCard SecureCode and American Express Safekey (AESK).” to “In the following description, the term 3-D Secure refers to authentication programs such as Verified by Visa, MasterCard SecureCode, Discover ProtectBuy and American Express Safekey (AESK).” Changed the rule in the Ecomm Transaction Indicator field from “When the Money Transfer Processing Indicator field is present in the transaction with the value of Funding, the only valid values for this field are 01, 02, 03, 04, 06, and 07.” to “When the Money Transfer Processing Indicator field is present in the authorization request message with the value of Funding, the only valid values for this field are 01, 02, 03, 04, 06, and 07.”	10.02.14	August 25, 2021
2	Changed the rule in the UCAF Collection Indicator field from “If this field has a value of 2, then ECOMM Group.Ecomm Transaction Indicator must be 01 (Secure), 02, 06 or 07.” to “If this field has a value of 2 in an authorization request message, then ECOMM Group.Ecomm Transaction Indicator must be 01 (Secure), 06 or 07.” Changed the rule in the UCAF Collection Indicator field from “When the value of 8 is present in the transaction, the Ecomm Transaction Indicator value must be sent with value '01', '02', '03' or '07'.” to “When the value of 8 is present in an authorization request message, the Ecomm Transaction Indicator value must be sent with the value of '01', '02', '03' or '07'.”	10.02.14	August 25, 2021

2	Changed the rule in the MasterCard Secure Data field from “This field must not be present if the 3D Secure transaction for MasterCard transaction has ECOMM Group.Ecomm Transaction Indicator as 03 or 04.” to “This field must not be present if the 3D Secure authorization request message for MasterCard transaction has ECOMM Group.Ecomm Transaction Indicator as 03 or 04.” Changed the rule in the MasterCard Secure Data field from “This field is mandatory if the transaction being submitted has the UCAF Collection Indicator value of 1, 2 or 7, except when the Token Authentication Verification Data field is present, Ecomm Transaction Indicator value is '07' and UCAF Collection Indicator value is '2' for which this field must not be sent.” to “This field is mandatory if the authorization request message being submitted has the UCAF Collection Indicator value of 1, 2 or 7, except when the Token Authentication Verification Data field is present, Ecomm Transaction Indicator value is '07' and UCAF Collection Indicator value is '2' for which this field must not be sent.” Changed the rule in the Token Authentication Verification Data field from “If this field is present and the MasterCard Secure Data field is not present in the transaction, then the ECOMM Group.Ecomm Transaction Indicator must be 07.” to “If this field is present and the MasterCard Secure Data field is not present in the authorization request message, then the ECOMM Group.Ecomm Transaction Indicator must be 07.” Changed the rule in the Token Authentication Verification Data field from “When this field is present in a transaction along with the MasterCard Secure Data field, the ECOMM Group.Ecomm Transaction Indicator must be 01, 02 or 06.” to “When this field is present in an authorization request message along with the MasterCard Secure Data field, the ECOMM Group.Ecomm Transaction Indicator must be 01, 02 or 06.”	10.02.14	August 25, 2021
---	--	----------	-----------------

2	Changed the rule in the Program Protocol field from “This field is only applicable when the Card Type is ‘MasterCard’ or ‘MaestroInt’ and the Ecomm Transaction Indicator value of ‘01’ or ‘02’ is also present in the transaction.” to “This field is applicable in an authorization request message only when the Card Type is ‘MasterCard’ or ‘MaestroInt’, and the Ecomm Transaction Indicator value of ‘01’ or ‘02’ is also present in the transaction.” Changed the rule in the Directory Server Transaction ID field from “This field is only applicable when the Card Type is ‘MasterCard’ or ‘MaestroInt’ and the Ecomm Transaction Indicator value of ‘01’ or ‘02’ is also present in the transaction.” to “This field is applicable in an authorization request message only when the Card Type is ‘MasterCard’ or ‘MaestroInt’ and the Ecomm Transaction Indicator value of ‘01’ or ‘02’ is also present in the transaction.”	10.02.14	August 25, 2021
---	---	----------	-----------------

Chapter Contents

1	EComm Group -----	23-13
2	Secure Transaction Group -----	23-20

23.1 ECOMM Group

Description

This group contains fields used in Ecommerce and MOTO transactions.

XML Group Tag Name

EcommGrp

23.1.1 Ecomm Transaction Indicator

Description

An indicator provided by the merchant to identify the security level of an Ecommerce transaction. In the following description, the term 3-D Secure refers to authentication programs such as Verified by Visa, MasterCard SecureCode, Discover ProtectBuy and American Express Safekey (AESK).

XML Tag Name

EcommTxnInd

Field Group

This field is contained within the ECOMM Group.

Attribute Type

N

Length

2

Format

None

Value Set

The following values are defined for this field:

- ▶ 01 – Secure Electronic Commerce Transaction. Designates an Internet transaction at a 3-D Secure capable merchant and the cardholder information is fully authenticated, or an In-App transaction.
- ▶ 02 – Non-authenticated 3-D Secure transaction. Designates an In-App transaction, or an Internet transaction where the merchant attempted to authenticate the cardholder information using 3-D Secure with one of the following:
 - A non-participating Issuer
 - A non-participating cardholder of a participating Issuer
 - A participating Issuer, but the authentication server is not available
- ▶ 03 – Channel Encrypted Transaction. Designates an Internet transaction which involves the use of encryption such as SSL, but not 3-D authentication, or an In-App transaction.

- ▶ 04 – Non-Secure Electronic Commerce Transaction. Designates an Internet transaction where the cardholder's information was transmitted without 3-D authentication or any encryption method.
- ▶ 05 – Digital wallet transaction that contains Token Block A and may contain Token Block B
- ▶ 06 – Processed through MasterPass
- ▶ 07 – MasterCard Digital Enablement Service (including In-App transactions)
- ▶ 08 - UP3DS Authentication Mode. The Authentication could not be performed due to technical or other problems.
- ▶ 21 – Channel encryption; cardholder certificate not used (this is the preferred value for Mastercard® Identity Check™)
- ▶ 22 – Masterpass-generated transaction
- ▶ 24 – Digital Secure Remote Payment transaction

Rules

The following field rules are defined:

- ▶ This field must be supplied on all E-commerce transactions, except on the following scenario:
 - When the transaction is Canadian Debit In-App / In-Browser for which this field is not permitted.
- ▶ For Discover, if the initial authorization was an e-commerce transaction (regardless of it being an In-App or regular e-commerce), then the subsequent MIT (Merchant Initiated Transaction) must be sent with Ecomm Transaction Indicator value of '03' or '04'.
- ▶ The values 21, 22 and 24 must not be sent in authorization request messages.
- ▶ The value of '04' is not applicable when Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ The value of 05 must only be sent when the POS Entry Mode is 08.
- ▶ The value of 06 is only applicable to Transactions that contain the Wallet Identifier (XML tag WtID).
- ▶ When the value of 06 is present in the transaction, the UCAF Collection Indicator value must be '0', '1', '2', '5' or '6'.
- ▶ When the value of 07 is present in the transaction, the UCAF Collection Indicator value must be '0', '2', '6' or '8'.
- ▶ When the Discover Authentication Type field is present in the transaction with the value of "2", this field must also be present with the value of 01 or 02.
- ▶ When the Money Transfer Processing Indicator field is present in the authorization request message with the value of Funding, the only valid values for this field are 01, 02, 03, 04, 06, and 07.
- ▶ In the response message, the value of 01 could be changed to the value of 03 if Visa determined the incorrect value was sent in the transaction and vice-versa.

- ▶ For a Visa recurring transaction initiated with a card issued in India, the Ecomm Transaction Indicator field must be sent with a value of '01'.
- ▶ When the Card Type is 'Visa', Ecomm Transaction Indicator is '01', '02' or '03' and the transaction is an In-App token CIT, then the Visa Secure Transaction Authentication Data or the Token Authentication Verification Data field must be present in the transaction.
- ▶ If this field is returned on a transaction response, this field must be present with the same value returned in the original transaction in subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.).
- ▶ This field must not have a value of 04 in a PLDebit transaction when the Settlement Indicator value is 3.
- ▶ The value of 08 is only applicable when the Card Type is 'UnionPay'.
Note: This UMF mapped value may be returned by the Issuer's ACS (Access Control Server) during the authentication process which occurs outside of Rapid Connect, and merchant is expected to send the same UMF value in authorization transactions
- ▶ When this field is present, one of the following fields is required except when the Payment Facilitator Group is present and the Card type is Amex or if the merchant is setup through a Multi-Mid Payment Facilitator:
 - Customer Service Phone Number
 - Ecomm URL
 - Merchant Email Address

23.1.2 Customer Service Phone Number

Description

This field contains the phone number, provided by the merchant, used to assist cardholders with questions pertaining to the transaction.

XML Tag Name

CustSvcPhoneNumber

Field Group

This field is contained within the ECOMM Group.

Attribute Type

N

Length

..10

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is required for MOTO (Mail Order/Telephone Order) Authorization, Completion, Sale, BatchSettleDetail, and Refund transactions (the same is recommended but not required in Ecommerce Authorizations) except when the Payment Facilitator Phone Number is present, Payment Facilitator Group is present and the Card type is Amex, or if the merchant is setup through a Multi-Mid Payment Facilitator.
- ▶ This field must not be sent if the merchant is setup through a Multi-Mid Payment Facilitator or when the Payment Facilitator Phone Number is present.

23.1.3 EComm URL

Description

This field contains the URL of the site performing the Ecommerce transaction.

XML Tag Name

EcommURL

Field Group

This field is contained within the ECOMM Group.

Attribute Type

ans

Length

..32

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is required for Ecommerce Authorization, Sale, Completion, BatchSettleDetail, and Refund transactions except when the transaction is a mobile payment or if the merchant is setup through a Multi-Mid Payment Facilitator.
- ▶ For Visa and Discover transactions, the maximum length is 13 bytes.
- ▶ This field must not be sent if the merchant is setup through a Multi-Mid Payment Facilitator.

23.1.4 Multiple Clearing Sequence Number

Description

This field is used when there are multiple Completion or BatchSettleDetail transactions for a single previously approved Authorization transaction. This field represents the sequence number of the Completion or BatchSettleDetail transaction. This field is always populated in ascending order. This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

MCSN

Field Group

This field is contained within the ECOMM Group.

Attribute Type

N

Length

2

Format

None

Value Set

01 - 99

Rules

The following field rules are defined:

- ▶ This field must only be sent when there are multiple Completion or BatchSettleDetail transactions for a single previously approved Authorization transaction.
- ▶ This field can only be sent in a Visa, MasterCard, Discover or AMEX Completion or BatchSettleDetail, or a Debit Completion transaction where POS Condition Code = 04, 08 or 59.
Note: As per card brand guidelines, acquirers and merchants are reminded not to populate this field for
 - Card-present transactions
 - Installment transactions
 - Recurring transactions
- ▶ If this field is present then the Multiple Clearing Sequence Count field must also be present.
- ▶ This field must be sent in the first Completion or BatchSettleDetail transaction with the value of 01.
- ▶ Subsequent Completion or BatchSettleDetail transactions must have a value greater than 01 and increment sequentially.

- ▶ If this field is present in a transaction for the Card Type of Discover, then the Discover NRID field must also be present in the transaction.

23.1.5 Multiple Clearing Sequence Count

Description

This field represents the total number of Completion or BatchSettleDetail transactions being submitted for a single previously approved Authorization transaction. This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

MCSC

Field Group

This field is contained within the ECOMM Group.

Attribute Type

N

Length

2

Format

None

Value Set

02 - 99

Rules

The following field rules are defined:

- ▶ This field can only be sent in a Visa, MasterCard, Discover or AMEX Completion or BatchSettleDetail, or a Debit Completion transaction where POS Condition Code = 04, 08 or 59.
Note: As per card brand guidelines, acquirers and merchants are reminded not to populate this field for
 - Card-present transactions
 - Installment transactions
 - Recurring transactions
- ▶ If this field is present, then the Multiple Clearing Sequence Number field must also be present.
- ▶ The Multiple Clearing Sequence Count must not be less than the Multiple Clearing Sequence Number.
- ▶ If this field is present in a transaction for the Card Type of Discover, then the Discover NRID field must also be present in the transaction.

23.1.6 MOTO Indicator

Description

This field indicates whether the transaction is Mail Order or Telephone Order.

XML Tag Name

MOTOIndicator

Field Group

This field is contained within the ECOMM Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined for this field:

- ▶ MailOrder – Mail Order
- ▶ TelPhOrder – Telephone Order

Rules

The following field rules are defined:

- ▶ This field is mandatory and must only be sent when the transaction contains the Card Type value of 'AMEX' and POS Condition Code value of '08' (MOTO).
- ▶ If present in the original transaction, this field must be sent with the same value from the original transaction in subsequent transactions (e.g. Completion, Void/Full Reversal, etc).

23.2 Secure Transaction Group

Description

This group contains fields used during secure Ecommerce transaction authentication.

XML Group Tag Name

SecTxnGrp

23.2.1 Visa XID

Description

A unique transaction ID set by the merchant and sent to the Issuer Authentication/Service in the Authentication Request message. This is an optional transaction ID to identify the JCB International / VISA 3D secure transaction.

XML Tag Name

VisaXID

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

b64

Length

28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is present only if the merchant is using the JCB International or VISA 3D Secure protocol version 1.0.2.
- ▶ If a JCB International XID or Visa XID is provided during authentication to the Issuer's Access Control Server (ACS), then the same XID may also be provided in this field.

23.2.2 Visa Secure Transaction Authentication Data

Description

This is a cryptographic value that is generated during the JCB International or VISA transaction authentication process i.e. CAVV (3-D Secure) or an ApplePay In-App token transaction.

XML Tag Name

VisaSecrTxnAD

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

b64

Length

28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be present if the transaction being submitted is a VISA 3D Secure transaction.
- ▶ This field must not be present if the 3D Secure transaction for VISA has ECOMM Group.Ecomm Transaction Indicator as 03, except when the transaction is an ApplePay In-App token transaction.
- ▶ This field must be present if the 3D Secure transaction for VISA has ECOMM Group.Ecomm Transaction Indicator as 01 or 02.
- ▶ This field must be present if the transaction being submitted is a JCB International 3D Secure transaction with ECOMM Group.Ecomm Transaction Indicator as 01 or 02.
- ▶ When this field is sent on an ApplePay In-App token transaction for VISA, the transaction must have the ECOMM Group.Ecomm Transaction Indicator value of 01 or 03 based on the value received from the wallet application.
- ▶ This field is applicable only to Ecommerce.

23.2.3 CAVV Result Code

Description

This is the result code to indicate the success or failure of a Secure Transaction or an In-App Token transaction.

XML Tag Name

CAVVResultCode

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 0 – CAVV could not be verified or CAVV data was not provided when expected
- ▶ 1 – CAVV failed validation—authentication
- ▶ 2 – CAVV passed validation—authentication
- ▶ 3 – CAVV passed validation—attempt. A Verified by Visa authentication value of 7 from the issuer's ACS indicates that authentication was attempted.
- ▶ 4 – CAVV failed validation—attempt. A Verified by Visa authentication value of 7 from the issuer's ACS indicates authentication was attempted.
- ▶ 5 – Reserved for future use
- ▶ 6 – CAVV not validated, issuer not participating in CAVV validation (for Visa use only)
- ▶ 7 – CAVV failed validation—attempt. A Verified by Visa authentication value of 7 from Visa's ACS indicates that an authentication attempt was performed.
- ▶ 8 – CAVV passed validation—attempt. A Verified by Visa authentication value of 7 from Visa's ACS indicates that an authentication attempt was performed.
- ▶ 9 – CAVV failed validation—attempt. A Verified by Visa authentication value of 8 from Visa's ACS indicates that an authentication attempt was performed when the issuer's ACS was not available.
- ▶ A – CAVV passed validation—attempt. A Verified by Visa authentication value of 8 from Visa's ACS indicates that an authentication attempt was performed when the issuer's ACS was not available.

- ▶ B – CAVV passed validation—information only, no liability shift. Only Visa generates this code, issuers do not.
- ▶ C – CAVV was not validated—attempt (for Visa use only)
- ▶ D – CAVV was not validated—authentication (for Visa use only)
- ▶ E – Unable to perform authentication (for Discover use only)
- ▶ I – Invalid Security Data
- ▶ U – Issuer does not participate or the 3D Secure data was not utilized

Rules

The following field rules are defined:

- ▶ This field is returned when a 3D Secure or an In-App transaction is performed.
- ▶ The value sent in the Completion and BatchSettleDetail transactions should be the same as that received in the Authorization response.

23.2.4 Amex XID

Description

A unique transaction ID set by the merchant and sent to the Issuer Authentication/Service in the Authentication Request message. This is an optional transaction ID to identify the American Express Safekey (AESK) transaction.

XML Tag Name

AmexXID

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

b64

Length

28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is present only if using American Express Safekey transaction.
- ▶ If an AmexXID is provided during authentication to the Issuer's Access Control Server (ACS), then the same AmexXID may also be provided in this field.

23.2.5 Amex Secure Data

Description

This is a cryptographic value that is generated during the Amex transaction authentication process i.e. American Express AEVV (American Express SafeKey).

XML Tag Name

AmexSecrAD

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

b64

Length

28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be present if the transaction being submitted is an American Express Safekey transaction.
- ▶ This field must not be present if the American Express Safekey transaction has ECOMM Group.Ecomm Transaction Indicator as 03 or 04.
- ▶ This field is applicable only to Ecommerce.

23.2.6 Safekey Result Code

Description

This is the result code to indicate the success or failure of an American Express Safekey transaction.

XML Tag Name

Safekey

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 0 – Reserved for future use
- ▶ 1 – AEVV Failed – Authentication Issuer Key
- ▶ 2 – AEVV Passed – Authentication Issuer Key
- ▶ 3 – AEVV Passed – Attempt, Issuer Key
- ▶ 4 – AEVV Failed – Attempt, Issuer Key
- ▶ 5 – Reserved for future use
- ▶ 6 – Reserved for future use
- ▶ 7 – AEVV Failed – Attempt, Issuer not participating, Network Key
- ▶ 8 – AEVV Passed – Attempt, Issuer not participating, Network Key
- ▶ 9 – AEVV Failed – Attempt, Participating, ACS not available, Network Key
- ▶ A – AEVV Passed – Attempt, Participating, ACS not available, Network Key
- ▶ B – Reserved for future use
- ▶ C – Reserved for future use
- ▶ D – Reserved for future use
- ▶ I – Invalid Security Data
- ▶ U – AEVV Unchecked

Rules

The following field rules are defined:

- ▶ This field is returned when an Amex Safekey transaction is performed.
- ▶ The value sent in the Completion and BatchSettleDetail transactions should be the same as that received in the Authorization response.

23.2.7 UCAF Collection Indicator

Description

This field indicates whether the merchant supports MasterCard UCAF (Secure Code) data collection.

XML Tag Name

UCAFCollectInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 0 – UCAF data collection is not supported at the merchant's web site.
- ▶ 1 – UCAF data collection is supported by the merchant and UCAF data has been provided and contains an attempted AAV.
- ▶ 2 – The merchant supports UCAF data collection and fully authenticated AAV data has been provided / Applicable to In-App
- ▶ 3 – Ecommerce Completion transactions that contain the Tokenization Group where the transaction amount is less than the approved Authorization amount or recurring payment transactions initiated with an association token.
- ▶ 4 – MasterCard risk based decisioning (Merchant has chosen to share authentication data within authorization; UCAF data collection not supported)
- ▶ 5 – Issuer risk based decisioning
- ▶ 6 – Merchant risk based decisioning
- ▶ 7 – Static AAV

- ▶ 8 – Partial Shipment/Recurring Payment/MIT. Required for payment token/In-App based MIT.

Rules

The following field rules are defined:

- ▶ This field must be present if the transaction being submitted is a MasterCard UCAF transaction.
- ▶ If this field has a value of 2 in an authorization request message, then ECOMM Group.Ecomm Transaction Indicator must be 01 (Secure), 06 or 07.
- ▶ This field must be sent with value '2' when Token Authentication Verification Data field is present and Ecomm Transaction Indicator field contains value '07'.
- ▶ For any payment token-based MIT (regardless of initial CIT from a mobile device being an EMV Contactless / Contactless Mag Stripe / In-App based), the Ecomm Transaction Indicator of value '07' with UCAF Collection Indicator of value '8' should be sent by merchant.
- ▶ The UCAF Collection Indicator must have a value of 3 on MasterCard Ecommerce Completion transactions where the transaction amount is less than the transaction amount in the approved Authorized transaction that contained the Tokenization Group.
- ▶ When the value of 8 is present in an authorization request message, the Ecomm Transaction Indicator value must be sent with value '01', '02', '03' or '07'.
- ▶ The value of 7 can only be sent when Card Type is MaestroInt.
- ▶ If this field is sent with value '8' in an authorization transaction, then the CIT/MIT Framework Indicator field must also be present with the values 'M101', 'M102', 'M103', 'M104', 'M205', 'M206', 'M207' or 'M208'.
- ▶ In the response message, the request value could be changed to a new value if MasterCard determines the incorrect value was sent in the transaction.
- ▶ If this field is returned on a transaction response, this field must be present with the same value returned in the original transaction in subsequent transactions (e.g. Voids/Full Reversals, Completion Messages, etc.).

23.2.8 MasterCard Secure Data

Description

This is a cryptographic value that is generated during the MasterCard transaction authentication process (MasterCard UCAF/ SecureCode) or statically assigned to the merchant by MasterCard. This data must be passed unaltered by the merchant to Rapid Connect.

XML Tag Name

MCSecrAD

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

ans

Length

28..32

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be present if the transaction being submitted is a MasterCard UCAF transaction.
- ▶ This field must not be present if the 3D Secure authorization request message for MasterCard transaction has ECOMM Group.Ecomm Transaction Indicator as 03 or 04.
- ▶ This field must only be present if the transaction being submitted has the UCAF Collection Indicator value of 1, 2, 4, 5, 6, 7 or 8.
- ▶ This field is mandatory if the authorization request message being submitted has the UCAF Collection Indicator value of 1, 2 or 7, except when the Token Authentication Verification Data field is present, Ecomm Transaction Indicator value is '07' and UCAF Collection Indicator value is '2' for which this field must not be sent.
- ▶ This field is applicable only to Ecommerce.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversal, Completion or BatchSettleDetail transactions). The value must be the same as that submitted in the original transaction.

23.2.9 Discover Authentication Type

Description

This field specifies the type of secure transaction used.

XML Tag Name

DiscAuthType

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..2

Format

None

Value Set

The following values are defined for this field:

- ▶ 1 – In-App Authentication
- ▶ 2 – ProtectBuy
- ▶ 3 – Original transaction was a ProtectBuy transaction

Rules

The following field rules are defined:

- ▶ This field is required for all Discover and Diners In-App and ProtectBuy transactions.
- ▶ The value of 3 must be sent in a transaction that contains the Bill Payment Transaction Indicator field with the value of Recurring, when the original transaction was a ProtectBuy transaction.

23.2.10 Discover Secure Data

Description

This is a cryptographic value that is generated during the Discover and Diners transaction authentication process or an In-App token transaction.

XML Tag Name

DiscSecData

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

b64

Length

28 or 56

Format

28 bytes using BINARY data and then encoding to base-64

56 bytes using ASCII data and then encoding to base-64+

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is required for all Discover and Diners In-App and ProtectBuy transactions (except Completions).
- ▶ If this field is present in a ProtectBuy transaction, then the ECOMM Group.Ecomm Transaction Indicator must be either 01 or 02.

- ▶ If this field is sent in Completions, the value sent in the Completion transaction should be the same as that was sent in the Authorization request.

23.2.11 Secure Data Downgrade

Description

This field indicates that a secure transaction was downgraded by the association.

XML Tag Name

SecDataDowngrade

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..14

Format

None

Value Set

The following values are defined for this field:

- ▶ SecDataMissing – Secure Data was missing from the transaction
- ▶ SecDataInvalid – Secure Data was invalid in the transaction
- ▶ InvSecLvInd – Invalid Security level Indicator

Rules

The following field rule is defined:

- ▶ This field will be returned when available.

23.2.12 Token Authentication Verification Data

Description

This is a cryptographic value that is generated during the VISA or MasterCard transaction authentication process i.e. an In-App token transaction.

Note: For Visa, Merchants must send the TAVV (Token Authentication Verification Value) in this field only when the merchant has both the CAVV and TAVV. Merchants with only TAVV must continue sending the TAVV in the Visa Secure Transaction Authentication Data field.

For MasterCard, merchants must send the token/DSRP cryptogram only in this field.

XML Tag Name

TknAVD

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

b64

Length

28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must only be sent when the Card Type is 'Visa' or 'MasterCard'.
- ▶ If this field is present in an In-App token transaction for VISA, then the ECOMM Group.Ecomm Transaction Indicator must be either 01, 02 or 03.
- ▶ If this field is present and the MasterCard Secure Data field is not present in the authorization request message, then the ECOMM Group.Ecomm Transaction Indicator must be 07.
- ▶ When this field is present in an authorization request message along with the MasterCard Secure Data field, the ECOMM Group.Ecomm Transaction Indicator must be 01, 02 or 06.
- ▶ This field must be present in an In-App token transaction for VISA only if the Visa Secure Transaction Authentication Data field is also present in the transaction.
- ▶ If this field is present in a transaction, then the Visa XID field must not be sent in the transaction.
- ▶ This field is applicable only to Ecommerce transactions.

MasterCard Cryptogram Usage

Scenario	UCAF	DSRP
UCAF Cryptogram only	UCAF Data (MCSecrAD)	Not applicable
MasterCard DSRP only	Not applicable	DSRP Cryptogram (TknAVD)
UCAF Cryptogram and DSRP	UCAF Data (MCSecrAD)	DSRP Cryptogram (TknAVD)

Visa Cryptogram Usage

Scenario	CAVV	TAVV
Verified-by-Visa only	Cardholder Authentication Verification Value (VisaSecrTxnAD)	Not applicable
Digital Wallet (Payment Token) only	Not applicable	Digital Wallet Payment Token Cryptogram (VisaSecrTxnAD)
Verified-by-Visa and Digital Wallet (Payment Token)	Cardholder Authentication Verification Value (VisaSecrTxnAD)	Digital Wallet Payment Token Cryptogram (TknAVD)

23.2.13 TAVV Result Code

Description

This is the result code to indicate the success or failure of an In-App Token transaction.

XML Tag Name

TAVVResultCode

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

N

Length

1

Format

None

Value Set

The following values are defined for this field.

- ▶ 1 – TAVV cryptogram failed validation
- ▶ 2 – TAVV cryptogram passed validation
- ▶ 3 – DTVV or Visa-defined format cryptogram failed validation
- ▶ 4 – DTVV or Visa-defined format cryptogram passed validation

Rules

The following field rules are defined:

- ▶ This field may be returned only when an In-App token transaction is performed.
- ▶ This field will be returned in a transaction when the transaction request message contains the Token Authentication Verification Data field.

23.2.14 Program Protocol

Description

This field indicates the 3D Secure Program Protocol for MasterCard.

XML Tag Name

ProgramProtocol

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined for this field:

- ▶ 1 – 3D Secure Version 1.0 (3DS 1.0) / EMV 3-D Secure Version 2.1
- ▶ 2 – EMV 3-D Secure Version 2.2
- ▶ 3 – EMV 3-D Secure Version 2.3
- ▶ 4 – EMV 3-D Secure Version 2.4
- ▶ 5 – EMV 3-D Secure Version 2.5
- ▶ 6 – EMV 3-D Secure Version 2.6
- ▶ 7 – EMV 3-D Secure Version 2.7
- ▶ 8 – EMV 3-D Secure Version 2.8
- ▶ 9 – EMV 3-D Secure Version 2.9

Rules

The following field rules are defined:

- ▶ This field is applicable in an authorization request message only when the Card Type is 'MasterCard' or 'MaestroInt', and the Ecomm Transaction Indicator value of '01' or '02' is also present in the transaction.
- ▶ The values 3, 4, 5, 6, 7, 8 and 9 are only applicable when Card Type is 'MasterCard' or 'MaestroInt'.
- ▶ This field must be sent by merchants participating in the MasterCard Identity Check™ (SecureCode) program if it is provided by their plug-in.
- ▶ This field must be present in a transaction that contains the MasterCard Secure Data field and the Bill Payment Transaction Indicator field with the value of 'Recurring' or 'Installment'.

- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals, Completion or BatchSettleDetail transactions). The value must be the same as that submitted in the original transaction.

23.2.15 Directory Server Transaction ID

Description

This field is generated by the EMV 3D Secure Directory Server during the authentication transaction and passed back to the merchant with the authentication results. This optional field allows the acquirer to pass the Directory Server Transaction ID during authorization in order to link authentication and authorization data.

XML Tag Name

DirServerTransID

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

ans

Length

..36

Format

Example: f38e6948-5388-41a6-bca4-b49723c19437

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is applicable in an authorization request message only when the Card Type is 'MasterCard', 'MaestroInt' or 'UnionPay'.
- ▶ When this field is sent in an authorization transaction for Card Type 'MasterCard' or 'MaestroInt', the Ecomm Transaction Indicator value of '01' or '02' must also be present in the transaction.
- ▶ When this field is sent in a transaction for Card Type 'UnionPay', the Ecomm Transaction Indicator value of '01', '02' or '08' must also be present in the transaction.
- ▶ When the Card Type is 'UnionPay', this field must only be sent for a merchant domiciled in Europe.
- ▶ This field must be sent by merchants participating in the MasterCard Identity Check™ (SecureCode) program if it is provided by their plug-in.

Note: The value in this field must be the exact value received from the MasterCard Identity Check™ (SecureCode) program plug-in.

- ▶ When the Card Type is 'MasterCard' or 'MaestroInt', this field is mandatory to be sent only if the Program Protocol field is present.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals, Completion or BatchSettleDetail transactions). The value must be the same as that submitted in the original transaction.

23.2.16 Low Value Exemption Indicator

Description

This field indicates whether a transaction is exempt from strong customer authentication (SCA) as the merchant/acquirer has determined it to be a low value payment.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

LowValExInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following values are defined for this field:

Request values:

- ▶ Yes – Low value exemption claimed / requested
- ▶ No – Low value exemption not claimed / requested

Response values:

- ▶ Yes – Low value exemption validated / honored
- ▶ No – Low value exemption failed validation / not honored

Rules

The following field rules are defined:

- ▶ This field must only be sent for a merchant in Europe.
- ▶ This field is only applicable for the Card Type of 'Visa', 'MasterCard', 'MaestroInt' and 'UnionPay'.
- ▶ This field may be returned in the response message only when the Card Type is 'Visa', and this field was sent in the request message with the value of "Yes".

- ▶ When the Card Type is 'MasterCard' or 'MaestroInt' and this field is present in the transaction with the value of "Yes", the Transaction Risk Analysis Exemption Indicator, Trusted Merchant Exemption Indicator, Secure Corporate Payment Exemption Indicator, Recurring Payment Exemption Indicator and Delegated Authentication Indicator fields must not be present in the transaction.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals). The value must be the same as that submitted in the original transaction.

23.2.17 Transaction Risk Analysis Exemption Indicator

Description

This field indicates whether a transaction is exempt from Strong Customer Authentication (SCA) as the merchant/acquirer has determined it to be a low risk in accordance with the criteria defined by second Payment Services Directive (PSD2) or Regulatory Technical Standards (RTS).

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

TranRiskAnaExInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following values are defined for this field:

- ▶ Yes – Transaction risk analysis exemption claimed / requested
- ▶ No – Transaction risk analysis exemption not claimed / requested

Rules

The following field rules are defined:

- ▶ This field must only be sent for a merchant in Europe.
- ▶ This field is only applicable for the Card Type of 'Visa', 'MasterCard', 'MaestroInt' and 'UnionPay'.
- ▶ When the Card Type is 'MasterCard' or 'MaestroInt' and this field is present in the transaction with the value of "Yes", the Low Value Exemption Indicator, Trusted Merchant Exemption Indicator, Secure Corporate Payment Exemption Indicator, Recurring Payment Exemption Indicator and Delegated Authentication Indicator fields must not be present in the transaction.

- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals). The value must be the same as that submitted in the original transaction.

23.2.18 Trusted Merchant Exemption Indicator

Description

This field indicates whether a transaction is exempt from Strong Customer Authentication (SCA) as it originated at a merchant trusted by the cardholder.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

TrustMerchExInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following values are defined for this field:

Request values:

- ▶ Yes – Trusted merchant exemption claimed/requested
- ▶ No – Trusted merchant exemption not claimed/requested

Response values:

- ▶ Yes – Trusted merchant exemption validated/honored
- ▶ No – Trusted merchant exemption failed validation/not honored

Rules

The following field rules are defined:

- ▶ This field must only be sent for a merchant in Europe.
- ▶ This field is only applicable for the Card Type of 'Visa', 'MasterCard', 'MaestroInt' and 'UnionPay'.
- ▶ When the Card Type is 'MasterCard' or 'MaestroInt' and this field is present in the transaction with the value of "Yes", the Low Value Exemption Indicator, Transaction Risk Analysis Exemption Indicator, Secure Corporate Payment Exemption Indicator, Recurring Payment Exemption Indicator and Delegated Authentication Indicator fields must not be present in the transaction.

- ▶ This field may be returned in the response message only when the Card Type is 'Visa' and this field is sent in the request message with the value of "Yes".
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals). The value must be the same as that submitted in the original transaction.

23.2.19 Secure Corporate Payment Exemption Indicator

Description

This field indicates whether a transaction is exempt from Strong Customer Authentication (SCA) as the merchant/acquirer has determined it as a secure corporate payment.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

SecrCorpExInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following values are defined for this field:

Request values:

- ▶ Yes – Secure corporate payment exemption claimed / requested
- ▶ No – Secure corporate payment exemption not claimed / requested

Response values:

- ▶ Yes – Secure corporate payment exemption validated / honored
- ▶ No – Secure corporate payment exemption failed validation / not honored

Rules

The following field rules are defined:

- ▶ This field must only be sent for a merchant in Europe.
- ▶ This field is only applicable for the Card Type of 'Visa', 'MasterCard', 'MaestroInt', 'AMEX' and 'UnionPay'.
- ▶ This field may be returned in the response message only when the Card Type is 'Visa', and this field was sent in the request message with the value of "Yes".

- ▶ When the Card Type is 'MasterCard' or 'MaestroInt' and this field is present in the transaction with the value of "Yes", the Low Value Exemption Indicator, Transaction Risk Analysis Exemption Indicator, Trusted Merchant Exemption Indicator, Recurring Payment Exemption Indicator and Delegated Authentication Indicator fields must not be present in the transaction.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals). The value must be the same as that submitted in the original transaction.

23.2.20 Delegated Authentication Indicator

Description

This field identifies e-commerce transactions with delegated authentication. Issuers must delegate Strong Customer Authentication (SCA) to an eligible entity in this Delegated Authentication Program.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

DelegAuthInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following values are defined for this field:

- ▶ Yes – Delegated Authentication claimed / requested
- ▶ No – Delegated Authentication not claimed / requested

Rules

The following field rules are defined:

- ▶ This field must only be sent for a merchant in Europe.
- ▶ This field is only applicable for the Card Type of 'Visa', 'MasterCard', 'MaestroInt' and 'UnionPay'.
- ▶ When the Card Type is 'MasterCard' or 'MaestroInt' and this field is present in the transaction with the value of "Yes", the Low Value Exemption Indicator, Transaction Risk Analysis Exemption Indicator, Trusted Merchant Exemption Indicator, Secure Corporate Payment Exemption Indicator and Recurring Payment Exemption Indicator fields must not be present in the transaction.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals). The value must be the same as that submitted in the original transaction.

23.2.21 Merchant Authentication Identifier

Description

This field contains a unique identifier value assigned by the association for each merchant included in the authentication program.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

MerchantAuthentID

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

ans

Length

8

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must only be sent for a merchant in Europe.
- ▶ This field is only applicable for the Card Type of 'Visa'.
- ▶ This field can only be sent when either the Delegated Authentication Indicator field with the value of "Yes" or the Trusted Merchant Exemption Indicator field with the value of "Yes" is present in the transaction.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals). The value must be the same as that submitted in the original transaction.

23.2.22 Recurring Payment Exemption Indicator

Description

This field indicates whether a transaction is exempt from Strong Customer Authentication (SCA) as the merchant/acquirer has determined it as a recurring payment or a merchant initiated transaction.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

RecPayExInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following values are defined for this field:

- ▶ Yes – Recurring Payment Exemption apply to the transaction
- ▶ No – Recurring Payment Exemption does not apply to the transaction

Rules

The following field rules are defined:

- ▶ This field must only be sent for a merchant in Europe.
- ▶ This field is only applicable for the Card Type of 'MasterCard', 'MaestroInt' and 'UnionPay'.
- ▶ When this field is present in the transaction with the value of "Yes", the Low Value Exemption Indicator, Transaction Risk Analysis Exemption Indicator, Trusted Merchant Exemption Indicator, Secure Corporate Payment Exemption Indicator and Delegated Authentication Indicator fields must not be present in the transaction.
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals). The value must be the same as that submitted in the original transaction.

23.2.23 Exemption Reason Code

Description

This response field identifies the reason for not honouring exemptions. The field will contain one or more four-character association-determined or issuer-determined reason code values for not honoring the requested exemption.

XML Tag Name

ExReasonCode

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..80

Format

One or more values from the following set can be returned in this field.

For example, a value of 84738474 would indicate that Cardholder has not trusted merchant and transaction did not meet the exemption criteria.

Value Set

The following values are defined for this field:

- ▶ 8473 - Cardholder has not trusted merchant (Issuer-supplied)
- ▶ 8474 - Did not meet the exemption criteria

Rules

The following field rules are defined:

- ▶ This field will only be returned for a merchant in Europe.
- ▶ This field may be returned only when the Card Type is 'Visa' and the Trusted Merchant Exemption Indicator field is returned with the value of "No".

23.2.24 Remote Commerce Acceptor Identifier

Description

This field contains a merchant identifier such as the merchant business website URL or reverse domain name as presented to the consumer during checkout.

XML Tag Name

RmtCommAcptrId

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

b64

Length

..28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be present in tokenized remote commerce transactions carrying the enhanced version of the DSRP cryptogram.
- ▶ This field must only be sent when the Card Type is 'MasterCard' and the Token Authentication Verification Data field is present in the transaction.

23.2.25 Authentication Outage Exemption Indicator

Description

This field indicates that Strong Customer Authentication (SCA) was not possible because of a major outage of the authentication network and infrastructure.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

AuthOutExInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

..3

Format

None

Value Set

The following values are defined for this field:

- ▶ Yes – Authentication Outage Exemption apply to the transaction
- ▶ No – Authentication Outage Exemption does not apply to the transaction

Rules

The following field rules are defined:

- ▶ This field must only be sent for a merchant in Europe and U.K.
Note: For AMEX, this field is applicable for a merchant domiciled in Europe and U.K. For Visa and MasterCard, this field is applicable for a merchant domiciled only in Europe.
- ▶ This field is only applicable for the Card Type of 'Visa', 'MasterCard', 'MaestroInt' and 'AMEX'.
- ▶ When the Card Type is 'MasterCard' or 'MaestroInt' and this field is present in the transaction with the value of "Yes", the Low Value Exemption Indicator, Transaction Risk Analysis Exemption Indicator, Trusted Merchant Exemption Indicator, Secure Corporate Payment Exemption Indicator, Delegated Authentication Indicator and Recurring Payment Exemption Indicator fields must not be present in the transaction
- ▶ If present in the original transaction, this field must be present in subsequent transactions (e.g. Timeout Reversals). The value must be the same as that submitted in the original transaction.

23.2.26 UnionPay Secure Data

Description

This is a cryptographic value that is generated during the UnionPay transaction authentication process. This data must be passed unaltered by the merchant to Rapid Connect.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

UnionPaySecData

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

b64

Length

28

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must only be present if the transaction being submitted is a Union Pay 3D Secure transaction and the merchant is domiciled in Europe.
- ▶ If this field is present in a Union Pay 3D Secure transaction, then the ECOMM Group.Ecomm Transaction Indicator must be 01, 02 or 08.

23.2.27 Digital Authentication Framework Indicator

Description

This field identifies transactions that are authenticated as part of the Digital Authentication Framework.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

DAFInd

Field Group

This field is contained within the SECURE TRANSACTION Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes – Digital Authentication Framework Indicator

Rules

The following field rule is defined:

- ▶ This field may be returned in a response message only when the Card Type is 'Visa'.

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the AVS/Billing Address field from “When the Payment Type is PvtLbl, this field may only be present when the Card Type is Dicks or CostPlus.” to “When the Payment Type is PvtLbl, this field may only be present when the Card Type is Dicks, CostPlus or GenProp.” Added the following rule to the AVS/Billing Postal Code field: “When the Payment Type is PvtLbl, this field may only be present when the Card Type is Dicks, CostPlus or GenProp.”	10.02.14	August 25, 2021
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019

Chapter Contents

1	Customer Info Group	24-2
---	---------------------------	------

24.1 Customer Info Group

Description

The fields in this group provide details about the customer placing the order. Some of the fields in this group have limited platform availability. For more information please contact your Account Representative.

XML Group Tag Name

CustInfoGrp

24.1.1 AVS/Billing Address

Description

This field contains the street address of the customer. This field is used to submit the street address of the cardholder when attempting to perform address verification.

XML Tag Name

AVSBillingAddr

Field Group

This field is contained within the CUSTOMER INFO Group.

Attribute Type

ans

Length

..30

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ For American Express Verification transactions either this field or AVS/Billing Postal Code is required.
- ▶ This field is mandatory on Authorization and Refund transactions when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD.
- ▶ When the Payment Type is PvtLbl, this field may only be present when the Card Type is Dicks, CostPlus or GenProp.

24.1.2 AVS/Billing Postal Code

Description

This field contains the postal or zip code of the cardholder. This field is used to submit the postal code of the cardholder when attempting to perform address verification.

XML Tag Name

AVSBillingPostalCode

Field Group

This field is contained within the CUSTOMER INFO Group.

Attribute Type

ans

Length

..9

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is mandatory on Authorization and Refund transactions when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD.
- ▶ When the Payment Type is PvtLabl, this field may only be present when the Card Type is Dicks, CostPlus or GenProp.
- ▶ For American Express Verification transactions either this field or AVS/Billing Address is required.
Note: Only Alphanumeric and Spaces are allowed in this field.

24.1.3 Card Holder First Name

Description

This field contains the first name of the cardholder.

XML Tag Name

CHFirstNm

Field Group

This field is contained within the CUSTOMER INFO Group.

Attribute Type

ans

Length

..35

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ For Discover name matching, this field can be submitted in transactions where AVS is present and POS Condition Code = 04, 08 or 59.
- ▶ For Amex name matching, this field can be submitted in transactions where AVS is present and POS Condition Code = 04, 08 or 59 and the Settlement Indicator value is 3.
- ▶ This field is optional in any transaction when the Fraud Score Indicator field is present.
- ▶ If this field is sent then the field Card Holder Last Name must also be sent in the same transaction.
- ▶ If the Settlement Indicator Value is 3, this field is limited to 15 bytes.
- ▶ This field is mandatory on Authorization and Refund transactions when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD.

24.1.4 Card Holder Last Name

Description

This field contains the last name of the cardholder.

XML Tag Name

CHLastNm

Field Group

This field is contained within the CUSTOMER INFO Group.

Attribute Type

ans

Length

..35

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ For Discover name matching, this field can be submitted in transactions where AVS is present and POS Condition Code = 04, 08 or 59.
- ▶ For Amex name matching, this field can be submitted in transactions where AVS is present and POS Condition Code = 04, 08 or 59 and the Settlement Indicator value is 3.
- ▶ This field is optional in any transaction when the Fraud Score Indicator field is present.
- ▶ This field can only be sent if the field Card Holder First Name is present in the same transaction.
- ▶ This field must not be sent if the field Card Holder First Name is not present in the same transaction.
- ▶ If the Settlement Indicator Value is 3, this field is limited to 30 bytes.
- ▶ This field is mandatory on Authorization and Refund transactions when the Check Service Provider value is TeleCheckICA, TeleCheckCBP, or TeleCheckPPD.

24.1.5 Card Holder Full Name Result

Description

This response field contains the result of checking the cardholder's first name and last name.

XML Tag Name

CHFullNmRes

Field Group

This field is contained within the CUSTOMER INFO Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined:

- ▶ M - First Name and Last Name match
- ▶ F - First Name Matches, Last Name does not match
- ▶ L - First Name does not match, Last Name matches
- ▶ N - Nothing matches
- ▶ W - No data from Issuer/Authorization system
- ▶ U - Retry, system unable to process
- ▶ P - Not Processed
- ▶ K - Unknown
- ▶ B - No Response due to blank input

Rules

The following field rule is defined:

- ▶ This field is returned in the response of a Discover AVS transaction where the fields Card Holder First Name and Card Holder Last Name were submitted in the request.

Chapter 25 : Debit Group

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the Auth Indicator field from “This field with the value of ‘CrdOnFile’ is mandatory and must only be sent in all “DebitRequest” credential-on-file subsequent transactions (e.g. Completions, Reversals).” to “This field with the value of ‘CrdOnFile’ is <u>mandatory in all credential-on-file subsequent transactions (e.g. Completions, Void/Full Reversals) when the initial Authorization or Sale was initiated as “CreditRequest” message that got routed as Debit e.g. Ecomm Pinless Least Cost Routing transactions.</u> ”	12.04.11	August 23, 2023

Chapter Contents

1	Debit Group -----	25-2
---	-------------------	------

25.1 DEBIT Group

Description

The fields in this group are applicable to PIN Debit and/or PINLess Debit Transactions.

XML Group Tag Name

DebitGrp

25.1.1 Payee Phone Number

Description

The Phone Number of the Payee (Biller) as part of the data being submitted for processing.

XML Tag Name

PayeePhoneNum

Field Group

This field is contained within the DEBIT Group.

Attribute Type

N

Length

10

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field is required in bill payment transactions, for both Debit Sale and PINLess Debit Sale.

25.1.2 Payee Account Number

Description

This field represents the Account Number of the Payee (Biller).

XML Tag Name

PayeeAcctNum

Field Group

This field is contained within the DEBIT Group.

Attribute Type

an

Length

..25

Format

None

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is required in bill payment transactions, for both Debit Sale and PINLess Debit Sale.

25.1.3 Payee ID

Description

This field contains the Payee ID for the data being submitted for processing. On a Sale transaction this field contains Payee (Biller) information. On a Refund transaction this field contains the cardholder's name.

XML Tag Name

PayeeID

Field Group

This field is contained within the DEBIT Group.

Attribute Type

ans

Length

..40

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field is required in bill payment transactions, for both Debit Sale and PINLess Debit Sale.

25.1.4 Billing Indicator

Description

This field identifies the debit fee program that will be used for billing the transaction.

XML Tag Name

BillingInd

Field Group

This field is contained within the DEBIT Group.

Attribute Type

an

Length

1

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field will be present in any debit response message when available.

25.1.5 Fee Program Indicator

Description

This field contains the FPI code that may be returned on Debit or PLDebit transaction response.

XML Tag Name

FPI

Field Group

This field is contained within the DEBIT Group.

Attribute Type

ans

Length

..3

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field will be present in any Debit or PLDebit response message when available.

25.1.6 Auth Indicator

Description

This field is used to indicate the type of authorization requested.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

DbAuthInd

Field Group

This field is contained within the DEBIT Group.

Attribute Type

an

Length

..9

Format

None

Value Set

The following value is defined for this field:

- ▶ CrdOnFile – Credential on File

Rules

The following field rule is defined:

- ▶ This field with the value of 'CrdOnFile' is mandatory in all credential-on-file subsequent transactions (e.g. Completions, Void/Full Reversals) when the initial Authorization or Sale was initiated as "CreditRequest" message that got routed as Debit e.g. Ecomm Pinless Least Cost Routing transactions.

25.1.7 Stored Credential Indicator

Description

This field is used to indicate the usage of stored credentials.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

DbStoredCrdnInd

Field Group

This field is contained within the DEBIT Group.

Attribute Type

an

Length

..10

Format

None

Value Set

The following values are defined for this field:

- ▶ Initial – Initial
- ▶ Subsequent – Subsequent

Rules

The following field rules are defined:

- ▶ The field is mandatory and must only be sent in a transaction that includes the Auth Indicator field XML Tag: DbAuthInd with the value of 'CrDOnFile'.
- ▶ This field must be present with the value of 'Subsequent' when the POS Entry Mode value is 10.

25.1.8 Debit Product Code

Description

This field identifies the highest priced item sold by the merchant in the transaction.

XML Tag Name

DbProdCd

Field Group

This field is contained within the DEBIT Group.

Attribute Type

N

Length

..6

Format

None

Value Set

None

Rules

The following field rule is defined:

- ▶ This field is only applicable to Telecheck Debit (Connect Pay) transactions.

Revision History

Section	Change Log	Version	Date
1	Changed the rule in the PIN Data field for EBT transactions from “This field is mandatory for EBT transactions (except Voucher Clear transactions and Void/ Full Reversals).” to “This field is mandatory for EBT transactions (except Completion, Voucher Clear and Void/ Full Reversal transactions).” Changed the description in the Master Session Key ID field from “This field is used by some merchants who support a Host Security Module (HSM). The Master Session Key ID value will be provided by Fiserv only to those merchants that require this field.” to “This field is used by merchants who support a Host Security Module (HSM). The Master Session Key ID value will be provided by Fiserv only to those merchants that require this field.”	10.02.11	April 28, 2021
1	Changed the rule in the PIN Data field under PIN Debit transactions section from “This field is mandatory for PIN Debit (except Completion and Void/ Full Reversals, or when the Program Identifier field is present with the value of ‘ConnectPay’) and EBT transactions (except Voucher Clear transactions and Void/ Full Reversals).” to “This field is mandatory for PIN Debit (except Completion and Void/ Full Reversals, or when the Program Identifier field is present with the value of ‘ConnectPay’).” Removed the following rule from the PIN Data field under PIN Debit transaction section: “PIN Data must not be provided with EBT Voucher Clear transactions.” Changed the rule in the PIN Data field under EBT transactions section from “This field is mandatory for PIN Debit (except Completion and Void/ Full Reversals) and EBT transactions (except Voucher Clear transactions and Void/ Full Reversals).” to “This field is mandatory for EBT transactions (except Voucher Clear transactions and Void/ Full Reversals).” Changed the rule in the PIN Data field under EBT transactions section from “For PIN Debit reversals this field must contain all zeroes.” to “For EBT reversals this field must contain all zeroes.”	10.02.7	October 21, 2020

1	Changed the rule in the PIN Data field from “This field is mandatory for PIN Debit (except Completion and Void/ Full Reversals) and EBT transactions (except Voucher Clear transactions and Void/ Full Reversals).” to “This field is mandatory for PIN Debit (except Completion and Void/ Full Reversals, or when the Program Identifier field is present with the value of ‘ConnectPay’) and EBT transactions (except Voucher Clear transactions and Void/ Full Reversals).” Changed the rule in the Key Serial Number Data field from “This field is mandatory for PIN Debit (except Voucher Clear, Completion and Voids) and EBT transactions (except Voucher Clear and Voids), except in a transaction when the merchant supports a Host Security Module (HSM).” to “This field is mandatory for PIN Debit (except Completion and Voids, or when the Program Identifier field is present with the value of ‘ConnectPay’) and EBT transactions (except Voucher Clear and Voids), except in a transaction when the merchant supports a Host Security Module (HSM).”	10.02.6	August 25, 2020
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019
1	Changed the Description of the PIN Group from “This group contains the PIN data information specific to a Debit, EBT or Credit Transaction.” to “This group contains the PIN data information specific to a Debit, EBT, Fleet or Credit Transaction.” Changed the Description of the PIN Data field from “This field contains the Encrypted PIN Block for Debit, EBT or Credit transactions.” to “This field contains the Encrypted PIN Block for Debit, EBT, Fleet or Credit transactions.” Added the following rules for Fleet transactions in the PIN Data field: “This field must only be sent in a VisaFleet and MCFleet transaction when the EMV Group is also present in the transaction.”, and “If this field is sent in a Fleet transaction, the Key Serial Number Data field must also be sent in the transaction.” Changed the Description of the Key Serial Number Data field from “This field is used to create the base PIN encryption key for DUKPT PIN Debit, EBT and Credit Transactions.” to “This field is used to create the base PIN encryption key for DUKPT PIN Debit, EBT, Fleet and Credit Transactions.”	9.02.12	August 27, 2019

1	Changed the rule in the Key Serial Number Data field from “This field can be sent on Credit Transactions when the EMV Group is present.” to “This field can be sent on Credit and Fleet Transactions when the EMV Group is present.” Changed the rule in the PIN Data and Key Serial Number Data fields from “This field must not be sent on Credit Transactions that do not contain the EMV Group.” to “This field must not be sent on Credit Transactions that do not contain the EMV Group, except when the Card Type of ‘UnionPay’ is present in the transaction.” Added the following rule to the PIN Data and Key Serial Number Data fields: “When the Card Type of ‘UnionPay’ is present in the transaction, this field can be sent on Credit transactions that do not contain the EMV Group.”	9.02.12	August 27, 2019
1	Added the following Note to the Description of the Key Offset and Master Session Key ID fields: “This field has limited platform availability. For more information, please contact your Account Representative.”	9.02.5	April 30, 2019

Chapter Contents

1	PIN Group -----	26-4
---	-----------------	------

26.1 PIN Group

Description

This group contains the PIN data information specific to a Debit, EBT, Fleet or Credit Transaction.

XML Group Tag Name

PINGrp

26.1.1 PIN Data

Description

This field contains the Encrypted PIN Block for Debit, EBT, Fleet or Credit transactions.

XML Tag Name

PINData

Field Group

This field is contained within the PIN Group.

Attribute Type

h

Length

16

Format

ASCII Characters representing Hex digits

Value Set

0-9, A-F (hexadecimal representation)

Rules

The following field rules are defined:

For PIN Debit transactions:

- ▶ This field is mandatory for PIN Debit (except Completion and Void/Full Reversals, or when the Program Identifier field is present with the value of 'ConnectPay').
- ▶ For PIN Debit reversals this field must contain all zeroes.
- ▶ For offline EMV Debit PIN transactions, EMV Debit Transactions without a PIN, or debit contactless transactions under the 'no PIN required' floor limit this field must contain 16 'F's' (FFFFFFFFFFFFFFFF).
- ▶ The Key Offset field must be sent in all PIN Debit transactions only if the merchant supports a Host Security Module (HSM), and only when the merchant supports more than one Master Session encryption key.

For EBT transactions:

- ▶ This field is mandatory for EBT transactions (except Completion, Voucher Clear transactions and Void/Full Reversals).
- ▶ PIN Data must not be provided with EBT Voucher Clear transactions.
- ▶ For EBT reversals this field must contain all zeroes.
- ▶ The Key Offset field must be sent in all EBT transactions that contain a PIN only if the merchant supports a Host Security Module (HSM), and only when the merchant supports more than one Master Session encryption key.

For Credit transactions:

- ▶ This field must not be sent on Credit Transactions that do not contain the EMV Group, except when the Card Type of 'UnionPay' is present in the transaction.
- ▶ When the Card Type of 'UnionPay' is present in the transaction, this field can be sent on Credit transactions that do not contain the EMV Group.
- ▶ This field can be sent on Credit Transactions when the EMV Group is present.
- ▶ If this field is sent on a Credit Transaction, the Key Serial Number Data field must also be sent in the transaction except when the Non US Merchant field is present with the value of 'Canadian', or when the merchant supports a Host Security Module (HSM).
- ▶ The Key Offset field must be sent in all Credit transactions that contain a PIN that is validated online only if the merchant supports a Host Security Module (HSM), and only when the merchant supports more than one Master Session encryption key.

For Fleet transactions:

- ▶ This field must only be sent in a VisaFleet and MCFleet transaction when the EMV Group is also present in the transaction.
- ▶ If this field is sent in a Fleet transaction, the Key Serial Number Data field must also be sent in the transaction.

26.1.2 Key Serial Number Data

Description

This field is used to create the base PIN encryption key for DUKPT PIN Debit, EBT, Fleet and Credit Transactions.

XML Tag Name

KeySerialNumData

Field Group

This field is contained within the PIN Group.

Attribute Type

an

Length

20

Format

"F" (1) + Base Derivation Key ID (9) + DeviceID (5) + TranCounter (5)

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is mandatory for PIN Debit (except Completion and Voids, or when the Program Identifier field is present with the value of 'ConnectPay') and EBT transactions (except Voucher Clear and Voids), except in a transaction when the merchant supports a Host Security Module (HSM).
- ▶ This field must not be present in a transaction when the merchant supports a Host Security Module (HSM).
- ▶ If Base Derivation Key ID is fewer than nine positions, pad on LEFT with 'F's.
- ▶ This field can be sent on Credit and Fleet Transactions when the EMV Group is present.
- ▶ This field must not be sent on Credit Transactions that do not contain the EMV Group, except when the Card Type of 'UnionPay' is present in the transaction.
- ▶ When the Card Type of 'UnionPay' is present in the transaction, this field can be sent on Credit transactions that do not contain the EMV Group.
- ▶ For offline EMV Debit PIN transactions, EMV Debit Transactions without a PIN, or debit contactless transactions under the 'no PIN required' floor limit this field must contain 20 zeros (00000000000000000000).

26.1.3 Key Offset

Description

This field is used by merchants who support a Host Security Module (HSM) that require more than one Master Session encryption key. The Key Offset value will be provided by Fiserv.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

KeyOffset

Field Group

This field is contained within the PIN Group.

Attribute Type

an

Length

4

Format

Zero fill if less than 4 digits

Value Set

The value will be provided by Fiserv.

Rules

The following field rules are defined:

- ▶ The Key Offset field must be sent in all transactions that contain a PIN which is validated online only if the merchant supports a Host Security Module (HSM), and only when the merchant supports more than one Master Session encryption key.
- ▶ The Key Offset field must be sent in an EncryptionKeyRequest transaction only when the merchant supports more than one Master Session encryption key.

26.1.4 Key Management Data

Description

This field contains the working key and check value in the response to an EncryptionKeyRequest transaction.

XML Tag Name

KeyMgtData

Field Group

This field is contained within the PIN Group.

Attribute Type

h

Length

..36

Format

The last 4 bytes represent the check digit.

Value Set

None

Rules

The following field rule is defined:

- ▶ This field may be returned in a response to an EncryptionKeyRequest transaction.

26.1.5 Master Session Key ID

Description

This field is used by merchants who support a Host Security Module (HSM). The Master Session Key ID value will be provided by Fiserv only to those merchants that require this field.

Note: This field has limited platform availability. For more information, please contact your Account Representative.

XML Tag Name

MSKeyID

Field Group

This field is contained within the PIN Group.

Attribute Type

an

Length

10

Format

None

Value Set

The value will be provided by Fiserv.

Rules

The following field rules are defined:

- ▶ The Master Session Key ID field must be sent in all transactions that contain a PIN which is validated online only if the merchant supports a Host Security Module (HSM), and only when the merchant received the Master Session Key ID value from Fiserv.
- ▶ The Master Session Key ID field must be sent in an EncryptionKeyRequest transaction only when the merchant received the Master Session Key ID value from Fiserv.

Chapter 27 : DCC Group

Revision History

Section	Change Log	Version	Date
1	Changed the group rule from "When the Non US Merchant field is present in a transaction with the value of Europe, this group is not allowed." to "When the Non US Merchant field is present in a transaction with the value of Europe or APAC, this group is not allowed."	10.02.4	July 21, 2020
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019
1	Added the following Group rule: "When the Non US Merchant field is present in a transaction with the value of Europe, this group is not allowed."	9.02.5	April 30, 2019

Chapter Contents

1	DCC Group	27-2
---	-----------------	------

27.1 Dynamic Currency Conversion Group

Description

This group contains fields pertinent to Dynamic Currency Conversion (DCC) applicable to Visa and MasterCard only. This group of fields has limited platform availability. For more information, please contact your Account Representative.

XML Group Tag Name

DCCGrp

Rules

The following Group rule is defined:

- ▶ When the Non US Merchant field is present in a transaction with the value of Europe or APAC, this group is not allowed.

27.1.1 DCC Indicator

Description

This field indicates the type of Dynamic Currency Conversion transaction.

XML Tag Name

DCCInd

Field Group

This field is contained within the DYNAMIC CURRENCY CONVERSION Group.

Attribute Type

an

Length

1

Format

None

Value Set

The following values are defined:

- ▶ 1 – Transaction in which the currency is eligible for DCC and cardholder has accepted the option.
- ▶ 2 – Transaction in which the currency is not eligible for DCC.
- ▶ 3 – Transaction in which the currency is eligible for DCC, but cardholder has not accepted the option.

Rules

The following field rules are defined:

- ▶ This field is applicable to Visa or MasterCard Credit cards only.
- ▶ Purchase cards cannot be used for Dynamic Currency Conversion transactions.
- ▶ This field can only be sent in an Authorization transaction when the Settlement Indicator field is present in the transaction.

DCC Transaction Time Zone

Description

This field indicates the deviation in hours from Greenwich Mean Time, based on merchant time zone. If the merchant were located in GMT, the value would be “+00”.

XML Tag Name

DCCTimeZn

Field Group

This field is contained within the DYNAMIC CURRENCY CONVERSION Group.

Attribute Type

ans

Length

3

Format

+nn or -nn

Value Set

-12 to +12

Rules

The following field rules are defined:

- ▶ This field is required only if DCC Indicator is 1.
- ▶ This field is applicable to Visa or MasterCard Credit cards only.

Cardholder Currency Amount

Description

This field identifies the total transaction amount in the currency of the card issuer.

XML Tag Name

DCCAmt

Field Group

This field is contained within the DYNAMIC CURRENCY CONVERSION Group.

Attribute Type

N

Length

..12

Format

For more details, refer to the Amount Format section.

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be present if DCC Indicator is 1.
- ▶ If this field is present, then the following fields must also be present:
 - DCC Indicator
 - Currency Conversion Rate
 - Cardholder Currency Code
- ▶ This field is applicable to Visa or MasterCard Credit cards only.

Currency Conversion Rate

Description

This field identifies the non-US currency conversion rate used to convert the Transaction Amount to the value of Cardholder Currency Amount.

XML Tag Name

DCCRate

Field Group

This field is contained within the DYNAMIC CURRENCY CONVERSION Group.

Attribute Type

N

Length

8

Format

Last four decimal places are implied.

Value Set

None

Rules

The following field rules are defined:

- ▶ This field must be present if DCC Indicator is 1.
- ▶ This field is applicable to Visa or MasterCard Credit cards only.

Cardholder Currency Code

Description

The numeric currency code associated with the Cardholder Currency Amount.

XML Tag Name

DCCCrcncy

Field Group

This field is contained within the DYNAMIC CURRENCY CONVERSION Group.

Attribute Type

N

Length

3

Format

None

Value Set

The values for this field are contained in Appendix A – Currency Codes.

Rules

The following field rules are defined:

- ▶ This field must be present if DCC Indicator is 1.
- ▶ This field is applicable to Visa or MasterCard Credit cards only.

Chapter 28 : Transit Group

Revision History

Section	Change Log	Version	Date

Chapter Contents

1	Transit Group -----	28-2
---	---------------------	------

28.1 Transit Group

Description

This group contains fields used in Transit transactions.

Note: This group of fields has limited platform availability. For more information, please contact your Account Representative.

XML Group Tag Name

TransitGrp

Rules

The following Group rule is defined:

- ▶ When the Non US Merchant field is present in a transaction, this group is not allowed.

28.1.1 Transit Transaction Type Indicator

Description

This field indicates the transit transaction type identifier.

XML Tag Name

TraTranTypeInd

Field Group

This field is contained within the TRANSIT Group.

Attribute Type

N

Length

2

Format

None

Value Set

The following values are defined for this field:

- ▶ 01 – Prefunded
- ▶ 02 – Real-time Authorized
- ▶ 03 – Post-Authorized Aggregated
- ▶ 04 – Authorized Aggregated Split Clearing
- ▶ 05 – Other
- ▶ 06 – Post-authorized Aggregated Maestro

- ▶ 07 – Debt Recovery

Rules

The following field rules are defined:

- ▶ This field is applicable only when the Card Type is 'MasterCard'.
- ▶ This field is applicable only for the MCC's 4111, 4131, 4784 and 7523.
- ▶ If this field is sent, the Transportation Mode Indicator field must also be present in the transaction.
- ▶ If this field is sent with the value of '07', the Deferred Authorization Indicator field must also be present in the transaction.
- ▶ If present in the original transaction, this field must be sent in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.). The value must be the same as that submitted in the original transaction.

28.1.2 Transportation Mode Indicator

Description

This field indicates the transportation mode for a transit transaction.

XML Tag Name

TptModeInd

Field Group

This field is contained within the TRANSIT Group.

Attribute Type

N

Length

2

Format

None

Value Set

The following values are defined for this field:

- ▶ 00 – Unknown
- ▶ 01 – Urban Bus
- ▶ 02 – Interurban Bus
- ▶ 03 – Light Train Mass Transit (Underground Metro, LTR)
- ▶ 04 – Train
- ▶ 05 – Commuter Train

- ▶ 06 – Water Borne Vehicle
- ▶ 07 – Toll
- ▶ 08 – Parking
- ▶ 09 – Taxi
- ▶ 10 – High Speed Train
- ▶ 11 – Rural Bus
- ▶ 12 – Express Commuter Train
- ▶ 13 – Para Transit
- ▶ 14 – Self Drive Vehicle
- ▶ 15 – Coach
- ▶ 16 – Locomotive
- ▶ 17 – Powered Motor Vehicle
- ▶ 18 – Trailer
- ▶ 19 – Regional Train
- ▶ 20 – Inter City
- ▶ 21 – Funicular Train
- ▶ 22 – Cable Car

Rules

The following field rules are defined:

- ▶ This field is applicable only when the Card Type is 'MasterCard'.
- ▶ This field is applicable only for the MCC's 4111, 4131, 4784 and 7523.
- ▶ If this field is sent, the Transit Transaction Type Indicator field must also be present in the transaction.
- ▶ If present in the original transaction, this field must be sent in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.). The value must be the same as that submitted in the original transaction.

28.1.3 ATC Update Indicator

Description

This field contains the Application Transaction Counter (ATC) update indicator. The ATC ensures that every cryptogram produced by a genuine card is unique.

XML Tag Name

ATCUpdInd

Field Group

This field is contained within the TRANSIT Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined:

- ▶ Yes

Rules

The following field rules are defined:

- ▶ This field is applicable only when the Card Type is 'MasterCard'.
- ▶ This field is applicable only for the MCC's 4111, 4131, 4784 and 7523.
- ▶ The Transaction Amount must be equal to zero when this field is sent in a transaction.

28.1.4 Transit Access Terminal Indicator

Description

This field is used to identify a Transit Access Terminal (TAT).

XML Tag Name

TraAcsTermlnd

Field Group

This field is contained within the TRANSIT Group.

Attribute Type

an

Length

3

Format

None

Value Set

The following value is defined for this field:

- ▶ Yes

Rules

The following field rules are defined:

- ▶ This field is applicable only when the Card Type is 'AMEX'.
- ▶ This field is applicable only for the MCC's 4111, 4112, 4131, 4784 and 7523.
- ▶ If present in the original transaction, this field must be sent in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.). The value must be the same as that submitted in the original transaction.

28.1.5 Transit Access Terminal Function Code

Description

This field contains the Transit Access Terminal function code.

XML Tag Name

TraAcsTermFunCode

Field Group

This field is contained within the TRANSIT Group.

Attribute Type

N

Length

3

Format

None

Value Set

The following values are defined for this field:

- ▶ 190 – Account Status Check — Transit Merchants requesting an account status check on transit transactions only.
- ▶ 191 – ATC Synchronization — Indicates an Application Transaction Counter (ATC) value is being provided to the Issuer. Issuers can use this synchronization feature to maintain their internal ATC data.
- ▶ 194 – Expresspay Translation (PAN request) — Indicates the Primary Account Number (PAN) associated with an Expresspay-enabled card/device is being requested from the Issuer.
- ▶ 196 – Expresspay Translation (PAN and Expiration Date request) – Indicates the Primary Account Number (PAN) and Expiration Date associated with an Expresspay-enabled card/device is being requested from the Issuer.

Rules

The following field rules are defined:

- ▶ This field is applicable only when the Card Type is 'AMEX'.
- ▶ This field is applicable only for the MCC's 4111, 4112, 4131, 4784 and 7523.
- ▶ This field can be sent only if the Transit Access Terminal Indicator field is also present in the transaction.
- ▶ This field with the value '190' can only be sent on a Verification transaction.

- ▶ If present in the original transaction, this field must be sent in subsequent transactions (e.g. Voids/Full Reversals, Completions, etc.). The value must be the same as that submitted in the original transaction.

28.1.6 Expresspay Translation PAN

Description

This response field contains the Expresspay Translation PAN for Transit Access Terminals.

XML Tag Name

ExPayTransIPAN

Field Group

This field is contained within the TRANSIT Group.

Attribute Type

an

Length

..28

Format

Below is the field layout for the PAN:

- The first digit is the alphabetical PAN response code
- Followed by the expiration date and/or actual PAN, if valid

Valid PAN response codes include the following:

- Y = PAN returned
- E = PAN and Expiration Date returned
- F = Last four digits of the Primary Account Number
- N = PAN not found/does not exist
- R = Reattempt PAN request

Examples of PAN response:

X2204123456789012345

X = PAN response code (can be Y/E/F/N/R)

123456789012345 = PAN

2204 = Expiration Date (YYMM)

Value Set

None

Rules

The following field rules are defined:

- ▶ This field is applicable only when the Card Type is 'AMEX'.
- ▶ This field is applicable only for the MCC's 4111, 4112, 4131, 4784 and 7523.
- ▶ This field is returned in response message only when the request message contains the Transit Access Terminal Function Code field with the value of '194' or '196'.

Chapter 29 : Appendix A

Revision History

Section	Change Log	Version	Date
1	Added the response code “135 - Invalid Country Code”.	12.04.13	October 25, 2023
7	Added the response code “193 - Invalid Country Code”.	12.04.13	October 25, 2023
5	Added the following network code: ‘56 – JCB’.	12.04.11	August 23, 2023
4	Spring 2023 Compliance updates: Changed the Minor Units from ‘2’ to ‘0’ for the Currency Code of ‘352’ Icelandic Krona.	12.04.9	April 26, 2023
1	Added the response code “115 - Invalid HIP Amount”.	12.04.7	February 22, 2023
4	Fall 2022 Compliance updates: Changed the currency code from ‘191 - CROATIAN KUNA’ to ‘978 - EURO’ for country ‘Croatia’.	12.04.5	October 26, 2022
5	Changed the Network Description for Network Code ‘25’ from “Diners Club” to “Chase (ChaseNet)”. Changed the Network Description for Network Code ‘26’ from “FDR” to “Chase (VisaNet)”. Changed the Type for Network Code ‘26’ from “Other” to “Credit”.	12.04.5	October 26, 2022
6	Fall 2022 Compliance updates: Added the Product ID ‘F2’ (Flexible Credential).	12.04.5	October 26, 2022
4	Additional Compliance updates: Changed the Currency Code from ‘694’ to ‘925’ for SIERRA LEONE.	12.04.4	September 30, 2022
5	Added the following network code: ‘33 – Comdata’.	12.04.2	June 29, 2022
6	Spring 2022 Compliance updates: Added the following Product ID’s: ETA, ETB, ETC, ETD, ETE, ETF, ETG, SBP, SPP and SPS.	12.04.1	April 27, 2022

Section	Change Log	Version	Date
1	Added the following response code: “414 - Void/Full Reversal request unable to process due to network cut-off window elapsed. A Refund transaction is necessary to reconcile the cardholder’s account. Applicable to Debit networks only.”	10.02.16	February 23, 2022
1	Fall 2021 Compliance updates: Added the following response codes: ‘430’ (Prepaid Card Amount Over EU AMLD (Anti-Money Laundering Directive) Limit) and ‘531’ (Retry with 3DS data).	10.02.15	October 27, 2021
6	Fall 2021 Compliance updates: Removed the Product ID’s ‘MFD’ and ‘MSV’. Added the following Product ID’s: ‘FIA’, ‘FIB’, ‘FIC’, ‘FID’, ‘FIE’, ‘FIF’, ‘FIG’, ‘FIH’, ‘MIO’, ‘MVO’, ‘MVP’, ‘MVQ’, ‘MVR’, ‘MVS’, ‘MVT’, ‘MVU’, ‘MVV’, ‘MVW’, ‘MVX’, ‘MVY’ and ‘MVZ’.	10.02.15	October 27, 2021
7	Fall 2021 Compliance updates: Added the following response codes for MasterCard: ‘79’ (Life cycle), ‘82’ (Policy) and ‘83’ (Fraud/Security). Added the following response codes for AMEX: ‘116’ (Not Sufficient Funds) and ‘121’ (Limit Exceeded).	10.02.15	October 27, 2021

Chapter Contents

1	Response Codes-----	29-3
2	State Codes-----	29-13
3	Country Codes-----	29-15
4	Currency Codes-----	29-19
5	Authorizing Network ID -----	29-27
6	Sample Association Product IDs -----	29-31
7	Association Response Codes -----	29-40

29.1 Response Codes

Response Code	Description
000	Approve
001	Schema Validation Error
002	Approve for partial amount
003	Approve VIP
100	Do not honor
101	Expired card
102	Suspected fraud
103	Unable to process TeleCheck recurring transaction with this payment type (not associated with insufficient or uncollected funds)
104	Restricted card
105	Call acquirer's security department
106	Allowable PIN tries exceeded
107	Call for authorization
108	Refer to issuer's special conditions

Response Code	Description
109	Invalid merchant. The merchant is not in the merchant database or the merchant is not permitted to use this particular card
110	Invalid amount
111	Invalid Host Totals Date
112	DES Encryption not allowed from the device / terminal
113	Host Totals are Incomplete
114	Invalid account type
115	Invalid HIP Amount
116	Not sufficient funds
117	Incorrect PIN or PIN length error
118	No card record
119	Transaction not permitted to cardholder
120	Transaction not permitted to terminal
121	Exceeds withdrawal amount limit
122	Security violation

Response Code	Description
123	Exceeds withdrawal frequency limit
124	Violation of law
129	Suspected counterfeit card
130	Invalid terminal
131	Invalid account number
132	Unmatched card expiry date
133	The TPP ID was not found
134	Not sufficient funds
135	Invalid Country Code
150	Invalid merchant set up
151	Activation failed
152	Exceeds limit
153	Already redeemed
154	Over monthly limit
155	Recharge amount exceeded
156	Max number of recharges exceeded
157	Invalid entry
208	Lost Card/Lost Check
209	Stolen card
211	Invalid SKU number.
212	Missing conditional data.
213	Invalid account number for card type.
214	Invalid payment type/card type for merchant ID.
215	Invalid transaction for Merchant ID.

Response Code	Description
216	Invalid TransArmor request. Not supported for given Payment Type, or Merchant is not enabled for Transarmor
217	Missing or invalid secure payment data.
218	Merchant ID not enabled for Secure Code.
219	Invalid Merchant Category Code
220	Customer service phone number missing.
221	Merchant not enabled for soft descriptors, account updater or optimization processing.
222	Partial auth not allowed.
223	Customer under 18 years old.
224	Account blocked – possible compromise.
225	Bill-to address does not match ship-to.
226	Invalid preapproval number.
227	Invalid email address.
228	Need more ID – request full SSN.
229	Previously declined/closed account.
230	One time stop payment requested by cardholder.

Response Code	Description
231	Stop payment requested for all payments.
232	Stop all payments – account closed.
233	Auth response date not valid.
234	Issuance under minimum amount.
235	Outstanding auth – funds on hold.
236	Activation amount incorrect.
237	Deny – new card issued.
238	BIN blocked.
242	Customer opt-out.
243	Institution does not accept ACH payments.
244	Original transaction not approved.
245	Invalid MICR data.
246	Declined due to high risk.
247	Declined due to stand-in rules.
248	Conditional Approval – Hold shipping for 24 hours
250	Re-authorization request is declined. Original Auth could not be found.
251	Re-authorization request is declined. The customer account number, merchant id, or amount did not match the original authorization.

Response Code	Description
252	Re-authorization request is declined. The amount significantly exceeds the original request amount.
253	Re-authorization request is declined. The timeframes for re-authorization have been exceeded.
254	Counter Offer to Supply Personal Guaranty.
300	Invalid EAN or SCV.
301	Lock has expired on prepaid card.
302	Account closed. The account was closed, probably because the account balance was \$0.00
303	Unknown account. The account could not be located or the account does not exist in the account table
304	Inactive account. The account has not been activated by an approved location
308	Already active. The card is already active and does not need to be reactivated
311	Not lost or stolen
315	Bad mag stripe. The mag stripe could not be parsed for account information
316	Incorrect location. There was a problem with the merchant location

Response Code	Description
317	Max balance exceeded. The transaction, if completed, would cause the account balance to be exceeded by the max_balance as specified in the promotion. Some merchants set the max_balance to a value twice the max transaction amount
318	Invalid amount. There was a problem with the amount field in the transaction format - more or less than min/max amounts specified in the promotion for that transaction
319	Invalid clerk. The clerk field was either missing, when required, or the content did not match the requirements
320	Invalid password
321	Invalid new password. The new password does not meet the minimum security criteria
322	Exceeded account reloads. The clerk/user/location was only permitted to reload some number of accounts. That number was exceeded. (See your Business Manager in order to extend this limit.)
323	Password retry exceeded. The user account has been frozen because the user attempted access and was denied. Seek management assistance
326	Incorrect transaction version or format number for POS transactions
327	Request not permitted by this account

Response Code	Description
328	Request not permitted by this merchant location
329	Bad_repay_date
330	Bad checksum. The checksum provided is incorrect
331	Balance not available (denial). Due to an internal Fiserv Prepaid Closed Loop issue, information from this account could not be retrieved
332	Account locked
333	No previous transaction. The void or reversal transaction could not be matched to a previous (original) transaction. In the case of a redemption, the corresponding locking transaction could not be identified
334	Already reversed
336	Bad Authorization ID. The Authorization ID test failed
337	Too many transactions requested
338	No transactions available/no more transactions available. There are no transactions for this account or there are no transactions as determined by the specified first transaction number
339	Transaction history not available
340	New password required
341	Invalid status change. The status change requested (e.g. lost/stolen, freeze active card) cannot be performed

Response Code	Description
342	Void of activation after account activity
343	No phone service. Attempted a calling card transaction on an account which is not configured for calling card activity
344	Internet access disabled
345	Invalid Date or Time
350	Additional customer authentication required or, Customer Authentication Required (Decline - Discover only)
351	Customer PIN authentication required
355	Invalid currency. The provided currency is invalid.
356	Currency Not Supported
357	Currency conversion error
359	The terminal transaction number did not match (on a void or reversal).
367	Target embossed card entered and Transaction count entered do not match
368	No account link
369	Invalid time zone
370	Account on hold or subscriber not active
372	Promo location restricted
373	Invalid Card Account
374	Product code(s) restricted
375	Bad Post Date. The Post Date is not a valid date.
376	Account status is void lock
377	Already active and reloadable

Response Code	Description
378	Account is Purged. The Account record was purged from the database.
380	Bulk activation error
381	Bulk activation un-attempted error
382	Bulk activation package amount error
383	Store location zero not allowed
384	Account row locked
385	Accepted but not yet processed
402	TransArmor Service Unavailable
403	TransArmor Invalid Token or Account Number
404	TransArmor Key Error
414	Void/Full Reversal request unable to process due to network cut-off window elapsed. A Refund transaction is necessary to reconcile the cardholder's account. Applicable to Debit networks only.
430	Prepaid Card Amount Over EU AMLD (Anti-Money Laundering Directive) Limit
500	Decline
501	Date of Birth Error for Check Processing
502	Invalid State Code
503	New Account Information
504	Do not try again
505	Please retry
506	Invalid Checking Account Number
507	New Account Information available

Response Code	Description
508	Try again later - Declined: Association's payment cancellation advice code provided. Applies to recurring authorizations only. These are examples of what may have occurred: the account is over the credit limit try again in 72 hours.
509	Do not try again - Applies to recurring authorizations only. The card has expired
510	New Account Information - Applies to recurring authorizations only. The card has expired.
511	Try again later - Applies to recurring authorizations only. The card has expired. Get the new expiration date and try again.
512	Service not allowed or invalid surcharge amount
513	Decline. Transaction not permitted to acquirer or terminal.
514	Do not try again - Applies to recurring authorizations only. There was security violation.
515	Declined. No term record on Fiserv system
516	Please retry - Reasons for this error are one of the following: Format Error, Unable to route transaction, Switch or issuer unavailable, System Busy, Timeout
517	CVV2 Declined
518	Invalid account/date or sales date in future
519	Invalid Effective Date
520	Reversal Rejected. Do not try again.

Response Code	Description
521	Enter lesser amount
522	Cash Back greater than total Transaction amount
523	Crypto box is offline
524	Debit Switch unavailable Timeout Retry - Communications link to debit/EBT network gateway is down or responded with a "System Malfunction (96)" message
525	Debit/EBT network gateway cannot get through to the ISSUER.
526	Undefined Card - Debit/EBT network gateway cannot route card based on Merchant Entitlement
527	Network Response indicates that Merchant ID / SE is invalid
528	Debit/EBT transaction count exceeds pre-determined limit in specified time/ Withdrawal limit exceeded.
529	Resubmission of transaction violates debit/EBT network frequency
530	The authorizing network has a problem decrypting the cryptogram in the request
531	Retry with 3DS data
532	The DUKPT Base Derivation key is missing or incorrect in the PIN pad, PIN key synchronization error, or Master session PIN key is missing.
533	Invalid encryption key offset sent by merchant
534	Invalid master session key id sent by merchant
539	No Checking Account
540	Edit Honor

Response Code	Description
541	No Savings Account
542	DUKPT: An error while processing the PIN block that is not related to the point-of-sale equipment. Contact the Help Desk for assistance.
550	Invalid Vehicle
551	Invalid Driver
552	Invalid Product
553	Exceeds transaction total limit per product class.
554	Over daily limit
555	Invalid Date/Time
556	Exceeds quantity
557	Invalid prompt entry
558	Invalid Track 2 data
559	Voyager ID problem
560	Invalid Odometer
561	Invalid Restriction Code
562	Pay at pump not allowed
563	Over fuel limit
564	Over cash limit
565	Fuel price error
566	Y or N required
567	Over repair limit
568	Over additive limit
569	Invalid user
570	Before 1400 and can't cut. Wait until 2:00 pm Eastern.
571	Cut time too close to 1400
572	Checker/Manager not found
573	Security insufficient
574	No transaction security record
575	Insufficient data

Response Code	Description
576	Merchant has mail pending
577	No messages pending
578	The Visa OCT / MasterCard MoneySend activity has exceeded preset transaction count or amount limit within a rolling 24-hour period for given merchant.
579	The Visa OCT / MasterCard MoneySend activity has exceeded preset transaction count or amount limit within a rolling 7-day period for given merchant.
580	The Visa OCT / MasterCard MoneySend activity has exceeded preset transaction count or amount limit within a rolling 30-day period for given merchant.
581	The Visa OCT / MasterCard MoneySend Funding activity has exceeded preset transaction count or amount limit within a rolling 24-hour period for this account number.
582	The Visa OCT / MasterCard MoneySend Funding activity has exceeded preset transaction count or amount limit within a rolling 7-day period for this account number.
583	The Visa OCT / MasterCard MoneySend Funding activity has exceeded preset transaction count or amount limit within a rolling 30-day period for this account number.
584	The Visa OCT / MasterCard MoneySend Payment activity has exceeded preset transaction count or amount limit within a rolling 24-hour period for this account number.

Response Code	Description
585	The Visa OCT / MasterCard MoneySend Payment activity has exceeded preset transaction count or amount limit within a rolling 7-day period for this account number.
586	The Visa OCT / MasterCard MoneySend Payment activity has exceeded preset transaction count or amount limit within a rolling 30-day period for this account number.
587	The single transaction amount limit was exceeded for a Visa OCT/ MasterCard MoneySend transaction for given merchant.
588	All Visa OCT / MasterCard MoneySend transactions are blocked for a rolling 24 hour period, or 7 day period (current and prior 6 days), or 30 day period (current and prior 29 days) for given merchant
601	Invalid Batch Number/ Invalid Batch ID or Invalid OpenBatch
602	No Open Batch
603	Close Unavailable
604	Close Not Valid
701	Approved EMV Key Load
702	EMV Key Download Error
703	Approved EMV Key Load, more key load data pending
704	Pick Up Card
708	Honor With Authentication
721	Invalid ZIP Code
722	Invalid value in the field / Host Totals Declined
723	Driver's License or ID is Required

Response Code	Description
724	Referred - Not Active
726	Unable to Locate Record On File
727	Refer - Call Authorization
728	Referred - Skip Trace Info
729	Hard Negative Info On File
731	Rejected Lost/Stolen Checks
740	Totals Unavailable
767	Hard Capture; Pick Up
771	Amount Too Large
772	Duplicate Return
773	Unsuccessful
774	Duplicate Reversal
775	Subsystem Unavailable
776	Duplicate Completion
782	Count Exceeds Limit
785	No reason to decline- applicable to \$0.00 verification requests and may be returned on Online Refund responses. Should be treated as an approval.
790	Not approved. Used only in Visa bill/recurring payment. Merchant must not resubmit same transaction but may continue billing process in subsequent billing period.
791	Not approved. Used only in Visa bill/recurring payment. Merchant must stop recurring payment requests.
792	See attendant.
800	Deferred authorization not cancelled
801	Over merchandise limit
802	Imprint card
803	Not on file

Response Code	Description
804	Fuel only
805	Velocity exceeded
806	Authorization ID needed
807	Over non-fuel limit
808	Invalid location
809	Over card velocity count
810	Over card velocity amount
811	Over issuer velocity count
812	Over issuer velocity amount
813	Over merchant daily velocity count
814	Over merchant daily velocity amount
815	Over merchant daily velocity both
816	Over merchant product velocity amount
817	Over merchant product velocity count
818	Over merchant product velocity both
819	Over chain daily velocity count
820	Over chain daily velocity amount
821	Over chain daily velocity both
822	Over chain product velocity count
823	Over chain product velocity both
824	Over chain product velocity amount
825	No chain ID for chain merchant
826	Signature required
827	Velocity exception error - pay inside

Response Code	Description
828	Exceeds merchant count for period - pay inside
829	Exceeds merchant amount for period - pay inside
830	Exceeds merchant count and amount for period - pay inside
831	Exceeds zip code count for period - pay inside
832	Exceeds zip code amount for period - pay inside
833	Exceeds zip code count and amount for period - pay inside
834	Exceeds state count for period - pay inside
835	Exceeds state amount for period - pay inside
836	Exceeds state count and amount for period - pay inside
837	Exceeds global count for period - pay inside
838	Exceeds global amount for period - pay inside
839	Exceeds global count and amount for period - pay inside
840	Unknown velocity error - pay inside

Response Code	Description
902	Invalid transaction. This merchant, card or terminal is not permitted to perform this transaction, or the transaction type is invalid, or Fiserv is unable to route a refund request to the network, or there is an issue with the xml message. If a 902 is returned when submitting a completion for the second time, the first completion submitted has been successfully applied, even if the device did not receive a response in the first completion.
903	Invalid Reversal Transaction - transaction already settled
904	Format error.
905	Unsupported message. Transaction was rejected. Call your helpdesk or operations support.
906	System Error. There is a problem with the host processing system. Call your helpdesk or operations support.
907	Card issuer or switch inoperative or processor not available
908	Transaction destination not found for routing.
909	System malfunction or timeout
911	Card issuer timed out.
913	Duplicate transaction.
914	Void/Full Reversal request unable to process due to settlement already occurred. A Refund transaction may be necessary to reconcile the cardholder's account.

Response Code	Description
915	Timeout Reversal not supported. Resend the original transaction with the same Reference Number that timed out. Do not retry the timeout reversal
916	Void/Full Reversal request unable to process since the Original Authorization was not found.
920	Security H/W or S/W error - try again
921	Security H/W or S/W error - no action
923	Request in progress
924	Limit check failed
940	Error.
941	Invalid issuer.
942	Customer cancellation
944	Invalid response
950	Violation of business arrangement
954	CCV failed.
958	CCV2 failed
959	CAV failed
963	Acquirer channel unavailable

29.2 State Codes

Alpha Code	State
AL	ALABAMA
AK	ALASKA
AS	AMERICAN SAMOA
AZ	ARIZONA
AR	ARKANSAS
CA	CALIFORNIA
CO	COLORADO
CT	CONNECTICUT
DE	DELAWARE
DC	DISTRICT OF COLUMBIA
FL	FLORIDA
GA	GEORGIA
GU	GUAM
PR	PUERTO RICO
HI	HAWAII
ID	IDAHO
IL	ILLINOIS
IN	INDIANA
IA	IOWA
KS	KANSAS
KY	KENTUCKY
LA	LOUISIANA
ME	MAINE
MD	MARYLAND
MA	MASSACHUSETTS
MH	MARSHALL ISLANDS
MI	MICHIGAN
MN	MINNESOTA
MP	NORTHERN MARIANA ISLANDS
MS	MISSISSIPPI
MO	MISSOURI
MT	MONTANA
NE	NEBRASKA

Alpha Code	State
NV	NEVADA
NH	NEW HAMPSHIRE
NJ	NEW JERSEY
NM	NEW MEXICO
NY	NEW YORK
NC	NORTH CAROLINA
ND	NORTH DAKOTA
OH	OHIO
OK	OKLAHOMA
OR	OREGON
PA	PENNSYLVANIA
MY	MILITARY ID
RI	RHODE ISLAND
SC	SOUTH CAROLINA
SD	SOUTH DAKOTA
TN	TENNESSEE
TX	TEXAS
UT	UTAH
VT	VERMONT
VA	VIRGINIA
VI	VIRGIN ISLANDS
WA	WASHINGTON
WV	WEST VIRGINIA
WI	WISCONSIN
WY	WYOMING
AB	ALBERTA
BC	BRITISH COLUMBIA
MB	MANITOBA
NB	NEW BRUNSWICK
NF	NEWFOUNDLAND
NS	NOVA SCOTIA
NT	NORTHWEST TERRITORIES
ON	ONTARIO
PE	PRINCE EDWARD

Alpha Code	State
PQ	QUEBEC
SK	SASKATCHEWAN

Alpha Code	State
YT	YUKON

29.3 Country Codes

Country Code	Country Name
004	AFGHANISTAN
248	ALAND ISLAND
008	ALBANIA
012	ALGERIA
016	AMERICAN SAMOA
020	ANDORRA
024	ANGOLA
660	ANGUILLA
010	ANTARCTICA
028	ANTIGUA AND BARBUDA
032	ARGENTINA
051	ARMENIA
533	ARUBA
036	AUSTRALIA
040	AUSTRIA
031	AZERBAIJAN
044	BAHAMAS
048	BAHRAIN
050	BANGLADESH
052	BARBADOS
112	BELARUS
056	BELGIUM
084	BELIZE
204	BENIN
060	BERMUDA
064	BHUTAN
068	BOLIVIA
535	BONAIRE, SINT EUSTATIUS AND SABA
070	BOSNIA AND HERZEGOVINA
072	BOTSWANA
074	BOUVET ISLAND
076	BRAZIL
086	BRITISH INDIAN OCEAN TERRITORY
092	BRITISH VIRGIN ISLANDS
096	BRUNEI DARUSSALAM
100	BULGARIA

Country Code	Country Name
854	BURKINA FASO
108	BURUNDI
116	CAMBODIA
120	CAMEROON
124	CANADA
132	CAPE VERDE
136	CAYMAN ISLANDS
140	CENTRAL AFRICAN REPUBLIC
148	CHAD
152	CHILE
156	CHINA
162	CHRISTMAS ISLAND
166	COCOS (KEELING) ISLANDS
170	COLOMBIA
174	COMOROS
178	CONGO
184	COOK ISLANDS
188	COSTA RICA
384	COTE D'IVOIRE (IVORY COAST)
191	CROATIA
192	CUBA
531	CURACAO
196	CYPRUS
203	CZECH REPUBLIC
180	DEMOCRATIC REPUBLIC OF CONGO
208	DENMARK
262	DJIBOUTI
212	DOMINICA
214	DOMINICAN REPUBLIC
218	ECUADOR
818	EGYPT
222	EL SALVADOR
226	EQUATORIAL GUINEA
232	ERITREA
233	ESTONIA
231	ETHIOPIA
234	FAEROE ISLANDS

Country Code	Country Name
238	FALKLAND ISLANDS (MALVINAS)
583	FEDERATED STATES OF MICRONESIA
242	FIJI
246	FINLAND
250	FRANCE
249	FRANCE, METROPOLITAN
254	FRENCH GUIANA
258	FRENCH POLYNESIA
260	FRENCH SOUTHERN TERRITORY
266	GABON
270	GAMBIA
268	GEORGIA
276	GERMANY
288	GHANA
292	GIBRALTAR
300	GREECE
304	GREENLAND
308	GRENADA
312	GUADELOUPE
316	GUAM
320	GUATEMALA
324	GUINEA
624	GUINEA-BISSAU
328	GUYANA
332	HAITI
334	HEARD AND MCDONALD ISLANDS
336	HOLY SEE (VATICAN CITY STATE)
340	HONDURAS
344	HONG KONG
348	HUNGARY
352	ICELAND
356	INDIA
360	INDONESIA
364	IRAN, ISLAMIC REPUBLIC OF
368	IRAQ
372	IRELAND
833	ISLE OF MAN
376	ISRAEL

Country Code	Country Name
380	ITALY
388	JAMAICA
392	JAPAN
832	JERSEY
400	JORDAN
398	KAZAKHSTAN
404	KENYA
296	KIRIBATI
410	KOREA, REPUBLIC OF
414	KUWAIT
417	KYRGYZSTAN
418	LAOS
428	LATVIA
422	LEBANON
426	LESOTHO
430	LIBERIA
434	LIBYAN ARAB JAMAHIRIYA
438	LIECHTENSTEIN
440	LITHUANIA
442	LUXEMBOURG
446	MACAU
807	MACEDONIA, THE FORMER YUGOSLAV REPUBLIC OF
450	MADAGASCAR
454	MALAWI
458	MALAYSIA
462	MALDIVES
466	MALI
470	MALTA
584	MARSHALL ISLANDS
474	MARTINIQUE
478	MAURITANIA
480	MAURITIUS
175	MAYOTTE
484	MEXICO
583	MICRONESIA
498	MOLDOVA, REPUBLIC OF
492	MONACO
496	MONGOLIA
499	MONTENEGRO, REPUBLIC OF

Country Code	Country Name
500	MONTSEERRAT
504	MOROCCO
508	MOZAMBIQUE
104	MYANMAR
516	NAMIBIA
520	NAURU
524	NEPAL
528	NETHERLANDS
530	NETHERLANDS ANTILLES
540	NEW CALEDONIA
554	NEW ZEALAND
558	NICARAGUA
562	NIGER
566	NIGERIA
570	NIUE
574	NORFOLK ISLAND
580	NORTHERN MARIANA ISLANDS
578	NORWAY
512	OMAN
586	PAKISTAN
585	PALAU
275	PALESTINIAN TERRITORY OCCUPIED
591	PANAMA
598	PAPUA NEW GUINEA
600	PARAGUAY
604	PERU
608	PHILIPPINES
612	PITCAIRN
616	POLAND
620	PORTUGAL
630	PUERTO RICO
634	QATAR
638	REUNION
642	ROMANIA
643	RUSSIAN FEDERATION
646	RWANDA
882	SAMOA
674	SAN MARINO
678	SAO TOME AND PRINCIPE

Country Code	Country Name
682	SAUDI ARABIA
686	SENEGAL
688	SERBIA
690	SEYCHELLES
694	SIERRA LEONE
702	SINGAPORE
534	SINT MAARTEN (DUTCH PART)
703	SLOVAKIA
705	SLOVENIA
239	SO. GEORGIA AND SO. SANDWICH ISLANDS
090	SOLOMON ISLANDS
706	SOMALIA
710	SOUTH AFRICA
728	SOUTH SUDAN
729	SUDAN
724	SPAIN
144	SRI LANKA
652	ST. BARTHELEMY
654	ST. HELENA
659	ST. KITTS-NEVIS
662	ST. LUCIA
663	ST. MARTIN
666	ST. PIERRE and MIQUELON
670	ST. VINCENT and the GRENADINES
740	SURINAME
744	SVALBARD and JAN MAYEN
748	SWAZILAND
752	SWEDEN
756	SWITZERLAND
760	SYRIAN ARAB REP.
158	TAIWAN
762	TAJIKISTAN
834	TANZANIA, UNITED REPUBLIC OF
764	THAILAND
626	TIMOR-LESTE
768	TOGO
772	TOKELAU
776	TONGA

Country Code	Country Name
780	TRINIDAD AND TOBAGO
788	TUNISIA
792	TURKEY
795	TURKMENISTAN
796	TURKS AND CAICOS ISLANDS
798	TUVALU
581	U.S. MINOR OUTLYING ISLANDS
850	U.S. VIRGIN ISLANDS
800	UGANDA
804	UKRAINE
784	UNITED ARAB EMIRATES
826	UNITED KINGDOM
840	UNITED STATES
858	URUGUAY
860	UZBEKISTAN
548	VANUATU
862	VENEZUELA
704	VIETNAM
876	WALLIS AND FUTUNA ISLANDS
732	WESTERN SAHARA
887	YEMEN
894	ZAMBIA
716	ZIMBABWE

29.4 Currency Codes

Country Name	Minor Units	Currency Code	Currency Name
AFGHANISTAN	2	971	AFGHANI
ALAND ISLANDS	2	978	EURO
ALBANIA	2	008	LEK
ALGERIA	2	012	ALGERIAN DINAR
AMERICAN SAMOA	2	840	US DOLLAR
ANDORRA	2	978	EURO
ANGOLA	2	973	ANGOLAN KWANZA
ANGUILLA	2	951	EAST CARRIBEAN DOLLAR
ANTARCTICA	2	578	NORWEGIAN KRONE
ANTIGUA AND BARBUDA	2	951	EAST CARRIBEAN DOLLAR
ARGENTINA	2	032	ARGENTINE PESO
ARMENIA	2	051	ARMENIAN DRAM
ARUBA	2	533	ARUBAN GUILDER
AUSTRALIA	2	036	AUSTRALIAN DOLLAR
AUSTRIA	2	978	EURO
AZERBAIJAN	2	944	AZERBAIJANIAN MANAT
BAHAMAS	2	044	BAHAMIAN DOLLAR
BAHRAIN	3	048	BAHRAINI DINAR
BANGLADESH	2	050	TAKA
BARBADOS	2	052	BARBADOS DOLLAR
BELARUS	2	933	BELARUSIAN RUBLE
BELGIUM	2	978	EURO
BELIZE	2	084	BELIZE DOLLAR
BENIN	0	952	CFA FRANC BCEAO
BERMUDA	2	060	BERMUDIAN DOLLAR
BHUTAN	2	064	BHUTANESE NGULTRUM
BHUTAN	2	356	INDIAN RUPEE
BOLIVIA	2	068	BOLIVIANO
BONAIRE, SINT EUSTATIUS AND SABA	2	840	US DOLLAR
BOSNIA and HERZEGOVINA	2	977	CONVERTIBLE MARK
BOTSWANA	2	072	PULA

Country Name	Minor Units	Currency Code	Currency Name
BOUVET ISLAND	2	578	NORWEGIAN KRONE
BRAZIL	2	986	BRAZILIAN REAL
BRAZIL	2	996	SPANISH PESETA
BRITISH INDIAN OCEAN TERRITORY	2	840	US DOLLAR
BRUNEI DARUSSALAM	2	096	BRUNEI DOLLAR
BULGARIA	2	975	BULGARIAN LEV
BURKINA FASO	0	952	CFA FRANC BCEAO
BURUNDI	0	108	BURUNDI FRANC
CAMBODIA	2	116	RIEL
CAMEROON	0	950	CFA FRANC BEAC
CANADA	2	124	CANADIAN DOLLAR
CAPE VERDE	2	132	CAPE VERDE ESCUDO
CAYMAN ISLANDS	2	136	CAYMAN ISLANDS DOLLAR
CENTRAL AFRICAN REPUBLIC	0	950	CFA FRANC BEAC
CHAD	0	950	CFA FRANC BEAC
CHILE	0	152	CHILEAN PESO
CHINA	2	156	CHINESE YUAN RENMINBI
CHINA	2	158	CHINESE PEOPLE'S BANK DOLLAR
CHRISTMAS ISLAND	2	036	AUSTRALIAN DOLLAR
COCOS (KEELING) ISLANDS	2	036	AUSTRALIAN DOLLAR
COLOMBIA	2	170	COLOMBIAN PESO
COMOROS	0	174	COMORO FRANC
CONGO	0	950	CFA FRANC BEAC
COOK ISLANDS	2	554	NEW ZEALAND DOLLAR
COSTA RICA	2	188	COSTA RICAN COLON
COTE D'IVOIRE (IVORY COAST)	0	952	CFA FRANC BCEAO
CROATIA	2	978	EURO
CURACAO	2	532	NETHERLANDS ANTILLEAN GUILDER
CYPRUS	2	978	EURO
CZECH REPUBLIC	2	203	CZECH KORUNA
DEMOCRATIC REPUBLIC OF THE CONGO	2	976	CONGOLESE FRANC

Country Name	Minor Units	Currency Code	Currency Name
DENMARK	2	208	DANISH KRONE
DJIBOUTI	0	262	DJIBOUTI FRANC
DOMINICA	2	951	EAST CARRIBEAN DOLLAR
DOMINICAN REPUBLIC	2	214	DOMINICAN PESO
EGYPT	2	818	EGYPTIAN POUND
EL SALVADOR	2	222	EL SALVADOR COLON
ECUADOR	2	840	US DOLLAR
EQUATORIAL GUINEA	0	950	CFA FRANC BEAC
ERITREA	2	230	ETHIOPIAN BIRR
ERITREA	2	232	ERITREAN NAKFA
ESTONIA	2	978	EURO
ETHIOPIA	2	230	ETHIOPIAN BIRR
FALKLAND ISLANDS (MALVINAS)	2	238	FALKLAND ISLANDS POUND
FEDERATED STATES OF MICRONESIA	2	840	US DOLLAR
FIJI	2	242	FIJI DOLLAR
FINLAND	2	978	EURO
FRANCE	2	978	EURO
FRANCE, METROPOLITAN	2	978	EURO
FRENCH GUIANA	2	978	EURO
FRENCH POLYNESIA	0	953	CFP FRANC
GABON	0	950	CFA FRANC BEAC
GAMBIA	2	270	DALASI
GEORGIA	2	981	LARI
GERMANY	2	978	EURO
GHANA	2	936	CEDI
GIBRALTAR	2	292	GIBRALTAR POUND
GREECE	2	978	EURO
GREENLAND	2	208	DANISH KRONE
GRENADA	2	951	EAST CARRIBEAN DOLLAR
GUADELOUPE	2	978	EURO
GUAM	2	840	US DOLLAR
GUATEMALA	2	320	QUETZAL
GUINEA-BISSAU	0	952	CFA FRANC BCEAO

Country Name	Minor Units	Currency Code	Currency Name
GUINEA	0	324	GUINEA FRANC
GUYANA	2	328	GUYANA DOLLAR
HAITI	2	332	GOURDE
HEARD and MCDONALD ISLANDS	2	036	AUSTRALIAN DOLLAR
HOLY SEE (VATICAN CITY STATE)	2	978	EURO
HONDURUS	2	340	LEMPIRA
HONG KONG	2	344	HONG KONG DOLLAR
HUNGARY	2	348	FORINT
ICELAND	0	352	ICELANDIC KRONA
INDIA	2	356	INDIAN RUPEE
INDONESIA	2	360	RUPIAH
IRAQ	3	368	IRAQI DINAR
ISRAEL	2	376	NEW ISRAELI SHEKEL
IRELAND	2	978	EURO
ISLE OF MAN	2	826	POUND STERLING
ITALY	2	978	EURO
JAMAICA	2	388	JAMAICAN DOLLAR
JAPAN	0	392	YEN
JERSEY	2	826	POUND STERLING
JORDAN	3	400	JORDANIAN DINAR
KAZAKHSTAN	2	398	TENGE
KENYA	2	404	KENYAN SHILLING
KIRIBATI	2	036	AUSTRALIAN DOLLAR
KOREA, REPUBLIC OF	0	410	WON
KUWAIT	3	414	KUWAITI DINAR
KYRGYZSTAN	2	417	SOM
LAO PEOPLE'S DEMOCRATIC REPUBLIC	2	418	KIP
LATVIA	2	978	EURO
LEBANON	2	422	LEBANESE POUND
LESOTHO	2	426	LOTI
LESOTHO	2	710	RAND
LIBERIA	2	430	LIBERIAN DOLLAR
LIBYAN ARAB JAMAHIRIYA	3	434	LIBYAN DINAR

Country Name	Minor Units	Currency Code	Currency Name
LIECHTENSTEIN	2	756	SWISS FRANC
LITHUANIA	2	978	EURO
LUXEMBOURG	2	978	EURO
MACAO	2	446	PATACA
MACEDONIA	2	807	DENAR
MADAGASCAR	2	969	MALAGASY ARIARY
MALAWI	2	454	MALAWI KWACHA
MALAYSIA	2	458	MALAYSIAN RINGGIT
MALDIVES	2	462	RUFIIYAA
MALI	0	952	CFA FRANC BCEAO
MALTA	2	978	EURO
MARSHALL ISLANDS	2	840	US DOLLAR
MARTINIQUE	2	978	EURO
MAURITANIA	2	929	OUGUIYA
MAURITIUS	2	480	MAURITIUS RUPEE
MAYOTTE	2	978	EURO
MEXICO	2	484	MEXICAN PESO
MOLDOVA, REPUBLIC OF	2	498	MOLDOVAN LEU
MONACO	2	978	EURO
MONGOLIA	2	496	TUGRIK
MONTENEGRO, REPUBLIC OF	2	978	EURO
MONTSERRAT	2	951	EAST CARRIBEAN DOLLAR
MOROCCO	2	002	MOROCCAN DIRHAM
MOZAMBIQUE	2	943	MOZAMBIQUE METICAL
MYANMAR	2	104	MYANMAR KYAT
NAMIBIA	2	516	NAMIBIAN DOLLAR
NAURU	2	036	AUSTRALIAN DOLLAR
NEPAL	2	524	NEPALESE RUPEE
NETHERLANDS	2	978	EURO
NETHERLANDS ANTILLES	2	532	NETHLANDES ANTILLIAN GUILDER
NEW CALEDONIA	0	953	CFP FRANC
NEW ZEALAND	2	554	NEW ZEALAND DOLLAR
NICARAGUA	2	558	CORDOBA ORO

Country Name	Minor Units	Currency Code	Currency Name
NIGER	0	952	CFA FRANC BCEAO
NIGERIA	2	566	NAIRA
NIUE	2	554	NEW ZEALAND DOLLAR
NORFOLK ISLAND	2	036	AUSTRALIAN DOLLAR
NORTHERN MARIANA ISLANDS	2	840	US DOLLAR
NORWAY	2	578	NORWEGIAN KRONE
OMAN	3	512	RIAL OMANI
PAKISTAN	2	586	PAKISTAN RUPEE
PALAU	2	840	US DOLLAR
PANAMA	2	590	BALBOA
PAPUA NEW GUINEA	2	598	KINA
PARAGUAY	0	600	GUARANI
PERU	2	604	NUEVO SOL
PHILIPPINES	2	608	PHILIPPINE PESO
PITCAIRN	2	554	NEW ZEALAND DOLLAR
POLAND	2	985	ZLOTY
PORTUGAL	2	978	EURO
PUERTO RICO	2	840	US DOLLAR
QATAR	2	634	QATARI RIAL
REUNION	2	978	EURO
ROMANIA	2	946	ROMANIAN LEU
RUSSIAN FEDERATION	2	643	RUSSIAN RUBLE
RWANDA	0	646	RWANDA FRANC
SAINT HELENA, ASCENSION AND TRISTAN DA CUNHA	2	654	ST. HELENA POUND
SAMOA	2	882	TALA
SAN MARINO	2	978	EURO
SAO TOME AND PRINCIPE	2	930	DOBRA
SAUDI ARABIA	2	682	SAUDI RIYAL
SENEGAL	0	952	CFA FRANC BCEAO
SERBIA	2	941	SERBIAN DINAR
SEYCHELLES	2	690	SEYCHELLES RUPEE
SIERRA LEONE	2	925	LEONE
SINGAPORE	2	702	SINGAPORE DOLLAR

Country Name	Minor Units	Currency Code	Currency Name
SINT MAARTEN (DUTCH PART)	2	532	NETHERLANDS ANTILLES GUILDER
SLOVAKIA	2	978	EURO
SLOVENIA	2	978	EURO
SOLOMON ISLANDS	2	090	SOLOMON ISLANDS DOLLAR
SOMALIA	2	706	SOMALI SHILLING
SOUTH AFRICA	2	710	RAND
SOUTH SUDAN	2	728	SOUTH SUDANESE POUND
SUDAN	2	938	SUDANESE POUND
SPAIN	2	978	EURO
SRI LANKA	2	144	SRI LANKA RUPEE
ST. KITTS-NEVIS	2	951	EAST CARRIBEAN DOLLAR
ST. LUCIA	2	951	EAST CARRIBEAN DOLLAR
ST. PIERRE AND MIQUELON	2	978	EURO
ST. VINCENT AND THE GRENADINES	2	951	EAST CARRIBEAN DOLLAR
SURINAME	2	968	SURINAME DOLLAR
SVALBARD AND JAN MAYEN	2	578	NORWEGIAN KRONE
SWITZERLAND	2	756	SWISS FRANC
SWAZILAND	2	748	LILANGENI
SWEDEN	2	752	SWEDISH KRONA
TAIWAN	2	901	NEW TAIWAN DOLLAR
TAJIKISTAN	2	972	SOMONI
TANZANIA, UNITED REPUBLIC OF	2	834	TANZANIAN SHILLING
THAILAND	2	764	BAHT
TIMOR-LESTE	2	840	US DOLLAR
TOGO	0	952	CFA FRANC BCEAO
TOKELAU	2	554	NEW ZEALAND DOLLAR
TONGA	2	776	PA'ANGA
TRINIDAD AND TOBAGO	2	780	TRINIDAD AND TOBAGO DOLLAR
TUNISIA	3	788	TUNISIAN DINAR
TURKEY	2	949	TURKISH LIRA
TURKMENISTAN	2	934	MANAT
TURKS and CAICOS ISLANDS	2	840	US DOLLAR

Country Name	Minor Units	Currency Code	Currency Name
TUVALU	2	036	AUSTRALIAN DOLLAR
UGANDA	0	800	UGANDAN SHILLING
UKRAINE	2	980	UKRAINIAN HRYVNIA
UNITED ARAB EMIRATES	2	784	U.A.E. DIRHAM
UNITED KINGDOM	2	826	POUND STERLING
UNITED STATES	2	840	US DOLLAR
URUGUAY	2	858	PESO URUGUAYO
UZBEKISTAN	2	860	UZBEKISTAN SUM
VANUATU	0	548	VATU
VENEZUELA	2	928	BOLIVAR SOBERANO
VIETNAM	0	704	DONG
BRITISH VIRGIN ISLANDS	2	840	US DOLLAR
U.S. VIRGIN ISLANDS	2	840	US DOLLAR
WALLIS AND FUTUNA ISLANDS	0	953	CFP FRANC
WESTERN SAHARA	2	504	MOROCCAN DIRHAM
YEMEN	2	886	YEMENI RIAL
ZAMBIA	2	967	ZAMBIAN KWACHA
ZIMBABWE	2	932	ZIMBABWE DOLLAR
CUBA	2	192	CUBAN PESO
ECUADOR	2	218	SUCRE
IRAN	2	364	IRANIAN RIAL
LATVIA	2	428	LATVIAN LATS
LITHUANIA	2	440	LITHUANIAN LITAS
GUINEA-BISSAU	2	624	GUINEA-BISSAU PESO
SYRIA	2	760	SYRIAN POUND
TONGA	2	776	PA'ANGA

29.5 Authorizing Network ID

Type	Code	Network
Other	00	Other
Credit	01	American Express
Credit	02	Visa
Credit	03	MasterCard
Credit	04	Discover Network
Proprietary	05	Valero
Debit	06	PULSE
Debit	07	STAR East
Check	08	Certegy
Check	09	TeleCheck ECA
Other	11	Negative Floor
Other	12	GE Consumer Finance
Fleet	13	GE CC Wright Express
Internal	14	Buypass
Fleet	15	FleetCor Enhanced
Stored value/ Phone	16	InComm
Debit	17	STAR Northeast
Stored value/ Phone	18	Safeway
Check	19	TeleCheck CashIt
Proprietary	20	Texaco
Fleet	21	FleetCor
Debit	23	STAR West
Stored value	24	ESI
Credit	25	Chase (ChaseNet)
Credit	26	Chase (VisaNet)
Stored value	27	Everywhere Gift Card
Debit	28	NYCE
Credit	29	Chase PT
Fleet	31	ACORMIDA

Type	Code	Network
Private Label	32	Citi
Fleet	33	Comdata
Proprietary	34	Sun Oil
Debit	36	TeleCheck Debit
Proprietary	37	HSBC
EBT	38	A Toda Hora Banco Popular EBT
Proprietary	39	Car Care One
Debit	40	Maestro
Debit	43	Bank of America Direct
Debit	45	Wells Fargo Direct
Debit	48	Interlink
eWIC	51	Xerox eWIC
EBT	52	Bank of America / Deluxe EBT
Stored value	53	NetSpend
Stored value	55	Fiserv Prepaid Card
Credit	56	JCB
Fleet	57	WEX ISO
Debit	58	Shazam
EBT	60	Deluxe EBT
EBT	62	Transactive EBT (IL)
EBT	63	A Toda Hora Global EBT
EBT	64	Northeast Coalition of States EBT
EBT	65	Western States EBT Association
EBT	66	Southern Alliance of States EBT
EBT	67	Lockheed Martin INS
Debit	68	Credit Union 24 – FID
Debit	69	Accel
Debit	70	A Toda Hora Banco Popular
Stored value	71	Stored Value Systems
Fleet	72	Wright Express
Fleet	73	Gascard

Type	Code	Network
EBT eWIC	74	FSR eWIC
EBT eWIC	75	EFD eWIC
EBT eWIC	76	ACS eWIC
Proprietary	77	Sinclair
Debit	78	A Toda Hora Global
EBT	79	ACS Direct
EBT	82	EDS
EBT	83	ACS eWIC
Other	84	STAR
Debit	86	Armed Forces Financial Network
Proprietary	87	COMDATA
Phone	88	MCI
Other	91	PreSolutions
Proprietary	92	Alliance Data Systems
Fleet	94	Voyager
Proprietary	95	Unocal
Fleet	96	Fleet One
Debit	97	Jeanie
Debit	98	NETS
EBT	99	EBT Cash Benefit
EBT	100	EBT SNAP
Debit	101	AFFN-FIS
Debit/EBT	102	ATH/Evertec
EBT	103	CNS-FIS
EBT	104	CU24-FIS
EBT	105	eFunds
Debit	106	Interlink-PAVD
Debit	107	Base24
EBT	108	Team for Texas
Debit	109	StarWest/Affn

Type	Code	Network
Credit	110	Union Pay
Debit	111	StarWest/Jeanie
Debit	112	StarWest/Maestro
Debit/EBT	113	FiServ
Debit	114	FiServ/Pulse
Debit	115	FiServ/StarEast
Debit	116	FiServ/StarNortheast
Debit	117	FiServ/StarWest
Debit	118	FiServ/Maestro
Debit	119	FiServ/Interlink
Debit	120	FiServ/Interlink-PAVD
Debit	121	FiServ/Nyce
Debit	122	FiServ/Accel
Debit	123	FiServ/CU24
Debit	124	FiServ/ATH
Debit	125	FiServ/AFFN
Credit	126	STAR Signature Debit
Private Label	130	Synchrony
Debit	ZZ	Star

In the future there could be additional Authorizing Network ID's added.

29.6 Sample Association Product IDs

Note: Associations may add additional product codes

Association Product Identifiers		
Card Association	Product ID	Product Name
Visa	A^	Visa Traditional
Visa	B^	Visa Traditional Rewards
Visa	C^	Visa Signature
Visa	D^	Visa Signature Preferred
Visa	E^	Proprietary ATM
Visa	F^	Visa Classic
Visa	F2	Flexible Credential
Visa	G^	Visa Business
Visa	G1	Visa Signature Business
Visa	G3	Visa Business Enhanced (US Only)
Visa	I^	Visa Infinite
Visa	I2	TBA
Visa	J3	Visa Healthcare
Visa	K^	Corporate T&E
Visa	K1	GSA Corporate T&E
Visa	L^	Visa Electron
Visa	N^	Visa Platinum
Visa	N1	Visa Rewards
Visa	P^	Visa Gold
Visa	Q^	Private Label
Visa	R^	Proprietary

Association Product Identifiers		
Card Association	Product ID	Product Name
Visa	S^	Visa Purchasing
MasterCard	BPC	MasterCard BILLPAY COMM
MasterCard	BPD	World Debit Business Card
MasterCard	CIR	Cirrus
MasterCard	ETA	Mastercard Installment Payments A
MasterCard	ETB	Mastercard Installment Payments B
MasterCard	ETC	Mastercard Installment Payments C
MasterCard	ETD	Mastercard Installment Payments D
MasterCard	ETE	Mastercard Installment Payments E
MasterCard	ETF	Mastercard Installment Payments F
MasterCard	ETG	Mastercard Installment Payments G
MasterCard	FIA	Mastercard B2B VIP 27
MasterCard	FIB	Mastercard B2B VIP 28
MasterCard	FIC	Mastercard B2B VIP 29
MasterCard	FID	Mastercard B2B VIP 30
MasterCard	FIE	Mastercard B2B VIP 31
MasterCard	FIF	Mastercard B2B VIP 32
MasterCard	FIG	Mastercard B2B VIP 33
MasterCard	FIH	Mastercard B2B VIP 34
MasterCard	GCS	Mastercard Shop & Split Standard
MasterCard	GCP	Mastercard Shop & Split Premium
MasterCard	MAB	World Elite MasterCard for Business
MasterCard	MAC	MasterCard World Elite Corporate

Association Product Identifiers		
Card Association	Product ID	Product Name
MasterCard	MAP	MasterCard Commercial Payments Account
MasterCard	MBA	Mastercard B2B Product 2
MasterCard	MBB	MasterCard Prepaid Consumer
MasterCard	MBC	MasterCard Prepaid Voucher
MasterCard	MBD	MasterCard Professional Debit Business
MasterCard	MBE	MasterCard Electronic Business
MasterCard	MBF	Prepaid MC Food
MasterCard	MBG	Mastercard B2B Product 3
MasterCard	MBH	Mastercard B2B Product 4
MasterCard	MBI	Mastercard B2B Product 5
MasterCard	MBJ	Mastercard B2B Product 6
MasterCard	MBK	MasterCard Black
MasterCard	MBM	Prepaid MC Meal
MasterCard	MBP	MasterCard Corporate Prepaid
MasterCard	MBS	Mastercard B2B Product 1
MasterCard	MCB	MasterCard Business
MasterCard	MCC	MasterCard Credit (mixed BIN)
MasterCard	MCE	MasterCard Electronic
MasterCard	MCF	MasterCard Fleet
MasterCard	MCG	Gold MasterCard
MasterCard	MCI	Mastercard Select Debit
MasterCard	MCO	MasterCard Corporate (Meeting)
MasterCard	MCP	MasterCard Purchasing

Association Product Identifiers		
Card Association	Product ID	Product Name
MasterCard	MCS	(Unembossed) Standard MasterCard
MasterCard	MCT	Titanium MasterCard
MasterCard	MCW	World MasterCard
MasterCard	MDB	Debit MasterCard Business
MasterCard	MDG	Gold Debit MasterCard
MasterCard	MDH	World Debit Embossed MasterCard
MasterCard	MDJ	Debit MasterCard (Enhanced)
MasterCard	MDO	Debit Other
MasterCard	MDP	Premium Debit MasterCard Card
MasterCard	MDS	Standard Debit MasterCard
MasterCard	MDT	Commercial Debit MasterCard
MasterCard	MDW	World Elite Debit MasterCard
MasterCard	MEB	MasterCard Executive Business
MasterCard	MEO	MasterCard Corporate Executive Card
MasterCard	MFH	Flex World
MasterCard	MGF	MasterCard Government Commercial Card
MasterCard	MHA	MasterCard Healthcare Prepaid Non-Tax
MasterCard	MHB	MasterCard HSA Substantiated (Debit MasterCard)
MasterCard	MHH	MasterCard HSA Non-Substantiated (Debit MasterCard)
MasterCard	MIK	Prepaid MasterCard Electronic Student (Non-US) Card
MasterCard	MIO	Mastercard Pay & Split
MasterCard	MIP	Prepaid Debit MasterCard Student Card
MasterCard	MIU	Debit MasterCard Unembossed (Non-US)

Association Product Identifiers		
Card Association	Product ID	Product Name
MasterCard	MKA	Digital Gold Debit
MasterCard	MKB	Digital Platinum Debit
MasterCard	MKC	Digital World Debit
MasterCard	MKD	Digital World Elite Debit
MasterCard	MKE	Digital Platinum
MasterCard	MKF	Digital World
MasterCard	MKG	Digital World Elite
MasterCard	MKH	Digital World Elite Exclusive
MasterCard	MLF	MasterCard Agro Card
MasterCard	MNW	MasterCard World
MasterCard	MOC	Standard Maestro Social
MasterCard	MPA	Prepaid Debit Standard Payroll
MasterCard	MPF	MasterCard Prepaid Debit Standard Gift
MasterCard	MPG	Debit MasterCard Standard Prepaid General Spend
MasterCard	MPJ	Prepaid Debit MasterCard Card Gold
MasterCard	MPL	Platinum MasterCard Card
MasterCard	MPM	MasterCard Prepaid Debit Standard Consumer Incentive
MasterCard	MPN	MasterCard Prepaid Debit Standard Insurance
MasterCard	MPO	MasterCard Prepaid Debit Standard Offer
MasterCard	MPP	MasterCard Prepaid Card – Commercial Reward Funding
MasterCard	MPQ	MasterCard Prepaid Debit Standard Government Disaster
MasterCard	MPR	MasterCard Prepaid Debit Standard Travel
MasterCard	MPT	MasterCard Prepaid Debit Standard Teen

Association Product Identifiers		
Card Association	Product ID	Product Name
MasterCard	MPV	MasterCard Prepaid Debit Standard Government
MasterCard	MPW	Debit MasterCard Business Card Prepaid Workplace Business
MasterCard	MPX	MasterCard Prepaid Debit Standard Flex Benefit
MasterCard	MPY	MasterCard Prepaid Debit Standard Employee Incentive
MasterCard	MRC	Prepaid MasterCard Electronic (Non-US)
MasterCard	MRG	MasterCard Prepaid (Non-US)
MasterCard	MRH	MasterCard Platinum Prepaid Travel (US)
MasterCard	MRJ	Prepaid MasterCard Gold
MasterCard	MRK	Prepaid MasterCard Public Sector Commercial
MasterCard	MRL	Prepaid MasterCard Electronic Commercial (Non-US)
MasterCard	MRO	MasterCard Rewards Only
MasterCard	MRW	Prepaid MasterCard Business Card (Non-US)
MasterCard	MSA	Prepaid Maestro Payroll Card
MasterCard	MSB	Maestro Small Business
MasterCard	MSG	Prepaid Maestro Consumer Reloadable Card
MasterCard	MSI	Maestro Student Card
MasterCard	MSJ	Prepaid Maestro Gold
MasterCard	MSM	Prepaid Maestro Consumer Promotion Card
MasterCard	MSO	Prepaid Maestro Other Card
MasterCard	MSW	Prepaid Maestro Corporate (Reloadable) Card
MasterCard	MTP	MasterCard Platinum Prepaid Travel (UK and Brazil)
MasterCard	MUS	Prepaid Unembossed MasterCard
MasterCard	MVL	MasterCard B2B VIP 12

Association Product Identifiers		
Card Association	Product ID	Product Name
MasterCard	MVM	MasterCard B2B VIP 13
MasterCard	MVN	MasterCard B2B VIP 14
MasterCard	MVO	MasterCard B2B VIP 15
MasterCard	MVP	MasterCard B2B VIP 16
MasterCard	MVQ	MasterCard B2B VIP 17
MasterCard	MVR	MasterCard B2B VIP 18
MasterCard	MVS	MasterCard B2B VIP 19
MasterCard	MVT	MasterCard B2B VIP 20
MasterCard	MVU	MasterCard B2B VIP 21
MasterCard	MVV	MasterCard B2B VIP 22
MasterCard	MVW	MasterCard B2B VIP 23
MasterCard	MVX	MasterCard B2B VIP 24
MasterCard	MVY	MasterCard B2B VIP 25
MasterCard	MVZ	MasterCard B2B VIP 26
MasterCard	MWB	World Elite MasterCard Business
MasterCard	MWE	World Elite MasterCard
MasterCard	MWO	World Elite MasterCard Corporate
MasterCard	MWR	World Retailer Centric Payments
MasterCard	OLB	Maestro Small Business Delayed Debit
MasterCard	OLS	Maestro (Student Card) Delayed Debit
MasterCard	PMC	Proprietary Credit Card (Swedish domestic)
MasterCard	PMD	Proprietary Debit Card (Swedish domestic)
MasterCard	PSC	Common Proprietary Swedish Credit

Association Product Identifiers		
Card Association	Product ID	Product Name
MasterCard	PSD	Common Proprietary Swedish Debit
MasterCard	PVA	Private Label A
MasterCard	PVB	Private Label B
MasterCard	PVC	Private Label C
MasterCard	PVD	Private Label D
MasterCard	PVE	Private Label E
MasterCard	PVF	Private Label F
MasterCard	PVG	Private Label G
MasterCard	PVH	Private Label H
MasterCard	PVI	Private Label I
MasterCard	PVJ	Private Label J
MasterCard	PVL	Private Label K
MasterCard	SAP	Platinum MasterCard Salary Immediate Debit
MasterCard	SBP	Small Business Prepaid
MasterCard	SPP	Mastercard Installment Payments P
MasterCard	SPS	Mastercard Installment Payments S
MasterCard	SUR	Prepaid Unembossed MasterCard Card (Non-US)
MasterCard	TCB	MasterCard Corporate Immediate Debit
MasterCard	TCC	MasterCard (mixed BIN) Immediate Debit
MasterCard	TCE	MasterCard (Electronic) Student Card Immediate Debit
MasterCard	TCG	Gold MasterCard Card Immediate Debit
MasterCard	TCO	(Corporate) Immediate Debit
MasterCard	TCS	MasterCard Standard (Unembossed) Card Immediate Debit

Association Product Identifiers		
Card Association	Product ID	Product Name
MasterCard	TCW	World Signia Immediate Debit
MasterCard	TEB	MasterCard Executive Business Card Card Immediate Debit
MasterCard	TNW	MasterCard New World Immediate Debit
MasterCard	TPB	MasterCard Preferred Business Card Immediate Debit
MasterCard	TPL	Platinum MasterCard Immediate Debit
Discover	001	Consumer Credit - Rewards
Discover	002	Commercial Credit
Discover	003	Consumer Debit
Discover	004	Commercial Debit
Discover	005	Prepaid Non-Reloadable
Discover	006	Prepaid Reloadable
Discover	007	Consumer Credit - Premium
Discover	008	Consumer Credit - Core
Discover	009	Private Label Credit
Discover	010	Commercial Credit - Executive Business
Discover	011	Consumer Credit - Premium Plus
Discover	012	Commercial Prepaid - Non-Reloadable
American Express	IB	Non-US
American Express	IR	Non-US Reloadable
American Express	IS	Non-US Stored Value
American Express	RP	US Reloadable
American Express	SV	US Stored Value

29.7 Association Response Codes

29.7.1 Visa Response Codes

The following table identifies the Visa response codes that may be received in the RESPONSE GROUP.Association Response Code field.

Response Code	Description
00	Successful approval/completion or that V.I.P. PIN verification is successful
01	Refer to card issuer
02	Refer to card issuer, special condition
03	Invalid merchant or service provider
04	Pickup card
05	Do not honor
06	Error
07	Pickup card, special condition (other than lost/stolen card)
10	Partial Approval
11	V.I.P. approval
12	Invalid transaction
13	Invalid amount (currency conversion field overflow); or amount exceeds maximum for card program
14	Invalid account number (no such number)
15	No such issuer
19	Re-enter transaction
21	No action taken (unable to back out prior transaction)
25	Unable to locate record in file, or account number is missing from the inquiry
28	File is temporarily unavailable
39	No credit account
41	Pickup card (lost card)
43	Pickup card (stolen card)
46	Closed account
51	Insufficient funds
52	No checking account
53	No savings account
54	Expired card
55	Incorrect PIN

Response Code	Description
57	Transaction not permitted to cardholder
58	Transaction not allowed at terminal
59	Suspected fraud
6P	Verification data failed
61	Exceeds approval amount limit
62	Restricted card (for example, in Country Exclusion table)
63	Security violation
64	Transaction does not fulfill AML requirement
65	Exceeds withdrawal frequency limit
70	PIN data required
75	Allowable number of PIN-entry tries exceeded
76	Unable to locate previous message (no match on retrieval reference number)
77	Previous message located for a repeat or reversal, but repeat or reversal data inconsistent with original message
78	"Blocked, first used"—Transaction from new cardholder, and card not properly unblocked
79	Transaction reversed
80	Visa transactions: credit issuer unavailable. Private label: invalid date
81	PIN cryptographic error found (error found by VIC security module during PIN decryption)
82	Negative Online CAM, dCVV, iCVV, or CVV results Or Offline PIN authentication interrupted
85	No reason to decline request for account number verification, address verification, CVV2 verification, or credit voucher or merchandise return
86	Cannot verify PIN
91	Issuer unavailable or switch inoperative (STIP not applicable or available for this transaction) Issuers can respond with this code, which V.I.P. passes to the acquirer without invoking stand-in processing (STIP). Issuer processors use the code to indicate they cannot perform authorization on issuers' behalf. Code causes decline at POS.
92	Financial institution or intermediate network facility cannot be found for routing
93	Transaction cannot be completed; violation of law
94	Duplicate transaction. Transaction submitted containing values in tracing data fields that duplicate values in a previous transaction.
96	System malfunction; System malfunction or certain field error conditions
1A	Additional customer authentication required
B1	Surcharge amount not permitted on Visa cards (U.S. acquirers only)

Response Code	Description
N0	Force STIP
N3	Cash service not available
N4	Cashback request exceeds issuer limit
N7	Decline for CVV2 failure
N8	Transaction amount exceeds pre-authorized approval amount
P2	Invalid biller information
P5	PIN Change/Unblock request declined
P6	Unsafe PIN
Q1	Card authentication failed Or Offline PIN authentication interrupted
R0	Stop Payment Order
R1	Revocation of Authorization Order
R3	Revocation of All Authorizations Order
Z3	Unable to go online; declined
XA	Forward to issuer
XD	Forward to issuer

29.7.2 MasterCard Response Codes

The following table identifies the MasterCard response codes that may be received in the RESPONSE GROUP.Association Response Code field.

Response Code	Description
00	Approved or completed successfully
01	Refer to card issuer
03	Invalid merchant
04	Capture card
05	Do not honor
06	Error
08	Honor with ID
10	Partial Approval
12	Invalid transaction
13	Invalid amount
14	Invalid card number
15	Invalid issuer
17	Customer cancellation
25	Unable to locate record on file (no action taken)
26	Record not in active status
27	Issuer File Update field edit error
28	Record permanently deleted
29	Delete request less than 540 days
30	Format error
32	Partial reversal
34	Suspect Fraud
40	Requested function not supported
41	Lost card
43	Stolen card
51	Insufficient funds/over credit limit
54	Expired card
55	Invalid PIN
57	Transaction not permitted to issuer/cardholder
58	Transaction not permitted to acquirer/terminal
61	Exceeds withdrawal amount limit

Response Code	Description
62	Restricted card
63	Security violation
65	Exceeds withdrawal count limit OR Identity Check Soft-Decline of EMV 3DS Authentication (merchant should resubmit authentication with 3DSv1)
68	Response received late
70	Contact card issuer
71	PIN not changed
75	Allowable number of PIN tries exceeded
76	Invalid/nonexistent "To Account" specified
77	Invalid/nonexistent "From Account" specified
78	Invalid/nonexistent account specified(general)
79	Life cycle
80	Duplicate add, action not performed
81	Domestic Debit Transaction Not Allowed (Regional use only)
82	Policy
83	Fraud/Security
84	Invalid Authorization Life Cycle
85	Not declined Valid for all zero amount transactions
86	PIN validation not possible
87	Purchase Amount only, no cash back allowed
88	Cryptographic failure
89	Unacceptable PIN – Transaction declined – Retry
91	Authorization platform or issuer system inoperative
92	Unable to route transaction
94	Duplicate transmission detected
96	System Error

29.7.3 Discover Response Codes

The following table identifies the Discover response codes that may be received in the RESPONSE GROUP.Association Response Code field.

Response Code	Description
00	Approved or completed successfully
01	Reserved for future USE
02	Reserved for future USE
03	Invalid Merchant
04	Capture Card
05	Do not honor
07	Pick-up Card, special condition
08	Reserved for future USE
10	Approved for partial amount
11	Approved
12	Invalid transaction
13	Invalid amount
14	Invalid Card Number
15	Reserved for future USE
19	Re-enter transaction
30	Format error
31	Bank not supported by switch
33	Reserved for future USE
34	Reserved for future USE
35	Reserved for future USE
36	Reserved for future USE
37	Reserved for future USE
38	Allowable PIN tries exceeded
39	No credit Account
40	Requested function not supported
41	Lost Card
43	Stolen Card
51	Decline
53	No savings Account
54	Expired Card

Response Code	Description
55	Invalid PIN
56	No Card record
57	Transaction not permitted to Issuer/Cardholder
58	Transaction not permitted to Acquirer/terminal
59	Suspected fraud
60	Card acceptor contact Acquirer
61	Exceeds withdrawal amount limit
62	Restricted Card
63	Security violation
64	Original amount incorrect
65	Exceeds withdrawal count limit
66	Card Acceptor call Acquirer's security dept
67	Hard capture (requires ATM pick-up)
68	Response received too late
75	Allowable number of PIN tries exceeded
76	Invalid/nonexistent "to" Account specified
77	Invalid/nonexistent "from" Account specified
78	Invalid/nonexistent Account specified (general)
83	Domain Restriction Controls Failure
85	No reason to decline
87	Network unavailable
91	Authorization system or Issuer system inoperative
92	Unable to route transaction
93	Transaction cannot be completed, violation of law
94	Duplicate transmission detected
96	System malfunction
1A	Customer Authentication Required (Decline)
N1	System up
N2	Soft down
N3	System down
N7	Decline for AVS or CID mismatch
P5	PIN Change/Unblock failed
P6	New PIN not accepted

29.7.4 AMEX Response Codes

The following table identifies the AMEX response codes that may be received in the RESPONSE GROUP.Association Response Code field.

Response Code	Description
000	Approved
001	Approve with ID
002	Partial Approval (Prepaid Cards only)
100	Deny
101	Expired Card/Invalid Expiration Date
106	Exceeded PIN attempts
107	Please Call Issuer
109	Invalid Merchant
110	Invalid Amount
111	Invalid Account /Invalid MICR (Travelers Cheque)
115	Requested function not supported
116	Not Sufficient Funds
117	Invalid PIN
119	Cardmember not enrolled/ not permitted
121	Limit Exceeded
122	Invalid card security code (a.k.a, CID, 4DBC, 4CSC)
125	Invalid effective date
130	Additional customer identification required

181	Format Error
183	Invalid currency code
187	Deny - New card issued
189	Deny - Cancelled or Closed Merchant /SE
193	Invalid Country Code
200	Deny - Pick up card
400	Reversal Accepted
900	Accepted - ATC Synchronization
909	System Malfunction (Cryptographic error)
912	Issuer not available

Chapter 30 : Appendix B1

Revision History

Section	Change Log	Version	Date
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019

Chapter Contents

30-2

30.1 Appendix — Track Data Standards for Credit

30.1.1 Track Data Layout

This section is designed to define the Track Data contained in the credit card and illustrates how the Track Data translates to the card number embossed/printed on the credit card face.

Magnetic Stripe Data Definition:

TRACK 1		TRACK 2	
Field Name	Length	Field Name	Length
Start Sentinel (%)	1	Start Sentinel (;)	1
Format Code (B)	1		
Account Number	..19	Account Number	16
Separator (^)	1	Separator (=)	1
Surname (variable length)	1-26		
Expiration Date	4	Expiration Date	4
Restriction or Type	3	Restriction or Type	3
Offset or PVV	5	Offset or PVV	5
Discretionary Data		Discretionary Data	
End Sentinel (?)	1	End Sentinel (?)	1

Revision History

Section	Change Log	Version	Date
1	Changed the verbiage from “Merchants must submit all Voids within 25 minutes of the original transaction for the Payment Types Credit, Debit, PINLess POS Debit, EBT and PLDebit except when the PLDebit transaction includes the Settlement Indicator value of 3.” to “Merchants must submit all Voids (<u>except for Credit Authorization</u>) within 25 minutes of the original transaction or the Payment Types Credit, Debit, PINLess POS Debit, EBT and PLDebit except when the PLDebit transaction includes the Settlement Indicator value of 3. <u>Note: Merchants can submit a Void/ Full Reversal for a Credit Authorization any time before they settle it (i.e. before sending a Completion / BatchSettleDetail, or sending a batch settlement file), except when the Credit Authorization is routed to a Debit network in which case merchants must submit a Void/ Full Reversal within 25 minutes of the original transaction.</u>”	12.04.7	February 22, 2023

Section	Change Log	Version	Date
2	Changed the verbiage from “The Timeout Reversal request must not be generated until at least 35 seconds have elapsed since the authorization request was sent.” to “The Timeout Reversal request must not be generated until at least 35 seconds have elapsed since the <u>original transaction request was sent.</u> <u>Note: A transaction should be assumed as “timed out” if there is no response from Fiserv in 35 seconds.</u>” Added the following Note: “If there is no response to the Timeout reversal after attempting three times, the original transaction must be discarded and then the merchant should start over again by resending the original transaction.” Added the following verbiage: “If a transaction response contains a ‘909’ (System malfunction) response code, the transaction should not be considered as “timed out”. Note: The Additional Response Data field must be considered as informational only, and merchants should make decisions only based on other fields like Response Code, Association Response Code, Merchant Advice Code.” Changed the verbiage from “Merchants must submit all Credit, Debit and EBT Timeout Reversals within 25 minutes of the original transaction.” to “Merchants must submit all Credit, Debit and EBT Timeout Reversals (<u>except for Credit Authorization</u>) within 25 minutes of the original transaction. <u>Note: Merchants can submit a Timeout Reversal for a Credit Authorization any time before they settle it (i.e. before sending a Completion / BatchSettleDetail, or sending a batch settlement file).</u>”	12.04.7	February 22, 2023

Section	Change Log	Version	Date
2	Changed the rule from “All fields from the Original Transaction (except Track data, Encryption Block field with the Encryption Target field value of Track2, CCV indicator, CCV data, and all fields in the PIN Group) should be present in the Timeout Reversal request, except for Debit transactions that include the Non US Merchant field with the value of 'Canadian' in which case Track 2 Data or the Encryption Block field with the Encryption Target field value of 'Track2' must be sent in a Timeout Reversal request, or when the Card Type is 'Wex' or 'Voyager' which requires the Track 2 Data or the Encryption Block field with the Encryption Target field value of 'Track2' from the original request to be sent in the Timeout Reversal request. Track Data or the Encryption Block field with the Encryption Target field value of 'Track2' may also be sent in Timeout Reversal requests when the Payment Type is Generic Prepaid, Private Label or Fleet (except when the Card Type is 'MCFleet' or 'VisaFleet').” to “All fields from the Original Transaction (except Track data, Encryption Block field with the Encryption Target field value of Track2, CCV indicator, CCV data, and all fields in the PIN Group) should be present in the Timeout Reversal request, except for Debit transactions that include the Non US Merchant field with the value of 'Canadian' in which case Track 2 Data or the Encryption Block field with the Encryption Target field value of 'Track2' must be sent in a Timeout Reversal request, or when the Card Type is 'Wex', 'Voyager' or <u>'Comdata'</u> which requires the Track 2 Data or the Encryption Block field with the Encryption Target field value of 'Track2' from the original request to be sent in the Timeout Reversal request. Track Data or the Encryption Block field with the Encryption Target field value of 'Track2' may also be sent in Timeout Reversal requests when the Payment Type is Generic Prepaid, Private Label or Fleet (except when the Card Type is 'MCFleet' or 'VisaFleet').”	12.04.2	June 29, 2022

Section	Change Log	Version	Date
2	Changed the rule from “When the original Card Not Present Authorization was processed as Debit and a Timeout is received on the subsequent Debit Completion transaction, merchants must not initiate a Timeout Reversal for the Debit Completion. Instead merchants must resend the Completion.” to “When the original Card Not Present Authorization <u>or UnionPay Authorization</u> was processed as Debit and a Timeout is received on the subsequent Debit Completion transaction, merchants must not initiate a Timeout Reversal for the Debit Completion. Instead, merchants must resend the Completion.”	10.02.16	February 23, 2022
3	Added the following Note to the Supported Card Types section: “Partial Reversals are not supported for transactions routed to Debit.”	10.02.14	August 25, 2021
1	Changed the rule from “Debit Adjustments require the customer to be present, dip or wave their card, and enter their PIN.” to “Debit Adjustments (except for In-App or In-Browser) require the customer to be present, dip or wave their card, and enter their PIN.”	10.02.13	June 23, 2021

Section	Change Log	Version	Date
2	Changed the rule from “All fields from the Original Transaction (except Track data, CCV indicator, CCV data, and all fields in the PIN Group) should be present in the Timeout Reversal request, except for Debit transactions that include the Non US Merchant field in which case Track 2 Data or the Encryption Block field with the Encryption Target field value of ‘Track2’ must be sent in a Timeout Reversal request, or when the Card Type is ‘Wex’ or ‘Voyager’ which requires the Track 2 Data from the original request to be sent in the Timeout Reversal request. Track Data may also be sent in Timeout Reversal requests when the Payment Type is Generic Prepaid, Private Label or Fleet (except when the Card Type is ‘MCFleet’ or ‘VisaFleet’).” to “All fields from the Original Transaction (except Track data, Encryption Block field with the Encryption Target field value of Track2, CCV indicator, CCV data, and all fields in the PIN Group) should be present in the Timeout Reversal request, except for Debit transactions that include the Non US Merchant field with the value of ‘Canadian’ in which case Track 2 Data or the Encryption Block field with the Encryption Target field value of ‘Track2’ must be sent in a Timeout Reversal request, or when the Card Type is ‘Wex’ or ‘Voyager’ which requires the Track 2 Data or the Encryption Block field with the Encryption Target field value of ‘Track2’ from the original request to be sent in the Timeout Reversal request. Track Data or the Encryption Block field with the Encryption Target field value of ‘Track2’ may also be sent in Timeout Reversal requests when the Payment Type is Generic Prepaid, Private Label or Fleet (except when the Card Type is ‘MCFleet’ or ‘VisaFleet’).”	10.02.11	April 28, 2021

Chapter Contents

1	Void/Full Reversal Processing -----	31-7
2	Timeout Reversal Processing -----	31-9
3	Partial Reversal Processing -----	31-11

31.1 Void/Full Reversal or Adjustment Processing

A Void/Full Reversal or Adjustment transaction cancels the processing associated with a previously approved authorization.

The following facts are critical when performing reversal processing:

- ▶ Merchants must submit all Voids (except for Credit Authorization) within 25 minutes of the original transaction for the Payment Types Credit, Debit, PINLess POS Debit, EBT and PLDebit except when the PLDebit transaction includes the Settlement Indicator value of 3.
Note: Merchants can submit a Void/ Full Reversal for a Credit Authorization any time before they settle it (i.e. before sending a Completion / BatchSettleDetail, or sending a batch settlement file), except when the Credit Authorization is routed to a Debit network in which case merchants must submit a Void/ Full Reversal within 25 minutes of the original transaction.
- ▶ PINLess Debit transactions that include the Settlement Indicator value of 3, can be voided within 90 minutes of the original transaction.
- ▶ Merchants must submit all Debit Adjustments within 25 minutes of the original transaction.
- ▶ Debit Adjustments (except for In-App or In-Browser) require the customer to be present, dip or wave their card, and enter their PIN.
- ▶ Only Approved card-based and TeleCheckECA transactions can be voided.
- ▶ A Balance Inquiry or a Verification request cannot be voided.
- ▶ For Generic Prepaid, Activation, Reload and Redemption transactions can be voided.
- ▶ Void of EBT Authorization is supported only when the Settlement Indicator field is present in the transaction with the value of 1 or 2.
- ▶ A Void/Full Reversal should not be used to cancel a non-financial transaction (e.g. TransArmor Key Update, BalanceLock, etc.).
- ▶ A PCL3AddDetail transaction cannot be voided.
- ▶ A Voucher Clear transaction cannot be voided.
Note: For all supported reversals, please see the Reversal Support table in the Common Group.
- ▶ The value in POS Entry Mode submitted at the time of authorization must be submitted on all subsequent transactions (Completions, Voids/Full Reversals, and Partial Reversals) except for Prepaid Closed Loop.
Note: Prepaid Closed Loop Void/Full Reversal Transactions where the POS Entry Mode 90 or 91 was sent on the original transaction must be sent with the POS Entry Mode 01 using the account number received in the original Authorization response.
- ▶ A void must never be submitted in lieu of a timeout reversal.
- ▶ The reversal request is either approved or declined.
- ▶ A Response Code of '000' does not mean the void was successfully processed but is simply an acknowledgement that request was received.

- ▶ A 914 Response Code will be returned if the original transaction is not found (except when the value of 2 is sent in the Settlement Indicator field). A Refund transaction may be necessary to reconcile the cardholder's account. Possible reasons for receiving a 914 Response Code include:
 - Transaction previously reversed
 - Transaction has already been settled

Note: For a merchant to support debit voids they must have a contractual agreement with their bank alliance prior to testing and implementation.
- ▶ Check transactions with a Check Service Provider value of TeleCheck or Certegy cannot be voided.

31.2 Timeout Reversal Processing

If a merchant doesn't receive a response to an authorization request, or received the Response Code 911, the merchant must submit a TIMEOUT REVERSAL transaction. The assumption by the merchant should always be that the transaction that timed out was actually approved, and therefore needs to be reversed in order to correct the Open-to-buy for the cardholder.

The following facts are critical when performing Timeout Reversal processing:

- ▶ Timeout Reversals are not supported for transactions that include a Settlement Indicator value of 3. When the Settlement Indicator value is 3, the merchant must resend the transaction that timed out with all data from the original transaction, including the Reference Number with the exception of the STAN which must be incremented from the original transaction that did not receive a response.
- ▶ A Timeout Reversal cannot be performed for Balance Inquiry or Verification transactions. The Timeout Reversal request must not be generated until at least 35 seconds have elapsed since the original transaction request was sent.
Note: A transaction should be assumed as "timed out" if there is no response from Fiserv in 35 seconds.
- ▶ If no response is received to the Timeout reversal, the merchant must reattempt the Timeout reversal. The merchant must attempt the Timeout Reversal three times, unless a successful approved or declined response has been received to a previous Timeout reversal for the same original authorization. The merchant must wait at least 35 seconds between each Timeout reversal attempt.
Note: If there is no response to the Timeout reversal after attempting three times, the original transaction must be discarded and then the merchant should start over again by resending the original transaction.
- ▶ If a transaction response contains a '909' (System malfunction) response code, the transaction should not be considered as "timed out".
Note: The Additional Response Data field must be considered as informational only, and merchants should make decisions only based on other fields like Response Code, Association Response Code, Merchant Advice Code.
- ▶ Merchants must submit all Credit, Debit and EBT Timeout Reversals (except for Credit Authorization) within 25 minutes of the original transaction.
Note: Merchants can submit a Timeout Reversal for a Credit Authorization any time before they settle it (i.e. before sending a Completion / BatchSettleDetail, or sending a batch settlement file).
- ▶ All other Timeout Reversals should be submitted prior to the close of the business day or, where applicable, prior to the close of the batch.
- ▶ An approved or declined response to the Timeout Reversal signifies completion of a Timeout reversal.
- ▶ In the event the device receives an unsolicited or late response, a Timeout Reversal must be generated for the late or unsolicited response.
- ▶ When the transaction being reversed is a Prepaid Closed Loop transaction, no other Prepaid Closed Loop transactions can be sent from the same terminal until the reversal has been attempted at least one time.

- ▶ All fields from the Original Transaction (except Track data, Encryption Block field with the Encryption Target field value of Track2, CCV indicator, CCV data, and all fields in the PIN Group) should be present in the Timeout Reversal request, except for Debit transactions that include the Non US Merchant field with the value of 'Canadian' in which case Track 2 Data or the Encryption Block field with the Encryption Target field value of 'Track2' must be sent in a Timeout Reversal request, or when the Card Type is 'Wex', 'Voyager' or 'Comdata' which requires the Track 2 Data or the Encryption Block field with the Encryption Target field value of 'Track2' from the original request to be sent in the Timeout Reversal request. Track Data or the Encryption Block field with the Encryption Target field value of 'Track2' may also be sent in Timeout Reversal requests when the Payment Type is Generic Prepaid, Private Label or Fleet (except when the Card Type is 'MCFleet' or 'VisaFleet').

Note: If the original transaction included Track Data, the Account Number must be sent in place of Track Data in Timeout Reversal except where specifically listed above.

- ▶ If the Prepaid Closed Loop transaction that timed out included a Reversal Reason Code of Void, the merchant should resubmit the transaction with a Reversal Reason Code of TORVoid.
- ▶ The Reversal Reason Code TORVoid is subject to the above rules concerning number of attempts and wait times.

Note: TORVoid's are only supported for Prepaid Closed Loop Transactions.

- ▶ For Prepaid Closed Loop, Timeout Reversals are supported for all transactions except BalanceLock, BalanceInquiry and Void.
- ▶ Timeout Reversals are not supported for Check Authorization transactions.
- ▶ Timeout Reversals are not supported for EBT eWIC Authorization transactions.
- Note:** For all supported reversals, please see the Reversal Support table in the Common Group.
- ▶ When the original Card Not Present Authorization or UnionPay Authorization was processed as Debit and a Timeout is received on the subsequent Debit Completion transaction, merchants must not initiate a Timeout Reversal for the Debit Completion. Instead, merchants must resend the Completion.
- ▶ For Debit Card Not Present merchants, when they send a Timeout reversal on a Credit Refund transaction that processed as a Card Not Present Debit and receives a Response Code of 903 ("Invalid Reversal transaction – transaction already settled"), it means that the Refund occurred successfully and thus the reversal will be declined.

31.3 Partial Reversal Processing

Partial reversals are used in the Ecommerce, MOTO, Auto-Rental, Lodging, Restaurant and Retail industries to return funds to a cardholder's Open-to-buy when only a portion of an order is being shipped. This functionality has limited platform availability. For more information, please contact your Account Representative.

31.3.1 Single Completion Transaction

For merchants performing Completion transactions, when the amount in the Completion transaction is less than the previously approved amount in the Authorization transaction, Rapid Connect may in some cases reverse the difference on behalf of the merchant. Rapid Connect will never reverse the difference on behalf of the merchant if the fields Multiple Clearing Sequence Number and Multiple Clearing Sequence Count are present in the Completion transaction. This functionality has limited platform availability. For more information, please contact your Account Representative.

31.3.2 Partial Reversal for Multiple Shipments and Completions

Ecommerce and MOTO merchants, who send the fields Multiple Clearing Sequence Number and Multiple Clearing Sequence Count, may need to perform a Partial Reversal transaction for any authorized amount that is not sent in Completion transactions. The amount of the total purchase is authorized at the time that the order is placed. Visa and MasterCard requires the authorization be cleared within 7 days. In the event that the order is partially filled, the portion of the order that is being shipped is the portion of the authorization amount that can be settled in Completion transactions. In this scenario a partial reversal can be submitted with the COMMON Group.Transaction Amount containing the revised lower transaction amount. This is only supported for Visa Ecommerce and MOTO transactions.

For example, an Authorization transaction of \$100.00 is followed by 3 Completion or BatchSettleDetail transactions of \$25.00 each within the next 7 days. The final transaction amount that was settled in the 3 Completion or BatchSettleDetail transactions is \$75.00. In this case the merchant must perform a Partial Reversal transaction, with a transaction amount of \$75.00. This will result in \$25.00 being returned to cardholder's Open-to-buy from the original Authorization Transaction amount of \$100.00.

The Additional Amount Type of FirstAuthAmt and TotalAuthAmt are also required in Partial Reversal transactions. In the above example, FirstAuthAmt will be \$100.00 and TotalAuthAmt will be \$100.00.

After 7 days when the final item from the customer's original order is available to ship, a new Authorization Transaction must be performed for \$25 and then settled with a Completion or BatchSettleDetail Transaction.

31.3.3 Partial Reversal for Merchants using PTS Direct Settlement

Auto-Rental, Ecommerce, Lodging and MOTO merchants, who settle directly to PTS, may perform Partial Reversal transactions. In these environments the amount of the total purchase is submitted for authorization at the time that the order is placed. In the event that the order or booking is partially filled, the portion of the order or booking that is being fulfilled is the portion of the authorization that can be settled. In this scenario a partial reversal can be submitted with the COMMON Group.Transaction Amount containing the revised lower transaction amount. For example, an Authorization transaction of \$100.00 is sent. However, the final transaction amount to be settled is \$25.00. In this case the merchant must perform a Partial Reversal transaction with a transaction amount of \$25.00. This will result in \$75.00 being returned to cardholder's Open-to-buy from the original Authorization Transaction amount of \$100.00.

The Additional Amount Type of FirstAuthAmt and TotalAuthAmt are also required in Partial Reversal transactions. In the above example, FirstAuthAmt will be \$100.00 and TotalAuthAmt will be \$100.00.

31.3.4 Partial Reversal with Incremental Authorization

Auto-Rental and Lodging merchants, who settle directly to PTS or send BatchSettleDetail transactions, may perform Partial Reversal transactions with incremental authorization. For example, an Authorization Transaction for \$100.00 is performed. In addition to that, another Authorization Transaction (incremental) for \$50.00 is performed. The total authorized amount is now \$150.00. However, the final settlement amount for this transaction is \$125.00. The difference between the total authorized amount and the settlement amount necessitates the merchant to perform a partial reversal of \$25.00. In this scenario a partial reversal should be submitted with the COMMON Group Transaction Amount containing the revised lower transaction amount of \$125.00. This will result in \$25.00 being returned to cardholder's Open-to-buy from the original Authorization Transaction amount of \$100.00.

The Additional Amount Type of FirstAuthAmt and TotalAuthAmt are also required. In this example, FirstAuthAmt will be \$100.00 and TotalAuthAmt will be \$150.00.

31.3.5 Supported Card Types

The following facts are critical when performing Partial Reversal processing:

- ▶ The Reversal Reason Code of 'Partial' is only supported for the following Card Types: Visa, MasterCard, and Discover (Diners and JCB).

Note: Partial Reversals are not supported for transactions routed to Debit.

- ▶ The Reversal Reason Code of 'Partial' is supported for Visa, MasterCard and Discover (Diners and JCB), only for Auto Rental, Lodging, Retail, Restaurant, Ecommerce and MOTO merchants.

Chapter 32 : Card Not Present Debit Routing Appendix E4

Revision History

Section	Change Log	Version	Date
1	Changed the verbiage from “Refund sent by the merchant as a Credit Refund <u>and approved as Debit.</u> ” to “Refund sent by the merchant as a Credit Refund.”	12.04.10	June 21, 2023
1	Changed the verbiage from “Authorization sent by a merchant as a Credit Authorization and approved as Debit. Merchants must submit a Debit Completion or a Batch settlement file when the Credit Authorization was processed as Debit.” to “Authorization sent by a merchant as a Credit Authorization and approved as Debit. <u>Merchants must submit a Completion either as Credit or Debit, or a Batch settlement file when the Credit Authorization was processed as Debit.</u>” Changed the verbiage from “If the original transaction was processed as a Debit transaction, to void that transaction, the merchant must submit Debit Void/Full Reversal request.” to “If the original transaction was processed as a Debit transaction, to void that transaction, <u>the merchant must submit a Void/Full Reversal request either as Credit or Debit, except when the Settlement Indicator field is present with the value of ‘3’ in which case the Void/Full Reversal request must be submitted as Debit.</u>”	12.04.3	August 24, 2022

Chapter Contents

1	Card Not Present Debit Routing -----	32-2
---	--------------------------------------	------

32.1 Card Not Present Debit Routing

Card Not Present Debit Routing is initiated as CreditRequest message. A Card Not Present Debit transaction will not include the PIN block or Track Data.

Card Not Present Debit Routing is supported in the following transactions:

- ▶ Authorization sent by a merchant as a Credit Authorization and approved as Debit. Merchants must submit a Completion either as Credit or Debit, or a Batch settlement file when the Credit Authorization was processed as Debit.
- ▶ Sale sent by the merchant as a Credit Sale and approved as Debit.
- ▶ Refund sent by the merchant as a Credit Refund.

Card Not Present Debit Routing is NOT supported in the following scenarios:

- ▶ Transactions where the final amount is not known (Restaurants with tip, Hotels, Car Rental)
- ▶ Partial Reversal
- ▶ Money Transfers
- ▶ 3D Secure transactions

Void/Full Reversal of a Card Not Present Debit transaction

If the original transaction was processed as a Credit transaction, to void that transaction, the merchant must submit a Credit Void/Full Reversal request.

If the original transaction was processed as a Debit transaction, to void that transaction, the merchant must submit a Void/Full Reversal request either as Credit or Debit, except when the Settlement Indicator field is present with the value of '3' in which case the Void/Full Reversal request must be submitted as Debit.

Chapter 33 : Appendix H

Revision History

Section	Change Log	Version	Date
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019
1	Additional Compliance Updates from Spring 2018 Compliance: Removed the notation “*3” for Card Type “AMEX” for \$0.00 Verification, \$0.00 Verification w/CCV and \$0.00 Verification w/AVS and w/CCV in the Zero Dollar Supported Transactions table. Removed the following Note from the Zero Dollar Supported Transactions table: “*3 This has limited platform availability. For more information, please contact your Account Representative.”	7.10.28	August 28, 2018
1	Spring 2018 Compliance Updates: Changed the value from ‘N’ to ‘Y*3’ in \$0.00 Verification, \$0.00 Verification w/CCV, and \$0.00 Verification w/AVS and w/CCV for the Card Type American Express in the Zero Dollar Supported Transactions table. Added the following Note to the Zero Dollar Supported Transactions table: “*3 This has limited platform availability. For more information, please contact your Account Representative.”	7.10.21	April 24, 2018
1	Removed “Swiped only” from the Description of the \$0.00 BalanceInquiry for Card Type MasterCard. Changed the Description of the footnote from “*2 Swiped Only except when the Settlement Indicator value is 3. When the Settlement Indicator value is 3, the POS Entry Mode must be 01 Manual (Key entered).” to “*2 When the Settlement Indicator value is 3, the POS Entry Mode must be 01 Manual (Key entered).”	7.10.7	December 13, 2017

Chapter Contents

1	Zero Dollar Supported Transactions	33-2
---	------------------------------------	------

33.1 Zero Dollar Supported Transactions

Card Type	\$0.00 Verification	\$0.00 Verification w/AVS	\$0.00 Verification w/CCV	\$0.00 Verification w/AVS and w/CCV	\$0.00 Balance Inquiry
Visa	Y	Y	Y	Y	Y ^{*1}
MasterCard	Y	Y	Y	Y	Y ^{*2}
MaestroInt	Y	Y	Y	Y	Y ^{*1}
American Express	Y	Y	Y	Y	N
Discover	Y	Y	Y	Y	Y ^{*1}
JCB (Domestic US)	N	N	N	N	N
Diners	Y	Y	Y	Y	N

^{*1} Not supported unless the Settlement Indicator value is 3.

^{*2} When the Settlement Indicator value is 3, the POS Entry Mode must be 01 Manual (Key entered).

Chapter 34 : Appendix I

Revision History

Section	Change Log	Version	Date										
1	Fall 2021 Compliance Updates: Changed the verbiage for 'JCB' Card Type in the BIN Ranges for Card Type Identification table from “CAD currency transactions will continue to be routed to Amex for authorizations and settlement.” to “Merchants domiciled in Canada will continue to have transactions routed to Amex for authorizations and settlement in CAD and USD currency.” Added the following BIN ranges for 'JCB' Card Type in the BIN Ranges for Card Type Identification table: <table><tr><td>3088-0000</td><td>3094-9999</td></tr><tr><td>3096-0000</td><td>3102-9999</td></tr><tr><td>3112-0000</td><td>3120-9999</td></tr><tr><td>3158-0000</td><td>3159-9999</td></tr><tr><td>3337-0000</td><td>3349-9999</td></tr></table> Changed the BIN range for 'JCB' Card Type in the BIN Ranges for Card Type Identification table from “352800 - 358999” to “3528-0000 - 3589-9999”.	3088-0000	3094-9999	3096-0000	3102-9999	3112-0000	3120-9999	3158-0000	3159-9999	3337-0000	3349-9999	10.02.15	October 27, 2021
3088-0000	3094-9999												
3096-0000	3102-9999												
3112-0000	3120-9999												
3158-0000	3159-9999												
3337-0000	3349-9999												

1	Added the following Note to Support of 8-Digit BIN: “Effective with the April 2022 release, Visa, MasterCard and Discover will implement the change from six-digit to eight-digit issuing BINs to align with the new standard adopted by the International Organization for Standardization (ISO). Acquirers and processors must be able to support both 6-digit and 8-digit issuing BINs by April 2022. Issuers must be able to support eight-digit issuing BINs for new BINs requested after April 2022. Fiserv Acquiring platforms have been updated to support this mandate. In addition, the Fiserv Global BIN File has been updated to recognize Issuer BIN lengths greater than six digits. To ensure readiness, Fiserv recommends all partners carefully review these changes to identify any impacts and pay particular attention to any processes that utilize BIN information for processing purposes, such as Merchant Choice Routing, Merchant Loyalty (special discount programs offered to cardholders who execute “on us” transactions), Dual Branded BIN lists for mag-stripe transactions, and PIN bypass eligibility for mag-stripe transactions. Integrated Partners should ensure that their systems are able to properly handle these changes or incorporate the necessary action plans to achieve compliance by April 2022.”	10.02.15	October 27, 2021
---	---	----------	------------------

Chapter Contents

1	BIN Range for Card Type Identification -----	34-3
---	--	------

34.1 BIN Ranges for Card Type Identification

The standards organizations, which determine and publish the account numbering schemes, assign ranges of numbers to various card issuers to facilitate the identification of the type of card represented by any given card account number. In addition, the issuers themselves follow certain conventions that allow for further edit checks on the validity of a number.

Listed below is an overview of the rules for validating cards generally supported within the Fiserv system.

For a complete list of BIN ranges, please contact your Account Representative for information on the “Global BIN File Specification Document”.

Card Type	Length	Availability	Card Begins And Ends With	Comments																														
Visa	16	Now	4																															
MasterCard	16	Now	<table><tr><td>START</td><td>END</td></tr><tr><td>510000</td><td>559999</td></tr><tr><td>START</td><td>END</td></tr><tr><td>222100</td><td>272099</td></tr></table>	START	END	510000	559999	START	END	222100	272099	In Oct 2015, to help ensure that MasterCard and its traditional and non-traditional customers are best positioned to enable the next generation of payments, MasterCard is expanding the BIN range by introducing a new range of 2 series BINs, which will be processed the same as the 510000–559999 series BINs are today. Both BIN series must be processed as MasterCard and treated in the same manner.																						
START	END																																	
510000	559999																																	
START	END																																	
222100	272099																																	
MaestroInt	..19	Now	<table><tr><td>START</td><td>END</td></tr><tr><td>500000</td><td>509999</td></tr><tr><td>START</td><td>END</td></tr><tr><td>560000</td><td>699999</td></tr></table>	START	END	500000	509999	START	END	560000	699999	Note: The following ranges are excluded. <table><tr><td>START</td><td>END</td></tr><tr><td>601100</td><td>601109</td></tr><tr><td>601120</td><td>601149</td></tr><tr><td>601174</td><td>601174</td></tr><tr><td>601177</td><td>601179</td></tr><tr><td>601186</td><td>601199</td></tr><tr><td>62212600</td><td>62292599</td></tr><tr><td>62400000</td><td>62699999</td></tr><tr><td>62820000</td><td>62889999</td></tr><tr><td>644000</td><td>649999</td></tr><tr><td>650000</td><td>659999</td></tr></table>	START	END	601100	601109	601120	601149	601174	601174	601177	601179	601186	601199	62212600	62292599	62400000	62699999	62820000	62889999	644000	649999	650000	659999
START	END																																	
500000	509999																																	
START	END																																	
560000	699999																																	
START	END																																	
601100	601109																																	
601120	601149																																	
601174	601174																																	
601177	601179																																	
601186	601199																																	
62212600	62292599																																	
62400000	62699999																																	
62820000	62889999																																	
644000	649999																																	
650000	659999																																	
AMEX	15	Now	37, 34																															

Card Type	Length	Availability	Card Begins And Ends With	Comments								
Diners	14	Now	<table><tr><th>START</th><th>END</th></tr><tr><td>3600000</td><td>3699999</td></tr></table>	START	END	3600000	3699999	*In July 2008, Discover acquired Diners Club International (DCI) whereby Diners cards will be enabled and routed to Discover's Network on October 16, 2009. This means that a merchant who currently accepts Discover, but not Diners, will now be required to accept Diners cards and vice versa.				
	START	END										
3600000	3699999											
	16	TBD	<table><tr><th>START</th><th>END</th></tr><tr><td>3000000</td><td>3059999</td></tr><tr><td>3095000</td><td>3095999</td></tr><tr><td>3800000</td><td>3999999</td></tr></table>	START	END	3000000	3059999	3095000	3095999	3800000	3999999	DCI 30, 38, and 39 will be re-activated in the future. Currently no cards issued within these ranges.
START	END											
3000000	3059999											
3095000	3095999											
3800000	3999999											

Card Type	Length	Availability	Card Begins And Ends With				Comments
Discover	14 or 16		Size	Start	End	Issuer	**In December 2005, UnionPay (UP) and Discover announced a strategic alliance whereby UnionPay cards were enabled on the Discover Network in the United States, Mexico and the Caribbean that authorize process and fund in US currency. This means that a merchant who currently accepts Discover, but not UP, is required to accept UP cards and vice versa.
			16	30000000	30599999	DCI*	
			16	30950000	30959999	DCI*	
			16	30880000	30949999	JCB**	
			16	30950000	30959999	DCI*	
			16	30960000	31029999	JCB**	
			16	31120000	31209999	JCB**	
			16	31580000	31599999	JCB**	
			16	33370000	33499999	JCB**	
			16	35280000	35899999	JCB**	
			14	36000000	36999999	DCI*	
			16	38000000	39999999	DCI*	
			16	60110000	60110399	DISC	
			16	60110400	60110499	PayPal	
			16	60110500	60110999	DISC	
			16	60112000	60114999	DISC	
			16	60117400	60117499	DISC	
			16	60117700	60117999	DISC	
			16	60118600	60119999	DISC	
			..19	62212600	62292599	UP	
			..19	62400000	62699999	UP	
			..19	62820000	62889999	UP	
			16	64400000	65059999	DISC	
			16	65060000	65060099	PayPal	
			16	65061000	65061099	PayPal	
			16	65061100	65999999	DISC	
			..19	81000000	81099999	UP	
			..19	81100000	81319999	UP	
			..19	81320000	81519999	UP	
			..19	81520000	81639999	UP	
			..19	81640000	81719999	UP	
			Ranges Designated as Payment Token Ranges are listed below:				
Consumer Credit-Rewards Cards IIN Range: 65394800 to 65394999.							
Consumer Credit-Premium Cards IIN Range: 65599900 to 65599999.							
Commercial Credit Cards IIN Range: 65499900 to 65499999.							

Card Type	Length	Availability	Card Begins And Ends With	Comments														
JCB	16	Now	<table><tr><th>START</th><th>END</th></tr><tr><td>3088-0000</td><td>3094-9999</td></tr><tr><td>3096-0000</td><td>3102-9999</td></tr><tr><td>3112-0000</td><td>3120-9999</td></tr><tr><td>3158-0000</td><td>3159-9999</td></tr><tr><td>3337-0000</td><td>3349-9999</td></tr><tr><td>3528-0000</td><td>3589-9999</td></tr></table>	START	END	3088-0000	3094-9999	3096-0000	3102-9999	3112-0000	3120-9999	3158-0000	3159-9999	3337-0000	3349-9999	3528-0000	3589-9999	**In December 2006, JCB and Discover announced a strategic alliance whereby JCB cards will be enabled on the Discover's Network in the United States and all US Territories that authorize, process and fund in US currency. This means that a merchant who currently accepts Discover, but not JCB, will now be required to accept JCB cards and vice versa. The current process for CAD and Yen currencies will continue as follows: Merchants domiciled in Canada will continue to have transactions routed to Amex for authorizations and settlement in CAD and USD currency. YEN currency transactions will continue to be authorized via Visa and will settle with JCB. All foreign currencies (except Canada) transactions will be authorized via Visa and will settle with JCB.
START	END																	
3088-0000	3094-9999																	
3096-0000	3102-9999																	
3112-0000	3120-9999																	
3158-0000	3159-9999																	
3337-0000	3349-9999																	
3528-0000	3589-9999																	
UnionPay	..19	Now	<table><tr><th>START</th><th>END</th></tr><tr><td>62212600</td><td>62292599</td></tr><tr><td>62400000</td><td>62699999</td></tr><tr><td>62820000</td><td>62889999</td></tr></table>	START	END	62212600	62292599	62400000	62699999	62820000	62889999							
START	END																	
62212600	62292599																	
62400000	62699999																	
62820000	62889999																	

Note: Support of 8-Digit BIN: Effective with the April 2022 release, Visa, MasterCard and Discover will implement the change from six-digit to eight-digit issuing BINs to align with the new standard adopted by the International Organization for Standardization (ISO). Acquirers and processors must be able to support both 6-digit and 8-digit issuing BINs by April 2022. Issuers must be able to support eight-digit issuing BINs for new BINs requested after April 2022. Fiserv Acquiring platforms have been updated to support this mandate. In addition, the Fiserv Global BIN File has been updated to recognize Issuer BIN lengths greater than six digits. To ensure readiness, Fiserv recommends all partners carefully review these changes to identify any impacts and pay particular attention to any processes that utilize BIN information for processing purposes, such as Merchant Choice Routing, Merchant Loyalty (special discount programs offered to cardholders who execute “on us” transactions), Dual Branded BIN lists for mag-stripe transactions, and PIN bypass eligibility for mag-stripe transactions. Integrated Partners should ensure that their systems are able to properly handle these changes or incorporate the necessary action plans to achieve compliance by April 2022.

Ranges Designated as Payment Token Ranges are listed below:

- ▶ Consumer Credit-Rewards Cards IIN Range: 65394800 to 65394999.
- ▶ Consumer Credit-Premium Cards IIN Range: 65599900 to 65599999.
- ▶ Commercial Credit Cards IIN Range: 65499900 to 65499999.

For an Issuer in China, three new IIN Ranges for Consumer Credit - Rewards Cards are listed below:

- ▶ 81000000 – 81099999
- ▶ 81320000 – 81519999
- ▶ 81640000 – 81799999

For an Issuer in China, two new IIN Ranges for Consumer Debit Cards are listed below:

- ▶ 81100000 – 81319999
- ▶ 81520000 – 81639999

For an Issuer in Japan, five new IIN Ranges for Consumer Credit - Premium Cards are listed below:

- ▶ 30880000 – 30949999
- ▶ 30960000 – 31029999
- ▶ 31120000 – 31209999
- ▶ 31580000 – 31599999
- ▶ 33370000 – 33499999

The following facts are critical:

- ▶ For the BIN Ranges listed below, the POS Entry Mode must be 05, 07, 80, 82, 86, 90, 91 or 95 except for transactions in the Lodging and Auto Rental Industries. The transactions can be hand-keyed or manual i.e. POS Entry Mode = 01 in the Lodging and Auto Rental Industries only.

Card Type	BIN Range Start	BIN Range End
Discover	62212600	62292599
	62400000	62699999
	62820000	62889999

Chapter 35 : FSA Appendix Q

Revision History

Section	Change Log	Version	Date
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019

Chapter Contents

1	FSA/HSA Processing -----	35-2
---	--------------------------	------

35.1 FSA/HSA PROCESSING

The Inventory Information Approval System identifies and substantiates qualified purchases for flexible spending accounts (FSA) and health savings account (HSA). For more information on IIAS please visit <https://www.sig-is.org>.

Eligible payment cards are identified by their 9 digit BIN.

Qualified medical expenses are generally those items that qualify for IRS medical and dental expense deductions. Eligible items are categorized by OTC grouping and by brand name.

Qualified Transit related expenses are defined by the IRS, for example: subway, commuter rail and bus pass.

Rapid Connect supported product categories, and brief descriptions:

Flexible Spending Accounts and Health Savings Account	
Product Name	Product Description
Healthcare (includes tax and shipping, less discounts)	Identifies the total Healthcare amount. When optional Health related fields below are supported by a merchant, the Healthcare amount includes these totals.
Prescription/Rx (includes tax and shipping, less discounts)	Total amount of prescriptions used to gain access to Rx-only purses. This amount is included in the Total QHP Amount.
Vision (includes tax and shipping, less discounts)	Total amount of vision care purchases. This amount is included in Total QHP Amount.
Dental (includes tax and shipping, less discounts)	Total amount of dental services. This amount is included in Total QHP Amount.
Clinical (includes tax and shipping, less discounts)	Total amount of clinic or other medical services. This amount is included in Total QHP Amount.
Co-Payment	Total amount for co-payments.
Transit	Total amount for transit purchases; i.e. mass transit passes

Chapter 36 : Tokenization Appendix R

Revision History

Section	Change Log	Version	Date
1	Fall 2022 Compliance Updates: Changed the verbiage from “Token transactions are supported only in the following environments: • NFC transactions, where the NFC device is sending a Token instead of the actual card number • E-Commerce transactions that include the Secure Transaction Group • Card-on-file transactions, where the initial transaction is one of the above token transactions with valid cryptogram. The token and token related data could be saved by merchants, and used in subsequent transactions, like Completions or Bill Payments.” to “Token transactions are supported only in the following environments: • NFC transactions, where the NFC device is sending a Token instead of the actual card number • E-Commerce transactions that include the Secure Transaction Group • CIT E-commerce enabler Token transactions without Secure Transaction Group from Web Browsers Auto-Fill • Card-on-file transactions, where the initial transaction is one of the above token transactions with valid cryptogram. The token and token related data could be saved by merchants, and used in subsequent transactions, like Completions or Bill Payments.”	12.04.5	October 26, 2022
1	Fall 2021 Compliance Updates: Changed the verbiage from “Token Assurance Level” to “Token Assurance Method”.	10.02.15	October 27, 2021

Chapter Contents

1	Tokenization	36-2
2	Digital Wallet Indicator	36-3

36.1 Tokenization

Association payment tokens are surrogate values that replace the cardholder PAN in transaction processing. Payment token issuance is performed by a token vault that generates and stores the payment token and the associated cardholder PAN. The operator of the token vault is referred to as the token service provider. The token requestor is typically an acquirer, merchant or digital wallet provider that will use the payment token to replace the PAN in its database and in transaction processing. Payment processes that need to support token processing may include Authorization, Completion, Sale, Refund, and related processing.

Visa, MasterCard, MaestroInt, American Express, Discover and other networks have developed a Payment Token Standard that addresses processing considerations and use of payment tokens to protect cardholder payment credentials. The standard describes the token data elements and their intended use by the payment ecosystem in payment transactions.

The following data elements are related to the new token transactions:

- ▶ **Token** — A surrogate value for a PAN that is a 13 to 19-digit numeric value that must pass basic validation rules for an account number, including the Luhn check. Visa, MasterCard, and MaestroInt payment tokens are generated within a BIN range that has been designated as a token BIN range. The Token is passed in the Account Number field during the transaction processing. Payment tokens must not have the same value as the cardholder PAN.
- ▶ **Token Expiration Date** — The expiration date of the token that is generated by and maintained in the token vault and passed in the Card Expiration Date field during transaction processing.
- ▶ **POS Entry Mode** — A value that is used to indicate the mode through which the token is presented for payment.
- ▶ **Token Requestor ID** — A value assigned by the Token Service Provider to uniquely identify a token requestor. If a token requestor receives tokens from multiple Token Providers, they will receive multiple token requestor IDs.
- ▶ **Token Assurance Method** — A value that is defined by the Token Service Provider to indicate the confidence level of the payment token to PAN/cardholder binding.
- ▶ **Token Cryptogram** — A cryptogram that is uniquely generated by the token requestor to validate authorized use of the token.
- ▶ Token transactions are supported only in the following environments:
 - NFC transactions, where the NFC device is sending a Token instead of the actual card number
 - E-Commerce transactions that include the Secure Transaction Group
 - CIT E-commerce enabler Token transactions without Secure Transaction Group from Web Browsers Auto-Fill
 - Card-on-file transactions, where the initial transaction is one of the above token transactions with valid cryptogram. The token and token related data could be saved by merchants, and used in subsequent transactions, like Completions or Bill Payments.

For successfully processed Token transactions, only the last 4 digits of the PAN may be returned for the purpose of receipt printing and identification. For merchants sending Completion transactions, the Token fields received in the Authorization response need to be included in the Completion transaction.

Note: AMEX does NOT return any token fields for token transactions.

36.2 Digital Wallet Indicator

The Digital Wallet Indicator field contains the following values:

- ▶ Staged
- ▶ Pass-through

Staged — A Staged Digital Wallet links the customer's separate account or accounts (e.g. PayPal) to the transaction.

Pass-through — A Pass-through digital wallet stores the cardholder's account information such as a cryptogram or Token Block.

Chapter 37 : Appendix Y

Revision History

Section	Change Log	Version	Date
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019

Chapter Contents

1	Real Time Account Updater	37-2
---	---------------------------------	------

37.1 Real Time Account Updater

37.1.1 Definition

The Real Time Account Updater enables the secure electronic exchange of account information updates between participating issuers and acquirers for stored credentials merchants.

Transaction processing rules:

The transaction must be from a participating acquirer and must be a card not present transaction as identified by any of the following criteria:

- ▶ Credential on file transaction
- ▶ Installment payment
- ▶ Recurring payment

The merchant must register with Fiserv in order to participate in the Account Updater process.

Note: For further details and requirements please contact your Account Representative.

Participating merchant should send the Account Updater Request Indicator field as trigger in request messages for all Installment, Recurring, and Credential on File transactions. Fiserv will determine whether the transaction qualifies before sending Account Updater request to the association.

Chapter 38 : Appendix Z

Revision History

Section	Change Log	Version	Date
1	Changed the Description from “When a merchant’s point-of-sale (POS) authorization system is offline and cannot process transactions, the merchants often complete the transaction with the cardholder and defer the authorization until their POS authorization system is back online.” to “When a merchant’s point-of-sale (POS) system is offline and cannot process transactions, the merchants often complete the transaction with the cardholder and defer the transaction until their POS system is back online, <u>except for Mass Transit transactions where deferred authorization will also be applicable in transactions such as aggregated, debt recovery.</u>” Added the following MCC’s: “4784 (Transportation services, not elsewhere classified)” and “7523 (Single Vehicle Parking Meters)”.	12.04.3	August 24, 2022
1	Changed the Description from “When a merchant’s point-of-sale (POS) authorization system is offline and cannot process transactions, the merchants often complete the transaction with the cardholder and defer the authorization until their POS authorization system is back online. A merchant that submits a deferred authorization must send the deferred authorization indicator in the authorization request message. The deferred authorization request must be sent within the following time frames: ▶ One day (24 hours) of the transaction date for most merchant category codes (MCCs) ▶ Four days (96 hours) of the transaction date for the following MCCs: • 4111 (Local and suburban commuter passenger transportation, including ferries) • 4112 (Passenger railways) • 4131 (Bus lines)”. to	10.02.13	June 23, 2021
1	“When a merchant’s point-of-sale (POS) authorization	10.02.13	June 23, 2021

	system is offline and cannot process transactions, the merchants often complete the transaction with the cardholder and defer the transaction until their POS authorization system is back online. A merchant that submits a deferred transaction must send the deferred authorization indicator field in the transaction request message. The deferred authorization requests for Visa, MasterCard, Discover and AMEX must be sent within the following time frames: ▶ One day (24 hours) of the transaction date for most merchant category codes (MCCs) ▶ Four days (96 hours) of the transaction date for the following MCCs: • 4111 (Local and suburban commuter passenger transportation, including ferries) • 4112 (Passenger railways) • 4131 (Bus lines)".		
--	--	--	--

Chapter Contents

1	Deferred Authorization -----	38-3
---	------------------------------	------

38.1 Deferred Authorization

38.1.1 Definition

When a merchant's point-of-sale (POS) system is offline and cannot process transactions, the merchants often complete the transaction with the cardholder and defer the transaction until their POS system is back online, except for Mass Transit transactions where deferred authorization will also be applicable in transactions such as aggregated, debt recovery.

A merchant that submits a deferred transaction must send the deferred authorization indicator field in the transaction request message.

The deferred authorization requests for Visa, MasterCard, Discover and AMEX must be sent within the following time frames:

- ▶ One day (24 hours) of the transaction date for most merchant category codes (MCCs)
- ▶ Four days (96 hours) of the transaction date for the following MCCs:
 - **4111** (Local and suburban commuter passenger transportation, including ferries)
 - **4112** (Passenger railways)
 - **4131** (Bus lines)
 - **4784** (Transportation services, not elsewhere classified)
 - **7523** (Single Vehicle Parking Meters)

Chapter 39 : Credit Card Transactions

Revision History

Section	Change Log	Version	Date
1	Fall 2023 Compliance Updates: Added the “Merchant Payment Gateway ID” and “Alternate Network Transaction ID” fields in the Common Group.	12.04.13	October 25, 2023
1	Changed the rules from ‘M ’ to ‘C ’ in the Original Local Date and Time, Original Transmission Date and Time, Original STAN and Original Response Code fields for Completion transactions. Changed the rule from ‘-’ to ‘C ’ in the UCAF Collection Indicator field for Refund transactions.	12.04.11	August 23, 2023
1	Changed the rule from ‘-’ to ‘ C’ in the Routing Indicator field for Completion transactions. Additional Compliance Updates: Added Merchant Service Location City, Merchant Service Location State, Merchant Service Location Postal Code and Merchant Service Location Country fields in the ALTERNATE MERCHANT NAME AND ADDRESS Group.	12.04.10	June 21, 2023
1	Spring 2023 Compliance Updates: Added the ‘Full Name Account Match Decision’, ‘Last Name Account Match Decision’, ‘Middle Name Account Match Decision’, ‘First Name Account Match Decision’, ‘Card Holder Phone Number Result’ and ‘Card Holder Email Address Result’ fields in Customer Info Group.	12.04.9	April 26, 2023
1	Changed the rules from ‘C ’ to ‘C C’ in the Card Level Result Code field for Completion transactions. Changed the rules from ‘-’ to ‘C ’ in the ALM Service Code, ALM Product Code, ALM Product Class and ALM Rate Type fields for Completion transactions. Additional Compliance Updates: Added the MIT Payment Currency and MIT Total Payment Amount fields in Bill Payment Group. Added the No Show Indicator and Delayed Charge Indicator fields in Common Group.	12.04.7	February 22, 2023

Section	Change Log	Version	Date
1	Changed the rules from '-' to 'C -' in the following fields for Completion, Verification, Refund, Timeout Reversal and Void/Full Reversal transactions: Installment Type, MIT Total Payment Count, MIT Amount Type, MIT Amount, MIT Unique ID, MIT Frequency, MIT Validation Flag and MIT Sequence Indicator. Fall 2022 Compliance Updates: Changed the rules from '-' to 'C -' in Card Holder Last Name field for Refund transactions. Added the MIT Payment Type and MIT Registration Reference Number fields in Bill Payment Group. Changed the rules from '-' to '- C' in the Am Ex POS Data, Card Holder Full Name Result and AVS Result Code fields for Refund transactions. Changed the rule from '-' to 'C C' in the Am Ex Tran ID field for Refund transactions. Changed the rules from '-' to 'O -' in the AVS/Billing Address, AVS/Billing Postal Code and Card Holder First Name fields for Refund transactions.	12.04.5	October 26, 2022
1	Changed the rules from '-' to 'C -' in the Terminal Classification Code field for Completion, PartialReversal, TimeoutReversal and Void/FullReversal transactions. Changed the rule from '-' to 'C -' in the Bill Payment Transaction Indicator field for Verification transactions.	12.04.5	October 26, 2022
1	Added the 'Transit' Industry. Added the 'Transit Group'. Added the 'Funding Account Number' field in the CARD Group.	12.04.3	August 24, 2022
1	Changed the rules from '-' to 'O -' in the MasterCard POS Data field for PartialReversal, TimeoutReversal and Void/FullReversal transactions.	12.04.2	June 29, 2022

Section	Change Log	Version	Date
1	Spring 2022 Compliance Updates: Added the “Plan Registration System Identifier” and “Agreement ID” fields in the Common Group. Added the “Digital Authentication Framework Indicator” field in the Secure Transaction Group. Added the “Card Holder Middle Name” field in the Customer Info Group. Added the following fields in the BILL PAYMENT Group: “Installment Type”, “MIT Total Payment Count”, “MIT Amount Type”, “MIT Amount”, “MIT Unique ID”, “MIT Frequency”, “MIT Validation Flag”, “MIT Validation Reference” and “MIT Sequence Indicator”. Added the following fields in the Card Group: “ALM Service Code”, “ALM Product Code”, “ALM Product Class” and “ALM Rate Type”. Changed the rule from ‘- C’ to ‘C C’ in the Discover NRID field for Refund transactions. Changed the rule from ‘O ’ to ‘C ’ in the Card Holder First Name field for Verification transactions. Added the “CIT/MIT Framework Indicator” field in the MasterCard Group. Changed the rules from ‘-’ to ‘√’ in the Business Payment Type field for Restaurant, Lodging / Cruise, Auto Rental and Airline industries.	12.04.1	April 27, 2022
1	Additional Compliance Updates: Added the MOTO Indicator field in the Ecomm Group.	10.02.16	February 23, 2022

Chapter Contents

1	UMF Transaction and Field Matrix – Credit -----	39-4
---	---	------

39.1 UMF Transaction and Field Matrix – Credit

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
COMMON Group	CommonGrp																							
Payment Type	PymtType	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Reversal Reason Code	ReversalInd	√	√	√	√	√	√	√	√	√	√	-	-	-	-	-	-	-	-	-	M -	M -	M -	-
Transaction Type	TxnType	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Local Date and Time	LocalDateTime	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Transmission Date and Time	TrnmsnDateTime	√	√	√	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M
STAN	STAN	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Reference Number	RefNum	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	C E	M E	M E	M E	M E	M E	M E	M E	M E	C
Order Number	OrderNum	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	C C	C C	C C	C C	-	C C	C C	C C	C
TPP ID	TPPID	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C
Terminal ID	TermID	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Merchant ID	MerchID	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Category Code	MerchCatCode	√	√	√	√	√	√	√	√	√	√	O C	C -	O -	-	O C	C C	O C	O -	C C	C C	C C	C C	-
POS Entry Mode	POSEntryMode	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	C
POS Condition Code	POSCondCode	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	C
Terminal Category Code	TermCatCode	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	C
Terminal Entry Capability	TermEntryCapabl	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	C
Transaction Amount	TxnAmt	√	√	√	√	√	√	√	√	√	√	M M	M M	M M	-	M M	M M	M M	M E	M M	M M	M M	M M	C
Transaction Currency	TxnCrncy	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	-	M E	M E	M E	M E	M E	M E	M E	M E	C
Terminal Location Indicator	TermLocInd	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	-	M -	M -	M -	C
Card Capture Capability	CardCaptCap	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	-	M -	M -	M -	C
Group ID	GroupID	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	-
POS ID	POSID	√	√	-	-	√	√	√	√	√	√	C E	C -	C E	C -	C -	C -	C -	-	-	C -	C -	C -	-
Settlement Indicator	SettleInd	√	√	√	√	-	-	√	√	√	√	C -	-	-	-	C -	C -	C -	M -	C -	C -	C -	C -	-
Clerk ID	ClerkID	√	√	√	√	√	√	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	-	C -	O -	-
Service Entitlement Number	SENum	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
PINLess POS Debit Flag	PLPOSDebitFlg	√	√	-	-	√	√	√	√	√	√	C C	-	C C	-	-	C C	-	-	-	-	C -	C -	-
Network Access Indicator	NetAccInd	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	-	C C	C C	C C	-
Merchant Echo	MerchEcho	√	√	√	√	√	√	√	√	√	√	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	-
Wallet Identifier	WltID	√	√	√	-	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Non US Merchant	NonUSMerch	√	√	√	√	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Device Batch ID	DevBatchID	√	√	√	√	√	-	√	-	-	-	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	C -	-
Digital Wallet Indicator	DigWltInd	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Digital Wallet Program Type	DigWltProgType	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Transaction Initiation	TranInit	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	C -	C -	C -	C -	-
Payment Service	PymntSvc	√	√	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-
Merchant Tran ID	MerchCustom1	√	√	√	√	√	√	√	√	√	√	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	-
Refund Type	RefundType	√	√	√	√	√	√	√	√	√	√	-	-	-	-	-	C -	-	-	-	-	C -	C -	-
Routing Fallback Indicator	RtFallbackInd	√	√	√	√	√	-	√	√	√	√	C -	-	C -	-	-	C -	-	-	-	-	C -	C -	-

Message Type		INDUSTRY										CREDIT											REJECT	
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Deferred Authorization Indicator	DfrdAuthInd	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	-	-	-
Business Payment Type	BusPymtType	√	√	√	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Terminal Classification Code	TermClassCode	√	√	-	-	√	√	√	√	√	√	C C	C -	C C	-	-	-	-	-	-	C -	C -	C -	-
Merchant Country of Origin	MerchCtryOfOrigin	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Plan Registration System Identifier	PlanRegSysId	√	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Agreement ID	AgreementID	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	- C	-	-	-	-	C -	C -	-
Delayed Charge Indicator	DelChargeInd	√	√	√	√	√	√	-	-	√	√	C -	C -	C -	-	-	-	-	-	-	-	C -	C -	-
No Show Indicator	NoShowInd	√	√	√	√	√	√	-	-	√	√	C -	C -	C -	-	-	-	-	-	-	-	C -	C -	-
Merchant Payment Gateway ID	MerchPymtGtwyID	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Alternate Network Transaction ID	AltNetTranID	√	√	√	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-
BILL PAYMENT Group	BillPayGrp																							
Bill Payment Transaction Indicator	BillPymtTxnInd	√	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	O -	C -	-	C -	C -	-
Merchant Advice Code	MerchAdviceCode	√	-	√	√	-	√	-	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Installment Payment Invoice Number	InstallInvNum	√	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	-	O -	-	-	-	-	C -	C -	-
Installment Payment Description	InstallPymntDesc	√	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	-	O -	-	-	-	-	C -	C -	-
Installment Type	InstallmentType	√	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Total Payment Count	MITTotPymtCt	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Amount Type	MITAmtType	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Amount	MITAmt	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Unique ID	MITUniqueID	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Frequency	MITFreq	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Validation Flag	MITValFlag	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Validation Reference	MITValRef	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-
MIT Sequence Indicator	MITSeqInd	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Payment Currency	MITPymtCrncy	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-
MIT Total Payment Amount	MITTotPymtAmt	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Payment Type	MITPymtType	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
MIT Registration Reference Number	MITRegRefNum	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
Alternate Merchant Name and Address Group	AltMerchNameAndAddrGrp																							
Merchant Name	MerchName	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Address	MerchAddr	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant City	MerchCity	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant State	MerchState	√	√	√	√	√	√	√	√	√	√	C -	C -	O -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant County	MerchCnty	√	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	-	C -	-	-	-	C -	C -	C -	-
Merchant Postal Code	MerchPostalCode	√	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	O -	C -	O -	O -	-	C -	C -	C -	-
Merchant Country	MerchCtry	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Email Address	MerchEmail	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Service Location City	MerchSvcLocCity	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Service Location State	MerchSvcLocState	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Service Location Postal Code	MerchSvcLocPostalCode	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Service Location Country	MerchSvcLocCtry	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
CARD Group	CardGrp																							
Account Number	AcctNum	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	C -	C C	C C	C C	C C	C C	C C	C C	C C	-
Card Expiration Date	CardExpiryDate	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	O -	C C	C -	C -	C -	-
Track 1 Data	Track1Data	√	√	-	-	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-
Track 2 Data	Track2Data	√	√	-	-	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-
Card Type	CardType	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	C -	C C	C C	C C	M -	C C	C -	C -	C -	-
AVS Result Code	AVSResultCode	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	-	C C	-	-
CCV Indicator	CCVInd	√	√	√	√	√	√	√	√	√	√	O -	-	O -	-	O -	C -	O -	-	-	-	-	-	-
CCV Data	CCVData	√	√	√	√	√	√	√	√	√	√	O -	-	O -	-	O -	C -	O -	-	-	-	-	-	-
CCV Result Code	CCVResultCode	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	-	C C	-	-
MVV/MAID	MVVMAID	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Card Info Request Indicator	InfoReqInd	-	-	√	√	-	-	-	-	-	-	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-
Funding Account Number	FndAcctNum	-	-	-	-	-	-	-	-	-	√	- C	-	- C	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Payment Account Reference Request Indicator	PymtAcctRefReqInd	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-
Payment Account Reference	PymtAcctRef	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
ALM Service Code	ALMSvcCode	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-
ALM Product Code	ALMProdCode	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-
ALM Product Class	ALMProdClass	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-
ALM Rate Type	ALMRateType	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-
REAL TIME ACCOUNT UPDATER Group	RealTimeAcctUpdGrp																							
Account Updater Request Indicator	AcctUpdReqInd	-	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	-	-	-
Account Updater Card Status	AcctUpdCardStat	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-
Account Updater Card Number	AcctUpdCardNum	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-
Account Updater Expiration Date	AcctUpdExpDate	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Account Updater Result Code	AcctUpdResultCode	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-
AUTH OPTIMIZATION Group	AuthOptGrp																							
Deferred Auth Tran ID	DfrdAuthTranID	-	-	√	-	-	-	√	√	√	√	C C	-	C C	-	-	-	-	-	M C	-	-	-	-
Override Indicator	OverrideInd	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	-	-	-
Auth Optimization Reason Code	AuthOptReasonCode	-	-	√	-	-	-	√	√	√	√	- C	-	- C	-	-	-	-	-	-	-	-	-	-
INSTALLMENT PAYMENT SERVICE Group	InstallPaySvcGrp																							
Installment Type	InstallType	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Installment Payment Options	InstallPymtOptions	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Number of Installments	NoOfInstall	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Interest Rate	InstallIntRate	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-

Message Type	XML	INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse		Reject Response		
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Installment Fee	InstallFee	√	-	√	√	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Annual Percentage Rate	InstallAPR	√	-	√	√	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	-	C -	-	-
First Installment Amount	FirstInstallAmt	√	-	√	√	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Subsequent Installment Amount	SubInstallAmt	√	-	√	√	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Total Installment Amount Due	TotInstallAmtDue	√	-	√	√	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	-	C -	-	-
PIN Group	PINGrp																							
PIN Data	PINData	√	√	-	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	-	-	-
Key Serial Number Data	KeySerialNumData	√	√	-	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	-	-	-
Key Offset	KeyOffset	√	√	-	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	C -	C -	-
Master Session Key ID	MSKeyID	√	√	-	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	C -	C -	-

Message Type	XML	INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
ADDITIONAL AMOUNTS Group	AddtlAmtGrp																							
Additional Amount	AddAmt	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	-	
Additional Amount Currency	AddAmtCrncy	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	-	
Additional Amount Type	AddAmtType	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	-	
Additional Amount Account Type	AddAmtAcctType	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- M	-	-	-	-	- C	-	
Partial Authorization Approval Capability	PartAuthrztnApprvlCapabl	√	√	√	√	√	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	
ECOMM Group	EcommGrp																							
Ecomm Transaction Indicator	EcommTxnInd	-	-	√	-	-	-	√	√	√	C C	C -	C C	-	C C	C C	C C	C -	-	C -	C -	C -	-	
Customer Service Phone Number	CustSvcPhoneNumber	-	-	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-	
Ecomm URL	EcommURL	-	-	√	-	-	-	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-	
Multiple Clearing Sequence Number	MCSN	-	-	√	√	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Multiple Clearing Sequence Count	MCSC	-	-	√	√	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	

Message Type	XML	INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
MOTO Indicator	MOTOIndicator	-	-	-	√	-	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-	
SECURE TRANSACTION Group	SecrTxnGrp																							
Visa XID	VisaXID	-	-	√	-	-	-	√	√	√	O -	-	O -	-	O -	-	O -	-	-	-	C -	-	-	
Visa Secure Transaction Authentication Data	VisaSecrTxnAD	-	-	√	-	-	-	√	√	√	C -	-	C -	-	C -	-	C -	-	-	-	C -	-	-	
CAVV Result Code	CAVVResultCode	-	-	√	-	-	-	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	-	C -	-	-	
Amex XID	AmexXID	-	-	√	-	-	-	√	√	√	O -	-	O -	-	O -	-	O -	-	-	-	C -	-	-	
Amex Secure Data	AmexSecrAD	-	-	√	-	-	-	√	√	√	C -	-	C -	-	C -	-	C -	-	-	-	C -	-	-	
Safekey Result Code	Safekey	-	-	√	-	-	-	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	-	C -	-	-	
UCAF Collection Indicator	UCAFCollectInd	-	-	√	-	-	-	√	√	√	C C	C -	C C	-	C -	C -	C -	-	-	C -	C -	C -	-	
MasterCard Secure Data	MCSecrAD	-	-	√	-	-	-	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-	
Discover Authentication Type	DiscAuthType	-	-	√	-	-	-	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-	
Discover Secure Data	DiscSecData	-	-	√	-	-	-	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-	

Message Type		INDUSTRY										CREDIT											REJECT	
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Secure Data Downgrade	SecDataDowngrade	-	-	√	-	-	-	√	√	√	√	- C	- C	- C	-	- C	-	- C	-	-	-	-	-	-
Token Authentication Verification Data	TknAVD	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	C -	-	-	-	-	-	C -	-	-
TAVV Result Code	TAVVResultCode	-	-	√	-	-	-	√	√	√	√	- C	-	- C	-	- C	-	-	-	-	-	-	-	-
Program Protocol	ProgramProtocol	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-
Directory Server Transaction ID	DirServerTransID	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-
Low Value Exemption Indicator	LowValExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Transaction Risk Analysis Exemption Indicator	TranRiskAnaExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Trusted Merchant Exemption Indicator	TrustMerchExInd	-	-	√	-	-	-	-	-	-	-	C C	-	C C	-	-	-	-	-	-	-	C -	-	-
Secure Corporate Payment Exemption Indicator	SecrCorpExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Delegated Authentication Indicator	DelegAuthInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Authentication Identifier	MerchantAuthentID	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Recurring Payment Exemption Indicator	RecPayExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Exemption Reason Code	ExReasonCode	-	-	√	-	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-
Remote Commerce Acceptor Identifier	RmtCommAcptrId	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	C -	-	-	-	-	-	C -	-	-
Authentication Outage Exemption Indicator	AuthOutExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Digital Authentication Framework Indicator	DAFInd	-	-	√	-	-	-	√	√	√	√	- C	-	- C	-	-	- C	-	-	-	-	-	-	-
VISA Group	VisaGrp																							
Authorization Characteristics Indicator (ACI)	ACI	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	-	C C	C C	C C	-
Market Specific Data Indicator	MrktSpecificDataInd	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	C -	C C	C C	C C	-
Existing Debt Indicator	ExistingDebtInd	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-
Card Level Result Code	CardLevelResult	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	-	C C	-	-
Source Reason Code	SourceReasonCode	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-

Message Type		INDUSTRY										CREDIT											REJECT	
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Transaction Identifier	TransID	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	C C	- C	-	-	C -	C -	C C	-
Visa BID	VisaBID	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-
Visa AUAR	VisaAUAR	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-
Tax Amount Capability	TaxAmtCapabl	√	√	-	-	-	-	√	√	-	-	C C	-	C C	-	-	-	-	-	-	-	C C	-	-
Spend Qualified Indicator	SpendQInd	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-
Visa Checkout Indicator	CheckoutInd	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Quasi-Cash Indicator	QCI	-	-	√	√	-	-	-	-	-	-	C -	-	-	-	C -	-	C -	-	-	-	-	C -	-
Auth Indicator	VisaAuthInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
Stored Credential Indicator	StoredCredInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
Card On File Schedule Indicator	CofSchedInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
CryptoCurrency Purchase Indicator	CryptoCrncyPurchInd	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
MASTERCARD Group	MCGrp																							
BankNet Data	BanknetData	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	- C	- C	-	-	C -	C -	C C	-
Market Specific Data Indicator	MCMSDI	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	C -	C C	C C	C C	-
CCV Error Code	CCVErrorCode	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	C C	C C	C C	-
POS Entry Mode Change	POSEntryModeChg	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	C C	C C	C C	-
Transaction Edit Error Code	TranEditErrCode	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
MasterCard POS Data	MCPOSData	√	√	√	√	-	-	√	√	√	√	- C	C -	-	-	-	- C	-	-	-	O -	O -	O -	-
Device Type Indicator	DevTypeInd	√	√	-	-	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
MasterCard ACI	MCACI	√	-	√	√	-	-	√	√	√	√	C C	C C	C C	-	-	-	-	-	-	C C	C C	C C	-
MasterCard Additional Data	MCAddData	-	-	-	-	-	-	√	√	-	-	C C	C C	C C	-	-	-	-	-	-	C C	C C	C C	-
Authorization Type	FinAuthInd	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	-	-	-	-	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Transaction Integrity Class	TranIntgClass	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	-	- C	-	-	-	C -	C -	C -	-
Auth Indicator	MCAuthInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
Stored Credential Indicator	StoredCredenInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
CryptoCurrency Purchase Indicator	CrypCrncyPurchInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
High Risk Security Purchase Indicator	HighRiskSecrPurchInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Card On File Schedule Indicator	CofSchdInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
CIT/MIT Framework Indicator	CITMITFrameInd	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
DISCOVER Group	DSGrp																							
Discover Processing Code	DiscProcCode	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover POS Entry Mode	DiscPOSEntry	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover Response Code	DiscRespCode	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover POS Data	DiscPOSData	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Discover Transaction Qualifier	DiscTransQualifier	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover NRID	DiscNRID	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	C C	- C	-	-	C C	C -	C C	-
MOTO Indicator	MOTOInd	-	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	C -	C -	C -	-
Registered User Indicator	RegUserInd	-	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	C -	C -	C -	-
Registered User Profile Change Date	RegUserData	-	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	C -	C -	C -	-
Auth Indicator	DiscAuthInd	-	-	√	√	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-
Partial Shipment Indicator	PartShipInd	-	-	√	-	-	-	-	-	-	-	C -	C -	-	-	-	-	-	-	-	C -	C -	C -	-
Discover ACI	DiscACI	√	-	√	√	-	-	√	√	√	√	C C	C C	-	-	-	-	-	-	-	C C	C C	C C	-
Stored Credential Indicator	StoredCrdnInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-
Discover STAN	DiscSTAN	√	-	√	√	-	-	√	√	√	√	- C	-	-	-	-	-	-	-	-	-	-	-	-
Card On File Schedule Indicator	CofSchInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-
NRID Request Indicator	NRIDReqInd	-	-	√	√	-	-	-	-	-	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-
AMEX Group	AmexGrp																							

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Am Ex POS Data	AmExPOSData	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	-	- C	C -	-
Am Ex Tran ID	AmExTranID	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	C C	- C	-	-	-	C C	C -	-
Goods Sold Code	GdSoldCd	√	√	-	-	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Re-Auth Indicator	ReAuthInd	-	-	√	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-	C -	-
Auth Indicator	AmexAuthInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
Stored Credential Indicator	StoredCrdInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
PURCHASE CARD L2 Group	PurchCardlvl2Grp																							
Tax Amount	TaxAmt	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Tax Indicator	TaxInd	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
VAT/ Alternate TAX Amount	VATTaxAmt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	-	-	-	-	-	-	-	C -	-	-
VAT/ Alternate TAX Rate	VATTaxRt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	-	-	-	-	-	-	-	C -	-	-
Purchase Identifier	PurchIdfr	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT											REJECT	
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Order Number / Cust Ref Number	PCOrderNum	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Discount Amount	DiscntAmt	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Freight Amount	FrghtAmt	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Duty Amount	DutyAmt	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Destination Postal Code	DestPostalCode	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Ship from Postal Code	ShipFromPostalCode	√	√	√	√	√	√	-	-	-	√	-	O -	O -	-	-	-	-	-	-	-	C C	-	-
Destination Country Code	DestCtryCode	√	√	√	√	√	√	-	-	-	√	-	O -	O -	-	-	-	-	-	-	-	C C	-	-
Merchant Tax ID	MerchTaxID	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Product Description	ProdDesc	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
PC3Addenda	PC3Add	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
PURCHASE CARD L3 Group	PurchCardlv3Grp																							
Item Sequence Number	L3ItemSeqNum	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Item Code	L3ItemCode	√	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Item Description	L3ItemDesc	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Level 3 Item Quantity	L3Qty	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Level 3 Unit of Measure	L3UnitOfMsure	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Level 3 Unit Cost	L3UnitCost	√	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-
Level 3 Line Item Total	L3ItemTot	√	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-
Level 3 Discount Amount	L3DiscntAmt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-
Level 3 VAT/ Alternate TAX Amount	L3TaxAmt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-
Level 3 VAT/ Alternate TAX Rate	L3TaxRt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-
CUSTOMER INFO Group	CustInfoGrp																							
AVS/Billing Address	AVSBillingAddr	√	√	√	√	√	√	√	√	√	√	O -	O -	O -	-	C -	O -	O -	O -	-	-	C -	-	-
AVS/Billing Postal Code	AVSBillingPostalCode	√	√	√	√	√	√	√	√	√	√	O -	O -	O -	-	C -	O -	O -	O -	-	-	C -	-	-
Card Holder First Name	CHFirstNm	√	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	C -	O -	O -	O -	-	-	C -	-	-

Message Type	XML	INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Card Holder Last Name	CHLastNm	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	O -	O -	-	-	C -	-	-	
Card Holder Full Name Result	CHFullNmRes	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	-	-	-	-	C -	-	-	
Customer Email Address	CustEmailAddr	-	-	√	√	-	-	-	-	-	O -	-	O -	-	O -	-	O -	O -	-	-	-	-	-	
Card Holder Middle Name	CHMidNm	-	-	√	√	-	-	√	√	√	-	-	-	-	C -	-	-	-	-	-	-	-	-	
Full Name Account Match Decision	FullNmAcctMtchDec	-	-	√	√	-	-	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
Last Name Account Match Decision	LastNmAcctMtchDec	-	-	√	√	-	-	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
Middle Name Account Match Decision	MidNmAcctMtchDec	-	-	√	√	-	-	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
First Name Account Match Decision	FirstNmAcctMtchDec	-	-	√	√	-	-	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
Card Holder Phone Number Result	CHPhNumRes	-	-	√	√	-	-	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
Card Holder Email Address Result	CHEmailAddrRes	-	-	√	√	-	-	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
DEBT REPAYMENT Group	DebtRepayGrp																							
Recipient Last Name	RcptLastNm	√	-	√	√	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-	

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Recipient Postal Code	RcptPostalCode	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-
Recipient Date Of Birth	RcptDateOfBirth	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-
Recipient Account Number	RcptAcctNum	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-
ORDER Group	OrderGrp																							
Order Date	OrderDate	√	√	√	√	√	√	-	-	-	-	O -	O -	O -	-	-	-	-	-	-	-	C C	-	-
RESPONSE Group	RespGrp																							
Response Code	RespCode	√	√	√	√	√	√	√	√	√	√	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	C
Authorization ID	AuthID	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	-
Response Date	ResponseDate	-	-	√	√	-	-	-	-	-	-	- C	-	-	-	-	- C	-	-	-	-	-	- C	-
Additional Response Data	AddtlRespData	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	C

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Settlement Date	SttlmDate	√	√	√	√	√	√	-	-	-	-	-	-	- C	-	-	-	-	-	-	-	- C	- C	-
Authorizing Network ID	AthNtwkID	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	-
Authorizing Network Name	AthNtwkNm	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	-
Routing Indicator	Rtlnd	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	-	- C	- C	-
Signature Indicator	SigInd	√	√	-	-	√	√	√	√	√	√	- C	-	- C	-	-	- C	-	-	-	-	- C	- C	-
Error Data	ErrorData	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	C
Debit Trace Number	DebitTraceNum	-	-	√	-	-	-	-	-	-	-	- C	-	-	-	-	- C	-	-	-	-	-	- C	-
Settlement Transaction Type	SettlementTxnType	-	-	√	√	-	-	-	-	-	-	- C	-	-	-	- C	- C	- C	- C	-	-	-	- C	-
Association Response Code	AssocRespCode	-	-	√	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	- C	-
Category Code	CategoryCode	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
CARD INFO RESPONSE Group	CardInfoRespGrp																							
Issuing Bank	IssBank	-	-	√	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Issuing Country Code	IssCtryCode	-	-	√	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
Card Brand	CardBrnd	-	-	√	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
Card Indicator	CardInd	-	-	√	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
Detailed Product ID	DetProdID	-	-	√	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
ORIGINAL AUTHORIZATION Group	OrigAuthGrp																							
Original Authorization ID	OrigAuthID	√	√	√	√	√	√	√	√	√	√	-	M C	-	M -	-	-	-	-	-	C E	C C	C E	-
Original Local Date and Time	OrigLocalDateTime	√	√	√	√	√	√	√	√	√	√	-	C -	-	M -	-	-	-	-	-	M -	M -	M -	-
Original Transmission Date and Time	OrigTranDateTime	√	√	√	√	√	√	√	√	√	√	-	C -	-	M -	-	-	-	-	-	M -	M -	M -	-
Original STAN	OrigSTAN	√	√	√	√	√	√	√	√	√	√	C -	C -	-	M -	-	-	-	-	-	M -	M C	M -	-
Original Response Code	OrigRespCode	√	√	√	√	√	√	√	√	√	√	-	C -	-	C -	-	-	-	-	-	M -	C -	M -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Original Authorizing Network ID	OrigAthNtwkID	√	√	√	√	√	√	√	√	√	√	-	C -	-	-	-	-	-	-	-	C -	C -	C -	-
PRODUCT CODE Group	ProdCodeGrp																							
Service Level	ServLvl	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Number of Products	NumOfProds	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
PRODUCT CODE DETAIL Group	ProdCodeDetGrp																							
NACS Product Code	NACSProdCode	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Unit of Measure	UnitOfMsure	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Quantity	Qty	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Unit Price	UnitPrice	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Product Amount	ProdAmt	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse			Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
FILE DOWNLOAD Group	FileDLGrp																							
File Type	FileType	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	-	- C	- C	-
TRANSIT Group	TransitGrp																							
Transit Transaction Type Indicator	TraTranTypeInd	-	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Transportation Mode Indicator	TptModeInd	-	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
ATC Update Indicator	ATCUpdInd	-	-	-	-	-	-	-	-	-	√	C -	-	C -	-	C -	C -	-	-	-	-	-	-	-
Transit Access Terminal Indicator	TraAcsTermInd	-	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
Transit Access Terminal Function Code	TraAcsTermFunCode	-	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
Expresspay Translation PAN	ExPayTransIPAN	-	-	-	-	-	-	-	-	-	√	- C	-	- C	-	-	-	-	-	-	-	-	-	-
LODGING Group	LodgingGrp																							
Folio Number	FolioNum	-	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-

Message Type	XML	INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse		Reject Response		
Retail / QSR		Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Room Number	RoomNum	-	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Lodging Reference Number	LodRefNum	-	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Room Rate	RoomRt	-	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Program Indicator	ProgramInd	-	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	C C	C -	-	
Duration	Duration	-	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Extra Charges	ExtraChrgs	-	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
AUTO RENTAL Group	AutoRentalGrp																							
Rental City	RentalCity	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Rental State	RentalState	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Rental Country	RentalCtry	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Rental Date	RentalDate	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Rental Time	RentalTime	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Return City	ReturnCity	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	

Message Type	XML	INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Return State	ReturnState	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Return Country	ReturnCtry	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Return Date	ReturnDate	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Return Time	ReturnTime	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Amount Extra Charges	AmtExtraChrgs	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	C -	-	-	
Renter Name	RenterName	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Auto Rental Agreement Number	AutoAgreeNum	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Rental Duration	RentalDuration	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Rental Extra Charges	RentalExtraChrgs	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Auto Rental No Show	AutoNoShow	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	
Delayed Charge Indicator	DelChrgInd	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	C -	C -	-	

Chapter 40 : Debit Card Transactions

Revision History

Section	Change Log	Version	Date
1	Additional Compliance Updates: Added Merchant Service Location City, Merchant Service Location State, Merchant Service Location Postal Code and Merchant Service Location Country fields in the ALTERNATE MERCHANT NAME AND ADDRESS Group.	12.04.10	June 21, 2023
1	Changed the rules from '-' to 'O -' for Authorization transactions in the following fields: Merchant Name, Merchant Address, Merchant City, Merchant State, Merchant County, Merchant Postal Code, Merchant Country and Merchant Email Address.	12.04.9	April 26, 2023
1	Changed the rules from '-' to 'C -' in the Card Expiration Date field for Sale and Refund transactions.	12.04.2	June 29, 2022
1	Added the 'Debit Product Code' field in the Debit Group.	10.02.13	June 23, 2021

Chapter Contents

1	UMF Transaction and Field Matrix – Debit	40-2
---	--	------

40.1 UMF Transaction and Field Matrix - Debit

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest/DebitResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
COMMON Group	CommonGrp																
Payment Type	PymtType	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Reversal Reason Code	ReversalInd	√	√	√	√	√	√	√	√	-	-	-	-	-	M -	M -	-
Transaction Type	TxnType	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Local Date and Time	LocalDateTime	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Transmission Date and Time	TrnmsnDateTime	√	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	M
STAN	STAN	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Reference Number	RefNum	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Order Number	OrderNum	√	√	√	√	√	√	√	√	C C	C C	C C	C C	C C	C C	C C	C
TPP ID	TPPID	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Terminal ID	TermID	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Merchant ID	MerchID	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Merchant Category Code	MerchCatCode	√	√	√	√	√	√	√	√	O C	C -	O -	C C	O C	C C	C C	-
POS Entry Mode	POSEntryMode	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest/DebitResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
POS Condition Code	POSCondCode	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Terminal Category Code	TermCatCode	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Terminal Entry Capability	TermEntryCapabl	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Transaction Amount	TxnAmt	√	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	C
Transaction Currency	TxnCrncy	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Terminal Location Indicator	TermLocInd	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Card Capture Capability	CardCaptCap	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Program Identifier	ProgramID	√	√	√	√	√	-	-	-	C -	C -	C -	-	-	C -	C -	-
Group ID	GroupID	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	-
POS ID	POSID	√	√	√	√	√	√	√	√	C -	C -	C -	C -	C -	C -	C -	-
Settlement Indicator	SettleInd	√	√	√	-	-	√	√	√	C -	-	-	C -	C -	C -	C -	-
Clerk ID	ClerkID	√	√	√	√	√	-	-	-	O -	C -	O -	O -	O -	C -	O -	-
Merchant Echo	MerchEcho	√	√	√	√	√	√	√	√	O E	O E	O E	O E	O E	O E	O E	-
Device Batch ID	DevBatchID	√	√	√	√	-	√	-	-	-	-	C -	-	C -	C -	C -	-

Message Type		INDUSTRY								DEBIT							REJECT
										DebitRequest/DebitResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Digital Wallet Indicator	DigWltInd	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Digital Wallet Program Type	DigWltProgType	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Transaction Initiation	TranInit	√	√	√	√	√	√	√	√	O -	C -	O -	O -	O -	C -	C -	-
Merchant Tran ID	MerchCustom1	√	√	√	√	√	√	√	√	O -	O -	O -	O -	O -	O -	O -	-
Routing Fallback Indicator	RtFallbackInd	√	√	√	√	-	√	√	√	-	-	-	-	-	-	C -	-
BILL PAYMENT Group	BillPayGrp																
Bill Payment Transaction Indicator	BillPymtTxnInd	√	-	√	-	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
Alternate Merchant Name and Address Group	AltMerchNameAndAddrGrp																
Merchant Name	MerchName	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
Merchant Address	MerchAddr	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
Merchant City	MerchCity	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
Merchant State	MerchState	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
Merchant County	MerchCnty	√	√	√	√	√	√	√	√	O -	O -	O -	C -	-	C -	C -	-
Merchant Postal Code	MerchPostalCode	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-

Message Type		INDUSTRY								DEBIT							REJECT
										DebitRequest/DebitResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Country	MerchCtry	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
Merchant Email Address	MerchEmail	-	-	√	-	-	-	-	-	O -	O -	-	-	-	O -	O -	-
Merchant Service Location City	MerchSvcLocCity	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
Merchant Service Location State	MerchSvcLocState	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
Merchant Service Location Postal Code	MerchSvcLocPostalCode	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
Merchant Service Location Country	MerchSvcLocCtry	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-
PAYMENT FACILITATOR Group	PFGrp																
Payment Facilitator Indicator	PFInd	√	√	√	-	-	√	√	√	C -	C -	C -	C -	C -	C -	C -	-
Sub Merchant ID	SubMerchID	√	√	√	-	-	√	√	√	C -	C -	C -	C -	C -	C -	C -	-
CARD Group	CardGrp																
Account Number	AcctNum	√	√	√	√	√	√	√	√	-	C -	-	-	-	C C	C C	-
Card Expiration Date	CardExpiryDate	√	√	√	√	√	√	√	√	-	C -	C -	C -	-	C -	C -	-
Track 2 Data	Track2Data	√	√	-	√	√	√	√	√	C -	-	C -	C -	C -	-	C -	-
AVS Result Code	AVSResultCode	-	-	√	-	-	-	-	-	-	C C	-	-	-	C C	-	-

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest/DebitResponse					ReversalRequest/ ReversalResponse	Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
CCV Result Code	CCVResultCode	-	-	√	-	-	-	-	-	-	C -	-	-	-	-	-	-
PIN Group	PINGrp																
PIN Data	PINData	√	√	-	√	√	√	√	√	C -	-	C -	M -	M -	-	O -	-
Key Serial Number Data	KeySerialNumData	√	√	-	√	√	√	√	√	C -	-	C -	C -	C -	-	O -	-
Key Offset	KeyOffset	√	√	-	√	√	√	√	√	C -	-	C -	C -	C -	C -	C -	-
Master Session Key ID	MSKeyID	√	√	-	√	√	√	√	√	C -	-	C -	C -	C -	C -	C -	-
ADDITIONAL AMOUNTS Group	AddtlAmtGrp																
Additional Amount	AddAmt	√	√	√	√	√	√	√	√	C C	C C	C C	C C	- M	C -	M -	-
Additional Amount Currency	AddAmtCrncy	√	√	√	√	√	√	√	√	C C	C C	C C	C C	- M	C -	M -	-
Additional Amount Type	AddAmtType	√	√	√	√	√	√	√	√	C C	C C	C C	C C	- M	C -	M -	-
Additional Amount Account Type	AddAmtAcctType	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	-	-	-
Partial Authorization Approval Capability	PartAuthrznApprvlCapablty	√	√	√	√	√	√	√	√	M -	-	M -	-	-	C -	-	-
ECOMM Group	EcommGrp																
Ecomm Transaction Indicator	EcommTxnInd	-	-	√	-	-	√	√	√	-	C -	-	-	-	C -	C -	-

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest/DebitResponse					ReversalRequest/ ReversalResponse	Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Customer Service Phone Number	CustSvcPhoneNumber	-	-	√	-	-	√	√	√	-	C -	-	-	-	C -	C -	-
Ecomm URL	EcommURL	-	-	√	-	-	√	√	√	-	C -	-	-	-	C -	C -	-
Multiple Clearing Sequence Number	MCSN	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	-	-
Multiple Clearing Sequence Count	MCSC	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	-	-
DEBIT Group	DebitGrp																
Payee Phone Number	PayeePhoneNum	√	√	√	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Payee Account Number	PayeeAcctNum	√	√	√	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Payee ID	PayeeID	√	√	√	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Billing Indicator	BillingInd	√	√	√	-	-	-	-	-	- C	- C	- C	- C	-	- C	- C	-
Fee Program Indicator	FPI	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Auth Indicator	DbAuthInd	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Stored Credential Indicator	DbStoredCrdrInd	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Debit Product Code	DbProdCd	√	√	-	√	√	-	-	-	C -	C -	C -	-	-	-	-	-
CUSTOMER INFO Group	CustInfoGrp																
AVS/Billing Address	AVSBillingAddr	√	√	√	-	-	√	√	√	-	O -	-	-	-	C -	-	-
AVS/Billing Postal Code	AVSBillingPostalCode	√	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-

Debit Card Transactions

Message Type	XML	INDUSTRY								DEBIT							REJECT
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Reject Response
RESPONSE Group	RespGrp																
Response Code	RespCode	√	√	√	√	√	√	√	√	- M	- M	- M	- M	- M	- M	- M	C
Authorization ID	AuthID	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Additional Response Data	AddtlRespData	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	C
Settlement Date	SttlmDate	√	√	√	√	√	-	-	-	-	- C	- C	- C	-	- C	- C	-
Authorizing Network ID	AthNtwkID	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Authorizing Network Name	AthNtwkNm	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Routing Indicator	RtInd	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Signature Indicator	SigInd	√	√	-	√	√	√	√	√	- C	- C	- C	- C	-	- C	- C	-
Error Data	ErrorData	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	C
Debit Trace Number	DebitTraceNum	-	-	√	-	-	-	-	-	-	-	-	-	-	-	- C	-
Settlement Transaction Type	SettlementTxnType	-	-	√	-	-	-	-	-	-	-	-	-	-	-	- C	-
ORIGINAL AUTHORIZATION Group	OrigAuthGrp																
Original Authorization ID	OrigAuthID	√	√	√	√	√	√	√	√	-	M -	-	-	-	C C	C E	-

Message Type		INDUSTRY								DEBIT							REJECT
										DebitRequest/DebitResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Original Response Date	OrigResponseDate	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Original Local Date and Time	OrigLocalDateTime	√	√	√	√	√	√	√	√	-	M -	-	-	-	M -	M -	-
Original Transmission Date and Time	OrigTranDateTime	√	√	√	√	√	√	√	√	-	M -	-	-	-	M -	M -	-
Original STAN	OrigSTAN	√	√	√	√	√	√	√	√	-	M -	-	-	-	M -	M -	-
Original Response Code	OrigRespCode	√	√	√	√	√	√	√	√	-	M -	-	-	-	C -	M -	-
Original Authorizing Network ID	OrigAthNtwkID	√	√	√	√	√	√	√	√	-	C -	-	-	-	C -	C -	-
Original Debit Trace Number	OrigDebitTraceNum	-	-	√	-	-	-	-	-	-	-	-	-	-	-	C -	-
PRODUCT CODE Group	ProdCodeGrp																
Service Level	ServLvl	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Number of Products	NumOfProds	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
PRODUCT CODE DETAIL Group	ProdCodeDetGrp																
NACS Product Code	NACSProdCode	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Unit of Measure	UnitOfMsure	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Quantity	Qty	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-

Message Type		INDUSTRY								DEBIT							REJECT
										DebitRequest/DebitResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Unit Price	UnitPrice	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Product Amount	ProdAmt	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
FILE DOWNLOAD Group	FileDLGrp																
File Type	FileType	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-

Chapter 41 : EMV Transactions

Revision History

Section	Change Log	Version	Date
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019
1	Fall 2018 Compliance Updates: Changed the rules from '-' to '- C' in the Service Code, Application Expiration Date and Card Authentication Results Code fields for Refund transactions.	7.10.29	October 23, 2018

Chapter Contents

1	UMF Transaction and Field Matrix – EMV Credit -----	41-2
2	UMF Transaction and Field Matrix – EMV Debit-----	41-3

41.1 UMF Transaction and Field Matrix – EMV Credit

Message Type		INDUSTRY								CREDIT							
										CreditRequest / CreditResponse						ReversalRequest/ ReversalResponse	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging /Cruise	Auto Renal	Airline	Authorization	Completion	Sale	Verification	Refund	BalanceInquiry	Timeout Reversal	Void / FullReversal
EMV Group	EMVGrp																
EMV Data	EMVData	√	√	√	√	√	√	√	√	M C	M C	M C	M C	M C	M C	M C	M C
Card Sequence Number	CardSeqNum	√	√	-	√	√	√	√	√	C -	C -	C -	C -	C -	C -	C -	C -
X-Code Response Code	XCodeResp	√	√	-	√	√	√	√	√	- C	C -	- C	-	-	-	C -	C -
Service Code	ServCode	√	√	-	√	√	√	√	√	- C	C -	- C	-	- C	-	C -	-
Application Expiration Date	AppExpDate	√	√	-	√	√	√	√	√	- C	-	- C	-	- C	-	-	-
Card Authentication Results Code	CARC	√	√	-	√	√	√	√	√	- C	-	- C	-	- C	-	-	-
Processing Indicator	ProcInd	√	√	-	√	√	√	√	√	- C	-	- C	-	-	-	-	-
Processing Information	ProcInfo	√	√	-	√	√	√	√	√	- C	-	- C	-	-	-	-	-
Final Amount Indicator	FinAmtInd	√	√	-	√	√	√	√	√	C -	-	-	-	-	-	C -	-

41.2 UMF Transaction and Field Matrix – EMV Debit

Message Type		INDUSTRY								DEBIT						
										DebitRequest/ Debit Response					ReversalRequest/ ReversalResponse	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void / Full Reversal
EMV Group	EMVGrp															
EMV Data	EMVData	√	√	√	√	√	√	√	√	M C	M C	M C	M C	M C	M C	M C
Card Sequence Number	CardSeqNum	√	√	-	√	√	√	√	√	C -	C -	C -	C -	C -	C -	C -
X-Code Response Code	XCodeResp	√	√	-	√	√	√	√	√	- C	C -	- C	-	-	C -	C -
Service Code	ServCode	√	√	-	√	√	√	√	√	- C	-	- C	-	-	-	-
Application Expiration Date	AppExpDate	√	√	-	√	√	√	√	√	- C	-	- C	-	-	-	-
Card Authentication Results Code	CARC	√	√	-	√	√	√	√	√	- C	-	- C	-	-	-	-
Processing Indicator	ProcInd	√	√	-	√	√	√	√	√	- C	-	- C	-	-	-	-
Processing Information	ProcInfo	√	√	-	√	√	√	√	√	- C	-	- C	-	-	-	-

Chapter 42 : TransArmor Transactions

Revision History

Section	Change Log	Version	Date
1	Added the 'Transit' industry.	12.04.11	August 23, 2023

Chapter Contents

1	UMF Transaction and Field Matrix - TransArmor -----	42-2
---	---	------

42.1 UMF Transaction and Field Matrix - TransArmor

Message Type		INDUSTRY										TRANSARMOR			REJECT
												TransArmorRequest/ TransArmorResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	TAKeyRequest	TACertAuthority	TATokenRequest	Any Transaction Type
Common Group	CommonGrp														
Payment Type	PymtType	√	√	√	√	√	√	√	√	√	√	-	-	M E	C
Transaction Type	TxnType	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	C
Local Date and Time	LocalDateTime	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	C
Transmission Date and Time	TrnmsnDateTime	√	√	√	√	√	√	√	√	√	√	M M	M M	M M	M
STAN	STAN	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	C
Reference Number	RefNum	√	√	√	√	√	√	√	√	√	√	M E	-	M E	C
TPP ID	TPPID	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	C
Terminal ID	TermID	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	C
Merchant ID	MerchID	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	C
Group ID	GroupID	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-
POS ID	POSID	√	√	-	-	√	√	√	√	√	√	C -	C -	C -	-
Settlement Indicator	SettleInd	√	√	√	√	-	-	√	√	√	√	C -	C -	C -	-
Merchant Echo	MerchEcho	√	√	√	√	√	√	√	√	√	√	O E	O E	O E	-
Non US Merchant	NonUSMerch	√	√	√	√	-	-	√	√	√	√	-	-	C -	-
Merchant Tran ID	MerchCustom1	√	√	√	√	√	√	√	√	√	√	O -	O -	O -	-
CARD Group	CardGrp														
Account Number	AcctNum	√	√	√	√	√	√	√	√	√	√	-	-	C -	-
Card Type	CardType	√	√	√	√	√	√	√	√	√	√	-	-	C -	-
TRANSARMOR Group	TAGrp														
Security Level	SctyLvl	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-

Message Type		INDUSTRY										TRANSARMOR			REJECT
												TransArmorRequest/ TransArmorResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging /Cruise	Auto Rental	Airline	Transit	TAKeyRequest	TACertAuthority	TATokenRequest	Any Transaction Type
Encryption Type	EncrptType	√	√	√	√	√	√	√	√	√	√	M -	M -	C -	-
Encryption Target	EncrptTrgt	√	√	√	√	√	√	√	√	√	√	-	-	C -	-
Key ID	KeyID	√	√	√	√	√	√	√	√	√	√	- C	-	C -	-
Encryption Block	EncrptBlock	√	√	√	√	√	√	√	√	√	√	-	-	C -	-
Token Type	TknType	√	√	√	√	√	√	√	√	√	√	-	-	M -	-
Token	Tkn	√	√	√	√	√	√	√	√	√	√	-	-	- C	-
Security Key Update Indicator	SctyKeyUpdInd	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-
Security Key	TASctyKey	√	√	√	√	√	√	√	√	√	√	- C	- C	-	-
ExpDate	TAExpDate	√	√	√	√	√	√	√	√	√	√	-	-	- C	-
CA Key ID	CAKeyID	√	√	√	√	√	√	√	√	√	√	C C	- C	-	-
RESPONSE Group	RespGrp														
Response Code	RespCode	√	√	√	√	√	√	√	√	√	√	- M	- M	- M	C
Additional Response Data	AddtlRespData	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	C
Error Data	ErrorData	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	C
Settlement Transaction Type	SettlementTxnType	-	-	√	√	-	-	-	-	-	-	-	-	- C	-

Chapter 43 : TransArmor Credit Transactions

Revision History

Section	Change Log	Version	Date
1	Fall 2023 Compliance Updates: Added the “Merchant Payment Gateway ID” and “Alternate Network Transaction ID” fields in the Common Group.	12.04.13	October 25, 2023
1	Changed the rules from ‘M ’ to ‘C ’ in the Original Local Date and Time, Original Transmission Date and Time, Original STAN and Original Response Code fields for Completion transactions. Changed the rule from ‘-’ to ‘C ’ in the UCAF Collection Indicator field for Refund transactions. Added the ‘Transit’ Industry. Added the ‘Transit Group’.	12.04.11	August 23, 2023
1	Changed the rule from ‘-’ to ‘- C’ in the Routing Indicator field for Completion transactions. Additional Compliance Updates: Added Merchant Service Location City, Merchant Service Location State, Merchant Service Location Postal Code and Merchant Service Location Country fields in the ALTERNATE MERCHANT NAME AND ADDRESS Group.	12.04.10	June 21, 2023
1	Spring 2023 Compliance Updates: Added the ‘Full Name Account Match Decision’, ‘Last Name Account Match Decision’, ‘Middle Name Account Match Decision’, ‘First Name Account Match Decision’, ‘Card Holder Phone Number Result’ and ‘Card Holder Email Address Result’ fields in Customer Info Group.	12.04.9	April 26, 2023
1	Changed the rules from ‘C ’ to ‘C C’ in the Card Level Result Code field for Completion transactions. Changed the rules from ‘-’ to ‘C ’ in the ALM Service Code, ALM Product Code, ALM Product Class and ALM Rate Type fields for Completion transactions. Additional Compliance Updates: Added the MIT Payment Currency and MIT Total Payment Amount fields in Bill Payment Group. Added the No Show Indicator and Delayed Charge Indicator fields in Common Group.	12.04.7	February 22, 2023

1	Changed the rules from '-' to 'C -' in the following fields for Completion, Verification, Refund, Timeout Reversal and Void/Full Reversal transactions: Installment Type, MIT Total Payment Count, MIT Amount Type, MIT Amount, MIT Unique ID, MIT Frequency, MIT Validation Flag, MIT Sequence Indicator, MIT Payment Type and MIT Registration Reference Number. Fall 2022 Compliance Updates: Changed the rules from '-' to 'C -' in Card Holder Last Name field for Refund transactions. Changed the rules from '-' to '- C' in the Am Ex POS Data, Card Holder Full Name Result and AVS Result Code fields for Refund transactions. Changed the rule from '-' to 'C C' in the Am Ex Tran ID field for Refund transactions. Changed the rules from '-' to 'O -' in the AVS/Billing Address, AVS/Billing Postal Code and Card Holder First Name fields for Refund transactions.	12.04.5	October 26, 2022
1	Changed the rules from '-' to 'C -' in the Terminal Classification Code field for Completion, PartialReversal, TimeoutReversal and Void/FullReversal transactions. Changed the rule from '-' to 'C -' in the Bill Payment Transaction Indicator field for Verification transactions.	12.04.5	October 26, 2022
1	Changed the rules from '-' to 'O -' in the MasterCard POS Data field for PartialReversal, TimeoutReversal and Void/FullReversal transactions.	12.04.2	June 29, 2022

1	Spring 2022 Compliance Updates: Added the “Plan Registration System Identifier” and “Agreement ID” fields in the Common Group. Added the “Digital Authentication Framework Indicator” field in the Secure Transaction Group. Added the “Card Holder Middle Name” field in the Customer Info Group. Added the following fields in the BILL PAYMENT Group: “Installment Type”, “MIT Total Payment Count”, “MIT Amount Type”, “MIT Amount”, “MIT Unique ID”, “MIT Frequency”, “MIT Validation Flag”, “MIT Validation Reference” and “MIT Sequence Indicator”. Added the following fields in the Card Group: “ALM Service Code”, “ALM Product Code”, “ALM Product Class” and “ALM Rate Type”. Changed the rule from ‘- C’ to ‘C C’ in the Discover NRID field for Refund transactions. Changed the rule from ‘O ’ to ‘C ’ in the Card Holder First Name field for Verification transactions. Added the “CIT/MIT Framework Indicator” field in the MasterCard Group. Changed the rules from ‘-’ to ‘√’ in the Business Payment Type field for Restaurant, Lodging / Cruise, Auto Rental and Airline industries.	12.04.1	April 27, 2022
1	Additional Compliance Updates: Added the MOTO Indicator field in the Ecomm Group.	10.02.16	February 23, 2022

Chapter Contents

1	UMF Transaction and Field Matrix – TransArmor Credit -----	43-4
---	--	------

43.1 UMF Transaction and Field Matrix – TransArmor Credit

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Common Group	CommonGrp																							
Payment Type	PymtType	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Reversal Reason Code	ReversalInd	√	√	√	√	√	√	√	√	√	√	-	-	-	-	-	-	-	-	-	M -	M -	M -	-
Transaction Type	TxnType	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Local Date and Time	LocalDateTime	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Transmission Date and Time	TrnmsnDateTime	√	√	√	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M
STAN	STAN	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Reference Number	RefNum	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	C E	M E	M E	M E	M E	M E	M E	M E	M E	C
Order Number	OrderNum	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	C C	C C	C C	C C	-	C C	C C	C C	C
TPP ID	TPPID	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C
Terminal ID	TermID	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Merchant ID	MerchID	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Category Code	MerchCatCode	√	√	√	√	√	√	√	√	√	√	O C	C -	O -	-	O C	C C	O C	O -	C C	C C	C C	C C	-
POS Entry Mode	POSEntryMode	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	C
POS Condition Code	POSCondCode	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	C
Terminal Category Code	TermCatCode	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	C
Terminal Entry Capability	TermEntryCapabl	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	C
Transaction Amount	TxnAmt	√	√	√	√	√	√	√	√	√	√	M M	M M	M M	-	M M	M M	M M	M E	M M	M M	M M	M M	C
Transaction Currency	TxnCrncy	√	√	√	√	√	√	√	√	√	√	M E	M E	M E	-	M E	M E	M E	M E	M E	M E	M E	M E	C
Terminal Location Indicator	TermLocInd	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	-	M -	M -	M -	C
Card Capture Capability	CardCaptCap	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	-	M -	M -	M -	C
Group ID	GroupID	√	√	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	-
POS ID	POSID	√	√	-	-	√	√	√	√	√	√	C E	C -	C E	C -	C -	C -	C -	-	-	C -	C -	C -	-
Settlement Indicator	SettleInd	√	√	√	√	-	-	√	√	√	√	C -	-	-	-	C -	C -	C -	M -	C -	C -	C -	C -	-
Clerk ID	ClerkID	√	√	√	√	√	√	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	-	C -	O -	-
Service Entitlement Number	SENum	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
PINLess POS Debit Flag	PLPOSDebitFlg	√	√	-	-	√	√	√	√	√	√	C C	-	C C	-	-	C C	-	-	-	-	C -	C -	-
Network Access Indicator	NetAcclnd	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	-	C C	C C	C C	-
Merchant Echo	MerchEcho	√	√	√	√	√	√	√	√	√	√	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	-
Wallet Identifier	WltID	√	√	√	-	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Non US Merchant	NonUSMerch	√	√	√	√	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Device Batch ID	DevBatchID	√	√	√	√	√	-	√	-	-	-	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	C -	-
Digital Wallet Indicator	DigWltInd	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Digital Wallet Program Type	DigWltProgType	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Transaction Initiation	TranInit	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	C -	C -	C -	C -	-
Payment Service	PymntSvc	√	√	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-
Merchant Tran ID	MerchCustom1	√	√	√	√	√	√	√	√	√	√	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	-
Refund Type	RefundType	√	√	√	√	√	√	√	√	√	√	-	-	-	-	-	C -	-	-	-	-	C -	C -	-
Routing Fallback Indicator	RtFallbackInd	√	√	√	√	√	-	√	√	√	√	C -	-	C -	-	-	C -	-	-	-	-	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Deferred Authorization Indicator	DfrdAuthInd	√	√	√	√	√	-	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	-	-	-
Business Payment Type	BusPymtType	√	√	√	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Terminal Classification Code	TermClassCode	√	√	-	-	√	√	√	√	√	√	C C	C -	C C	-	-	-	-	-	-	C -	C -	C -	-
Merchant Country of Origin	MerchCtryOfOrigin	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Plan Registration System Identifier	PlanRegSysId	√	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Agreement ID	AgreementID	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	- C	-	-	-	-	C -	C -	-
Delayed Charge Indicator	DelChargeInd	√	√	√	√	√	√	-	-	√	√	C -	C -	C -	-	-	-	-	-	-	-	C -	C -	-
No Show Indicator	NoShowInd	√	√	√	√	√	√	-	-	√	√	C -	C -	C -	-	-	-	-	-	-	-	C -	C -	-
Merchant Payment Gateway ID	MerchPymtGtwyID	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
Alternate Network Transaction ID	AltNetTranID	√	√	√	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-
Bill Payment Group	BillPayGrp																							
Bill Payment Transaction Indicator	BillPymtTxnInd	√	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	O -	C -	-	C -	C -	-
Merchant Advice Code	MerchAdviceCode	√	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Installment Payment Invoice Number	InstallInvNum	√	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	-	O -	-	-	-	-	C -	C -	-
Installment Payment Description	InstallPymntDesc	√	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	-	O -	-	-	-	-	C -	C -	-
Installment Type	InstallmentType	√	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Total Payment Count	MITTotPymtCt	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Amount Type	MITAmtType	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Amount	MITAmt	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Unique ID	MITUniqueID	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Frequency	MITFreq	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Validation Flag	MITValFlag	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Validation Reference	MITValRef	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-
MIT Sequence Indicator	MITSeqInd	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Payment Currency	MITPymtCrncy	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Total Payment Amount	MITTotPymtAmt	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
MIT Payment Type	MITPymtType	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
MIT Registration Reference Number	MITRegRefNum	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
Alternate Merchant Name and Address Group	AltMerchNameAndAddrGrp																							
Merchant Name	MerchName	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Address	MerchAddr	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant City	MerchCity	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant State	MerchState	√	√	√	√	√	√	√	√	√	√	C -	C -	O -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant County	MerchCnty	√	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	-	C -	-	-	-	C -	C -	C -	-
Merchant Postal Code	MerchPostalCode	√	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	O -	C -	O -	O -	-	C -	C -	C -	-
Merchant Country	MerchCtry	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Email Address	MerchEmail	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Service Location City	MerchSvcLocCity	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-
Merchant Service Location State	MerchSvcLocState	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT													REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Merchant Service Location Postal Code	MerchSvcLocPostalCode	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-	
Merchant Service Location Country	MerchSvcLocCtry	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-	
CARD Group	CardGrp																								
Account Number	AcctNum	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	C -	C C	C C	C C	C C	C C	-	C C	-	-	
Card Expiration Date	CardExpiryDate	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	O -	C C	C -	C -	C -	-	
Track 1 Data	Track1Data	√	√	-	-	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-	
Track 2 Data	Track2Data	√	√	-	-	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-	
Card Type	CardType	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	C -	C C	C C	C C	M -	C C	C -	C -	C -	-	
AVS Result Code	AVSResultCode	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	-	C C	-	-	
CCV Indicator	CCVInd	√	√	√	√	√	√	√	√	√	√	O -	-	O -	-	O -	C -	O -	-	-	-	-	-	-	
CCV Data	CCVData	√	√	√	√	√	√	√	√	√	√	O -	-	O -	-	O -	C -	O -	-	-	-	-	-	-	
CCV Result Code	CCVResultCode	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	-	C C	-	-	
MVV/MAID	MVVMAID	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	
Card Info Request Indicator	InfoReqInd	-	-	√	√	-	-	-	-	-	-	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-	

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse									ReversalRequest/ ReversalResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Payment Account Reference Request Indicator	PymtAcctRefReqInd	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-
Payment Account Reference	PymtAcctRef	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
ALM Service Code	ALMSvcCode	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-
ALM Product Code	ALMProdCode	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-
ALM Product Class	ALMProdClass	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-
ALM Rate Type	ALMRateType	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-
REAL TIME ACCOUNT UPDATER Group	RealTimeAcctUpdGrp																							
Account Updater Request Indicator	AcctUpdReqInd	-	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	-	-	-
Account Updater Card Status	AcctUpdCardStat	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-
Account Updater Card Number	AcctUpdCardNum	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-
Account Updater Expiration Date	AcctUpdExpDate	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-
Account Updater Result Code	AcctUpdResultCode	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
AUTH OPTIMIZATION Group	AuthOptGrp																							
Deferred Auth Tran ID	DfrdAuthTranID	-	-	√	-	-	-	√	√	√	√	C C	-	C C	-	-	-	-	-	M C	-	-	-	-
Override Indicator	OverrideInd	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	-	-	-
Auth Optimization Reason Code	AuthOptReasonCode	-	-	√	-	-	-	√	√	√	√	- C	-	- C	-	-	-	-	-	-	-	-	-	-
INSTALLMENT PAYMENT SERVICE Group	InstallPaySvcGrp																							
Installment Type	InstallType	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Installment Payment Options	InstallPymtOptions	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Number of Installments	NoOfInstall	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Interest Rate	InstallIntRate	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Installment Fee	InstallFee	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Annual Percentage Rate	InstallAPR	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
First Installment Amount	FirstInstallAmt	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Subsequent Installment Amount	SubInstallAmt	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
Total Installment Amount Due	TotInstallAmtDue	√	-	√	√	-	-	-	-	-	-	- C	C -	-	-	-	-	-	-	-	-	C -	-	-
PIN Group	PINGrp																							
PIN Data	PINData	√	√	-	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	-	-	-
Key Serial Number Data	KeySerialNumData	√	√	-	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	-	-	-
Key Offset	KeyOffset	√	√	-	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	C -	C -	-
Master Session Key ID	MSKeyID	√	√	-	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	C -	C -	-
ADDITIONAL AMOUNTS Group	AddtlAmtGrp																							
Additional Amount	AddAmt	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	-
Additional Amount Currency	AddAmtCrncy	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	-
Additional Amount Type	AddAmtType	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	-
Additional Amount Account Type	AddAmtAcctType	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- M	-	-	-	-	- C	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Partial Authorization Approval Capability	PartAuthrztNApprvlCapablT	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
TRANSARMOR Group	TAGrp																							
Security Level	SctyLvl	√	√	√	√	√	√	√	√	√	√	M -	-	M -	M -	M -	M -	M -	-	C -	-	M -	-	-
Encryption Type	EncrptType	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	C -	-	C -	-	-
Encryption Target	EncrptTrgt	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	C -	-	C -	-	-
Key ID	KeyID	√	√	√	√	√	√	√	√	√	√	C C	-	C C	-	C C	C C	C C	-	C -	-	C C	-	-
Encryption Block	EncrptBlock	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	C -	-	C -	-	-
Token Type	TknType	√	√	√	√	√	√	√	√	√	√	M -	-	M -	M -	M -	M -	M -	C -	C -	-	M -	-	-
Token	Tkn	√	√	√	√	√	√	√	√	√	√	C C	M C	C C	M C	C C	C C	C C	C C	C -	M C	C C	M C	-
Security Key Update Indicator	SctyKeyUpdInd	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-	-	- C	- C	- C	-
ExpDate	TAExpDate	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-	-	- C	- C	- C	-
Account Updater Token	AcctUpdTkn	-	-	√	√	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-
ECOMM Group	EcommGrp																							
Ecomm Transaction Indicator	EcommTxnInd	-	-	√	-	-	-	√	√	√	√	C C	C -	C C	-	C C	C C	C C	C -	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse								ReversalRequest/ ReversalResponse				Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Customer Service Phone Number	CustSvcPhoneNumber	-	-	√	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-
Ecomm URL	EcommURL	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-
Multiple Clearing Sequence Number	MCSN	-	-	√	√	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-
Multiple Clearing Sequence Count	MCSC	-	-	√	√	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-
MOTO Indicator	MOTOIndicator	-	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
SECURE TRANSACTION Group	SecrTxnGrp																							
Visa XID	VisaXID	-	-	√	-	-	-	√	√	√	√	O -	-	O -	-	O -	-	O -	-	-	-	C -	-	-
Visa Secure Transaction Authentication Data	VisaSecrTxnAD	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	C -	-	C -	-	-	-	C -	-	-
CAVV Result Code	CAVVResultCode	-	-	√	-	-	-	√	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	-	C -	-	-
Amex XID	AmexXID	-	-	√	-	-	-	√	√	√	√	O -	-	O -	-	O -	-	O -	-	-	-	C -	-	-
Amex Secure Data	AmexSecrAD	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	C -	-	C -	-	-	-	C -	-	-
Safekey Result Code	Safekey	-	-	√	-	-	-	√	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	-	C -	-	-
UCAF Collection Indicator	UCAFCollectInd	-	-	√	-	-	-	√	√	√	√	C C	C -	C C	-	C -	C -	C -	-	-	C -	C -	C -	-
MasterCard Secure Data	MCSecrAD	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse									ReversalRequest/ ReversalResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Discover Authentication Type	DiscAuthType	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-
Discover Secure Data	DiscSecData	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-
Secure Data Downgrade	SecDataDowngrade	-	-	√	-	-	-	√	√	√	√	- C	- C	- C	-	- C	-	- C	-	-	-	-	-	-
Token Authentication Verification Data	TknAVD	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	C -	-	-	-	-	-	C -	-	-
TAVV Result Code	TAVVResultCode	-	-	√	-	-	-	√	√	√	√	- C	-	- C	-	- C	-	-	-	-	-	-	-	-
Program Protocol	ProgramProtocol	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-
Directory Server Transaction ID	DirServerTransID	-	-	√	-	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-
Low Value Exemption Indicator	LowValExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Transaction Risk Analysis Exemption Indicator	TranRiskAnaExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Trusted Merchant Exemption Indicator	TrustMerchExInd	-	-	√	-	-	-	-	-	-	-	C C	-	C C	-	-	-	-	-	-	-	C -	-	-
Secure Corporate Payment Exemption Indicator	SecrCorpExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Delegated Authentication Indicator	DelegAuthInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Authentication Identifier	MerchantAuthentID	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Recurring Payment Exemption Indicator	RecPayExInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Exemption Reason Code	ExReasonCode	-	-	√	-	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-
Remote Commerce Acceptor Identifier	RmtCommAcptrId	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	C -	-	-	-	-	-	C -	-	-
Digital Authentication Framework Indicator	DAFInd	-	-	√	-	-	-	√	√	√	√	- C	-	- C	-	-	- C	-	-	-	-	-	-	-
VISA Group	VisaGrp																							
Authorization Characteristics Indicator (ACI)	ACI	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	-	C C	C C	C C	-
Market Specific Data Indicator	MrktSpecificDataInd	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	C -	C C	C C	C C	-
Existing Debt Indicator	ExistingDebtInd	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-
Card Level Result Code	CardLevelResult	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	-	C C	-	-
Source Reason Code	SourceReasonCode	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
Transaction Identifier	TransID	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	C C	- C	-	-	C -	C -	C C	-
Visa BID	VisaBID	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Visa AUAR	VisaAUAR	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-
Tax Amount Capability	TaxAmtCapabl	√	√	-	-	-	-	√	√	-	-	C C	-	C C	-	-	-	-	-	-	-	C C	-	-
Spend Qualified Indicator	SpendQInd	√	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-
Visa Checkout Indicator	CheckoutInd	-	-	√	-	-	-	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Quasi-Cash Indicator	QCI	-	-	√	√	-	-	-	-	-	-	C -	-	-	-	C -	-	C -	-	-	-	-	C -	-
Auth Indicator	VisaAuthInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
Stored Credential Indicator	StoredCredInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
Card On File Schedule Indicator	CofSchedInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
CryptoCurrency Purchase Indicator	CryptoCrncyPurchInd	-	-	√	-	-	-	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
MASTERCARD Group	MCGrp																							
BankNet Data	BanknetData	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	- C	- C	-	-	C -	C -	C C	-
Market Specific Data Indicator	MCMSDI	√	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	C -	C C	C C	C C	-
CCV Error Code	CCVErrorCode	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	C C	C C	C C	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
POS Entry Mode Change	POSEntryModeChg	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	C C	C C	C C	-
Transaction Edit Error Code	TranEditErrCode	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
MasterCard POS Data	MCPOSData	√	√	√	√	-	-	√	√	√	√	- C	C -	-	-	-	- C	-	-	-	O -	O -	O -	-
Device Type Indicator	DevTypeInd	√	√	-	-	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
MasterCard ACI	MCACI	√	-	√	√	-	-	√	√	√	√	C C	C C	C C	-	-	-	-	-	-	C C	C C	C C	-
MasterCard Additional Data	MCAddData	-	-	-	-	-	-	√	√	-	-	C C	C C	C C	-	-	-	-	-	-	C C	C C	C C	-
Authorization Type	FinAuthInd	√	√	√	√	√	√	√	√	√	√	C -	-	C -	-	-	-	-	-	-	C -	C -	C -	-
Transaction Integrity Class	TranIntgClass	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	-	- C	-	-	-	C -	C -	C -	-
Auth Indicator	MCAuthInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
Stored Credential Indicator	StoredCredenInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-
CryptoCurrency Purchase Indicator	CrypCrncyPurchInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
High Risk Security Purchase Indicator	HighRiskSecrPurchInd	-	-	√	-	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-
Card On File Schedule Indicator	CofSchdInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
CIT/MIT Framework Indicator	CITMITFrameInd	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-
DISCOVER Group	DSGrp																							
Discover Processing Code	DiscProcCode	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover POS Entry Mode	DiscPOSEntry	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover Response Code	DiscRespCode	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover POS Data	DiscPOSData	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover Transaction Qualifier	DiscTransQualifier	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-
Discover NRID	DiscNRID	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	C C	- C	-	-	C C	C -	C C	-
MOTO Indicator	MOTOInd	-	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	C -	C -	C -	-
Registered User Indicator	RegUserInd	-	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	C -	C -	C -	-
Registered User Profile Change Date	RegUserDate	-	-	√	√	-	-	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	C -	C -	C -	-
Auth Indicator	DiscAuthInd	-	-	√	√	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Partial Shipment Indicator	PartShipInd	-	-	√	-	-	-	-	-	-	-	C -	C -	-	-	-	-	-	-	-	C -	C -	C -	-
Discover ACI	DiscACI	√	-	√	√	-	-	√	√	√	√	C C	C C	-	-	-	-	-	-	-	C C	C C	C C	-
Stored Credential Indicator	StoredCrdnInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-
Discover STAN	DiscSTAN	√	-	√	√	-	-	√	√	√	√	- C	-	-	-	-	-	-	-	-	-	-	-	-
Card On File Schedule Indicator	CofSchInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-
NRID Request Indicator	NRIDReqInd	-	-	√	√	-	-	-	-	-	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-
AMEX Group	AmexGrp																							
Am Ex POS Data	AmExPOSData	√	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	-	- C	C -	-
Am Ex Tran ID	AmExTranID	√	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	C C	- C	-	-	-	C C	C -	-
Goods Sold Code	GdSoldCd	√	√	-	-	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Re-Auth Indicator	ReAuthInd	-	-	√	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-	C -	-
Auth Indicator	AmexAuthInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Stored Credential Indicator	StoredCrdInd	-	-	√	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
PURCHASE CARD L2 Group	PurchCardlv2Grp																							
Tax Amount	TaxAmt	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Tax Indicator	TaxInd	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
VAT/ Alternate TAX Amount	VATTaxAmt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	-	-	-	-	-	-	-	C -	-	-
VAT/ Alternate TAX Rate	VATTaxRt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	-	-	-	-	-	-	-	C -	-	-
Purchase Identifier	PurchIdfr	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Order Number / Cust Ref Number	PCOrderNum	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Discount Amount	DiscntAmt	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Freight Amount	FrghtAmt	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Duty Amount	DutyAmt	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Destination Postal Code	DestPostalCode	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Ship from Postal Code	ShipFromPostalCode	√	√	√	√	√	√	-	-	-	√	-	O -	O -	-	-	-	-	-	-	-	C C	-	-
Destination Country Code	DestCtryCode	√	√	√	√	√	√	-	-	-	√	-	O -	O -	-	-	-	-	-	-	-	C C	-	-
Merchant Tax ID	MerchTaxID	√	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
Product Description	ProdDesc	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
PC3Addenda	PC3Add	√	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-
PURCHASE CARD L3 Group	PurchCardlv3Grp																							
Item Sequence Number	L3ItemSeqNum	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Item Code	L3ItemCode	√	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-
Item Description	L3ItemDesc	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Level 3 Item Quantity	L3Qty	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Level 3 Unit of Measure	L3UnitOfMsure	√	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-
Level 3 Unit Cost	L3UnitCost	√	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Level 3 Line Item Total	L3ItemTot	√	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-
Level 3 Discount Amount	L3DiscntAmt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-
Level 3 VAT/ Alternate TAX Amount	L3TaxAmt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-
Level 3 VAT/ Alternate TAX Rate	L3TaxRt	√	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-
CUSTOMER INFO Group	CustInfoGrp																							
AVS/Billing Address	AVSBillingAddr	√	√	√	√	√	√	√	√	√	√	O -	O -	O -	-	C -	O -	O -	O -	-	-	C -	-	-
AVS/Billing Postal Code	AVSBillingPostalCode	√	√	√	√	√	√	√	√	√	√	O -	O -	O -	-	C -	O -	O -	O -	-	-	C -	-	-
Card Holder First Name	CHFirstNm	√	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	C -	O -	O -	O -	-	-	C -	-	-
Card Holder Last Name	CHLastNm	√	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	O -	O -	-	-	C -	-	-
Card Holder Full Name Result	CHFullNmRes	√	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT													REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Customer Email Address	CustEmailAddr	-	-	√	√	-	-	-	-	-	-	O -	-	O -	-	O -	-	O -	O -	-	-	-	-	-	
Card Holder Middle Name	CHMidNm	-	-	√	√	-	-	√	√	√	√	-	-	-	-	C -	-	-	-	-	-	-	-	-	
Full Name Account Match Decision	FullNmAcctMtchDec	-	-	√	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
Last Name Account Match Decision	LastNmAcctMtchDec	-	-	√	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
Middle Name Account Match Decision	MidNmAcctMtchDec	-	-	√	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
First Name Account Match Decision	FirstNmAcctMtchDec	-	-	√	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
Card Holder Phone Number Result	CHPhNumRes	-	-	√	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
Card Holder Email Address Result	CHEmailAddrRes	-	-	√	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	
DEBT REPAYMENT Group	DebtRepayGrp																								
Recipient Last Name	RcptLastNm	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-	

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Recipient Postal Code	RcptPostalCode	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-
Recipient Date Of Birth	RcptDateOfBirth	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-
Recipient Account Number	RcptAcctNum	√	-	√	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-
ORDER Group	OrderGrp																							
Order Date	OrderDate	√	√	√	√	√	√	-	-	-	-	O -	O -	O -	-	-	-	-	-	-	-	C C	-	-
RESPONSE Group	RespGrp																							
Response Code	RespCode	√	√	√	√	√	√	√	√	√	√	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	C
Authorization ID	AuthID	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	-
Response Date	ResponseDate	-	-	√	√	-	-	-	-	-	-	- C	-	-	-	-	- C	-	-	-	-	-	- C	-
Additional Response Data	AddtlRespData	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	C
Settlement Date	SttlmDate	√	√	√	√	√	√	-	-	-	-	-	-	- C	-	-	-	-	-	-	-	- C	- C	-
Authorizing Network ID	AthNtwkID	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Authorizing Network Name	AthNtwkNm	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	-
Routing Indicator	RtInd	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	-	- C	- C	-
Signature Indicator	SigInd	√	√	-	-	√	√	√	√	√	√	- C	-	- C	-	-	- C	-	-	-	-	- C	- C	-
Error Data	ErrorData	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	C
Debit Trace Number	DebitTraceNum	-	-	√	-	-	-	-	-	-	-	- C	-	-	-	-	- C	-	-	-	-	-	- C	-
Settlement Transaction Type	SettlementTxnType	-	-	√	√	-	-	-	-	-	-	- C	-	-	-	- C	- C	- C	- C	-	-	-	- C	-
Association Response Code	AssocRespCode	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	- C	-
Category Code	CategoryCode	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-					
CARD INFO RESPONSE Group	CardInfoRespGrp																							
Issuing Bank	IssBank	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
Issuing Country Code	IssCtryCode	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse									ReversalRequest/ ReversalResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Card Brand	CardBrnd	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
Card Indicator	CardInd	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
Detailed Product ID	DetProdID	√	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-
ORIGINAL AUTHORIZATION Group	OrigAuthGrp																							
Original Authorization ID	OrigAuthID	√	√	√	√	√	√	√	√	√	√	-	M C	-	M -	-	-	-	-	-	C E	C C	C E	-
Original Response Date	OrigResponseDate	-	-	√	√	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-
Original Local Date and Time	OrigLocalDateTime	√	√	√	√	√	√	√	√	√	√	-	C -	-	M -	-	-	-	-	-	M -	M -	M -	-
Original Transmission Date and Time	OrigTranDateTime	√	√	√	√	√	√	√	√	√	√	-	C -	-	M -	-	-	-	-	-	M -	M -	M -	-
Original STAN	OrigSTAN	√	√	√	√	√	√	√	√	√	√	C -	C -	-	M -	-	-	-	-	-	M -	M C	M -	-
Original Response Code	OrigRespCode	√	√	√	√	√	√	√	√	√	√	-	C -	-	-	-	-	-	-	-	M -	C -	M -	-
Original Authorizing Network ID	OrigAthNtwkID	√	√	√	√	√	√	√	√	√	√	-	C -	-	-	-	-	-	-	-	C -	C -	C -	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
PRODUCT CODE Group	ProdCodeGrp																							
Service Level	ServLvl	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Number of Products	NumOfProds	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
PRODUCT CODE DETAIL Group	ProdCodeDetGrp																							
NACS Product Code	NACSProdCode	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Unit of Measure	UnitOfMsure	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Quantity	Qty	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Unit Price	UnitPrice	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Product Amount	ProdAmt	√	-	√	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
FILE DOWNLOAD Group	FileDLGrp																							
File Type	FileType	√	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	-	- C	- C	-

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
TRANSIT Group	TransitGrp																							
Transit Transaction Type Indicator	TraTranTypeInd	-	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
Transportation Mode Indicator	TptModeInd	-	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-
ATC Update Indicator	ATCUpdInd	-	-	-	-	-	-	-	-	-	√	C -	-	C -	-	C -	C -	-	-	-	-	-	-	-
Transit Access Terminal Indicator	TraAcsTermInd	-	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
Transit Access Terminal Function Code	TraAcsTermFunCode	-	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-
Expresspay Translation PAN	ExPayTransIPAN	-	-	-	-	-	-	-	-	-	√	- C	-	- C	-	-	-	-	-	-	-	-	-	-
LODGING Group	LodgingGrp																							
Folio Number	FolioNum	-	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-
Room Number	RoomNum	-	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-

Message Type		INDUSTRY										CREDIT													REJECT
												CreditRequest / CreditResponse										ReversalRequest/ ReversalResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Lodging Reference Number	LodRefNum	-	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	
Room Rate	RoomRt	-	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	
Program Indicator	ProgramInd	-	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	-	C C	C -	-	
Duration	Duration	-	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	
Extra Charges	ExtraChrgs	-	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	
AUTO RENTAL Group	AutoRentalGrp																								
Rental City	RentalCity	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	
Rental State	RentalState	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	
Rental Country	RentalCtry	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	
Rental Date	RentalDate	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	
Rental Time	RentalTime	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	
Return City	ReturnCity	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	
Return State	ReturnState	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	

Message Type		INDUSTRY										CREDIT												REJECT
												CreditRequest / CreditResponse									ReversalRequest/ ReversalResponse			Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Any Transaction Type
Return Country	ReturnCtry	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-
Return Date	ReturnDate	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Return Time	ReturnTime	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-
Amount Extra Charges	AmtExtraChrgs	-	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-
Renter Name	RenterName	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Auto Rental Agreement Number	AutoAgreeNum	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Rental Duration	RentalDuration	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Rental Extra Charges	RentalExtraChrgs	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Auto Rental No Show	AutoNoShow	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-
Delayed Charge Indicator	DelChrgInd	-	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	C -	-

Chapter 44 : TransArmor Debit Transactions

Revision History

Section	Change Log	Version	Date
1	Additional Compliance Updates: Added Merchant Service Location City, Merchant Service Location State, Merchant Service Location Postal Code and Merchant Service Location Country fields in the ALTERNATE MERCHANT NAME AND ADDRESS Group.	12.04.10	June 21, 2023
1	Changed the rules from '-' to 'O -' for Authorization transactions in the following fields: Merchant Name, Merchant Address, Merchant City, Merchant State, Merchant County, Merchant Postal Code, Merchant Country and Merchant Email Address.	12.04.9	April 26, 2023
1	Changed the rules from '-' to 'C -' in the Card Expiration Date field for Sale and Refund transactions.	12.04.2	June 29, 2022
1	Added the 'Debit Product Code' field in the Debit Group.	10.02.13	June 23, 2021

Chapter Contents

1	UMF Transaction and Field Matrix – TransArmor Debit -----	44-2
---	---	------

44.1 UMF Transaction and Field Matrix – TransArmor Debit

Message Type		INDUSTRY								DEBIT							REJECT
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Common Group	CommonGrp																
Payment Type	PymtType	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Reversal Reason Code	ReversalInd	√	√	√	√	√	√	√	√	-	-	-	-	-	M -	M -	-
Transaction Type	TxnType	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Local Date and Time	LocalDateTime	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Transmission Date and Time	TrnmsnDateTime	√	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	M
STAN	STAN	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Reference Number	RefNum	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Order Number	OrderNum	√	√	√	√	√	√	√	√	C C	C C	C C	C C	C C	C C	C C	C
TPP ID	TPPID	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Terminal ID	TermID	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Merchant ID	MerchID	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Category Code	MerchCatCode	√	√	√	√	√	√	√	√	O C	C -	O -	C C	O C	C C	C C	-
POS Entry Mode	POSEntryMode	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
POS Condition Code	POSCondCode	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Terminal Category Code	TermCatCode	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Terminal Entry Capability	TermEntryCapabl	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Transaction Amount	TxnAmt	√	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	C
Transaction Currency	TxnCrncy	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Terminal Location Indicator	TermLocInd	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Card Capture Capability	CardCaptCap	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Program Identifier	ProgramID	√	√	√	√	√	-	-	-	C -	C -	C -	-	-	C -	C -	-
Group ID	GroupID	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	-
POS ID	POSID	√	√	√	√	√	√	√	√	C -	C -	C -	C -	C -	C -	C -	-
Settlement Indicator	SettleInd	√	√	√	-	-	√	√	√	C -	-	-	C -	C -	C -	C -	-

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Clerk ID	ClerkID	√	√	√	√	√	-	-	-	-	-	O -	O -	O -	C -	O -	-
Merchant Echo	MerchEcho	√	√	√	√	√	√	√	√	O E	O E	O E	O E	O E	O E	O E	-
Device Batch ID	DevBatchID	√	√	√	√	-	√	-	-	-	-	C -	-	C -	C -	C -	-
Digital Wallet Indicator	DigWltInd	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Digital Wallet Program Type	DigWltProgType	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Transaction Initiation	TranInit	√	√	√	√	√	√	√	√	O -	C -	O -	O -	O -	C -	C -	-
Merchant Tran ID	MerchCustom1	√	√	√	√	√	√	√	√	O -	O -	O -	O -	O -	O -	O -	-
Routing Fallback Indicator	RtFallbackInd	√	√	√	√	-	√	√	√	-	-	-	-	-	-	C -	-
Bill Payment Group	BillPayGrp																
Bill Payment Transaction Indicator	BillPymtTxnInd	√	-	√	-	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
Alternate Merchant Name and Address Group	AltMerchNameAndAddrGrp																
Merchant Name	MerchName	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Address	MerchAddr	√	√	√	√	√	√	√	√	O	C	O	C	-	C	C	-
Merchant City	MerchCity	√	√	√	√	√	√	√	√	O	C	O	C	-	C	C	-
Merchant State	MerchState	√	√	√	√	√	√	√	√	O	C	O	C	-	C	C	-
Merchant County	MerchCnty	√	√	√	√	√	√	√	√	O	O	O	C	-	C	C	-
Merchant Postal Code	MerchPostalCode	√	√	√	√	√	√	√	√	O	C	O	C	-	C	C	-
Merchant Country	MerchCtry	√	√	√	√	√	√	√	√	O	C	O	C	-	C	C	-
Merchant Email Address	MerchEmail	-	-	√	-	-	-	-	-	O	O	-	-	-	O	O	-
Merchant Service Location City	MerchSvcLocCity	√	√	√	√	√	√	√	√	O	C	O	C	-	C	C	-
Merchant Service Location State	MerchSvcLocState	√	√	√	√	√	√	√	√	O	C	O	C	-	C	C	-

Message Type		INDUSTRY								DEBIT								REJECT
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse			RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Merchant Service Location Postal Code	MerchSvcLocPostalCode	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-	
Merchant Service Location Country	MerchSvcLocCtry	√	√	√	√	√	√	√	√	O -	C -	O -	C -	-	C -	C -	-	
PAYMENT FACILITATOR Group	PFGrp																	
Payment Facilitator Indicator	PFInd	√	√	√	-	-	√	√	√	C -	C -	C -	C -	C -	C -	C -	-	
Sub Merchant ID	SubMerchID	√	√	√	-	-	√	√	√	C -	C -	C -	C -	C -	C -	C -	-	
CARD Group	CardGrp																	
Account Number	AcctNum	√	√	√	√	√	√	√	√	-	C -	-	-	-	C C	C C	-	
Card Expiration Date	CardExpiryDate	√	√	√	√	√	√	√	√	-	C -	C -	C -	-	C -	C -	-	
Track 2 Data	Track2Data	√	√	-	√	√	√	√	√	C -	-	C -	C -	C -	C -	C -	-	
AVS Result Code	AVSResultCode	-	-	√	-	-	-	-	-	-	C C	-	-	-	C C	-	-	
CCV Result Code	CCVResultCode	-	-	√	-	-	-	-	-	-	C -	-	-	-	-	-	-	

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
PIN Group	PINGrp																
PIN Data	PINData	√	√	-	√	√	√	√	√	C -	-	C -	M -	M -	-	O -	-
Key Serial Number Data	KeySerialNumData	√	√	-	√	√	√	√	√	C -	-	C -	C -	C -	-	O -	-
Key Offset	KeyOffset	√	√	-	√	√	√	√	√	C -	-	C -	C -	C -	C -	C -	-
Master Session Key ID	MSKeyID	√	√	-	√	√	√	√	√	C -	-	C -	C -	C -	C -	C -	-
ADDITIONAL AMOUNTS Group	AddtlAmtGrp																
Additional Amount	AddAmt	√	√	√	√	√	√	√	√	C C	C C	C C	C C	- M	C -	M -	-
Additional Amount Currency	AddAmtCrncy	√	√	√	√	√	√	√	√	C C	C C	C C	C C	- M	C -	M -	-
Additional Amount Type	AddAmtType	√	√	√	√	√	√	√	√	C C	C C	C C	C C	- M	C -	M -	-
Additional Amount Account Type	AddAmtAcctType	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	-	-	-
Partial Authorization Approval Capability	PartAuthrznApprvlCapablt	√	√	√	√	√	√	√	√	M -	-	M -	-	-	C -	-	-
TRANSARMOR Group	TAGrp																

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Security Level	SctyLvl	√	√	√	√	√	√	√	√	M -	-	M -	M -	M -	M -	-	-
Encryption Type	EncrptType	√	√	√	√	√	√	√	√	C -	-	C -	C -	C -	C -	-	-
Encryption Target	EncrptTrgt	√	√	√	√	√	√	√	√	C -	-	C -	C -	C -	C -	-	-
Key ID	KeyID	√	√	√	√	√	√	√	√	C C	-	C C	C C	C C	C C	-	-
Encryption Block	EncrptBlock	√	√	√	√	√	√	√	√	C -	-	C -	C -	C -	C -	-	-
Token Type	TknType	√	√	√	√	√	√	√	√	M -	-	M -	M -	M -	M -	-	-
Token	Tkn	√	√	√	√	√	√	√	√	- C	M C	- C	- C	- C	C C	M C	-
Security Key Update Indicator	SctyKeyUpdInd	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
ExpDate	TAExpDate	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
ECOMM Group	EcommGrp																
Ecomm Transaction Indicator	EcommTxnInd	-	-	√	-	-	√	√	√	-	C -	-	-	-	C -	C -	-

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Customer Service Phone Number	CustSvcPhoneNumber	-	-	√	-	-	√	√	√	-	C -	-	-	-	C -	C -	-
Ecomm URL	EcommURL	-	-	√	-	-	√	√	√	-	C -	-	-	-	C -	C -	-
Multiple Clearing Sequence Number	MCSN	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	-	-
Multiple Clearing Sequence Count	MCSC	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	-	-
DEBIT Group	DebitGrp																
Payee Phone Number	PayeePhoneNum	√	√	√	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Payee Account Number	PayeeAcctNum	√	√	√	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Payee ID	PayeeID	√	√	√	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Billing Indicator	BillingInd	√	√	√	-	-	-	-	-	- C	- C	- C	- C	-	- C	- C	-
Fee Program Indicator	FPI	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Auth Indicator	DbAuthInd	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Stored Credential Indicator	DbStoredCrdnInd	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Debit Product Code	DbProdCd	√	√	-	√	√	-	-	-	C -	C -	C -	-	-	-	-	-

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
CUSTOMER INFO Group	CustInfoGrp																
AVS/Billing Address	AVSBillingAddr	√	√	√	-	-	√	√	√	-	O -	-	-	-	C -	-	-
AVS/Billing Postal Code	AVSBillingPostalCode	√	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
RESPONSE Group	RespGrp																
Response Code	RespCode	√	√	√	√	√	√	√	√	- M	- M	- M	- M	- M	- M	- M	C
Authorization ID	AuthID	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Additional Response Data	AddtlRespData	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	C
Settlement Date	SttlmDate	√	√	√	√	√	-	-	-	-	- C	- C	- C	-	- C	- C	-
Authorizing Network ID	AthNtwkID	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Authorizing Network Name	AthNtwkNm	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Routing Indicator	RtInd	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-
Signature Indicator	SigInd	√	√	-	√	√	√	√	√	- C	- C	- C	- C	-	- C	- C	-

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Error Data	ErrorData	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	C
Debit Trace Number	DebitTraceNum	-	-	√	-	-	-	-	-	-	-	-	-	-	-	- C	-
Settlement Transaction Type	SettlementTxnType	-	-	√	-	-	-	-	-	-	-	-	-	-	-	- C	-
ORIGINAL AUTHORIZATION Group	OrigAuthGrp																
Original Authorization ID	OrigAuthID	√	√	√	√	√	√	√	√	-	M -	-	-	-	C C	C E	-
Original Response Date	OrigResponseDate	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	C -	-
Original Local Date and Time	OrigLocalDateTime	√	√	√	√	√	√	√	√	-	M -	-	-	-	M -	M -	-
Original Transmission Date and Time	OrigTranDateTime	√	√	√	√	√	√	√	√	-	M -	-	-	-	M -	M -	-
Original STAN	OrigSTAN	√	√	√	√	√	√	√	√	-	M -	-	-	-	M -	M -	-
Original Response Code	OrigRespCode	√	√	√	√	√	√	√	√	-	M -	-	-	-	C -	M -	-
Original Authorizing Network ID	OrigAthNtwkID	√	√	√	√	√	√	√	√	-	C -	-	-	-	C -	C -	-

Message Type		INDUSTRY								DEBIT						REJECT	
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Original Debit Trace Number	OrigDebitTraceNum	-	-	√	-	-	-	-	-	-	-	-	-	-	-	C -	-
PRODUCT CODE Group	ProdCodeGrp																
Service Level	ServLvl	√	-		-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Number of Products	NumOfProds	√	-		-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
PRODUCT CODE DETAIL Group	ProdCodeDetGrp																
NACS Product Code	NACSProdCode	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Unit of Measure	UnitOfMsure	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Quantity	Qnty	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Unit Price	UnitPrice	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Product Amount	ProdAmt	√	-	√	-	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
FILE DOWNLOAD Group	FileDLGrp																

Message Type		INDUSTRY								DEBIT							REJECT
										DebitRequest / DebitResponse					ReversalRequest / ReversalResponse		RejectResponse
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
File Type	FileType	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-

Chapter 45 : TransArmor DCC Transactions

Revision History

Section	Change Log	Version	Date
1	Fall 2023 Compliance Updates: Added the “Merchant Payment Gateway ID” and “Alternate Network Transaction ID” fields in the Common Group.	12.04.13	October 25, 2023
1	Changed the rule from ‘-’ to ‘C ’ in the UCAF Collection Indicator field for Refund transactions.	12.04.11	August 23, 2023
1	Additional Compliance Updates: Added Merchant Service Location City, Merchant Service Location State, Merchant Service Location Postal Code and Merchant Service Location Country fields in the ALTERNATE MERCHANT NAME AND ADDRESS Group.	12.04.10	June 21, 2023
1	Spring 2023 Compliance Updates: Changed the rule from ‘O ’ to ‘C ’ in the Ship To Telephone Number field for Authorization and Refund transactions.	12.04.9	April 26, 2023
1	Added the ‘Token Authorization Try1 Indicator’, ‘Token Authorization Try2 Indicator’, ‘Token Authorization Try3 Indicator’, and ‘NTI Token/PAN Lookup Result’ fields in the Tokenization Group. Additional Compliance Updates: Added the MIT Payment Currency and MIT Total Payment Amount fields in Bill Payment Group. Added the No Show Indicator and Delayed Charge Indicator fields in Common Group.	12.04.7	February 22, 2023
1	Added Installment Type, MIT Total Payment Count, MIT Amount Type, MIT Amount, MIT Unique ID, MIT Frequency, MIT Validation Flag, MIT Sequence Indicator, MIT Payment Type and MIT Registration Reference Number fields in the Bill Payment Group. Fall 2022 Compliance Updates: Changed the rules from ‘-’ to ‘C ’ in Card Holder Last Name field for Refund transactions. Changed the rules from ‘-’ to ‘- C’ in the AVS Result Code and Card Holder Full Name Result fields for Refund transactions. Changed the rules from ‘-’ to ‘O ’ in the AVS/Billing Address, AVS/Billing Postal Code and Card Holder First Name fields for Refund transactions.	12.04.5	October 26, 2022
1	Changed the rules from ‘-’ to ‘O ’ in the MasterCard POS Data field for TimeoutReversal and Void/FullReversal transactions.	12.04.2	June 29, 2022

Section	Change Log	Version	Date
1	Spring 2022 Compliance Updates: Added the “Plan Registration System Identifier” and “Agreement ID” fields in the Common Group. Added the “Digital Authentication Framework Indicator” field in the Secure Transaction Group. Added the following fields in the Card Group: “ALM Service Code”, “ALM Product Code”, “ALM Product Class” and “ALM Rate Type”. Added the “CIT/MIT Framework Indicator” field in the MasterCard Group. Changed the rules from ‘-‘ to ‘√’ in the Business Payment Type field for Restaurant, Lodging / Cruise and Auto Rental industries.	12.04.1	April 27, 2022

Chapter Contents

1	UMF Transaction and Field Matrix – TransArmor DCC -----	45-3
---	---	------

45.1 UMF Transaction and Field Matrix – TransArmor DCC

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Common Group	CommonGrp															
Payment Type	PymtType	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Reversal Reason Code	ReversalInd	√	√	√	√	√	√	√	-	-	-	-	-	M -	M -	-
Transaction Type	TxnType	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Local Date and Time	LocalDateTime	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Transmission Date and Time	TrnmsnDateTime	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	M
STAN	STAN	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Reference Number	RefNum	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Order Number	OrderNum	√	√	√	√	√	√	√	C C	C C	C C	C C	-	C C	C C	C
TPP ID	TPPID	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Terminal ID	TermID	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant ID	MerchID	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Merchant Category Code	MerchCatCode	√	√	√	√	√	√	√	O C	O	C C	O	C C	C C	C C	-
POS Entry Mode	POSEntryMode	√	√	√	√	√	√	√	M	M	M	M	C	M	M	C
POS Condition Code	POSCondCode	√	√	√	√	√	√	√	M	M	M	M	C	M	M	C
Terminal Category Code	TermCatCode	√	√	√	√	√	√	√	M	M	M	M	C	M	M	C
Terminal Entry Capability	TermEntryCapabl	√	√	√	√	√	√	√	M	M	M	M	C	M	M	C
Transaction Amount	TxnAmt	√	√	√	√	√	√	√	M M	M M	M M	M E	M M	M M	M M	C
Transaction Currency	TxnCrncy	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Terminal Location Indicator	TermLocInd	√	√	√	√	√	√	√	M	M	M	M	-	M	M	C
Card Capture Capability	CardCaptCap	√	√	√	√	√	√	√	M	M	M	M	-	M	M	C
Group ID	GroupID	√	√	√	√	√	√	√	M	M	M	M	M	M	M	-
POS ID	POSID	√	√	-	-	√	√	√	C E	C E	C	-	-	C	C	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Settlement Indicator	SettleInd	√	√	√	√	-	√	√	C -	-	C -	M -	C -	C -	C -	-
Clerk ID	ClerkID	√	√	-	√	√	-	-	O -	O -	O -	-	-	C -	O -	-
Service Entitlement Number	SENum	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Merchant Echo	MerchEcho	√	√	√	√	√	√	√	O E	O E	O E	O E	O E	O E	O E	-
Wallet Identifier	WltID	√	√	√	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
Non US Merchant	NonUSMerch	√	√	√	√	-	√	√	C -	C -	C -	-	-	C -	C -	-
Digital Wallet Indicator	DigWltInd	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	C -	-
Digital Wallet Program Type	DigWltProgType	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	C -	-
Transaction Initiation	TranInit	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-
Payment Service	PymntSvc	√	√	-	-	-	-	-	-	-	-	-	-	C -	-	-
Card Info Request Indicator	InfoReqInd	-	-	√	√	-	-	-	C -	C -	C -	-	-	-	-	-
Merchant Tran ID	MerchCustom1	√	√	√	√	√	√	√	O -	O -	O -	O -	O -	O -	O -	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Refund Type	RefundType	√	√	√	√	√	√	√	-	-	C -	-	-	C -	C -	-
Routing Fallback Indicator	RtFallbackInd	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Deferred Authorization Indicator	DfrdAuthInd	√	√	√	√	√	√	√	C -	C -	-	-	-	-	-	-
Business Payment Type	BusPymtType	√	-	√	√	-	√	√	C -	C -	C -	-	-	C -	C -	-
Merchant Country of Origin	MerchCtryOfOrigin	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Plan Registration System Identifier	PlanRegSysId	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	C -	-
Agreement ID	AgreementID	√	√	√	√	√	√	√	- C	- C	- C	-	-	C -	C -	-
Delayed Charge Indicator	DelChargeInd	√	√	√	√	√	-	-	C -	C -	-	-	-	C -	C -	-
No Show Indicator	NoShowInd	√	√	√	√	√	-	-	C -	C -	-	-	-	C -	C -	-
Merchant Payment Gateway ID	MerchPymtGtwyID	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Alternate Network Transaction ID	AltNetTranID	√	√	√	√	-	√	√	C -	C -	C -	-	-	C -	C -	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Bill Payment Group	BillPayGrp															
Bill Payment Transaction Indicator	BillPymtTxnInd	√	-	√	√	-	-	-	C -	C -	C -	O -	C -	C -	C -	-
Merchant Advice Code	MerchAdviceCode	√	-	√	√	-	-	-	- C	- C	-	-	-	-	-	-
Installment Type	InstallmentType	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Total Payment Count	MITTotPymtCt	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Amount Type	MITAmtType	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Amount	MITAmt	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Unique ID	MITUniqueID	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Frequency	MITFreq	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Validation Flag	MITValFlag	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Validation Reference	MITValRef	-	-	√	-	-	-	-	C -	C -	-	-	-	-	-	-
MIT Sequence Indicator	MITSeqInd	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
MIT Payment Currency	MITPymtCrncy	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Total Payment Amount	MITTotPymtAmt	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Payment Type	MITPymtType	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Registration Reference Number	MITRegRefNum	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
Alternate Merchant Name and Address Group	AltMerchNameAndAddrGrp															
Merchant Name	MerchName	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant Address	MerchAddr	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant City	MerchCity	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant State	MerchState	√	√	√	√	√	√	√	C -	O -	C -	C -	-	C -	C -	-
Merchant County	MerchCnty	√	√	√	√	√	√	√	O -	O -	C -	-	-	C -	C -	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Postal Code	MerchPostalCode	√	√	√	√	√	√	√	O	O	C	O	-	C	C	-
Merchant Country	MerchCtry	√	√	√	√	√	√	√	C	C	C	C	-	C	C	-
Merchant Email Address	MerchEmail	-	-	√	√	-	-	-	C	C	C	C	-	C	C	-
Merchant Service Location City	MerchSvcLocCity	√	√	√	√	√	√	√	C	C	C	C	-	C	C	-
Merchant Service Location State	MerchSvcLocState	√	√	√	√	√	√	√	C	C	C	C	-	C	C	-
Merchant Service Location Postal Code	MerchSvcLocPostalCode	√	√	√	√	√	√	√	C	C	C	C	-	C	C	-
Merchant Service Location Country	MerchSvcLocCtry	√	√	√	√	√	√	√	C	C	C	C	-	C	C	-
Payment Facilitator Group	PFGrp															
Payment Facilitator Indicator	PFInd	√	√	√	√	-	√	√	C	C	C	C	-	C	C	-
Sub Merchant ID	SubMerchID	√	√	√	√	-	√	√	C	C	C	C	-	C	C	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Payment Facilitator Phone Number	PFPhoneNumber	√	√	√	√	-	√	√	C -	C -	C -	C -	-	C -	C -	-
CARD Group	CardGrp															
Account Number	AcctNum	√	√	√	√	√	√	√	C -	C -	C -	C -	C C	C C	C -	-
Card Expiration Date	CardExpiryDate	√	√	√	√	√	√	√	C -	C -	C -	O -	C C	C -	C -	-
Track 1 Data	Track1Data	√	√	-	-	√	√	√	C -	C -	C -	-	-	-	-	-
Track 2 Data	Track2Data	√	√	-	-	√	√	√	C -	C -	C -	-	-	-	-	-
Card Type	CardType	√	√	√	√	√	√	√	M C	M C	M C	M -	C C	M -	M -	-
AVS Result Code	AVSResultCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	C C	-	-
CCV Indicator	CCVInd	√	√	√	√	√	√	√	O -	O -	C -	-	-	-	-	-
CCV Data	CCVData	√	√	√	√	√	√	√	O -	O -	C -	-	-	-	-	-
CCV Result Code	CCVResultCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	C C	-	-

Message Type	XML	INDUSTRY							CREDIT					REJECT		
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
MVV/MAID	MVVMaid	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Card Info Request Indicator	InfoReqInd	-	-	√	√	-	-	-	C -	C -	C -	-	-	-	-	-
Payment Account Reference Request Indicator	PymtAcctRefReqInd	√	√	√	√	√	√	√	C -	C -	C -	-	-	-	-	-
Payment Account Reference	PymtAcctRef	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
ALM Service Code	ALMSvcCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
ALM Product Code	ALMProdCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
ALM Product Class	ALMProdClass	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
ALM Rate Type	ALMRateType	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
REAL TIME ACCOUNT UPDATER Group	RealTimeAcctUpdGrp															
Account Updater Request Indicator	AcctUpdReqInd	-	-	√	√	-	-	-	C -	C -	C -	-	-	-	-	-
Account Updater Card Status	AcctUpdCardStat	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Account Updater Card Number	AcctUpdCardNum	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Account Updater Expiration Date	AcctUpdExpDate	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Account Updater Result Code	AcctUpdResultCode	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
AUTH OPTIMIZATION Group	AuthOptGrp															
Deferred Auth Tran ID	DfrdAuthTranID	-	-	√	-	-	√	√	C C	C C	-	-	M C	-	-	-
Override Indicator	OverrideInd	-	-	√	-	-	√	√	C -	C -	-	-	-	-	-	-
Auth Optimization Reason Code	AuthOptReasonCode	-	-	√	-	-	√	√	- C	- C	-	-	-	-	-	-
Merchant Initiated Account Updater Request Indicator	MerchInitAcctUpdReqInd	-	-	√	-	-	-	-	C -	C -	-	-	-	-	-	-
PIN Group	PINGrp															
PIN Data	PINData	√	√	-	-	√	√	√	C -	C -	C -	-	-	-	-	-
Key Serial Number Data	KeySerialNumData	√	√	-	-	√	√	√	C -	C -	C -	-	-	-	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Key Offset	KeyOffset	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
Master Session Key ID	MSKeyID	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
ADDITIONAL AMOUNTS Group	AddtlAmtGrp															
Additional Amount	AddAmt	√	√	√	√	√	√	√	C C	C C	C C	-	-	C -	M C	-
Additional Amount Currency	AddAmtCrncy	√	√	√	√	√	√	√	C C	C C	C C	-	-	C -	M C	-
Additional Amount Type	AddAmtType	√	√	√	√	√	√	√	C C	C C	C C	-	-	C -	M C	-
Additional Amount Account Type	AddAmtAcctType	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	- C	-
EMV Group	EMVGrp															
EMV Data	EMVData	√	√	√	-	√	√	√	C C	C C	C C	-	-	C C	C C	-
Card Sequence Number	CardSeqNum	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
X-Code Response Code	XCodeResp	√	√	-	-	√	√	√	- C	- C	-	-	-	C -	C -	-
Service Code	ServCode	√	√	-	-	√	√	√	- C	- C	- C	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Application Expiration Date	AppExpDate	√	√	-	-	√	√	√	- C	- C	- C	-	-	-	-	-
Card Authentication Results Code	CARC	√	√	-	-	√	√	√	- C	- C	- C	-	-	-	-	-
Processing Indicator	ProcInd	√	√	-	-	√	√	√	- C	- C	-	-	-	-	-	-
Processing Information	ProcInfo	√	√	-	-	√	√	√	- C	- C	-	-	-	-	-	-
TRANSARMOR Group	TAGrp															
Security Level	SctyLvl	√	√	√	√	√	√	√	M -	M -	M -	-	C -	M -	C -	-
Encryption Type	EncrptType	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	-	-
Encryption Target	EncrptTrgt	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	-	-
Key ID	KeyID	√	√	√	√	√	√	√	C C	C C	C C	-	C -	C C	-	-
Encryption Block	EncrptBlock	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	-	-
Token Type	TknType	√	√	√	√	√	√	√	M -	M -	M -	C -	C -	M -	C -	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Token	Tkn	√	√	√	√	√	√	√	C C	C C	C C	C C	C -	C C	M C	-
Security Key Update Indicator	SctyKeyUpdInd	√	√	√	√	√	√	√	- C	- C	- C	-	-	- C	- C	-
ExpDate	TAExpDate	√	√	√	√	√	√	√	- C	- C	- C	-	-	- C	- C	-
Account Updater Token	AcctUpdTkn	-	-	√	√	-	-	-	- C	- C	-	-	-	-	-	-
TOKENIZATION Group	TknGrp															
Token Requestor ID	TknReqID	√	-	√	√	-	-	-	C C	C C	C C	-	-	C C	C C	-
Token Assurance Method	TknLvl	√	√	√	√	√	√	√	- C	- C	C -	-	-	C -	C -	-
Last Four Digits of PAN	TknLstFour	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
Payment Token Request Indicator	PymtTknReqInd	-	-	√	√	-	√	√	C -	C -	C -	-	-	-	-	-
Token Authorization Indicator	TknAuthInd	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Payment Token Value	PymtTknValue	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Payment Token Expiration Date	PymtTknExpDate	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Additional Token Response Info	AddTknRespInfo	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	- C	-
Token Authorization Try1 Indicator	TknAuthTry1Ind	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Token Authorization Try2 Indicator	TknAuthTry2Ind	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Token Authorization Try3 Indicator	TknAuthTry3Ind	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
NTI Token/PAN Lookup Result	TknPANLkpResult	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
ECOMM Group	EcommGrp															
Ecomm Transaction Indicator	EcommTxnInd	-	-	√	-	-	√	√	C C	C C	C C	C -	-	C -	C -	-
Customer Service Phone Number	CustSvcPhoneNumber	-	-	√	√	-	√	√	C -	C -	C -	-	-	C -	C -	-
Ecomm URL	EcommURL	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	C -	-
SECURE TRANSACTION Group	SecrTxnGrp															
Visa XID	VisaXID	-	-	√	-	-	√	√	O -	O -	-	-	-	C -	-	-
Visa Secure Transaction Authentication Data	VisaSecrTxnAD	-	-	√	-	-	√	√	C -	C -	-	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
CAVV Result Code	CAVVResultCode	-	-	√	-	-	√	√	- C	- C	-	-	-	C -	-	-
UCAF Collection Indicator	UCAFCollectInd	-	-	√	-	-	√	√	C C	C C	C -	-	-	C -	C -	-
MasterCard Secure Data	MCSecrAD	-	-	√	-	-	√	√	C -	C -	-	-	-	C -	-	-
Secure Data Downgrade	SecDataDowngrade	-	-	√	-	-	√	√	- C	- C	-	-	-	-	-	-
Token Authentication Verification Data	TknAVD	-	-	√	-	-	√	√	C -	C -	-	-	-	C -	-	-
TAVV Result Code	TAVVResultCode	-	-	√	-	-	√	√	- C	- C	-	-	-	-	-	-
Program Protocol	ProgramProtocol	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	-	-
Directory Server Transaction ID	DirServerTransID	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	-	-
Low Value Exemption Indicator	LowValExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Transaction Risk Analysis Exemption Indicator	TranRiskAnaExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Trusted Merchant Exemption Indicator	TrustMerchExInd	-	-	√	-	-	-	-	C C	C C	-	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Secure Corporate Payment Exemption Indicator	SecrCorpExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Delegated Authentication Indicator	DelegAuthInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Merchant Authentication Identifier	MerchantAuthentID	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Recurring Payment Exemption Indicator	RecPayExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Authentication Outage Exemption Indicator	AuthOutExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Digital Authentication Framework Indicator	DAFInd	-	-	√	-	-	√	√	- C	- C	- C	-	-	-	-	-
VISA Group	VisaGrp															
Authorization Characteristics Indicator (ACI)	ACI	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	C C	-
Market Specific Data Indicator	MrktSpecificDataInd	√	√	√	√	√	√	√	C C	C C	C C	-	C -	C C	C C	-
Card Level Result Code	CardLevelResult	√	√	√	√	√	√	√	- C	- C	- C	-	-	C C	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Source Reason Code	SourceReasonCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
Transaction Identifier	TransID	√	√	√	√	√	√	√	C C	C C	C C	-	-	C -	C C	-
Visa BID	VisaBID	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	-	-
Visa AUAR	VisaAUAR	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	-	-
Tax Amount Capability	TaxAmtCapablt	√	√	-	-	-	√	√	C C	C C	-	-	-	C C	-	-
Spend Qualified Indicator	SpendQInd	√	√	√	√	√	√	√	- C	- C	-	-	-	C -	C -	-
Visa Checkout Indicator	CheckoutInd	-	-	√	-	-	√	√	C -	C -	-	-	-	C -	-	-
Card On File Schedule Indicator	CofSchedInd	-	-	√	√	-	-	-	C -	C -	C -	-	C -	C -	C -	-
CryptoCurrency Purchase Indicator	CryptoCrncyPurchInd	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MASTERCARD Group	MCGrp															
BankNet Data	BanknetData	√	√	√	√	√	√	√	C C	C C	- C	-	-	C -	C C	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Market Specific Data Indicator	MCMSDI	√	√	√	√	√	√	√	C C	C C	C C	-	C -	C C	C C	-
CCV Error Code	CCVErrorCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	C C	C C	-
POS Entry Mode Change	POSEntryModeChg	√	√	√	√	√	√	√	- C	- C	-	-	-	C C	C C	-
Transaction Edit Error Code	TranEditErrCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
MasterCard POS Data	MCPOSData	√	√	√	√	-	√	√	- C	-	- C	-	-	O -	O -	-
Device Type Indicator	DevTypeInd	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
MasterCard ACI	MCACI	√	-	√	√	-	√	√	C C	C C	-	-	-	C C	C C	-
MasterCard Additional Data	MCAddData	-	-	-	-	-	√	√	C C	C C	-	-	-	C C	C C	-
Authorization Type	FinAuthInd	√	√	√	√	√	√	√	C -	C -	-	-	-	C -	C -	-
Transaction Integrity Class	TranIntgClass	√	√	√	√	√	√	√	C C	C C	- C	-	-	C -	C -	-
CryptoCurrency Purchase Indicator	CrypCrncyPurchInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
High Risk Security Purchase Indicator	HighRiskSecrPurchInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Card On File Schedule Indicator	CofSchdInd	-	-	√	√	-	-	-	C -	C -	C -	-	C -	C -	C -	-
CIT/MIT Framework Indicator	CITMITFrameInd	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
PURCHASE CARD L2 Group	PurchCardlvl2Grp															
Tax Amount	TaxAmt	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Tax Indicator	TaxInd	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
VAT/ Alternate TAX Amount	VATTaxAmt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
VAT/ Alternate TAX Rate	VATTaxRt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
Purchase Identifier	PurchIdfr	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Order Number / Cust Ref Number	PCOrderNum	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Discount Amount	DiscntAmt	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Freight Amount	FrghtAmt	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
Duty Amount	DutyAmt	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
Destination Postal Code	DestPostalCode	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
Ship from Postal Code	ShipFromPostalCode	√	√	√	√	√	-	-	-	O -	-	-	-	C C	-	-
Destination Country Code	DestCtryCode	√	√	√	√	√	-	-	-	O -	-	-	-	C C	-	-
Merchant Tax ID	MerchTaxID	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Product Description	ProdDesc	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
PC3Addenda	PC3Add	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
PURCHASE CARD L3 Group	PurchCardlv13Grp															
Item Sequence Number	L3ItemSeqNum	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Item Code	L3ItemCode	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Item Description	L3ItemDesc	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Item Quantity	L3Qty	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Unit of Measure	L3UnitOfMsure	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Unit Cost	L3UnitCost	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Line Item Total	L3ItemTot	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Discount Amount	L3DiscntAmt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
Level 3 VAT/ Alternate TAX Amount	L3TaxAmt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
Level 3 VAT/ Alternate TAX Rate	L3TaxRt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
CUSTOMER INFO Group	CustInfoGrp															
AVS/Billing Address	AVSBillingAddr	√	√	√	√	-	√	√	O -	O -	O -	O -	-	C -	-	-
AVS/Billing Postal Code	AVSBillingPostalCode	√	√	√	√	√	√	√	O -	O -	O -	O -	-	C -	-	-
Card Holder First Name	CHFirstNm	√	√	√	√	√	√	√	O -	O -	O -	O -	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Card Holder Last Name	CHLastNm	√	√	√	√	√	√	√	C -	C -	C -	O -	-	C -	-	-
Card Holder Full Name Result	CHFullNmRes	√	√	√	√	√	√	√	- C	- C	- C	-	-	C -	-	-
Customer Email Address	CustEmailAddr	-	-	√	√	-	-	-	O -	O -	-	O -	-	-	-	-
Giftee Email Address	GiftEmailAddr	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer IP Address	CustIPAddr	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Host Name	CustHostName	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Browser Name	CustBrwsrName	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer ANI	CustANI	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Customer ANI Information Identifier	CustANIII	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Billing Address 2	BillingAddr2	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Billing City	BillingCity	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Billing State	BillingState	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Billing Country	BillingCtry	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Telephone Number	CustTelNum	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Telephone Type	CustTelType	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
DEBT REPAYMENT Group	DebtRepayGrp															
Recipient Last Name	RcptLastNm	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	-	-
Recipient Postal Code	RcptPostalCode	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	-	-
Recipient Date Of Birth	RcptDateOfBirth	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	-	-
Recipient Account Number	RcptAcctNum	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
ORDER Group	OrderGrp															
Order Date	OrderDate	√	√	√	√	√	-	-	O -	O -	-	-	-	C C	-	-
Order Time	OrderTime	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
SKU	SKU	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Shipping Group	ShipGrp															
Ship To First Name	ShipToFirstNm	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Ship To Last Name	ShipToLastNm	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Ship To Address Line 1	ShipToAddr1	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Ship To Address Line 2	ShipToAddr2	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Ship To City	ShipToCity	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Ship To State	ShipToState	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Ship To Country	ShipToCtry	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Ship To Postal Code	ShipToPostalCode	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Ship To Telephone Number	ShipToTelNum	-	-	√	√	-	-	-	C -	-	C -	-	-	-	-	-
Ship To Telephone Type	ShipToTelType	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Shipping Carrier	ShippingCarrier	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Shipping Method	ShippingMthd	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
RESPONSE Group	RespGrp															
Response Code	RespCode	√	√	√	√	√	√	√	- M	- M	- M	- M	- M	- M	- M	C
Authorization ID	AuthID	√	√	√	√	√	√	√	- C	- C	- C	- C	-	- C	- C	-
Response Date	ResponseDate	-	-	√	√	-	-	-	- C	-	-	-	-	-	- C	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Additional Response Data	AddtlRespData	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	C
Authorizing Network ID	AthNtwkID	√	√	√	√	√	√	√	- C	- C	- C	-	-	- C	- C	-
Authorizing Network Name	AthNtwkNm	√	√	√	√	√	√	√	- C	- C	- C	-	-	- C	- C	-
Signature Indicator	SigInd	√	√	-	-	√	√	√	- C	- C	- C	-	-	- C	- C	-
Error Data	ErrorData	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	C
Debit Trace Number	DebitTraceNum	-	-	√	-	-	-	-	- C	-	- C	-	-	-	- C	-
Settlement Transaction Type	SettlementTxnType	√	√	-	-	√	√	√	- C	-	- C	- C	-	-	- C	-
Association Response Code	AssocRespCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	- C	-
Category Code	CategoryCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
Card Info Response Group	CardInfoRespGrp															
Issuing Bank	IssBank	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-

Message Type	XML	INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Issuing Country Code	IssCtryCode	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Card Brand	CardBrnd	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Card Indicator	CardInd	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Detailed Product ID	DetProdID	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
ORIGINAL AUTHORIZATION Group	OrigAuthGrp															
Original Authorization ID	OrigAuthID	√	√	√	√	√	√	√	-	-	-	-	-	C C	C E	-
Original Response Date	OrigResponseDate	-	-	√	√	-	-	-	-	-	-	-	-	-	C -	-
Original Local Date and Time	OrigLocalDateTime	√	√	√	√	√	√	√	-	-	-	-	-	M -	M -	-
Original Transmission Date and Time	OrigTranDateTime	√	√	√	√	√	√	√	-	-	-	-	-	M -	M -	-
Original STAN	OrigSTAN	√	√	√	√	√	√	√	C -	-	-	-	-	M C	M -	-
Original Response Code	OrigRespCode	√	√	√	√	√	√	√	-	-	-	-	-	C -	M -	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Original Authorizing Network ID	OrigAthNtwkID	√	√	√	√	√	√	√	-	-	-	-	-	C -	C -	-
DYNAMIC CURRENCY CONVERSION Group	DCCGrp															
DCC Indicator	DCCInd	√	√	√	√	√	√	√	M -	M -	M -	-	-	M -	M -	-
DCC Transaction Time Zone	DCCTimeZn	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Cardholder Currency Amount	DCCAmt	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Currency Conversion Rate	DCCRate	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Cardholder Currency Code	DCCCrcncy	√	√	√	√	√	√	√	M -	M -	M -	-	-	M -	M -	-
FILE DOWNLOAD Group	FileDLGrp															
File Type	FileType	√	√	√	√	√	√	√	- C	- C	- C	-	-	- C	- C	-
LODGING Group	LodgingGrp															
Folio Number	FolioNum	-	-	-	-	-	√	-	O -	-	-	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Room Number	RoomNum	-	-	-	-	-	√	-	O -	-	-	-	-	C -	-	-
Lodging Reference Number	LodRefNum	-	-	-	-	-	√	-	O -	-	-	-	-	C -	-	-
Room Rate	RoomRt	-	-	-	-	-	√	-	O -	-	-	-	-	C -	-	-
Program Indicator	ProgramInd	-	-	-	-	-	√	-	C -	-	-	-	-	C C	C -	-
Duration	Duration	-	-	-	-	-	√	-	C -	-	-	-	-	C -	-	-
Extra Charges	ExtraChrgs	-	-	-	-	-	√	-	C -	-	-	-	-	C -	-	-
AUTO RENTAL Group	AutoRentalGrp															
Rental City	RentalCity	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Rental State	RentalState	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Rental Country	RentalCtry	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Rental Date	RentalDate	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Rental Time	RentalTime	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Return City	ReturnCity	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Return State	ReturnState	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Return Country	ReturnCtry	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Return Date	ReturnDate	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Return Time	ReturnTime	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Amount Extra Charges	AmtExtraChrgs	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Renter Name	RenterName	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Auto Rental Agreement Number	AutoAgreeNum	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Rental Duration	RentalDuration	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Rental Extra Charges	RentalExtraChrgs	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Auto Rental No Show	AutoNoShow	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Delayed Charge Indicator	DelChrgInd	-	-	-	-	-	-	√	C -	-	-	-	-	C -	C -	-
FRAUD MITIGATION Group	FraudMitGrp															
Customer Match Indicator	CustMatInd	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Address Change Indicator	AddChgInd	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Fraud Score Indicator	FrdScoreInd	-	-	√	√	-	-	-	O -	-	-	M -	-	-	-	-
Number of Attempts	NumAttempts	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Membership Indicator	MemblInd	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer ID	CustID	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Start Date	CustStartDate	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Loyalty ID	LoyID	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Loyalty Start Date	LoyStartDate	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-

Message Type	XML	INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		RejectResponse
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Fraud Text	FrdTxt	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Fraud Packet	FrdPacket	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
FRAUD MITIGATION Response Group	FraudMitRespGrp															
Zip Code Match	ZipMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Street Match	StrMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Name Match	NmMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Telephone Match	TeleMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
E-Mail Match	EmailMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Address Change	AddrChg	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Scoring Result	ScoreRes	-	-	√	√	-	-	-	- C	-	-	- M	-	-	-	-
Score	Score	-	-	√	√	-	-	-	- C	-	-	- M	-	-	-	-
Reversal Attempted	RevAt	-	-	√	√	-	-	-	- C	-	-	- C	-	-	-	-

Chapter 46 : Tokenization Transactions

Revision History

Section	Change Log	Version	Date
1	Fall 2023 Compliance Updates: Added the “Merchant Payment Gateway ID” and “Alternate Network Transaction ID” fields in the Common Group.	12.04.13	October 25, 2023
1	Changed the rules from ‘M ’ to ‘C ’ in the Original Local Date and Time, Original Transmission Date and Time, Original STAN and Original Response Code fields for Completion transactions. Changed the rule from ‘-’ to ‘C ’ in the UCAF Collection Indicator field for Refund transactions. Changed the rule from ‘-’ to ‘√’ in TransArmor Group for ‘Transit’ industry.	12.04.11	August 23, 2023
1	Changed the rule from ‘-’ to ‘- C’ in the Routing Indicator field for Completion transactions. Additional Compliance Updates: Added Merchant Service Location City, Merchant Service Location State, Merchant Service Location Postal Code and Merchant Service Location Country fields in the ALTERNATE MERCHANT NAME AND ADDRESS Group.	12.04.10	June 21, 2023
1	Spring 2023 Compliance Updates: Changed the rule from ‘O ’ to ‘C ’ in the Ship To Telephone Number field for Authorization and Refund transactions. Added the ‘Full Name Account Match Decision’, ‘Last Name Account Match Decision’, ‘Middle Name Account Match Decision’, ‘First Name Account Match Decision’, ‘Card Holder Phone Number Result’ and ‘Card Holder Email Address Result’ fields in Customer Info Group.	12.04.9	April 26, 2023

1	Changed the rules from 'C -' to 'C C' in the Card Level Result Code field for Completion transactions. Added the 'Token Authorization Try1 Indicator', 'Token Authorization Try2 Indicator', 'Token Authorization Try3 Indicator', and 'NTI Token/PAN Lookup Result' fields in the Tokenization Group. Changed the rules from '-' to 'C -' in the ALM Service Code, ALM Product Code, ALM Product Class and ALM Rate Type fields for Completion transactions. Additional Compliance Updates: Added the following fields to the Bill Payment Group: 'MIT Payment Currency', 'MIT Total Payment Amount', 'MIT Payment Type' and 'MIT Registration Reference Number'. Added the No Show Indicator and Delayed Charge Indicator fields in Common Group.	12.04.7	February 22, 2023
1	Changed the rules from '-' to 'C -' in the following fields for Completion, Verification, Refund, Timeout Reversal and Void/Full Reversal transactions: Installment Type and MIT Unique ID. Fall 2022 Compliance Updates: Changed the rules from '-' to 'C -' in Card Holder Last Name field for Refund transactions. Changed the rules from '-' to '- C' in the Am Ex POS Data, Card Holder Full Name Result and AVS Result Code fields for Refund transactions. Changed the rules from '-' to 'O -' in the AVS/Billing Address, AVS/Billing Postal Code, Card Holder First Name fields for Refund transactions. Changed the rule from '-' to 'C C' in the Am Ex Tran ID field for Refund transactions. Changed the rules from '-' to 'C -' in the Terminal Classification Code field for Completion, PartialReversal, TimeoutReversal and Void/FullReversal transactions. Changed the rule from '-' to 'C -' in the Bill Payment Transaction Indicator field for Verification transactions.	12.04.5	October 26, 2022
1	Added the 'Transit' Industry. Added the 'Transit Group'. Added the 'Funding Account Number' field in the CARD Group.	12.04.3	August 24, 2022
1	Changed the rules from '-' to 'O -' in the MasterCard POS Data field for "CREDIT" PartialReversal, TimeoutReversal and Void/FullReversal transactions.	12.04.2	June 29, 2022

1	Spring 2022 Compliance Updates: Added the “Plan Registration System Identifier” and “Agreement ID” fields in the Common Group. Added the “Digital Authentication Framework Indicator” field in the Secure Transaction Group. Added the “Card Holder Middle Name” field in the Customer Info Group. Added the following fields in the BILL PAYMENT Group: “Installment Type”, “MIT Total Payment Count”, “MIT Amount Type”, “MIT Amount”, “MIT Unique ID”, “MIT Frequency”, “MIT Validation Flag”, “MIT Validation Reference” and “MIT Sequence Indicator”. Added the following fields in the Card Group: “ALM Service Code”, “ALM Product Code”, “ALM Product Class” and “ALM Rate Type”. Changed the rule from ‘- C’ to ‘C C’ in the Discover NRID field for Refund transactions. Changed the rule from ‘O -’ to ‘C -’ in the Card Holder First Name field for Verification transactions. Added the “CIT/MIT Framework Indicator” field in the MasterCard Group. Changed the rules from ‘-’ to ‘√’ in the Business Payment Type field for Restaurant, Lodging / Cruise, Auto Rental and Airline industries.	12.04.1	April 27, 2022
---	---	---------	----------------

Chapter Contents

1	UMF Transaction and Field Matrix – Tokenization Transactions -----	46-4
---	--	------

46.1 UMF Transaction and Field Matrix – Tokenization Transactions

Message Type		INDUSTRY									CREDIT										DEBIT						REJECT				
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse		DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response			
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Common Group	CommonGrp																														
Payment Type	PymtType	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C	
Reversal Reason Code	ReversalInd	√	√	√	√	√	√	√	√	√	-	-	-	-	-	-	-	-	-	M -	M -	M -	-	-	-	-	-	-	M -	M -	-
Transaction Type	TxnType	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C	
Local Date and Time	LocalDateTime	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C	
Transmission Date and Time	TrnmsnDateTime	√	√	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M	
STAN	STAN	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C	
Reference Number	RefNum	√	√	√	√	√	√	√	√	√	M E	M E	M E	C E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C	
Order Number	OrderNum	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	C C	C C	C C	C C	-	C C	C C	C C	C C	C C	C C	C C	C C	C C	C C	C	
TPP ID	TPPID	√	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C	
Terminal ID	TermID	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C	
Merchant ID	MerchID	√	√	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C	
Merchant Category Code	MerchCatCode	√	√	√	√	√	√	√	√	√	O C	C -	O -	-	O C	C C	O C	O -	C C	C C	C C	C C	O C	C -	O -	C C	O C	C C	C C	-	
POS Entry Mode	POSEntryMode	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C	
POS Condition Code	POSCondCode	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C	

Message Type		INDUSTRY									CREDIT										DEBIT							REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse		DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Terminal Category Code	TermCatCode	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C
Terminal Entry Capability	TermEntryCapabl	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	C -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C
Transaction Amount	TxnAmt	√	√	√	√	√	√	√	√	√	M M	M M	M M	-	M M	M M	M M	M E	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	M M	C
Transaction Currency	TxnCrncy	√	√	√	√	√	√	√	√	√	M E	M E	M E	-	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	M E	C
Terminal Location Indicator	TermLocInd	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	-	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C
Card Capture Capability	CardCaptCap	√	√	√	√	√	√	√	√	√	M -	M -	M -	-	M -	M -	M -	M -	-	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	C
Program Identifier	ProgramID	√	√	√	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
Group ID	GroupID	√	√	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	M -	-
POS ID	POSID	√	√	-	√	√	√	√	√	√	C E	C -	C E	C -	C -	C -	C -	-	-	C -	C -	C -	C -	C -	C -	C -	C -	C -	C -	-
Settlement Indicator	SettleInd	√	√	√	-	-	√	√	√	√	C -	-	-	-	C -	C -	C -	M -	C -	C -	C -	C -	C -	C -	-	C -	C -	C -	C -	-
Clerk ID	ClerkID	√	√	√	√	√	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	-	C -	O -	O -	O -	C -	O -	O -	O -	O -	-
Service Entitlement Number	SENum	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
PINLess POS Debit Flag	PLPOSDebitFlg	√	√	-	√	√	√	√	√	√	C C	-	C C	-	-	C C	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Network Access Indicator	NetAcclInd	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	-	C C	C C	C C	-	-	-	-	-	-	-	-
Merchant Echo	MerchEcho	√	√	√	√	√	√	√	√	√	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	O E	-
Wallet Identifier	WltID	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
Device Batch ID	DevBatchID	√	√	√	√	-	√	-	-	-	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	C -	-	-	C -	-	C -	C -	C -	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Digital Wallet Indicator	DigWltInd	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	C -	-	-	-	C -	C -	-
Digital Wallet Program Type	DigWltProgType	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	C -	-	-	-	C -	C -	-
Transaction Initiation	TranInit	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	C -	C -	C -	C -	O -	C -	O -	O -	O -	C -	C -	-
Payment Service	PymntSvc	√	√	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Merchant Tran ID	MerchCustom1	√	√	√	√	√	√	√	√	√	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	O -	-
Refund Type	RefundType	√	√	√	√	√	√	√	√	√	-	-	-	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Deferred Authorization Indicator	DfrdAuthInd	√	√	√	√	√	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Business Payment Type	BusPymtType	√	√	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Terminal Classification Code	TermClassCode	√	√	-	√	√	√	√	√	√	C C	C -	C C	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
Merchant Country of Origin	MerchCtryOfOrigin	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
Plan Registration System Identifier	PlanRegSysId	√	-	√	-	-	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Agreement ID	AgreementID	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	- C	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Delayed Charge Indicator	DelChargeInd	√	√	√	√	√	-	-	√	√	C -	C -	C -	-	-	-	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
No Show Indicator	NoShowInd	√	√	√	√	√	-	-	√	√	C -	C -	C -	-	-	-	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Merchant Payment Gateway ID	MerchPymtGtwyID	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
Alternate Network Transaction ID	AltNetTranID	√	√	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
BILL PAYMENT Group	BillPayGrp																													
Bill Payment Transaction Indicator	BillPymtTxnInd	√	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	O -	C -	-	C -	C -	C -	C -	C -	-	-	C -	C -	-
Merchant Advice Code	MerchAdviceCode	√	-	√	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Installment Payment Invoice Number	InstallInvNum	√	-	√	-	-	-	-	-	-	O -	C -	O -	-	-	O -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Installment Payment Description	InstallPymntDesc	√	-	√	-	-	-	-	-	-	O -	C -	O -	-	-	O -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Installment Type	InstallmentType	√	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
MIT Total Payment Count	MITTotPymtCt	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIT Amount Type	MITAmtType	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIT Amount	MITAmt	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIT Unique ID	MITUniqueID	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
MIT Frequency	MITFreq	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIT Validation Flag	MITValFlag	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIT Validation Reference	MITValRef	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIT Sequence Indicator	MITSeqInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
MIT Payment Currency	MITPymtCrncy	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
MIT Total Payment Amount	MITTotPymtAmt	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
MIT Payment Type	MITPymtType	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
MIT Registration Reference Number	MITRegRefNum	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Alternate Merchant Name and Address Group	AltMerchNameAndAddrGrp																													
Merchant Name	MerchName	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-	C -	O -	C -	-	C -	C -	-
Merchant Address	MerchAddr	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-	C -	O -	C -	-	C -	C -	-
Merchant City	MerchCity	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-	C -	O -	C -	-	C -	C -	-
Merchant State	MerchState	√	√	√	√	√	√	√	√	√	C -	C -	O -	-	C -	C -	C -	C -	-	C -	C -	C -	-	C -	O -	C -	-	C -	C -	-
Merchant County	MerchCnty	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	-	C -	-	-	-	C -	C -	C -	-	O -	O -	C -	-	C -	C -	-
Merchant Postal Code	MerchPostalCode	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	O -	C -	O -	O -	-	C -	C -	C -	-	C -	O -	C -	-	C -	C -	-
Merchant Country	MerchCtry	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-	C -	O -	C -	-	C -	C -	-
Merchant Email Address	MerchEmail	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	-	O -	-	-	-	O -	O -	-
Merchant Service Location City	MerchSvcLocCity	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	O -	C -	O -	C -	-	C -	C -	-
Merchant Service Location State	MerchSvcLocState	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	O -	C -	O -	C -	-	C -	C -	-
Merchant Service Location Postal Code	MerchSvcLocPostalCode	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	O -	C -	O -	C -	-	C -	C -	-
Merchant Service Location Country	MerchSvcLocCtry	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	C -	-	C -	C -	C -	O -	C -	O -	C -	-	C -	C -	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
CARD Group	CardGrp																														
Account Number	AcctNum	√	√	√	√	√	√	√	√	√	C C	C C	C C	C -	C C	C C	C C	C C	C C	C C	C C	C C	-	C -	-	-	-	-	C C	C C	-
Card Expiration Date	CardExpiryDate	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	O -	C C	C -	C -	C -	-	C -	-	-	-	-	C -	C -	-
Track 1 Data	Track1Data	√	√	-	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Track 2 Data	Track2Data	√	√	-	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	-	-	C -	-	C -	C -	C -	C -	C -	C -	-
Card Type	CardType	√	√	√	√	√	√	√	√	√	C C	C C	C C	C -	C C	C C	C C	M -	C C	C -	C -	C -	-	-	-	-	-	-	-	-	-
AVS Result Code	AVSResultCode	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	-	C C	-	-	C C	-	-	-	-	C C	-	-
CCV Indicator	CCVInd	√	√	√	√	√	√	√	√	√	O -	-	O -	-	O -	C -	O -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CCV Data	CCVData	√	√	√	√	√	√	√	√	√	O -	-	O -	-	O -	C -	O -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
CCV Result Code	CCVResultCode	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	-	C C	-	-	C -	-	-	-	-	-	-	-
MVV/MAID	MVVMAID	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Card Info Request Indicator	InfoReqInd	-	-	√	-	-	-	-	-	√	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Funding Account Number	FndAcctNum	-	-	-	-	-	-	-	-	√	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Payment Account Reference Request Indicator	PymtAcctRefReqInd	√	√	√	√	√	√	√	√	√	C -	-	C -	-	C -	C -	C -	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Payment Account Reference	PymtAcctRef	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-
ALM Service Code	ALMSvcCode	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALM Product Code	ALMProdCode	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALM Product Class	ALMProdClass	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALM Rate Type	ALMRateType	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
REAL TIME ACCOUNT UPDATER Group	RealTimeAcctUpdGrp																														
Account Updater Request Indicator	AcctUpdReqInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Account Updater Card Status	AcctUpdCardStat	-	-	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Account Updater Card Number	AcctUpdCardNum	-	-	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Account Updater Expiration Date	AcctUpdExpDate	-	-	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Account Updater Result Code	AcctUpdResultCode	-	-	√	-	-	-	-	-	-	- C	-	- C	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Message Type	XML	INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse			ReversalRequest ReversalResponse		Reject Response				
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
AUTH OPTIMIZATION Group	AuthOptGrp																														
Deferred Auth Tran ID	DfrdAuthTranID	-	-	√	-	-	√	√	√	√	C C	-	C C	-	-	-	-	-	M C	-	-	-	-	-	-	-	-	-	-	-	-
Override Indicator	OverrideInd	-	-	√	-	-	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Auth Optimization Reason Code	AuthOptReasonCode	-	-	√	-	-	√	√	√	√	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
PIN Group	PINGrp																														
PIN Data	PINData	√	√	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	-	-	C -	-	C -	M -	M -	-	O -	-	-
Key Serial Number Data	KeySerialNumData	√	√	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	-	-	C -	-	C -	C -	C -	-	O -	-	-
Key Offset	KeyOffset	√	√	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	C -	C -	C -	-	C -	C -	C -	C -	C -	C -	-
Master Session Key ID	MSKeyID	√	√	-	√	√	√	√	√	-	C -	-	C -	-	-	C -	C -	-	-	-	C -	C -	C -	-	C -	C -	C -	C -	C -	C -	-
ADDITIONAL AMOUNTS Group	AddtlAmtGrp																														
Additional Amount	AddAmt	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	C C	C C	C C	C C	- M	C -	M -	-	-
Additional Amount Currency	AddAmtCrncy	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	C C	C C	C C	C C	C C	- M	C -	M -	-
Additional Amount Type	AddAmtType	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	- C	C C	- M	-	-	M -	C -	M C	C C	C C	C C	C C	C C	- M	C -	M -	-
Additional Amount Account Type	AddAmtAcctType	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- M	-	-	-	-	- C	- C	- C	- C	- C	- C	-	-	-	-
Partial Authorization Approval Capability	PartAuthrznApprvlCapabl	√	√	√	√	√	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	C -	-	M -	-	M -	-	-	C -	-	-	-

Message Type		INDUSTRY									CREDIT										DEBIT						REJECT				
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse		DebitRequest / DebitResponse			ReversalRequest ReversalResponse		Reject Response					
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
EMV Group	EMVGrp																														
EMV Data	EMVData	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	C C	C C	C C	-	-	C C	C C	C C	C C	C C	C C	C C	C C	C C	C C	-	
Card Sequence Number	CardSeqNum	√	√	-	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	C -	C -	C -	C -	C -	C -	C -	C -	-
X-Code Response Code	XCodeResp	√	√	-	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	- C	C -	- C	-	-	C -	C -	-	
Service Code	ServCode	√	√	-	√	√	√	√	√	√	- C	C -	- C	-	-	- C	-	-	-	-	C -	-	- C	-	- C	-	-	-	-	-	-
Application Expiration Date	AppExpDate	√	√	-	√	√	√	√	√	√	- C	-	- C	-	-	- C	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-
Card Authentication Results Code	CARC	√	√	-	√	√	√	√	√	√	- C	-	- C	-	-	- C	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-
Processing Indicator	ProcInd	√	√	-	√	√	√	√	√	√	- C	-	- C	-	-	-	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-
Processing Information	ProcInfo	√	√	-	√	√	√	√	√	√	- C	-	- C	-	-	-	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-
Final Amount Indicator	FinAmtInd	√	√	-	√	√	√	√	√	√	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
TRANSARMOR Group	TAGrp																														
Security Level	SctyLvl	√	√	√	√	√	√	√	√	√	C -	C -	C -	C -	C -	C -	C -	-	-	C -	C -	C -	C -	C -	C -	C -	C -	C -	C -	C -	-
Encryption Type	EncrptType	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	C -	-	C -	C -	C -	C -	C -	-	-
Encryption Target	EncrptTrgt	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	C -	-	C -	C -	C -	C -	C -	-	-
Key ID	KeyID	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	C C	C C	C C	-	-	-	C C	-	C C	-	C C	C C	C C	C C	C C	-	-
Encryption Block	EncrptBlock	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	C -	-	C -	C -	C -	C -	C -	-	-

Message Type		INDUSTRY									CREDIT										DEBIT						REJECT				
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse		DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response			
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Token Type	TknType	√	√	√	√	√	√	√	√	√	C -	C -	C -	C -	C -	C -	C -	C -	-	C -	C -	C -	C -	C -	C -	C -	C -	C -	C -	C -	-
Token	Tkn	√	√	√	√	√	√	√	√	√	C C	C C	C C	C C	C C	C C	C C	C C	C -	C C	C C	C C	- C	C C	- C	- C	- C	C C	C C	-	
Security Key Update Indicator	SctyKeyUpdInd	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-	-	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	-	
ExpDate	TAExpDate	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	-	-	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	-	
Account Updater Token	AcctUpdTkn	-	-	√	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
TOKENIZATION Group	TknGrp																														
Token Requestor ID	TknReqID	√	-	√	-	-	-	-	-	-	C C	C C	C C	-	C C	C C	C C	-	-	C C	C C	C C	C -	C -	C -	C -	C -	C -	C -	C -	-
Token Assurance Method	TknLvl	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	- C	C -	- C	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Last Four Digits of PAN	TknLstFour	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	- C	-	- C	-	- C	-	-	-	-
Token Block A	TknBlkA	√	√	√	√	√	√	√	√	√	C -	-	C -	-	C -	C -	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Token Block B	TknBlkB	√	√	√	√	√	√	√	√	√	C -	-	C -	-	C -	C -	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Payment Token Request Indicator	PymtTknReqInd	-	-	√	-	-	√	√	√	√	C -	-	C -	-	C -	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Token Authorization Indicator	TknAuthInd	-	-	√	-	-	√	√	√	√	- C	-	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Payment Token Value	PymtTknValue	-	-	√	-	-	√	√	√	√	- C	-	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Payment Token Expiration Date	PymtTknExpDate	-	-	√	-	-	√	√	√	√	- C	-	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Additional Token Response Info	AddTknRespInfo	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	-	- C	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-
Token Authorization Try1 Indicator	TknAuthTry1Ind	-	-	√	-	-	√	√	√	√	- C	-	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Token Authorization Try2 Indicator	TknAuthTry2Ind	-	-	√	-	-	√	√	√	√	- C	-	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Token Authorization Try3 Indicator	TknAuthTry3Ind	-	-	√	-	-	√	√	√	√	- C	-	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-
NTI Token/PAN Lookup Result	TknPANLkpResult	-	-	√	-	-	√	√	√	√	- C	-	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ECOMM Group	EcommGrp																													
Ecomm Transaction Indicator	EcommTxnInd	-	-	√	-	-	√	√	√	√	C C	C -	C C	-	C C	C C	C C	C -	-	C -	C -	C -	-	C -	-	-	-	C -	C -	-
Customer Service Phone Number	CustSvcPhoneNumber	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-	C -	-	-	-	C -	C -	-
Ecomm URL	EcommURL	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	C -	C -	C -	-	C -	-	-	-	C -	C -	-
Multiple Clearing Sequence Number	MCSN	-	-	√	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	C -	-	-	-	C -	-	-
Multiple Clearing Sequence Count	MCSC	-	-	√	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	C -	-	-	C -	-	-	-	C -	-	-
SECURE TRANSACTION Group	SecrTxnGrp																													
Visa XID	VisaXID	-	-	√	-	-	√	√	√	√	O -	-	O -	-	O -	-	O -	-	-	-	C -	-	-	-	-	-	-	-	-	-
Visa Secure Transaction Authentication Data	VisaSecrTxnAD	-	-	√	-	-	√	√	√	√	C -	-	C -	-	C -	-	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
CAVV Result Code	CAVVResultCode	-	-	√	-	-	√	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Amex XID	AmexXID	-	-	√	-	-	√	√	√	√	O -	-	O -	-	O -	-	O -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Amex Secure Data	AmexSecrAD	-	-	√	-	-	√	√	√	√	C -	-	C -	-	C -	-	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Safekey Result Code	Safekey	-	-	√	-	-	√	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
UCAF Collection Indicator	UCAFCollectInd	-	-	√	-	-	√	√	√	√	C C	C -	C C	-	C -	C -	C -	-	-	-	C -	C -	-	-	-	-	-	-	-	-	-
MasterCard Secure Data	MCSecrAD	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Discover Authentication Type	DiscAuthType	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Discover Secure Data	DiscSecData	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	C -	-	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Secure Data Downgrade	SecDataDowngrade	-	-	√	-	-	√	√	√	√	- C	- C	- C	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Token Authentication Verification Data	TknAVD	-	-	√	-	-	√	√	√	√	C -	-	C -	-	C -	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
TAVV Result Code	TAVVResultCode	-	-	√	-	-	√	√	√	√	- C	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Program Protocol	ProgramProtocol	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Directory Server Transaction ID	DirServerTransID	-	-	√	-	-	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Low Value Exemption Indicator	LowValExInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Transaction Risk Analysis Exemption Indicator	TranRiskAnaExInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Trusted Merchant Exemption Indicator	TrustMerchExInd	-	-	√	-	-	-	-	-	-	C C	-	C C	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Secure Corporate Payment Exemption Indicator	SecrCorpExInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Delegated Authentication Indicator	DelegAuthInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Merchant Authentication Identifier	MerchantAuthentID	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Recurring Payment Exemption Indicator	RecPayExInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Exemption Reason Code	ExReasonCode	-	-	√	-	-	-	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Remote Commerce Acceptor Identifier	RmtCommAcptrId	-	-	√	-	-	-	-	-	√	C -	-	C -	-	C -	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Authentication Outage Exemption Indicator	AuthOutExInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Digital Authentication Framework Indicator	DAFInd	-	-	√	-	-	√	√	√	√	- C	-	- C	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VISA Group	VisaGrp																														
Authorization Characteristics Indicator (ACI)	ACI	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	-	C C	C C	C C	-	-	-	-	-	-	-	-	-
Market Specific Data Indicator	MrktSpecificDataInd	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	C -	C C	C C	C C	-	-	-	-	-	-	-	-	-
Existing Debt Indicator	ExistingDebtInd	√	-	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Card Level Result Code	CardLevelResult	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	-	C C	-	-	-	-	-	-	-	-	-	-
Source Reason Code	SourceReasonCode	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Transaction Identifier	TransID	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	C C	- C	-	-	C -	C -	C C	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT										DEBIT					REJECT					
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse		DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response			
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Visa BID	VisaBID	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Visa AUAR	VisaAUAR	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Tax Amount Capability	TaxAmtCapabl	√	√	-	-	-	√	√	-	-	C C	-	C C	-	-	-	-	-	-	-	C C	-	-	-	-	-	-	-	-	-	-
Spend Qualified Indicator	SpendQInd	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Visa Checkout Indicator	CheckoutInd	-	-	√	-	-	√	√	√	√	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Quasi-Cash Indicator	QCI	-	-	√	-	-	-	-	-	-	C -	-	-	-	C -	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Auth Indicator	VisaAuthInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-	-	-	-	-	-	-	-	-
Stored Credential Indicator	StoredCredInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-	-	-	-	-	-	-	-	-
Card On File Schedule Indicator	CofSchedInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-	-	-	-	-	-	-	-	-
CryptoCurrency Purchase Indicator	CryptoCrncyPurchInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-	-
MASTERCARD Group	MCGrp																														
BankNet Data	BanknetData	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	- C	- C	-	-	C -	C -	C C	-	-	-	-	-	-	-	-	-
Market Specific Data Indicator	MCMSDI	√	√	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	-	-	C -	C C	C C	C C	-	-	-	-	-	-	-	-	-
CCV Error Code	CCVErrorCode	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	- C	-	-	C C	C C	C C	-	-	-	-	-	-	-	-	-
POS Entry Mode Change	POSEntryModeChg	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	-	- C	-	-	C C	C C	C C	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT										DEBIT					REJECT					
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse		DebitRequest / DebitResponse			ReversalRequest ReversalResponse		Reject Response					
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Transaction Edit Error Code	TranEditErrCode	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	
MasterCard POS Data	MCPOSData	√	√	√	-	-	√	√	√	√	- C	C -	-	-	-	- C	-	-	-	O -	O -	O -	-	-	-	-	-	-	-	-	-
Device Type Indicator	DevTypeInd	√	√	-	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
MasterCard ACI	MCACI	√	-	√	-	-	√	√	√	√	C C	C C	C C	-	-	-	-	-	-	C C	C C	C C	-	-	-	-	-	-	-	-	-
MasterCard Additional Data	MCAddData	-	-	-	-	-	√	√	-	-	C C	C C	C C	-	-	-	-	-	-	C C	C C	C C	-	-	-	-	-	-	-	-	-
Authorization Type	FinAuthInd	√	√	√	√	√	√	√	√	√	C -	-	C -	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Transaction Integrity Class	TranIntgClass	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	-	- C	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Auth Indicator	MCAuthInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-	-	-	-	-	-	-	-	-
Stored Credential Indicator	StoredCredenInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-	-	-	-	-	-	-	-	-
CryptoCurrency Purchase Indicator	CrypCrncyPurchInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
High Risk Security Purchase Indicator	HighRiskSecrPurchInd	-	-	√	-	-	-	-	-	-	C -	-	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Card On File Schedule Indicator	CofSchdInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	C -	C -	C -	C -	-	-	-	-	-	-	-	-	-
CIT/MIT Framework Indicator	CITMITFrameInd	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
DISCOVER Group	DSGrp																														
Discover Processing Code	DiscProcCode	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Discover POS Entry Mode	DiscPOSEntry	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Discover Response Code	DiscRespCode	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Discover POS Data	DiscPOSData	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Discover Transaction Qualifier	DiscTransQualifier	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Discover NRID	DiscNRID	√	√	√	√	√	√	√	√	√	C C	C -	- C	-	- C	C C	- C	-	-	C C	C -	C C	-	-	-	-	-	-	-	-	-
Registered User Indicator	RegUserInd	-	-	√	-	-	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Registered User Profile Change Date	RegUserDate	-	-	√	-	-	-	-	-	-	O -	C -	O -	-	O -	O -	O -	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Auth Indicator	DiscAuthInd	-	-	√	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Partial Shipment Indicator	PartShipInd	-	-	√	-	-	-	-	-	-	C -	C -	-	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Discover ACI	DiscACI	√	-	√	-	-	√	√	√	√	C C	C C	-	-	-	-	-	-	-	C C	C C	C C	-	-	-	-	-	-	-	-	-
Stored Credential Indicator	StoredCrdnInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
Discover STAN	DiscSTAN	√	-	√	-	-	√	√	√	√	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Card On File Schedule Indicator	CofSchInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
AMEX Group	AmexGrp																														
Am Ex POS Data	AmExPOSData	√	√	√	-	-	√	√	√	√	- C	C -	- C	-	- C	- C	- C	-	-	-	- C	C -	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Am Ex Tran ID	AmExTranID	√	√	√	√	√	√	√	√	√	C C	C -	C C	-	- C	C C	- C	-	-	-	C C	C -	-	-	-	-	-	-	-	-
Goods Sold Code	GdSoldCd	√	√	-	-	-	√	√	√	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Re-Auth Indicator	ReAuthInd	-	-	√	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-
Auth Indicator	AmexAuthInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Stored Credential Indicator	StoredCrdInd	-	-	√	-	-	-	-	-	-	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
DEBIT Group	DebitGrp																													
Payee Phone Number	PayeePhoneNum	√	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Payee Account Number	PayeeAcctNum	√	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Payee ID	PayeeID	√	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	C -	O -	-	C -	C -	-
Billing Indicator	BillingInd	√	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	- C	- C	- C	- C	-	- C	- C	-
Fee Program Indicator	FPI	√	√	√	√	√	√	√	√	-	-	-	-	-	-	-	-	-	-	-	-	-	- C	- C	- C	- C	- C	- C	- C	-
PURCHASE CARD L2 Group	PurchCardlvl2Grp																													
Tax Amount	TaxAmt	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Tax Indicator	TaxInd	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
VAT/ Alternate TAX Amount	VATTaxAmt	√	√	√	√	√	√	√	-	√	-	O -	O -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
VAT/ Alternate TAX Rate	VATTaxRt	√	√	√	√	√	√	√	-	√	-	O -	O -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Purchase Identifier	PurchIdfr	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Order Number / Cust Ref Number	PCOrderNum	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Discount Amount	DiscntAmt	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Freight Amount	FrghtAmt	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Duty Amount	DutyAmt	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Destination Postal Code	DestPostalCode	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Ship from Postal Code	ShipFromPostalCode	√	√	√	√	√	-	-	-	√	-	O -	O -	-	-	-	-	-	-	-	C C	-	-	-	-	-	-	-	-	-
Destination Country Code	DestCtryCode	√	√	√	√	√	-	-	-	√	-	O -	O -	-	-	-	-	-	-	-	C C	-	-	-	-	-	-	-	-	-
Merchant Tax ID	MerchTaxID	√	√	√	√	√	√	√	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Product Description	ProdDesc	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
PC3Addenda	PC3Add	√	√	√	√	√	-	-	-	√	-	C -	C -	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
PURCHASE CARD L3 Group	PurchCardlv3Grp																													
Item Sequence Number	L3ItemSeqNum	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Item Code	L3ItemCode	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Item Description	L3ItemDesc	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Level 3 Item Quantity	L3Qty	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Level 3 Unit of Measure	L3UnitOfMsure	√	√	√	√	√	√	√	-	√	-	C -	C -	M -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Level 3 Unit Cost	L3UnitCost	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Level 3 Line Item Total	L3ItemTot	√	√	√	√	√	√	√	-	√	-	C -	C -	C -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Level 3 Discount Amount	L3DiscntAmt	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Level 3 VAT/ Alternate TAX Amount	L3TaxAmt	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Level 3 VAT/ Alternate TAX Rate	L3TaxRt	√	√	√	√	√	√	√	-	√	-	O -	O -	O -	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
CUSTOMER INFO Group	CustInfoGrp																														
AVS/Billing Address	AVSBillingAddr	√	√	√	-	-	√	√	√	√	O -	O -	O -	-	C -	O -	O -	O -	-	-	C -	-	-	O -	-	-	-	C -	-	-	-
AVS/Billing Postal Code	AVSBillingPostalCode	√	√	√	√	√	√	√	√	√	O -	O -	O -	-	C -	O -	O -	O -	-	-	C -	-	-	C -	-	-	-	C -	-	-	-
Card Holder First Name	CHFirstNm	√	√	√	√	√	√	√	√	√	O -	C -	O -	-	C -	O -	O -	O -	-	-	C -	-	-	-	-	-	-	-	-	-	-
Card Holder Last Name	CHLastNm	√	√	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	O -	O -	-	-	C -	-	-	-	-	-	-	-	-	-	-
Card Holder Full Name Result	CHFullNmRes	√	√	√	√	√	√	√	√	√	- C	C C	- C	-	- C	- C	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Customer Email Address	CustEmailAddr	-	-	√	-	-	-	-	-	-	O -	-	O -	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-	-
Giftee Email Address	GiftEmailAddr	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	-	-	O -	-	-	-	-	-	-	-	-	-	-	-	-	-
Customer IP Address	CustIPAddr	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-	-
Customer Host Name	CustHostName	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-	-
Customer Browser Name	CustBrwsrName	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Customer ANI	CustANI	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-	-
Customer ANI Information Identifier	CustANIII	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-	-
Billing Address 2	BillingAddr2	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Billing City	BillingCity	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Billing State	BillingState	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Billing Country	BillingCtry	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Customer Telephone Number	CustTelNum	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Customer Telephone Type	CustTelType	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Card Holder Middle Name	CHMidNm	-	-	√	-	-	√	√	√	√	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Full Name Account Match Decision	FullNmAcctMtchDec	-	-	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Last Name Account Match Decision	LastNmAcctMtchDec	-	-	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Middle Name Account Match Decision	MidNmAcctMtchDec	-	-	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
First Name Account Match Decision	FirstNmAcctMtchDec	-	-	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Card Holder Phone Number Result	CHPhNumRes	-	-	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Card Holder Email Address Result	CHEmailAddrRes	-	-	√	-	-	√	√	√	√	-	-	-	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
DEBT REPAYMENT Group	DebtRepayGrp																													
Recipient Last Name	RcptLastNm	√	-	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Recipient Postal Code	RcptPostalCode	√	-	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Recipient Date Of Birth	RcptDateOfBirth	√	-	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Recipient Account Number	RcptAcctNum	√	-	√	-	-	-	-	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
ORDER Group	OrderGrp																													
Order Date	OrderDate	√	√	√	√	√	-	-	-	-	O -	O -	O -	-	-	-	-	-	-	-	C C	-	-	-	-	-	-	-	-	-
Order Time	OrderTime	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
SKU	SKU	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shipping Group	ShipGrp																													
Ship To First Name	ShipToFirstNm	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
Ship To Last Name	ShipToLastNm	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
Ship To Address Line 1	ShipToAddr1	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
Ship To Address Line 2	ShipToAddr2	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Ship To City	ShipToCity	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
Ship To State	ShipToState	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
Ship To Country	ShipToCtry	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
Ship To Postal Code	ShipToPostalCode	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
Ship To Telephone Number	ShipToTelNum	-	-	√	-	-	-	-	-	-	C -	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ship To Telephone Type	ShipToTelType	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Shipping Carrier	ShippingCarrier	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
Shipping Method	ShippingMthd	-	-	√	-	-	-	-	-	-	O -	-	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-
STAR Group	SAGrp																													
STAR Transaction Sequence	SATranSeq	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
STAR POS Condition Code	SACondCode	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
STAR POS Entry Mode	SAEntryMode	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
STAR System Trace	SASysTrace	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
STAR Retrieval Reference Number	SARRN	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-
STAR ACI	SAACI	-	-	-	-	-	√	√	-	-	C -	-	-	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
STAR Market Specific Data Indicator	SAMrktSpecificDataInd	√	√	√	√	√	√	√	√	√	- C	C -	- C	-	-	-	-	-	-	C -	C -	C -	-	-	-	-	-	-	-	-	-
RESPONSE Group	RespGrp																														
Response Code	RespCode	√	√	√	√	√	√	√	√	√	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	- M	C
Authorization ID	AuthID	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	-
Response Date	ResponseDate	-	-	√	-	-	-	-	-	-	- C	-	-	-	-	- C	-	-	-	-	-	- C	-	-	-	-	-	-	-	-	-
Additional Response Data	AddtlRespData	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	C
Settlement Date	SttlmDate	√	√	√	√	√	-	-	-	-	-	-	- C	-	-	-	-	-	-	-	- C	- C	-	- C	- C	- C	- C	-	- C	- C	-
Authorizing Network ID	AthNtwkID	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	-
Authorizing Network Name	AthNtwkNm	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	-
Routing Indicator	RtInd	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	-	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	-
Signature Indicator	SigInd	√	√	-	√	√	√	√	√	√	- C	-	- C	-	-	- C	-	-	-	-	- C	- C	- C	- C	- C	- C	- C	-	- C	- C	-
Error Data	ErrorData	√	√	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	C
Settlement Transaction Type	SettlementTxnType	√	√	-	√	√	√	√	√	√	- C	-	-	-	- C	- C	- C	- C	-	-	-	- C	-	-	-	-	-	-	-	-	-
Association Response Code	AssocRespCode	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	- C	- C	- C	-	-	-	-	-	-	-	-	-
Category Code	CategoryCode	√	√	√	√	√	√	√	√	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Card Info Response Group	CardInfoRespGrp																													
Issuing Bank	IssBank	-	-	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Issuing Country Code	IssCtryCode	-	-	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Card Brand	CardBrnd	-	-	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Card Indicator	CardInd	-	-	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Detailed Product ID	DetProdID	-	-	√	-	-	-	-	-	√	- C	-	- C	-	- C	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
ORIGINAL AUTHORIZATION Group	OrigAuthGrp																													
Original Authorization ID	OrigAuthID	√	√	√	√	√	√	√	√	√	-	M C	-	M -	-	-	-	-	-	C E	C C	C E	-	M -	-	-	-	C C	C E	-
Original Response Date	OrigResponseDate	-	-	√	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	C -	-	-	-	C -	C -	-
Original Local Date and Time	OrigLocalDateTime	√	√	√	√	√	√	√	√	√	-	C -	-	M -	-	-	-	-	-	M -	M -	M -	-	M -	-	-	-	M -	M -	-
Original Transmission Date and Time	OrigTranDateTime	√	√	√	√	√	√	√	√	√	-	C -	-	M -	-	-	-	-	-	M -	M -	M -	-	M -	-	-	-	M -	M -	-
Original STAN	OrigSTAN	√	√	√	√	√	√	√	√	√	C -	C -	-	M -	-	-	-	-	-	M -	M C	M -	-	M -	-	-	-	M C	M -	-
Original Response Code	OrigRespCode	√	√	√	√	√	√	√	√	√	-	C -	-	-	-	-	-	-	-	M -	C -	M -	-	M -	-	-	-	C -	M -	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Original Authorizing Network ID	OrigAthNtwkID	√	√	√	√	√	√	√	√	√	-	C -	-	-	-	-	-	-	-	C -	C -	C -	-	C -	-	-	-	C -	C -	-
DYNAMIC CURRENCY CONVERSION Group	DCCGrp																													
DCC Indicator	DCCInd	√	√	√	√	-	√	√	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
DCC Transaction Time Zone	DCCTimeZn	√	√	√	√	-	√	√	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Cardholder Currency Amount	DCCAmt	√	√	√	√	-	√	√	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Currency Conversion Rate	DCCRate	√	√	√	√	-	√	√	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
Cardholder Currency Code	DCCCrcncy	√	√	√	√	-	√	√	-	-	C -	-	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-
PRODUCT CODE Group	ProdCodeGrp																													
Service Level	ServLvl	√	-	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	C -	C -	C -	C -	-	C -	C -	-
Number of Products	NumOfProds	√	-	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	C -	C -	C -	C -	-	C -	C -	-
PRODUCT CODE DETAIL Group	ProdCodeDetGrp																													

Message Type	XML	INDUSTRY									CREDIT											DEBIT						REJECT			
Fields and Field Groups		Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
											Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
NACS Product Code	NACSProdCode	√	-	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	C -	C -	C -	C -	-	C -	C -	-	
Unit of Measure	UnitOfMsure	√	-	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	C -	C -	C -	C -	-	C -	C -	-	
Quantity	Qty	√	-	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	C -	C -	C -	C -	-	C -	C -	-	
Unit Price	UnitPrice	√	-	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	C -	C -	C -	C -	-	C -	C -	-	
Product Amount	ProdAmt	√	-	√	-	√	-	-	-	-	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	C -	C -	C -	C -	-	C -	C -	-	
FILE DOWNLOAD Group	FileDLGrp																														
File Type	FileType	√	√	√	√	√	√	√	√	√	- C	- C	- C	-	- C	- C	- C	-	-	-	- C	- C	- C	- C	- C	- C	- C	- C	- C	- C	-
TRANSIT Group	TransitGrp																														
Transit Transaction Type Indicator	TraTranTypeInd	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-	-
Transportation Mode Indicator	TptModeInd	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	-	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-	-
ATC Update Indicator	ATCUpdInd	-	-	-	-	-	-	-	-	√	C -	-	C -	-	C -	C -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Transit Access Terminal Indicator	TraAcsTermInd	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-	-
Transit Access Terminal Function Code	TraAcsTermFunCode	-	-	-	-	-	-	-	-	√	C -	C -	C -	-	C -	C -	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT					REJECT			
											CreditRequest / CreditResponse									ReversalRequest / ReversalResponse		DebitRequest / DebitResponse			ReversalRequest ReversalResponse		Reject Response			
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Expresspay Translation PAN	ExPayTransIPAN	-	-	-	-	-	-	-	-	√	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
LODGING Group	LodgingGrp																													
Folio Number	FolioNum	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Room Number	RoomNum	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Lodging Reference Number	LodRefNum	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Room Rate	RoomRt	-	-	-	-	-	√	-	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Program Indicator	ProgramInd	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	-	C C	C -	-	-	-	-	-	-	-	-
Duration	Duration	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Extra Charges	ExtraChrgs	-	-	-	-	-	√	-	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
AUTO RENTAL Group	AutoRentalGrp																													
Rental City	RentalCity	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Rental State	RentalState	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Rental Country	RentalCtry	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Rental Date	RentalDate	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-
Rental Time	RentalTime	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT			
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response		
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type	
Return City	ReturnCity	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Return State	ReturnState	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Return Country	ReturnCtry	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Return Date	ReturnDate	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Return Time	ReturnTime	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Amount Extra Charges	AmtExtraChrgs	-	-	-	-	-	-	√	-	-	O -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Renter Name	RenterName	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Auto Rental Agreement Number	AutoAgreeNum	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Rental Duration	RentalDuration	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Rental Extra Charges	RentalExtraChrgs	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Auto Rental No Show	AutoNoShow	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	-	-	-	-	-	-	-	-	-	-
Delayed Charge Indicator	DelChrgInd	-	-	-	-	-	-	√	-	-	C -	-	-	-	-	-	-	-	-	-	C -	C -	-	-	-	-	-	-	-	-	-
FRAUD MITIGATION Group	FraudMitGrp																														
Customer Match Indicator	CustMatInd	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Address Change Indicator	AddChgInd	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
Fraud Score Indicator	FrdScoreInd	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	M -	-	-	-	-	-	-	-	-	-	-	-	-
Number of Attempts	NumAttempts	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Membership Indicator	MemblInd	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Customer ID	CustID	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Customer Start Date	CustStartDate	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Loyalty ID	LoyID	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Loyalty Start Date	LoyStartDate	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Fraud Text	FrdTxt	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
Fraud Packet	FrdPacket	-	-	√	-	-	-	-	-	-	O -	-	-	-	O -	-	O -	O -	-	-	-	-	-	-	-	-	-	-	-	-
FRAUD MITIGATION Response Group	FraudMitRespGrp																													
Zip Code Match	ZipMtch	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Street Match	StrMtch	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Name Match	NmMtch	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Telephone Match	TeleMtch	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-

Message Type		INDUSTRY									CREDIT											DEBIT						REJECT		
											CreditRequest / CreditResponse								ReversalRequest / ReversalResponse			DebitRequest / DebitResponse					ReversalRequest ReversalResponse		Reject Response	
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	Supermarket	Petroleum	Lodging / Cruise	Auto Rental	Airline	Transit	Authorization	Completion	Sale	PCL3AddDetail	Verification	Refund	BalanceInquiry	FraudScore	CancelDeferredAuth	PartialReversal	TimeoutReversal	Void/FullReversal	Authorization	Completion	Sale	Refund	BalanceInquiry	TimeoutReversal	Void/FullReversal	Any Transaction Type
E-Mail Match	EmailMtch	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Address Change	AddrChg	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	-	-	-	-	-	-	-	-	-	-	-	-	-
Scoring Result	ScoreRes	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	- M	-	-	-	-	-	-	-	-	-	-	-	-
Score	Score	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	- M	-	-	-	-	-	-	-	-	-	-	-	-
Reversal Attempted	RevAt	-	-	√	-	-	-	-	-	-	- C	-	-	-	- C	-	- C	- C	-	-	-	-	-	-	-	-	-	-	-	-
RESTAURANT Group	RestGrp																													
Food Amount	FoodAmt	-	√	-	-	-	-	-	-	-	-	O -	-	-	-	O -	-	-	-	-	C -	-	-	-	O -	O -	-	C -	-	-
Beverage Amount	BevgAmt	-	√	-	-	-	-	-	-	-	-	O -	-	-	-	O -	-	-	-	-	C -	-	-	-	O -	O -	-	C -	-	-
Tip Amount	TipAmt	-	√	-	-	-	-	-	-	-	-	O -	-	-	-	O -	-	-	-	-	C -	-	-	-	O -	O -	-	C -	-	-
Restaurant Tax Amount	RestTaxAmt	-	√	-	-	-	-	-	-	-	-	O -	-	-	-	O -	-	-	-	-	C -	-	-	-	O -	O -	-	C -	-	-
Server ID	ServerID	-	√	-	-	-	-	-	-	-	-	O -	-	-	-	O -	-	-	-	-	C -	-	-	-	O -	O -	-	C -	-	-

Chapter 47 : DCC Transactions

Revision History

Section	Change Log	Version	Date
1	Fall 2023 Compliance Updates: Added the “Merchant Payment Gateway ID” and “Alternate Network Transaction ID” fields in the Common Group.	12.04.13	October 25, 2023
1	Changed the rules from ‘M ’ to ‘C ’ in the Original Local Date and Time, Original Transmission Date and Time, Original STAN and Original Response Code fields for Completion transactions. Changed the rule from ‘-’ to ‘C ’ in the UCAF Collection Indicator field for Refund transactions.	12.04.11	August 23, 2023
1	Additional Compliance Updates: Added Merchant Service Location City, Merchant Service Location State, Merchant Service Location Postal Code and Merchant Service Location Country fields in the ALTERNATE MERCHANT NAME AND ADDRESS Group.	12.04.10	June 21, 2023
1	Spring 2023 Compliance Updates: Changed the rule from ‘O ’ to ‘C ’ in the Ship To Telephone Number field for Authorization and Refund transactions.	12.04.9	April 26, 2023
1	Added the ‘Token Authorization Try1 Indicator’, ‘Token Authorization Try2 Indicator’, ‘Token Authorization Try3 Indicator’, and ‘NTI Token/PAN Lookup Result’ fields in the Tokenization Group. Additional Compliance Updates: Added the MIT Payment Currency and MIT Total Payment Amount fields in Bill Payment Group. Added the No Show Indicator and Delayed Charge Indicator fields in Common Group.	12.04.7	February 22, 2023
1	Added Installment Type, MIT Total Payment Count, MIT Amount Type, MIT Amount, MIT Unique ID, MIT Frequency, MIT Validation Flag, MIT Sequence Indicator, MIT Payment Type and MIT Registration Reference Number fields in the Bill Payment Group. Fall 2022 Compliance Updates: Changed the rules from ‘-’ to ‘C ’ in Card Holder Last	12.04.5	October 26, 2022

Section	Change Log	Version	Date
	Name field for Refund transactions. Changed the rules from '-' to '- C' in the AVS Result Code and Card Holder Full Name Result fields for Refund transactions. Changed the rules from '-' to 'O -' in the AVS/Billing Address, AVS/Billing Postal Code and Card Holder First Name fields for Refund transactions.		
1	Changed the rules from '-' to 'O -' in the MasterCard POS Data field for TimeoutReversal and Void/FullReversal transactions.	12.04.2	June 29, 2022
1	Spring 2022 Compliance Updates: Added the "Plan Registration System Identifier" and "Agreement ID" fields in the Common Group. Added the "Digital Authentication Framework Indicator" field in the Secure Transaction Group. Added the following fields in the Card Group: "ALM Service Code", "ALM Product Code", "ALM Product Class" and "ALM Rate Type". Added the "CIT/MIT Framework Indicator" field in the MasterCard Group. Changed the rules from '-' to '√' in the Business Payment Type field for Restaurant, Lodging / Cruise and Auto Rental industries.	12.04.1	April 27, 2022

Chapter Contents

1	UMF Transaction and Field Matrix – DCC -----	47-3
---	--	------

47.1 UMF Transaction and Field Matrix – DCC

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Common Group	CommonGrp															
Payment Type	PymtType	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Reversal Reason Code	ReversalInd	√	√	√	√	√	√	√	-	-	-	-	-	M -	M -	-
Transaction Type	TxnType	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Local Date and Time	LocalDateTime	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Transmission Date and Time	TrmmsnDateTime	√	√	√	√	√	√	√	M M	M M	M M	M M	M M	M M	M M	M
STAN	STAN	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Reference Number	RefNum	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Order Number	OrderNum	√	√	√	√	√	√	√	C C	C C	C C	C C	-	C C	C C	C
TPP ID	TPPID	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	C
Terminal ID	TermID	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant ID	MerchID	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Merchant Category Code	MerchCatCode	√	√	√	√	√	√	√	O C	O -	C C	O -	C C	C C	C C	-
POS Entry Mode	POSEntryMode	√	√	√	√	√	√	√	M -	M -	M -	M -	C -	M -	M -	C
POS Condition Code	POSCondCode	√	√	√	√	√	√	√	M -	M -	M -	M -	C -	M -	M -	C
Terminal Category Code	TermCatCode	√	√	√	√	√	√	√	M -	M -	M -	M -	C -	M -	M -	C
Terminal Entry Capability	TermEntryCapabl	√	√	√	√	√	√	√	M -	M -	M -	M -	C -	M -	M -	C
Transaction Amount	TxnAmt	√	√	√	√	√	√	√	M M	M M	M M	M E	M M	M M	M M	C
Transaction Currency	TxnCrncy	√	√	√	√	√	√	√	M E	M E	M E	M E	M E	M E	M E	C
Terminal Location Indicator	TermLocInd	√	√	√	√	√	√	√	M -	M -	M -	M -	-	M -	M -	C
Card Capture Capability	CardCaptCap	√	√	√	√	√	√	√	M -	M -	M -	M -	-	M -	M -	C
Group ID	GroupID	√	√	√	√	√	√	√	M -	M -	M -	M -	M -	M -	M -	-
POS ID	POSID	√	√	-	-	√	√	√	C E	C E	C -	-	-	C -	C -	-
Settlement Indicator	SettleInd	√	√	√	√	-	√	√	C -	-	C -	M -	C -	C -	C -	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Clerk ID	ClerkID	√	√	-	√	√	-	-	O -	O -	O -	-	-	C -	O -	-
Service Entitlement Number	SENum	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Merchant Echo	MerchEcho	√	√	√	√	√	√	√	O E	O E	O E	O E	O E	O E	O E	-
Wallet Identifier	WltID	√	√	√	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
Non US Merchant	NonUSMerch	√	√	√	√	-	√	√	C -	C -	C -	-	-	C -	C -	-
Digital Wallet Indicator	DigWltInd	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	C -	-
Digital Wallet Program Type	DigWltProgType	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	C -	-
Transaction Initiation	TranInit	√	√	√	√	√	√	√	C -	C -	C -	-	C -	C -	C -	-
Payment Service	PymntSvc	√	√	-	-	-	-	-	-	-	-	-	-	C -	-	-
Card Info Request Indicator	InfoReqInd	-	-	√	√	-	-	-	C -	C -	C -	-	-	-	-	-
Merchant Tran ID	MerchCustom1	√	√	√	√	√	√	√	O -	O -	O -	O -	O -	O -	O -	-
Refund Type	RefundType	√	√	√	√	√	√	√	-	-	C -	-	-	C -	C -	-
Routing Fallback Indicator	RtFallbackInd	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Deferred Authorization Indicator	DfrdAuthInd	√	√	√	√	√	√	√	C -	C -	-	-	-	-	-	-
Business Payment Type	BusPymtType	√	√	√	√	-	√	√	C -	C -	C -	-	-	C -	C -	-
Merchant Country of Origin	MerchCtryOfOrigin	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Plan Registration System Identifier	PlanRegSysId	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	C -	-
Agreement ID	AgreementID	√	√	√	√	√	√	√	- C	- C	- C	-	-	C -	C -	-
Delayed Charge Indicator	DelChargeInd	√	√	√	√	√	-	-	C -	C -	-	-	-	C -	C -	-
No Show Indicator	NoShowInd	√	√	√	√	√	-	-	C -	C -	-	-	-	C -	C -	-
Merchant Payment Gateway ID	MerchPymtGtwyID	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Alternate Network Transaction ID	AltNetTranID	√	√	√	√	-	√	√	C -	C -	C -	-	-	C -	C -	-
Bill Payment Group	BillPayGrp															
Bill Payment Transaction Indicator	BillPymtTxnInd	√	-	√	√	-	-	-	C -	C -	C -	O -	C -	C -	C -	-
Merchant Advice Code	MerchAdviceCode	√	-	√	√	-	-	-	- C	- C	-	-	-	-	-	-
Installment Type	InstallmentType	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	C -	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
MIT Total Payment Count	MITTotPymtCt	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Amount Type	MITAmtType	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Amount	MITAmt	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Unique ID	MITUniqueID	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Frequency	MITFreq	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Validation Flag	MITValFlag	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Validation Reference	MITValRef	-	-	√	-	-	-	-	C -	C -	-	-	-	-	-	-
MIT Sequence Indicator	MITSeqInd	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Payment Currency	MITPymtCrncy	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Total Payment Amount	MITTotPymtAmt	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Payment Type	MITPymtType	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
MIT Registration Reference Number	MITRegRefNum	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-
Alternate Merchant Name and Address Group	AltMerchNameAndAddrGrp															

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Name	MerchName	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant Address	MerchAddr	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant City	MerchCity	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant State	MerchState	√	√	√	√	√	√	√	C -	O -	C -	C -	-	C -	C -	-
Merchant County	MerchCnty	√	√	√	√	√	√	√	O -	O -	C -	-	-	C -	C -	-
Merchant Postal Code	MerchPostalCode	√	√	√	√	√	√	√	O -	O -	C -	O -	-	C -	C -	-
Merchant Country	MerchCtry	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant Email Address	MerchEmail	-	-	√	√	-	-	-	C -	C -	C -	C -	-	C -	C -	-
Merchant Service Location City	MerchSvcLocCity	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant Service Location State	MerchSvcLocState	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Merchant Service Location Postal Code	MerchSvcLocPostalCode	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Merchant Service Location Country	MerchSvcLocCtry	√	√	√	√	√	√	√	C -	C -	C -	C -	-	C -	C -	-
Payment Facilitator Group	PFGrp															
Payment Facilitator Indicator	PFInd	√	√	√	√	-	√	√	C -	C -	C -	C -	-	C -	C -	-
Sub Merchant ID	SubMerchID	√	√	√	√	-	√	√	C -	C -	C -	C -	-	C -	C -	-
Payment Facilitator Phone Number	PFPhoneNumber	√	√	√	√	-	√	√	C -	C -	C -	C -	-	C -	C -	-
CARD Group	CardGrp															
Account Number	AcctNum	√	√	√	√	√	√	√	C C	C C	C C	C C	C C	C C	C C	-
Card Expiration Date	CardExpiryDate	√	√	√	√	√	√	√	C -	C -	C -	O -	C C	C -	C -	-
Track 1 Data	Track1Data	√	√	-	-	√	√	√	C -	C -	C -	-	-	-	-	-
Track 2 Data	Track2Data	√	√	-	-	√	√	√	C -	C -	C -	-	-	-	-	-
Card Type	CardType	√	√	√	√	√	√	√	M C	M C	M C	M -	C C	M -	M -	-
AVS Result Code	AVSResultCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	C C	-	-
CCV Indicator	CCVInd	√	√	√	√	√	√	√	O -	O -	C -	-	-	-	-	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
CCV Data	CCVData	√	√	√	√	√	√	√	O -	O -	C -	-	-	-	-	-
CCV Result Code	CCVResultCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	C C	-	-
MVV/MAID	MVVMaID	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Card Info Request Indicator	InfoReqInd	-	-	√	√	-	-	-	C -	C -	C -	-	-	-	-	-
Payment Account Reference Request Indicator	PymtAcctRefReqInd	√	√	√	√	√	√	√	C -	C -	C -	-	-	-	-	-
Payment Account Reference	PymtAcctRef	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
ALM Service Code	ALMSvcCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
ALM Product Code	ALMProdCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
ALM Product Class	ALMProdClass	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
ALM Rate Type	ALMRateType	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
REAL TIME ACCOUNT UPDATER Group	RealTimeAcctUpdGrp															
Account Updater Request Indicator	AcctUpdReqInd	-	-	√	√	-	-	-	C -	C -	C -	-	-	-	-	-
Account Updater Card Status	AcctUpdCardStat	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Account Updater Card Number	AcctUpdCardNum	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Account Updater Expiration Date	AcctUpdExpDate	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Account Updater Result Code	AcctUpdResultCode	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
AUTH OPTIMIZATION Group	AuthOptGrp															
Deferred Auth Tran ID	DfrdAuthTranID	-	-	√	-	-	√	√	C C	C C	-	-	M C	-	-	-
Override Indicator	OverrideInd	-	-	√	-	-	√	√	C -	C -	-	-	-	-	-	-
Auth Optimization Reason Code	AuthOptReasonCode	-	-	√	-	-	√	√	- C	- C	-	-	-	-	-	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
PIN Group	PINGrp															
PIN Data	PINData	√	√	-	-	√	√	√	C -	C -	C -	-	-	-	-	-
Key Serial Number Data	KeySerialNumData	√	√	-	-	√	√	√	C -	C -	C -	-	-	-	-	-
Key Offset	KeyOffset	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
Master Session Key ID	MSKeyID	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
ADDITIONAL AMOUNTS Group	AddtlAmtGrp															
Additional Amount	AddAmt	√	√	√	√	√	√	√	C C	C C	C C	-	-	C -	M C	-
Additional Amount Currency	AddAmtCrncy	√	√	√	√	√	√	√	C C	C C	C C	-	-	C -	M C	-
Additional Amount Type	AddAmtType	√	√	√	√	√	√	√	C C	C C	C C	-	-	C -	M C	-
Additional Amount Account Type	AddAmtAcctType	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	- C	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
EMV Group	EMVGrp															
EMV Data	EMVData	√	√	√	-	√	√	√	C C	C C	C C	-	-	C C	C C	-
Card Sequence Number	CardSeqNum	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
X-Code Response Code	XCodeResp	√	√	-	-	√	√	√	- C	- C	-	-	-	C -	C -	-
Service Code	ServCode	√	√	-	-	√	√	√	- C	- C	- C	-	-	C -	-	-
Application Expiration Date	AppExpDate	√	√	-	-	√	√	√	- C	- C	- C	-	-	-	-	-
Card Authentication Results Code	CARC	√	√	-	-	√	√	√	- C	- C	- C	-	-	-	-	-
Processing Indicator	ProcInd	√	√	-	-	√	√	√	- C	- C	-	-	-	-	-	-
Processing Information	ProcInfo	√	√	-	-	√	√	√	- C	- C	-	-	-	-	-	-
TOKENIZATION Group	TknGrp															
Token Requestor ID	TknReqID	√	-	√	√	-	-	-	C C	C C	C C	-	-	C C	C C	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Token Assurance Method	TknLvl	√	√	√	√	√	√	√	- C	- C	C -	-	-	C -	C -	-
Last Four Digits of PAN	TknLstFour	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
Payment Token Request Indicator	PymtTknReqInd	-	-	√	√	-	√	√	C -	C -	C -	-	-	-	-	-
Token Authorization Indicator	TknAuthInd	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Payment Token Value	PymtTknValue	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Payment Token Expiration Date	PymtTknExpDate	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Additional Token Response Info	AddTknRespInfo	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	- C	-
Token Authorization Try1 Indicator	TknAuthTry1Ind	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Token Authorization Try2 Indicator	TknAuthTry2Ind	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
Token Authorization Try3 Indicator	TknAuthTry3Ind	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-
NTI Token/PAN Lookup Result	TknPANLkpResult	-	-	√	√	-	√	√	- C	- C	- C	-	-	-	-	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
ECOMM Group	EcommGrp															
Ecomm Transaction Indicator	EcommTxnInd	-	-	√	-	-	√	√	C C	C C	C C	C -	-	C -	C -	-
Customer Service Phone Number	CustSvcPhoneNumber	-	-	√	√	-	√	√	C -	C -	C -	-	-	C -	C -	-
Ecomm URL	EcommURL	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	C -	-
SECURE TRANSACTION Group	SecrTxnGrp															
Visa XID	VisaXID	-	-	√	-	-	√	√	O -	O -	-	-	-	C -	-	-
Visa Secure Transaction Authentication Data	VisaSecrTxnAD	-	-	√	-	-	√	√	C -	C -	-	-	-	C -	-	-
CAVV Result Code	CAVVResultCode	-	-	√	-	-	√	√	- C	- C	-	-	-	C -	-	-
UCAF Collection Indicator	UCAFCollectInd	-	-	√	-	-	√	√	C C	C C	C -	-	-	C -	C -	-
MasterCard Secure Data	MCSecrAD	-	-	√	-	-	√	√	C -	C -	-	-	-	C -	-	-
Secure Data Downgrade	SecDataDowngrade	-	-	√	-	-	√	√	- C	- C	-	-	-	-	-	-
Token Authentication Verification Data	TknAVD	-	-	√	-	-	√	√	C -	C -	-	-	-	C -	-	-
TAVV Result Code	TAVVResultCode	-	-	√	-	-	√	√	- C	- C	-	-	-	-	-	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Program Protocol	ProgramProtocol	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	-	-
Directory Server Transaction ID	DirServerTransID	-	-	√	-	-	√	√	C -	C -	C -	-	-	C -	-	-
Low Value Exemption Indicator	LowValExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Transaction Risk Analysis Exemption Indicator	TranRiskAnaExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Trusted Merchant Exemption Indicator	TrustMerchExInd	-	-	√	-	-	-	-	C C	C C	-	-	-	C -	-	-
Secure Corporate Payment Exemption Indicator	SecrCorpExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Delegated Authentication Indicator	DelegAuthInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Merchant Authentication Identifier	MerchantAuthentID	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Recurring Payment Exemption Indicator	RecPayExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Authentication Outage Exemption Indicator	AuthOutExInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Digital Authentication Framework Indicator	DAFInd	-	-	√	-	-	√	√	- C	- C	- C	-	-	-	-	-
VISA Group	VisaGrp															
Authorization Characteristics Indicator (ACI)	ACI	√	√	√	√	√	√	√	C C	C C	C C	-	-	C C	C C	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Market Specific Data Indicator	MrktSpecificDataInd	√	√	√	√	√	√	√	C C	C C	C C	-	C -	C C	C C	-
Card Level Result Code	CardLevelResult	√	√	√	√	√	√	√	- C	- C	- C	-	-	C C	-	-
Source Reason Code	SourceReasonCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
Transaction Identifier	TransID	√	√	√	√	√	√	√	C C	C C	C C	-	-	C -	C C	-
Visa BID	VisaBID	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	-	-
Visa AUAR	VisaAUAR	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	-	-
Tax Amount Capability	TaxAmtCapablt	√	√	-	-	-	√	√	C C	C C	-	-	-	C C	-	-
Spend Qualified Indicator	SpendQInd	√	√	√	√	√	√	√	- C	- C	-	-	-	C -	C -	-
Visa Checkout Indicator	CheckoutInd	-	-	√	-	-	√	√	C -	C -	-	-	-	C -	-	-
Card On File Schedule Indicator	CofSchedInd	-	-	√	√	-	-	-	C -	C -	C -	-	C -	C -	C -	-
CryptoCurrency Purchase Indicator	CryptoCrncyPurchInd	-	-	√	-	-	-	-	C -	C -	C -	-	-	C -	C -	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
MASTERCARD Group	MCGrp															
BankNet Data	BanknetData	√	√	√	√	√	√	√	C C	C C	- C	-	-	C -	C C	-
Market Specific Data Indicator	MCMSDI	√	√	√	√	√	√	√	C C	C C	C C	-	C -	C C	C C	-
CCV Error Code	CCVErrorCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	C C	C C	-
POS Entry Mode Change	POSEntryModeChg	√	√	√	√	√	√	√	- C	- C	-	-	-	C C	C C	-
Transaction Edit Error Code	TranEditErrCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
MasterCard POS Data	MCPOSData	√	√	√	√	-	√	√	- C	-	- C	-	-	O -	O -	-
Device Type Indicator	DevTypeInd	√	√	-	-	√	√	√	C -	C -	C -	-	-	C -	C -	-
MasterCard ACI	MCACI	√	-	√	√	-	√	√	C C	C C	-	-	-	C C	C C	-
MasterCard Additional Data	MCAddData	-	-	-	-	-	√	√	C C	C C	-	-	-	C C	C C	-
Authorization Type	FinAuthInd	√	√	√	√	√	√	√	C -	C -	-	-	-	C -	C -	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Transaction Integrity Class	TranIntgClass	√	√	√	√	√	√	√	C C	C C	- C	-	-	C -	C -	-
CryptoCurrency Purchase Indicator	CrypCrncyPurchInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
High Risk Security Purchase Indicator	HighRiskSecrPurchInd	-	-	√	-	-	-	-	C -	C -	-	-	-	C -	-	-
Card On File Schedule Indicator	CofSchdInd	-	-	√	√	-	-	-	C -	C -	C -	-	C -	C -	C -	-
CIT/MIT Framework Indicator	CITMITFrameInd	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
PURCHASE CARD L2 Group	PurchCardlvl2Grp															
Tax Amount	TaxAmt	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Tax Indicator	TaxInd	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
VAT/ Alternate TAX Amount	VATTaxAmt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
VAT/ Alternate TAX Rate	VATTaxRt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
Purchase Identifier	PurchIdfr	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Order Number / Cust Ref Number	PCOrderNum	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Discount Amount	DiscntAmt	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Freight Amount	FrghtAmt	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
Duty Amount	DutyAmt	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
Destination Postal Code	DestPostalCode	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
Ship from Postal Code	ShipFromPostalCode	√	√	√	√	√	-	-	-	O -	-	-	-	C C	-	-
Destination Country Code	DestCtryCode	√	√	√	√	√	-	-	-	O -	-	-	-	C C	-	-
Merchant Tax ID	MerchTaxID	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Product Description	ProdDesc	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
PC3Addenda	PC3Add	√	√	√	√	√	-	-	-	C -	-	-	-	C -	-	-
PURCHASE CARD L3 Group	PurchCardLvl3Grp															
Item Sequence Number	L3ItemSeqNum	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Item Code	L3ItemCode	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Item Description	L3ItemDesc	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Level 3 Item Quantity	L3Qty	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Unit of Measure	L3UnitOfMsure	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Unit Cost	L3UnitCost	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Line Item Total	L3ItemTot	√	√	√	√	√	√	√	-	C -	-	-	-	C -	-	-
Level 3 Discount Amount	L3DiscntAmt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
Level 3 VAT/ Alternate TAX Amount	L3TaxAmt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
Level 3 VAT/ Alternate TAX Rate	L3TaxRt	√	√	√	√	√	√	√	-	O -	-	-	-	C -	-	-
CUSTOMER INFO Group	CustInfoGrp															
AVS/Billing Address	AVSBillingAddr	√	√	√	√	-	√	√	O -	O -	O -	O -	-	C -	-	-
AVS/Billing Postal Code	AVSBillingPostalCode	√	√	√	√	√	√	√	O -	O -	O -	O -	-	C -	-	-
Card Holder First Name	CHFirstNm	√	√	√	√	√	√	√	O -	O -	O -	O -	-	C -	-	-
Card Holder Last Name	CHLastNm	√	√	√	√	√	√	√	C -	C -	C -	O -	-	C -	-	-
Card Holder Full Name Result	CHFullNmRes	√	√	√	√	√	√	√	- C	- C	- C	-	-	C -	-	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Customer Email Address	CustEmailAddr	-	-	√	√	-	-	-	O -	O -	-	O -	-	-	-	-
Gifted Email Address	GiftEmailAddr	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer IP Address	CustIPAddr	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Host Name	CustHostName	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Browser Name	CustBrwsrName	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer ANI	CustANI	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Customer ANI Information Identifier	CustANIII	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Billing Address 2	BillingAddr2	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Billing City	BillingCity	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Billing State	BillingState	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Billing Country	BillingCtry	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Telephone Number	CustTelNum	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Telephone Type	CustTelType	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
DEBT REPAYMENT Group	DebtRepayGrp															
Recipient Last Name	RcptLastNm	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	-	-
Recipient Postal Code	RcptPostalCode	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	-	-
Recipient Date Of Birth	RcptDateOfBirth	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	-	-
Recipient Account Number	RcptAcctNum	√	-	√	√	-	-	-	C -	C -	C -	-	-	C -	-	-
ORDER Group	OrderGrp															
Order Date	OrderDate	√	√	√	√	√	-	-	O -	O -	-	-	-	C C	-	-
Order Time	OrderTime	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
SKU	SKU	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Shipping Group	ShipGrp															
Ship To First Name	ShipToFirstNm	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Ship To Last Name	ShipToLastNm	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Ship To Address Line 1	ShipToAddr1	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Ship To Address Line 2	ShipToAddr2	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Ship To City	ShipToCity	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Ship To State	ShipToState	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Ship To Country	ShipToCtry	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Ship To Postal Code	ShipToPostalCode	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Ship To Telephone Number	ShipToTelNum	-	-	√	√	-	-	-	C -	-	C -	-	-	-	-	-
Ship To Telephone Type	ShipToTelType	-	-	√	√	-	-	-	O -	-	O -	-	-	-	-	-
Shipping Carrier	ShippingCarrier	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-
Shipping Method	ShippingMthd	-	-	√	√	-	-	-	O -	-	O -	O -	-	-	-	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
RESPONSE Group	RespGrp															
Response Code	RespCode	√	√	√	√	√	√	√	- M	- M	- M	- M	- M	- M	- M	C
Authorization ID	AuthID	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	- C	-
Response Date	ResponseDate	-	-	√	√	-	-	-	- C	-	- C	-	-	-	- C	-
Additional Response Data	AddtlRespData	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	C
Authorizing Network ID	AthNtwkID	√	√	√	√	√	√	√	- C	- C	- C	-	-	- C	- C	-
Authorizing Network Name	AthNtwkNm	√	√	√	√	√	√	√	- C	- C	- C	-	-	- C	- C	-
Signature Indicator	SigInd	√	√	-	-	√	√	√	- C	- C	- C	-	-	- C	- C	-
Error Data	ErrorData	√	√	√	√	√	√	√	- C	- C	- C	- C	- C	- C	- C	C

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Debit Trace Number	DebitTraceNum	-	-	√	-	-	-	-	- C	-	- C	-	-	-	- C	-
Settlement Transaction Type	SettlementTxnType	-	-	√	√	-	-	-	- C	-	- C	- C	-	-	- C	-
Association Response Code	AssocRespCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	- C	-
Category Code	CategoryCode	√	√	√	√	√	√	√	- C	- C	- C	-	-	-	-	-
Card Info Response Group	CardInfoRespGrp															
Issuing Bank	IssBank	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Issuing Country Code	IssCtryCode	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Card Brand	CardBrnd	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Card Indicator	CardInd	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-
Detailed Product ID	DetProdID	-	-	√	√	-	-	-	- C	- C	- C	-	-	-	-	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
ORIGINAL AUTHORIZATION Group	OrigAuthGrp															
Original Authorization ID	OrigAuthID	√	√	√	√	√	√	√	-	-	-	-	-	C C	C E	-
Original Response Date	OrigResponseDate	-	-	√	√	-	-	-	-	-	-	-	-	-	C -	-
Original Local Date and Time	OrigLocalDateTime	√	√	√	√	√	√	√	-	-	-	-	-	M -	M -	-
Original Transmission Date and Time	OrigTranDateTime	√	√	√	√	√	√	√	-	-	-	-	-	M -	M -	-
Original STAN	OrigSTAN	√	√	√	√	√	√	√	C -	-	-	-	-	M C	M -	-
Original Response Code	OrigRespCode	√	√	√	√	√	√	√	-	-	-	-	-	C -	M -	-
Original Authorizing Network ID	OrigAthNtwkID	√	√	√	√	√	√	√	-	-	-	-	-	C -	C -	-
DYNAMIC CURRENCY CONVERSION Group	DCCGrp															
DCC Indicator	DCCInd	√	√	√	√	√	√	√	M -	M -	M -	-	-	M -	M -	-
DCC Transaction Time Zone	DCCTimeZn	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Cardholder Currency Amount	DCCAmt	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Currency Conversion Rate	DCCRRate	√	√	√	√	√	√	√	C -	C -	C -	-	-	C -	C -	-
Cardholder Currency Code	DCCCrcncy	√	√	√	√	√	√	√	M -	M -	M -	-	-	M -	M -	-
FILE DOWNLOAD Group	FileDLGrp															
File Type	FileType	√	√	√	√	√	√	√	- C	- C	- C	-	-	- C	- C	-
LODGING Group	LodgingGrp															
Folio Number	FolioNum	-	-	-	-	-	√	-	O -	-	-	-	-	C -	-	-
Room Number	RoomNum	-	-	-	-	-	√	-	O -	-	-	-	-	C -	-	-
Lodging Reference Number	LodRefNum	-	-	-	-	-	√	-	O -	-	-	-	-	C -	-	-
Room Rate	RoomRt	-	-	-	-	-	√	-	O -	-	-	-	-	C -	-	-
Program Indicator	ProgramInd	-	-	-	-	-	√	-	C -	-	-	-	-	C C	C -	-
Duration	Duration	-	-	-	-	-	√	-	C -	-	-	-	-	C -	-	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Extra Charges	ExtraChrgs	-	-	-	-	-	√	-	C -	-	-	-	-	C -	-	-
AUTO RENTAL Group	AutoRentalGrp															
Rental City	RentalCity	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Rental State	RentalState	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Rental Country	RentalCtry	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Rental Date	RentalDate	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Rental Time	RentalTime	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Return City	ReturnCity	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Return State	ReturnState	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Return Country	ReturnCtry	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Return Date	ReturnDate	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Return Time	ReturnTime	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-
Amount Extra Charges	AmtExtraChrgs	-	-	-	-	-	-	√	O -	-	-	-	-	C -	-	-

Message Type		INDUSTRY							CREDIT							REJECT
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Renter Name	RenterName	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Auto Rental Agreement Number	AutoAgreeNum	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Rental Duration	RentalDuration	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Rental Extra Charges	RentalExtraChrgs	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Auto Rental No Show	AutoNoShow	-	-	-	-	-	-	√	C -	-	-	-	-	C -	-	-
Delayed Charge Indicator	DelChrgInd	-	-	-	-	-	-	√	C -	-	-	-	-	C -	C -	-
FRAUD MITIGATION Group	FraudMitGrp															
Customer Match Indicator	CustMatInd	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Address Change Indicator	AddChgInd	-	-	√	√	-	-	-	O -	-	-	-	-	-	-	-
Fraud Score Indicator	FrdScoreInd	-	-	√	√	-	-	-	O -	-	-	M -	-	-	-	-
Number of Attempts	NumAttempts	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Membership Indicator	MemblInd	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Customer ID	CustID	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Customer Start Date	CustStartDate	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Loyalty ID	LoyID	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Loyalty Start Date	LoyStartDate	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Fraud Text	FrdTxt	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
Fraud Packet	FrdPacket	-	-	√	√	-	-	-	O -	-	-	O -	-	-	-	-
FRAUD MITIGATION Response Group	FraudMitRespGrp															
Zip Code Match	ZipMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Street Match	StrMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Name Match	NmMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Telephone Match	TeleMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
E-Mail Match	EmailMtch	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-
Address Change	AddrChg	-	-	√	√	-	-	-	- C	-	-	-	-	-	-	-

Message Type		INDUSTRY							CREDIT						REJECT	
									CreditRequest / CreditResponse					ReversalRequest/ ReversalResponse		Reject Response
Fields and Field Groups	XML	Retail / QSR	Restaurant	Ecomm	MOTO	Supermarket	Lodging / Cruise	Auto Rental	Authorization	Sale	Refund	FraudScore	CancelDeferredAuth	TimeoutReversal	Void/FullReversal	Any Transaction Type
Scoring Result	ScoreRes	-	-	√	√	-	-	-	- C	-	-	- M	-	-	-	-
Score	Score	-	-	√	√	-	-	-	- C	-	-	- M	-	-	-	-
Reversal Attempted	RevAt	-	-	√	√	-	-	-	- C	-	-	- C	-	-	-	-

Revision History

Section	Change Log	Version	Date
1	Added “MIT (Merchant-initiated transaction)” and “CIT (Cardholder-initiated transaction)”.	12.04.1	April 27, 2022
1	Added ‘Online Canadian Debit In-App / In-Browser’, ‘Offline Canadian Debit In-App / In-Browser’, ‘APA’ and ‘MDA’.	10.02.13	June 23, 2021
1	Spring 2021 Compliance Updates: Added ‘Static Token’ and ‘In-App’.	10.02.11	April 28, 2021
1	Added ‘Merchant Surcharge’.	10.02.8	February 24, 2021
	Updated company logo per new brand guidelines.	9.02.16	October 22, 2019

Chapter Contents

1	Glossary	48-2
---	----------------	------

48.1 Glossary

Term	Definition
3DES	Triple DES is the common name for the Triple Data Encryption Algorithm (TDEA or Triple DEA) block cipher, which applies the Data Encryption Standard (DES) cipher algorithm three times to each data block.
Acquirer	A bank that maintains the merchant relationship and receives all transactions.
Activation	Notification to an issuer that a Prepaid card has been purchased and should be activated for cardholder usage.
Aggregator/ Aggregation	Aggregators are defined as third party billers that bill for services/goods rendered by another entity. The terms Payment Facilitator, Payment Service Provider, and Aggregator are interchangeable terms for the same functionality.
APA	The Acxsys Payment Applet (APA) is the mobile Payment Application that facilitates mobile payments, together with all modifications, amendments, corrections, adjustments, enhancements, changes, improvements, upgrades, updates, versions, releases, translations, successors or derivative works of or to such application.
Authorization ID	Alphanumeric value, assigned by the Issuing bank, to an authorization request that has received approval.
Authorizing Network ID	A 3-digit value identifying the network providing the response to the request message.
Available Balance	The difference between the credit limit assigned to a cardholder account and the present balance (including outstanding authorizations) on that account. Synonymous with open-to-buy.
AVS (Address Verification Service)	A service in which the merchant verifies the cardholder's address.
B2B Invoice Payment	An MSDI value for Visa transactions using Straight Through Processing for business-to-business invoice payments. This new identifier will facilitate the processing of some exception items that now require manual intervention.
BankNet Data	A 13 digit field that identifies the date in which the authorization record was captured by MasterCard's telecommunications network, followed by a unique data element which identifies the authorization transaction.

Term	Definition
Cardholder	A person to whom a card has been issued or a person authorized to use such a card by the person to whom it was issued.
Cardholder Account	Cardholder Account Number (as assigned by an Issuing Bank).
CAVV	Verified by Visa Cardholder Authentication Verification Value
CCV (Card Code Value)	A 3- or 4-digit Card Value printed on the front or back of a credit card. This is the Card Verification Value (Visa), Card Validation Code (MasterCard, Maestro International), Card Identifier (Discover) or CID/4DBC (American Express).
CCV Result Code	The response to the Card Verification Value. It is returned on the Authorization Response Message in response to the Card Code Value information entered on the request. For example, the Card Code Response Value "Match" indicates that there is a Card Code Value Match, whereas the Card Code Response Value "NotPrt" indicates that the Card Code Value is unknown or that the Issuer does not participate.
Card Expiration Date	The date beyond which the card may not be honored.
CashBack	A transaction in which a cardholder obtains cash as part of the transaction.
CIT (Cardholder-initiated transaction)	Any transaction where the cardholder is actively participating in the transaction. Transactions may be performed based on credentials provided by the cardholder at the time of transaction or a stored credential-on-file from a previous interaction. Transactions can occur as an in-store POS transaction, an e-commerce transaction, a mail order/telephone order transaction, or at an ATM.
Closed Loop Prepaid Card	Closed loop prepaid solutions are designed to be used only at the issuer's locations. Examples of closed loop issuers include retail stores, casinos, oil companies, e-commerce businesses, telecommunications companies, and restaurants.
Contactless	Contactless Payment Cards are similar to traditional cards except that they have a contactless chip and radio frequency (RF) antenna configuration embedded within the plastic. After you tap or wave your Contactless Payment Card at a merchant terminal equipped with an RFID (Radio Frequency Identification) reader, the card wirelessly transmits Track 1 and / or Track 2 payment details to the terminal.
County Code	Three digit number identifying the U.S. county where the transaction occurred.

Term	Definition
Decline	A response to a request for authorization in which approval is refused. A merchant receiving a decline should not complete the transaction.
Deferred Billing	Identifies transactions where the billing occurred after the merchandise was delivered to the cardholder. Available for Visa only.
DUKPT (Derived Unique Key Per Transaction)	Allows the encryption of a PIN via the use of a unique key for each transaction.
EBT	Electronic Benefits Transfer – A payment card used at the point of sale to access a government account for Cash Benefits or Food Benefit (future release).
Echo	The return of the exact same data that was submitted.
EMV	EMV stands for Europay, MasterCard and VISA, a global standard for inter-operation of integrated circuit cards (IC cards or “chip cards”) and IC card capable point of sale (POS) terminals. This standard is used for authenticating credit and debit card transactions.
Estimated Authorization	An estimated authorization occurs when the merchant does not have the total amount to be charged to the cardholder at the time when the original authorization is presented. An estimated authorization is typically found in (Travel and Entertainment) environments, where the total charges for the full suite of services rendered is not available at the time of the initial authorization.
Existing Debt Indicator	Identifies the transaction as payment of an existing debt obligation, such as a car loan payment.
End Sentinel	The character that follows the final character of data recorded on the track of the card’s magnetic stripe.
Floor Limit	A maximum monetary amount above which a particular transaction requires authorization.
Host Capture	Process where Rapid Connect closes and settles batches on behalf of the merchant
Host Security Module (HSM)	A Host Security Module (HSM) is a hardware security module (HSM) is a physical computing device that safeguards and manages digital keys for strong authentication and provides cryptoprocessing. HSM’s are typically supported for merchants supporting an encrypted online PIN in transactions sent to Rapid Connect.

Term	Definition
In-App	In-App is a Card Not Present eCommerce transaction utilizing payment tokens from the software loaded onto the cardholder mobile device, or 'in the cloud'.
Load	The amount loaded to a prepaid account's available balance.
Local Totals	Summary Data accumulated at the merchant's device
LRC (Longitudinal Redundancy Check)	A verification value that ensures that no data have been lost in the stripe reading process. The LRC is equivalent to a check digit of the entire track, including the control characters.
Luhn Check	The Luhn algorithm or Luhn formula, also known as the "modulus 10" or "mod 10" algorithm, is a simple checksum formula used to validate credit card numbers.
MAID	MasterCard Assigned Id - An identifier assigned by MasterCard to identify a specific merchant who is registered with MasterCard for specific fees, special interchange treatment, or participation in select acceptance programs.
MOTO (Mail/Telephone Order Transaction)	The purchase of goods or services where the card and cardholder are not present at the point of sale.
MCC (Merchant Category Code)	A four-digit Code which identifies the type of business conducted by the merchant.
MDA	Mobile Debit Application (MDA) is a version of the APA that is developed in accordance with the Acxsys Mobile Debit Application Technical Specification and resides in a hardware-based Secure Element. Please see Glossary for definition of APA.
Merchant Advice Code	A code associated with the reason a recurring payment transaction has been declined.
Merchant Country	Three-digit code identifying the country where the transaction occurred.
MIT (Merchant-initiated transaction)	A transaction where the cardholder is not actively participating in the transaction. MITs may often be preceded by a CIT. An MIT can be of the following types - Recurring Payment or Installment MIT (e.g. standing order, subscription, installment), Unscheduled credential-on-file (e.g. auto top-up), and Industry Practice MIT (e.g. partial shipments, related or delayed charge, no show, resubmission.) Please note that the UMF Bill Payment Group should be used not only for Bill Payment transactions but for a wider range of MIT transactions e.g. recurring, installment.

Term	Definition
Merchant Surcharge	A “Merchant Surcharge” is an additional fee that merchants add to relevant transactions as permitted by Card Organization Rules and applicable laws (together, “Applicable Laws”). Merchants must receive prior approval from Fiserv before assessing a Surcharge. Merchants must sign Fiserv Surcharging contract or addendum. Please consult the Quick Reference Guide and your Relationship manager before using the surcharge amount field. Failure to do this will cause all transactions with the surcharge amount field populated to be declined.
MVV	Merchant Verification Value - An identifier assigned by Visa to identify a merchant who is registered with Visa for specific fees, special interchange treatment, or participation in select acceptance programs.
NFC (Near Field Communication)	Technology used in smartphones and other devices for contactless transactions.
Offline Canadian Debit In-App / In-Browser	An offline Canadian Debit (or Interac) In-App transaction is an In-App transaction performed outside the Mobile Debit Application (MDA). Please see Glossary for definition of MDA.
Online Canadian Debit In-App / In-Browser	An online Canadian Debit (or Interac) In-App transaction is an In-App transaction performed within the Mobile Debit Application (MDA) using either the OEM Google or Apple wallets. Please see Glossary for definition of MDA.
Open Loop Prepaid Card / Open Loop Giftcard	Open loop prepaid cards give cardholders the opportunity to spend money or access cash wherever the card brand is accepted.
Open-To-Buy	Available credit.
Original Authorization Code	Reflects the Authorization Code assigned to the original authorization request, returned in the authorization response, and used in a reversal request for the same authorization.
Partial Authorization	An authorization response with an approval for a portion of the total amount requested.
Payment Facilitator	A Payment Facilitator is an entity that typically specializes in a vertical market (i.e. fundraising, government, utilities, digital services) and offer a suite of services specific to that business including payment processing, customer service, reporting, chargeback management and funding. The terms Payment Facilitator, Payment Service Provider, and Aggregator are interchangeable terms for the same functionality. Payment Facilitators can support either the Single Merchant ID program or the Multiple Merchant ID program.

Term	Definition
PayPass	PayPass is a MasterCard contactless payment feature that allows cardholders to tap their card, key fob or cell phone, on a point-of-sale terminal reader instead of swiping their card.
PLU (Price-Look Up)	Identification numbers affixed to produce in grocery stores and supermarkets to make check-out and inventory control easier, faster, and more accurate.
Private Label Cards	Private label or retail cards are those issued by a single store or chain of stores. These cards are used only in those stores exclusively.
PSP	Payment Service Provider also known as a Payment Facilitator and formerly known as an aggregator. The PSP is connected directly to Fiserv and submits transactions on behalf of their sponsored merchants.
PTS (Paperless Transaction System)	A comprehensive Fiserv system that processes settlement transactions submitted electronically via batch files.
Quasi-Cash	"Quasi-Cash" refers to transactions related to items that can be interpreted as cash, such as money orders or traveler's checks.
Reauthorization	A reauthorization is a purchase made after the original purchase and can reflect a number of specific conditions. Split shipment is the most common type of reauthorization. A split shipment occurs when the goods are not available for shipment at the time of the consumer's purchase. A separate authorization is conducted to ensure that the consumer funds are available when the goods become available to ship. A reauthorization is also used when an estimated authorization amount is presented and the merchant wants to authorize the final amount.
Resubmission	This is an event that occurs when the original purchase occurred, but the merchant was not able to obtain authorization at the time the goods or services were provided. A resubmission is only valid when the original authorization presented was declined for insufficient funds. There are a limited number of merchant categories approved to utilize this type of merchant-initiated transaction, and a resubmission is only valid for a limited number of days after the consumer purchase.
Remote Chip Entry	A MasterCard digital wallet Ecommerce transaction that contains the field "EMVData".
RPS	Requested Payment Service.
SKU (Stock Keeping Unit)	A number used to uniquely identify a product.

Term	Definition
SNAP (Supplemental Nutrition Assistance Program)	Formerly known as Food Benefit, it is a program to provide nutrition assistance to eligible individuals and families.
Sponsored Merchant (Sub-Merchant)	A merchant that contracts with a Payment Service Provider to obtain payment services.
Static Token	Also known as card on file token. This does not include cryptographic data.
STIP (Stand-In-Processing)	A service offered by the Associations that provides transaction processing services on behalf of an unavailable or timed-out issuer.
Start Sentinel	The character that indicates the initial data position on the track of the card's magnetic stripe.
State Code	Two-digit code identifying the U.S. state or Canadian Province where the transaction occurred.
TeleCheck ECA	The TeleCheck Electronic Check Acceptance® (ECA®) is a service that converts a paper check into an electronic item at the point of sale.
Token	A randomly generated number used to represent a card number for TransArmor transactions.
Token Cryptogram	A cryptogram generated using the Payment Token and additional transaction data to create a transaction-unique value.
Transaction Currency	The three-digit code to designate the currency used in the transaction.
Transponder	A transponder is a wireless communications device that picks up and automatically responds to an incoming signal. For payment systems it is used to communicate cardholder account information to a POS device.
UPC	UPC is the barcode mainly used for scanning of trade items at the point of sale.

Connect With Us

For more information
about Rapid Connect:

 800-872-7882

 getsolutions@fiserv.com

 fiserv.com

Fiserv is driving innovation in Payments, Processing Services, Risk & Compliance, Customer & Channel Management and Insights & Optimization. Our solutions help clients deliver financial services at the speed of life to enhance the way people live and work today.

Visit [fiserv.com](https://www.fiserv.com) to learn more.