

The Ladies' Diary

One hundred and two problems, 1707–1748,
for readers from five to seventeen

MATHEMATICAL QUESTIONS

PROPOSED IN THE

LADIES' DIARY,

AND THEIR ANSWERS.

Questions proposed in the Diaries for 1707-8, and answered in those of 1708-9.

I. QUESTION 1.

In how long time would a million of millions of money be in counting, supposing one hundred pounds to be counted every minute without intermission, and the year to consist of 365 days, 5 hours, 45 minutes?

Answer. 19013 years, 144 days, 5 hours, 55 minutes.

Solution.

The solution of this question is evidently thus: As 100l. : 1 minute :: 1000000000000l. : 10000000000 minutes = 19013 years 144 days 5 hours 55 minutes, the true time required. H*.

II. QUESTION 2*.

If to my age there added be
One half, one third, and three times three;
Six score and ten the sum you'd see,
Pray find out what my age may be.

Answer. 66 years.

Solution.

The meaning of the problem is, that the number 9 added to once his age, together with one half and one third of his age, the sum shall be 130; or since the sum of the parts 1, and $\frac{1}{2}$, and $\frac{1}{3}$ is $\frac{5}{6}$, that $\frac{5}{6}$ of his age is $(130 - 9 =) 121$; consequently 11 : 6 :: 121 : 66 = his age. H.

Algebraic Solution.

Let $6x$ represent the required age; then, by the question, $6x + 3x + 2x + 9$, that is $11x + 9 = 130$; therefore $x = 11$; consequently $6x = 66$, as before. L.

* All the solutions marked with the signature H, are by Dr. Hutton, and taken, with permission, from his edition of the Ladies' Diaries.
VOL. I. A

Internet Archive.

Working draft

A word before the problems

In 1704 John Tipper, a Coventry schoolmaster, began an almanac for women. It had the usual things an almanac has. It also had riddles. Within a few years the riddles had turned into arithmetic, and the arithmetic into geometry. By the time Tipper stepped down in 1713 his readers were setting each other problems that would not disgrace a university.¹

Many of the people who answered were women. Mary Wright answered the prize question for 1709. Barbara Sidway set problems as well as solving them; one of hers, the largest cylinder that can be cut from a cone, is problem 84 in this booklet. Lydia Fisher and Sarah Brown set questions too. Anna Wright set the prize question for 1713: which bright star stood nearest the north pole at the Creation, taken to be 5,716 years earlier? It is astronomy, so it is not in this booklet. John Edens answered it: the third star of Draco, counted from the tip of the tail.² The Diary asked for no qualifications. It asked for an answer, and printed the best one.

This booklet takes one hundred and two of those problems and sorts them by age. The source is the first volume of Thomas Leybourn's collection of 1817, which gathers the mathematical questions from 1707 to 1748 with their original answers. Nothing here needs physics or an almanac: questions about pendulums, falling bodies, sound, the sun's declination and the like have been left out.

How to read the labels

Each problem carries its source. *Q23* means question 23 in Leybourn's volume I, printed as the Diary printed it, in modern words. *After Q23* means the problem has been retold: new numbers for young readers, or modern money and metres in place of groats, nobles and chains. The idea is always the Diary's. Where a retelling changes the answer, the answer given is for the retelling.

Leybourn's own numbering has two slips. There are two questions numbered 2 (the age rhyme and the garden walk) and two numbered 131 (the pair of series and the Molten Sea). They are cited here as *Q2 (second)* and *Q131 (second)*.

The bands

Green	ages 5–8	counting, halving, doubling	6
Blue	ages 8–11	arithmetic, first patterns	6
Amber	ages 11–14	ratio, fractions, first algebra	29
Pink	ages 14–16	GCSE: quadratics, Pythagoras, volume	40
Purple	ages 16–17	A-level: calculus, series, proof	21

Answers are at the back. Some of them are not the Diary's: the Diary was sometimes wrong, and when it was, a small grey box says so.

How this edition was made

This edition was prepared with the assistance of Claude, an AI model made by Anthropic. Under the editor's direction, Claude drafted the retellings, solutions, notes and introduction, recomputed every answer, ran optical character recognition on the source scans (using Tesseract) to check names and dates, and typeset the text. Selection, editorial decisions and final responsibility for the text are the editor's.

¹Leybourn, *Mathematical Questions*, vol. I, preface, pp. viii–ix. The Diary ran until 1840, when it merged with its rival, the *Gentleman's Diary*; the last issue bore the date 1841, which is why some sources give that year. See J. Albree and S. H. Brown, 'A valuable monument of mathematical genius': The Ladies' Diary (1704–1840), *Historia Mathematica* 36 (2009).

²Leybourn, *Mathematical Questions*, vol. I, p. 35.

1. Counting the treasure*after Q1*

A shopkeeper counts his coins, 10 every minute. How many minutes does he need to count 100 coins?

2. The merchant's boxes*after Q6*

A merchant sells a king five boxes. For the first box he asks 1 grain of wheat, for the second 2 grains, for the third 4, and each time twice as many as before. How many grains for the fifth box? How many for all five together?

3. Sharing the sweets*after Q23*

Share 7 sweets between a mother, a daughter and a son. Mother must have twice as many as her daughter, and the son twice as many as his mother.

4. Changing places*after Q37*

Three friends, Ann, Ben and Cara, have dinner together every day. Each day they sit in a different order on the bench. How many days can they do this before they must repeat an order?

5. Voting for the class pet*after Q107*

A class votes for its pet: 18 votes altogether. The cat gets 2 more votes than the dog, and 4 more than the rabbit. How many votes does each pet get?

6. The little magic square*after Q126*

Put the numbers 1, 3, 7 and 9 in the empty boxes so that every row, every column and both diagonals add up to 15.

4		2
	5	
8		6

7. A million million pounds

Q1

How long would it take to count a million million pounds, counting £100 every minute without a break? Take a year as 365 days, 5 hours and 45 minutes. A calculator will help.

8. The Indian merchant's diamonds

Q6

A merchant offers the King of Persia sixty-four diamonds. For the first he asks one grain of wheat, for the second two, for the third four, doubling each time. The king thinks a few sacks of wheat will pay for the lot.

- (a) How many grains for the tenth diamond?
- (b) Add up the grains for the first 1, 2, 3, 4 and 5 diamonds. What do you notice?
- (c) Use what you noticed to say how many grains the king owes for all sixty-four. Was he right about the sacks?

9. The will and the twins

Q23

A man dies leaving £7,000 and a wife expecting a child. His will says: if the child is a son, the mother gets one-third and the son the rest; if a daughter, the mother gets two-thirds and the daughter the rest. The mother has twins, a son and a daughter. How should the money be shared so as to keep to what the father wanted?

10. Nine at dinner

Q37, by John Hodge of Truro

Nine friends agree to put off an unpleasant job for as many days as they can sit down to dinner in a different order. How long can they put it off?

11. The election

Q107

Four candidates stand for election and 5,219 votes are cast. The winner has 22 more votes than the second, 73 more than the third and 130 more than the fourth. How many votes does each receive?

12. The magic square of sixteen

Q126, by Thomas Dodd

Place the sixteen numbers

8, 9, 10, 11, 14, 15, 16, 17, 20, 21, 22, 23, 26, 27, 28, 29

in a four-by-four square so that every row, every column and both diagonals add up to 74.

13. The age rhyme

Q2

*If to my age there added be
One half, one third, and three times three;
Six score and ten the sum you'd see,
Pray find out what my age may be.*

(A score is twenty.)

14. The wine merchant

after Q3

A merchant pays £19 for 13 barrels of wine. Each barrel holds 150 litres. How many litres can he buy for £95?

15. The hay bill

after Q4

A farmer pays £178 for 15 loads of hay. How much will 90 loads cost? He pays part of the bill with sixteen £20 notes and the rest in £1 coins. How many coins does he need?

16. The wedding day

Q5

On his wedding day a man noticed that he was three times as old as his wife. Fifteen years later he was only twice as old. How old were they on the wedding day?

17. Three kinds of coin

after Q11

A man has only £2 coins, £1 coins and 50p coins. His £1 and 50p coins together number 409, and his £1 and £2 coins together number 1,254. If 42 coins were taken from his £2 and 50p coins together, 1,103 would remain. How many coins of each kind does he have, and how much money is that?

18. The idle servant

after Q13

A farmer hires a servant for 27 days. For every day he works he earns £16, and for every day he is idle he is fined £20. At the end neither owes the other anything. How many days did he work?

19. The impertinent young man

Q15

A lady, asked her age by an impertinent young man, replied: "Multiply my age by three. Take two-sevenths of that and treble it. The square root of two-ninths of the result is four. Now tell me my age, or never see me again." How old was she?

20. Lydia Fisher's numbers

Q18, by Lydia Fisher

Find two numbers whose sum is $16\frac{1}{2}$ and such that the greater divided by the less gives 27.

21. The shepherdesses

Q21, by Gideon Cosier

A gentleman riding past a common asks some shepherdesses how many sheep they have. One answers: "If the flock were shared equally among us, each would have twice as many sheep as there are shepherdesses. But if one of us had 1 sheep, the next 2, the next 4, and so on, doubling each time, the last would have as many sheep as there are in the whole flock." How many shepherdesses, and how many sheep?

22. An age in months*Q27, by John Wilson*

A man says: “Add to the number of months in my age one half and one eighth of it, and the sum is 442.” How old is he?

23. The patient lover*Q29, by Sarah Brown*

A young woman tells her suitor she will marry him when the square of her age, less one-ninth of itself and then increased by one-third of itself, comes to 891. How old will she be?

24. The army on the plain*after Q34*

An army of 60,000 soldiers stands in a rectangle whose sides are in the ratio 3 : 2, with 2 metres between neighbours. How much ground does it cover?

25. The father’s estate*Q35, by John Wilson*

A father tells his daughter’s suitor that the cube of the number of pounds in his estate is $352947 \times 64 \times 9$, and that he will give three-sevenths of it as her marriage portion. He will not consent to the match until the young man says what the portion is. What is it?

26. The old man’s name*Q43, by Mrs Boydell*

*An aged sire, with his two daughters, came
To town, and was desir’d to tell his name.
My name, says he, ’s a thousand more than you
And I; and if you add the other two,
The number of this present year they’ll shew.
The num’ral letters of our names (well set
With the first letter of the alphabet)
Make seventeen hundred, and fourteen complete.
I’ll further add (to make the problem plain)
Each single name five letters doth contain.*

Find the three names. (Read the Roman numerals in each name: D is 500, C 100, L 50, V or U 5, I 1. The year was 1714.)

27. The walnut trees*Q48*

A garden is surrounded by walnut trees which gave 2,187 walnuts one season. Each tree had as many branches as there were trees, and each branch bore 3 walnuts. How many trees?

28. The legacy*after Q55, by Xantippe*

M, A and N share a legacy of £6,600. Whenever M receives £3, A receives £2; whenever A receives £5, N receives £4. What does each receive?

29. The great magic square*Q61, by Peter Ward*

Place the numbers 1 to 100 in a ten-by-ten square so that every row, every column and both diagonals add up to 505.

30. The gold block*after Q65*

A block of gold is a cuboid. Its length times its depth is 96 cm^2 , its breadth times its depth is 80 cm^2 , and its length times its breadth is 120 cm^2 . What are its dimensions and volume?

31. Divisible by every digit*Q73*

Find the least number that can be divided by each of the numbers 1 to 9 without a remainder. Then give a rule for finding the least number divisible by any given numbers.

32. Round the world*after Q83*

Two travellers leave Bristol at the same time. One walks round a circle of latitude, 13,500 km long, at 30 km a day. The other walks round a circle through the poles, 40,000 km long, at 50 km a day. After how many days are both back at Bristol together, and how many times has each gone round?

33. The passengers' fares*after Q89, by Adrastea*

Twenty-four people, some captains, some mates, some sailors and some boys, pay £48 for a passage. A captain pays £8, a mate £4, a sailor £1 and a boy 50p. There is at least one of each. How many of each could there be? Find every way.

34. The labourer's year*after Q144*

A labourer is hired for a year of 365 days. He earns £70 for each day he works and is fined £30 for each day he is idle. At the end of the year his fines exactly cancel his earnings. How many days did he work?

35. Each made of the other's parts*Q162, by Christopher Mason*

The aliquot parts of a number are its divisors other than itself: those of 12 are 1, 2, 3, 4 and 6. Find two numbers A and B such that the aliquot parts of A add up to two-thirds of B , and the aliquot parts of B add up to three-quarters of A .

36. Perfect numbers*Q166, by Christopher Mason*

A number is perfect if its aliquot parts add up to the number itself, as $6 = 1 + 2 + 3$. Give a rule that produces perfect numbers, and use it to find all the perfect numbers below ten million.

37. The larger field*after Q176*

A rectangular field would be 64 m^2 larger if it were 2 m wider and 3 m longer. It would be 68 m^2 larger if it were 3 m wider and 2 m longer. What are its dimensions and area?

38. The square battalion*Q183, by Thomas Fearn*


A general draws up his army in a square and finds 284 soldiers left over. He adds one man to each side of the square and finds he is 25 short. How many soldiers has he?

39. A birthday in proportion*Q184, by Eumenes Pamphilus*

Three numbers are in continued proportion: the first is to the second as the second is to the third. Their product is 512 and the two outer numbers add up to 34. Take three-quarters of the greatest as years and the other quarter as weeks: that is my age. The middle number is the month and the least the day of the month on which I was born. Find the numbers and my birthday.

40. The six-sided billiard table*Q215, by John May of Amsterdam*

A billiard table has six straight cushions. Ball A is to be struck so that it bounces off each cushion in turn, going round the table, and then hits ball B . Show how to find with ruler and compasses the points where it must strike the cushions. Treat the balls as points, and assume each bounce makes equal angles with the cushion.




41. Hands in a line

Q255

Looking at a distant clock, I could not read the figures, but I could see that the minute hand pointed up and to the right while the hour hand pointed down and to the left, the two making one straight line tilted about 50° above the horizontal. What time was it?

42. The garden walk*Q2 (second)*

A gentleman has a rectangular garden 100 m long and 80 m wide. He wants a path of equal width running half way round it, along one long side and one short side, that will take up exactly half the garden. How wide must the path be?

**43. Two fathers and a son***Q7*


Two men of the same age are talking. One says: “My eldest son is exactly half my age, and if $340\frac{1}{2}$ is added to the product of our three ages, the total is 30,000.” Find the three ages.

44. The vintner’s mixture*after Q8*

A wine seller has wines at £32, £20 and £16 a bottle. He wants to make up 56 bottles worth £22 a bottle on average, using whole bottles of each kind. In how many ways can he do it?

45. The grindstone*Q9*

Seven people buy a grindstone 60 cm across and agree that each will use it in turn until they have ground away exactly one-seventh of it. How much of the diameter does each grind away?

**46. The tethered horse***after Q14*

How long must a horse’s tether be for it to graze exactly $1,000 \text{ m}^2$?

47. The tinker’s kettle*after Q17, answered by Richard Parker*

*I happen’d one ev’ning with a tinker to sit,
Whose tongue ran a great deal too fast for his wit:
He talk’d of his art with abundance of mettle,
So I ask’d him to make me a flat-bottom kettle,
That the top and the bottom diameters be
In just such proportion as five is to three.
Twelve inches the depth I would have, and no more,
And to hold in ale gallons seven less than a score.*

*He promis'd to do't, and to work he strait went;
 But when he had done it, he found it too scant.
 He alter'd it then, and too big he had made it,
 And when it held right, the diameters fail'd it:
 So that making it often, too big or too little,
 The tinker at last had quite spoil'd the kettle:
 Yet he vows he will bring his said purpose to pass,
 Or he'll utterly spoil ev'ry ounce of his brass.
 To prevent him from ruin, I pray help him out,
 The diameter's length else he'll never find out.*

In modern measures: the kettle is a frustum of a cone, 30 cm deep, holding 50 litres, with top and bottom diameters in the ratio 5 : 3. Find the diameters.

48. Two fractions

Q19

Find two fractions whose sum is $\frac{1}{7}$ and whose product is $\frac{4}{847}$.

49. North, then west

Q22, by Amos Fish

A ship sails due north for some distance, then due west. The westward run is 60 miles longer than the northward one. The perpendicular from the turning point to the straight line joining the ship to its port is 150 miles. How far did it sail, and how far is it from port? (Treat the sea as flat.)

50. The bushel measure


after Q26

A cylindrical measure is 20 cm deep and 46 cm across. Another measure must hold the same amount but be only 18 cm deep. How wide must it be?

51. The ladder

Q31, by Robert Wilson

A ladder 100 m long stands upright against a wall 100 m high. How far does the top slide down if the foot is pulled out 10 m from the wall?



52. The tippler


after Q41

Asked how much he had spent, a man replied: "Square the number of pounds, multiply by five times its square root, and you get 38,880." How much did he spend?

53. The maypole

Q42, by William Taylor

A wind snaps a maypole. The broken part is 63 m long and its top strikes the ground 30 m from the foot of the pole. How tall was the maypole?



54. Head and feet

after Q45, by Thomas Shephard

A person 1.5 m tall walks 10,000 km round the Earth along a great circle. Taking the Earth's circumference as 40,000 km, how much farther does their head travel than their feet?

55. Four in progression

Q49, by William Hawney

Find four numbers in arithmetic progression with common difference 4 whose product is 176,985.

56. Two sons

Q58, by Lady Mer. Heyshot

A lady observes that if her younger son's age is taken from the square of her elder son's age, the remainder is 425; and if the elder's age is taken from the square of the younger's, the remainder is 235. How old are they?

57. The decagon


Q59

Find the side of a regular decagon whose area is 169 m^2 .

58. The broken pole

after Q60, by Thomas Gary of Lynn

A pole 100 m high stands in the middle of a circular pond whose area is $1600\pi \text{ m}^2$. The pole snaps and its top just reaches the edge of the pond. How tall is the part left standing?



59. Two chords

Q68

A chord of a circle is 60 m long and its height above the arc (the versed sine) is 10 m. In the same circle, what is the height of the segment whose chord is 90 m?

60. The triangular field

after Q70

Two sides of a field meet at an angle of 30° , and their product is $16,000 \text{ m}^2$. Find the area of the field.

61. The prize money

Q72, by Mary Nelson

A captain shares prize money among his crew. The first man takes £1 and one-hundredth of what remains; the second £2 and one-hundredth of what then remains; the third £3 and one-hundredth of the rest; and so on, the last taking all that is left. It turns out that everyone receives the same. How many men were there, and how much did each get?

62. Filling the hollow Earth*after Q80*

Suppose the Earth were a hollow sphere with a circumference of 40,000 km, and a river 12 m wide and 6 m deep flowed into it at 1 km an hour. How many years would it take to fill?

63. The house*Q81, by J. Jennings*

The cost of building a house exceeded the builder's profit on it by £160, and the squares of the cost and the profit add up to 70,600. Find the cost and the profit, in pounds.

64. Two temples*Q84, by Samuel Dicker*


Two square temples are paved with tiles one metre square, 2,120 tiles in all. Each side of one floor is 12 m longer than each side of the other. Find the sides.

65. Extreme and mean*Q90*

A father leaves £50,000 to his two sons so that the square of the elder's share equals 50,000 times the younger's share. What does each receive?

66. The tub*after Q95, by Alexander Naughley*

A tub is a frustum of a cone with its bottom diameter 32 cm. Its two diagonals cross, cutting each other into pieces of 20 cm (below) and 30 cm (above). Find the volume.

**67. The South Sea losses***Q98, by T. Raspberry*

Three people lost money in the South Sea Bubble. A lost £2,000 more than B and £9,000 more than C, and the square of A's loss equals the sum of the squares of the other two. What did each lose?

68. The tower across the moat*Q105*

A moat round a tower is 93 m wide. If the height of the tower is multiplied by 93 and twice the length of a ladder reaching from the outer edge of the moat to the top is added, the total is 14,423. How high is the tower?

69. The golden field*after Q116*

A rectangular field's perimeter plus its diagonal comes to 800 m. A line equal to the diagonal plus the shorter side, divided in extreme and mean ratio, has the diagonal as its larger part. Find the sides, and the cost of turfing the field at £2 a square metre.

70. Parts and quotients*Q118*

Divide 10,000 into two parts such that when each is divided by the other, the two quotients add up to 5.

71. The rectangular close*Q122, by Samuel Marriot*

A rectangular field has lost its fences. The owner remembers that a perpendicular drawn from one corner to a diagonal cut off 16 m of that diagonal, and that the same perpendicular, extended 2 m

beyond the diagonal, met the far long side. The diagonal and the extended perpendicular are to divide the field into four shares for his grandchildren. Find the shares.

72. The Molten Sea

Q131 (second), by John Hartley

Solomon's Molten Sea was a bronze cylinder holding 2,000 baths. A line of 30 cubits went round the outside, the inside was 5 cubits deep, and the metal was a hand's breadth thick. Taking a cubit as 55.6 cm and a hand's breadth as 9.27 cm, how many litres were in a bath?

73. Messengers to York

Q136

London and York are 150 miles apart, and Stilton divides the road in extreme and mean ratio, the longer part being from Stilton to York. Two messengers leave London together, each travelling steadily, one to Stilton and one to York, and they arrive at the same moment. Compare their speeds.

74. The eclipse triangle


Q147, by Thomas Williams

In a right-angled triangle the base and the perpendicular together make 83, and the base and the hypotenuse together make 116. Find the three sides.

75. The square in the triangle

Q153, by George Anderson


In triangle ABC , let BP be the perpendicular from B to the base CA . At C erect CD perpendicular to CA , equal to BP and on the same side as B , and join DA . Let the line bisecting angle ACD meet DA at N . Prove that the line through N parallel to CA cuts BC and BA at points G and H such that GH is the side of the square standing on CA inside the triangle. (John Speidel gave this construction in 1617.)



76. Squares on the legs

Q170, by Samuel Ashby

Triangle ABC is right-angled at B . Squares are drawn outwards on AB and BC ; let D be the corner of the square on AB opposite B , and E the corner of the square on BC opposite B . Line DC cuts AB at F and line EA cuts BC at G . Prove that $BF = BG$, and that each is a mean proportional between AF and CG .



77. The steeple*after Q172, by Christopher Hale*

Two lines whose product is $1,800 \text{ m}^2$ form two sides of a triangle, and the triangle's area is as large as possible. The third side equals the height of a steeple. How tall is the steeple?

78. The four manors*Q180, by John Gundy*

A gentleman owns four manors whose areas in hectares are in continued proportion. The two middle areas add up to 1,152 and the two outer ones to 1,728. Find the four areas.

79. The stone in progression*Q191, by John Turner*

A block of stone is a cuboid whose depth, breadth and length are in arithmetic progression. Its volume is $5,184 \text{ cm}^3$, and the common difference is one forty-eighth of the length times the depth. Find the dimensions.

80. The Dutch pigs*after Q207, by John May of Amsterdam*

Three couples buy pigs at market. Each person pays as many pounds for each pig as the number of pigs they buy, and each husband spends £63 more than his wife. Hendrick buys 23 more pigs than Catriin, and Claas buys 11 more than Geertruii. The wives are Geertruii, Catriin and Anna, the husbands Hendrick, Claas and Cornelius. Who is married to whom?

81. Two firs and a fountain*prize question, 1711*

In a level garden stand two firs, 100 m and 80 m tall, their feet 120 m apart, each with a gilt ball on top. The owner wants a fountain on the line between their feet, equally distant from the two balls; a straight walk from the fountain, every point of which is equally distant from the two balls; and at the end of the walk a summer-house, where a couch is as far from each ball as the balls are from each other. Where do the fountain and the summer-house go, and how long is the walk?

82. Two kinds of token*after Q12, answered by John Boswell*


You must pay exactly £4,000 using only tokens worth £4.30 and £3.40. In how many ways can it be done?

83. The general's reward*after Q20, by William Hawney*

A general asks, as a reward, for a penny for every different file of ten men that can be chosen from his company of 100. The king agrees, thinking it cheap. What does he owe?

84. The greatest cylinder*Q36, by Barbara Sidway*

From a given cone, cut the greatest cylinder possible.

**85. The impossible tub***after Q40, by John Newbold*

A tub is a frustum of a cone. Its larger end is 60 cm across, and that is also the diameter of a sphere passing through both rims. The cooper is asked to make it hold 50 litres. Can he?

86. The shortest ditch*after Q47, by John Edens of Tenerife*

A triangular field has sides of 200 m, 150 m and 60 m. A straight ditch must divide it into two equal areas. Where should it run so as to be as short as possible?

87. The diamond merchant*after Q53, by Thomas Dodd*

A merchant sells sixteen diamonds whose prices form a geometric progression. The first costs 1p and the last £143,489.07. What is the common ratio, and what do all sixteen cost together?

88. London and Norwich*Q54, by Robert Beales of Lynn*


Two walkers set out at the same time from London and Norwich, 99 miles apart, to meet each other. The Londoner walks 3 miles the first day, 5 the second, 7 the third, and so on. The walker from Norwich covers, on the first day, a number of miles equal to one-sixth of the number of days it takes them to meet, and 3 miles more each day after that. When do they meet, and how far has each walked?

89. The field that cannot exist*after Q56, by W. Beriffe of St Ives*

A surveyor reports a four-sided field with sides of 40 m, 60 m, 70 m and 50 m in order, and an area of 2,900 m². Show that he must have made a mistake.

90. The elliptical tether*after Q91, by Christopher Mason*

A horse is to graze exactly 1,000 m² in the shape of an ellipse whose axes are in the ratio 9 : 7. It is tied to a loop of rope passed round two stakes, so that as it pulls the rope taut it traces the ellipse. Where should the stakes go, and how long should the loop be?



91. Two series for ever

Q131, by Thomas Dodd

Two geometric series are continued for ever. The sum of the first is to the sum of the second as 4 to 9. The first two terms of the first series are 40 and 35, and the second term of the second series is $46\frac{19}{36}$. Find the first term and the ratio of the second series.

92. The largest quadrilateral


Q134, by Thomas Grant

Find the greatest area that can be enclosed by four straight lines of lengths 20, 16, 12 and 10.

93. Four circles in a triangle

Q143, by Thomas Battersbye

A circle is inscribed in a triangle. In each corner a small circle is drawn touching the two sides and the large circle. The small circles have diameters 484, 441 and 400. Find the diameter of the large circle and the sides of the triangle.



94. A number raised to itself

Q146, by Thomas Grant

Find x such that $x^x = 123,456,789$, to six decimal places, by a method that works for any number in place of 123,456,789.

95. The year of her birth

Q175, by Robert Fearnside

Old almanacs gave three cycles for each year. For the year N : the solar cycle is the remainder when $N + 9$ is divided by 28; the golden number is the remainder when $N + 1$ is divided by 19; the indiction is the remainder when $N + 3$ is divided by 15 (a remainder of 0 counts as 28, 19 or 15). A lady was born in a year whose solar cycle was 18, golden number 8 and indiction 10. When was she born, and when will the same three numbers next come round?

96. Doubling money

Q213, by Robert Heath

At what rate of compound interest, x per cent a year, will a sum of money double in exactly x years?

97. Four of a kind

Q221, by Peter Kay

A player undertakes, throwing six dice, to bring up four faces of the same kind (four aces, four twos, and so on; five or six of a kind also count) in one of seven throws. What are the odds against him?

98. The fountain in the grove*Q260, by Nicholas Farrer*


In a triangular grove one side is 20 m long and the angle opposite it is $78^\circ 45'$. The perpendiculars from the three corners to the opposite sides all meet at a fountain, 8.19 m from the given side. Find the other two sides.

99. How many fractions?*Q281, by John May of Amsterdam*


How many different fractions between 0 and 1 have a denominator less than 100? Fractions of equal value, such as $\frac{1}{2}$ and $\frac{2}{4}$, count once.

100. The courier's crossing*prize question, answered 1730*

A courier at Montpellier is ordered to Turin as fast as possible. The Rhone runs straight from north to south between them. Montpellier is 40 km west of the river, Turin 150 km east of it, and the two cities are 200 km apart in a straight line. West of the river the courier travels at 3 km an hour, east of it only 2. Where should he cross the river?


**101. The pole in the chimney***prize question, answered 1733, by Robert Fearnside*

A chimney opening runs back 1.2 m from the front of the mantel to the back wall, and the mantel is 2.4 m above the hearth. What is the longest cylindrical pole, 30 cm thick, that can be got up the chimney?

**102. Lines through a point***prize question, answered 1736, by Samuel Ashby*

In any triangle ABC , lines from the three corners through a common point O inside it meet the opposite sides at D (on BC), E (on CA) and F (on AB). Prove that

$$AF \cdot BD \cdot CE = FB \cdot DC \cdot EA.$$



Answers

Green

1. 10 minutes.
2. 16 grains for the fifth box; $1 + 2 + 4 + 8 + 16 = 31$ altogether.
3. Daughter 1, mother 2, son 4.
4. 6 days: ABC, ACB, BAC, BCA, CAB, CBA.
5. Cat 8, dog 6, rabbit 4.
6. Rows 4 9 2; 3 5 7; 8 1 6.

Blue

7. A million million pounds at £100 a minute takes 10^{10} minutes. A year of 365 days 5 hours 45 minutes is 525,945 minutes, so the time is 19,013 years 144 days 5 hours 55 minutes.
8. (a) 512. (b) 1, 3, 7, 15, 31: each total is one less than the grains on the next diamond. (c) $2^{64} - 1 = 18,446,744,073,709,551,615$ grains. A few sacks hold a few million.
9. The will makes the mother's share twice the daughter's and the son's twice the mother's, so the shares go 1 : 2 : 4: daughter £1,000, mother £2,000, son £4,000.
10. $9 \times 8 \times 7 \times \cdots \times 1 = 362,880$ days, about 993 years and 186 days.
11. Add the three differences to the total and divide by four: $(5219 + 22 + 73 + 130)/4 = 1361$. The votes are 1,361, 1,339, 1,288 and 1,231.
12. One answer (the Diary's):

8	28	27	11
23	15	16	20
17	21	22	14
26	10	9	29

Amber

13. $x + \frac{1}{2}x + \frac{1}{3}x + 9 = 130$, so $\frac{11}{6}x = 121$ and the age is 66.
14. £95 buys $5 \times 13 = 65$ barrels, which is 9,750 litres.
15. 90 loads cost $6 \times 178 = 1,068$. The notes cover £320, so he needs 748 coins.
16. If the wife was w , then $3w + 15 = 2(w + 15)$, so $w = 15$. He was 45 and she 15.
17. The three pairs add up to $409 + 1254 + 1145 = 2808$, which counts every coin twice, so there are 1,404 coins. Hence 995 £2 coins, 259 £1 coins and 150 50p coins, worth £2,324.
18. $16w = 20(27 - w)$ gives $w = 15$: 15 days worked and 12 idle. (The Diary's version gave the fractional answer 16 days 8 hours.)
19. Working backwards: $4^2 = 16$; $16 \div \frac{2}{9} = 72$; $72 \div 3 = 24$; $24 \div \frac{2}{7} = 84$; $84 \div 3 = 28$. She was 28.
20. The numbers are in the ratio 27 : 1, so the less is $16\frac{1}{2} \div 28 = \frac{33}{56}$ and the greater $\frac{891}{56} = 15\frac{51}{56}$.
21. With n shepherdesses there are $2n^2$ sheep, and $2^{n-1} = 2n^2$. By trial $n = 8$: 8 shepherdesses and 128 sheep.

- 22.** $\frac{13}{8}m = 442$, so $m = 272$ months: 22 years 8 months.
- 23.** $(1 - \frac{1}{9} + \frac{1}{3})x^2 = \frac{11}{9}x^2 = 891$, so $x^2 = 729$ and she will be 27.
- 24.** 300 rows by 200 files. Between them are 299 and 199 gaps, so the ground is $598 \text{ m} \times 398 \text{ m} = 238,004 \text{ m}^2$, about 23.8 hectares.
- 25.** $352947 \times 64 \times 9 = 203,297,472 = 588^3$. The estate is £588 and the portion £252.
- 26.** David, Lucia and Lidia. DAVID gives $D + V + I + D = 1006$, which is a thousand more than U and I; LUCIA gives $50 + 5 + 100 + 1 = 156$; LIDIA gives $50 + 1 + 500 + 1 = 552$; and $1006 + 156 + 552 = 1714$.
- 27.** $3n^2 = 2187$, so $n^2 = 729$ and there were 27 trees.
- 28.** $M : A = 3 : 2 = 15 : 10$ and $A : N = 5 : 4 = 10 : 8$, so $M : A : N = 15 : 10 : 8$. The shares are £3,000, £2,000 and £1,600.
- 29.** There are many answers. One is

92	99	1	8	15	67	74	51	58	40
98	80	7	14	16	73	55	57	64	41
4	81	88	20	22	54	56	63	70	47
85	87	19	21	3	60	62	69	71	28
86	93	25	2	9	61	68	75	52	34
17	24	76	83	90	42	49	26	33	65
23	5	82	89	91	48	30	32	39	66
79	6	13	95	97	29	31	38	45	72
10	12	94	96	78	35	37	44	46	53
11	18	100	77	84	36	43	50	27	59

- 30.** Multiplying the three products gives $(lbd)^2 = 921,600$, so the volume is 960 cm^3 . Dividing by each product: 12 cm by 10 cm by 8 cm.
- 31.** $2520 = 2^3 \times 3^2 \times 5 \times 7$. Rule: take each prime to the highest power that appears in any of the given numbers, and multiply.
- 32.** One circuit takes 450 days and the other 800. Both are home together after the least common multiple, 7,200 days (about 19.7 years), when the first has gone round 16 times and the second 9.
- 33.** Exactly eight ways (captains, mates, sailors, boys): 1, 6, 15, 2; 1, 7, 8, 8; 1, 8, 1, 14; 2, 4, 14, 4; 2, 5, 7, 10; 3, 2, 13, 6; 3, 3, 6, 12; 4, 1, 5, 14. The Diary printed only 2, 4, 14, 4 and remarked that the question has “innumerable answers”. It has eight.
- 34.** $70w = 30(365 - w)$ gives $w = 109\frac{1}{2}$: $109\frac{1}{2}$ days worked and $255\frac{1}{2}$ idle.
- 35.** 20 and 33: the parts of 20 add to $1 + 2 + 4 + 5 + 10 = 22$, two-thirds of 33; the parts of 33 add to $1 + 3 + 11 = 15$, three-quarters of 20. The proposer’s own answer was 404 and 465, which also works.
- 36.** If $2^n - 1$ is prime, then $2^{n-1}(2^n - 1)$ is perfect (Euclid, Book IX, Proposition 36). Below ten million: 6, 28, 496, 8128. Euler later proved that every even perfect number has this form. Nobody knows whether an odd one exists.
- 37.** Multiplying out gives $3w + 2l = 58$ and $2w + 3l = 62$, so the field is 14 m by 10 m, with area 140 m^2 .
- 38.** If the side is n , then $n^2 + 284 = (n + 1)^2 - 25$, so $2n + 1 = 309$ and $n = 154$. There are $154^2 + 284 = 24,000$ soldiers.
- 39.** The middle number cubed is 512, so it is 8, and the outer two multiply to 64 and add to 34: they are 2 and 32. The age is 24 years 8 weeks, and the birthday is 2 August. (The Diary’s solver dated it 2 August 1709.)

40. Reflect B in the sixth cushion, reflect that image in the fifth, and so on back to the first. The straight line from A to the final image meets the first cushion where A must strike it. From that point, aim at the image made from the second cushion onwards, and so on. Each reflection keeps the angles of bounce equal.

41. The hands are opposite a little after seven, when $6m - (210 + \frac{1}{2}m) = -180$ for m minutes past, so $m = 5\frac{5}{11}$. The time was $5\frac{5}{11}$ minutes past seven, with the line tilted about 57° .

Pink

42. If the width is w , then $w(100 + 80 - w) = 4000$, so $w = \frac{1}{2}(180 - \sqrt{16400}) \approx 25.97$ m.

43. $x \cdot 2x \cdot 2x + 340\frac{1}{2} = 30000$ gives $x^3 = 7414.875$, so $x = 19\frac{1}{2}$. The men are 39 and the son $19\frac{1}{2}$.

44. With x, y, z bottles at £32, £20, £16: $z = 3x - 28$ and $y = 84 - 4x$, so every x from 10 to 20 works. That is 11 ways.

45. The circle left after k shares have a diameter of $60\sqrt{(7-k)/7}$. The seven people grind away 4.45, 4.84, 5.35, 6.08, 7.21, 9.39 and 22.68 cm of the diameter.

46. $\sqrt{1000/\pi} \approx 17.84$ m.

47. With diameters $5k$ and $3k$, $V = \frac{\pi h}{12}(25 + 15 + 9)k^2 = 50,000$, which gives $k \approx 11.40$. The diameters are about 57.0 cm and 34.2 cm.

48. $\frac{1}{11}$ and $\frac{4}{77}$.

49. If h is the direct distance, then $n \cdot w = 150h$ and $(w - n)^2 = h^2 - 300h$, which gives $h = 150 + \sqrt{150^2 + 60^2} \approx 311.55$ miles. The ship sailed 188.25 miles north and 248.25 west, 436.50 in all.

50. $46\sqrt{20/18} \approx 48.5$ cm.

51. $100 - \sqrt{9900} \approx 0.50$ m: only about 50 cm.

52. $5x^{5/2} = 38,880$, so $x^{5/2} = 7776 = 6^5$ and $x = 36$: £36.

53. $63 + \sqrt{63^2 - 30^2} = 63 + \sqrt{3069} \approx 118.40$ m.

54. The head travels on a circle 1.5 m larger in radius, through the same angle, $2\pi \times \frac{10000}{40000}$, so the extra distance is $1.5 \times \frac{\pi}{2} \approx 2.36$ m. The size of the Earth does not matter, only the fraction of the way round.

55. 15, 19, 23, 27.

56. 21 and 16.

57. A regular decagon of side s has area $\frac{5}{2}s^2\sqrt{5+2\sqrt{5}} \approx 7.694s^2$, so $s \approx 4.69$ m.

58. The radius is 40 m. If x is left standing, then $x^2 + 40^2 = (100 - x)^2$, so $x = 42$ m.

59. The radius is $(30^2 + 10^2)/(2 \times 10) = 50$ m. The new height is $50 - \sqrt{50^2 - 45^2} \approx 28.21$ m.

60. $\frac{1}{2} \times 16,000 \times \sin 30^\circ = 4,000$ m².

61. 99 men, each getting £99, so £9,801 in all.

62. The radius is $40,000/2\pi \approx 6366$ km, so the volume is about 1.08×10^{21} m³. The river brings 72,000 m³ an hour, so it takes about 1.7×10^{12} years. The Diary, with its own figures, found about 2.3×10^{12} .

63. Cost £250, profit £90.

64. 38 m and 26 m.

- 65.** The shares divide £50,000 in extreme and mean ratio: $50,000 \times \frac{\sqrt{5}-1}{2} \approx 30,901.70$ to the elder and £19,098.30 to the younger.
- 66.** By similar triangles the top is $32 \times \frac{30}{20} = 48$ cm across, and the depth is 30 cm. The volume is $\frac{\pi \times 30}{12} (48^2 + 48 \times 32 + 32^2) = 12,160\pi \approx 38,200 \text{ cm}^3$, about 38.2 litres.
- 67.** A £17,000, B £15,000, C £8,000.
- 68.** About 151.27 m (the ladder is about 177.57 m).
- 69.** The breadth, length and diagonal are in the ratio $1 : \sqrt{\varphi} : \varphi$, where $\varphi = \frac{1+\sqrt{5}}{2}$. The sides are about 129.8 m and 165.1 m, with a diagonal of 210.1 m. The area is about $21,440 \text{ m}^2$, which costs about £42,880.
- 70.** About 8,273.27 and 1,726.73.
- 71.** The segments of the diagonal are 16 m and 4 m, so the diagonal is 20 m and the perpendicular $\sqrt{16 \times 4} = 8$ m. The field is $8\sqrt{5}$ by $4\sqrt{5}$, about 17.89 m by 8.94 m. The four shares are 64, 16, 4 and 76 m^2 , totalling 160 m^2 .
- 72.** The outside diameter is $30 \times 55.6/\pi \approx 531$ cm and the inside ≈ 512.3 cm; the depth is 278 cm. So a bath is about 28.7 litres.
- 73.** Stilton is $150 \times \frac{3-\sqrt{5}}{2} \approx 57.3$ miles from London. The speeds are in the ratio $0.382 : 1$, so the York messenger goes $\varphi^2 \approx 2.618$ times as fast.
- 74.** The base satisfies $b^2 + 66b - 6567 = 0$, so the sides are about 54.50, 28.50 and 61.50.
- 75.** Put C at the origin with CA along the axis, $CA = a$ and $BP = h$. The bisector is $y = x$, and DA is $y = h - \frac{h}{a}x$, so they meet at $N = (s, s)$ with $s = \frac{ah}{a+h}$. At height s the triangle is $a(1 - \frac{s}{h}) = \frac{ah}{a+h} = s$ wide. So GH equals its own height above CA : it is the top of the square.
- 76.** With $AB = a$ and $BC = c$, similar triangles give $BF = BG = \frac{ac}{a+c}$, $AF = \frac{a^2}{a+c}$ and $CG = \frac{c^2}{a+c}$, so $AF \cdot CG = BF^2$.
- 77.** The area $\frac{1}{2}xy \sin \theta$ is largest at $\theta = 90^\circ$, and the third side $\sqrt{x^2 + y^2}$ is then least when $x = y$. It is $\sqrt{2 \times 1800} = 60$ m.
- 78.** 192, 384, 768 and 1,536 hectares.
- 79.** 12 cm, 18 cm and 24 cm.
- 80.** A husband and wife who buy h and w pigs satisfy $h^2 - w^2 = 63$, so the pairs are 32 and 31, 12 and 9, or 8 and 1. Hendrick is married to Anna (32 and 31), Claas to Catriin (12 and 9), and Cornelius to Geertrui (8 and 1).
- 81.** The fountain is 75 m from the foot of the shorter fir and 45 m from the taller. The balls are $\sqrt{120^2 + 20^2} \approx 121.66$ m apart. The walk runs at right angles to the line of the trees, and the summer-house is 91.65 m from the foot of the shorter fir and 69.28 m from the taller. The walk is about 52.68 m long.

The grindstone and the lecturer

Charles Hutton gave the neat construction for problem 45 around 1770, while the travelling lecturer James Ferguson was staying with him in Newcastle. Ferguson could not follow the proof, so he drew the figure on a large sheet of pasteboard and measured it. It agreed “to a hair’s breadth”, and he called it a treasure. (Leybourn, vol. I, pp. 7–8.)

Purple

- 82.** $43x + 34y = 40,000$ has the solutions $x = 34n - 2$, $y = 1179 - 43n$ for $n = 1, \dots, 27$. That is 27 ways, from 32 and 1,136 tokens up to 916 and 18.

- 83.** $\binom{100}{10} = 17,310,309,456,440$ pennies, about £173 billion.
- 84.** Cut the cone at one-third of its height. The cylinder has two-thirds of the base radius and $\frac{4}{9}$ of the cone's volume.
- 85.** No. With a sphere of radius 30 cm, the volume is greatest when the smaller diameter is about $0.647 \times 60 \approx 38.8$ cm, and it is then only about 44.5 litres.
- 86.** The shortest dividing line cuts off an isosceles triangle at the corner with the smallest angle, between the 200 m and 150 m sides. It meets each of those sides $\sqrt{15,000} \approx 122.5$ m from that corner, and the ditch is about 23.45 m long.
- 87.** $3^{15} = 14,348,907$, so the ratio is 3. The total is $(3^{16} - 1)/2 = 21,523,360$ p, which is £215,233.60.
- 88.** They meet after 6 days. The Londoner walks $3 + 5 + \dots + 13 = 48$ miles, and the other $1 + 4 + \dots + 16 = 51$.
- 89.** By Brahmagupta's formula the largest area is $\sqrt{(s-a)(s-b)(s-c)(s-d)}$ with $s = 110$, which is $\sqrt{70 \times 50 \times 40 \times 60} \approx 2,898 \text{ m}^2$. That is just below 2,900.
- 90.** The axes are about 40.46 m and 31.47 m. The stakes go at the foci, $\sqrt{a^2 - b^2}$ from the centre, so about 25.43 m apart. The loop is the major axis plus that distance, about 65.89 m.
- 91.** The first sum is $40/(1 - \frac{7}{8}) = 320$, so the second is 720. From $ar = 46\frac{19}{36}$ and $a/(1 - r) = 720$ we get $a^2 - 720a + 33,500 = 0$. Either $a = 50$ and $r = \frac{67}{72}$, or $a = 670$ and $r = \frac{5}{72}$.
- 92.** The largest quadrilateral is the one that can be inscribed in a circle. Its area is $\sqrt{9 \times 13 \times 17 \times 19} = \sqrt{37,791} \approx 194.40$.
- 93.** The large circle has diameter 1,322. A small circle and the large one sit in the same corner, so if the corner's angle is A and the radii are a and r , $\sin \frac{A}{2} = \frac{r-a}{r+a}$, which gives $\tan \frac{A}{2} = \frac{r-a}{2\sqrt{ar}}$. The three half-angles add up to 90° , and working this through gives $r = \sqrt{ab} + \sqrt{bc} + \sqrt{ca}$. Battersby chose his circles so that every product is a square: with radii 242, $220\frac{1}{2}$ and 200, $r = 231 + 210 + 220 = 661$. The sides follow from the tangent lengths $r/\tan \frac{A}{2}$: about 2,407.7, 2,188.4 and 2,304.6. Richard Lovet's printed sides differ only in the last places.
- Another way, with complex numbers.* The relation above can be written $\tan \frac{A}{2} = \cot 2\phi_A$, where $\tan \phi_A = \sqrt{a/r}$, so $\frac{A}{2} = 90^\circ - 2\phi_A$. Adding over the three corners gives $\phi_A + \phi_B + \phi_C = 90^\circ$. The number $\sqrt{r} + i\sqrt{a}$ has argument ϕ_A , and so on, so the product $(\sqrt{r} + i\sqrt{a})(\sqrt{r} + i\sqrt{b})(\sqrt{r} + i\sqrt{c})$ is purely imaginary. Its real part, $r\sqrt{r} - \sqrt{r}(\sqrt{ab} + \sqrt{bc} + \sqrt{ca})$, is therefore zero, and $r = \sqrt{ab} + \sqrt{bc} + \sqrt{ca}$ follows at once.
- 94.** Solve $x \ln x = \ln 123,456,789$ by Newton's method: $x \approx 8.640026$.
- 95.** We need $N \equiv 9 \pmod{28}$, $N \equiv 7 \pmod{19}$ and $N \equiv 7 \pmod{15}$, which gives $N = 1717$. The three repeat together every $28 \times 19 \times 15 = 7980$ years (the Julian period), so next in 9697.
- 96.** Solve $x \ln(1 + \frac{x}{100}) = \ln 2$: $x \approx 8.498$ per cent.
- 97.** One throw succeeds in $6 \left[\binom{6}{4} 5^2 + \binom{6}{5} 5 + 1 \right] = 2436$ of the 46,656 cases, so with probability about 0.0522. In seven throws the chance of at least one success is $1 - (1 - 0.0522)^7 \approx 0.313$. The odds are about 2.2 to 1 against him.
- 98.** The circumradius is $R = 20/(2 \sin 78^\circ 45') \approx 10.20$. The fountain, the orthocentre, is $2R \cos B \cos C$ from the given side, so $\cos B \cos C \approx 0.4016$ with $B + C = 101^\circ 15'$. This gives $B \approx 52.3^\circ$ and $C \approx 49.0^\circ$, and the other sides are about 16.13 m and 15.38 m.
- 99.** For each denominator n from 2 to 99 there are $\varphi(n)$ fractions in lowest terms, and $\sum_{n=2}^{99} \varphi(n) = 3003$.
- 100.** He should cross about 18.57 km from the point due east of Montpellier, on Turin's side. That gives 44.10 km before the river and 156.29 km after, taking about 92.8 hours. At the best crossing,

$\sin \theta_1/3 = \sin \theta_2/2$, where the angles are measured from the perpendicular to the river: the law of refraction.

101. About 4.37 m. In the Diary's feet (a mantel 8 ft high, an opening 4 ft deep and a pole 1 ft thick) the answer is 14 ft 7.2 in.

102. Triangles with the same height have areas in proportion to their bases, so $\frac{AF}{FB} = \frac{[AOC]}{[BOC]}$, $\frac{BD}{DC} = \frac{[AOB]}{[AOC]}$ and $\frac{CE}{EA} = \frac{[BOC]}{[AOB]}$. Multiplying, the product is 1. This is Ceva's theorem, published in 1678.

When the Diary was wrong

Problem 89. The original surveyor's figures (sides 4, 6, 7 and 5 chains, area 29 square chains) also exceed the largest possible area, $\sqrt{840} \approx 28.98$. The first solver found a diagonal anyway. Leybourn's edition points out that "the original solution cannot therefore be correct".

Problem 91. The Diary gave only the first answer, 50 and $\frac{67}{72}$. The quadratic has a second root, 670 and $\frac{5}{72}$, which fits every condition just as well.

Problem 98. The printed solution assumed the triangle was isosceles, with two equal sides of 15.64. It is not; the later editor showed that the sides differ.

Problem 88. The Diary's answer swaps the walkers, crediting the Norwich walker with 48 miles and the Londoner with 51.

Problem 99. One solver set out a method but gave no total; another reached 3,055 and doubted it. The right answer is 3,003.

Problem 33. "Innumerable answers", said the Diary. There are exactly eight.