

Proposed Solution Report

Design and Creative Technologies

Torrens University, Australia

Student: Luis Guilherme de Barros Andrade Faria - A00187785

Subject Code: HCD 402

Subject Name: Research Methodologies

Assessment No.: 2

Title of Assessment: Proposed Solution Report

Lecturer: Dr. Omid Haas

Date: Nov 2025

Copyright © 1994-1997 by Bradford D. Appleton

Permission is hereby granted to make and distribute verbatim copies of this document provided the copyright notice and this permission notice are preserved on all copies.

Table of Contents

1. Introduction	3
2. Development of Technology	6
2.1 Evolution Timeline (2017 – 2025)	6
2.2 Technical Development and Architectural Shifts	6
2.3 Positive and Questionable Outcomes.....	7
2.4 Ethical Complications and Human-Centred Design Gaps.....	8
3. Release and Immediate Undermining Effects	9
3.1 Solution Components.....	9
3.2 Early Signs and Undermining Effects	10
3.3 User and Developer Reactions	10
3.4 Ethical and Operational Repercussions	11
4. Long-Term Undermining Effects	12
4.1 Long-Term Undermining Effects	12
4.2 Security Abuse	12
4.3 Performance Degradation.....	13
4.4 Social Degradation	13
4.5 Long Term Adjustments	13
4.6 Restrictions Implemented.....	13
5. Proposed Solution	13
5.1 Core Innovation.....	14
5.2 Solution Components.....	14
5.3 Technical Architecture.....	15
6. Conclusion.....	15
7. References	18

1. Introduction

It is impossible not to hear about **AI agents** these days. They dominate headlines, warning that Artificial Intelligence is replacing jobs, flood LinkedIn posts offering “step-by-step” tutorials (“Comment ‘*AGENT*’ to get the workflow”), and power popular automation tools like **n8n**, **Claude**, **Temporal**, **Motion**, **Boomi**, **Copilot**, etc. The hype is real – and anyone who works with technology is already part of it.

As illustrated in *Figure 1*, global search interest for the term “**AI agent**” has skyrocketed between January 2023 and October 2025, confirming the acceleration of this new technological wave. *Figure 2* further highlights related topics and queries, reflecting how quickly this concept has entered mainstream technical vocabulary.




Figure 1 – Google Trends Interest over time on “ai agent”

(<https://trends.google.com/trends/explore?date=2023-01-01%202025-10-16&geo=AU&q=ai%20agent&hl=en>)




Figure 2 – Google Trends Related Topics and Queries (<https://trends.google.com/trends/explore?date=2023-01-01%202025-10-16&geo=AU&q=ai%20agent&hl=en>)

In response to this surge, and as part of the Human-Centred Design (HCD402) subject at Torrens University, lectured by Dr. Omid Haas, this Proposed Solution Report investigates the emerging technology of Agentic AI Systems – autonomous decision-making agents capable of performing tasks and making API calls without direct human input.

The report addresses three key aspects:

- **Technology:** Agentic AI systems and the basic automation frameworks that enable autonomous API execution.
- **Undermining Effect:** Uncontrolled resource consumption, API abuse, and the associated economic, security and ethical risks.
- **Proposed Solution:** An Intelligent Rate Limiting & Resource Management system built using Node.js + GraphQL + Redis to reintroduce human-centred visibility, feedback and control.

The discussion explores both the benefits and contradictions of assigning AI the role of a “digital co-worker”. It examines how leading companies – OpenAI, Anthropic and AWS – are grappling with similar governance challenges, while also outlining a potential architectural response. The proposed system concept will demonstrate how a modern distributed-system engineering can embody human-centred design principles through transparency, fairness and adaptive control.

The goal of this document is to connect research with practice, bridging system design at scale, security engineering, and real-time performance optimization. The aim is to show that

even within advanced AI infrastructures, responsible design choices remain the key to balancing autonomy and accountability.

2. Development of Technology

2.1 Evolution Timeline (2017 – 2025)

The table below summarizes how AI moved from simple assistants to autonomous decision-makers:

Period	Milestone	Description	HCD Implication
2017 – 2019	Early chatbots and RPA tools	Rule-based automations such as Dialogflow or IBM Watson handled FAQs and linear tasks	High human control, limited learning.
2020 – 2022	GPT-3 and LLM APIs	Natural-language reasoning made agents partially self-directed	Reduced transparency – users saw fluent output but not internal logic.
2023 – 2024	LangChain, AutoGPT, BabyAGI	Open frameworks chained prompts and APIs, gibving birth to “Agentic” behaviour	Break in feedback loops – agents began acting before user confirmation.
2024 – 2025	Devin, Grok, Claude 3.5	Commercial systems performed continuous tasks and wrote production code.	Loss of human oversight, new ethical and resource challenges.

XXXX

Figure 3 – Timeline of AI Agent Evolution

2.2 Technical Development and Architectural Shifts

Agentic AI emerged from three converging innovations:

- LLM reasoning engines (OpenAI GPT-4, Claude, Gemini 1.5) enabling plan-and-act loops.
- Frameworks such as LangChain and Semantic Kernel allowing modular tool access.
- API orchestration infrastructure with serverless micro-services, vector databases and cloud queues, providing execution autonomy.

While these advances improved scalability and multitasking, they also abstracted decision visibility.

Design teams optimized for performance and convenience, not for user understanding—violating Norman’s (2013) principle that systems must make their operations “visible and explorable.” The rapid integration of plug-ins, API keys, and cloud agents turned simple assistants into resource-consuming ecosystems with unpredictable side-effects.

2.3 Positive and Questionable Outcomes

Positive Outcomes	Questionable Outcomes
Automated multi-step workflows across marketing, coding, and analytics.	Uncontrolled API consumption creating cost spikes of >\$50 000/month.
Continuous 24/7 operations improving turnaround times.	“Infinite-loop” behaviours exhausting compute resources.
Democratization of AI tools through open-source frameworks	Economic inequality – only well-funded orgs can afford persistent agents.
Faster decision-making via data-driven insights	Environmental impact – higher energy usage from constant API polling.

XXXX

Figure 4 – Paradox of Technology

Each layer of convenience (automation, speed, scalability) introduces new complexity (cost, opacity, ethical ambiguity).

2.4 Ethical Complications and Human-Centred Design Gaps

From a human-centred design perspective, three core issues emerged:

- **Accountability Gap:** When an autonomous agent deploys faulty code or consumes excessive resources, who is responsible—the developer, the model provider, or the user? HCD Principle Violated: Responsibility and Feedback.
- **Transparency Deficit:** Users rarely receive understandable explanations for agent decisions. Without meaningful “why” feedback, visibility—the cornerstone of usability—is lost.
- **Equity and Access:** The cost of continuous AI operation privileges corporations with deep budgets, marginalizing smaller innovators and reinforcing digital inequality.

XXXX

*Figure 5 – Human-Centred Design Gaps in Agentic AI (Triangular diagram: Accountability |**Transparency | Equity)*

These complications set the stage for the immediate undermining effects discussed in Section 3, where technical success collided with social and ethical fragility.

3. Release and Immediate Undermining Effects

The public release of Agentic AI systems between 2024 and 2025 marked a new milestone in the evolution of artificial intelligence. Unlike traditional assistants that merely responded to prompts, agentic models began to act independently – creating, deploying and executing multi-step plans without direct human supervision. Frameworks like **AutoGPT**, **Devin** and **xAI’s Grok Agents** demonstrated the potential of “self-directed” AI, where systems could write code, manage cloud resources or even operate other AI models.

However, this rapid shift from *assistive* to *autonomous* AI introduced immediate design, ethical, and societal tensions. The promise of efficiency quickly clashed with the human-centered design values of visibility, feedback, and control. Within months, industries began reporting issues of runaway task execution, API abuse, and unintended data exposure, revealing how autonomy without sufficient constraint can break trust in automation.

3.1 Solution Components

The surge began in 2023, when open frameworks such as AutoGPT and BabyAGI made it possible for anyone with a large language model API key to spin up autonomous agents. Major companies soon followed suit:

- **OpenAI’s Assistants API (Nov 2024):** enabled persistent, goal-driven agents;
- **Anthropic’s Claude 3.5 (2025):** allowed continuous task-chaining;
- **Devin by Cognition Labs (Mar 2025):** was marketed as the “first AI software engineer.”

These systems gained massive attention in developer and automation circles for their ability to perform complex workflows — project management, trading, research summarization —

with minimal input. The initial hype focused on productivity and innovation, reflecting what Norman (2013) describes as the “*Paradox of Technology*”: each new convenience introduces new complexity.

In the case of Agentic AI, complexity lies in **oversight**. Once deployed, many systems acted beyond their creators’ expectations, initiating recursive tasks or over-allocating resources. The same autonomy that drove innovation also exposed the fragility of unmonitored automation.

3.2 Early Signs and Undermining Effects

Within the first months of release, several issues surfaced that highlighted the absence of human-centered safety mechanisms.

- **Uncontrolled API usage:** Open-source agent frameworks caused massive spikes in cloud costs — in some cases exceeding budgets overnight due to infinite task loops.
- **Security vulnerabilities:** Agents occasionally accessed or exposed sensitive credentials while performing unsupervised file operations.
- **Loss of traceability:** Developers found it nearly impossible to reconstruct why an agent made certain decisions after the fact, breaking the HCD principle of visibility.

From a social perspective, this unpredictability undermined human trust in AI-driven systems. Businesses quickly realized that autonomy without explainability was not scalable. These early warning signs indicated that technical capability had outpaced design maturity.

3.3 User and Developer Reactions

Reactions were divided.

- Developers were fascinated but cautious, often creating community patches for monitoring and manual override systems.
- End users and clients, particularly in finance and operations, expressed anxiety over reliability and accountability.
- Regulators began signaling concern about “autonomous agents acting without human consent,” echoing previous debates around algorithmic bias and automation risk.

Human-centered design theory positions feedback and control as essential to usability (Norman, 2013; Gee, 2006). Yet, Agentic AI inverted this relationship — users no longer guided systems; systems guided users. This role reversal produced immediate friction, with organizations implementing emergency shutdown protocols or “sandbox” limitations to contain autonomous processes.

3.4 Ethical and Operational Repercussions

The undermining effects became more pronounced as adoption widened:

- Job displacement fears resurfaced, especially in software development and analytics, as autonomous agents began completing multi-hour tasks autonomously.
- Ethical ambiguity emerged: when an agent executed a harmful or biased action, who was responsible — the developer, the user, or the system itself?
- Psychological distancing also appeared: human operators began treating AI outcomes as unquestionable, eroding critical oversight.

These consequences exposed a clear misalignment between technological autonomy and human accountability. Without built-in transparency and rate-control mechanisms, Agentic

AI systems prioritized execution over reflection — a direct violation of the HCD ethos that technology should amplify human judgment, not replace it.

While the initial release cycle of Agentic AI systems revealed immediate operational and ethical issues, the deeper implications emerged over time — from shifting labor dynamics to the erosion of trust in autonomous decision-making. The following section examines how these long-term effects have reshaped both industry standards and public perception.

4. Long-Term Undermining Effects

If we consider the timeframe of the analysis, it is still very recent and as stressed previously, so much has happened in such a small amount of time that it is even hard for us to process. Once again, I'm covering the general area of study with the amount of time we have available for the proposed assessment and I'll discuss briefly about the following themes: Economic Impact, Security & Abuse, Performance Degradation, Social Impact, Long-term Adjustments and Restrictions Implemented.

4.1 Long-Term Undermining Effects

- **Cost Explosion:** Startups facing \$10K-\$100K monthly API bills
- **Barrier to Entry:** Only well-funded companies can afford agentic systems
- **Market Consolidation:** Large players dominate due to API access advantages

4.2 Security Abuse

- **Scrapping Attacks:** Automated agents extracting entire datasets
- **Credentials Stuffing:** Agents testing stolen credentials at scale
- **Resource Monopolization:** Single bad actor consuming shared resources

4.3 Performance Degradation

- **Shared Infrastructure Strains:** API services becoming slower
- **Cascading Failures:** One agent's misbehavior affecting all users
- **Quality of Service Issues:** Legitimate users getting throttled

4.4 Social Degradation

- **Digital Divide:** Those who can afford AI agents vs those who can't
- **Job Displacement:** Automation without safeguards
- **Trust Erosion:** Services becoming unreliable

4.5 Long Term Adjustments

Positive	Negative
Rate limiting becoming standard (2023-2024)	Still no standardized solution across platforms
Cost-based pricing models emerging	No global governance framework

4.6 Restrictions Implemented

- OpenAI: Tier 1-5 rate limits (2023)
- Anthropic: Usage tiers and quotas (2024)
- Microsoft Azure: Token bucket + sliding window (2024)
- AWS: Enhanced API Gateway throttling (2024)

Blabla blab la bla.

5. Proposed Solution

The existing solutions that I could find and/or worked in the past are:

1. Simple Rate limiting: fixed requests/minute (too rigid)

2. Token Bucket: Better but no context awareness.
3. Usage Quotas: Monthly limits (doesn't prevent burst attacks)

This led me to propose a solution: An Intelligent Multi-Tier Rate Limiting System. Details follow below:

5.1 Core Innovation

The solution will be context-aware, adaptive rate limiting using Redis + GraphQL.

5.2 Solution Components

The solution will be context-aware, adaptive rate limiting using Redis + GraphQL and the technology chosen for the development is Node.js + Redis using sorted sets.

Component	Features
Adaptive Rate Limiting Engine	<ul style="list-style-type: none">Real-time traffic analysisBehavior pattern detectionDynamic threshold adjustmentUser reputation scoring
Multi-Dimensional Throttling	<ul style="list-style-type: none">Per-user limitsPer-endpoint limitsPer-resource-type limitsTime-based limits (hour/day/month)Cost-based limits (\$ spent)
Fair Resource Allocation	<ul style="list-style-type: none">Priority queue system: critical requests bypass throttlingWeighted fair queuing: important users get higher quotasBackpressure mechanism: Gradual slowdown vs hard cutoff
Intelligent Circuit Breaking	<ul style="list-style-type: none">Health monitoring: detect service degradationGraceful degradation: reduce limits when system is stressedAuto-Recovery: Gradually restore capacity

Analytics & Monitoring Dashboard	<ul style="list-style-type: none"> • Real-time metrics: GraphQL subscriptions • Abuse detection: ML-powered anomaly detection • Coast projection: Predict monthly spend according to usage.
-------------------------------------	--

5.3 Technical Architecture

We will have a three-layer stack approach by having:

1. Gateway Layer – receives API calls, logs metadata
2. Rate-Limiting Core (Redis) - uses sorted sets for adaptive thresholds.
3. GraphQL Monitoring Layer – streams live metrics via subscriptions.

The architecture was designed around transparency and feedback loops, ensuring that every throttled event provides explanatory feedback.

6. Conclusion

Agentic AI represents a turning point in human-machine collaboration. Our proposed Intelligent Rate-Limiting System restores balance between automation efficiency and human oversight, exemplifying Human-Centered Design by embedding transparency, fairness and control into the technical core.

Appendices A – Release Timeline

<https://www.searchenginejournal.com/history-of-chatgpt-timeline/488370/>

<https://en.wikipedia.org/wiki/ChatGPT>

https://timelines.issarice.com/wiki/Timeline_of_ChatGPT

https://timelines.issarice.com/wiki/Timeline_of_Anthropic

Statement of Acknowledgment

I acknowledge that I have used the following AI tool(s) in the creation of this report:

- OpenAI ChatGPT (GPT-5): Used to assist with outlining, refining structure, improving clarity of academic language, and supporting with APA 7th referencing conventions.

I confirm that the use of the AI tool has been in accordance with the Torrens University Australia Academic Integrity Policy and TUA, Think and MDS's Position Paper on the Use of AI. I confirm that the final output is authored by me and represents my own critical thinking, analysis, and synthesis of sources. I take full responsibility for the final content of this report.

7. References

- Alkhnabshi, O. S., Mohammad, R., & Hammoudeh, M. (2024). *Aspect-based sentiment analysis of patient feedback using large language models. Big Data and Cognitive Computing*, 8(12), 167. <https://doi.org/10.3390/bdcc8120167>
- Angelis, J. N., Murthy, R. S., Beaulieu, T., & Miller, J. C. (2024). *Better angry than afraid: The case of post data breach emotions on customer engagement. IEEE Transactions on Engineering Management*, 71, 2593–2605. <https://doi.org/10.1109/TEM.2022.3189599>
- Chen, E. (2023). *Growth product manager's handbook*. O'Reilly Media.
- Dawes, J. G. (2024). *The net promoter score: What should managers know? International Journal of Market Research*, 66(2–3), 182–198. <https://doi.org/10.1177/14707853231195003>
- Godovykh, M., & Pizam, A. (2023). *Measuring patient experience in healthcare. International Journal of Hospitality Management*, 112, 103405. <https://doi.org/10.1016/j.ijhm.2022.103405>
- Hwang, G. J., Xie, H., Wah, B. W., & Gašević, D. (2020). *Vision, challenges, roles and research issues of artificial intelligence in education. Computers and Education: Artificial Intelligence*, 1(1), 100001. <https://doi.org/10.1016/j.caeai.2020.100001>
- Mar, J., & Armaly, P. (2023). *Mastering customer success*. O'Reilly Media.
- Shankar, R., & Yip, A. (2024). *Transforming patient feedback into actionable insights through natural language processing: A knowledge discovery and action research study. JMIR Formative Research*. Advance online publication. <https://doi.org/10.2196/69699>

Xiao, Y., Li, C., Thürer, M., Liu, Y., & Qu, T. (2022). *Towards lean automation: Fine-grained sentiment analysis for customer value identification*. *Computers & Industrial Engineering*, 169, 108186. <https://doi.org/10.1016/j.cie.2022.108186>