Detection coverage report

MITRE ATT&CK Enterprise v20.0 and MITRE ATLAS v5.6.0 · 85 rules from 17 sources

2026-11-04
mitre-coverage-kit 0.3.0

27%
ATT&CK techniques covered
61 of 227

19
techniques at High
26 Medium · 16 Low

9
dead rules
recover 10 techniques (7 ATT&CK, 3 ATLAS)

43
fragile techniques
depend on a single rule


9%
ATLAS techniques covered
9 of 101 · 3 dead rules




None (166) Low • (16) Medium •• (26) High ••• (19)

Coverage by tactic

MITRE ATT&CK Enterprise v20.0 · one cell per technique, sorted by level · hover for the technique and its rules





Recommendations

MITRE ATT&CK Enterprise · computed from the inventory, ordered by effort

1 Restore the data behind the dead rules

Recovers 7 techniques without writing a rule.

6 enabled rules read a source that is not arriving. They count as coverage in the SIEM and never fire. Fixing ingestion is the cheapest gain in this inventory.

- R-025 ESCU - Authentication Package Registered in LSA · T1547.002;T1556 · Splunk ES
- R-043 USB - Removable Media Execution Detected · T1091;T1200 · EDR
- R-050 ESCU - Timestomping of Executable · T1070.006 · Splunk ES
- R-061 ESCU - PsExec Service Installed Remotely · T1570;T1021.002 · Splunk ES
- R-066 DLP - Archive Created Then Sent to External Address · T1560.001;T1048 · DLP
- R-067 ESCU - Clipboard Data Read by Unsigned Process · T1115 · EDR

2 Test the rules nobody has run

16 techniques move from Low to Medium.

21 enabled rules have data but were never exercised. Run the Atomic Red Team test for each technique and record the result in the tested column.

- R-010 Container - Exec into Running Pod from External Address · T1609 Atomic test
- R-014 ESCU - Exploit Code Executed from Browser Child Process · T1203, T1204 Atomic test
- R-017 ESCU - Remote Software Deployment Tool Pushing Script · T1072 Atomic test
- R-023 ESCU - Browser Extension Installed by Non-Admin · T1176 Atomic test
- R-033 AWS - Access Key Used from New ASN · T1078, T1552 Atomic test
- R-035 ESCU - Credentials from Web Browsers Accessed · T1555 Atomic test
- R-041 VPN - Impossible Travel for Valid Account · T1078, T1133 Atomic test
- R-046 ESCU - Suspicious Obfuscated Script Content · T1027, T1140 Atomic test

3 Close the gaps where the attacker operates

Collection, Exfiltration, Defense Impairment below 20%.

These tactics sit after initial access, where a missed technique means a longer dwell time. Start with techniques your current data sources can already see.

- Collection 1/17 · uncovered: T1005 Data from Local System, T1025 Data from Removable Media, T1039 Data from Network Shared Drive and 13 more
- Exfiltration 1/10 · uncovered: T1011 Exfiltration Over Other Network Medium, T1020 Automated Exfiltration, T1029 Scheduled Transfer and 6 more
- Defense Impairment 2/18 · uncovered: T1207 Rogue Domain Controller, T1222 File and Directory Permissions Modification, T1484 Domain or Tenant Policy Modification and 13 more

4 Add a second rule where one carries the technique

43 techniques depend on a single rule.

If that rule breaks, is tuned too far or its source changes, the technique goes dark with no warning. Prioritise the ones at High, which are the ones the SOC relies on.

- T1047 Windows Management Instrumentation · High · only R-003
- T1106 Native API · High · only R-015
- T1110 Brute Force · High · only R-029
- T1129 Shared Modules · High · only R-015
- T1136 Create Account · High · only R-019
- T1486 Data Encrypted for Impact · High · only R-068
- T1490 Inhibit System Recovery · High · only R-069
- T1558 Steal or Forge Kerberos Tickets · High · only R-027

5 Tune the tested rules

27 rules are tested but not tuned; 26 techniques could reach High.

Tuning means reviewing false positives after the test and adjusting thresholds and allow-lists. Record it in the tuned column.


6 Leave pre-compromise tactics for last

Reconnaissance and Resource Development are expected to be low.

They happen outside your network, before the first alert. A SIEM rarely sees them; threat intelligence covers them better than detection rules. They are marked in the chart so they do not distort the average.

Coverage by tactic

MITRE ATLAS v5.6.0 · one cell per technique, sorted by level · hover for the technique and its rules



Recommendations

MITRE ATLAS · computed from the inventory, ordered by effort

1

Restore the data behind the dead rules

Recovers 3 techniques without writing a rule.

3 enabled rules read a source that is not arriving. They count as coverage in the SIEM and never fire. Fixing ingestion is the cheapest gain in this inventory.

- R-080 LLM - sensitive data leaked in completion · AML.T0057 · DLP
- R-082 Agent - exfiltration via tool call to external URL · AML.T0086 · Agent runtime
- R-085 LLM - denial of service by oversized prompts · AML.T0029 · API gateway

2 Test the rules nobody has run

6 techniques move from Low to Medium.

5 enabled rules have data but were never exercised. Run the Atomic Red Team test for each technique and record the result in the tested column.

- R-078 LLM - high-volume extraction of model outputs · AML.T0024
- R-079 LLM - system prompt disclosure in model response · AML.T0056
- R-081 Agent - tool invocation outside allow-list · AML.T0053
- R-083 MLOps - model artifact downloaded outside registry · AML.T0010, AML.T0035
- R-084 MLOps - training dataset modified after approval · AML.T0020

3 Close the gaps where the attacker operates

Credential Access, Discovery, Lateral Movement below 20%.

These tactics sit after initial access, where a missed technique means a longer dwell time. Start with techniques your current data sources can already see.

- Credential Access 0/6 · uncovered: AML.T0055 Unsecured Credentials, AML.T0082 RAG Credential Harvesting, AML.T0083 Credentials from AI Agent Configuration and 3 more
- Discovery 0/9 · uncovered: AML.T0007 Discover AI Artifacts, AML.T0013 Discover AI Model Ontology, AML.T0014 Discover AI Model Family and 6 more
- Lateral Movement 0/2 · uncovered: AML.T0052 Phishing, AML.T0091 Use Alternate Authentication Material

4 Add a second rule where one carries the technique

8 techniques depend on a single rule.

If that rule breaks, is tuned too far or its source changes, the technique goes dark with no warning. Prioritise the ones at High, which are the ones the SOC relies on.

- AML.T0040 AI Model Inference API Access · Medium · only R-077
- AML.T0054 LLM Jailbreak · Medium · only R-076
- AML.T0010 AI Supply Chain Compromise · Low · only R-083
- AML.T0020 Poison Training Data · Low · only R-084
- AML.T0024 Exfiltration via AI Inference API · Low · only R-078
- AML.T0035 AI Artifact Collection · Low · only R-083
- AML.T0053 AI Agent Tool Invocation · Low · only R-081
- AML.T0056 Extract LLM System Prompt · Low · only R-079

5 **Tune the tested rules**

3 rules are tested but not tuned; 2 techniques could reach High.

Tuning means reviewing false positives after the test and adjusting thresholds and allow-lists. Record it in the tuned column.

6 **Leave pre-compromise tactics for last**

Reconnaissance and Resource Development are expected to be low.

They happen outside your network, before the first alert. A SIEM rarely sees them; threat intelligence covers them better than detection rules. They are marked in the chart so they do not distort the average.

Coverage by source

techniques covered, and covered only there

SOURCE	RULES	TECHNIQUES	ONLY HERE
Splunk ES	42	35	30
EDR	10	10	7
Zeek	4	6	6
Entra ID	2	3	1
Okta	2	3	3
CloudTrail	2	3	1
WAF	2	2	2
VPN	1	2	1
Proxy	2	2	1
Kubernetes audit	1	1	1
Proofpoint	3	1	1
DLP	1	0	0
TIP	1	0	0

Dead rules enabled, no data

RULE	NAME	TECHNIQUES	SOURCE	REASON
R-025	ESCU - Authentication Package Registered in LSA	T1547.002;T1556	Splunk ES	enabled but no data available
R-043	USB - Removable Media Execution Detected	T1091;T1200	EDR	enabled but no data available
R-050	ESCU - Timestomping of Executable	T1070.006	Splunk ES	enabled but no data available
R-061	ESCU - PsExec Service Installed Remotely	T1570;T1021.002	Splunk ES	enabled but no data available
R-066	DLP - Archive Created Then Sent to External Address	T1560.001;T1048	DLP	enabled but no data available
R-067	ESCU - Clipboard Data Read by Unsigned Process	T1115	EDR	enabled but no data available
R-080	LLM - sensitive data leaked in completion	AML.T0057	DLP	enabled but no data available
R-082	Agent - exfiltration via tool call to external URL	AML.T0086	Agent runtime	enabled but no data available
R-085	LLM - denial of service by oversized prompts	AML.T0029	API gateway	enabled but no data available

Technique detail 70 covered of 328 techniques · type to filter

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1003	OS Credential Dumping	Credential Access	High ●●●	R-026, R-030, R-032
T1021	Remote Services	Lateral Movement	High ●●●	R-058, R-059, R-061
T1047	Windows Management Instrumentation	Execution	High ●●●	R-003

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1053	Scheduled Task/Job	Execution, Persistence, Privilege Escalation	High ●●●	R-005, R-006
T1059	Command and Scripting Interpreter	Execution	High ●●●	R-001, R-002, R-004, R-007
T1070	Indicator Removal	Stealth	High ●●●	R-044, R-050
T1098	Account Manipulation	Persistence, Privilege Escalation	High ●●●	R-019, R-022
T1106	Native API	Execution	High ●●●	R-015
T1110	Brute Force	Credential Access	High ●●●	R-029
T1129	Shared Modules	Execution	High ●●●	R-015
T1136	Create Account	Persistence	High ●●●	R-019
T1204	User Execution	Execution	High ●●●	R-002, R-014, R-016
T1486	Data Encrypted for Impact	Impact	High ●●●	R-068
T1490	Inhibit System Recovery	Impact	High ●●●	R-069
T1543	Create or Modify System Process	Persistence, Privilege Escalation	High ●●●	R-009, R-024
T1547	Boot or Logon Autostart Execution	Persistence, Privilege Escalation	High ●●●	R-018, R-025
T1558	Steal or Forge Kerberos Tickets	Credential Access	High ●●●	R-027
T1569	System Services	Execution	High ●●●	R-009

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1621	Multi-Factor Authentication Request Generation	Credential Access	High ●●●	R-028
AML.T0051	LLM Prompt Injection	Execution	High ●●●	R-074, R-075
T1018	Remote System Discovery	Discovery	Medium ●●	R-056
T1036	Masquerading	Stealth	Medium ●●	R-047
T1040	Network Sniffing	Credential Access, Discovery	Medium ●●	R-037
T1046	Network Service Discovery	Discovery	Medium ●●	R-057
T1055	Process Injection	Privilege Escalation, Stealth	Medium ●●	R-011, R-045
T1071	Application Layer Protocol	Command and Control	Medium ●●	R-062, R-063
T1087	Account Discovery	Discovery	Medium ●●	R-056
T1105	Ingress Tool Transfer	Command and Control	Medium ●●	R-012, R-064
T1127	Trusted Developer Utilities Proxy Execution	Execution, Stealth	Medium ●●	R-016
T1187	Forced Authentication	Credential Access	Medium ●●	R-036

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1190	Exploit Public-Facing Application	Initial Access	Medium ●●	R-040
T1197	BITS Jobs	Execution, Persistence, Stealth	Medium ●●	R-012
T1218	System Binary Proxy Execution	Stealth	Medium ●●	R-007, R-008
T1489	Service Stop	Impact	Medium ●●	R-048
T1505	Server Software Component	Persistence	Medium ●●	R-021
T1528	Steal Application Access Token	Credential Access	Medium ●●	R-034
T1539	Steal Web Session Cookie	Credential Access	Medium ●●	R-038
T1546	Event Triggered Execution	Persistence, Privilege Escalation	Medium ●●	R-020
T1548	Abuse Elevation Control Mechanism	Privilege Escalation	Medium ●●	R-052, R-054
T1550	Use Alternate Authentication Material	Lateral Movement	Medium ●●	R-034, R-060
T1552	Unsecured Credentials	Credential Access	Medium ●●	R-031, R-033

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1557	Adversary-in-the-Middle	Credential Access, Collection	Medium ●●	R-037
T1559	Inter-Process Communication	Execution	Medium ●●	R-013
T1566	Phishing	Initial Access	Medium ●●	R-039, R-042
T1572	Protocol Tunneling	Command and Control	Medium ●●	R-062
T1606	Forge Web Credentials	Credential Access	Medium ●●	R-038
AML.T0040	AI Model Inference API Access	AI Model Access	Medium ●●	R-077
AML.T0054	LLM Jailbreak	Privilege Escalation, Defense Evasion	Medium ●●	R-076
T1027	Obfuscated Files or Information	Stealth	Low ●	R-046
T1072	Software Deployment Tools	Execution, Lateral Movement	Low ●	R-017
T1078	Valid Accounts	Initial Access, Persistence, Privilege Escalation, Stealth	Low ●	R-033, R-041
T1112	Modify Registry	Persistence, Defense Impairment	Low ●	R-049
T1133	External Remote Services	Initial Access, Persistence	Low ●	R-041
T1134	Access Token Manipulation	Privilege Escalation, Stealth	Low ●	R-053
T1135	Network Share Discovery	Discovery	Low ●	R-055

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1140	Deobfuscate/Decode Files or Information	Stealth	Low •	R-046
T1176	Software Extensions	Persistence	Low •	R-023
T1203	Exploitation for Client Execution	Execution	Low •	R-014
T1555	Credentials from Password Stores	Credential Access	Low •	R-035
T1567	Exfiltration Over Web Service	Exfiltration	Low •	R-065
T1573	Encrypted Channel	Command and Control	Low •	R-063
T1578	Modify Cloud Compute Infrastructure	Defense Impairment	Low •	R-051
T1595	Active Scanning	Reconnaissance	Low •	R-070
T1609	Container Administration Command	Execution	Low •	R-010
AML.T0010	AI Supply Chain Compromise	Initial Access	Low •	R-083
AML.T0020	Poison Training Data	Resource Development, Persistence	Low •	R-084
AML.T0024	Exfiltration via AI Inference API	Exfiltration	Low •	R-078
AML.T0035	AI Artifact Collection	Collection	Low •	R-083
AML.T0053	AI Agent Tool Invocation	Execution, Privilege Escalation	Low •	R-081
AML.T0056	Extract LLM System Prompt	Exfiltration	Low •	R-079
T1001	Data Obfuscation	Command and Control	None	
T1005	Data from Local System	Collection	None	
T1006	Direct Volume Access	Stealth	None	
T1007	System Service Discovery	Discovery	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1008	Fallback Channels	Command and Control	None	
T1010	Application Window Discovery	Discovery	None	
T1011	Exfiltration Over Other Network Medium	Exfiltration	None	
T1012	Query Registry	Discovery	None	
T1014	Rootkit	Stealth	None	
T1016	System Network Configuration Discovery	Discovery	None	
T1020	Automated Exfiltration	Exfiltration	None	
T1025	Data from Removable Media	Collection	None	
T1029	Scheduled Transfer	Exfiltration	None	
T1030	Data Transfer Size Limits	Exfiltration	None	
T1033	System Owner/User Discovery	Discovery	None	
T1037	Boot or Logon Initialization Scripts	Persistence, Privilege Escalation	None	
T1039	Data from Network Shared Drive	Collection	None	
T1041	Exfiltration Over C2 Channel	Exfiltration	None	
T1048	Exfiltration Over Alternative Protocol	Exfiltration	None	R-066
T1049	System Network Connections Discovery	Discovery	None	
T1052	Exfiltration Over Physical Medium	Exfiltration	None	
T1056	Input Capture	Credential Access, Collection	None	
T1057	Process Discovery	Discovery	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1068	Exploitation for Privilege Escalation	Privilege Escalation	None	
T1069	Permission Groups Discovery	Discovery	None	
T1074	Data Staged	Collection	None	
T1080	Taint Shared Content	Lateral Movement	None	
T1082	System Information Discovery	Discovery	None	
T1083	File and Directory Discovery	Discovery	None	
T1090	Proxy	Command and Control	None	
T1091	Replication Through Removable Media	Initial Access, Lateral Movement	None	R-043
T1092	Communication Through Removable Media	Command and Control	None	
T1095	Non-Application Layer Protocol	Command and Control	None	
T1102	Web Service	Command and Control	None	
T1104	Multi-Stage Channels	Command and Control	None	
T1111	Multi-Factor Authentication Interception	Credential Access	None	
T1113	Screen Capture	Collection	None	
T1114	Email Collection	Collection	None	R-071
T1115	Clipboard Data	Collection	None	R-067
T1119	Automated Collection	Collection	None	
T1120	Peripheral Device Discovery	Discovery	None	
T1123	Audio Capture	Collection	None	
T1124	System Time Discovery	Discovery	None	
T1125	Video Capture	Collection	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1132	Data Encoding	Command and Control	None	
T1137	Office Application Startup	Persistence	None	
T1185	Browser Session Hijacking	Collection	None	
T1189	Drive-by Compromise	Initial Access	None	
T1195	Supply Chain Compromise	Initial Access	None	
T1199	Trusted Relationship	Initial Access	None	
T1200	Hardware Additions	Initial Access	None	R-043
T1201	Password Policy Discovery	Discovery	None	
T1202	Indirect Command Execution	Stealth	None	
T1205	Traffic Signaling	Persistence, Stealth, Command and Control	None	
T1207	Rogue Domain Controller	Defense Impairment	None	
T1210	Exploitation of Remote Services	Lateral Movement	None	
T1211	Exploitation for Stealth	Stealth	None	
T1212	Exploitation for Credential Access	Credential Access	None	
T1213	Data from Information Repositories	Collection	None	
T1216	System Script Proxy Execution	Stealth	None	
T1217	Browser Information Discovery	Discovery	None	
T1219	Remote Access Tools	Command and Control	None	
T1220	XSL Script Processing	Stealth	None	
T1221	Template Injection	Stealth	None	
T1222	File and Directory Permissions Modification	Defense Impairment	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1480	Execution Guardrails	Stealth	None	
T1482	Domain Trust Discovery	Discovery	None	
T1484	Domain or Tenant Policy Modification	Privilege Escalation, Defense Impairment	None	
T1485	Data Destruction	Impact	None	
T1491	Defacement	Impact	None	
T1495	Firmware Corruption	Impact	None	
T1496	Resource Hijacking	Impact	None	
T1497	Virtualization/Sandbox Evasion	Stealth, Discovery	None	
T1498	Network Denial of Service	Impact	None	
T1499	Endpoint Denial of Service	Impact	None	
T1518	Software Discovery	Discovery	None	
T1525	Implant Internal Image	Persistence	None	
T1526	Cloud Service Discovery	Discovery	None	
T1529	System Shutdown/Reboot	Impact	None	
T1530	Data from Cloud Storage	Collection	None	
T1531	Account Access Removal	Impact	None	
T1534	Internal Spearphishing	Lateral Movement	None	
T1535	Unused/Unsupported Cloud Regions	Stealth	None	
T1537	Transfer Data to Cloud Account	Exfiltration	None	
T1538	Cloud Service Dashboard	Discovery	None	
T1542	Pre-OS Boot	Persistence, Stealth	None	
T1553	Subvert Trust Controls	Defense Impairment	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1554	Compromise Host Software Binary	Persistence	None	
T1556	Modify Authentication Process	Persistence, Defense Impairment, Credential Access	None	R-025
T1560	Archive Collected Data	Collection	None	R-066
T1561	Disk Wipe	Impact	None	R-072
T1563	Remote Service Session Hijacking	Lateral Movement	None	
T1564	Hide Artifacts	Stealth	None	
T1565	Data Manipulation	Impact	None	
T1568	Dynamic Resolution	Command and Control	None	
T1570	Lateral Tool Transfer	Lateral Movement	None	R-061
T1571	Non-Standard Port	Command and Control	None	
T1574	Hijack Execution Flow	Execution, Stealth	None	
T1580	Cloud Infrastructure Discovery	Discovery	None	
T1583	Acquire Infrastructure	Resource Development	None	R-073
T1584	Compromise Infrastructure	Resource Development	None	
T1585	Establish Accounts	Resource Development	None	
T1586	Compromise Accounts	Resource Development	None	
T1587	Develop Capabilities	Resource Development	None	
T1588	Obtain Capabilities	Resource Development	None	
T1589	Gather Victim Identity Information	Reconnaissance	None	
T1590	Gather Victim Network Information	Reconnaissance	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1591	Gather Victim Org Information	Reconnaissance	None	
T1592	Gather Victim Host Information	Reconnaissance	None	
T1593	Search Open Websites/Domains	Reconnaissance	None	
T1594	Search Victim-Owned Websites	Reconnaissance	None	
T1596	Search Open Technical Databases	Reconnaissance	None	
T1597	Search Closed Sources	Reconnaissance	None	
T1598	Phishing for Information	Reconnaissance	None	
T1599	Network Boundary Bridging	Defense Impairment	None	
T1600	Weaken Encryption	Defense Impairment	None	
T1601	Modify System Image	Defense Impairment	None	
T1602	Data from Configuration Repository	Collection	None	
T1608	Stage Capabilities	Resource Development	None	
T1610	Deploy Container	Execution	None	
T1611	Escape to Host	Privilege Escalation	None	
T1612	Build Image on Host	Stealth	None	
T1613	Container and Resource Discovery	Discovery	None	
T1614	System Location Discovery	Discovery	None	
T1615	Group Policy Discovery	Discovery	None	
T1619	Cloud Storage Object Discovery	Discovery	None	
T1620	Reflective Code Loading	Stealth	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1622	Debugger Evasion	Stealth, Discovery	None	
T1647	Plist File Modification	Defense Impairment	None	
T1648	Serverless Execution	Execution	None	
T1649	Steal or Forge Authentication Certificates	Credential Access	None	
T1650	Acquire Access	Resource Development	None	
T1651	Cloud Administration Command	Execution	None	
T1652	Device Driver Discovery	Discovery	None	
T1653	Power Settings	Persistence	None	
T1654	Log Enumeration	Discovery	None	
T1657	Financial Theft	Impact	None	
T1659	Content Injection	Initial Access, Command and Control	None	
T1665	Hide Infrastructure	Command and Control	None	
T1666	Modify Cloud Resource Hierarchy	Defense Impairment	None	
T1667	Email Bombing	Impact	None	
T1668	Exclusive Control	Persistence	None	
T1669	Wi-Fi Networks	Initial Access	None	
T1671	Cloud Application Integration	Persistence	None	
T1673	Virtual Machine Discovery	Discovery	None	
T1674	Input Injection	Execution	None	
T1675	ESXi Administration Command	Execution	None	
T1677	Poisoned Pipeline Execution	Execution	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
T1678	Delay Execution	Stealth	None	
T1679	Selective Exclusion	Stealth	None	
T1680	Local Storage Discovery	Discovery	None	
T1681	Search Threat Vendor Data	Reconnaissance	None	
T1682	Query Public AI Services	Reconnaissance	None	
T1683	Generate Content	Resource Development	None	
T1684	Social Engineering	Stealth	None	
T1685	Disable or Modify Tools	Defense Impairment	None	
T1686	Disable or Modify System Firewall	Defense Impairment	None	
T1687	Exploitation for Defense Impairment	Defense Impairment	None	
T1688	Safe Mode Boot	Defense Impairment	None	
T1689	Downgrade Attack	Defense Impairment	None	
T1690	Prevent Command History Logging	Defense Impairment	None	
T1696	Anti-Automation Evasion	Stealth	None	
T1697	Steal Application Specific Passwords	Credential Access	None	
T1698	Indirect Prompt Injection	Execution	None	
T1699	Direct Prompt Injection	Execution	None	
T1700	AI-Enabled Exfiltration	Exfiltration	None	
AML.T0000	Search Open Technical Databases	Reconnaissance	None	
AML.T0001	Search Open AI Vulnerability Analysis	Reconnaissance	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
AML.T0002	Acquire Public AI Artifacts	Resource Development	None	
AML.T0003	Search Victim-Owned Websites	Reconnaissance	None	
AML.T0004	Search Application Repositories	Reconnaissance	None	
AML.T0005	Create Proxy AI Model	AI Attack Staging	None	
AML.T0006	Active Scanning	Reconnaissance	None	
AML.T0007	Discover AI Artifacts	Discovery	None	
AML.T0008	Acquire Infrastructure	Resource Development	None	
AML.T0011	User Execution	Execution	None	
AML.T0012	Valid Accounts	Initial Access, Privilege Escalation	None	
AML.T0013	Discover AI Model Ontology	Discovery	None	
AML.T0014	Discover AI Model Family	Discovery	None	
AML.T0015	Evade AI Model	Initial Access, Defense Evasion, Impact	None	
AML.T0016	Obtain Capabilities	Resource Development	None	
AML.T0017	Develop Capabilities	Resource Development	None	
AML.T0018	Manipulate AI Model	Persistence, AI Attack Staging	None	
AML.T0019	Publish Poisoned Datasets	Resource Development	None	
AML.T0021	Establish Accounts	Resource Development	None	
AML.T0025	Exfiltration via Cyber Means	Exfiltration	None	
AML.T0029	Denial of AI Service	Impact	None	R-085
AML.T0031	Erode AI Model Integrity	Impact	None	
AML.T0034	Cost Harvesting	Impact	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
AML.T0036	Data from Information Repositories	Collection	None	
AML.T0037	Data from Local System	Collection	None	
AML.T0041	Physical Environment Access	AI Model Access	None	
AML.T0042	Verify Attack	AI Attack Staging	None	
AML.T0043	Craft Adversarial Data	AI Attack Staging	None	
AML.T0044	Full AI Model Access	AI Model Access	None	
AML.T0046	Spamming AI System with Chaff Data	Impact	None	
AML.T0047	AI-Enabled Product or Service	AI Model Access	None	
AML.T0048	External Harms	Impact	None	
AML.T0049	Exploit Public-Facing Application	Initial Access	None	
AML.T0050	Command and Scripting Interpreter	Execution	None	
AML.T0052	Phishing	Initial Access, Lateral Movement	None	
AML.T0055	Unsecured Credentials	Credential Access	None	
AML.T0057	LLM Data Leakage	Exfiltration	None	R-080
AML.T0058	Publish Poisoned Models	Resource Development	None	
AML.T0059	Erode Dataset Integrity	Impact	None	
AML.T0060	Publish Hallucinated Entities	Resource Development	None	
AML.T0061	LLM Prompt Self-Replication	Persistence	None	
AML.T0062	Discover LLM Hallucinations	Discovery	None	
AML.T0063	Discover AI Model Outputs	Discovery	None	
AML.T0064	Gather RAG-Indexed Targets	Reconnaissance	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
AML.T0065	LLM Prompt Crafting	Resource Development	None	
AML.T0066	Retrieval Content Crafting	Resource Development	None	
AML.T0067	LLM Trusted Output Components Manipulation	Defense Evasion	None	
AML.T0068	LLM Prompt Obfuscation	Defense Evasion	None	
AML.T0069	Discover LLM System Information	Discovery	None	
AML.T0070	RAG Poisoning	Persistence	None	
AML.T0071	False RAG Entry Injection	Defense Evasion	None	
AML.T0072	Reverse Shell	Command and Control	None	
AML.T0073	Impersonation	Defense Evasion	None	
AML.T0074	Masquerading	Defense Evasion	None	
AML.T0075	Cloud Service Discovery	Discovery	None	
AML.T0076	Corrupt AI Model	Defense Evasion	None	
AML.T0077	LLM Response Rendering	Exfiltration	None	
AML.T0078	Drive-by Compromise	Initial Access	None	
AML.T0079	Stage Capabilities	Resource Development	None	
AML.T0080	AI Agent Context Poisoning	Persistence	None	
AML.T0081	Modify AI Agent Configuration	Persistence, Defense Evasion	None	
AML.T0082	RAG Credential Harvesting	Credential Access	None	
AML.T0083	Credentials from AI Agent Configuration	Credential Access	None	
AML.T0084	Discover AI Agent Configuration	Discovery	None	
AML.T0085	Data from AI Services	Collection	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
AML.T0086	Exfiltration via AI Agent Tool Invocation	Exfiltration	None	R-082
AML.T0087	Gather Victim Identity Information	Reconnaissance	None	
AML.T0088	Generate Deepfakes	AI Attack Staging	None	
AML.T0089	Process Discovery	Discovery	None	
AML.T0090	OS Credential Dumping	Credential Access	None	
AML.T0091	Use Alternate Authentication Material	Lateral Movement	None	
AML.T0092	Manipulate User LLM Chat History	Defense Evasion	None	
AML.T0093	Prompt Infiltration via Public-Facing Application	Initial Access, Persistence	None	
AML.T0094	Delay Execution of LLM Instructions	Defense Evasion	None	
AML.T0095	Search Open Websites/Domains	Reconnaissance	None	
AML.T0096	AI Service API	Command and Control	None	
AML.T0097	Virtualization/Sandbox Evasion	Defense Evasion	None	
AML.T0098	AI Agent Tool Credential Harvesting	Credential Access	None	
AML.T0099	AI Agent Tool Data Poisoning	Persistence	None	
AML.T0100	AI Agent Clickbait	Execution	None	
AML.T0101	Data Destruction via AI Agent Tool Invocation	Impact	None	
AML.T0102	Generate Malicious Commands	AI Attack Staging	None	
AML.T0103	Deploy AI Agent	Execution	None	

ID	TECHNIQUE	TACTICS	LEVEL	RULES
AML.T0104	Publish Poisoned AI Agent Tool	Resource Development	None	
AML.T0105	Escape to Host	Privilege Escalation	None	
AML.T0106	Exploitation for Credential Access	Credential Access	None	
AML.T0107	Exploitation for Defense Evasion	Defense Evasion	None	
AML.T0108	AI Agent	Command and Control	None	
AML.T0109	AI Supply Chain Rug Pull	Defense Evasion	None	
AML.T0110	AI Agent Tool Poisoning	Persistence	None	
AML.T0111	AI Supply Chain Reputation Inflation	Defense Evasion	None	
AML.T0112	Machine Compromise	Impact	None	

Levels: 0 no rule or no data · 1 enabled with data · 2 tested · 3 tested and tuned. A technique takes the best level across its rules; sub-techniques roll up to their parent. Coverage means at least one way of performing the technique is detected, not every variant. Generated by mitre-coverage-kit.