



Rest Assured

Rest Assured Automation Suite

Instalação, clients, schemas, segurança, OpenAPI e CI — 98 testes

Automação · Java 17 · Spring Petclinic REST



O que é o Rest Assured?

Biblioteca Java para testar APIs REST com DSL fluente —
integra com **JUnit 5**, **Hamcrest** e **Allure**.

- Sintaxe BDD: `given()` · `when()` · `then()`
- Validação JSON com JsonPath e schemas
- POJO mapping com Jackson
- Filtros para logging e captura de rede



Stack do projeto

Java 17

Records, text blocks, modern language features.

Docker

API Petclinic + testes em containers isolados.

GitHub Actions

CI com service container e Allure no Pages.

Allure

@Epic, @Feature, @Story e anexos de rede.



Pré-requisitos

- Java 17+ e Maven 3.9+
- Docker (recomendado para API + testes)
- IDE: IntelliJ, VS Code ou Cursor

```
docker compose up --abort-on-container-exit --exit-code-from tests  
mvn clean test  
mvn allure:serve
```



Estrutura do projeto

```
src/test/java/com/portfolio/petclinic/  
├─ base/      BaseTest – setup compartilhado  
├─ clients/   OwnersClient, PetsClient, ...  
├─ models/    POJOs de request/response  
├─ tests/     Suites JUnit 5  
│   ├─ advanced/  
│   ├─ flows/  
│   └─ negative/  
└─ utils/     ConfigLoader, TestDataFactory, validators
```



Client layer

```
public Response getAllOwners() {  
    return given()  
        .spec(requestSpec)  
        .when()  
        .get("/owners");  
}
```

Specs nunca chamam `RestAssured.given()` diretamente — use clients.



Primeiro teste

```
@Test
void shouldReturnAllOwnersWithValidStructure() {
    Response response = ownersClient.getAllOwners();
    ResponseValidator.assertStatusCode(response.getStatusCode(), 200);
    ResponseValidator.assertFirstArrayItemMatchesSchema(
        response.getBody().asString(), "schemas/owner-schema.json");
}
```



Validação de schema

- `owner-schema.json` — respostas de owner
- `pet-schema.json` — respostas de pet
- `problem-detail-schema.json` — erros RFC 7807

Schemas em `src/test/resources/schemas/`



Dados dinâmicos

```
Owner ownerPayload = TestDataFactory.buildOwner();  
PetFields pet = TestDataFactory.buildPetFields(typeId, typeName);
```

JavaFaker evita colisões e dados fixos em paralelo.



Testes parametrizados

```
@ParameterizedTest(name = "GET /owners/{0} should return {1}")
@CsvSource({ "99999, 404", "0, 404" })
void shouldReturnExpectedStatusForInvalidOwnerIds(int id, int status) {
    Response response = ownersClient.getOwnerById(id);
    ErrorResponseValidator.assertErrorStatusAndOptionalProblemDetail(...);
}
```



Captura de rede

```
NetworkInspector.attachLastExchangeToAllure(networkCapture);  
NetworkInspector.assertLastRequestUriContains(networkCapture, "/pets");  
NetworkInspector.assertResponseSequenceContains(networkCapture, "/owners", "/pets/");
```



WireMock

- Stub de webhook `/audit/owner-created`
- `WireMock.verify()` com JSON exato
- Resiliência: timeout, JSON inválido, connection reset
- Retry após 503 com cenário WireMock



Cobertura — 98 testes

Domínio

Owners, Pets, Visits, Vets, Specialties, PetTypes, API v2.

Smoke

Actuator health + OpenAPI `/v3/api-docs`.

Segurança

Basic Auth, RBAC, POST `/users` na API :9967.

Avançado

SLA, integridade referencial, content negotiation.



Visits & recursos novos

```
visitsClient.addVisit(ownerId, petId, visitFields);  
visitsClient.updateVisit(visitId, updatePayload);  
ownersClient.getOwnerPetById(ownerId, petId);  
ownersV2Client.getOwnersPage(0, 2, lastName);
```



Segurança dual-API

- `9966` — API aberta (dev/Docker padrão)
- `9967` — `PETCLINIC_SECURITY_ENABLE=true`
- `OwnersClient.secured()` · `withCredentials()`
- `@Tag("security")` para suite isolada



Tags JUnit

```
mvn test -Dtest.groups=smoke  
mvn test -Dtest.groups=security  
mvn test -Dtest.groups=performance  
mvn test -Dtest.groups=contract
```



CI — GitHub Actions

- Dois service containers: API padrão + API segura
- Health check via Actuator
- `mvn clean test` — 98 testes
- Allure publicado no GitHub Pages em push para `main`



Documentação

- [Hub de documentação](#)
- [Walkthroughs EN · PT](#)
- [Guia completo \(PT\)](#)
- [Slides PDF](#)
- [Rest Assured testing strategy](#)



Obrigado!

Execute a suite e explore os walkthroughs bloco a bloco.

github.com/lflucasferreira/rest-assured