



Data Validation (DV) Report  
for TESS ID 62483237  
Sectors 1 - 1

**PRELIMINARY**

This Data Validation Report was produced in the  
TESS Science Processing Operations Center (SPOC) Pipeline  
at NASA Ames Research Center

## Contents

1	Summary	1
2	Survey Image	2
3	Flux Time Series	3
4	Dashboards	5
5	Pixel Level Diagnostics	6
5.1	Planet Candidate 1 . . . . .	6
5.2	Difference Image TIC Key . . . . .	10
6	Phased Light Curves	11
7	Planet Candidate 1	14
7.1	Model Fitter: All Transits . . . . .	14
7.2	Model Fitter: Reduced Parameter Fit Results . . . . .	17
7.3	Model Fitter: Trapezoidal Fit Results . . . . .	19
7.4	Validation Tests . . . . .	21
7.4.1	Weak Secondary Test . . . . .	21
7.4.2	Eclipsing Binary Discrimination Test . . . . .	21
7.4.3	Bootstrap Test . . . . .	22
7.4.4	Ghost Diagnostic Test . . . . .	22
7.4.5	Validation Test Figures . . . . .	23
	Appendices	27
A	Planet Candidate 1	27
A.1	Model Fitter: All Transits . . . . .	27
A.2	Model Fitter: Odd & Even Transits . . . . .	29
A.3	Eclipsing Binary Discrimination Test . . . . .	34
B	Alerts	35

PRELIMINARY


## 1 Summary

Target Properties	Value	Uncertainty	Units	Provenance
Catalog ID	62483237			
TOI ID	-			
TESS Name	-			
RA	336.40230700	0	degrees	TIC7
Dec	-34.90962300	0	degrees	TIC7
Magnitude	9.295	0.02		TIC7
Radius	0.738	0.126	Solar radii	TIC7
Effective Temperature	4356	173	Kelvin	TIC7
$\log(g)$	4.535	0.3608	cm/sec <sup>2</sup>	TIC7
[M/H]	0.000	0	Solar metallicity	Solar
Stellar Density	1.693	1.436	Solar density	TIC7-Derived
Limb Darkening Coefficient 1	0.69644			
Limb Darkening Coefficient 2	-0.5461			
Limb Darkening Coefficient 3	1.0021			
Limb Darkening Coefficient 4	-0.38525			
Number of Planet Candidates	1			
TOI Model	-			
TESS Names Model	-			
External TCE Model	-			
Software Revision	spoc-3.3.28-20180822-4-gde84ede605			
Date Report Generated	28-Aug-2018 20:41:11 Z			

Sector	Target Table	Camera/CCD	Crowding Metric	Flux Fraction
1	128	1:2	0.9996	0.8819


Planet Candidate	TOI ID	TESS Name	TOI Correlation	Period (days)	Period Ratio	Epoch (BTJD)	Semi-major Axis (AU)	Radius (Re)	Seff	Teq (K)	False Alarm	Suspected EB
1	-	-	-	11.058	1.00	1334.896	0.09	2.7	24.0	565	1.22e-46	false

## 2 Survey Image




Digitized Sky Survey (DSS) red image. The 5' x 5' image is centered on the J2000 coordinates of target (62483237).

### 3 Flux Time Series



Summary plot of sector-stitched flux time series and transits for target 62483237, marked with DV fitted epoch/period (or TPS epoch/period if fit was not successful). Transits of identified planets are labeled with epoch BTJD and orbital period. For the data of sector 1, target table 128, start BJD is 2458325.  
Open [./summary-plots/000000062483237-00-flux-dv-fit-01-128.fig](#)



Summary plot of raw flux time series. For the data of sector 1, target table 128, start JD is 2458325.  
Open [./summary-plots/000000062483237-00-raw-flux-01-128.fig](#)

## 4 Dashboards

### Planet Candidate 1

Model Fitter	<b>Stellar Radius</b> $0.7 \pm 0.1$ Solar units  Period = $11.1 \pm 0.0$ days Depth = $1367 \pm 100$ ppm Planet Radius = $2.7 \pm 1.8$ Earth radii Semi-major Axis = $0.1 \pm 0.0$ AU Effective Stellar Flux = $24.0 \pm 14.1$ Equilibrium Temperature = $565 \pm 83$ Kelvin Chi-squared/DoF = 0.9 SNR = 13.8	<b>Core Aperture Correlation Statistic</b> Value = 0.56 Significance = 71.19%  <b>Halo Aperture Correlation Statistic</b> Value = 3.28 Significance = 99.95%  <b>Core/Halo Ratio</b> Ratio = 0.17		Ghost Diagnostic Test	
Eclipsing Binary Discrimination Test	<b>Odd-Even Depth Comparison Statistic</b> Value = $2.84e-01$ Significance = 59.42%	<b>Offsets Relative to Out of Transit Centroid</b> Source RA Offset = $5.96e-03 \pm 2.68e+00$ arcsec (0.00 $\sigma$ ) Source Dec Offset = $-4.37e+00 \pm 2.79e+00$ arcsec (-1.56 $\sigma$ ) Source Offset Distance = $4.37e+00 \pm 2.79e+00$ arcsec (1.56 $\sigma$ )		Difference Image Centroid Offsets	
	<b>Shorter Period Comparison Statistic</b> Value = N/A Significance = N/A	<b>Longer Period Comparison Statistic</b> Value = N/A Significance = N/A	<b>Offsets Relative to TIC Position</b> Source RA Offset = $3.75e-01 \pm 2.68e+00$ arcsec (0.14 $\sigma$ ) Source Dec Offset = $-4.18e+00 \pm 2.79e+00$ arcsec (-1.50 $\sigma$ ) Source Offset Distance = $4.19e+00 \pm 2.79e+00$ arcsec (1.50 $\sigma$ )		Bootstrap Test

Summary of model fitter results and validation test results for target 62483237, planet candidate 1. In general, green denotes that the candidate is likely a planet, while red denotes that the candidate is unlikely to be a planet. Cyan denotes that no data is available. The color of the Model Fitter block is: green, when the SNR of the fit is greater than or equal to 10; yellow, if the SNR is greater than or equal to 7.1 but less than 10; red, if the SNR is less than 7.1 or if the fitter failed. The color of the Ghost Diagnostic Test and Eclipsing Binary Discrimination Test blocks are: green, when the significance is within 2-sigma; yellow, when the significance is between 2- and 3-sigma; red when the significance is greater than 3-sigma. The color of the Difference Image Centroid Offsets block is: green, when the max offset distance sigma is less than or equal to 2; yellow, when the max sigma is between 2 and 3; red when the max sigma is greater than 3. The color of the Bootstrap Test block is green whenever the false alarm probability is less than  $10^{-12}$ , low enough to limit the total number of false alarms from a four year mission to less than one. If the false alarm probability is greater than  $10^{-12}$ , the color of the Bootstrap Test block is: green, when the false alarm probability is less than or equal to the CCDF of a Gaussian distribution at the observed maximum multiple event statistic; yellow when the false alarm probability is between 1 and 2 times that of a Gaussian distribution at the max multiple event statistic; and red when the false alarm probability is more than 2 times that of a Gaussian distribution at the max multiple event statistic.

## 5 Pixel Level Diagnostics

To reduce clutter, the catalog IDs in the difference images have been replaced by indices representing distance from the target star. The mapping between the indices and the catalog IDs is found in a table at the end of this section.

### 5.1 Planet Candidate 1



#### Multi-Sector Average PRF Fit of the Difference Images

Mean offset from the PRF fit to the out of transit image

	RA	Dec	Units
Offset	$0.0060 \pm 2.68e + 00$	$-4.3676 \pm 2.79e + 00$	arcseconds
Offset/ $\sigma$	0.00	-1.56	
Offset Distance	$4.3676 \pm 2.79e + 00$		arcseconds
Offset Distance/ $\sigma$	1.56		
$3\sigma$ Radius	8.3803		arcseconds


Mean offset from the TIC RA and Dec

	RA	Dec	Units
Offset	$0.3747 \pm 2.68e + 00$	$-4.1763 \pm 2.79e + 00$	arcseconds
Offset/ $\sigma$	0.14	-1.50	
Offset Distance	$4.1930 \pm 2.79e + 00$		arcseconds
Offset Distance/ $\sigma$	1.50		
$3\sigma$ Radius	8.3776		arcseconds



Difference image centroid offsets for target 62483237, planet candidate 1. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; magenta cross: robust weighted mean offset over all sectors with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open `./planet-01/difference-image/0000000062483237-01-difference-image-centroid-offsets.fig`




Difference image centroid offsets for target 62483237, planet candidate 1, displayed on survey image for given target. Left: difference image PRF centroid offsets in RA and Dec with respect to the per sector out-of-transit centroids for the given target. Right: difference image PRF centroid offsets in RA and Dec with respect to the TIC coordinates of the given target. Symbol key: green cross: per sector centroid offsets with 1-sigma error bars in RA and Dec; blue circle: 3-sigma radius of confusion for weighted mean offset; red asterisk: location of target star; blue asterisk: location of other TIC objects in the neighborhood. TIC ID and magnitude are noted in the text associated with each marked object. A constant error term of 2.5000 arcseconds has been added in quadrature to the computed uncertainty in the RA and Dec components of the robust mean offset.

Open [./planet-01/difference-image/0000000062483237-01-difference-image-centroid-offsets-survey.fig](#)

#### Difference Image Summary Metrics

Number of Difference Images	Number of Metrics	Number of Good Metrics	Fraction of Good Metrics	Quality Threshold
1	1	1	1.0000	0.70



Difference image for target 62483237, planet candidate 1, sector 1, target pixel table 128. Upper left: difference between mean flux out-of-transit and in-transit; upper right: mean out-of-transit flux; lower left: mean in-transit flux; lower right: difference between mean flux out-of-transit and in-transit after normalizing by the uncertainty in the difference for each pixel. The optimal aperture is outlined with a white dash-dotted line in each panel and the target mask is outlined with a solid white line. Symbol key: x: target position from TIC RA and Dec converted to CCD coordinates via motion polynomials; \*: position of nearby TIC objects converted to CCD coordinates via motion polynomials; +: PRF-fit location of target from out-of-transit image; triangle: PRF-fit location of transit source from the difference image. Number of transits = 2; number of valid in-transit cadences = 101; number of in-transit cadence gaps = 1; number of valid out-of-transit cadences = 248; number of out-of-transit cadence gaps = 24. Difference image quality metric = 0.97 (good).

Open [./planet-01/difference-image/000000062483237-01-difference-image-01-128.fig](#)

### PRF Fit of the Difference Image

#### Offset from the PRF fit to the out of transit image

	Row	Column	Units	RA	Dec	Units
Out of Transit Image Centroid	$1152.13 \pm 3.61e - 05$	$1432.58 \pm 3.60e - 05$	pixels	$336.40259885 \pm 7.91e - 07$	$-34.90972638 \pm 7.77e - 07$	degrees
Difference Image Centroid	$1151.94 \pm 5.86e - 02$	$1432.49 \pm 5.87e - 02$	pixels	$336.40260087 \pm 3.26e - 04$	$-34.91093961 \pm 3.46e - 04$	degrees
Offset	$-0.1890 \pm 5.86e - 02$	$-0.0938 \pm 5.87e - 02$	pixels	$0.0060 \pm 9.62e - 01$	$-4.3676 \pm 1.25e + 00$	arcseconds
Offset/ $\sigma$	-3.22	-1.60			0.01	-3.50
Offset Distance	$0.2110 \pm 6.00e - 02$		pixels	$4.3676 \pm 1.25e + 00$		arcseconds
Offset Distance/ $\sigma$	3.52			3.50		

#### Offset from the TIC RA and Dec converted to pixels via motion polynomials

	Row	Column	Units	RA	Dec	Units
TIC Reference Centroid	$1152.13 \pm 1.28e - 04$	$1432.56 \pm 1.36e - 04$	pixels	$336.40247395 \pm 0.00e + 00$	$-34.90977953 \pm 0.00e + 00$	degrees
Difference Image Centroid	$1151.94 \pm 5.86e - 02$	$1432.49 \pm 5.87e - 02$	pixels	$336.40260087 \pm 3.26e - 04$	$-34.91093961 \pm 3.46e - 04$	degrees
Offset	$-0.1890 \pm 5.86e - 02$	$-0.0733 \pm 5.87e - 02$	pixels	$0.3747 \pm 9.62e - 01$	$-4.1763 \pm 1.25e + 00$	arcseconds
Offset/ $\sigma$	-3.22	-1.25		0.39		-3.35
Offset Distance	$0.2027 \pm 5.98e - 02$		pixels	$4.1930 \pm 1.24e + 00$		arcseconds
Offset Distance/ $\sigma$	3.39			3.38		


## 5.2 Difference Image TIC Key

Index	Catalog ID	Mag	RA (degrees)	Dec (degrees)	Distance (arcsec)
1	62483237	9.295	336.40247395	-34.90977953	0.00
2	62482371	15.642	336.42630434	-34.91602115	73.85
3	62484536	15.951	336.37083587	-34.91075818	93.47
4	62482540	15.904	336.43430563	-34.90619805	94.85
5	62484447	17.614	336.38069563	-34.89036512	94.97
6	62484622	18.448	336.43600500	-34.90294300	102.00
7	62483082	17.022	336.42504012	-34.88665999	106.61
8	62484641	18.395	336.41646939	-34.88079932	112.21
9	62483078	17.860	336.41857700	-34.88019200	116.64
10	62484566	16.575	336.44168294	-34.90396236	117.63
11	62482290	17.788	336.37345100	-34.93278500	119.17
12	62484233	15.372	336.42700700	-34.93721400	122.47
13	10001279774	15.172	336.42700200	-34.93734700	122.85
14	62484362	17.695	336.43803943	-34.93363337	135.64
15	62484345	16.033	336.36925616	-34.93979929	145.93
16	62484461	16.207	336.36180416	-34.88332284	153.25
17	62483703	17.845	336.36191438	-34.88130975	157.61

RA, Dec and Distances are corrected for proper motion. This table may not contain all of the objects shown.


PRELIMINARY

## 6 Phased Light Curves



Phased unwhitened flux time series is plotted in black dots. When all transits fit completed with full or secondary convergence, the phase is determined with the fitted epoch and period; otherwise, the phase is determined with the TPS epoch and period. The values of the phased unwhitened flux time series averaged in one cadence wide bins are plotted in bigger blue dots. When all transits fit completes with full or secondary convergence, the averaged values of the phased unwhitened fitted model light curve are plotted in red dots. Transit event markers in different colors indicate the locations of the transits of all planet candidates. The transits of the same planet candidate are labeled with the markers of the same color, for example, blue markers for transits of planet candidate #1, red markers for transits of planet candidate #2, etc.

Open [./summary-plots/000000062483237-01-phased-unwhitened-flux-time-series.fig](#)



**Planet: 1 Phased Unwhitened Flux Time Series by Sector**

Phased unwhitened flux time series by sector for target 62483237, planet candidate 1. Period = 11.0584 days; transit epoch = 1334.8964 BTJD.  
Open [./summary-plots/000000062483237-01-phased-unwhitened-flux-time-series-by-sector.fig](#)

## 7 Planet Candidate 1

### 7.1 Model Fitter: All Transits

Model Characteristic	Name
Transit Model	mandel-agol_geometric_transit_model
Limb Darkening Model	claret_tess_nonlinear_limb_darkening_model


TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.0	hours
Transit Epoch	1334.8908747	TJD
Orbital Period	11.0583296	days
Maximum SES	10.7	
Maximum MES	14.4	
Robust Statistic	13.5	
Chi Square Goodness of Fit Statistic (DoF)	122.8 (118)	
Chi Square2 Statistic (DoF)	1.5 (18.3)	
Threshold for Desired PFA		


DoF: Degrees of Freedom

Parameter	Value	Uncertainty	Units
SNR	13.8		
Orbital Period	11.0584214	2.5705e-03	days
Transit Epoch	1334.8963883	1.8115e-03	BTJD
Impact Parameter	0.1777	1.3588e+01	
Planet Radius to Star Radius Ratio	0.0333428	2.1782e-02	
Semi-major Axis to Star Radius Ratio	40.2552	9.8923e+01	
Planet Radius	2.6879	1.8147e+00	Earth radii
Semi-major Axis	0.0855	2.5602e-02	AU
Effective Stellar Flux	24.0437	1.4120e+01	Goldilocks
Equilibrium Temperature	565	8.2919e+01	Kelvin
Stellar Density	7.1667	5.2834e+01	Solar density
Transit Depth	1367	1.0050e+02	ppm
Transit Duration	2.1365	3.2721e-01	hours
Transit Ingress Duration	0.0711	3.9888e-01	hours
Eccentricity	0.0000	0.00000e+00	
Peri Longitude	0.0000	0.00000e+00	degrees
Model Chi Square Statistic (DoF)	550.0 (619.0)		
Model Chi Square Goodness of Fit Statistic (DoF)	79.4 (135)		
Model Chi Square2 Statistic (DoF)	1.0 (1)		

DoF: Degrees of Freedom

PREEFERMINARY





Open [./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000062483237-01-all-whitened.fig](#)




Open [./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000062483237-01-all-whitened-zoomed.fig](#)

## 7.2 Model Fitter: Reduced Parameter Fit Results

Impact Parameter	SNR	Model Chi Square	Planet Radius to Star Radius	Uncert	Semi-major Axis to Star Radius	Uncert	Transit Depth (ppm)	Uncert	Transit Duration (hours)	Uncert
0.10	14.6	664.2	0.0335457	1.1878e-03	40.5844	1.2340e+00	1392	9.8069e+01	2.1416	6.4896e-02
0.30	14.6	664.2	0.0339200	1.2016e-03	38.9398	1.1898e+00	1392	9.8087e+01	2.1469	6.5390e-02
0.50	14.6	663.9	0.0347848	1.2308e-03	35.3271	1.0797e+00	1391	9.7903e+01	2.1670	6.6050e-02
0.70	14.5	663.3	0.0363571	1.3016e-03	29.3186	9.4178e-01	1376	9.8029e+01	2.2029	7.0774e-02
0.90	14.4	668.3	0.0408679	1.5097e-03	18.4561	8.0354e-01	1383	1.0181e+02	2.3967	1.0688e-01

Highlighted row is the best reduced-parameter model fit.

PRELIMINARY




Model chi squares of reduced parameter fits vs. impact parameter for CatId 62483237, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open [./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/000000062483237-01-reduced-fits-chi-square.fig](#)



Ratios of planet radius to star radius of reduced parameter fits vs. impact parameter for CatId 62483237, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open [./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/000000062483237-01-reduced-fits-rp-over-rstar.fig](#)



Ratios of semimajor axis to star radius of reduced parameter fits vs. impact parameter for CatId 62483237, Planet candidate 1. The fit result with the minimum chi square is marked with a dashed line in the plot.

Open [./planet-01/planet-search-and-model-fitting-results/reduced-parameter-fits/000000062483237-01-reduced-fits-a-over-rstar.fig](#)

### 7.3 Model Fitter: Trapezoidal Fit Results

Model Characteristic	Name
Transit Model	trapezoidal_model
Limb Darkening Model	


TCE Parameter	Value	Units
Trial Transit Pulse Duration	2.0	hours
Transit Epoch	1334.8908747	TJD
Orbital Period	11.0583296	days
Maximum SES	10.7	
Maximum MES	14.4	
Robust Statistic	13.5	
Chi Square Goodness of Fit Statistic (DoF)	122.8 (118)	
Chi Square2 Statistic (DoF)	1.5 (18.3)	
Threshold for Desired PFA		

DoF: Degrees of Freedom

Parameter	Value	Uncertainty	Units
SNR	18.2		
Orbital Period	11.0583296		days
Transit Epoch	1334.8988598		ETJD
Transit Depth	1425		ppm
Transit Duration	2.5069		hours
Transit Ingress Duration	0.6260		hours
Model Chi Square Statistic (DoF)	18487.0 (926)		


DoF: Degrees of Freedom

PRELIMINARY



Folded detrended flux time series for CatId 62483237, Planet candidate 1 and folded trapezoidal model light curve.

Open ./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000062483237-01-all-trapezoidal.fig



Zoomed folded detrended flux time series for CatId 62483237, Planet candidate 1 and folded trapezoidal model light curve.

Open ./planet-01/planet-search-and-model-fitting-results/trapezoidal-model-fit/000000062483237-01-all-trapezoidal-zoomed.fig

## 7.4 Validation Tests

The Centroid Test and Eclipsing Binary Discrimination Test are chi-squared hypothesis tests. For these tests, a significance of 100% favors a planet, while 0% indicates an unlikely planet.

### 7.4.1 Weak Secondary Test

Result	Value	Uncertainty	Units	Statistic in Sigmas	Significance (%)
Orbital Period	11.0583		days		
Transit Duration	2		hours		
Maximum MES	14.4				
Secondary Phase	-0.70278		days		
Secondary MES	2.4				
Minimum Phase	4.6236		days		
Minimum MES	-2.5				
Median MES	0.0				
MAD MES	0.61333				
Robust Statistic	2.4				
Secondary Depth	239.8	1.0368e+02	ppm		
Geometric Albedo	133.6	1.9876e+02		0.6671	25.24
Planet Effective Temperature	2969	1.0281e+03	Kelvin	2.3305	0.99

### 7.4.2 Eclipsing Binary Discrimination Test

Result	Value	Value in Sigmas	Significance (%)
Odd Even Transit Depth Comparison Statistic	2.8387e-01	0.5328	59.42

#### 7.4.3 Bootstrap Test


Result	Value
False Alarm Probability	1.2157e-46
Bootstrap Threshold for Desired PFA	5.5
MES Mean	-0.09
MES Standard Deviation	1.01
Transit Count	2

#### 7.4.4 Ghost Diagnostic Test

Result	Value	Significance (%)
Maximum MES	14.4	
SNR	13.8	
Core Aperture Statistic	5.5883e-01	71.19
Halo Aperture Statistic	3.2760e+00	99.95
Ratio of Core/Halo Aperture Statistics	1.7058e-01	


PRELIMINARY

#### 7.4.5 Validation Test Figures




The primary event has been set to zero and both the max and min of the resulting MES vs. Phase are marked with a red star. The best matched pulse duration in hours is 2. The maximum secondary MES and corresponding phase are 2.3795 and -0.70278 days respectively. The minimum secondary MES and corresponding phase are -2.4688 and 4.6236 days respectively.

Open [./planet-01/report-summary/0000000062483237-01-weak-secondary-diagnostic.fig](#)




Bootstrap results for target 62483237, planet 1. Cumulative sum of the probabilities (derived from the histogram of counts) from upper tail to the search transit threshold; false alarm probability is indicated by the star. The Gaussian equivalent threshold for this false alarm probability is 14.2927. The threshold on this distribution that achieves the same false alarm rate as a 7.1 sigma threshold on a Gaussian distribution is 5.5251.

Open `./planet-01/bootstrap-results/000000062483237-01-bootstrap-false-alarm.fig`



Optical ghost diagnostic core aperture flux time series for target 62483237, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the core aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open [./planet-01/ghost-diagnostic-results/0000000062483237-01-core-unwhitened-cotrended-zoomed-model.fig](#)




Optical ghost diagnostic halo aperture flux time series for target 62483237, planet candidate 1. The unwhitened time series is phase folded at the orbital period associated with the planet candidate and centered on the epoch of the first transit. The time series was first cotrended against spacecraft engineering data, motion proxies, and/or cotrending basis vectors (CBVs) to remove systematic effects. Flux time series data represent the mean per pixel flux in the core or haloaperture; phase folded data points are shown in the figure with black dots. Binned and averaged phase folded flux values are marked with filled blue circles. The unwhitened transit model light curve is displayed in the figure with a red line. The value and significance of the halo aperture correlation statistic are displayed in the figure title if the statistic was successfully computed.

Open [./planet-01/ghost-diagnostic-results/0000000062483237-01-halo-unwhitened-cotrended-zoomed-model.fig](#)


## Appendix A Planet Candidate 1

### A.1 Model Fitter: All Transits




Robust weights distribution for CatId 62483237, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open [./planet-01/planet-search-and-model-fitting-results/all-transits-fit/0000000062483237-01-all-robust-weights.fig](#)



Open [./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000062483237-01-all-histo-used.fig](#)




Fit residuals distribution for CatId 62483237, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open [./planet-01/planet-search-and-model-fitting-results/all-transits-fit/000000062483237-01-all-histo-all-and-unused.fig](#)

## A.2 Model Fitter: Odd & Even Transits


Parameter	Odd Transits Value	Odd Transits Uncertainty	Even Transits Value	Even Transits Uncertainty	Units	Difference $\ \text{Uncertainty}\ $
SNR	9.2		10.3			
Orbital Period	11.0581057	0.0000e+00	11.0581057	0.0000e+00	days	
Transit Epoch	1334.8968247	1.9249e-03	1345.9547475	1.7918e-03	BTJD	1.8958e-01
Impact Parameter	0.6556	1.5619e+00	0.3072	9.3800e+00		3.6641e-02
Planet Radius to Star Radius Ratio	0.0349894	1.5757e-02	0.0342672	2.8445e-02		2.2211e-02
Semi-major Axis to Star Radius Ratio	31.6043	5.5643e+01	38.6927	1.2118e+02		5.3157e-02
Planet Radius	2.8206	1.3582e+00	2.7624	2.3408e+00	Earth radii	2.1513e-02
Semi-major Axis	0.0855	2.5601e-02	0.0855	2.5601e-02	AU	0.0000e+00
Effective Stellar Flux	24.0446	1.4121e+01	24.0446	1.4121e+01	Goldilocks	0.0000e+00
Equilibrium Temperature	565	8.2920e+01	565	8.2920e+01	Kelvin	0.0000e+00
Stellar Density	3.4683	1.8319e+01	6.3645	5.9800e+01	Solar density	4.6307e-02
Transit Depth	1311	1.4478e+02	1418	1.4066e+02	ppm	5.3280e-01
Transit Duration	2.1413	4.2029e-01	2.1565	4.6152e-01	hours	2.4304e-02
Transit Ingress Duration	0.1240	4.9805e-01	0.0786	5.6231e-01	hours	6.0407e-02
Eccentricity	0.0000	0.0000e+00	0.0000	0.0000e+00		
Peri Longitude	0.0000	0.0000e+00	0.0000	0.0000e+00	degrees	
Model Chi Square Statistic (DoF)	547.1 (615.5)		547.1 (615.5)			

DoF: Degrees of Freedom




Folded flux time series for CatId 62483237, Planet candidate 1 in the whitened domain is plotted in black dots. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the folded model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open [./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/000000062483237-01-odd-even-whitened.fig](#)




Folded flux time series for CatId 62483237, Planet candidate 1 in the whitened domain, zoomed on the transit. The flux data whose robust weights are larger/smaller than 0.1 are plotted in dark green/cyan dots, respectively. Values are averaged into 1 cadence wide bins. The blue dots represent the averaged values of the folded flux time series; the red dots represent the averaged values of the fitted model light curve of the odd/even transits fit; the green dots are the averaged folded fit residuals, vertically offset for clarity. Magenta dots are the averaged values of the folded flux time series, with a phase shift of 0.5 relative to the blue dots, vertically offset for clarity. Odd-even transits fit completed with full convergence.

Open [./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/000000062483237-01-odd-even-whitened-zoomed.fig](#)




Robust weights distribution for CatId 62483237, Planet candidate 1. Top plot: all data points. Middle plot: all data points, folded per the fitted period and epoch. Bottom plot: all data points, folded and zoomed.

Open [./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/0000000062483237-01-odd-even-robust-weights.fig](#)



Fit residuals distribution for CatId 62483237, Planet candidate 1. Only the valid data points used to constrain the fit are shown here. A Gaussian fit to the histogram is shown in red.


Open [./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/000000062483237-01-odd-even-histo-used.fig](#)



Fit residuals distribution for CatId 62483237, Planet candidate 1. Top plot: all valid data. Bottom plot: valid data not used to constrain fit (due to distance from a transit). Gaussian fits to the histograms are shown in red.

Open [./planet-01/planet-search-and-model-fitting-results/odd-even-transits-fit/000000062483237-01-odd-even-histo-all-and-unused.fig](#)

### A.3 Eclipsing Binary Discrimination Test



**PRELIMINARY**

Top-left: Diagnostic plot of Odd/Even Transit Depth Test for catId 62483237, planet 1. A significance level close to 1/0 favors a transiting planet/an eclipsing binary.  
Open [./planet-01/binary-discrimination-test-results/000000062483237-01-eclipsing-binary-discrimination-tests.fig](#)

## Appendix B Alerts

Time	Severity	Message
1359.3597	warning	TOI matching is disabled (target=1, catId=62483237, component=performDvToiMatching)
1359.3623	warning	All fit coefficients fractional change not < 0.01 in 15 iterations for ts1 data. (target=1, catId=62483237, component=ghostDiagnosticTests)

PRELIMINARY