

My Sensory Toolkit Worksheet

A fillable companion resource to the My Sensory Blueprint course

DATE COMPLETED

YOUR NAME

How to use this worksheet

- Work through this after completing the My Sensory Blueprint tool and watching the course videos.
- Your sensory results from the tool are your starting point — use them to guide your answers.
- This is a fillable PDF — type your answers directly into the fields, then save the file.
- Open in Adobe Acrobat, Preview (Mac), or any PDF reader that supports form fields.
- Return to it any time — your answers may shift as your nervous system changes.

What's inside

- **My Sensory Patterns**
Describe your sensory experience and identify key triggers
- **My Window of Capacity**
Map your hyper and hypo states and early warning signs
- **My Sensory Toolkit**
Record your go-to tools for up and down regulation
- **What I Want Others to Understand**
Notes for your partner, workplace, and healthcare team
- **One Thing I Am Taking Away**
Your single most useful insight from this process

MY SENSORY PATTERNS

Use your results from the My Sensory Blueprint tool as a starting point for this section.

In my own words, my sensory experience is...

How would you describe your sensory world to someone who knows you well?

The sensory situations that reliably shift me outside my window, or keep me stuck there, are...

e.g. busy open-plan offices, unexpected touch, fluorescent lighting, crowded spaces...

I notice my sensory sensitivity changes at these times or parts of my cycle...

e.g. the week before my period, when sleep-deprived, during high-stress periods...

MY WINDOW OF CAPACITY: WHAT I NOTICE

Tip: to identify your state, pause and notice your feelings, thoughts, behaviours, and body sensations in the moment.

High energy, activated, reactive, overwhelmed — you are likely **above your window** in a hyperactivated state.

Low energy, flat, numb, foggy — you are likely **below your window** in a hypoactivated state.

When I am ABOVE my window (hyperactivated), I notice...

When I am BELOW my window (hypoactivated), I notice...

My early warning signs that my window is narrowing (before I fully tip out) are...

e.g. my jaw tightens, I get very quiet, I start cancelling things, I snap at small things...

MY SENSORY TOOLKIT

List the tools that actually work for you — not the ones you think should work. Use your personalised results PDF as a reference for ideas matched to your specific sensory preferences.

When I am ABOVE my window (hyperactivated) and want to shift back:

	SENSORY TOOL	THOUGHT / REMINDER
1		
2		
3		

When I am BELOW my window (hypoactivated) and want to shift back:

	SENSORY TOOL	THOUGHT / REMINDER
1		
2		
3		

My fastest regulating tools (the ones I reach for first, in any state):

e.g. weighted blanket, 10-minute walk, cold water on wrists, a specific playlist...

WHAT I WANT THE PEOPLE AROUND ME TO UNDERSTAND

This section is optional — but often the most powerful. Use it to prepare for conversations, share with someone who supports you, or bring to a healthcare appointment.

For my partner, family, or close friends:

What do you most want them to know about your sensory experience?

For my workplace or study environment:

What adjustments or understanding would make the most difference?

For my healthcare team (GP, OT, therapist, psychiatrist):

What do you want them to know about how your sensory system works?

ONE THING I AM TAKING AWAY FROM THIS

What is the single most useful insight or shift from working through this process?

Return to this worksheet whenever your sensory experience shifts — after a new life stage, a hormonal change, or a significant stress period. Your nervous system changes over time, and so will your toolkit.