## GIS 540 Exam

Course number: GIS 540

Instructor: Dr. Tateosian

Time Limit: 120 minutes

Test ID: exam

exam).

Total points available	
Total points deducted	
Total points earned	

other students before the exams are returned.

Materials allowed: Scrap paper (students may not take scrap paper away from the

questions. Write name and unity login id (e.g. jkrowlin) on each page. Return all pages of the exam and scrap paper to the proctor. Do not discuss the exam with

General instructions: Write clearly. Use complete sentences for short answer

Name	NCSU Login ID
Traine	11030 20811 15

1. Given the Python code statements in the left column, specify if the statement in the middle column is true or false.

Python code	Statement	True or False?
species = 'trout'	species is a string literal.	
x = 5.0	<u>x</u> is an integer type variable.	
"256" > "2400"	The statement evaluates to True.	
str(5) == '5'	The statement evaluates to True.	
foo = "GIS" foo[:2]==foo[2]	The second line of code evaluates to True.	

 Label each item in the list as M for built-in module, F for built-in function, C for built-in constant, E for built-in exception, K for Python keyword, or N for none of the other choices. There are three of each.

IndexError	os	max	for	агсру
sys	SyntaxError	by	in	TypeError
False	elseif	math	None	
type	True	and	range	

3. Write a Python FOR-loop equivalent to the following WHILE-loop

WHILE-loop	FOR-loop
x = 1	
while x < 500:	
print (x)	
x = x + 1	

4. Beside each code fragment in the table below, give the output. If the code would cause an error, write *ERROR* and give a *brief explanation*.


Python code	Output or cause of error
count = 40 name = 'Toucan' print('There are' + count + name)	
x = (8**2) - (5//10) + (5/10) print (x)	
y = 2 - 5 * 6 print(y)	
fieldName = 'rock age' fieldName.upper() print(fieldName)	
myList = ['C','A','B'] myList.sort() print(myList)	
myList = list(range(4, 12, 2)) print(myList)	
<pre>print(min(1, 2, 3)) min = 5 print(min(1, 2, 3))</pre>	
theTime = "10:33:06" #HH:MM:SS timeParts = theTime.split(":") print(timeParts) print(timeParts[3])	
<pre>x = -5 if x &gt; 0 or 1:     print('IN') else:     print('OUT')</pre>	

5. Under each arcpy listing method in the table below, give the list contents. If the list is empty, write EMPTY and give a brief explanation. Assume the user passed in the following arguments: "C:/dataGIS" \*foo

Assume the following code has been executed:

import arcpy, sys

arcpy.env.workspace = sys.argv[1]



6. Write a script which prints the names of all the fields in a given input Shapefile. The script has been started in the box below.

```
1 import arcpy, sys
2 inputFile = sys.argv[1]
3
4
5
```

7. Write a script which takes a year as input. Print 'CURRENT', if the input is this year (2014), 'RECENT' if the input is within the 5 years before this one (2008 through 2013), and 'TARDIS' otherwise. Also, list 3 or more sample inputs that would test the code thoroughly.

- 8. Answer the following questions about the traceback error shown in the box below:
  - a. Which line number of 'findAvg.py' did the error occur on?
  - b. What is the name of the exception?
  - c. The line of code that triggered the error is shown in bold. Use variable names in this line of code to explain why the exception was thrown.

Traceback (most recent call last):

File "C:\Python27\ArcGIS10.2\Lib\site-packages\scriptutils.py", line 326, in RunScript exec codeObject in main . dict

File "C:\sampleScripts\findAvg.py", line 8, in <module>

val = maxv - minv/rangeVal

ZeroDivisionError: integer division or modulo by zero

9. Identify the six mistakes in this pseudocode. Mistakes can pertain to logic, syntax, or efficiency. Line numbers for lines that have mistakes are given below (Some lines have 2 mistakes). CLEARLY show how to correct the mistakes *inside the code box*. Then, in parts 1)-7) below the box, explain the corrections.

1	GET a list of shapefiles from workspace
2	
3	DETERMINE the geometry of the current shapefile
4	IF the geometry is polygon then
5	CALCULATE the area of the polygonal lake in square feet.
6	COMPUTE buffer of the polygonal lake.
7	PRINT area of lake
8	IF the geometry is line
9	CALCULATE the length of the linear river in feet.
10	COMPUTE buffer of the linear river.
11	PRINT length of river
12	
13	

- 1) Line 2 (something is missing!)
- 2) Line 4
- 3) Line 8
- 4) Line 8
- 5) Line 11
- 6) Line 12 (something is missing!)
- 7) Line 12 (something is missing!)

- 10. The script 'polygonNeighbors\_nonBatch.py' in the first box below creates a table with statistics pertaining to polygon contiguity for polygons in the 'C:/data/COVER63p.shp' file. Rewrite this as 'polygonNeighbors\_Batch.py' in the second box (where the script is started for you). The batch version should call the Polygon Neighbor (Analysis) on all the polygon Shapefiles in the 'C:/data' directory whose names start with "COVER".
- 1 # polygonNeighbors\_nonBatch.py
  2 import arcpy, os
  3 arcpy.env.workspace = 'C:/data'
  4 inputFile = 'COVER63p.shp'
  5 outputFile = os.path.splitext(inputFile)[0] + 'PN.dbf'
  6 arcpy.PolygonNeighbors\_analysis(inputFile, outputFile)
  7 print('{0} created.'.format(outputFile))
- 1 # polygonNeighbors\_Batch.py
  2 import arcpy, os
  3 arcpy.env.workspace = 'C:/data'
  4 5
  6 7
  8 print('{0} created.'.format(outputFile))

NCSU Login ID

11. The screen shot in Figure 2 shows a debugging session. Use the information in the Watch Window, the current position of the cursor, and the code you can see to answer the following questions.

- a. What is the name of the file that was input into the script?
- b. Which line number is the cursor currently pointing to?

Name

- c. Starting at the current cursor position, when the user presses the 'Step Over' button 10 times, which sound(s) will play?
- d. Give an example (if possible) of an input that won't result in any sound being played. Explain your answer.

```
conditionalSounds.py
Expression
                                           fileName = sys.argv[1]
          'C:/gispy/data/ch09/jack.jpg'
fileName
                                  22
          u'RasterDataset'
dataType
                                  23
                                       ····#·Get·the·describe·object
desc.Format
          u'JFIF'
                                       desc = arcpy.Describe(fileName)
<New Item>
                                  25
                                       --- dataType = desc.dataType
                                  26
                                  27 - · · · if dataType == 'RasterDataset':
                                          playSound( mydir + 'haha.wav')
                                  28
                                  29
                                            if desc.Format == 'GIF':
                                  30
                                           -----playSound( mydir + 'pukpukpuk.wav' )
                                  31
                                  32
                                  33
                                      - ....else:
                                        -----playSound( mydir + 'doh.wav' )
                                  34
                                  35
                                           elif dataType == 'ShapeFile':
                                  36
                                           playSound( mydir + 'oh.wav' )
                                  37
                                  38
                                  39
                                  40
                                      playSound( mydir + 'yeehaa.wav' )
```


Figure 2: PythonWin debugging session.

Name	NCSU Login ID
------	---------------

12. Rewrite the workflow described below in terms of pseudocode. Use appropriate **structural components** (sequences, decision-making, and repetition), **key words** and **indentation**. Use each of the pseudocode key words, GET, SET, CALCULATE, FOR, IF, THEN, CALL, ENDIF, and ENDFOR, one or more times in your solution.

Get a workspace from the user and get a list of the files in that workspace. Then check the modification time of each file and delete any files that have not been modified for 5 years.

13. The following script is meant to use a WHILE-loop to create 1 mile, 2 mile, 3 mile, 4 mile, and 5 mile buffer output files using the Buffer (Analysis) tool, but at the moment, it has 10 mistakes. Line numbers with mistakes are given (Some lines have 2 mistakes). CLEARLY show how to correct the mistakes *inside the code box*. Then, in parts 1)-10) below the box, explain what would happen if the mistake were not fixed.



- 1) Line 1
- 2) Line 2
- 3) Line 3
- 4) Line 4
- 5) Line 5
- 6) Line 5
- 7) Line 6
- 8) Line 7
- 9) Line 9
- 10) Line 9