1.1 ./csharp/Platform.Data.Doublets/CriterionMatchers/TargetMatcher.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.CriterionMatchers
{
    public class TargetMatcher<TLink> : LinksOperatorBase<TLink>, ICriterionMatcher<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly TLink _targetToMatch;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TargetMatcher(ILinks<TLink> links, TLink targetToMatch) : base(links) =>
        ↪  _targetToMatch = targetToMatch;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool IsMatched(TLink link) => _equalityComparer.Equals(_links.GetTarget(link),
        ↪  _targetToMatch);
    }
}
```

1.2 ./csharp/Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksCascadeUniquenessAndUsagesResolver<TLink> : LinksUniquenessResolver<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksCascadeUniquenessAndUsagesResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
        ↪  newLinkAddress)
        {
            // Use Facade (the last decorator) to ensure recursion working correctly
            _facade.MergeUsages(oldLinkAddress, newLinkAddress);
            return base.ResolveAddressChangeConflict(oldLinkAddress, newLinkAddress);
        }
    }
}
```

1.3 ./csharp/Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <remarks>
    /// <para>Must be used in conjunction with NonNullContentsLinkDeletionResolver.</para>
    /// <para>Должен использоваться вместе с NonNullContentsLinkDeletionResolver.</para>
    /// </remarks>
    public class LinksCascadeUsagesResolver<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksCascadeUsagesResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var linkIndex = restrictions[_constants.IndexPart];
            // Use Facade (the last decorator) to ensure recursion working correctly
            _facade.DeleteAllUsages(linkIndex);
            _links.Delete(linkIndex);
        }
    }
}
```

1.4 ./csharp/Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public abstract class LinksDecoratorBase<TLink> : LinksOperatorBase<TLink>, ILinks<TLink>
    {
        protected readonly LinksConstants<TLink> _constants;

        public LinksConstants<TLink> Constants
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => _constants;
        }

        protected ILinks<TLink> _facade;

        public ILinks<TLink> Facade
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => _facade;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set
            {
                _facade = value;
                if (_links is LinksDecoratorBase<TLink> decorator)
                {
                    decorator.Facade = value;
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksDecoratorBase(ILinks<TLink> links) : base(links)
        {
            _constants = links.Constants;
            Facade = this;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Count(IList<TLink> restrictions) => _links.Count(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        ↪  => _links.Each(handler, restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Create(IList<TLink> restrictions) => _links.Create(restrictions);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        ↪  _links.Update(restrictions, substitution);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual void Delete(IList<TLink> restrictions) => _links.Delete(restrictions);
    }
}
```

1.5 ./csharp/Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs

```
using System.Runtime.CompilerServices;
using Platform.Disposables;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
#pragma warning disable CA1063 // Implement IDisposable Correctly

namespace Platform.Data.Doublets.Decorators
{
    public abstract class LinksDisposableDecoratorBase<TLink> : LinksDecoratorBase<TLink>,
    ↪  ILinks<TLink>, System.IDisposable
    {
        protected class DisposableWithMultipleCallsAllowed : Disposable
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public DisposableWithMultipleCallsAllowed(Disposal disposal) : base(disposal) { }

            protected override bool AllowMultipleDisposeCalls
```

```
            {
                [MethodImpl(MethodImplOptions.AggressiveInlining)]
                get => true;
            }
        }

        protected readonly DisposableWithMultipleCallsAllowed Disposable;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksDisposableDecoratorBase(ILinks<TLink> links) : base(links) => Disposable
        ↪  = new DisposableWithMultipleCallsAllowed(Dispose);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        ~LinksDisposableDecoratorBase() => Disposable.Destruct();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Dispose() => Disposable.Dispose();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                _links.DisposeIfPossible();
            }
        }
    }
}
```

1.6 ./csharp/Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    // TODO: Make LinksExternalReferenceValidator. A layer that checks each link to exist or to
    ↪  be external (hybrid link's raw number).
    public class LinksInnerReferenceExistenceValidator<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksInnerReferenceExistenceValidator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            var links = _links;
            links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
            return links.Each(handler, restrictions);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            // TODO: Possible values: null, ExistentLink or NonExistentHybrid(ExternalReference)
            var links = _links;
            links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
            links.EnsureInnerReferenceExists(substitution, nameof(substitution));
            return links.Update(restrictions, substitution);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var link = restrictions[_constants.IndexPart];
            var links = _links;
            links.EnsureLinkExists(link, nameof(link));
            links.Delete(link);
        }
    }
}
```

1.7 ./csharp/Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

```

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksItselfConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksItselfConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            var constants = _constants;
            var itselfConstant = constants.Itself;
            if (!_equalityComparer.Equals(constants.Any, itselfConstant) &&
            ↪  restrictions.Contains(itselfConstant))
            {
                // Itself constant is not supported for Each method right now, skipping execution
                return constants.Continue;
            }
            return _links.Each(handler, restrictions);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
        ↪  _links.Update(restrictions, _links.ResolveConstantAsSelfReference(_constants.Itself,
        ↪  restrictions, substitution));
    }
}
```

1.8 ./csharp/Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <remarks>
    /// Not practical if newSource and newTarget are too big.
    /// To be able to use practical version we should allow to create link at any specific
    ↪  location inside ResizableDirectMemoryLinks.
    /// This in turn will require to implement not a list of empty links, but a list of ranges
    ↪  to store it more efficiently.
    /// </remarks>
    public class LinksNonExistentDependenciesCreator<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksNonExistentDependenciesCreator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            var constants = _constants;
            var links = _links;
            links.EnsureCreated(substitution[constants.SourcePart],
            ↪  substitution[constants.TargetPart]);
            return links.Update(restrictions, substitution);
        }
    }
}
```

1.9 ./csharp/Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksNullConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksNullConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
14          public override TLink Create(IList<TLink> restrictions) => _links.CreatePoint();
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
                ↪ _links.Update(restrictions, _links.ResolveConstantAsSelfReference(_constants.Null,
                ↪ restrictions, substitution));
18      }
19  }
```

1.10 ./csharp/Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Decorators
7   {
8       public class LinksUniquenessResolver<TLink> : LinksDecoratorBase<TLink>
9       {
10          private static readonly EqualityComparer<TLink> _equalityComparer =
                ↪ EqualityComparer<TLink>.Default;
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
13          public LinksUniquenessResolver(ILinks<TLink> links) : base(links) { }
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
17          {
18              var constants = _constants;
19              var links = _links;
20              var newLinkAddress = links.SearchOrDefault(substitution[constants.SourcePart],
                    ↪ substitution[constants.TargetPart]);
21              if (_equalityComparer.Equals(newLinkAddress, default))
22              {
23                  return links.Update(restrictions, substitution);
24              }
25              return ResolveAddressChangeConflict(restrictions[constants.IndexPart],
                    ↪ newLinkAddress);
26          }
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected virtual TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
                ↪ newLinkAddress)
30          {
31              if (!_equalityComparer.Equals(oldLinkAddress, newLinkAddress) &&
                    ↪ _links.Exists(oldLinkAddress))
32              {
33                  _facade.Delete(oldLinkAddress);
34              }
35              return newLinkAddress;
36          }
37      }
38  }
```

1.11 ./csharp/Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Decorators
7   {
8       public class LinksUniquenessValidator<TLink> : LinksDecoratorBase<TLink>
9       {
10          [MethodImpl(MethodImplOptions.AggressiveInlining)]
11          public LinksUniquenessValidator(ILinks<TLink> links) : base(links) { }
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
15          {
16              var links = _links;
17              var constants = _constants;
18              links.EnsureDoesNotExists(substitution[constants.SourcePart],
                    ↪ substitution[constants.TargetPart]);
19              return links.Update(restrictions, substitution);
20          }
21      }
22  }
```

1.12 ./csharp/Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class LinksUsagesValidator<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksUsagesValidator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            var links = _links;
            links.EnsureNoUsages(restrictions[_constants.IndexPart]);
            return links.Update(restrictions, substitution);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var link = restrictions[_constants.IndexPart];
            var links = _links;
            links.EnsureNoUsages(link);
            links.Delete(link);
        }
    }
}
```

1.13 ./csharp/Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class NonNullContentsLinkDeletionResolver<TLink> : LinksDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public NonNullContentsLinkDeletionResolver(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var linkIndex = restrictions[_constants.IndexPart];
            var links = _links;
            links.EnforceResetValues(linkIndex);
            links.Delete(linkIndex);
        }
    }
}
```

1.14 ./csharp/Platform.Data.Doublets/Decorators/UInt32Links.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    public class UInt32Links : LinksDisposableDecoratorBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt32Links(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Create(IList<TLink> restrictions) => _links.CreatePoint();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            var constants = _constants;
            var indexPartConstant = constants.IndexPart;
            var sourcePartConstant = constants.SourcePart;
            var targetPartConstant = constants.TargetPart;
```

```
            var nullConstant = constants.Null;
            var itselfConstant = constants.Itself;
            var existedLink = nullConstant;
            var updatedLink = restrictions[indexPartConstant];
            var newSource = substitution[sourcePartConstant];
            var newTarget = substitution[targetPartConstant];
            var links = _links;
            if (newSource != itselfConstant && newTarget != itselfConstant)
            {
                existedLink = links.SearchOrDefault(newSource, newTarget);
            }
            if (existedLink == nullConstant)
            {
                var before = links.GetLink(updatedLink);
                if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
                    newTarget)
                {
                    links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
                        newSource,
                                                newTarget == itselfConstant ? updatedLink :
                                                    newTarget);
                }
                return updatedLink;
            }
            else
            {
                return _facade.MergeAndDelete(updatedLink, existedLink);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override void Delete(IList<TLink> restrictions)
        {
            var linkIndex = restrictions[_constants.IndexPart];
            var links = _links;
            links.EnforceResetValues(linkIndex);
            _facade.DeleteAllUsages(linkIndex);
            links.Delete(linkIndex);
        }
    }
}
```

1.15 ./csharp/Platform.Data.Doublets/Decorators/UInt64Links.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Decorators
{
    /// <summary>
    /// <para>Represents a combined decorator that implements the basic logic for interacting
        with the links storage for links with addresses represented as <see cref="System.UInt64"
        />.</para>
    /// <para>Представляет комбинированный декоратор, реализующий основную логику по
        взаимодействии с хранилищем связей, для связей с адресами представленными в виде <see
        cref="System.UInt64"/>.</para>
    /// </summary>
    /// <remarks>
    /// Возможные оптимизации:
    /// Объединение в одном поле Source и Target с уменьшением до 32 бит.
    ///     + меньше объём БД
    ///     - меньше производительность
    ///     - больше ограничение на количество связей в БД)
    /// Ленивое хранение размеров поддеревьев (расчитываемое по мере использования БД)
    ///     + меньше объём БД
    ///     - больше сложность
    ///
    /// Текущее теоретическое ограничение на индекс связи, из-за использования 5 бит в размере
        поддеревьев для AVL баланса и флагов нитей: 2 в степени(64 минус 5 равно 59 ) равно 576
        460 752 303 423 488
    /// Желательно реализовать поддержку переключения между деревьями и битовыми индексами
        (битовыми строками) - вариант матрицы (выстраеваемой лениво).
    ///
    /// Решить отключать ли проверки при компиляции под Release. Т.е. исключения будут
        выбрасываться только при #if DEBUG
    /// </remarks>
    public class UInt64Links : LinksDisposableDecoratorBase<ulong>
```

```
28      {
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          public UInt64Links(ILinks<ulong> links) : base(links) { }
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          public override ulong Create(IList<ulong> restrictions) => _links.CreatePoint();
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
37          {
38              var constants = _constants;
39              var indexPartConstant = constants.IndexPart;
40              var sourcePartConstant = constants.SourcePart;
41              var targetPartConstant = constants.TargetPart;
42              var nullConstant = constants.Null;
43              var itselfConstant = constants.Itself;
44              var existedLink = nullConstant;
45              var updatedLink = restrictions[indexPartConstant];
46              var newSource = substitution[sourcePartConstant];
47              var newTarget = substitution[targetPartConstant];
48              var links = _links;
49              if (newSource != itselfConstant && newTarget != itselfConstant)
50              {
51                  existedLink = links.SearchOrDefault(newSource, newTarget);
52              }
53              if (existedLink == nullConstant)
54              {
55                  var before = links.GetLink(updatedLink);
56                  if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
                        ↪ newTarget)
57                  {
58                      links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
                            ↪ newSource,
59                                                newTarget == itselfConstant ? updatedLink :
                                                  ↪ newTarget);
60                  }
61                  return updatedLink;
62              }
63              else
64              {
65                  return _facade.MergeAndDelete(updatedLink, existedLink);
66              }
67          }
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          public override void Delete(IList<ulong> restrictions)
71          {
72              var linkIndex = restrictions[_constants.IndexPart];
73              var links = _links;
74              links.EnforceResetValues(linkIndex);
75              _facade.DeleteAllUsages(linkIndex);
76              links.Delete(linkIndex);
77          }
78      }
79  }
```

1.16 ./csharp/Platform.Data.Doublets/Decorators/UniLinks.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Linq;
4   using Platform.Collections;
5   using Platform.Collections.Lists;
6   using Platform.Data.Universal;
7
8   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10  namespace Platform.Data.Doublets.Decorators
11  {
12      /// <remarks>
13      /// What does empty pattern (for condition or substitution) mean? Nothing or Everything?
14      /// Now we go with nothing. And nothing is something one, but empty, and cannot be changed
            ↪ by itself. But can cause creation (update from nothing) or deletion (update to nothing).
15      ///
16      /// TODO: Decide to change to IDoubletLinks or not to change. (Better to create
            ↪ DefaultUniLinksBase, that contains logic itself and can be implemented using both
            ↪ IDoubletLinks and ILinks.)
17      /// </remarks>
18      internal class UniLinks<TLink> : LinksDecoratorBase<TLink>, IUniLinks<TLink>
19      {
```

```
20          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪ EqualityComparer<TLink>.Default;
21
22          public UniLinks(ILinks<TLink> links) : base(links) { }
23
24          private struct Transition
25          {
26              public IList<TLink> Before;
27              public IList<TLink> After;
28
29              public Transition(IList<TLink> before, IList<TLink> after)
30              {
31                  Before = before;
32                  After = after;
33              }
34          }
35
36          //public static readonly TLink NullConstant = Use<LinksConstants<TLink>>.Single.Null;
37          //public static readonly IReadOnlyList<TLink> NullLink = new
            ↪ ReadOnlyCollection<TLink>(new List<TLink> { NullConstant, NullConstant, NullConstant
            ↪ });
38
39          // TODO: Подумать о том, как реализовать древовидный Restriction и Substitution
            ↪ (Links-Expression)
40          public TLink Trigger(IList<TLink> restriction, Func<IList<TLink>, IList<TLink>, TLink>
            ↪ matchedHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
            ↪ substitutedHandler)
41          {
42              ////List<Transition> transitions = null;
43              ////if (!restriction.IsNullOrEmpty())
44              ////{
45              ////    // Есть причина делать проход (чтение)
46              ////    if (matchedHandler != null)
47              ////    {
48              ////        if (!substitution.IsNullOrEmpty())
49              ////        {
50              ////            // restriction => { 0, 0, 0 } | { 0 } // Create
51              ////            // substitution => { itself, 0, 0 } | { itself, itself, itself } //
                ↪ Create / Update
52              ////            // substitution => { 0, 0, 0 } | { 0 } // Delete
53              ////            transitions = new List<Transition>();
54              ////            if (Equals(substitution[Constants.IndexPart], Constants.Null))
55              ////            {
56              ////                // If index is Null, that means we always ignore every other
                ↪ value (they are also Null by definition)
57              ////                var matchDecision = matchedHandler(, NullLink);
58              ////                if (Equals(matchDecision, Constants.Break))
59              ////                    return false;
60              ////                if (!Equals(matchDecision, Constants.Skip))
61              ////                    transitions.Add(new Transition(matchedLink, newValue));
62              ////            }
63              ////            else
64              ////            {
65              ////                Func<T, bool> handler;
66              ////                handler = link =>
67              ////                {
68              ////                    var matchedLink = Memory.GetLinkValue(link);
69              ////                    var newValue = Memory.GetLinkValue(link);
70              ////                    newValue[Constants.IndexPart] = Constants.Itself;
71              ////                    newValue[Constants.SourcePart] =
                ↪ Equals(substitution[Constants.SourcePart], Constants.Itself) ?
                ↪ matchedLink[Constants.IndexPart] : substitution[Constants.SourcePart];
72              ////                    newValue[Constants.TargetPart] =
                ↪ Equals(substitution[Constants.TargetPart], Constants.Itself) ?
                ↪ matchedLink[Constants.IndexPart] : substitution[Constants.TargetPart];
73              ////                    var matchDecision = matchedHandler(matchedLink, newValue);
74              ////                    if (Equals(matchDecision, Constants.Break))
75              ////                        return false;
76              ////                    if (!Equals(matchDecision, Constants.Skip))
77              ////                        transitions.Add(new Transition(matchedLink, newValue));
78              ////                    return true;
79              ////                };
80              ////                if (!Memory.Each(handler, restriction))
81              ////                    return Constants.Break;
82              ////            }
83              ////        }
84              ////        else
85              ////        {
```

```
            ////            Func<T, bool> handler = link =>
            ////            {
            ////                var matchedLink = Memory.GetLinkValue(link);
            ////                var matchDecision = matchedHandler(matchedLink, matchedLink);
            ////                return !Equals(matchDecision, Constants.Break);
            ////            };
            ////            if (!Memory.Each(handler, restriction))
            ////                return Constants.Break;
            ////        }
            ////    }
            ////    else
            ////    {
            ////        if (substitution != null)
            ////        {
            ////            transitions = new List<IList<T>>();
            ////            Func<T, bool> handler = link =>
            ////            {
            ////                var matchedLink = Memory.GetLinkValue(link);
            ////                transitions.Add(matchedLink);
            ////                return true;
            ////            };
            ////            if (!Memory.Each(handler, restriction))
            ////                return Constants.Break;
            ////        }
            ////        else
            ////        {
            ////            return Constants.Continue;
            ////        }
            ////    }
            ////}
            ////if (substitution != null)
            ////{
            ////    // Есть причина делать замену (запись)
            ////    if (substitutedHandler != null)
            ////    {
            ////    }
            ////    else
            ////    {
            ////    }
            ////}
            ////return Constants.Continue;

            //if (restriction.IsNullOrEmpty()) // Create
            //{
            //    substitution[Constants.IndexPart] = Memory.AllocateLink();
            //    Memory.SetLinkValue(substitution);
            //}
            //else if (substitution.IsNullOrEmpty()) // Delete
            //{
            //    Memory.FreeLink(restriction[Constants.IndexPart]);
            //}
            //else if (restriction.EqualTo(substitution)) // Read or ("repeat" the state) // Each
            //{
            //    // No need to collect links to list
            //    // Skip == Continue
            //    // No need to check substituedHandler
            //    if (!Memory.Each(link => !Equals(matchedHandler(Memory.GetLinkValue(link)),
            ↪  Constants.Break), restriction))
            //        return Constants.Break;
            //}
            //else // Update
            //{
            //    //List<IList<T>> matchedLinks = null;
            //    if (matchedHandler != null)
            //    {
            //        matchedLinks = new List<IList<T>>();
            //        Func<T, bool> handler = link =>
            //        {
            //            var matchedLink = Memory.GetLinkValue(link);
            //            var matchDecision = matchedHandler(matchedLink);
            //            if (Equals(matchDecision, Constants.Break))
            //                return false;
            //            if (!Equals(matchDecision, Constants.Skip))
            //                matchedLinks.Add(matchedLink);
            //            return true;
            //        };
            //        if (!Memory.Each(handler, restriction))
            //            return Constants.Break;
```

```
163             //    }
164             //    if (!matchedLinks.IsNullOrEmpty())
165             //    {
166             //        var totalMatchedLinks = matchedLinks.Count;
167             //        for (var i = 0; i < totalMatchedLinks; i++)
168             //        {
169             //            var matchedLink = matchedLinks[i];
170             //            if (substitutedHandler != null)
171             //            {
172             //                var newValue = new List<T>(); // TODO: Prepare value to update here
173             //                // TODO: Decide is it actually needed to use Before and After
                ↪  substitution handling.
174             //                var substitutedDecision = substitutedHandler(matchedLink,
                ↪  newValue);
175             //                if (Equals(substitutedDecision, Constants.Break))
176             //                    return Constants.Break;
177             //                if (Equals(substitutedDecision, Constants.Continue))
178             //                {
179             //                    // Actual update here
180             //                    Memory.SetLinkValue(newValue);
181             //                }
182             //                if (Equals(substitutedDecision, Constants.Skip))
183             //                {
184             //                    // Cancel the update. TODO: decide use separate Cancel
                ↪  constant or Skip is enough?
185             //                }
186             //            }
187             //        }
188             //    }
189             //}
190             return _constants.Continue;
191         }
192
193         public TLink Trigger(IList<TLink> patternOrCondition, Func<IList<TLink>, TLink>
            ↪  matchHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
            ↪  substitutionHandler)
194         {
195             var constants = _constants;
196             if (patternOrCondition.IsNullOrEmpty() && substitution.IsNullOrEmpty())
197             {
198                 return constants.Continue;
199             }
200             else if (patternOrCondition.EqualTo(substitution)) // Should be Each here TODO:
                ↪  Check if it is a correct condition
201             {
202                 // Or it only applies to trigger without matchHandler.
203                 throw new NotImplementedException();
204             }
205             else if (!substitution.IsNullOrEmpty()) // Creation
206             {
207                 var before = Array.Empty<TLink>();
208                 // Что должно означать False здесь? Остановиться (перестать идти) или пропустить
                    ↪  (пройти мимо) или пустить (взять)?
209                 if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                    ↪  constants.Break))
210                 {
211                     return constants.Break;
212                 }
213                 var after = (IList<TLink>)substitution.ToArray();
214                 if (_equalityComparer.Equals(after[0], default))
215                 {
216                     var newLink = _links.Create();
217                     after[0] = newLink;
218                 }
219                 if (substitution.Count == 1)
220                 {
221                     after = _links.GetLink(substitution[0]);
222                 }
223                 else if (substitution.Count == 3)
224                 {
225                     //Links.Create(after);
226                 }
227                 else
228                 {
229                     throw new NotSupportedException();
230                 }
231                 if (matchHandler != null)
232                 {
```

```
                    return substitutionHandler(before, after);
                }
                return constants.Continue;
            }
            else if (!patternOrCondition.IsNullOrEmpty()) // Deletion
            {
                if (patternOrCondition.Count == 1)
                {
                    var linkToDelete = patternOrCondition[0];
                    var before = _links.GetLink(linkToDelete);
                    if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                    ↪  constants.Break))
                    {
                        return constants.Break;
                    }
                    var after = Array.Empty<TLink>();
                    _links.Update(linkToDelete, constants.Null, constants.Null);
                    _links.Delete(linkToDelete);
                    if (matchHandler != null)
                    {
                        return substitutionHandler(before, after);
                    }
                    return constants.Continue;
                }
                else
                {
                    throw new NotSupportedException();
                }
            }
            else // Replace / Update
            {
                if (patternOrCondition.Count == 1) //-V3125
                {
                    var linkToUpdate = patternOrCondition[0];
                    var before = _links.GetLink(linkToUpdate);
                    if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
                    ↪  constants.Break))
                    {
                        return constants.Break;
                    }
                    var after = (IList<TLink>)substitution.ToArray(); //-V3125
                    if (_equalityComparer.Equals(after[0], default))
                    {
                        after[0] = linkToUpdate;
                    }
                    if (substitution.Count == 1)
                    {
                        if (!_equalityComparer.Equals(substitution[0], linkToUpdate))
                        {
                            after = _links.GetLink(substitution[0]);
                            _links.Update(linkToUpdate, constants.Null, constants.Null);
                            _links.Delete(linkToUpdate);
                        }
                    }
                    else if (substitution.Count == 3)
                    {
                        //Links.Update(after);
                    }
                    else
                    {
                        throw new NotSupportedException();
                    }
                    if (matchHandler != null)
                    {
                        return substitutionHandler(before, after);
                    }
                    return constants.Continue;
                }
                else
                {
                    throw new NotSupportedException();
                }
            }
        }

        /// <remarks>
        /// IList[IList[IList[T]]]
        /// |      |      |      |||
```

```
309             /// |      |      ------ ||
310             /// |      |       link  ||
311             /// |      -------------- |
312             /// |         change      |
313             ///  ---------------------
314             ///        changes
315             /// </remarks>
316             public IList<IList<IList<TLink>>> Trigger(IList<TLink> condition, IList<TLink>
                ↪  substitution)
317             {
318                 var changes = new List<IList<IList<TLink>>>();
319                 var @continue = _constants.Continue;
320                 Trigger(condition, AlwaysContinue, substitution, (before, after) =>
321                 {
322                     var change = new[] { before, after };
323                     changes.Add(change);
324                     return @continue;
325                 });
326                 return changes;
327             }
328
329             private TLink AlwaysContinue(IList<TLink> linkToMatch) => _constants.Continue;
330         }
331     }
```

1.17 ./csharp/Platform.Data.Doublets/Doublet.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Runtime.CompilerServices;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Data.Doublets
8   {
9
10      /// <summury>
11      /// <para>.</para>
12      /// <para>.</para>
13      /// </summury>
14      /// <typeparam>
15      /// <para>.</para>
16      /// <para>.</para>
17      /// </typeparam>
18      public struct Doublet<T> : IEquatable<Doublet<T>>
19      {
20          private static readonly EqualityComparer<T> _equalityComparer =
                ↪  EqualityComparer<T>.Default;
21
22          /// <summury>
23          /// <para>.</para>
24          /// <para>.</para>
25          /// </summury>
26          /// <typeparam name="T">
27          /// <para>.</para>
28          /// <para>.</para>
29          /// </typeparam>
30          public readonly T Source;
31
32          /// <summury>
33          /// <para>.</para>
34          /// <para>.</para>
35          /// </summury>
36          /// <typeparam name="T">
37          /// <para>.</para>
38          /// <para>.</para>
39          /// </typeparam>
40          public readonly T Target;
41
42          /// <summury>
43          /// <para>.</para>
44          /// <para>.</para>
45          /// </summury>
46          /// <typeparam name="T">
47          /// <para>.</para>
48          /// <para>.</para>
49          /// </typeparam>
50          /// <param name="source">
51          /// <para>.</para>
52          /// <para>.</para>
```

```
        /// </param>
        /// <param name="target">
        /// <para>.</para>
        /// <para>.</para>
        /// </param>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Doublet(T source, T target)
        {
            Source = source;
            Target = target;
        }

        /// <summury>
        /// <para>.</para>
        /// <para>.</para>
        /// </summury>
        /// <returns>
        /// <para>.</para>
        /// <para>.</para>
        /// </returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override string ToString() => $"{Source}->{Target}";

        /// <summury>
        /// <para>.</para>
        /// <para>.</para>
        /// </summury>
        /// <typeparam>
        /// <para>.</para>
        /// <para>.</para>
        /// </typeparam>
        /// <param name="other">
        /// <para>.</para>
        /// <para>.</para>
        /// </param>
        /// <returns>
        /// <para>.</para>
        /// <para>.</para>
        /// </returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Equals(Doublet<T> other) => _equalityComparer.Equals(Source, other.Source)
        ↪  && _equalityComparer.Equals(Target, other.Target);

        /// <summury>
        /// <para>.</para>
        /// <para>.</para>
        /// </summury>
        /// <typeparam>
        /// <para>.</para>
        /// <para>.</para>
        /// </typeparam>
        /// <param name="obj">
        /// <para>.</para>
        /// <para>.</para>
        /// </param>
        /// <returns>
        /// <para>.</para>
        /// <para>.</para>
        /// </returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Equals(object obj) => obj is Doublet<T> doublet ?
        ↪  base.Equals(doublet) : false;

        /// <summury>
        /// <para>.</para>
        /// <para>.</para>
        /// </summury>
        /// <returns>
        /// <para>.</para>
        /// <para>.</para>
        /// </returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override int GetHashCode() => (Source, Target).GetHashCode();

        /// <summury>
        /// <para>.</para>
        /// <para>.</para>
        /// </summury>
```

```
129             /// <param name="left">
130             /// <para>.</para>
131             /// <para>.</para>
132             /// </param>
133             /// <param name="right">
134             /// <para>.</para>
135             /// <para>.</para>
136             /// </param>
137             /// <returns>
138             /// <para>.</para>
139             /// <para>.</para>
140             /// </returns>
141             [MethodImpl(MethodImplOptions.AggressiveInlining)]
142             public static bool operator ==(Doublet<T> left, Doublet<T> right) => left.Equals(right);
143
144             /// <summury>
145             /// <para>.</para>
146             /// <para>.</para>
147             /// </summury>
148             /// <param name="left">
149             /// <para>.</para>
150             /// <para>.</para>
151             /// </param>
152             /// <param name="right">
153             /// <para>.</para>
154             /// <para>.</para>
155             /// </param>
156             /// <returns>
157             /// <para>.</para>
158             /// <para>.</para>
159             /// </returns>
160             [MethodImpl(MethodImplOptions.AggressiveInlining)]
161             public static bool operator !=(Doublet<T> left, Doublet<T> right) => !(left == right);
162         }
163     }
```

1.18 ./csharp/Platform.Data.Doublets/DoubletComparer.cs

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets
7   {
8       /// <remarks>
9       /// TODO: Может стоит попробовать ref во всех методах (IRefEqualityComparer)
10      /// 2x faster with comparer
11      /// </remarks>
12      public class DoubletComparer<T> : IEqualityComparer<Doublet<T>>
13      {
14          public static readonly DoubletComparer<T> Default = new DoubletComparer<T>();
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          public bool Equals(Doublet<T> x, Doublet<T> y) => x.Equals(y);
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          public int GetHashCode(Doublet<T> obj) => obj.GetHashCode();
21      }
22  }
```

1.19 ./csharp/Platform.Data.Doublets/ILinks.cs

```
1   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3   using System.Collections.Generic;
4
5   namespace Platform.Data.Doublets
6   {
7       public interface ILinks<TLink> : ILinks<TLink, LinksConstants<TLink>>
8       {
9       }
10  }
```

1.20 ./csharp/Platform.Data.Doublets/ILinksExtensions.cs

```
1   using System;
2   using System.Collections;
3   using System.Collections.Generic;
4   using System.Linq;
5   using System.Runtime.CompilerServices;
6   using Platform.Ranges;
```

```
using Platform.Collections.Arrays;
using Platform.Random;
using Platform.Setters;
using Platform.Converters;
using Platform.Numbers;
using Platform.Data.Exceptions;
using Platform.Data.Doublets.Decorators;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public static class ILinksExtensions
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void RunRandomCreations<TLink>(this ILinks<TLink> links, ulong
        ↪  amountOfCreations)
        {
            var random = RandomHelpers.Default;
            var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
            var uInt64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
            for (var i = 0UL; i < amountOfCreations; i++)
            {
                var linksAddressRange = new Range<ulong>(0,
                ↪  addressToUInt64Converter.Convert(links.Count()));
                var source =
                ↪  uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
                var target =
                ↪  uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
                links.GetOrCreate(source, target);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void RunRandomSearches<TLink>(this ILinks<TLink> links, ulong
        ↪  amountOfSearches)
        {
            var random = RandomHelpers.Default;
            var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
            var uInt64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
            for (var i = 0UL; i < amountOfSearches; i++)
            {
                var linksAddressRange = new Range<ulong>(0,
                ↪  addressToUInt64Converter.Convert(links.Count()));
                var source =
                ↪  uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
                var target =
                ↪  uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
                links.SearchOrDefault(source, target);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void RunRandomDeletions<TLink>(this ILinks<TLink> links, ulong
        ↪  amountOfDeletions)
        {
            var random = RandomHelpers.Default;
            var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
            var uInt64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
            var linksCount = addressToUInt64Converter.Convert(links.Count());
            var min = amountOfDeletions > linksCount ? 0UL : linksCount - amountOfDeletions;
            for (var i = 0UL; i < amountOfDeletions; i++)
            {
                linksCount = addressToUInt64Converter.Convert(links.Count());
                if (linksCount <= min)
                {
                    break;
                }
                var linksAddressRange = new Range<ulong>(min, linksCount);
                var link =
                ↪  uInt64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
                links.Delete(link);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void Delete<TLink>(this ILinks<TLink> links, TLink linkToDelete) =>
        ↪  links.Delete(new LinkAddress<TLink>(linkToDelete));

```

```
        /// <remarks>
        /// TODO: Возможно есть очень простой способ это сделать.
        /// (Например просто удалить файл, или изменить его размер таким образом,
        /// чтобы удалился весь контент)
        /// Например через _header->AllocatedLinks в ResizableDirectMemoryLinks
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void DeleteAll<TLink>(this ILinks<TLink> links)
        {
            var equalityComparer = EqualityComparer<TLink>.Default;
            var comparer = Comparer<TLink>.Default;
            for (var i = links.Count(); comparer.Compare(i, default) > 0; i =
            ↪  Arithmetic.Decrement(i))
            {
                links.Delete(i);
                if (!equalityComparer.Equals(links.Count(), Arithmetic.Decrement(i)))
                {
                    i = links.Count();
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink First<TLink>(this ILinks<TLink> links)
        {
            TLink firstLink = default;
            var equalityComparer = EqualityComparer<TLink>.Default;
            if (equalityComparer.Equals(links.Count(), default))
            {
                throw new InvalidOperationException("В хранилище нет связей.");
            }
            links.Each(links.Constants.Any, links.Constants.Any, link =>
            {
                firstLink = link[links.Constants.IndexPart];
                return links.Constants.Break;
            });
            if (equalityComparer.Equals(firstLink, default))
            {
                throw new InvalidOperationException("В процессе поиска по хранилищу не было
                ↪  найдено связей.");
            }
            return firstLink;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static IList<TLink> SingleOrDefault<TLink>(this ILinks<TLink> links, IList<TLink>
        ↪  query)
        {
            IList<TLink> result = null;
            var count = 0;
            var constants = links.Constants;
            var @continue = constants.Continue;
            var @break = constants.Break;
            links.Each(linkHandler, query);
            return result;

            TLink linkHandler(IList<TLink> link)
            {
                if (count == 0)
                {
                    result = link;
                    count++;
                    return @continue;
                }
                else
                {
                    result = null;
                    return @break;
                }
            }
        }

        #region Paths

        /// <remarks>
        /// TODO: Как так? Как то что ниже может быть корректно?
        /// Скорее всего практически не применимо
        /// Предполагалось, что можно было конвертировать формируемый в проходе через
        ↪  SequenceWalker
```

```
150         /// Stack в конкретный путь из Source, Target до связи, но это не всегда так.
151         /// TODO: Возможно нужен метод, который именно выбрасывает исключения (EnsurePathExists)
152         /// </remarks>
153         [MethodImpl(MethodImplOptions.AggressiveInlining)]
154         public static bool CheckPathExistance<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ path)
155         {
156             var current = path[0];
157             //EnsureLinkExists(current, "path");
158             if (!links.Exists(current))
159             {
160                 return false;
161             }
162             var equalityComparer = EqualityComparer<TLink>.Default;
163             var constants = links.Constants;
164             for (var i = 1; i < path.Length; i++)
165             {
166                 var next = path[i];
167                 var values = links.GetLink(current);
168                 var source = values[constants.SourcePart];
169                 var target = values[constants.TargetPart];
170                 if (equalityComparer.Equals(source, target) && equalityComparer.Equals(source,
                    ↪ next))
171                 {
172                     //throw new InvalidOperationException(string.Format("Невозможно выбрать
                        ↪ путь, так как и Source и Target совпадают с элементом пути {0}.", next));
173                     return false;
174                 }
175                 if (!equalityComparer.Equals(next, source) && !equalityComparer.Equals(next,
                    ↪ target))
176                 {
177                     //throw new InvalidOperationException(string.Format("Невозможно продолжить
                        ↪ путь через элемент пути {0}", next));
178                     return false;
179                 }
180                 current = next;
181             }
182             return true;
183         }
184 
185         /// <remarks>
186         /// Может потребовать дополнительного стека для PathElement's при использовании
            ↪ SequenceWalker.
187         /// </remarks>
188         [MethodImpl(MethodImplOptions.AggressiveInlining)]
189         public static TLink GetByKeys<TLink>(this ILinks<TLink> links, TLink root, params int[]
            ↪ path)
190         {
191             links.EnsureLinkExists(root, "root");
192             var currentLink = root;
193             for (var i = 0; i < path.Length; i++)
194             {
195                 currentLink = links.GetLink(currentLink)[path[i]];
196             }
197             return currentLink;
198         }
199 
200         [MethodImpl(MethodImplOptions.AggressiveInlining)]
201         public static TLink GetSquareMatrixSequenceElementByIndex<TLink>(this ILinks<TLink>
            ↪ links, TLink root, ulong size, ulong index)
202         {
203             var constants = links.Constants;
204             var source = constants.SourcePart;
205             var target = constants.TargetPart;
206             if (!Platform.Numbers.Math.IsPowerOfTwo(size))
207             {
208                 throw new ArgumentOutOfRangeException(nameof(size), "Sequences with sizes other
                    ↪ than powers of two are not supported.");
209             }
210             var path = new BitArray(BitConverter.GetBytes(index));
211             var length = Bit.GetLowestPosition(size);
212             links.EnsureLinkExists(root, "root");
213             var currentLink = root;
214             for (var i = length - 1; i >= 0; i--)
215             {
216                 currentLink = links.GetLink(currentLink)[path[i] ? target : source];
217             }
218             return currentLink;
```

```
219         }
220
221         #endregion
222
223         /// <summary>
224         /// Возвращает индекс указанной связи.
225         /// </summary>
226         /// <param name="links">Хранилище связей.</param>
227         /// <param name="link">Связь представленная списком, состоящим из её адреса и
            ↪  содержимого.</param>
228         /// <returns>Индекс начальной связи для указанной связи.</returns>
229         [MethodImpl(MethodImplOptions.AggressiveInlining)]
230         public static TLink GetIndex<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
            ↪  link[links.Constants.IndexPart];
231
232         /// <summary>
233         /// Возвращает индекс начальной (Source) связи для указанной связи.
234         /// </summary>
235         /// <param name="links">Хранилище связей.</param>
236         /// <param name="link">Индекс связи.</param>
237         /// <returns>Индекс начальной связи для указанной связи.</returns>
238         [MethodImpl(MethodImplOptions.AggressiveInlining)]
239         public static TLink GetSource<TLink>(this ILinks<TLink> links, TLink link) =>
            ↪  links.GetLink(link)[links.Constants.SourcePart];
240
241         /// <summary>
242         /// Возвращает индекс начальной (Source) связи для указанной связи.
243         /// </summary>
244         /// <param name="links">Хранилище связей.</param>
245         /// <param name="link">Связь представленная списком, состоящим из её адреса и
            ↪  содержимого.</param>
246         /// <returns>Индекс начальной связи для указанной связи.</returns>
247         [MethodImpl(MethodImplOptions.AggressiveInlining)]
248         public static TLink GetSource<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
            ↪  link[links.Constants.SourcePart];
249
250         /// <summary>
251         /// Возвращает индекс конечной (Target) связи для указанной связи.
252         /// </summary>
253         /// <param name="links">Хранилище связей.</param>
254         /// <param name="link">Индекс связи.</param>
255         /// <returns>Индекс конечной связи для указанной связи.</returns>
256         [MethodImpl(MethodImplOptions.AggressiveInlining)]
257         public static TLink GetTarget<TLink>(this ILinks<TLink> links, TLink link) =>
            ↪  links.GetLink(link)[links.Constants.TargetPart];
258
259         /// <summary>
260         /// Возвращает индекс конечной (Target) связи для указанной связи.
261         /// </summary>
262         /// <param name="links">Хранилище связей.</param>
263         /// <param name="link">Связь представленная списком, состоящим из её адреса и
            ↪  содержимого.</param>
264         /// <returns>Индекс конечной связи для указанной связи.</returns>
265         [MethodImpl(MethodImplOptions.AggressiveInlining)]
266         public static TLink GetTarget<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
            ↪  link[links.Constants.TargetPart];
267
268         /// <summary>
269         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪  (handler) для каждой подходящей связи.
270         /// </summary>
271         /// <param name="links">Хранилище связей.</param>
272         /// <param name="handler">Обработчик каждой подходящей связи.</param>
273         /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
            ↪  может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
            ↪  Any - отсутствие ограничения, 1..∞ конкретный адрес связи.</param>
274         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪  случае.</returns>
275         [MethodImpl(MethodImplOptions.AggressiveInlining)]
276         public static bool Each<TLink>(this ILinks<TLink> links, Func<IList<TLink>, TLink>
            ↪  handler, params TLink[] restrictions)
277             => EqualityComparer<TLink>.Default.Equals(links.Each(handler, restrictions),
                ↪  links.Constants.Continue);
278
279         /// <summary>
280         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪  (handler) для каждой подходящей связи.
```

```
281         /// </summary>
282         /// <param name="links">Хранилище связей.</param>
283         /// <param name="source">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
            ↪ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
284         /// <param name="target">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
            ↪ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
285         /// <param name="handler">Обработчик каждой подходящей связи.</param>
286         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪ случае.</returns>
287         [MethodImpl(MethodImplOptions.AggressiveInlining)]
288         public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
            ↪ Func<TLink, bool> handler)
289         {
290             var constants = links.Constants;
291             return links.Each(link => handler(link[constants.IndexPart]) ? constants.Continue :
                ↪ constants.Break, constants.Any, source, target);
292         }
293
294         /// <summary>
295         /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
            ↪ (handler) для каждой подходящей связи.
296         /// </summary>
297         /// <param name="links">Хранилище связей.</param>
298         /// <param name="source">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
            ↪ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
299         /// <param name="target">Значение, определяющее соответствующие шаблону связи.
            ↪ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
            ↪ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
300         /// <param name="handler">Обработчик каждой подходящей связи.</param>
301         /// <returns>True, в случае если проход по связям не был прерван и False в обратном
            ↪ случае.</returns>
302         [MethodImpl(MethodImplOptions.AggressiveInlining)]
303         public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
            ↪ Func<IList<TLink>, TLink> handler) => links.Each(handler, links.Constants.Any,
            ↪ source, target);
304
305         [MethodImpl(MethodImplOptions.AggressiveInlining)]
306         public static IList<IList<TLink>> All<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ restrictions)
307         {
308             var arraySize = CheckedConverter<TLink,
                ↪ ulong>.Default.Convert(links.Count(restrictions));
309             if (arraySize > 0)
310             {
311                 var array = new IList<TLink>[arraySize];
312                 var filler = new ArrayFiller<IList<TLink>, TLink>(array,
                    ↪ links.Constants.Continue);
313                 links.Each(filler.AddAndReturnConstant, restrictions);
314                 return array;
315             }
316             else
317             {
318                 return Array.Empty<IList<TLink>>();
319             }
320         }
321
322         [MethodImpl(MethodImplOptions.AggressiveInlining)]
323         public static IList<TLink> AllIndices<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ restrictions)
324         {
325             var arraySize = CheckedConverter<TLink,
                ↪ ulong>.Default.Convert(links.Count(restrictions));
326             if (arraySize > 0)
327             {
328                 var array = new TLink[arraySize];
329                 var filler = new ArrayFiller<TLink, TLink>(array, links.Constants.Continue);
330                 links.Each(filler.AddFirstAndReturnConstant, restrictions);
331                 return array;
332             }
333             else
334             {
335                 return Array.Empty<TLink>();
336             }
337         }
```

```
338
339         /// <summary>
340         /// Возвращает значение, определяющее существует ли связь с указанными началом и концом
            ↪ в хранилище связей.
341         /// </summary>
342         /// <param name="links">Хранилище связей.</param>
343         /// <param name="source">Начало связи.</param>
344         /// <param name="target">Конец связи.</param>
345         /// <returns>Значение, определяющее существует ли связь.</returns>
346         [MethodImpl(MethodImplOptions.AggressiveInlining)]
347         public static bool Exists<TLink>(this ILinks<TLink> links, TLink source, TLink target)
            ↪ => Comparer<TLink>.Default.Compare(links.Count(links.Constants.Any, source, target),
            ↪ default) > 0;
348
349         #region Ensure
350         // TODO: May be move to EnsureExtensions or make it both there and here
351
352         [MethodImpl(MethodImplOptions.AggressiveInlining)]
353         public static void EnsureLinkExists<TLink>(this ILinks<TLink> links, IList<TLink>
            ↪ restrictions)
354         {
355             for (var i = 0; i < restrictions.Count; i++)
356             {
357                 if (!links.Exists(restrictions[i]))
358                 {
359                     throw new ArgumentLinkDoesNotExistsException<TLink>(restrictions[i],
                        ↪ $"sequence[{i}]");
360                 }
361             }
362         }
363
364         [MethodImpl(MethodImplOptions.AggressiveInlining)]
365         public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links, TLink
            ↪ reference, string argumentName)
366         {
367             if (links.Constants.IsInternalReference(reference) && !links.Exists(reference))
368             {
369                 throw new ArgumentLinkDoesNotExistsException<TLink>(reference, argumentName);
370             }
371         }
372
373         [MethodImpl(MethodImplOptions.AggressiveInlining)]
374         public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links,
            ↪ IList<TLink> restrictions, string argumentName)
375         {
376             for (int i = 0; i < restrictions.Count; i++)
377             {
378                 links.EnsureInnerReferenceExists(restrictions[i], argumentName);
379             }
380         }
381
382         [MethodImpl(MethodImplOptions.AggressiveInlining)]
383         public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, IList<TLink>
            ↪ restrictions)
384         {
385             var equalityComparer = EqualityComparer<TLink>.Default;
386             var any = links.Constants.Any;
387             for (var i = 0; i < restrictions.Count; i++)
388             {
389                 if (!equalityComparer.Equals(restrictions[i], any) &&
                    ↪ !links.Exists(restrictions[i]))
390                 {
391                     throw new ArgumentLinkDoesNotExistsException<TLink>(restrictions[i],
                        ↪ $"sequence[{i}]");
392                 }
393             }
394         }
395
396         [MethodImpl(MethodImplOptions.AggressiveInlining)]
397         public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, TLink link,
            ↪ string argumentName)
398         {
399             var equalityComparer = EqualityComparer<TLink>.Default;
400             if (!equalityComparer.Equals(link, links.Constants.Any) && !links.Exists(link))
401             {
402                 throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
403             }
```

```
404         }
405
406         [MethodImpl(MethodImplOptions.AggressiveInlining)]
407         public static void EnsureLinkIsItselfOrExists<TLink>(this ILinks<TLink> links, TLink
            ↪ link, string argumentName)
408         {
409             var equalityComparer = EqualityComparer<TLink>.Default;
410             if (!equalityComparer.Equals(link, links.Constants.Itself) && !links.Exists(link))
411             {
412                 throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
413             }
414         }
415
416         /// <param name="links">Хранилище связей.</param>
417         [MethodImpl(MethodImplOptions.AggressiveInlining)]
418         public static void EnsureDoesNotExists<TLink>(this ILinks<TLink> links, TLink source,
            ↪ TLink target)
419         {
420             if (links.Exists(source, target))
421             {
422                 throw new LinkWithSameValueAlreadyExistsException();
423             }
424         }
425
426         /// <param name="links">Хранилище связей.</param>
427         [MethodImpl(MethodImplOptions.AggressiveInlining)]
428         public static void EnsureNoUsages<TLink>(this ILinks<TLink> links, TLink link)
429         {
430             if (links.HasUsages(link))
431             {
432                 throw new ArgumentLinkHasDependenciesException<TLink>(link);
433             }
434         }
435
436         /// <param name="links">Хранилище связей.</param>
437         [MethodImpl(MethodImplOptions.AggressiveInlining)]
438         public static void EnsureCreated<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ addresses) => links.EnsureCreated(links.Create, addresses);
439
440         /// <param name="links">Хранилище связей.</param>
441         [MethodImpl(MethodImplOptions.AggressiveInlining)]
442         public static void EnsurePointsCreated<TLink>(this ILinks<TLink> links, params TLink[]
            ↪ addresses) => links.EnsureCreated(links.CreatePoint, addresses);
443
444         /// <param name="links">Хранилище связей.</param>
445         [MethodImpl(MethodImplOptions.AggressiveInlining)]
446         public static void EnsureCreated<TLink>(this ILinks<TLink> links, Func<TLink> creator,
            ↪ params TLink[] addresses)
447         {
448             var addressToUInt64Converter = CheckedConverter<TLink, ulong>.Default;
449             var uInt64ToAddressConverter = CheckedConverter<ulong, TLink>.Default;
450             var nonExistentAddresses = new HashSet<TLink>(addresses.Where(x =>
                ↪ !links.Exists(x)));
451             if (nonExistentAddresses.Count > 0)
452             {
453                 var max = nonExistentAddresses.Max();
454                 max = uInt64ToAddressConverter.Convert(System.Math.Min(addressToUInt64Converter.
                    ↪ Convert(max),
                    ↪ addressToUInt64Converter.Convert(links.Constants.InternalReferencesRange.Max
                    ↪ imum)));
455                 var createdLinks = new List<TLink>();
456                 var equalityComparer = EqualityComparer<TLink>.Default;
457                 TLink createdLink = creator();
458                 while (!equalityComparer.Equals(createdLink, max))
459                 {
460                     createdLinks.Add(createdLink);
461                 }
462                 for (var i = 0; i < createdLinks.Count; i++)
463                 {
464                     if (!nonExistentAddresses.Contains(createdLinks[i]))
465                     {
466                         links.Delete(createdLinks[i]);
467                     }
468                 }
469             }
470         }
471
472         #endregion
```

```
473
474         /// <param name="links">Хранилище связей.</param>
475         [MethodImpl(MethodImplOptions.AggressiveInlining)]
476         public static TLink CountUsages<TLink>(this ILinks<TLink> links, TLink link)
477         {
478             var constants = links.Constants;
479             var values = links.GetLink(link);
480             TLink usagesAsSource = links.Count(new Link<TLink>(constants.Any, link,
                ↪  constants.Any));
481             var equalityComparer = EqualityComparer<TLink>.Default;
482             if (equalityComparer.Equals(values[constants.SourcePart], link))
483             {
484                 usagesAsSource = Arithmetic<TLink>.Decrement(usagesAsSource);
485             }
486             TLink usagesAsTarget = links.Count(new Link<TLink>(constants.Any, constants.Any,
                ↪  link));
487             if (equalityComparer.Equals(values[constants.TargetPart], link))
488             {
489                 usagesAsTarget = Arithmetic<TLink>.Decrement(usagesAsTarget);
490             }
491             return Arithmetic<TLink>.Add(usagesAsSource, usagesAsTarget);
492         }
493
494         /// <param name="links">Хранилище связей.</param>
495         [MethodImpl(MethodImplOptions.AggressiveInlining)]
496         public static bool HasUsages<TLink>(this ILinks<TLink> links, TLink link) =>
            ↪  Comparer<TLink>.Default.Compare(links.CountUsages(link), default) > 0;
497
498         /// <param name="links">Хранилище связей.</param>
499         [MethodImpl(MethodImplOptions.AggressiveInlining)]
500         public static bool Equals<TLink>(this ILinks<TLink> links, TLink link, TLink source,
            ↪  TLink target)
501         {
502             var constants = links.Constants;
503             var values = links.GetLink(link);
504             var equalityComparer = EqualityComparer<TLink>.Default;
505             return equalityComparer.Equals(values[constants.SourcePart], source) &&
                ↪  equalityComparer.Equals(values[constants.TargetPart], target);
506         }
507
508         /// <summary>
509         /// Выполняет поиск связи с указанными Source (началом) и Target (концом).
510         /// </summary>
511         /// <param name="links">Хранилище связей.</param>
512         /// <param name="source">Индекс связи, которая является началом для искомой
            ↪  связи.</param>
513         /// <param name="target">Индекс связи, которая является концом для искомой связи.</param>
514         /// <returns>Индекс искомой связи с указанными Source (началом) и Target
            ↪  (концом).</returns>
515         [MethodImpl(MethodImplOptions.AggressiveInlining)]
516         public static TLink SearchOrDefault<TLink>(this ILinks<TLink> links, TLink source, TLink
            ↪  target)
517         {
518             var contants = links.Constants;
519             var setter = new Setter<TLink, TLink>(contants.Continue, contants.Break, default);
520             links.Each(setter.SetFirstAndReturnFalse, contants.Any, source, target);
521             return setter.Result;
522         }
523
524         /// <param name="links">Хранилище связей.</param>
525         [MethodImpl(MethodImplOptions.AggressiveInlining)]
526         public static TLink Create<TLink>(this ILinks<TLink> links) => links.Create(null);
527
528         /// <param name="links">Хранилище связей.</param>
529         [MethodImpl(MethodImplOptions.AggressiveInlining)]
530         public static TLink CreatePoint<TLink>(this ILinks<TLink> links)
531         {
532             var link = links.Create();
533             return links.Update(link, link, link);
534         }
535
536         /// <param name="links">Хранилище связей.</param>
537         [MethodImpl(MethodImplOptions.AggressiveInlining)]
538         public static TLink CreateAndUpdate<TLink>(this ILinks<TLink> links, TLink source, TLink
            ↪  target) => links.Update(links.Create(), source, target);
539
540         /// <summary>
541         /// Обновляет связь с указанными началом (Source) и концом (Target)
```

```
542             /// на связь с указанными началом (NewSource) и концом (NewTarget).
543             /// </summary>
544             /// <param name="links">Хранилище связей.</param>
545             /// <param name="link">Индекс обновляемой связи.</param>
546             /// <param name="newSource">Индекс связи, которая является началом связи, на которую
                ↪  выполняется обновление.</param>
547             /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
                ↪  выполняется обновление.</param>
548             /// <returns>Индекс обновлённой связи.</returns>
549             [MethodImpl(MethodImplOptions.AggressiveInlining)]
550             public static TLink Update<TLink>(this ILinks<TLink> links, TLink link, TLink newSource,
                ↪  TLink newTarget) => links.Update(new LinkAddress<TLink>(link), new Link<TLink>(link,
                ↪  newSource, newTarget));
551
552             /// <summary>
553             /// Обновляет связь с указанными началом (Source) и концом (Target)
554             /// на связь с указанными началом (NewSource) и концом (NewTarget).
555             /// </summary>
556             /// <param name="links">Хранилище связей.</param>
557             /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
                ↪  может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
                ↪  Itself - требование установить ссылку на себя, 1..∞ конкретный адрес другой
                ↪  связи.</param>
558             /// <returns>Индекс обновлённой связи.</returns>
559             [MethodImpl(MethodImplOptions.AggressiveInlining)]
560             public static TLink Update<TLink>(this ILinks<TLink> links, params TLink[] restrictions)
561             {
562                 if (restrictions.Length == 2)
563                 {
564                     return links.MergeAndDelete(restrictions[0], restrictions[1]);
565                 }
566                 if (restrictions.Length == 4)
567                 {
568                     return links.UpdateOrCreateOrGet(restrictions[0], restrictions[1],
                        ↪  restrictions[2], restrictions[3]);
569                 }
570                 else
571                 {
572                     return links.Update(new LinkAddress<TLink>(restrictions[0]), restrictions);
573                 }
574             }
575
576             [MethodImpl(MethodImplOptions.AggressiveInlining)]
577             public static IList<TLink> ResolveConstantAsSelfReference<TLink>(this ILinks<TLink>
                ↪  links, TLink constant, IList<TLink> restrictions, IList<TLink> substitution)
578             {
579                 var equalityComparer = EqualityComparer<TLink>.Default;
580                 var constants = links.Constants;
581                 var restrictionsIndex = restrictions[constants.IndexPart];
582                 var substitutionIndex = substitution[constants.IndexPart];
583                 if (equalityComparer.Equals(substitutionIndex, default))
584                 {
585                     substitutionIndex = restrictionsIndex;
586                 }
587                 var source = substitution[constants.SourcePart];
588                 var target = substitution[constants.TargetPart];
589                 source = equalityComparer.Equals(source, constant) ? substitutionIndex : source;
590                 target = equalityComparer.Equals(target, constant) ? substitutionIndex : target;
591                 return new Link<TLink>(substitutionIndex, source, target);
592             }
593
594             /// <summary>
595             /// Создаёт связь (если она не существовала), либо возвращает индекс существующей связи
                ↪  с указанными Source (началом) и Target (концом).
596             /// </summary>
597             /// <param name="links">Хранилище связей.</param>
598             /// <param name="source">Индекс связи, которая является началом на создаваемой
                ↪  связи.</param>
599             /// <param name="target">Индекс связи, которая является концом для создаваемой
                ↪  связи.</param>
600             /// <returns>Индекс связи, с указанным Source (началом) и Target (концом)</returns>
601             [MethodImpl(MethodImplOptions.AggressiveInlining)]
602             public static TLink GetOrCreate<TLink>(this ILinks<TLink> links, TLink source, TLink
                ↪  target)
603             {
604                 var link = links.SearchOrDefault(source, target);
605                 if (EqualityComparer<TLink>.Default.Equals(link, default))
```

```
            {
                link = links.CreateAndUpdate(source, target);
            }
            return link;
        }

        /// <summary>
        /// Обновляет связь с указанными началом (Source) и концом (Target)
        /// на связь с указанными началом (NewSource) и концом (NewTarget).
        /// </summary>
        /// <param name="links">Хранилище связей.</param>
        /// <param name="source">Индекс связи, которая является началом обновляемой
        ↪ связи.</param>
        /// <param name="target">Индекс связи, которая является концом обновляемой связи.</param>
        /// <param name="newSource">Индекс связи, которая является началом связи, на которую
        ↪ выполняется обновление.</param>
        /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
        ↪ выполняется обновление.</param>
        /// <returns>Индекс обновлённой связи.</returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink UpdateOrCreateOrGet<TLink>(this ILinks<TLink> links, TLink source,
        ↪ TLink target, TLink newSource, TLink newTarget)
        {
            var equalityComparer = EqualityComparer<TLink>.Default;
            var link = links.SearchOrDefault(source, target);
            if (equalityComparer.Equals(link, default))
            {
                return links.CreateAndUpdate(newSource, newTarget);
            }
            if (equalityComparer.Equals(newSource, source) && equalityComparer.Equals(newTarget,
            ↪ target))
            {
                return link;
            }
            return links.Update(link, newSource, newTarget);
        }

        /// <summary>Удаляет связь с указанными началом (Source) и концом (Target).</summary>
        /// <param name="links">Хранилище связей.</param>
        /// <param name="source">Индекс связи, которая является началом удаляемой связи.</param>
        /// <param name="target">Индекс связи, которая является концом удаляемой связи.</param>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink DeleteIfExists<TLink>(this ILinks<TLink> links, TLink source, TLink
        ↪ target)
        {
            var link = links.SearchOrDefault(source, target);
            if (!EqualityComparer<TLink>.Default.Equals(link, default))
            {
                links.Delete(link);
                return link;
            }
            return default;
        }

        /// <summary>Удаляет несколько связей.</summary>
        /// <param name="links">Хранилище связей.</param>
        /// <param name="deletedLinks">Список адресов связей к удалению.</param>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void DeleteMany<TLink>(this ILinks<TLink> links, IList<TLink> deletedLinks)
        {
            for (int i = 0; i < deletedLinks.Count; i++)
            {
                links.Delete(deletedLinks[i]);
            }
        }

        /// <remarks>Before execution of this method ensure that deleted link is detached (all
        ↪ values - source and target are reset to null) or it might enter into infinite
        ↪ recursion.</remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void DeleteAllUsages<TLink>(this ILinks<TLink> links, TLink linkIndex)
        {
            var anyConstant = links.Constants.Any;
            var usagesAsSourceQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
            links.DeleteByQuery(usagesAsSourceQuery);
            var usagesAsTargetQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
            links.DeleteByQuery(usagesAsTargetQuery);
        }
```

```
676
677         [MethodImpl(MethodImplOptions.AggressiveInlining)]
678         public static void DeleteByQuery<TLink>(this ILinks<TLink> links, Link<TLink> query)
679         {
680             var count = CheckedConverter<TLink, long>.Default.Convert(links.Count(query));
681             if (count > 0)
682             {
683                 var queryResult = new TLink[count];
684                 var queryResultFiller = new ArrayFiller<TLink, TLink>(queryResult,
                    ↪ links.Constants.Continue);
685                 links.Each(queryResultFiller.AddFirstAndReturnConstant, query);
686                 for (var i = count - 1; i >= 0; i--)
687                 {
688                     links.Delete(queryResult[i]);
689                 }
690             }
691         }
692
693         // TODO: Move to Platform.Data
694         [MethodImpl(MethodImplOptions.AggressiveInlining)]
695         public static bool AreValuesReset<TLink>(this ILinks<TLink> links, TLink linkIndex)
696         {
697             var nullConstant = links.Constants.Null;
698             var equalityComparer = EqualityComparer<TLink>.Default;
699             var link = links.GetLink(linkIndex);
700             for (int i = 1; i < link.Count; i++)
701             {
702                 if (!equalityComparer.Equals(link[i], nullConstant))
703                 {
704                     return false;
705                 }
706             }
707             return true;
708         }
709
710         // TODO: Create a universal version of this method in Platform.Data (with using of for
                ↪ loop)
711         [MethodImpl(MethodImplOptions.AggressiveInlining)]
712         public static void ResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
713         {
714             var nullConstant = links.Constants.Null;
715             var updateRequest = new Link<TLink>(linkIndex, nullConstant, nullConstant);
716             links.Update(updateRequest);
717         }
718
719         // TODO: Create a universal version of this method in Platform.Data (with using of for
                ↪ loop)
720         [MethodImpl(MethodImplOptions.AggressiveInlining)]
721         public static void EnforceResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
722         {
723             if (!links.AreValuesReset(linkIndex))
724             {
725                 links.ResetValues(linkIndex);
726             }
727         }
728
729         /// <summary>
730         /// Merging two usages graphs, all children of old link moved to be children of new link
                ↪ or deleted.
731         /// </summary>
732         [MethodImpl(MethodImplOptions.AggressiveInlining)]
733         public static TLink MergeUsages<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
                ↪ TLink newLinkIndex)
734         {
735             var addressToInt64Converter = CheckedConverter<TLink, long>.Default;
736             var equalityComparer = EqualityComparer<TLink>.Default;
737             if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
738             {
739                 var constants = links.Constants;
740                 var usagesAsSourceQuery = new Link<TLink>(constants.Any, oldLinkIndex,
                    ↪ constants.Any);
741                 var usagesAsSourceCount =
                    ↪ addressToInt64Converter.Convert(links.Count(usagesAsSourceQuery));
742                 var usagesAsTargetQuery = new Link<TLink>(constants.Any, constants.Any,
                    ↪ oldLinkIndex);
743                 var usagesAsTargetCount =
                    ↪ addressToInt64Converter.Convert(links.Count(usagesAsTargetQuery));
```

```
744                 var isStandalonePoint = Point<TLink>.IsFullPoint(links.GetLink(oldLinkIndex)) &&
                    ↪ usagesAsSourceCount == 1 && usagesAsTargetCount == 1;
745                 if (!isStandalonePoint)
746                 {
747                     var totalUsages = usagesAsSourceCount + usagesAsTargetCount;
748                     if (totalUsages > 0)
749                     {
750                         var usages = ArrayPool.Allocate<TLink>(totalUsages);
751                         var usagesFiller = new ArrayFiller<TLink, TLink>(usages,
                            ↪ links.Constants.Continue);
752                         var i = 0L;
753                         if (usagesAsSourceCount > 0)
754                         {
755                             links.Each(usagesFiller.AddFirstAndReturnConstant,
                                ↪ usagesAsSourceQuery);
756                             for (; i < usagesAsSourceCount; i++)
757                             {
758                                 var usage = usages[i];
759                                 if (!equalityComparer.Equals(usage, oldLinkIndex))
760                                 {
761                                     links.Update(usage, newLinkIndex, links.GetTarget(usage));
762                                 }
763                             }
764                         }
765                         if (usagesAsTargetCount > 0)
766                         {
767                             links.Each(usagesFiller.AddFirstAndReturnConstant,
                                ↪ usagesAsTargetQuery);
768                             for (; i < usages.Length; i++)
769                             {
770                                 var usage = usages[i];
771                                 if (!equalityComparer.Equals(usage, oldLinkIndex))
772                                 {
773                                     links.Update(usage, links.GetSource(usage), newLinkIndex);
774                                 }
775                             }
776                         }
777                         ArrayPool.Free(usages);
778                     }
779                 }
780             }
781             return newLinkIndex;
782         }
783 
784         /// <summary>
785         /// Replace one link with another (replaced link is deleted, children are updated or
            ↪ deleted).
786         /// </summary>
787         [MethodImpl(MethodImplOptions.AggressiveInlining)]
788         public static TLink MergeAndDelete<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
            ↪ TLink newLinkIndex)
789         {
790             var equalityComparer = EqualityComparer<TLink>.Default;
791             if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
792             {
793                 links.MergeUsages(oldLinkIndex, newLinkIndex);
794                 links.Delete(oldLinkIndex);
795             }
796             return newLinkIndex;
797         }
798 
799         [MethodImpl(MethodImplOptions.AggressiveInlining)]
800         public static ILinks<TLink>
            ↪ DecorateWithAutomaticUniquenessAndUsagesResolution<TLink>(this ILinks<TLink> links)
801         {
802             links = new LinksCascadeUsagesResolver<TLink>(links);
803             links = new NonNullContentsLinkDeletionResolver<TLink>(links);
804             links = new LinksCascadeUniquenessAndUsagesResolver<TLink>(links);
805             return links;
806         }
807 
808         [MethodImpl(MethodImplOptions.AggressiveInlining)]
809         public static string Format<TLink>(this ILinks<TLink> links, IList<TLink> link)
810         {
811             var constants = links.Constants;
812             return $"({link[constants.IndexPart]}: {link[constants.SourcePart]}
                ↪ {link[constants.TargetPart]})";
813         }
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static string Format<TLink>(this ILinks<TLink> links, TLink link) =>
        ↪ links.Format(links.GetLink(link));
    }
}
```

1.21 ./csharp/Platform.Data.Doublets/ISynchronizedLinks.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public interface ISynchronizedLinks<TLink> : ISynchronizedLinks<TLink, ILinks<TLink>,
    ↪ LinksConstants<TLink>>, ILinks<TLink>
    {
    }
}
```

1.22 ./csharp/Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Incrementers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Incrementers
{
    public class FrequencyIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly TLink _frequencyMarker;
        private readonly TLink _unaryOne;
        private readonly IIncrementer<TLink> _unaryNumberIncrementer;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public FrequencyIncrementer(ILinks<TLink> links, TLink frequencyMarker, TLink unaryOne,
        ↪ IIncrementer<TLink> unaryNumberIncrementer)
            : base(links)
        {
            _frequencyMarker = frequencyMarker;
            _unaryOne = unaryOne;
            _unaryNumberIncrementer = unaryNumberIncrementer;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Increment(TLink frequency)
        {
            var links = _links;
            if (_equalityComparer.Equals(frequency, default))
            {
                return links.GetOrCreate(_unaryOne, _frequencyMarker);
            }
            var incrementedSource =
            ↪ _unaryNumberIncrementer.Increment(links.GetSource(frequency));
            return links.GetOrCreate(incrementedSource, _frequencyMarker);
        }
    }
}
```

1.23 ./csharp/Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Incrementers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Incrementers
{
    public class UnaryNumberIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly TLink _unaryOne;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnaryNumberIncrementer(ILinks<TLink> links, TLink unaryOne) : base(links) =>
        ↪ _unaryOne = unaryOne;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Increment(TLink unaryNumber)
        {
            var links = _links;
            if (_equalityComparer.Equals(unaryNumber, _unaryOne))
            {
                return links.GetOrCreate(_unaryOne, _unaryOne);
            }
            var source = links.GetSource(unaryNumber);
            var target = links.GetTarget(unaryNumber);
            if (_equalityComparer.Equals(source, target))
            {
                return links.GetOrCreate(unaryNumber, _unaryOne);
            }
            else
            {
                return links.GetOrCreate(source, Increment(target));
            }
        }
    }
}
```

1.24 ./csharp/Platform.Data.Doublets/Link.cs

```
using Platform.Collections.Lists;
using Platform.Exceptions;
using Platform.Ranges;
using Platform.Singletons;
using System;
using System.Collections;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    /// <summary>
    /// Структура описывающая уникальную связь.
    /// </summary>
    public struct Link<TLink> : IEquatable<Link<TLink>>, IReadOnlyList<TLink>, IList<TLink>
    {
        public static readonly Link<TLink> Null = new Link<TLink>();

        private static readonly LinksConstants<TLink> _constants =
        ↪  Default<LinksConstants<TLink>>.Instance;
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private const int Length = 3;

        public readonly TLink Index;
        public readonly TLink Source;
        public readonly TLink Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Link(params TLink[] values) => SetValues(values, out Index, out Source, out
        ↪  Target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Link(IList<TLink> values) => SetValues(values, out Index, out Source, out Target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Link(object other)
        {
            if (other is Link<TLink> otherLink)
            {
                SetValues(ref otherLink, out Index, out Source, out Target);
            }
            else if(other is IList<TLink> otherList)
            {
                SetValues(otherList, out Index, out Source, out Target);
            }
            else
            {
                throw new NotSupportedException();
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
54          public Link(ref Link<TLink> other) => SetValues(ref other, out Index, out Source, out
            ↪  Target);
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          public Link(TLink index, TLink source, TLink target)
58          {
59              Index = index;
60              Source = source;
61              Target = target;
62          }
63
64          [MethodImpl(MethodImplOptions.AggressiveInlining)]
65          private static void SetValues(ref Link<TLink> other, out TLink index, out TLink source,
            ↪  out TLink target)
66          {
67              index = other.Index;
68              source = other.Source;
69              target = other.Target;
70          }
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          private static void SetValues(IList<TLink> values, out TLink index, out TLink source,
            ↪  out TLink target)
74          {
75              switch (values.Count)
76              {
77                  case 3:
78                      index = values[0];
79                      source = values[1];
80                      target = values[2];
81                      break;
82                  case 2:
83                      index = values[0];
84                      source = values[1];
85                      target = default;
86                      break;
87                  case 1:
88                      index = values[0];
89                      source = default;
90                      target = default;
91                      break;
92                  default:
93                      index = default;
94                      source = default;
95                      target = default;
96                      break;
97              }
98          }
99
100         [MethodImpl(MethodImplOptions.AggressiveInlining)]
101         public override int GetHashCode() => (Index, Source, Target).GetHashCode();
102
103         [MethodImpl(MethodImplOptions.AggressiveInlining)]
104         public bool IsNull() => _equalityComparer.Equals(Index, _constants.Null)
105                             && _equalityComparer.Equals(Source, _constants.Null)
106                             && _equalityComparer.Equals(Target, _constants.Null);
107
108         [MethodImpl(MethodImplOptions.AggressiveInlining)]
109         public override bool Equals(object other) => other is Link<TLink> &&
            ↪  Equals((Link<TLink>)other);
110
111         [MethodImpl(MethodImplOptions.AggressiveInlining)]
112         public bool Equals(Link<TLink> other) => _equalityComparer.Equals(Index, other.Index)
113                                               && _equalityComparer.Equals(Source, other.Source)
114                                               && _equalityComparer.Equals(Target, other.Target);
115
116         [MethodImpl(MethodImplOptions.AggressiveInlining)]
117         public static string ToString(TLink index, TLink source, TLink target) => $"({index}:
            ↪  {source}->{target})";
118
119         [MethodImpl(MethodImplOptions.AggressiveInlining)]
120         public static string ToString(TLink source, TLink target) => $"({source}->{target})";
121
122         [MethodImpl(MethodImplOptions.AggressiveInlining)]
123         public static implicit operator TLink[](Link<TLink> link) => link.ToArray();
124
125         [MethodImpl(MethodImplOptions.AggressiveInlining)]
126         public static implicit operator Link<TLink>(TLink[] linkArray) => new
            ↪  Link<TLink>(linkArray);
127
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override string ToString() => _equalityComparer.Equals(Index, _constants.Null) ?
        ↪  ToString(Source, Target) : ToString(Index, Source, Target);

        #region IList

        public int Count
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => Length;
        }

        public bool IsReadOnly
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => true;
        }

        public TLink this[int index]
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get
            {
                Ensure.OnDebug.ArgumentInRange(index, new Range<int>(0, Length - 1),
                ↪  nameof(index));
                if (index == _constants.IndexPart)
                {
                    return Index;
                }
                if (index == _constants.SourcePart)
                {
                    return Source;
                }
                if (index == _constants.TargetPart)
                {
                    return Target;
                }
                throw new NotSupportedException(); // Impossible path due to
                ↪  Ensure.ArgumentInRange
            }
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set => throw new NotSupportedException();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IEnumerator<TLink> GetEnumerator()
        {
            yield return Index;
            yield return Source;
            yield return Target;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Add(TLink item) => throw new NotSupportedException();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Clear() => throw new NotSupportedException();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Contains(TLink item) => IndexOf(item) >= 0;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void CopyTo(TLink[] array, int arrayIndex)
        {
            Ensure.OnDebug.ArgumentNotNull(array, nameof(array));
            Ensure.OnDebug.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
            ↪  nameof(arrayIndex));
            if (arrayIndex + Length > array.Length)
            {
                throw new InvalidOperationException();
            }
            array[arrayIndex++] = Index;
            array[arrayIndex++] = Source;
            array[arrayIndex] = Target;
        }

```

```
203         [MethodImpl(MethodImplOptions.AggressiveInlining)]
204         public bool Remove(TLink item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
205 
206         [MethodImpl(MethodImplOptions.AggressiveInlining)]
207         public int IndexOf(TLink item)
208         {
209             if (_equalityComparer.Equals(Index, item))
210             {
211                 return _constants.IndexPart;
212             }
213             if (_equalityComparer.Equals(Source, item))
214             {
215                 return _constants.SourcePart;
216             }
217             if (_equalityComparer.Equals(Target, item))
218             {
219                 return _constants.TargetPart;
220             }
221             return -1;
222         }
223 
224         [MethodImpl(MethodImplOptions.AggressiveInlining)]
225         public void Insert(int index, TLink item) => throw new NotSupportedException();
226 
227         [MethodImpl(MethodImplOptions.AggressiveInlining)]
228         public void RemoveAt(int index) => throw new NotSupportedException();
229 
230         [MethodImpl(MethodImplOptions.AggressiveInlining)]
231         public static bool operator ==(Link<TLink> left, Link<TLink> right) =>
            ↪ left.Equals(right);
232 
233         [MethodImpl(MethodImplOptions.AggressiveInlining)]
234         public static bool operator !=(Link<TLink> left, Link<TLink> right) => !(left == right);
235 
236         #endregion
237     }
238 }
```

1.25 ./csharp/Platform.Data.Doublets/LinkExtensions.cs

```
1  using System.Runtime.CompilerServices;
2 
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4 
5  namespace Platform.Data.Doublets
6  {
7      public static class LinkExtensions
8      {
9          [MethodImpl(MethodImplOptions.AggressiveInlining)]
10         public static bool IsFullPoint<TLink>(this Link<TLink> link) =>
            ↪ Point<TLink>.IsFullPoint(link);
11 
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         public static bool IsPartialPoint<TLink>(this Link<TLink> link) =>
            ↪ Point<TLink>.IsPartialPoint(link);
14     }
15 }
```

1.26 ./csharp/Platform.Data.Doublets/LinksOperatorBase.cs

```
1  using System.Runtime.CompilerServices;
2 
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4 
5  namespace Platform.Data.Doublets
6  {
7      public abstract class LinksOperatorBase<TLink>
8      {
9          protected readonly ILinks<TLink> _links;
10 
11         public ILinks<TLink> Links
12         {
13             [MethodImpl(MethodImplOptions.AggressiveInlining)]
14             get => _links;
15         }
16 
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         protected LinksOperatorBase(ILinks<TLink> links) => _links = links;
19     }
20 }
```

1.27 ./csharp/Platform.Data.Doublets/Memory/ILinksListMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory
{
    public interface ILinksListMethods<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        void Detach(TLink freeLink);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        void AttachAsFirst(TLink link);
    }
}
```

1.28 ./csharp/Platform.Data.Doublets/Memory/ILinksTreeMethods.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory
{
    public interface ILinksTreeMethods<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        TLink CountUsages(TLink root);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        TLink Search(TLink source, TLink target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        TLink EachUsage(TLink root, Func<IList<TLink>, TLink> handler);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        void Detach(ref TLink root, TLink linkIndex);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        void Attach(ref TLink root, TLink linkIndex);
    }
}
```

1.29 ./csharp/Platform.Data.Doublets/Memory/IndexTreeType.cs

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory
{
    public enum IndexTreeType
    {
        Default = 0,
        SizeBalancedTree = 1,
        RecursionlessSizeBalancedTree = 2,
        SizedAndThreadedAVLBalancedTree = 3
    }
}
```

1.30 ./csharp/Platform.Data.Doublets/Memory/LinksHeader.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory
{
    public struct LinksHeader<TLink> : IEquatable<LinksHeader<TLink>>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        public static readonly long SizeInBytes = Structure<LinksHeader<TLink>>.Size;

        public TLink AllocatedLinks;
        public TLink ReservedLinks;
        public TLink FreeLinks;
        public TLink FirstFreeLink;
```

```
        public TLink RootAsSource;
        public TLink RootAsTarget;
        public TLink LastFreeLink;
        public TLink Reserved8;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Equals(object obj) => obj is LinksHeader<TLink> linksHeader ?
        ↪  Equals(linksHeader) : false;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Equals(LinksHeader<TLink> other)
            => _equalityComparer.Equals(AllocatedLinks, other.AllocatedLinks)
            && _equalityComparer.Equals(ReservedLinks, other.ReservedLinks)
            && _equalityComparer.Equals(FreeLinks, other.FreeLinks)
            && _equalityComparer.Equals(FirstFreeLink, other.FirstFreeLink)
            && _equalityComparer.Equals(RootAsSource, other.RootAsSource)
            && _equalityComparer.Equals(RootAsTarget, other.RootAsTarget)
            && _equalityComparer.Equals(LastFreeLink, other.LastFreeLink)
            && _equalityComparer.Equals(Reserved8, other.Reserved8);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override int GetHashCode() => (AllocatedLinks, ReservedLinks, FreeLinks,
        ↪  FirstFreeLink, RootAsSource, RootAsTarget, LastFreeLink, Reserved8).GetHashCode();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator ==(LinksHeader<TLink> left, LinksHeader<TLink> right) =>
        ↪  left.Equals(right);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator !=(LinksHeader<TLink> left, LinksHeader<TLink> right) =>
        ↪  !(left == right);
    }
}
```

1.31 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksRecursionlessSizeBalancedTreeMethod

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe abstract class ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink> :
    ↪  RecursionlessSizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪  UncheckedConverter<TLink, long>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* LinksDataParts;
        protected readonly byte* LinksIndexParts;
        protected readonly byte* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected ExternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
        ↪  constants, byte* linksDataParts, byte* linksIndexParts, byte* header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
        ↪  rootSource, TLink rootTarget);

```

```
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
            ↪  rootSource, TLink rootTarget);
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
            ↪  AsRef<LinksHeader<TLink>>(Header);
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
            ↪  AsRef<RawLinkDataPart<TLink>>(LinksDataParts + (RawLinkDataPart<TLink>.SizeInBytes *
            ↪  _addressToInt64Converter.Convert(link)));
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
            ↪  ref AsRef<RawLinkIndexPart<TLink>>(LinksIndexParts +
            ↪  (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));
53
54          [MethodImpl(MethodImplOptions.AggressiveInlining)]
55          protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
56          {
57              ref var link = ref GetLinkDataPartReference(linkIndex);
58              return new Link<TLink>(linkIndex, link.Source, link.Target);
59          }
60
61          [MethodImpl(MethodImplOptions.AggressiveInlining)]
62          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
63          {
64              ref var firstLink = ref GetLinkDataPartReference(first);
65              ref var secondLink = ref GetLinkDataPartReference(second);
66              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
67          }
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
71          {
72              ref var firstLink = ref GetLinkDataPartReference(first);
73              ref var secondLink = ref GetLinkDataPartReference(second);
74              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
75          }
76
77          public TLink this[TLink index]
78          {
79              [MethodImpl(MethodImplOptions.AggressiveInlining)]
80              get
81              {
82                  var root = GetTreeRoot();
83                  if (GreaterOrEqualThan(index, GetSize(root)))
84                  {
85                      return Zero;
86                  }
87                  while (!EqualToZero(root))
88                  {
89                      var left = GetLeftOrDefault(root);
90                      var leftSize = GetSizeOrZero(left);
91                      if (LessThan(index, leftSize))
92                      {
93                          root = left;
94                          continue;
95                      }
96                      if (AreEqual(index, leftSize))
97                      {
98                          return root;
99                      }
100                     root = GetRightOrDefault(root);
101                     index = Subtract(index, Increment(leftSize));
102                 }
103                 return Zero; // TODO: Impossible situation exception (only if tree structure
                    ↪  broken)
104             }
105         }
106
107         /// <summary>
108         /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
            ↪  (концом).
109         /// </summary>
```

```
110         /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
111         /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
112         /// <returns>Индекс искомой связи.</returns>
113         [MethodImpl(MethodImplOptions.AggressiveInlining)]
114         public TLink Search(TLink source, TLink target)
115         {
116             var root = GetTreeRoot();
117             while (!EqualToZero(root))
118             {
119                 ref var rootLink = ref GetLinkDataPartReference(root);
120                 var rootSource = rootLink.Source;
121                 var rootTarget = rootLink.Target;
122                 if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
                    ↪  node.Key < root.Key
123                 {
124                     root = GetLeftOrDefault(root);
125                 }
126                 else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
                    ↪  node.Key > root.Key
127                 {
128                     root = GetRightOrDefault(root);
129                 }
130                 else // node.Key == root.Key
131                 {
132                     return root;
133                 }
134             }
135             return Zero;
136         }
137 
138         // TODO: Return indices range instead of references count
139         [MethodImpl(MethodImplOptions.AggressiveInlining)]
140         public TLink CountUsages(TLink link)
141         {
142             var root = GetTreeRoot();
143             var total = GetSize(root);
144             var totalRightIgnore = Zero;
145             while (!EqualToZero(root))
146             {
147                 var @base = GetBasePartValue(root);
148                 if (LessOrEqualThan(@base, link))
149                 {
150                     root = GetRightOrDefault(root);
151                 }
152                 else
153                 {
154                     totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
155                     root = GetLeftOrDefault(root);
156                 }
157             }
158             root = GetTreeRoot();
159             var totalLeftIgnore = Zero;
160             while (!EqualToZero(root))
161             {
162                 var @base = GetBasePartValue(root);
163                 if (GreaterOrEqualThan(@base, link))
164                 {
165                     root = GetLeftOrDefault(root);
166                 }
167                 else
168                 {
169                     totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
170                     root = GetRightOrDefault(root);
171                 }
172             }
173             return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
174         }
175 
176         [MethodImpl(MethodImplOptions.AggressiveInlining)]
177         public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
            ↪  EachUsageCore(@base, GetTreeRoot(), handler);
178 
179         // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
            ↪  low-level MSIL stack.
180         [MethodImpl(MethodImplOptions.AggressiveInlining)]
181         private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
182         {
183             var @continue = Continue;
```

```
            if (EqualToZero(link))
            {
                return @continue;
            }
            var linkBasePart = GetBasePartValue(link);
            var @break = Break;
            if (GreaterThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else if (LessThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else //if (linkBasePart == @base)
            {
                if (AreEqual(handler(GetLinkValues(link)), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            return @continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkDataPartReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.32 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSizeBalancedTreeMethodsBase.cs

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe abstract class ExternalLinksSizeBalancedTreeMethodsBase<TLink> :
    ↪ SizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪ UncheckedConverter<TLink, long>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* LinksDataParts;
        protected readonly byte* LinksIndexParts;
        protected readonly byte* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected ExternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants,
        ↪ byte* linksDataParts, byte* linksIndexParts, byte* header)
        {
```

```
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
        ↪  rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
        ↪  rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
        ↪  AsRef<LinksHeader<TLink>>(Header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
        ↪  AsRef<RawLinkDataPart<TLink>>(LinksDataParts + (RawLinkDataPart<TLink>.SizeInBytes *
        ↪  _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪  ref AsRef<RawLinkIndexPart<TLink>>(LinksIndexParts +
        ↪  (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
        {
            ref var link = ref GetLinkDataPartReference(linkIndex);
            return new Link<TLink>(linkIndex, link.Source, link.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref GetLinkDataPartReference(first);
            ref var secondLink = ref GetLinkDataPartReference(second);
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref GetLinkDataPartReference(first);
            ref var secondLink = ref GetLinkDataPartReference(second);
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        public TLink this[TLink index]
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get
            {
                var root = GetTreeRoot();
                if (GreaterOrEqualThan(index, GetSize(root)))
                {
                    return Zero;
                }
                while (!EqualToZero(root))
                {
                    var left = GetLeftOrDefault(root);
                    var leftSize = GetSizeOrZero(left);
                    if (LessThan(index, leftSize))
                    {
                        root = left;
                        continue;
                    }
```

```
                    if (AreEqual(index, leftSize))
                    {
                        return root;
                    }
                    root = GetRightOrDefault(root);
                    index = Subtract(index, Increment(leftSize));
                }
                return Zero; // TODO: Impossible situation exception (only if tree structure broken)
            }
        }

        /// <summary>
        /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target (концом).
        /// </summary>
        /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
        /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
        /// <returns>Индекс искомой связи.</returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Search(TLink source, TLink target)
        {
            var root = GetTreeRoot();
            while (!EqualToZero(root))
            {
                ref var rootLink = ref GetLinkDataPartReference(root);
                var rootSource = rootLink.Source;
                var rootTarget = rootLink.Target;
                if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) // node.Key < root.Key
                {
                    root = GetLeftOrDefault(root);
                }
                else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) // node.Key > root.Key
                {
                    root = GetRightOrDefault(root);
                }
                else // node.Key == root.Key
                {
                    return root;
                }
            }
            return Zero;
        }

        // TODO: Return indices range instead of references count
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink CountUsages(TLink link)
        {
            var root = GetTreeRoot();
            var total = GetSize(root);
            var totalRightIgnore = Zero;
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (LessOrEqualThan(@base, link))
                {
                    root = GetRightOrDefault(root);
                }
                else
                {
                    totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
                    root = GetLeftOrDefault(root);
                }
            }
            root = GetTreeRoot();
            var totalLeftIgnore = Zero;
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (GreaterOrEqualThan(@base, link))
                {
                    root = GetLeftOrDefault(root);
                }
                else
                {
                    totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
```

```
                    root = GetRightOrDefault(root);
                }
            }
            return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
        ↪ EachUsageCore(@base, GetTreeRoot(), handler);

        // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
        ↪ low-level MSIL stack.
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
        {
            var @continue = Continue;
            if (EqualToZero(link))
            {
                return @continue;
            }
            var linkBasePart = GetBasePartValue(link);
            var @break = Break;
            if (GreaterThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else if (LessThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else //if (linkBasePart == @base)
            {
                if (AreEqual(handler(GetLinkValues(link)), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            return @continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkDataPartReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.33 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSourcesRecursionlessSizeBalancedTree

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods<TLink> :
    ↪ ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪  constants, byte* linksDataParts, byte* linksIndexParts, byte* header) :
        ↪  base(constants, linksDataParts, linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪  GetLinkIndexPartReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪  GetLinkIndexPartReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) =>
        ↪  GetLinkIndexPartReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) =>
        ↪  GetLinkIndexPartReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  GetLinkIndexPartReference(node).LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  GetLinkIndexPartReference(node).RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪  GetLinkIndexPartReference(node).SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  GetLinkIndexPartReference(node).SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) =>
        ↪  GetLinkDataPartReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
        ↪  (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
        ↪  (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkIndexPartReference(node);
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }
    }
}
```

1.34 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSourcesSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class ExternalLinksSourcesSizeBalancedTreeMethods<TLink> :
    ↪  ExternalLinksSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ExternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants,
        ↪  byte* linksDataParts, byte* linksIndexParts, byte* header) : base(constants,
        ↪  linksDataParts, linksIndexParts, header) { }
```

```
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
13          protected override ref TLink GetLeftReference(TLink node) => ref
            ↪ GetLinkIndexPartReference(node).LeftAsSource;
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          protected override ref TLink GetRightReference(TLink node) => ref
            ↪ GetLinkIndexPartReference(node).RightAsSource;
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          protected override TLink GetLeft(TLink node) =>
            ↪ GetLinkIndexPartReference(node).LeftAsSource;
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          protected override TLink GetRight(TLink node) =>
            ↪ GetLinkIndexPartReference(node).RightAsSource;
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          protected override void SetLeft(TLink node, TLink left) =>
            ↪ GetLinkIndexPartReference(node).LeftAsSource = left;
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          protected override void SetRight(TLink node, TLink right) =>
            ↪ GetLinkIndexPartReference(node).RightAsSource = right;
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          protected override TLink GetSize(TLink node) =>
            ↪ GetLinkIndexPartReference(node).SizeAsSource;
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          protected override void SetSize(TLink node, TLink size) =>
            ↪ GetLinkIndexPartReference(node).SizeAsSource = size;
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override TLink GetBasePartValue(TLink link) =>
            ↪ GetLinkDataPartReference(link).Source;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
            ↪ (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
            ↪ (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override void ClearNode(TLink node)
50          {
51              ref var link = ref GetLinkIndexPartReference(node);
52              link.LeftAsSource = Zero;
53              link.RightAsSource = Zero;
54              link.SizeAsSource = Zero;
55          }
56      }
57  }
```

1.35 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksTargetsRecursionlessSizeBalancedTree

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Memory.Split.Generic
6   {
7       public unsafe class ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods<TLink> :
        ↪ ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
8       {
9           [MethodImpl(MethodImplOptions.AggressiveInlining)]
10          public ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
            ↪ constants, byte* linksDataParts, byte* linksIndexParts, byte* header) :
            ↪ base(constants, linksDataParts, linksIndexParts, header) { }
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkIndexPartReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkIndexPartReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) =>
        ↪ GetLinkIndexPartReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) =>
        ↪ GetLinkIndexPartReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkIndexPartReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkIndexPartReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪ GetLinkIndexPartReference(node).SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ GetLinkIndexPartReference(node).SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) =>
        ↪ GetLinkDataPartReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
        ↪ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
        ↪ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkIndexPartReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.36 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksTargetsSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class ExternalLinksTargetsSizeBalancedTreeMethods<TLink> :
    ↪ ExternalLinksSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ExternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink> constants,
        ↪ byte* linksDataParts, byte* linksIndexParts, byte* header) : base(constants,
        ↪ linksDataParts, linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkIndexPartReference(node).LeftAsTarget;

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkIndexPartReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) =>
        ↪ GetLinkIndexPartReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) =>
        ↪ GetLinkIndexPartReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkIndexPartReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkIndexPartReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪ GetLinkIndexPartReference(node).SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ GetLinkIndexPartReference(node).SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) =>
        ↪ GetLinkDataPartReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
        ↪ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
        ↪ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkIndexPartReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.37 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksRecursionlessSizeBalancedTreeMethod

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe abstract class InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink> :
    ↪ RecursionlessSizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪ UncheckedConverter<TLink, long>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* LinksDataParts;
        protected readonly byte* LinksIndexParts;
```

```
21          protected readonly byte* Header;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected InternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
            ↪  constants, byte* linksDataParts, byte* linksIndexParts, byte* header)
25          {
26              LinksDataParts = linksDataParts;
27              LinksIndexParts = linksIndexParts;
28              Header = header;
29              Break = constants.Break;
30              Continue = constants.Continue;
31          }
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          protected abstract TLink GetTreeRoot(TLink link);
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected abstract TLink GetBasePartValue(TLink link);
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected abstract TLink GetKeyPartValue(TLink link);
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
            ↪  AsRef<RawLinkDataPart<TLink>>(LinksDataParts + (RawLinkDataPart<TLink>.SizeInBytes *
            ↪  _addressToInt64Converter.Convert(link)));
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
            ↪  ref AsRef<RawLinkIndexPart<TLink>>(LinksIndexParts +
            ↪  (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) =>
            ↪  LessThan(GetKeyPartValue(first), GetKeyPartValue(second));
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
            ↪  GreaterThan(GetKeyPartValue(first), GetKeyPartValue(second));
53
54          [MethodImpl(MethodImplOptions.AggressiveInlining)]
55          protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
56          {
57              ref var link = ref GetLinkDataPartReference(linkIndex);
58              return new Link<TLink>(linkIndex, link.Source, link.Target);
59          }
60
61          public TLink this[TLink link, TLink index]
62          {
63              [MethodImpl(MethodImplOptions.AggressiveInlining)]
64              get
65              {
66                  var root = GetTreeRoot(link);
67                  if (GreaterOrEqualThan(index, GetSize(root)))
68                  {
69                      return Zero;
70                  }
71                  while (!EqualToZero(root))
72                  {
73                      var left = GetLeftOrDefault(root);
74                      var leftSize = GetSizeOrZero(left);
75                      if (LessThan(index, leftSize))
76                      {
77                          root = left;
78                          continue;
79                      }
80                      if (AreEqual(index, leftSize))
81                      {
82                          return root;
83                      }
84                      root = GetRightOrDefault(root);
85                      index = Subtract(index, Increment(leftSize));
86                  }
87                  return Zero; // TODO: Impossible situation exception (only if tree structure
                    ↪  broken)
88              }
89          }
90
91          /// <summary>
```

```
92          /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
            ↪  (концом).
93          /// </summary>
94          /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
95          /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
96          /// <returns>Индекс искомой связи.</returns>
97          [MethodImpl(MethodImplOptions.AggressiveInlining)]
98          public abstract TLink Search(TLink source, TLink target);
99
100         [MethodImpl(MethodImplOptions.AggressiveInlining)]
101         protected TLink SearchCore(TLink root, TLink key)
102         {
103             while (!EqualToZero(root))
104             {
105                 var rootKey = GetKeyPartValue(root);
106                 if (LessThan(key, rootKey)) // node.Key < root.Key
107                 {
108                     root = GetLeftOrDefault(root);
109                 }
110                 else if (GreaterThan(key, rootKey)) // node.Key > root.Key
111                 {
112                     root = GetRightOrDefault(root);
113                 }
114                 else // node.Key == root.Key
115                 {
116                     return root;
117                 }
118             }
119             return Zero;
120         }
121
122         // TODO: Return indices range instead of references count
123         [MethodImpl(MethodImplOptions.AggressiveInlining)]
124         public TLink CountUsages(TLink link) => GetSizeOrZero(GetTreeRoot(link));
125
126         [MethodImpl(MethodImplOptions.AggressiveInlining)]
127         public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
            ↪  EachUsageCore(@base, GetTreeRoot(@base), handler);
128
129         // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
            ↪  low-level MSIL stack.
130         [MethodImpl(MethodImplOptions.AggressiveInlining)]
131         private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
132         {
133             var @continue = Continue;
134             if (EqualToZero(link))
135             {
136                 return @continue;
137             }
138             var @break = Break;
139             if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
140             {
141                 return @break;
142             }
143             if (AreEqual(handler(GetLinkValues(link)), @break))
144             {
145                 return @break;
146             }
147             if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
148             {
149                 return @break;
150             }
151             return @continue;
152         }
153
154         [MethodImpl(MethodImplOptions.AggressiveInlining)]
155         protected override void PrintNodeValue(TLink node, StringBuilder sb)
156         {
157             ref var link = ref GetLinkDataPartReference(node);
158             sb.Append(' ');
159             sb.Append(link.Source);
160             sb.Append('-');
161             sb.Append('>');
162             sb.Append(link.Target);
163         }
164     }
165 }
```

1.38 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSizeBalancedTreeMethodsBase.cs

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe abstract class InternalLinksSizeBalancedTreeMethodsBase<TLink> : SizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter = UncheckedConverter<TLink, long>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* LinksDataParts;
        protected readonly byte* LinksIndexParts;
        protected readonly byte* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected InternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* linksDataParts, byte* linksIndexParts, byte* header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetKeyPartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref AsRef<RawLinkDataPart<TLink>>(LinksDataParts + (RawLinkDataPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) => ref AsRef<RawLinkIndexPart<TLink>>(LinksIndexParts + (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) => LessThan(GetKeyPartValue(first), GetKeyPartValue(second));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) => GreaterThan(GetKeyPartValue(first), GetKeyPartValue(second));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
        {
            ref var link = ref GetLinkDataPartReference(linkIndex);
            return new Link<TLink>(linkIndex, link.Source, link.Target);
        }

        public TLink this[TLink link, TLink index]
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get
            {
                var root = GetTreeRoot(link);
                if (GreaterOrEqualThan(index, GetSize(root)))
                {
                    return Zero;
                }
```

```
                while (!EqualToZero(root))
                {
                    var left = GetLeftOrDefault(root);
                    var leftSize = GetSizeOrZero(left);
                    if (LessThan(index, leftSize))
                    {
                        root = left;
                        continue;
                    }
                    if (AreEqual(index, leftSize))
                    {
                        return root;
                    }
                    root = GetRightOrDefault(root);
                    index = Subtract(index, Increment(leftSize));
                }
                return Zero; // TODO: Impossible situation exception (only if tree structure broken)
            }
        }

        /// <summary>
        /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target (концом).
        /// </summary>
        /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
        /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
        /// <returns>Индекс искомой связи.</returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public abstract TLink Search(TLink source, TLink target);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected TLink SearchCore(TLink root, TLink key)
        {
            while (!EqualToZero(root))
            {
                var rootKey = GetKeyPartValue(root);
                if (LessThan(key, rootKey)) // node.Key < root.Key
                {
                    root = GetLeftOrDefault(root);
                }
                else if (GreaterThan(key, rootKey)) // node.Key > root.Key
                {
                    root = GetRightOrDefault(root);
                }
                else // node.Key == root.Key
                {
                    return root;
                }
            }
            return Zero;
        }

        // TODO: Return indices range instead of references count
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink CountUsages(TLink link) => GetSizeOrZero(GetTreeRoot(link));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) => EachUsageCore(@base, GetTreeRoot(@base), handler);

        // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use low-level MSIL stack.
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
        {
            var @continue = Continue;
            if (EqualToZero(link))
            {
                return @continue;
            }
            var @break = Break;
            if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
            {
                return @break;
            }
            if (AreEqual(handler(GetLinkValues(link)), @break))
            {
                return @break;
```

```
            }
            if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
            {
                return @break;
            }
            return @continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkDataPartReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.39 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesLinkedListMethods.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Lists;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class InternalLinksSourcesLinkedListMethods<TLink> :
    ↪ RelativeCircularDoublyLinkedListMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪ UncheckedConverter<TLink, long>.Default;
        private readonly byte* _linksDataParts;
        private readonly byte* _linksIndexParts;
        protected readonly TLink Break;
        protected readonly TLink Continue;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public InternalLinksSourcesLinkedListMethods(LinksConstants<TLink> constants, byte*
        ↪ linksDataParts, byte* linksIndexParts)
        {
            _linksDataParts = linksDataParts;
            _linksIndexParts = linksIndexParts;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
        ↪ AsRef<RawLinkDataPart<TLink>>(_linksDataParts + (RawLinkDataPart<TLink>.SizeInBytes
        ↪ * _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪ ref AsRef<RawLinkIndexPart<TLink>>(_linksIndexParts +
        ↪ (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetFirst(TLink head) =>
        ↪ GetLinkIndexPartReference(head).RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLast(TLink head)
        {
            var first = GetLinkIndexPartReference(head).RootAsSource;
            if (EqualToZero(first))
            {
                return first;
            }
            else
            {
                return GetPrevious(first);
            }
        }
```

```
51
52          [MethodImpl(MethodImplOptions.AggressiveInlining)]
53          protected override TLink GetPrevious(TLink element) =>
            ↪ GetLinkIndexPartReference(element).LeftAsSource;
54
55          [MethodImpl(MethodImplOptions.AggressiveInlining)]
56          protected override TLink GetNext(TLink element) =>
            ↪ GetLinkIndexPartReference(element).RightAsSource;
57
58          [MethodImpl(MethodImplOptions.AggressiveInlining)]
59          protected override TLink GetSize(TLink head) =>
            ↪ GetLinkIndexPartReference(head).SizeAsSource;
60
61          [MethodImpl(MethodImplOptions.AggressiveInlining)]
62          protected override void SetFirst(TLink head, TLink element) =>
            ↪ GetLinkIndexPartReference(head).RootAsSource = element;
63
64          [MethodImpl(MethodImplOptions.AggressiveInlining)]
65          protected override void SetLast(TLink head, TLink element)
66          {
67              //var first = GetLinkIndexPartReference(head).RootAsSource;
68              //if (EqualToZero(first))
69              //{
70              //    SetFirst(head, element);
71              //}
72              //else
73              //{
74              //    SetPrevious(first, element);
75              //}
76          }
77
78          [MethodImpl(MethodImplOptions.AggressiveInlining)]
79          protected override void SetPrevious(TLink element, TLink previous) =>
            ↪ GetLinkIndexPartReference(element).LeftAsSource = previous;
80
81          [MethodImpl(MethodImplOptions.AggressiveInlining)]
82          protected override void SetNext(TLink element, TLink next) =>
            ↪ GetLinkIndexPartReference(element).RightAsSource = next;
83
84          [MethodImpl(MethodImplOptions.AggressiveInlining)]
85          protected override void SetSize(TLink head, TLink size) =>
            ↪ GetLinkIndexPartReference(head).SizeAsSource = size;
86
87          [MethodImpl(MethodImplOptions.AggressiveInlining)]
88          public TLink CountUsages(TLink head) => GetSize(head);
89
90          [MethodImpl(MethodImplOptions.AggressiveInlining)]
91          protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
92          {
93              ref var link = ref GetLinkDataPartReference(linkIndex);
94              return new Link<TLink>(linkIndex, link.Source, link.Target);
95          }
96
97          [MethodImpl(MethodImplOptions.AggressiveInlining)]
98          public TLink EachUsage(TLink source, Func<IList<TLink>, TLink> handler)
99          {
100             var @continue = Continue;
101             var @break = Break;
102             var current = GetFirst(source);
103             var first = current;
104             while (!EqualToZero(current))
105             {
106                 if (AreEqual(handler(GetLinkValues(current)), @break))
107                 {
108                     return @break;
109                 }
110                 current = GetNext(current);
111                 if (AreEqual(current, first))
112                 {
113                     return @continue;
114                 }
115             }
116             return @continue;
117         }
118     }
119 }
```

1.40 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesRecursionlessSizeBalancedTree

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class InternalLinksSourcesRecursionlessSizeBalancedTreeMethods<TLink> :
    ↪  InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪  constants, byte* linksDataParts, byte* linksIndexParts, byte* header) :
        ↪  base(constants, linksDataParts, linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪  GetLinkIndexPartReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪  GetLinkIndexPartReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) =>
        ↪  GetLinkIndexPartReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) =>
        ↪  GetLinkIndexPartReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  GetLinkIndexPartReference(node).LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  GetLinkIndexPartReference(node).RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪  GetLinkIndexPartReference(node).SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  GetLinkIndexPartReference(node).SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink link) =>
        ↪  GetLinkIndexPartReference(link).RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) =>
        ↪  GetLinkDataPartReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink link) =>
        ↪  GetLinkDataPartReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkIndexPartReference(node);
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪  SearchCore(GetTreeRoot(source), target);
    }
}
```

1.41 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

```

```
namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class InternalLinksSourcesSizeBalancedTreeMethods<TLink> : InternalLinksSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public InternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* linksDataParts, byte* linksIndexParts, byte* header) : base(constants, linksDataParts, linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref GetLinkIndexPartReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref GetLinkIndexPartReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkIndexPartReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkIndexPartReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) => GetLinkIndexPartReference(node).LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) => GetLinkIndexPartReference(node).RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => GetLinkIndexPartReference(node).SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) => GetLinkIndexPartReference(node).SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink link) => GetLinkIndexPartReference(link).RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkDataPartReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink link) => GetLinkDataPartReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkIndexPartReference(node);
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }

        public override TLink Search(TLink source, TLink target) => SearchCore(GetTreeRoot(source), target);
    }
}
```

1.42 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksTargetsRecursionlessSizeBalancedTree

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class InternalLinksTargetsRecursionlessSizeBalancedTreeMethods<TLink> : InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
    {
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪  constants, byte* linksDataParts, byte* linksIndexParts, byte* header) :
        ↪  base(constants, linksDataParts, linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪  GetLinkIndexPartReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪  GetLinkIndexPartReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) =>
        ↪  GetLinkIndexPartReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) =>
        ↪  GetLinkIndexPartReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  GetLinkIndexPartReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  GetLinkIndexPartReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪  GetLinkIndexPartReference(node).SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  GetLinkIndexPartReference(node).SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink link) =>
        ↪  GetLinkIndexPartReference(link).RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) =>
        ↪  GetLinkDataPartReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink link) =>
        ↪  GetLinkDataPartReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkIndexPartReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪  SearchCore(GetTreeRoot(target), source);
    }
}
```

1.43 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksTargetsSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class InternalLinksTargetsSizeBalancedTreeMethods<TLink> :
    ↪  InternalLinksSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public InternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink> constants,
        ↪  byte* linksDataParts, byte* linksIndexParts, byte* header) : base(constants,
        ↪  linksDataParts, linksIndexParts, header) { }

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkIndexPartReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkIndexPartReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) =>
        ↪ GetLinkIndexPartReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) =>
        ↪ GetLinkIndexPartReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkIndexPartReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkIndexPartReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪ GetLinkIndexPartReference(node).SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ GetLinkIndexPartReference(node).SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink link) =>
        ↪ GetLinkIndexPartReference(link).RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) =>
        ↪ GetLinkDataPartReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink link) =>
        ↪ GetLinkDataPartReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkIndexPartReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪ SearchCore(GetTreeRoot(target), source);
    }
}
```

1.44 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/SplitMemoryLinks.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Singletons;
using Platform.Memory;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class SplitMemoryLinks<TLink> : SplitMemoryLinksBase<TLink>
    {
        private readonly Func<ILinksTreeMethods<TLink>> _createInternalSourceTreeMethods;
        private readonly Func<ILinksTreeMethods<TLink>> _createExternalSourceTreeMethods;
        private readonly Func<ILinksTreeMethods<TLink>> _createInternalTargetTreeMethods;
        private readonly Func<ILinksTreeMethods<TLink>> _createExternalTargetTreeMethods;
        private byte* _header;
        private byte* _linksDataParts;
        private byte* _linksIndexParts;

```

```
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          public SplitMemoryLinks(string dataMemory, string indexMemory) : this(new
            ↪  FileMappedResizableDirectMemory(dataMemory), new
            ↪  FileMappedResizableDirectMemory(indexMemory)) { }
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          public SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory) : this(dataMemory, indexMemory, DefaultLinksSizeStep) { }
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          public SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory, long memoryReservationStep) : this(dataMemory, indexMemory,
            ↪  memoryReservationStep, Default<LinksConstants<TLink>>.Instance,
            ↪  IndexTreeType.Default, useLinkedList: true) { }
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory, long memoryReservationStep, LinksConstants<TLink> constants) :
            ↪  this(dataMemory, indexMemory, memoryReservationStep, constants,
            ↪  IndexTreeType.Default, useLinkedList: true) { }
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory, long memoryReservationStep, LinksConstants<TLink> constants,
            ↪  IndexTreeType indexTreeType, bool useLinkedList) : base(dataMemory, indexMemory,
            ↪  memoryReservationStep, constants, useLinkedList)
35          {
36              if (indexTreeType == IndexTreeType.SizeBalancedTree)
37              {
38                  _createInternalSourceTreeMethods = () => new
                    ↪  InternalLinksSourcesSizeBalancedTreeMethods<TLink>(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
39                  _createExternalSourceTreeMethods = () => new
                    ↪  ExternalLinksSourcesSizeBalancedTreeMethods<TLink>(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
40                  _createInternalTargetTreeMethods = () => new
                    ↪  InternalLinksTargetsSizeBalancedTreeMethods<TLink>(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
41                  _createExternalTargetTreeMethods = () => new
                    ↪  ExternalLinksTargetsSizeBalancedTreeMethods<TLink>(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
42              }
43              else
44              {
45                  _createInternalSourceTreeMethods = () => new
                    ↪  InternalLinksSourcesRecursionlessSizeBalancedTreeMethods<TLink>(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
46                  _createExternalSourceTreeMethods = () => new
                    ↪  ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods<TLink>(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
47                  _createInternalTargetTreeMethods = () => new
                    ↪  InternalLinksTargetsRecursionlessSizeBalancedTreeMethods<TLink>(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
48                  _createExternalTargetTreeMethods = () => new
                    ↪  ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods<TLink>(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
49              }
50              Init(dataMemory, indexMemory);
51          }
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override void SetPointers(IResizableDirectMemory dataMemory,
            ↪  IResizableDirectMemory indexMemory)
55          {
56              _linksDataParts = (byte*)dataMemory.Pointer;
57              _linksIndexParts = (byte*)indexMemory.Pointer;
58              _header = _linksIndexParts;
59              if (_useLinkedList)
60              {
61                  InternalSourcesListMethods = new
                    ↪  InternalLinksSourcesLinkedListMethods<TLink>(Constants, _linksDataParts,
                    ↪  _linksIndexParts);
62              }
63              else
64              {
65                  InternalSourcesTreeMethods = _createInternalSourceTreeMethods();
66              }
```

```
            ExternalSourcesTreeMethods = _createExternalSourceTreeMethods();
            InternalTargetsTreeMethods = _createInternalTargetTreeMethods();
            ExternalTargetsTreeMethods = _createExternalTargetTreeMethods();
            UnusedLinksListMethods = new UnusedLinksListMethods<TLink>(_linksDataParts, _header);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ResetPointers()
        {
            base.ResetPointers();
            _linksDataParts = null;
            _linksIndexParts = null;
            _header = null;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<TLink> GetHeaderReference() => ref
        ↪  AsRef<LinksHeader<TLink>>(_header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink linkIndex)
        ↪  => ref AsRef<RawLinkDataPart<TLink>>(_linksDataParts + (LinkDataPartSizeInBytes *
        ↪  ConvertToInt64(linkIndex)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink
        ↪  linkIndex) => ref AsRef<RawLinkIndexPart<TLink>>(_linksIndexParts +
        ↪  (LinkIndexPartSizeInBytes * ConvertToInt64(linkIndex)));
    }
}
```

1.45 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/SplitMemoryLinksBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Disposables;
using Platform.Singletons;
using Platform.Converters;
using Platform.Numbers;
using Platform.Memory;
using Platform.Data.Exceptions;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public abstract class SplitMemoryLinksBase<TLink> : DisposableBase, ILinks<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪  UncheckedConverter<TLink, long>.Default;
        private static readonly UncheckedConverter<long, TLink> _int64ToAddressConverter =
        ↪  UncheckedConverter<long, TLink>.Default;

        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        /// <summary>Возвращает размер одной связи в байтах.</summary>
        /// <remarks>
        /// Используется только во вне класса, не рекомедуется использовать внутри.
        /// Так как во вне не обязательно будет доступен unsafe C#.
        /// </remarks>
        public static readonly long LinkDataPartSizeInBytes = RawLinkDataPart<TLink>.SizeInBytes;

        public static readonly long LinkIndexPartSizeInBytes =
        ↪  RawLinkIndexPart<TLink>.SizeInBytes;

        public static readonly long LinkHeaderSizeInBytes = LinksHeader<TLink>.SizeInBytes;

        public static readonly long DefaultLinksSizeStep = 1 * 1024 * 1024;

        protected readonly IResizableDirectMemory _dataMemory;
        protected readonly IResizableDirectMemory _indexMemory;
        protected readonly bool _useLinkedList;
        protected readonly long _dataMemoryReservationStepInBytes;
        protected readonly long _indexMemoryReservationStepInBytes;

        protected InternalLinksSourcesLinkedListMethods<TLink> InternalSourcesListMethods;
        protected ILinksTreeMethods<TLink> InternalSourcesTreeMethods;
```

```
46          protected ILinksTreeMethods<TLink> ExternalSourcesTreeMethods;
47          protected ILinksTreeMethods<TLink> InternalTargetsTreeMethods;
48          protected ILinksTreeMethods<TLink> ExternalTargetsTreeMethods;
49          // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
            ↪  нужно использовать не список а дерево, так как так можно быстрее проверить на
            ↪  наличие связи внутри
50          protected ILinksListMethods<TLink> UnusedLinksListMethods;
51
52          /// <summary>
53          /// Возвращает общее число связей находящихся в хранилище.
54          /// </summary>
55          protected virtual TLink Total
56          {
57              [MethodImpl(MethodImplOptions.AggressiveInlining)]
58              get
59              {
60                  ref var header = ref GetHeaderReference();
61                  return Subtract(header.AllocatedLinks, header.FreeLinks);
62              }
63          }
64
65          public virtual LinksConstants<TLink> Constants
66          {
67              [MethodImpl(MethodImplOptions.AggressiveInlining)]
68              get;
69          }
70
71          [MethodImpl(MethodImplOptions.AggressiveInlining)]
72          protected SplitMemoryLinksBase(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory, long memoryReservationStep, LinksConstants<TLink> constants, bool
            ↪  useLinkedList)
73          {
74              _dataMemory = dataMemory;
75              _indexMemory = indexMemory;
76              _dataMemoryReservationStepInBytes = memoryReservationStep * LinkDataPartSizeInBytes;
77              _indexMemoryReservationStepInBytes = memoryReservationStep *
                ↪  LinkIndexPartSizeInBytes;
78              _useLinkedList = useLinkedList;
79              Constants = constants;
80          }
81
82          [MethodImpl(MethodImplOptions.AggressiveInlining)]
83          protected SplitMemoryLinksBase(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory, long memoryReservationStep) : this(dataMemory, indexMemory,
            ↪  memoryReservationStep, Default<LinksConstants<TLink>>.Instance, useLinkedList: true)
            ↪  { }
84
85          [MethodImpl(MethodImplOptions.AggressiveInlining)]
86          protected virtual void Init(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory)
87          {
88              // Read allocated links from header
89              if (indexMemory.ReservedCapacity < LinkHeaderSizeInBytes)
90              {
91                  indexMemory.ReservedCapacity = LinkHeaderSizeInBytes;
92              }
93              SetPointers(dataMemory, indexMemory);
94              ref var header = ref GetHeaderReference();
95              var allocatedLinks = ConvertToInt64(header.AllocatedLinks);
96              // Adjust reserved capacity
97              var minimumDataReservedCapacity = allocatedLinks * LinkDataPartSizeInBytes;
98              if (minimumDataReservedCapacity < dataMemory.UsedCapacity)
99              {
100                 minimumDataReservedCapacity = dataMemory.UsedCapacity;
101             }
102             if (minimumDataReservedCapacity < _dataMemoryReservationStepInBytes)
103             {
104                 minimumDataReservedCapacity = _dataMemoryReservationStepInBytes;
105             }
106             var minimumIndexReservedCapacity = allocatedLinks * LinkDataPartSizeInBytes;
107             if (minimumIndexReservedCapacity < indexMemory.UsedCapacity)
108             {
109                 minimumIndexReservedCapacity = indexMemory.UsedCapacity;
110             }
111             if (minimumIndexReservedCapacity < _indexMemoryReservationStepInBytes)
112             {
113                 minimumIndexReservedCapacity = _indexMemoryReservationStepInBytes;
114             }
115             // Check for alignment
```

```
            if (minimumDataReservedCapacity % _dataMemoryReservationStepInBytes > 0)
            {
                minimumDataReservedCapacity = ((minimumDataReservedCapacity /
                ↪  _dataMemoryReservationStepInBytes) * _dataMemoryReservationStepInBytes) +
                ↪  _dataMemoryReservationStepInBytes;
            }
            if (minimumIndexReservedCapacity % _indexMemoryReservationStepInBytes > 0)
            {
                minimumIndexReservedCapacity = ((minimumIndexReservedCapacity /
                ↪  _indexMemoryReservationStepInBytes) * _indexMemoryReservationStepInBytes) +
                ↪  _indexMemoryReservationStepInBytes;
            }
            if (dataMemory.ReservedCapacity != minimumDataReservedCapacity)
            {
                dataMemory.ReservedCapacity = minimumDataReservedCapacity;
            }
            if (indexMemory.ReservedCapacity != minimumIndexReservedCapacity)
            {
                indexMemory.ReservedCapacity = minimumIndexReservedCapacity;
            }
            SetPointers(dataMemory, indexMemory);
            header = ref GetHeaderReference();
            // Ensure correctness _memory.UsedCapacity over _header->AllocatedLinks
            // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
            dataMemory.UsedCapacity = (ConvertToInt64(header.AllocatedLinks) *
            ↪  LinkDataPartSizeInBytes) + LinkDataPartSizeInBytes; // First link is read only
            ↪  zero link.
            indexMemory.UsedCapacity = (ConvertToInt64(header.AllocatedLinks) *
            ↪  LinkIndexPartSizeInBytes) + LinkHeaderSizeInBytes;
            // Ensure correctness _memory.ReservedLinks over _header->ReservedCapacity
            // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
            header.ReservedLinks = ConvertToAddress((dataMemory.ReservedCapacity -
            ↪  LinkDataPartSizeInBytes) / LinkDataPartSizeInBytes);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Count(IList<TLink> restrictions)
        {
            // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
            if (restrictions.Count == 0)
            {
                return Total;
            }
            var constants = Constants;
            var any = constants.Any;
            var index = restrictions[constants.IndexPart];
            if (restrictions.Count == 1)
            {
                if (AreEqual(index, any))
                {
                    return Total;
                }
                return Exists(index) ? GetOne() : GetZero();
            }
            if (restrictions.Count == 2)
            {
                var value = restrictions[1];
                if (AreEqual(index, any))
                {
                    if (AreEqual(value, any))
                    {
                        return Total; // Any - как отсутствие ограничения
                    }
                    var externalReferencesRange = constants.ExternalReferencesRange;
                    if (externalReferencesRange.HasValue &&
                    ↪  externalReferencesRange.Value.Contains(value))
                    {
                        return Add(ExternalSourcesTreeMethods.CountUsages(value),
                        ↪  ExternalTargetsTreeMethods.CountUsages(value));
                    }
                    else
                    {
                        if (_useLinkedList)
                        {
                            return Add(InternalSourcesListMethods.CountUsages(value),
                            ↪  InternalTargetsTreeMethods.CountUsages(value));
                        }
                        else
```

```
                    {
                        return Add(InternalSourcesTreeMethods.CountUsages(value),
                        ↪  InternalTargetsTreeMethods.CountUsages(value));
                    }
                }
            }
            else
            {
                if (!Exists(index))
                {
                    return GetZero();
                }
                if (AreEqual(value, any))
                {
                    return GetOne();
                }
                ref var storedLinkValue = ref GetLinkDataPartReference(index);
                if (AreEqual(storedLinkValue.Source, value) ||
                ↪  AreEqual(storedLinkValue.Target, value))
                {
                    return GetOne();
                }
                return GetZero();
            }
        }
        if (restrictions.Count == 3)
        {
            var externalReferencesRange = constants.ExternalReferencesRange;
            var source = restrictions[constants.SourcePart];
            var target = restrictions[constants.TargetPart];
            if (AreEqual(index, any))
            {
                if (AreEqual(source, any) && AreEqual(target, any))
                {
                    return Total;
                }
                else if (AreEqual(source, any))
                {
                    if (externalReferencesRange.HasValue &&
                    ↪  externalReferencesRange.Value.Contains(target))
                    {
                        return ExternalTargetsTreeMethods.CountUsages(target);
                    }
                    else
                    {
                        return InternalTargetsTreeMethods.CountUsages(target);
                    }
                }
                else if (AreEqual(target, any))
                {
                    if (externalReferencesRange.HasValue &&
                    ↪  externalReferencesRange.Value.Contains(source))
                    {
                        return ExternalSourcesTreeMethods.CountUsages(source);
                    }
                    else
                    {
                        if (_useLinkedList)
                        {
                            return InternalSourcesListMethods.CountUsages(source);
                        }
                        else
                        {
                            return InternalSourcesTreeMethods.CountUsages(source);
                        }
                    }
                }
                else //if(source != Any && target != Any)
                {
                    // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
                    TLink link;
                    if (externalReferencesRange.HasValue)
                    {
                        if (externalReferencesRange.Value.Contains(source) &&
                        ↪  externalReferencesRange.Value.Contains(target))
                        {
                            link = ExternalSourcesTreeMethods.Search(source, target);
                        }
```

```
                        else if (externalReferencesRange.Value.Contains(source))
                        {
                            link = InternalTargetsTreeMethods.Search(source, target);
                        }
                        else if (externalReferencesRange.Value.Contains(target))
                        {
                            if (_useLinkedList)
                            {
                                link = ExternalSourcesTreeMethods.Search(source, target);
                            }
                            else
                            {
                                link = InternalSourcesTreeMethods.Search(source, target);
                            }
                        }
                        else
                        {
                            if (_useLinkedList ||
                                ↪ GreaterThan(InternalSourcesTreeMethods.CountUsages(source),
                                ↪ InternalTargetsTreeMethods.CountUsages(target)))
                            {
                                link = InternalTargetsTreeMethods.Search(source, target);
                            }
                            else
                            {
                                link = InternalSourcesTreeMethods.Search(source, target);
                            }
                        }
                    }
                    else
                    {
                        if (_useLinkedList ||
                            ↪ GreaterThan(InternalSourcesTreeMethods.CountUsages(source),
                            ↪ InternalTargetsTreeMethods.CountUsages(target)))
                        {
                            link = InternalTargetsTreeMethods.Search(source, target);
                        }
                        else
                        {
                            link = InternalSourcesTreeMethods.Search(source, target);
                        }
                    }
                    return AreEqual(link, constants.Null) ? GetZero() : GetOne();
                }
            }
            else
            {
                if (!Exists(index))
                {
                    return GetZero();
                }
                if (AreEqual(source, any) && AreEqual(target, any))
                {
                    return GetOne();
                }
                ref var storedLinkValue = ref GetLinkDataPartReference(index);
                if (!AreEqual(source, any) && !AreEqual(target, any))
                {
                    if (AreEqual(storedLinkValue.Source, source) &&
                        ↪ AreEqual(storedLinkValue.Target, target))
                    {
                        return GetOne();
                    }
                    return GetZero();
                }
                var value = default(TLink);
                if (AreEqual(source, any))
                {
                    value = target;
                }
                if (AreEqual(target, any))
                {
                    value = source;
                }
                if (AreEqual(storedLinkValue.Source, value) ||
                    ↪ AreEqual(storedLinkValue.Target, value))
                {
                    return GetOne();
```

```
328                     }
329                     return GetZero();
330                 }
331             }
332             throw new NotSupportedException("Другие размеры и способы ограничений не
                ↪  поддерживаются.");
333         }
334 
335         [MethodImpl(MethodImplOptions.AggressiveInlining)]
336         public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
337         {
338             var constants = Constants;
339             var @break = constants.Break;
340             if (restrictions.Count == 0)
341             {
342                 for (var link = GetOne(); LessOrEqualThan(link,
                    ↪  GetHeaderReference().AllocatedLinks); link = Increment(link))
343                 {
344                     if (Exists(link) && AreEqual(handler(GetLinkStruct(link)), @break))
345                     {
346                         return @break;
347                     }
348                 }
349                 return @break;
350             }
351             var @continue = constants.Continue;
352             var any = constants.Any;
353             var index = restrictions[constants.IndexPart];
354             if (restrictions.Count == 1)
355             {
356                 if (AreEqual(index, any))
357                 {
358                     return Each(handler, Array.Empty<TLink>());
359                 }
360                 if (!Exists(index))
361                 {
362                     return @continue;
363                 }
364                 return handler(GetLinkStruct(index));
365             }
366             if (restrictions.Count == 2)
367             {
368                 var value = restrictions[1];
369                 if (AreEqual(index, any))
370                 {
371                     if (AreEqual(value, any))
372                     {
373                         return Each(handler, Array.Empty<TLink>());
374                     }
375                     if (AreEqual(Each(handler, new Link<TLink>(index, value, any)), @break))
376                     {
377                         return @break;
378                     }
379                     return Each(handler, new Link<TLink>(index, any, value));
380                 }
381                 else
382                 {
383                     if (!Exists(index))
384                     {
385                         return @continue;
386                     }
387                     if (AreEqual(value, any))
388                     {
389                         return handler(GetLinkStruct(index));
390                     }
391                     ref var storedLinkValue = ref GetLinkDataPartReference(index);
392                     if (AreEqual(storedLinkValue.Source, value) ||
393                         AreEqual(storedLinkValue.Target, value))
394                     {
395                         return handler(GetLinkStruct(index));
396                     }
397                     return @continue;
398                 }
399             }
400             if (restrictions.Count == 3)
401             {
402                 var externalReferencesRange = constants.ExternalReferencesRange;
403                 var source = restrictions[constants.SourcePart];
```

```
                var target = restrictions[constants.TargetPart];
                if (AreEqual(index, any))
                {
                    if (AreEqual(source, any) && AreEqual(target, any))
                    {
                        return Each(handler, Array.Empty<TLink>());
                    }
                    else if (AreEqual(source, any))
                    {
                        if (externalReferencesRange.HasValue &&
                        ↪  externalReferencesRange.Value.Contains(target))
                        {
                            return ExternalTargetsTreeMethods.EachUsage(target, handler);
                        }
                        else
                        {
                            return InternalTargetsTreeMethods.EachUsage(target, handler);
                        }
                    }
                    else if (AreEqual(target, any))
                    {
                        if (externalReferencesRange.HasValue &&
                        ↪  externalReferencesRange.Value.Contains(source))
                        {
                            return ExternalSourcesTreeMethods.EachUsage(source, handler);
                        }
                        else
                        {
                            if (_useLinkedList)
                            {
                                return InternalSourcesListMethods.EachUsage(source, handler);
                            }
                            else
                            {
                                return InternalSourcesTreeMethods.EachUsage(source, handler);
                            }
                        }
                    }
                    else //if(source != Any && target != Any)
                    {
                        TLink link;
                        if (externalReferencesRange.HasValue)
                        {
                            if (externalReferencesRange.Value.Contains(source) &&
                            ↪  externalReferencesRange.Value.Contains(target))
                            {
                                link = ExternalSourcesTreeMethods.Search(source, target);
                            }
                            else if (externalReferencesRange.Value.Contains(source))
                            {
                                link = InternalTargetsTreeMethods.Search(source, target);
                            }
                            else if (externalReferencesRange.Value.Contains(target))
                            {
                                if (_useLinkedList)
                                {
                                    link = ExternalSourcesTreeMethods.Search(source, target);
                                }
                                else
                                {
                                    link = InternalSourcesTreeMethods.Search(source, target);
                                }
                            }
                            else
                            {
                                if (_useLinkedList ||
                                ↪  GreaterThan(InternalSourcesTreeMethods.CountUsages(source),
                                ↪  InternalTargetsTreeMethods.CountUsages(target)))
                                {
                                    link = InternalTargetsTreeMethods.Search(source, target);
                                }
                                else
                                {
                                    link = InternalSourcesTreeMethods.Search(source, target);
                                }
                            }
                        }
                        else
```

```
                        {
                            if (_useLinkedList ||
                                GreaterThan(InternalSourcesTreeMethods.CountUsages(source),
                                InternalTargetsTreeMethods.CountUsages(target)))
                            {
                                link = InternalTargetsTreeMethods.Search(source, target);
                            }
                            else
                            {
                                link = InternalSourcesTreeMethods.Search(source, target);
                            }
                        }
                        return AreEqual(link, constants.Null) ? @continue :
                            handler(GetLinkStruct(link));
                    }
                }
                else
                {
                    if (!Exists(index))
                    {
                        return @continue;
                    }
                    if (AreEqual(source, any) && AreEqual(target, any))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    ref var storedLinkValue = ref GetLinkDataPartReference(index);
                    if (!AreEqual(source, any) && !AreEqual(target, any))
                    {
                        if (AreEqual(storedLinkValue.Source, source) &&
                            AreEqual(storedLinkValue.Target, target))
                        {
                            return handler(GetLinkStruct(index));
                        }
                        return @continue;
                    }
                    var value = default(TLink);
                    if (AreEqual(source, any))
                    {
                        value = target;
                    }
                    if (AreEqual(target, any))
                    {
                        value = source;
                    }
                    if (AreEqual(storedLinkValue.Source, value) ||
                        AreEqual(storedLinkValue.Target, value))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    return @continue;
                }
            }
            throw new NotSupportedException("Другие размеры и способы ограничений не
                поддерживаются.");
        }

        /// <remarks>
        /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
            в другом месте (но не в менеджере памяти, а в логике Links)
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
        {
            var constants = Constants;
            var @null = constants.Null;
            var externalReferencesRange = constants.ExternalReferencesRange;
            var linkIndex = restrictions[constants.IndexPart];
            ref var link = ref GetLinkDataPartReference(linkIndex);
            var source = link.Source;
            var target = link.Target;
            ref var header = ref GetHeaderReference();
            ref var rootAsSource = ref header.RootAsSource;
            ref var rootAsTarget = ref header.RootAsTarget;
            // Будет корректно работать только в том случае, если пространство выделенной связи
                предварительно заполнено нулями
            if (!AreEqual(source, @null))
            {
```

```
549                 if (externalReferencesRange.HasValue &&
                    ↪ externalReferencesRange.Value.Contains(source))
550                 {
551                     ExternalSourcesTreeMethods.Detach(ref rootAsSource, linkIndex);
552                 }
553                 else
554                 {
555                     if (_useLinkedList)
556                     {
557                         InternalSourcesListMethods.Detach(source, linkIndex);
558                     }
559                     else
560                     {
561                         InternalSourcesTreeMethods.Detach(ref
                            ↪ GetLinkIndexPartReference(source).RootAsSource, linkIndex);
562                     }
563                 }
564             }
565             if (!AreEqual(target, @null))
566             {
567                 if (externalReferencesRange.HasValue &&
                    ↪ externalReferencesRange.Value.Contains(target))
568                 {
569                     ExternalTargetsTreeMethods.Detach(ref rootAsTarget, linkIndex);
570                 }
571                 else
572                 {
573                     InternalTargetsTreeMethods.Detach(ref
                        ↪ GetLinkIndexPartReference(target).RootAsTarget, linkIndex);
574                 }
575             }
576             source = link.Source = substitution[constants.SourcePart];
577             target = link.Target = substitution[constants.TargetPart];
578             if (!AreEqual(source, @null))
579             {
580                 if (externalReferencesRange.HasValue &&
                    ↪ externalReferencesRange.Value.Contains(source))
581                 {
582                     ExternalSourcesTreeMethods.Attach(ref rootAsSource, linkIndex);
583                 }
584                 else
585                 {
586                     if (_useLinkedList)
587                     {
588                         InternalSourcesListMethods.AttachAsLast(source, linkIndex);
589                     }
590                     else
591                     {
592                         InternalSourcesTreeMethods.Attach(ref
                            ↪ GetLinkIndexPartReference(source).RootAsSource, linkIndex);
593                     }
594                 }
595             }
596             if (!AreEqual(target, @null))
597             {
598                 if (externalReferencesRange.HasValue &&
                    ↪ externalReferencesRange.Value.Contains(target))
599                 {
600                     ExternalTargetsTreeMethods.Attach(ref rootAsTarget, linkIndex);
601                 }
602                 else
603                 {
604                     InternalTargetsTreeMethods.Attach(ref
                        ↪ GetLinkIndexPartReference(target).RootAsTarget, linkIndex);
605                 }
606             }
607             return linkIndex;
608         }
609
610         /// <remarks>
611         /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
            ↪ пространство
612         /// </remarks>
613         [MethodImpl(MethodImplOptions.AggressiveInlining)]
614         public virtual TLink Create(IList<TLink> restrictions)
615         {
616             ref var header = ref GetHeaderReference();
617             var freeLink = header.FirstFreeLink;
```

```
618             if (!AreEqual(freeLink, Constants.Null))
619             {
620                 UnusedLinksListMethods.Detach(freeLink);
621             }
622             else
623             {
624                 var maximumPossibleInnerReference = Constants.InternalReferencesRange.Maximum;
625                 if (GreaterThan(header.AllocatedLinks, maximumPossibleInnerReference))
626                 {
627                     throw new LinksLimitReachedException<TLink>(maximumPossibleInnerReference);
628                 }
629                 if (GreaterOrEqualThan(header.AllocatedLinks, Decrement(header.ReservedLinks)))
630                 {
631                     _dataMemory.ReservedCapacity += _dataMemoryReservationStepInBytes;
632                     _indexMemory.ReservedCapacity += _indexMemoryReservationStepInBytes;
633                     SetPointers(_dataMemory, _indexMemory);
634                     header = ref GetHeaderReference();
635                     header.ReservedLinks = ConvertToAddress(_dataMemory.ReservedCapacity /
                        ↪  LinkDataPartSizeInBytes);
636                 }
637                 freeLink = header.AllocatedLinks = Increment(header.AllocatedLinks);
638                 _dataMemory.UsedCapacity += LinkDataPartSizeInBytes;
639                 _indexMemory.UsedCapacity += LinkIndexPartSizeInBytes;
640             }
641             return freeLink;
642         }
643 
644         [MethodImpl(MethodImplOptions.AggressiveInlining)]
645         public virtual void Delete(IList<TLink> restrictions)
646         {
647             ref var header = ref GetHeaderReference();
648             var link = restrictions[Constants.IndexPart];
649             if (LessThan(link, header.AllocatedLinks))
650             {
651                 UnusedLinksListMethods.AttachAsFirst(link);
652             }
653             else if (AreEqual(link, header.AllocatedLinks))
654             {
655                 header.AllocatedLinks = Decrement(header.AllocatedLinks);
656                 _dataMemory.UsedCapacity -= LinkDataPartSizeInBytes;
657                 _indexMemory.UsedCapacity -= LinkIndexPartSizeInBytes;
658                 // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
                    ↪  пока не дойдём до первой существующей связи
659                 // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
660                 while (GreaterThan(header.AllocatedLinks, GetZero()) &&
                    ↪  IsUnusedLink(header.AllocatedLinks))
661                 {
662                     UnusedLinksListMethods.Detach(header.AllocatedLinks);
663                     header.AllocatedLinks = Decrement(header.AllocatedLinks);
664                     _dataMemory.UsedCapacity -= LinkDataPartSizeInBytes;
665                     _indexMemory.UsedCapacity -= LinkIndexPartSizeInBytes;
666                 }
667             }
668         }
669 
670         [MethodImpl(MethodImplOptions.AggressiveInlining)]
671         public IList<TLink> GetLinkStruct(TLink linkIndex)
672         {
673             ref var link = ref GetLinkDataPartReference(linkIndex);
674             return new Link<TLink>(linkIndex, link.Source, link.Target);
675         }
676 
677         /// <remarks>
678         /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
            ↪  адрес реально поменялся
679         ///
680         /// Указатель this.links может быть в том же месте,
681         /// так как 0-я связь не используется и имеет такой же размер как Header,
682         /// поэтому header размещается в том же месте, что и 0-я связь
683         /// </remarks>
684         [MethodImpl(MethodImplOptions.AggressiveInlining)]
685         protected abstract void SetPointers(IResizableDirectMemory dataMemory,
            ↪  IResizableDirectMemory indexMemory);
686 
687         [MethodImpl(MethodImplOptions.AggressiveInlining)]
688         protected virtual void ResetPointers()
689         {
690             InternalSourcesListMethods = null;
691             InternalSourcesTreeMethods = null;
```

```
692             ExternalSourcesTreeMethods = null;
693             InternalTargetsTreeMethods = null;
694             ExternalTargetsTreeMethods = null;
695             UnusedLinksListMethods = null;
696         }
697 
698         [MethodImpl(MethodImplOptions.AggressiveInlining)]
699         protected abstract ref LinksHeader<TLink> GetHeaderReference();
700 
701         [MethodImpl(MethodImplOptions.AggressiveInlining)]
702         protected abstract ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink linkIndex);
703 
704         [MethodImpl(MethodImplOptions.AggressiveInlining)]
705         protected abstract ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink
            ↪ linkIndex);
706 
707         [MethodImpl(MethodImplOptions.AggressiveInlining)]
708         protected virtual bool Exists(TLink link)
709             => GreaterOrEqualThan(link, Constants.InternalReferencesRange.Minimum)
710             && LessOrEqualThan(link, GetHeaderReference().AllocatedLinks)
711             && !IsUnusedLink(link);
712 
713         [MethodImpl(MethodImplOptions.AggressiveInlining)]
714         protected virtual bool IsUnusedLink(TLink linkIndex)
715         {
716             if (!AreEqual(GetHeaderReference().FirstFreeLink, linkIndex)) // May be this check
                ↪ is not needed
717             {
718                 // TODO: Reduce access to memory in different location (should be enough to use
                    ↪ just linkIndexPart)
719                 ref var linkDataPart = ref GetLinkDataPartReference(linkIndex);
720                 ref var linkIndexPart = ref GetLinkIndexPartReference(linkIndex);
721                 return AreEqual(linkIndexPart.SizeAsTarget, default) &&
                    ↪ !AreEqual(linkDataPart.Source, default);
722             }
723             else
724             {
725                 return true;
726             }
727         }
728 
729         [MethodImpl(MethodImplOptions.AggressiveInlining)]
730         protected virtual TLink GetOne() => _one;
731 
732         [MethodImpl(MethodImplOptions.AggressiveInlining)]
733         protected virtual TLink GetZero() => default;
734 
735         [MethodImpl(MethodImplOptions.AggressiveInlining)]
736         protected virtual bool AreEqual(TLink first, TLink second) =>
            ↪ _equalityComparer.Equals(first, second);
737 
738         [MethodImpl(MethodImplOptions.AggressiveInlining)]
739         protected virtual bool LessThan(TLink first, TLink second) => _comparer.Compare(first,
            ↪ second) < 0;
740 
741         [MethodImpl(MethodImplOptions.AggressiveInlining)]
742         protected virtual bool LessOrEqualThan(TLink first, TLink second) =>
            ↪ _comparer.Compare(first, second) <= 0;
743 
744         [MethodImpl(MethodImplOptions.AggressiveInlining)]
745         protected virtual bool GreaterThan(TLink first, TLink second) =>
            ↪ _comparer.Compare(first, second) > 0;
746 
747         [MethodImpl(MethodImplOptions.AggressiveInlining)]
748         protected virtual bool GreaterOrEqualThan(TLink first, TLink second) =>
            ↪ _comparer.Compare(first, second) >= 0;
749 
750         [MethodImpl(MethodImplOptions.AggressiveInlining)]
751         protected virtual long ConvertToInt64(TLink value) =>
            ↪ _addressToInt64Converter.Convert(value);
752 
753         [MethodImpl(MethodImplOptions.AggressiveInlining)]
754         protected virtual TLink ConvertToAddress(long value) =>
            ↪ _int64ToAddressConverter.Convert(value);
755 
756         [MethodImpl(MethodImplOptions.AggressiveInlining)]
757         protected virtual TLink Add(TLink first, TLink second) => Arithmetic<TLink>.Add(first,
            ↪ second);
```

```
758
759         [MethodImpl(MethodImplOptions.AggressiveInlining)]
760         protected virtual TLink Subtract(TLink first, TLink second) =>
            ↪ Arithmetic<TLink>.Subtract(first, second);
761
762         [MethodImpl(MethodImplOptions.AggressiveInlining)]
763         protected virtual TLink Increment(TLink link) => Arithmetic<TLink>.Increment(link);
764
765         [MethodImpl(MethodImplOptions.AggressiveInlining)]
766         protected virtual TLink Decrement(TLink link) => Arithmetic<TLink>.Decrement(link);
767
768         #region Disposable
769
770         protected override bool AllowMultipleDisposeCalls
771         {
772             [MethodImpl(MethodImplOptions.AggressiveInlining)]
773             get => true;
774         }
775
776         [MethodImpl(MethodImplOptions.AggressiveInlining)]
777         protected override void Dispose(bool manual, bool wasDisposed)
778         {
779             if (!wasDisposed)
780             {
781                 ResetPointers();
782                 _dataMemory.DisposeIfPossible();
783                 _indexMemory.DisposeIfPossible();
784             }
785         }
786
787         #endregion
788     }
789 }
```

1.46 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/UnusedLinksListMethods.cs

```
1  using System.Runtime.CompilerServices;
2  using Platform.Collections.Methods.Lists;
3  using Platform.Converters;
4  using static System.Runtime.CompilerServices.Unsafe;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Memory.Split.Generic
9  {
10     public unsafe class UnusedLinksListMethods<TLink> :
       ↪ AbsoluteCircularDoublyLinkedListMethods<TLink>, ILinksListMethods<TLink>
11     {
12         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
           ↪ UncheckedConverter<TLink, long>.Default;
13
14         private readonly byte* _links;
15         private readonly byte* _header;
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         public UnusedLinksListMethods(byte* links, byte* header)
19         {
20             _links = links;
21             _header = header;
22         }
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
           ↪ AsRef<LinksHeader<TLink>>(_header);
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
           ↪ AsRef<RawLinkDataPart<TLink>>(_links + (RawLinkDataPart<TLink>.SizeInBytes *
           ↪ _addressToInt64Converter.Convert(link)));
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected override TLink GetFirst() => GetHeaderReference().FirstFreeLink;
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         protected override TLink GetLast() => GetHeaderReference().LastFreeLink;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override TLink GetPrevious(TLink element) =>
           ↪ GetLinkDataPartReference(element).Source;
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
40          protected override TLink GetNext(TLink element) =>
            ↪  GetLinkDataPartReference(element).Target;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override TLink GetSize() => GetHeaderReference().FreeLinks;
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override void SetFirst(TLink element) => GetHeaderReference().FirstFreeLink =
            ↪  element;
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override void SetLast(TLink element) => GetHeaderReference().LastFreeLink =
            ↪  element;
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override void SetPrevious(TLink element, TLink previous) =>
            ↪  GetLinkDataPartReference(element).Source = previous;
53
54          [MethodImpl(MethodImplOptions.AggressiveInlining)]
55          protected override void SetNext(TLink element, TLink next) =>
            ↪  GetLinkDataPartReference(element).Target = next;
56
57          [MethodImpl(MethodImplOptions.AggressiveInlining)]
58          protected override void SetSize(TLink size) => GetHeaderReference().FreeLinks = size;
59      }
60  }
```

1.47 ./csharp/Platform.Data.Doublets/Memory/Split/RawLinkDataPart.cs

```
1   using Platform.Unsafe;
2   using System;
3   using System.Collections.Generic;
4   using System.Runtime.CompilerServices;
5
6   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8   namespace Platform.Data.Doublets.Memory.Split
9   {
10      public struct RawLinkDataPart<TLink> : IEquatable<RawLinkDataPart<TLink>>
11      {
12          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
13
14          public static readonly long SizeInBytes = Structure<RawLinkDataPart<TLink>>.Size;
15
16          public TLink Source;
17          public TLink Target;
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          public override bool Equals(object obj) => obj is RawLinkDataPart<TLink> link ?
            ↪  Equals(link) : false;
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          public bool Equals(RawLinkDataPart<TLink> other)
24              => _equalityComparer.Equals(Source, other.Source)
25              && _equalityComparer.Equals(Target, other.Target);
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          public override int GetHashCode() => (Source, Target).GetHashCode();
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public static bool operator ==(RawLinkDataPart<TLink> left, RawLinkDataPart<TLink>
            ↪  right) => left.Equals(right);
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public static bool operator !=(RawLinkDataPart<TLink> left, RawLinkDataPart<TLink>
            ↪  right) => !(left == right);
35      }
36  }
```

1.48 ./csharp/Platform.Data.Doublets/Memory/Split/RawLinkIndexPart.cs

```
1   using Platform.Unsafe;
2   using System;
3   using System.Collections.Generic;
4   using System.Runtime.CompilerServices;
5
6   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8   namespace Platform.Data.Doublets.Memory.Split
9   {
10      public struct RawLinkIndexPart<TLink> : IEquatable<RawLinkIndexPart<TLink>>
```

```
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        public static readonly long SizeInBytes = Structure<RawLinkIndexPart<TLink>>.Size;

        public TLink RootAsSource;
        public TLink LeftAsSource;
        public TLink RightAsSource;
        public TLink SizeAsSource;
        public TLink RootAsTarget;
        public TLink LeftAsTarget;
        public TLink RightAsTarget;
        public TLink SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Equals(object obj) => obj is RawLinkIndexPart<TLink> link ?
        ↪  Equals(link) : false;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Equals(RawLinkIndexPart<TLink> other)
            => _equalityComparer.Equals(RootAsSource, other.RootAsSource)
            && _equalityComparer.Equals(LeftAsSource, other.LeftAsSource)
            && _equalityComparer.Equals(RightAsSource, other.RightAsSource)
            && _equalityComparer.Equals(SizeAsSource, other.SizeAsSource)
            && _equalityComparer.Equals(RootAsTarget, other.RootAsTarget)
            && _equalityComparer.Equals(LeftAsTarget, other.LeftAsTarget)
            && _equalityComparer.Equals(RightAsTarget, other.RightAsTarget)
            && _equalityComparer.Equals(SizeAsTarget, other.SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override int GetHashCode() => (RootAsSource, LeftAsSource, RightAsSource,
        ↪  SizeAsSource, RootAsTarget, LeftAsTarget, RightAsTarget, SizeAsTarget).GetHashCode();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator ==(RawLinkIndexPart<TLink> left, RawLinkIndexPart<TLink>
        ↪  right) => left.Equals(right);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool operator !=(RawLinkIndexPart<TLink> left, RawLinkIndexPart<TLink>
        ↪  right) => !(left == right);
    }
}
```

1.49 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksRecursionlessSizeBalancedTree

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.Split.Generic;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe abstract class UInt32ExternalLinksRecursionlessSizeBalancedTreeMethodsBase :
    ↪  ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>, ILinksTreeMethods<TLink>
    {
        protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
        protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
        protected new readonly LinksHeader<TLink>* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected
        ↪  UInt32ExternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
        ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪  linksIndexParts, LinksHeader<TLink>* header)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetZero() => 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(TLink value) => value == 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(TLink first, TLink second) => first == second;
```

```
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          protected override bool GreaterThanZero(TLink value) => value > 0U;
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected override bool GreaterThan(TLink first, TLink second) => first > second;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override bool GreaterOrEqualThanZero(TLink value) => true; // value >= 0 is
            ↪  always true for ulong
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool LessOrEqualThanZero(TLink value) => value == 0UL; // value is
            ↪  always >= 0 for ulong
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override bool LessThanZero(TLink value) => false; // value < 0 is always false
            ↪  for ulong
53
54          [MethodImpl(MethodImplOptions.AggressiveInlining)]
55          protected override bool LessThan(TLink first, TLink second) => first < second;
56
57          [MethodImpl(MethodImplOptions.AggressiveInlining)]
58          protected override TLink Increment(TLink value) => ++value;
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected override TLink Decrement(TLink value) => --value;
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override TLink Add(TLink first, TLink second) => first + second;
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          protected override TLink Subtract(TLink first, TLink second) => first - second;
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected override ref LinksHeader<TLink> GetHeaderReference() => ref *Header;
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
            ↪  ref LinksDataParts[link];
74
75          [MethodImpl(MethodImplOptions.AggressiveInlining)]
76          protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
            ↪  ref LinksIndexParts[link];
77
78          [MethodImpl(MethodImplOptions.AggressiveInlining)]
79          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
80          {
81              ref var firstLink = ref LinksDataParts[first];
82              ref var secondLink = ref LinksDataParts[second];
83              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
84          }
85
86          [MethodImpl(MethodImplOptions.AggressiveInlining)]
87          protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
88          {
89              ref var firstLink = ref LinksDataParts[first];
90              ref var secondLink = ref LinksDataParts[second];
91              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
92          }
93      }
94  }
```

1.50 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksSizeBalancedTreeMethodsBase

```
1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.Split.Generic;
3  using TLink = System.UInt32;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.Split.Specific
```

```
{
    public unsafe abstract class UInt32ExternalLinksSizeBalancedTreeMethodsBase :
    ↪ ExternalLinksSizeBalancedTreeMethodsBase<TLink>, ILinksTreeMethods<TLink>
    {
        protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
        protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
        protected new readonly LinksHeader<TLink>* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected UInt32ExternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetZero() => 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(TLink value) => value == 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(TLink first, TLink second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThanZero(TLink value) => value > 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(TLink first, TLink second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThanZero(TLink value) => true; // value >= 0 is
        ↪ always true for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThanZero(TLink value) => value == 0UL; // value is
        ↪ always >= 0 for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThanZero(TLink value) => false; // value < 0 is always false
        ↪ for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(TLink first, TLink second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink Increment(TLink value) => ++value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink Decrement(TLink value) => --value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink Add(TLink first, TLink second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink Subtract(TLink first, TLink second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<TLink> GetHeaderReference() => ref *Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
        ↪ ref LinksDataParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪ ref LinksIndexParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
```

```
        {
            ref var firstLink = ref LinksDataParts[first];
            ref var secondLink = ref LinksDataParts[second];
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref LinksDataParts[first];
            ref var secondLink = ref LinksDataParts[second];
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }
    }
}
```

1.51 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksSourcesRecursionlessSizeBalan

```
using System.Runtime.CompilerServices;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt32ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods :
    ↪  UInt32ExternalLinksRecursionlessSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public
        ↪  UInt32ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪  linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪  linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪  LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪  LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  LinksIndexParts[node].LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  LinksIndexParts[node].RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  LinksIndexParts[node].SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => Header->RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget)
            => firstSource < secondSource || firstSource == secondSource && firstTarget <
            ↪  secondTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
48          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget)
49              => firstSource > secondSource || firstSource == secondSource && firstTarget >
                ↪  secondTarget;
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override void ClearNode(TLink node)
53          {
54              ref var link = ref LinksIndexParts[node];
55              link.LeftAsSource = Zero;
56              link.RightAsSource = Zero;
57              link.SizeAsSource = Zero;
58          }
59      }
60  }
```

1.52 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksSourcesSizeBalancedTreeMeth

```
1   using System.Runtime.CompilerServices;
2   using TLink = System.UInt32;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Memory.Split.Specific
7   {
8       public unsafe class UInt32ExternalLinksSourcesSizeBalancedTreeMethods :
        ↪  UInt32ExternalLinksSizeBalancedTreeMethodsBase
9       {
10          [MethodImpl(MethodImplOptions.AggressiveInlining)]
11          public UInt32ExternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink>
            ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
            ↪  linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
            ↪  linksIndexParts, header) { }
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          protected override ref TLink GetLeftReference(TLink node) => ref
            ↪  LinksIndexParts[node].LeftAsSource;
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          protected override ref TLink GetRightReference(TLink node) => ref
            ↪  LinksIndexParts[node].RightAsSource;
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override void SetLeft(TLink node, TLink left) =>
            ↪  LinksIndexParts[node].LeftAsSource = left;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override void SetRight(TLink node, TLink right) =>
            ↪  LinksIndexParts[node].RightAsSource = right;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
33
34          [MethodImpl(MethodImplOptions.AggressiveInlining)]
35          protected override void SetSize(TLink node, TLink size) =>
            ↪  LinksIndexParts[node].SizeAsSource = size;
36
37          [MethodImpl(MethodImplOptions.AggressiveInlining)]
38          protected override TLink GetTreeRoot() => Header->RootAsSource;
39
40          [MethodImpl(MethodImplOptions.AggressiveInlining)]
41          protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
42
43          [MethodImpl(MethodImplOptions.AggressiveInlining)]
44          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget)
45              => firstSource < secondSource || firstSource == secondSource && firstTarget <
                ↪  secondTarget;
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget)
49              => firstSource > secondSource || firstSource == secondSource && firstTarget >
                ↪  secondTarget;
```

```
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override void ClearNode(TLink node)
53          {
54              ref var link = ref LinksIndexParts[node];
55              link.LeftAsSource = Zero;
56              link.RightAsSource = Zero;
57              link.SizeAsSource = Zero;
58          }
59      }
60  }
```

1.53 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksTargetsRecursionlessSizeBalanc

```
1   using System.Runtime.CompilerServices;
2   using TLink = System.UInt32;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Memory.Split.Specific
7   {
8       public unsafe class UInt32ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods :
        ↪  UInt32ExternalLinksRecursionlessSizeBalancedTreeMethodsBase
9       {
10          [MethodImpl(MethodImplOptions.AggressiveInlining)]
11          public
            ↪  UInt32ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
            ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
            ↪  linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
            ↪  linksIndexParts, header) { }
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          protected override ref TLink GetLeftReference(TLink node) => ref
            ↪  LinksIndexParts[node].LeftAsTarget;
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          protected override ref TLink GetRightReference(TLink node) => ref
            ↪  LinksIndexParts[node].RightAsTarget;
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override void SetLeft(TLink node, TLink left) =>
            ↪  LinksIndexParts[node].LeftAsTarget = left;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override void SetRight(TLink node, TLink right) =>
            ↪  LinksIndexParts[node].RightAsTarget = right;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
33
34          [MethodImpl(MethodImplOptions.AggressiveInlining)]
35          protected override void SetSize(TLink node, TLink size) =>
            ↪  LinksIndexParts[node].SizeAsTarget = size;
36
37          [MethodImpl(MethodImplOptions.AggressiveInlining)]
38          protected override TLink GetTreeRoot() => Header->RootAsTarget;
39
40          [MethodImpl(MethodImplOptions.AggressiveInlining)]
41          protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
42
43          [MethodImpl(MethodImplOptions.AggressiveInlining)]
44          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget)
45              => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
                ↪  secondSource;
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget)
49              => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
                ↪  secondSource;
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override void ClearNode(TLink node)
```

```
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.54 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksTargetsSizeBalancedTreeMetho

```
using System.Runtime.CompilerServices;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt32ExternalLinksTargetsSizeBalancedTreeMethods :
    ↪ UInt32ExternalLinksSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt32ExternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪ linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ LinksIndexParts[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ LinksIndexParts[node].RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ LinksIndexParts[node].SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => Header->RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget)
            => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
            ↪ secondSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget)
            => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
            ↪ secondSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
```

```
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.55 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksRecursionlessSizeBalancedTreeM

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.Split.Generic;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe abstract class UInt32InternalLinksRecursionlessSizeBalancedTreeMethodsBase :
    ↪ InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
    {
        protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
        protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
        protected new readonly LinksHeader<TLink>* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected
        ↪ UInt32InternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetZero() => 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(TLink value) => value == 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(TLink first, TLink second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThanZero(TLink value) => value > 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(TLink first, TLink second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThanZero(TLink value) => true; // value >= 0 is
        ↪ always true for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThanZero(TLink value) => value == 0UL; // value is
        ↪ always >= 0 for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThanZero(TLink value) => false; // value < 0 is always false
        ↪ for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(TLink first, TLink second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink Increment(TLink value) => ++value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink Decrement(TLink value) => --value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink Add(TLink first, TLink second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink Subtract(TLink first, TLink second) => first - second;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
        ↪ ref LinksDataParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪ ref LinksIndexParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) =>
        ↪ GetKeyPartValue(first) < GetKeyPartValue(second);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
        ↪ GetKeyPartValue(first) > GetKeyPartValue(second);
    }
}
```

1.56 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksSizeBalancedTreeMethodsBase.

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.Split.Generic;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe abstract class UInt32InternalLinksSizeBalancedTreeMethodsBase :
    ↪ InternalLinksSizeBalancedTreeMethodsBase<TLink>
    {
        protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
        protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
        protected new readonly LinksHeader<TLink>* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected UInt32InternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetZero() => 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(TLink value) => value == 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(TLink first, TLink second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThanZero(TLink value) => value > 0U;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(TLink first, TLink second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThanZero(TLink value) => true; // value >= 0 is
        ↪ always true for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThanZero(TLink value) => value == 0UL; // value is
        ↪ always >= 0 for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThanZero(TLink value) => false; // value < 0 is always false
        ↪ for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
55          protected override bool LessThan(TLink first, TLink second) => first < second;
56
57          [MethodImpl(MethodImplOptions.AggressiveInlining)]
58          protected override TLink Increment(TLink value) => ++value;
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected override TLink Decrement(TLink value) => --value;
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override TLink Add(TLink first, TLink second) => first + second;
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          protected override TLink Subtract(TLink first, TLink second) => first - second;
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
            ↪  ref LinksDataParts[link];
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
            ↪  ref LinksIndexParts[link];
74
75          [MethodImpl(MethodImplOptions.AggressiveInlining)]
76          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) =>
            ↪  GetKeyPartValue(first) < GetKeyPartValue(second);
77
78          [MethodImpl(MethodImplOptions.AggressiveInlining)]
79          protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
            ↪  GetKeyPartValue(first) > GetKeyPartValue(second);
80      }
81  }
```

1.57 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksSourcesLinkedListMethods.cs

```
1   using System.Runtime.CompilerServices;
2   using TLink = System.UInt32;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Memory.Split.Generic
7   {
8       public unsafe class UInt32InternalLinksSourcesLinkedListMethods :
        ↪  InternalLinksSourcesLinkedListMethods<TLink>
9       {
10          private readonly RawLinkDataPart<TLink>* _linksDataParts;
11          private readonly RawLinkIndexPart<TLink>* _linksIndexParts;
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          public UInt32InternalLinksSourcesLinkedListMethods(LinksConstants<TLink> constants,
            ↪  RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>* linksIndexParts)
15              : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts)
16          {
17              _linksDataParts = linksDataParts;
18              _linksIndexParts = linksIndexParts;
19          }
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
            ↪  ref _linksDataParts[link];
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
            ↪  ref _linksIndexParts[link];
26      }
27  }
```

1.58 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksSourcesRecursionlessSizeBalanc

```
1   using System.Runtime.CompilerServices;
2   using TLink = System.UInt32;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Memory.Split.Specific
7   {
8       public unsafe class UInt32InternalLinksSourcesRecursionlessSizeBalancedTreeMethods :
        ↪  UInt32InternalLinksRecursionlessSizeBalancedTreeMethodsBase
9       {
10          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public UInt32InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink> constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>* linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts, linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) => LinksIndexParts[node].LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) => LinksIndexParts[node].RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) => LinksIndexParts[node].SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }

        public override TLink Search(TLink source, TLink target) => SearchCore(GetTreeRoot(source), target);
    }
}
```

1.59 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksSourcesSizeBalancedTreeMetho

```
using System.Runtime.CompilerServices;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt32InternalLinksSourcesSizeBalancedTreeMethods : UInt32InternalLinksSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt32InternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>* linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts, linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref LinksIndexParts[node].LeftAsSource;

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ LinksIndexParts[node].LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ LinksIndexParts[node].RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ LinksIndexParts[node].SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪ SearchCore(GetTreeRoot(source), target);
    }
}
```

1.60 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksTargetsRecursionlessSizeBalanc

```
using System.Runtime.CompilerServices;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt32InternalLinksTargetsRecursionlessSizeBalancedTreeMethods :
    ↪ UInt32InternalLinksRecursionlessSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public
        ↪ UInt32InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪ linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ LinksIndexParts[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ LinksIndexParts[node].RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ LinksIndexParts[node].SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪ SearchCore(GetTreeRoot(target), source);
    }
}
```

1.61 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksTargetsSizeBalancedTreeMetho

```
using System.Runtime.CompilerServices;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt32InternalLinksTargetsSizeBalancedTreeMethods :
    ↪ UInt32InternalLinksSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt32InternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪ linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ LinksIndexParts[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ LinksIndexParts[node].RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  LinksIndexParts[node].SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪  SearchCore(GetTreeRoot(target), source);
    }
}
```

1.62 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32SplitMemoryLinks.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Singletons;
using Platform.Memory;
using Platform.Data.Doublets.Memory.Split.Generic;
using TLink = System.UInt32;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt32SplitMemoryLinks : SplitMemoryLinksBase<TLink>
    {
        private readonly Func<ILinksTreeMethods<TLink>> _createInternalSourceTreeMethods;
        private readonly Func<ILinksTreeMethods<TLink>> _createExternalSourceTreeMethods;
        private readonly Func<ILinksTreeMethods<TLink>> _createInternalTargetTreeMethods;
        private readonly Func<ILinksTreeMethods<TLink>> _createExternalTargetTreeMethods;
        private LinksHeader<TLink>* _header;
        private RawLinkDataPart<TLink>* _linksDataParts;
        private RawLinkIndexPart<TLink>* _linksIndexParts;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt32SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
        ↪  indexMemory) : this(dataMemory, indexMemory, DefaultLinksSizeStep) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt32SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
        ↪  indexMemory, long memoryReservationStep) : this(dataMemory, indexMemory,
        ↪  memoryReservationStep, Default<LinksConstants<TLink>>.Instance,
        ↪  IndexTreeType.Default, useLinkedList: true) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt32SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
        ↪  indexMemory, long memoryReservationStep, LinksConstants<TLink> constants) :
        ↪  this(dataMemory, indexMemory, memoryReservationStep, constants,
        ↪  IndexTreeType.Default, useLinkedList: true) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt32SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
        ↪  indexMemory, long memoryReservationStep, LinksConstants<TLink> constants,
        ↪  IndexTreeType indexTreeType, bool useLinkedList) : base(dataMemory, indexMemory,
        ↪  memoryReservationStep, constants, useLinkedList)
        {
            if (indexTreeType == IndexTreeType.SizeBalancedTree)
            {
                _createInternalSourceTreeMethods = () => new
                ↪  UInt32InternalLinksSourcesSizeBalancedTreeMethods(Constants,
                ↪  _linksDataParts, _linksIndexParts, _header);
```

```
37                  _createExternalSourceTreeMethods = () => new
                    ↪  UInt32ExternalLinksSourcesSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
38                  _createInternalTargetTreeMethods = () => new
                    ↪  UInt32InternalLinksTargetsSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
39                  _createExternalTargetTreeMethods = () => new
                    ↪  UInt32ExternalLinksTargetsSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
40              }
41              else
42              {
43                  _createInternalSourceTreeMethods = () => new
                    ↪  UInt32InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
44                  _createExternalSourceTreeMethods = () => new
                    ↪  UInt32ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
45                  _createInternalTargetTreeMethods = () => new
                    ↪  UInt32InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
46                  _createExternalTargetTreeMethods = () => new
                    ↪  UInt32ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
47              }
48              Init(dataMemory, indexMemory);
49          }
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override void SetPointers(IResizableDirectMemory dataMemory,
            ↪  IResizableDirectMemory indexMemory)
53          {
54              _linksDataParts = (RawLinkDataPart<TLink>*)dataMemory.Pointer;
55              _linksIndexParts = (RawLinkIndexPart<TLink>*)indexMemory.Pointer;
56              _header = (LinksHeader<TLink>*)indexMemory.Pointer;
57              if (_useLinkedList)
58              {
59                  InternalSourcesListMethods = new
                    ↪  UInt32InternalLinksSourcesLinkedListMethods(Constants, _linksDataParts,
                    ↪  _linksIndexParts);
60              }
61              else
62              {
63                  InternalSourcesTreeMethods = _createInternalSourceTreeMethods();
64              }
65              ExternalSourcesTreeMethods = _createExternalSourceTreeMethods();
66              InternalTargetsTreeMethods = _createInternalTargetTreeMethods();
67              ExternalTargetsTreeMethods = _createExternalTargetTreeMethods();
68              UnusedLinksListMethods = new UInt32UnusedLinksListMethods(_linksDataParts, _header);
69          }
70
71          [MethodImpl(MethodImplOptions.AggressiveInlining)]
72          protected override void ResetPointers()
73          {
74              base.ResetPointers();
75              _linksDataParts = null;
76              _linksIndexParts = null;
77              _header = null;
78          }
79
80          [MethodImpl(MethodImplOptions.AggressiveInlining)]
81          protected override ref LinksHeader<TLink> GetHeaderReference() => ref *_header;
82
83          [MethodImpl(MethodImplOptions.AggressiveInlining)]
84          protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink linkIndex)
            ↪  => ref _linksDataParts[linkIndex];
85
86          [MethodImpl(MethodImplOptions.AggressiveInlining)]
87          protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink
            ↪  linkIndex) => ref _linksIndexParts[linkIndex];
88
89          [MethodImpl(MethodImplOptions.AggressiveInlining)]
90          protected override bool AreEqual(TLink first, TLink second) => first == second;
91
92          [MethodImpl(MethodImplOptions.AggressiveInlining)]
93          protected override bool LessThan(TLink first, TLink second) => first < second;
94
95          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
96          protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;
97
98          [MethodImpl(MethodImplOptions.AggressiveInlining)]
99          protected override bool GreaterThan(TLink first, TLink second) => first > second;
100
101         [MethodImpl(MethodImplOptions.AggressiveInlining)]
102         protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;
103
104         [MethodImpl(MethodImplOptions.AggressiveInlining)]
105         protected override TLink GetZero() => 0U;
106
107         [MethodImpl(MethodImplOptions.AggressiveInlining)]
108         protected override TLink GetOne() => 1U;
109
110         [MethodImpl(MethodImplOptions.AggressiveInlining)]
111         protected override long ConvertToInt64(TLink value) => value;
112
113         [MethodImpl(MethodImplOptions.AggressiveInlining)]
114         protected override TLink ConvertToAddress(long value) => (TLink)value;
115
116         [MethodImpl(MethodImplOptions.AggressiveInlining)]
117         protected override TLink Add(TLink first, TLink second) => first + second;
118
119         [MethodImpl(MethodImplOptions.AggressiveInlining)]
120         protected override TLink Subtract(TLink first, TLink second) => first - second;
121
122         [MethodImpl(MethodImplOptions.AggressiveInlining)]
123         protected override TLink Increment(TLink link) => ++link;
124
125         [MethodImpl(MethodImplOptions.AggressiveInlining)]
126         protected override TLink Decrement(TLink link) => --link;
127     }
128 }
```

1.63 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32UnusedLinksListMethods.cs

```
1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.Split.Generic;
3  using TLink = System.UInt32;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.Split.Specific
8  {
9      public unsafe class UInt32UnusedLinksListMethods : UnusedLinksListMethods<TLink>
10     {
11         private readonly RawLinkDataPart<TLink>* _links;
12         private readonly LinksHeader<TLink>* _header;
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         public UInt32UnusedLinksListMethods(RawLinkDataPart<TLink>* links, LinksHeader<TLink>*
           ↪ header)
16             : base((byte*)links, (byte*)header)
17         {
18             _links = links;
19             _header = header;
20         }
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
           ↪ ref _links[link];
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected override ref LinksHeader<TLink> GetHeaderReference() => ref *_header;
27     }
28 }
```

1.64 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksRecursionlessSizeBalancedTree

```
1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.Split.Generic;
3  using TLink = System.UInt64;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.Split.Specific
8  {
9      public unsafe abstract class UInt64ExternalLinksRecursionlessSizeBalancedTreeMethodsBase :
       ↪ ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>, ILinksTreeMethods<TLink>
10     {
11         protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
12         protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
```

```
13          protected new readonly LinksHeader<TLink>* Header;
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          protected
            ↪  UInt64ExternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
            ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
            ↪  linksIndexParts, LinksHeader<TLink>* header)
17              : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
18          {
19              LinksDataParts = linksDataParts;
20              LinksIndexParts = linksIndexParts;
21              Header = header;
22          }
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          protected override ulong GetZero() => 0UL;
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          protected override bool EqualToZero(ulong value) => value == 0UL;
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          protected override bool AreEqual(ulong first, ulong second) => first == second;
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          protected override bool GreaterThanZero(ulong value) => value > 0UL;
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected override bool GreaterThan(ulong first, ulong second) => first > second;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
            ↪  always true for ulong
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
            ↪  always >= 0 for ulong
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
            ↪  for ulong
53
54          [MethodImpl(MethodImplOptions.AggressiveInlining)]
55          protected override bool LessThan(ulong first, ulong second) => first < second;
56
57          [MethodImpl(MethodImplOptions.AggressiveInlining)]
58          protected override ulong Increment(ulong value) => ++value;
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected override ulong Decrement(ulong value) => --value;
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override ulong Add(ulong first, ulong second) => first + second;
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          protected override ulong Subtract(ulong first, ulong second) => first - second;
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected override ref LinksHeader<TLink> GetHeaderReference() => ref *Header;
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
            ↪  ref LinksDataParts[link];
74
75          [MethodImpl(MethodImplOptions.AggressiveInlining)]
76          protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
            ↪  ref LinksIndexParts[link];
77
78          [MethodImpl(MethodImplOptions.AggressiveInlining)]
79          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
80          {
81              ref var firstLink = ref LinksDataParts[first];
82              ref var secondLink = ref LinksDataParts[second];
83              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
```

```
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref LinksDataParts[first];
            ref var secondLink = ref LinksDataParts[second];
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }
    }
}
```

1.65 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksSizeBalancedTreeMethodsBase

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.Split.Generic;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe abstract class UInt64ExternalLinksSizeBalancedTreeMethodsBase :
    ↪  ExternalLinksSizeBalancedTreeMethodsBase<TLink>, ILinksTreeMethods<TLink>
    {
        protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
        protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
        protected new readonly LinksHeader<TLink>* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected UInt64ExternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink>
        ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪  linksIndexParts, LinksHeader<TLink>* header)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(ulong value) => value == 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(ulong first, ulong second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThanZero(ulong value) => value > 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(ulong first, ulong second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
        ↪  always true for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
        ↪  always >= 0 for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
        ↪  for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(ulong first, ulong second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong value) => ++value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override ulong Decrement(ulong value) => --value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<TLink> GetHeaderReference() => ref *Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
        ↪  ref LinksDataParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪  ref LinksIndexParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref LinksDataParts[first];
            ref var secondLink = ref LinksDataParts[second];
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref LinksDataParts[first];
            ref var secondLink = ref LinksDataParts[second];
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }
    }
}
```

1.66 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksSourcesRecursionlessSizeBalan

```
using System.Runtime.CompilerServices;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt64ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods :
    ↪  UInt64ExternalLinksRecursionlessSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public
        ↪  UInt64ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪  linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪  linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪  LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪  LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  LinksIndexParts[node].LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  LinksIndexParts[node].RightAsSource = right;

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  LinksIndexParts[node].SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => Header->RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget)
            => firstSource < secondSource || firstSource == secondSource && firstTarget <
            ↪  secondTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget)
            => firstSource > secondSource || firstSource == secondSource && firstTarget >
            ↪  secondTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }
    }
}
```

1.67 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksSourcesSizeBalancedTreeMeth

```
using System.Runtime.CompilerServices;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt64ExternalLinksSourcesSizeBalancedTreeMethods :
    ↪  UInt64ExternalLinksSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64ExternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪  linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪  linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪  LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪  LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  LinksIndexParts[node].LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  LinksIndexParts[node].RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
35          protected override void SetSize(TLink node, TLink size) =>
            ↪ LinksIndexParts[node].SizeAsSource = size;
36
37          [MethodImpl(MethodImplOptions.AggressiveInlining)]
38          protected override TLink GetTreeRoot() => Header->RootAsSource;
39
40          [MethodImpl(MethodImplOptions.AggressiveInlining)]
41          protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
42
43          [MethodImpl(MethodImplOptions.AggressiveInlining)]
44          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪ TLink secondSource, TLink secondTarget)
45              => firstSource < secondSource || firstSource == secondSource && firstTarget <
                ↪ secondTarget;
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪ TLink secondSource, TLink secondTarget)
49              => firstSource > secondSource || firstSource == secondSource && firstTarget >
                ↪ secondTarget;
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override void ClearNode(TLink node)
53          {
54              ref var link = ref LinksIndexParts[node];
55              link.LeftAsSource = Zero;
56              link.RightAsSource = Zero;
57              link.SizeAsSource = Zero;
58          }
59      }
60  }
```

1.68 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksTargetsRecursionlessSizeBalanc

```
1   using System.Runtime.CompilerServices;
2   using TLink = System.UInt64;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Memory.Split.Specific
7   {
8       public unsafe class UInt64ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods :
        ↪ UInt64ExternalLinksRecursionlessSizeBalancedTreeMethodsBase
9       {
10          [MethodImpl(MethodImplOptions.AggressiveInlining)]
11          public
            ↪ UInt64ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
            ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
            ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
            ↪ linksIndexParts, header) { }
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          protected override ref TLink GetLeftReference(TLink node) => ref
            ↪ LinksIndexParts[node].LeftAsTarget;
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          protected override ref TLink GetRightReference(TLink node) => ref
            ↪ LinksIndexParts[node].RightAsTarget;
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override void SetLeft(TLink node, TLink left) =>
            ↪ LinksIndexParts[node].LeftAsTarget = left;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override void SetRight(TLink node, TLink right) =>
            ↪ LinksIndexParts[node].RightAsTarget = right;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
33
34          [MethodImpl(MethodImplOptions.AggressiveInlining)]
35          protected override void SetSize(TLink node, TLink size) =>
            ↪ LinksIndexParts[node].SizeAsTarget = size;
36
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => Header->RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget)
            => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
            ↪  secondSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget)
            => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
            ↪  secondSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.69 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksTargetsSizeBalancedTreeMetho

```
using System.Runtime.CompilerServices;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt64ExternalLinksTargetsSizeBalancedTreeMethods :
    ↪  UInt64ExternalLinksSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64ExternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪  linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪  linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪  LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪  LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪  LinksIndexParts[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪  LinksIndexParts[node].RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪  LinksIndexParts[node].SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => Header->RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget)
            => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
            ↪  secondSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget)
            => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
            ↪  secondSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.70 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksRecursionlessSizeBalancedTreeM

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.Split.Generic;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe abstract class UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase :
    ↪  InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
    {
        protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
        protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
        protected new readonly LinksHeader<TLink>* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected
        ↪  UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
        ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪  linksIndexParts, LinksHeader<TLink>* header)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(ulong value) => value == 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(ulong first, ulong second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThanZero(ulong value) => value > 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(ulong first, ulong second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
        ↪  always true for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
        ↪  always >= 0 for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
        ↪  for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(ulong first, ulong second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong value) => ++value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Decrement(ulong value) => --value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
        ↪  ref LinksDataParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪  ref LinksIndexParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) =>
        ↪  GetKeyPartValue(first) < GetKeyPartValue(second);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
        ↪  GetKeyPartValue(first) > GetKeyPartValue(second);
    }
}
```

1.71 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksSizeBalancedTreeMethodsBase.

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.Split.Generic;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe abstract class UInt64InternalLinksSizeBalancedTreeMethodsBase :
    ↪  InternalLinksSizeBalancedTreeMethodsBase<TLink>
    {
        protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
        protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
        protected new readonly LinksHeader<TLink>* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected UInt64InternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink>
        ↪  constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪  linksIndexParts, LinksHeader<TLink>* header)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
        {
            LinksDataParts = linksDataParts;
            LinksIndexParts = linksIndexParts;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool EqualToZero(ulong value) => value == 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(ulong first, ulong second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThanZero(ulong value) => value > 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(ulong first, ulong second) => first > second;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
        ↪  always true for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
        ↪  always >= 0 for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
        ↪  for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(ulong first, ulong second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong value) => ++value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Decrement(ulong value) => --value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
        ↪  ref LinksDataParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪  ref LinksIndexParts[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) =>
        ↪  GetKeyPartValue(first) < GetKeyPartValue(second);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
        ↪  GetKeyPartValue(first) > GetKeyPartValue(second);
    }
}
```

1.72 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksSourcesLinkedListMethods.cs

```
using System.Runtime.CompilerServices;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Generic
{
    public unsafe class UInt64InternalLinksSourcesLinkedListMethods :
    ↪  InternalLinksSourcesLinkedListMethods<TLink>
    {
        private readonly RawLinkDataPart<TLink>* _linksDataParts;
        private readonly RawLinkIndexPart<TLink>* _linksIndexParts;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64InternalLinksSourcesLinkedListMethods(LinksConstants<TLink> constants,
        ↪  RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>* linksIndexParts)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts)
        {
            _linksDataParts = linksDataParts;
            _linksIndexParts = linksIndexParts;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
        ↪  ref _linksDataParts[link];

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪ ref _linksIndexParts[link];
    }
}
```

1.73 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksSourcesRecursionlessSizeBalanc

```
using System.Runtime.CompilerServices;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt64InternalLinksSourcesRecursionlessSizeBalancedTreeMethods :
    ↪ UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public
        ↪ UInt64InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪ linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ LinksIndexParts[node].LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ LinksIndexParts[node].RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ LinksIndexParts[node].SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪ SearchCore(GetTreeRoot(source), target);
    }
}
```

1.74 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksSourcesSizeBalancedTreeMetho

```
using System.Runtime.CompilerServices;
using TLink = System.UInt64;
```

```

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt64InternalLinksSourcesSizeBalancedTreeMethods :
    ↪ UInt64InternalLinksSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64InternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪ linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ LinksIndexParts[node].LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ LinksIndexParts[node].RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ LinksIndexParts[node].SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪ SearchCore(GetTreeRoot(source), target);
    }
}
```

1.75 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksTargetsRecursionlessSizeBalanc

```

using System.Runtime.CompilerServices;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt64InternalLinksTargetsRecursionlessSizeBalancedTreeMethods :
    ↪ UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public
        ↪ UInt64InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪ linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref
        ↪ LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref
        ↪ LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ LinksIndexParts[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ LinksIndexParts[node].RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ LinksIndexParts[node].SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref LinksIndexParts[node];
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }

        public override TLink Search(TLink source, TLink target) =>
        ↪ SearchCore(GetTreeRoot(target), source);
    }
}
```

1.76 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksTargetsSizeBalancedTreeMetho

```
using System.Runtime.CompilerServices;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt64InternalLinksTargetsSizeBalancedTreeMethods :
    ↪ UInt64InternalLinksSizeBalancedTreeMethodsBase
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64InternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink>
        ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
        ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
        ↪ linksIndexParts, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref
        ↪ LinksIndexParts[node].LeftAsTarget;

```

```
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          protected override ref ulong GetRightReference(ulong node) => ref
            ↪  LinksIndexParts[node].RightAsTarget;
18
19          [MethodImpl(MethodImplOptions.AggressiveInlining)]
20          protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override void SetLeft(TLink node, TLink left) =>
            ↪  LinksIndexParts[node].LeftAsTarget = left;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override void SetRight(TLink node, TLink right) =>
            ↪  LinksIndexParts[node].RightAsTarget = right;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
33
34          [MethodImpl(MethodImplOptions.AggressiveInlining)]
35          protected override void SetSize(TLink node, TLink size) =>
            ↪  LinksIndexParts[node].SizeAsTarget = size;
36
37          [MethodImpl(MethodImplOptions.AggressiveInlining)]
38          protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsTarget;
39
40          [MethodImpl(MethodImplOptions.AggressiveInlining)]
41          protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
42
43          [MethodImpl(MethodImplOptions.AggressiveInlining)]
44          protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Source;
45
46          [MethodImpl(MethodImplOptions.AggressiveInlining)]
47          protected override void ClearNode(TLink node)
48          {
49              ref var link = ref LinksIndexParts[node];
50              link.LeftAsTarget = Zero;
51              link.RightAsTarget = Zero;
52              link.SizeAsTarget = Zero;
53          }
54
55          public override TLink Search(TLink source, TLink target) =>
            ↪  SearchCore(GetTreeRoot(target), source);
56      }
57  }
```

1.77 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64SplitMemoryLinks.cs

```
1   using System;
2   using System.Runtime.CompilerServices;
3   using Platform.Singletons;
4   using Platform.Memory;
5   using Platform.Data.Doublets.Memory.Split.Generic;
6   using TLink = System.UInt64;
7
8   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10  namespace Platform.Data.Doublets.Memory.Split.Specific
11  {
12      public unsafe class UInt64SplitMemoryLinks : SplitMemoryLinksBase<TLink>
13      {
14          private readonly Func<ILinksTreeMethods<TLink>> _createInternalSourceTreeMethods;
15          private readonly Func<ILinksTreeMethods<TLink>> _createExternalSourceTreeMethods;
16          private readonly Func<ILinksTreeMethods<TLink>> _createInternalTargetTreeMethods;
17          private readonly Func<ILinksTreeMethods<TLink>> _createExternalTargetTreeMethods;
18          private LinksHeader<ulong>* _header;
19          private RawLinkDataPart<ulong>* _linksDataParts;
20          private RawLinkIndexPart<ulong>* _linksIndexParts;
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          public UInt64SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory) : this(dataMemory, indexMemory, DefaultLinksSizeStep) { }
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          public UInt64SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory, long memoryReservationStep) : this(dataMemory, indexMemory,
            ↪  memoryReservationStep, Default<LinksConstants<TLink>>.Instance,
            ↪  IndexTreeType.Default, useLinkedList: true) { }
27
```

```
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          public UInt64SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory, long memoryReservationStep, LinksConstants<TLink> constants) :
            ↪  this(dataMemory, indexMemory, memoryReservationStep, constants,
            ↪  IndexTreeType.Default, useLinkedList: true) { }
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          public UInt64SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
            ↪  indexMemory, long memoryReservationStep, LinksConstants<TLink> constants,
            ↪  IndexTreeType indexTreeType, bool useLinkedList) : base(dataMemory, indexMemory,
            ↪  memoryReservationStep, constants, useLinkedList)
33          {
34              if (indexTreeType == IndexTreeType.SizeBalancedTree)
35              {
36                  _createInternalSourceTreeMethods = () => new
                    ↪  UInt64InternalLinksSourcesSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
37                  _createExternalSourceTreeMethods = () => new
                    ↪  UInt64ExternalLinksSourcesSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
38                  _createInternalTargetTreeMethods = () => new
                    ↪  UInt64InternalLinksTargetsSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
39                  _createExternalTargetTreeMethods = () => new
                    ↪  UInt64ExternalLinksTargetsSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
40              }
41              else
42              {
43                  _createInternalSourceTreeMethods = () => new
                    ↪  UInt64InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
44                  _createExternalSourceTreeMethods = () => new
                    ↪  UInt64ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
45                  _createInternalTargetTreeMethods = () => new
                    ↪  UInt64InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
46                  _createExternalTargetTreeMethods = () => new
                    ↪  UInt64ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(Constants,
                    ↪  _linksDataParts, _linksIndexParts, _header);
47              }
48              Init(dataMemory, indexMemory);
49          }
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override void SetPointers(IResizableDirectMemory dataMemory,
            ↪  IResizableDirectMemory indexMemory)
53          {
54              _linksDataParts = (RawLinkDataPart<TLink>*)dataMemory.Pointer;
55              _linksIndexParts = (RawLinkIndexPart<TLink>*)indexMemory.Pointer;
56              _header = (LinksHeader<TLink>*)indexMemory.Pointer;
57              if (_useLinkedList)
58              {
59                  InternalSourcesListMethods = new
                    ↪  UInt64InternalLinksSourcesLinkedListMethods(Constants, _linksDataParts,
                    ↪  _linksIndexParts);
60              }
61              else
62              {
63                  InternalSourcesTreeMethods = _createInternalSourceTreeMethods();
64              }
65              ExternalSourcesTreeMethods = _createExternalSourceTreeMethods();
66              InternalTargetsTreeMethods = _createInternalTargetTreeMethods();
67              ExternalTargetsTreeMethods = _createExternalTargetTreeMethods();
68              UnusedLinksListMethods = new UInt64UnusedLinksListMethods(_linksDataParts, _header);
69          }
70
71          [MethodImpl(MethodImplOptions.AggressiveInlining)]
72          protected override void ResetPointers()
73          {
74              base.ResetPointers();
75              _linksDataParts = null;
76              _linksIndexParts = null;
77              _header = null;
78          }
79
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<TLink> GetHeaderReference() => ref *_header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink linkIndex)
        ↪  => ref _linksDataParts[linkIndex];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink
        ↪  linkIndex) => ref _linksIndexParts[linkIndex];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(ulong first, ulong second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(ulong first, ulong second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(ulong first, ulong second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetOne() => 1UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override long ConvertToInt64(ulong value) => (long)value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong ConvertToAddress(long value) => (ulong)value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong link) => ++link;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Decrement(ulong link) => --link;
    }
}
```

1.78 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64UnusedLinksListMethods.cs

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.Split.Generic;
using TLink = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.Split.Specific
{
    public unsafe class UInt64UnusedLinksListMethods : UnusedLinksListMethods<TLink>
    {
        private readonly RawLinkDataPart<ulong>* _links;
        private readonly LinksHeader<ulong>* _header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64UnusedLinksListMethods(RawLinkDataPart<ulong>* links, LinksHeader<ulong>*
        ↪  header)
            : base((byte*)links, (byte*)header)
        {
            _links = links;
            _header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
        ↪  ref _links[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override ref LinksHeader<TLink> GetHeaderReference() => ref *_header;
    }
}
```

1.79 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksAvlBalancedTreeMethodsBase.cs

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using Platform.Numbers;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe abstract class LinksAvlBalancedTreeMethodsBase<TLink> :
    ↪  SizedAndThreadedAVLBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪  UncheckedConverter<TLink, long>.Default;
        private static readonly UncheckedConverter<TLink, int> _addressToInt32Converter =
        ↪  UncheckedConverter<TLink, int>.Default;
        private static readonly UncheckedConverter<bool, TLink> _boolToAddressConverter =
        ↪  UncheckedConverter<bool, TLink>.Default;
        private static readonly UncheckedConverter<TLink, bool> _addressToBoolConverter =
        ↪  UncheckedConverter<TLink, bool>.Default;
        private static readonly UncheckedConverter<int, TLink> _int32ToAddressConverter =
        ↪  UncheckedConverter<int, TLink>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* Links;
        protected readonly byte* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksAvlBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* links,
        ↪  byte* header)
        {
            Links = links;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
        ↪  rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
        ↪  rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
        ↪  AsRef<LinksHeader<TLink>>(Header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
        ↪  AsRef<RawLink<TLink>>(Links + (RawLink<TLink>.SizeInBytes *
        ↪  _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
        {
            ref var link = ref GetLinkReference(linkIndex);
            return new Link<TLink>(linkIndex, link.Source, link.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
        {
```

```
            ref var firstLink = ref GetLinkReference(first);
            ref var secondLink = ref GetLinkReference(second);
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref GetLinkReference(first);
            ref var secondLink = ref GetLinkReference(second);
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink GetSizeValue(TLink value) => Bit<TLink>.PartialRead(value, 5,
        ↪  -5);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual void SetSizeValue(ref TLink storedValue, TLink size) => storedValue =
        ↪  Bit<TLink>.PartialWrite(storedValue, size, 5, -5);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual bool GetLeftIsChildValue(TLink value)
        {
            unchecked
            {
                return _addressToBoolConverter.Convert(Bit<TLink>.PartialRead(value, 4, 1));
                //return !EqualityComparer.Equals(Bit<TLink>.PartialRead(value, 4, 1), default);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual void SetLeftIsChildValue(ref TLink storedValue, bool value)
        {
            unchecked
            {
                var previousValue = storedValue;
                var modified = Bit<TLink>.PartialWrite(previousValue,
                ↪  _boolToAddressConverter.Convert(value), 4, 1);
                storedValue = modified;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual bool GetRightIsChildValue(TLink value)
        {
            unchecked
            {
                return _addressToBoolConverter.Convert(Bit<TLink>.PartialRead(value, 3, 1));
                //return !EqualityComparer.Equals(Bit<TLink>.PartialRead(value, 3, 1), default);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual void SetRightIsChildValue(ref TLink storedValue, bool value)
        {
            unchecked
            {
                var previousValue = storedValue;
                var modified = Bit<TLink>.PartialWrite(previousValue,
                ↪  _boolToAddressConverter.Convert(value), 3, 1);
                storedValue = modified;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected bool IsChild(TLink parent, TLink possibleChild)
        {
            var parentSize = GetSize(parent);
            var childSize = GetSizeOrZero(possibleChild);
            return GreaterThanZero(childSize) && LessOrEqualThan(childSize, parentSize);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual sbyte GetBalanceValue(TLink storedValue)
        {
            unchecked
```

```
137             {
138                 var value = _addressToInt32Converter.Convert(Bit<TLink>.PartialRead(storedValue,
                    ↪ 0, 3));
139                 value |= 0xF8 * ((value & 4) >> 2); // if negative, then continue ones to the
                    ↪ end of sbyte
140                 return (sbyte)value;
141             }
142         }
143 
144         [MethodImpl(MethodImplOptions.AggressiveInlining)]
145         protected virtual void SetBalanceValue(ref TLink storedValue, sbyte value)
146         {
147             unchecked
148             {
149                 var packagedValue = _int32ToAddressConverter.Convert((byte)value >> 5 & 4 |
                    ↪ value & 3);
150                 var modified = Bit<TLink>.PartialWrite(storedValue, packagedValue, 0, 3);
151                 storedValue = modified;
152             }
153         }
154 
155         public TLink this[TLink index]
156         {
157             [MethodImpl(MethodImplOptions.AggressiveInlining)]
158             get
159             {
160                 var root = GetTreeRoot();
161                 if (GreaterOrEqualThan(index, GetSize(root)))
162                 {
163                     return Zero;
164                 }
165                 while (!EqualToZero(root))
166                 {
167                     var left = GetLeftOrDefault(root);
168                     var leftSize = GetSizeOrZero(left);
169                     if (LessThan(index, leftSize))
170                     {
171                         root = left;
172                         continue;
173                     }
174                     if (AreEqual(index, leftSize))
175                     {
176                         return root;
177                     }
178                     root = GetRightOrDefault(root);
179                     index = Subtract(index, Increment(leftSize));
180                 }
181                 return Zero; // TODO: Impossible situation exception (only if tree structure
                    ↪ broken)
182             }
183         }
184 
185         /// <summary>
186         /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
                ↪ (концом).
187         /// </summary>
188         /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
189         /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
190         /// <returns>Индекс искомой связи.</returns>
191         [MethodImpl(MethodImplOptions.AggressiveInlining)]
192         public TLink Search(TLink source, TLink target)
193         {
194             var root = GetTreeRoot();
195             while (!EqualToZero(root))
196             {
197                 ref var rootLink = ref GetLinkReference(root);
198                 var rootSource = rootLink.Source;
199                 var rootTarget = rootLink.Target;
200                 if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
                    ↪ node.Key < root.Key
201                 {
202                     root = GetLeftOrDefault(root);
203                 }
204                 else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
                    ↪ node.Key > root.Key
205                 {
206                     root = GetRightOrDefault(root);
207                 }
```

```
208                 else // node.Key == root.Key
209                 {
210                     return root;
211                 }
212             }
213             return Zero;
214         }
215 
216         // TODO: Return indices range instead of references count
217         [MethodImpl(MethodImplOptions.AggressiveInlining)]
218         public TLink CountUsages(TLink link)
219         {
220             var root = GetTreeRoot();
221             var total = GetSize(root);
222             var totalRightIgnore = Zero;
223             while (!EqualToZero(root))
224             {
225                 var @base = GetBasePartValue(root);
226                 if (LessOrEqualThan(@base, link))
227                 {
228                     root = GetRightOrDefault(root);
229                 }
230                 else
231                 {
232                     totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
233                     root = GetLeftOrDefault(root);
234                 }
235             }
236             root = GetTreeRoot();
237             var totalLeftIgnore = Zero;
238             while (!EqualToZero(root))
239             {
240                 var @base = GetBasePartValue(root);
241                 if (GreaterOrEqualThan(@base, link))
242                 {
243                     root = GetLeftOrDefault(root);
244                 }
245                 else
246                 {
247                     totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
248 
249                     root = GetRightOrDefault(root);
250                 }
251             }
252             return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
253         }
254 
255         [MethodImpl(MethodImplOptions.AggressiveInlining)]
256         public TLink EachUsage(TLink link, Func<IList<TLink>, TLink> handler)
257         {
258             var root = GetTreeRoot();
259             if (EqualToZero(root))
260             {
261                 return Continue;
262             }
263             TLink first = Zero, current = root;
264             while (!EqualToZero(current))
265             {
266                 var @base = GetBasePartValue(current);
267                 if (GreaterOrEqualThan(@base, link))
268                 {
269                     if (AreEqual(@base, link))
270                     {
271                         first = current;
272                     }
273                     current = GetLeftOrDefault(current);
274                 }
275                 else
276                 {
277                     current = GetRightOrDefault(current);
278                 }
279             }
280             if (!EqualToZero(first))
281             {
282                 current = first;
283                 while (true)
284                 {
285                     if (AreEqual(handler(GetLinkValues(current)), Break))
286                     {
```

```
                        return Break;
                    }
                    current = GetNext(current);
                    if (EqualToZero(current) || !AreEqual(GetBasePartValue(current), link))
                    {
                        break;
                    }
                }
            }
            return Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.80 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksRecursionlessSizeBalancedTreeMethodsBase

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe abstract class LinksRecursionlessSizeBalancedTreeMethodsBase<TLink> :
    ↪ RecursionlessSizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪ UncheckedConverter<TLink, long>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* Links;
        protected readonly byte* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants,
        ↪ byte* links, byte* header)
        {
            Links = links;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
        ↪ rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
        ↪ rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
        ↪ AsRef<LinksHeader<TLink>>(Header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
47          protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
            ↪ AsRef<RawLink<TLink>>(Links + (RawLink<TLink>.SizeInBytes *
            ↪ _addressToInt64Converter.Convert(link)));
48
49          [MethodImpl(MethodImplOptions.AggressiveInlining)]
50          protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
51          {
52              ref var link = ref GetLinkReference(linkIndex);
53              return new Link<TLink>(linkIndex, link.Source, link.Target);
54          }
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
58          {
59              ref var firstLink = ref GetLinkReference(first);
60              ref var secondLink = ref GetLinkReference(second);
61              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪ secondLink.Source, secondLink.Target);
62          }
63
64          [MethodImpl(MethodImplOptions.AggressiveInlining)]
65          protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
66          {
67              ref var firstLink = ref GetLinkReference(first);
68              ref var secondLink = ref GetLinkReference(second);
69              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪ secondLink.Source, secondLink.Target);
70          }
71
72          public TLink this[TLink index]
73          {
74              [MethodImpl(MethodImplOptions.AggressiveInlining)]
75              get
76              {
77                  var root = GetTreeRoot();
78                  if (GreaterOrEqualThan(index, GetSize(root)))
79                  {
80                      return Zero;
81                  }
82                  while (!EqualToZero(root))
83                  {
84                      var left = GetLeftOrDefault(root);
85                      var leftSize = GetSizeOrZero(left);
86                      if (LessThan(index, leftSize))
87                      {
88                          root = left;
89                          continue;
90                      }
91                      if (AreEqual(index, leftSize))
92                      {
93                          return root;
94                      }
95                      root = GetRightOrDefault(root);
96                      index = Subtract(index, Increment(leftSize));
97                  }
98                  return Zero; // TODO: Impossible situation exception (only if tree structure
                    ↪ broken)
99              }
100         }
101
102         /// <summary>
103         /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
            ↪ (концом).
104         /// </summary>
105         /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
106         /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
107         /// <returns>Индекс искомой связи.</returns>
108         [MethodImpl(MethodImplOptions.AggressiveInlining)]
109         public TLink Search(TLink source, TLink target)
110         {
111             var root = GetTreeRoot();
112             while (!EqualToZero(root))
113             {
114                 ref var rootLink = ref GetLinkReference(root);
115                 var rootSource = rootLink.Source;
116                 var rootTarget = rootLink.Target;
117                 if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
                    ↪ node.Key < root.Key
```

```
118                 {
119                     root = GetLeftOrDefault(root);
120                 }
121                 else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
                    ↪  node.Key > root.Key
122                 {
123                     root = GetRightOrDefault(root);
124                 }
125                 else // node.Key == root.Key
126                 {
127                     return root;
128                 }
129             }
130             return Zero;
131         }
132 
133         // TODO: Return indices range instead of references count
134         [MethodImpl(MethodImplOptions.AggressiveInlining)]
135         public TLink CountUsages(TLink link)
136         {
137             var root = GetTreeRoot();
138             var total = GetSize(root);
139             var totalRightIgnore = Zero;
140             while (!EqualToZero(root))
141             {
142                 var @base = GetBasePartValue(root);
143                 if (LessOrEqualThan(@base, link))
144                 {
145                     root = GetRightOrDefault(root);
146                 }
147                 else
148                 {
149                     totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
150                     root = GetLeftOrDefault(root);
151                 }
152             }
153             root = GetTreeRoot();
154             var totalLeftIgnore = Zero;
155             while (!EqualToZero(root))
156             {
157                 var @base = GetBasePartValue(root);
158                 if (GreaterOrEqualThan(@base, link))
159                 {
160                     root = GetLeftOrDefault(root);
161                 }
162                 else
163                 {
164                     totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
165                     root = GetRightOrDefault(root);
166                 }
167             }
168             return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
169         }
170 
171         [MethodImpl(MethodImplOptions.AggressiveInlining)]
172         public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
            ↪  EachUsageCore(@base, GetTreeRoot(), handler);
173 
174         // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
            ↪  low-level MSIL stack.
175         [MethodImpl(MethodImplOptions.AggressiveInlining)]
176         private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
177         {
178             var @continue = Continue;
179             if (EqualToZero(link))
180             {
181                 return @continue;
182             }
183             var linkBasePart = GetBasePartValue(link);
184             var @break = Break;
185             if (GreaterThan(linkBasePart, @base))
186             {
187                 if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
188                 {
189                     return @break;
190                 }
191             }
192             else if (LessThan(linkBasePart, @base))
193             {
```

```
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else //if (linkBasePart == @base)
            {
                if (AreEqual(handler(GetLinkValues(link)), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            return @continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.81 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksSizeBalancedTreeMethodsBase.cs

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Trees;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe abstract class LinksSizeBalancedTreeMethodsBase<TLink> : SizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter = UncheckedConverter<TLink, long>.Default;

        protected readonly TLink Break;
        protected readonly TLink Continue;
        protected readonly byte* Links;
        protected readonly byte* Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* links, byte* header)
        {
            Links = links;
            Header = header;
            Break = constants.Break;
            Continue = constants.Continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetTreeRoot();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetBasePartValue(TLink link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink rootSource, TLink rootTarget);

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink rootSource, TLink rootTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref AsRef<LinksHeader<TLink>>(Header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref AsRef<RawLink<TLink>>(Links + (RawLink<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
        {
            ref var link = ref GetLinkReference(linkIndex);
            return new Link<TLink>(linkIndex, link.Source, link.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref GetLinkReference(first);
            ref var secondLink = ref GetLinkReference(second);
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target, secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
        {
            ref var firstLink = ref GetLinkReference(first);
            ref var secondLink = ref GetLinkReference(second);
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target, secondLink.Source, secondLink.Target);
        }

        public TLink this[TLink index]
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get
            {
                var root = GetTreeRoot();
                if (GreaterOrEqualThan(index, GetSize(root)))
                {
                    return Zero;
                }
                while (!EqualToZero(root))
                {
                    var left = GetLeftOrDefault(root);
                    var leftSize = GetSizeOrZero(left);
                    if (LessThan(index, leftSize))
                    {
                        root = left;
                        continue;
                    }
                    if (AreEqual(index, leftSize))
                    {
                        return root;
                    }
                    root = GetRightOrDefault(root);
                    index = Subtract(index, Increment(leftSize));
                }
                return Zero; // TODO: Impossible situation exception (only if tree structure broken)
            }
        }

        /// <summary>
        /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target (концом).
        /// </summary>
        /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
        /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
        /// <returns>Индекс искомой связи.</returns>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Search(TLink source, TLink target)
```

```
        {
            var root = GetTreeRoot();
            while (!EqualToZero(root))
            {
                ref var rootLink = ref GetLinkReference(root);
                var rootSource = rootLink.Source;
                var rootTarget = rootLink.Target;
                if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
                ↪  node.Key < root.Key
                {
                    root = GetLeftOrDefault(root);
                }
                else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
                ↪  node.Key > root.Key
                {
                    root = GetRightOrDefault(root);
                }
                else // node.Key == root.Key
                {
                    return root;
                }
            }
            return Zero;
        }

        // TODO: Return indices range instead of references count
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink CountUsages(TLink link)
        {
            var root = GetTreeRoot();
            var total = GetSize(root);
            var totalRightIgnore = Zero;
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (LessOrEqualThan(@base, link))
                {
                    root = GetRightOrDefault(root);
                }
                else
                {
                    totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
                    root = GetLeftOrDefault(root);
                }
            }
            root = GetTreeRoot();
            var totalLeftIgnore = Zero;
            while (!EqualToZero(root))
            {
                var @base = GetBasePartValue(root);
                if (GreaterOrEqualThan(@base, link))
                {
                    root = GetLeftOrDefault(root);
                }
                else
                {
                    totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
                    root = GetRightOrDefault(root);
                }
            }
            return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
        ↪  EachUsageCore(@base, GetTreeRoot(), handler);

        // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
        ↪  low-level MSIL stack.
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
        {
            var @continue = Continue;
            if (EqualToZero(link))
            {
                return @continue;
            }
            var linkBasePart = GetBasePartValue(link);
            var @break = Break;
```

```
            if (GreaterThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else if (LessThan(linkBasePart, @base))
            {
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            else //if (linkBasePart == @base)
            {
                if (AreEqual(handler(GetLinkValues(link)), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
                {
                    return @break;
                }
                if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
                {
                    return @break;
                }
            }
            return @continue;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void PrintNodeValue(TLink node, StringBuilder sb)
        {
            ref var link = ref GetLinkReference(node);
            sb.Append(' ');
            sb.Append(link.Source);
            sb.Append('-');
            sb.Append('>');
            sb.Append(link.Target);
        }
    }
}
```

1.82 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksSourcesAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe class LinksSourcesAvlBalancedTreeMethods<TLink> :
    ↪ LinksAvlBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksSourcesAvlBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪ byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkReference(node).LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        protected override void SetRight(TLink node, TLink right) =>
        ↪  GetLinkReference(node).RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪  GetSizeValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) => SetSizeValue(ref
        ↪  GetLinkReference(node).SizeAsSource, size);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetLeftIsChild(TLink node) =>
        ↪  GetLeftIsChildValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeftIsChild(TLink node, bool value) =>
        ↪  SetLeftIsChildValue(ref GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetRightIsChild(TLink node) =>
        ↪  GetRightIsChildValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRightIsChild(TLink node, bool value) =>
        ↪  SetRightIsChildValue(ref GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override sbyte GetBalance(TLink node) =>
        ↪  GetBalanceValue(GetLinkReference(node).SizeAsSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetBalance(TLink node, sbyte value) => SetBalanceValue(ref
        ↪  GetLinkReference(node).SizeAsSource, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
        ↪  (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
        ↪  (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }
    }
}
```

1.83 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksSourcesRecursionlessSizeBalancedTreeMetho

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe class LinksSourcesRecursionlessSizeBalancedTreeMethods<TLink> :
    ↪  LinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink> constants,
        ↪  byte* links, byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪  GetLinkReference(node).LeftAsSource;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkReference(node).LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkReference(node).RightAsSource = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ GetLinkReference(node).SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
        ↪ (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
        ↪ (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsSource = Zero;
            link.RightAsSource = Zero;
            link.SizeAsSource = Zero;
        }
    }
}
```

1.84 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksSourcesSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe class LinksSourcesSizeBalancedTreeMethods<TLink> :
    ↪ LinksSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪ byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
22          protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          protected override void SetLeft(TLink node, TLink left) =>
            ↪  GetLinkReference(node).LeftAsSource = left;
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          protected override void SetRight(TLink node, TLink right) =>
            ↪  GetLinkReference(node).RightAsSource = right;
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsSource;
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          protected override void SetSize(TLink node, TLink size) =>
            ↪  GetLinkReference(node).SizeAsSource = size;
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
            ↪  (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
            ↪  (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override void ClearNode(TLink node)
50          {
51              ref var link = ref GetLinkReference(node);
52              link.LeftAsSource = Zero;
53              link.RightAsSource = Zero;
54              link.SizeAsSource = Zero;
55          }
56      }
57  }
```

1.85 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksTargetsAvlBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Memory.United.Generic
6   {
7       public unsafe class LinksTargetsAvlBalancedTreeMethods<TLink> :
        ↪  LinksAvlBalancedTreeMethodsBase<TLink>
8       {
9           [MethodImpl(MethodImplOptions.AggressiveInlining)]
10          public LinksTargetsAvlBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
            ↪  byte* header) : base(constants, links, header) { }
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
13          protected override ref TLink GetLeftReference(TLink node) => ref
            ↪  GetLinkReference(node).LeftAsTarget;
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          protected override ref TLink GetRightReference(TLink node) => ref
            ↪  GetLinkReference(node).RightAsTarget;
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          protected override void SetLeft(TLink node, TLink left) =>
            ↪  GetLinkReference(node).LeftAsTarget = left;
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          protected override void SetRight(TLink node, TLink right) =>
            ↪  GetLinkReference(node).RightAsTarget = right;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) =>
        ↪ GetSizeValue(GetLinkReference(node).SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) => SetSizeValue(ref
        ↪ GetLinkReference(node).SizeAsTarget, size);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetLeftIsChild(TLink node) =>
        ↪ GetLeftIsChildValue(GetLinkReference(node).SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeftIsChild(TLink node, bool value) =>
        ↪ SetLeftIsChildValue(ref GetLinkReference(node).SizeAsTarget, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetRightIsChild(TLink node) =>
        ↪ GetRightIsChildValue(GetLinkReference(node).SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRightIsChild(TLink node, bool value) =>
        ↪ SetRightIsChildValue(ref GetLinkReference(node).SizeAsTarget, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override sbyte GetBalance(TLink node) =>
        ↪ GetBalanceValue(GetLinkReference(node).SizeAsTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetBalance(TLink node, sbyte value) => SetBalanceValue(ref
        ↪ GetLinkReference(node).SizeAsTarget, value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
        ↪ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
        ↪ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.86 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksTargetsRecursionlessSizeBalancedTreeMetho

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe class LinksTargetsRecursionlessSizeBalancedTreeMethods<TLink> :
    ↪ LinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink> constants,
        ↪ byte* links, byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkReference(node).LeftAsTarget;

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(TLink node, TLink left) =>
        ↪ GetLinkReference(node).LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(TLink node, TLink right) =>
        ↪ GetLinkReference(node).RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink node, TLink size) =>
        ↪ GetLinkReference(node).SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
        ↪ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
        ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
        ↪ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(TLink node)
        {
            ref var link = ref GetLinkReference(node);
            link.LeftAsTarget = Zero;
            link.RightAsTarget = Zero;
            link.SizeAsTarget = Zero;
        }
    }
}
```

1.87 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksTargetsSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe class LinksTargetsSizeBalancedTreeMethods<TLink> :
    ↪ LinksSizeBalancedTreeMethodsBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
        ↪ byte* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetLeftReference(TLink node) => ref
        ↪ GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref TLink GetRightReference(TLink node) => ref
        ↪ GetLinkReference(node).RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;
```

```
23
24          [MethodImpl(MethodImplOptions.AggressiveInlining)]
25          protected override void SetLeft(TLink node, TLink left) =>
            ↪  GetLinkReference(node).LeftAsTarget = left;
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          protected override void SetRight(TLink node, TLink right) =>
            ↪  GetLinkReference(node).RightAsTarget = right;
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsTarget;
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          protected override void SetSize(TLink node, TLink size) =>
            ↪  GetLinkReference(node).SizeAsTarget = size;
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
            ↪  (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
            ↪  TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
            ↪  (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          protected override void ClearNode(TLink node)
50          {
51              ref var link = ref GetLinkReference(node);
52              link.LeftAsTarget = Zero;
53              link.RightAsTarget = Zero;
54              link.SizeAsTarget = Zero;
55          }
56      }
57  }
```

1.88 ./csharp/Platform.Data.Doublets/Memory/United/Generic/UnitedMemoryLinks.cs

```
1   using System;
2   using System.Runtime.CompilerServices;
3   using Platform.Singletons;
4   using Platform.Memory;
5   using static System.Runtime.CompilerServices.Unsafe;
6
7   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9   namespace Platform.Data.Doublets.Memory.United.Generic
10  {
11      public unsafe class UnitedMemoryLinks<TLink> : UnitedMemoryLinksBase<TLink>
12      {
13          private readonly Func<ILinksTreeMethods<TLink>> _createSourceTreeMethods;
14          private readonly Func<ILinksTreeMethods<TLink>> _createTargetTreeMethods;
15          private byte* _header;
16          private byte* _links;
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          public UnitedMemoryLinks(string address) : this(address, DefaultLinksSizeStep) { }
20
21          /// <summary>
22          /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
            ↪  минимальным шагом расширения базы данных.
23          /// </summary>
24          /// <param name="address">Полный пусть к файлу базы данных.</param>
25          /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
            ↪  байтах.</param>
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          public UnitedMemoryLinks(string address, long memoryReservationStep) : this(new
            ↪  FileMappedResizableDirectMemory(address, memoryReservationStep),
            ↪  memoryReservationStep) { }
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          public UnitedMemoryLinks(IResizableDirectMemory memory) : this(memory,
            ↪  DefaultLinksSizeStep) { }
```

```
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          public UnitedMemoryLinks(IResizableDirectMemory memory, long memoryReservationStep) :
            ↪ this(memory, memoryReservationStep, Default<LinksConstants<TLink>>.Instance,
            ↪ IndexTreeType.Default) { }
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          public UnitedMemoryLinks(IResizableDirectMemory memory, long memoryReservationStep,
            ↪ LinksConstants<TLink> constants, IndexTreeType indexTreeType) : base(memory,
            ↪ memoryReservationStep, constants)
37          {
38              if (indexTreeType == IndexTreeType.SizedAndThreadedAVLBalancedTree)
39              {
40                  _createSourceTreeMethods = () => new
                    ↪ LinksSourcesAvlBalancedTreeMethods<TLink>(Constants, _links, _header);
41                  _createTargetTreeMethods = () => new
                    ↪ LinksTargetsAvlBalancedTreeMethods<TLink>(Constants, _links, _header);
42              }
43              else
44              {
45                  _createSourceTreeMethods = () => new
                    ↪ LinksSourcesSizeBalancedTreeMethods<TLink>(Constants, _links, _header);
46                  _createTargetTreeMethods = () => new
                    ↪ LinksTargetsSizeBalancedTreeMethods<TLink>(Constants, _links, _header);
47              }
48              Init(memory, memoryReservationStep);
49          }
50
51          [MethodImpl(MethodImplOptions.AggressiveInlining)]
52          protected override void SetPointers(IResizableDirectMemory memory)
53          {
54              _links = (byte*)memory.Pointer;
55              _header = _links;
56              SourcesTreeMethods = _createSourceTreeMethods();
57              TargetsTreeMethods = _createTargetTreeMethods();
58              UnusedLinksListMethods = new UnusedLinksListMethods<TLink>(_links, _header);
59          }
60
61          [MethodImpl(MethodImplOptions.AggressiveInlining)]
62          protected override void ResetPointers()
63          {
64              base.ResetPointers();
65              _links = null;
66              _header = null;
67          }
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected override ref LinksHeader<TLink> GetHeaderReference() => ref
            ↪ AsRef<LinksHeader<TLink>>(_header);
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          protected override ref RawLink<TLink> GetLinkReference(TLink linkIndex) => ref
            ↪ AsRef<RawLink<TLink>>(_links + (LinkSizeInBytes * ConvertToInt64(linkIndex)));
74      }
75  }
```

1.89 ./csharp/Platform.Data.Doublets/Memory/United/Generic/UnitedMemoryLinksBase.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Runtime.CompilerServices;
4   using Platform.Disposables;
5   using Platform.Singletons;
6   using Platform.Converters;
7   using Platform.Numbers;
8   using Platform.Memory;
9   using Platform.Data.Exceptions;
10
11  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
12
13  namespace Platform.Data.Doublets.Memory.United.Generic
14  {
15      public abstract class UnitedMemoryLinksBase<TLink> : DisposableBase, ILinks<TLink>
16      {
17          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪ EqualityComparer<TLink>.Default;
18          private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
19          private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
            ↪ UncheckedConverter<TLink, long>.Default;
```

```
20          private static readonly UncheckedConverter<long, TLink> _int64ToAddressConverter =
            ↪  UncheckedConverter<long, TLink>.Default;
21
22          private static readonly TLink _zero = default;
23          private static readonly TLink _one = Arithmetic.Increment(_zero);
24
25          /// <summary>Возвращает размер одной связи в байтах.</summary>
26          /// <remarks>
27          /// Используется только во вне класса, не рекомедуется использовать внутри.
28          /// Так как во вне не обязательно будет доступен unsafe C#.
29          /// </remarks>
30          public static readonly long LinkSizeInBytes = RawLink<TLink>.SizeInBytes;
31
32          public static readonly long LinkHeaderSizeInBytes = LinksHeader<TLink>.SizeInBytes;
33
34          public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
35
36          protected readonly IResizableDirectMemory _memory;
37          protected readonly long _memoryReservationStep;
38
39          protected ILinksTreeMethods<TLink> TargetsTreeMethods;
40          protected ILinksTreeMethods<TLink> SourcesTreeMethods;
41          // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
            ↪  нужно использовать не список а дерево, так как так можно быстрее проверить на
            ↪  наличие связи внутри
42          protected ILinksListMethods<TLink> UnusedLinksListMethods;
43
44          /// <summary>
45          /// Возвращает общее число связей находящихся в хранилище.
46          /// </summary>
47          protected virtual TLink Total
48          {
49              [MethodImpl(MethodImplOptions.AggressiveInlining)]
50              get
51              {
52                  ref var header = ref GetHeaderReference();
53                  return Subtract(header.AllocatedLinks, header.FreeLinks);
54              }
55          }
56
57          public virtual LinksConstants<TLink> Constants
58          {
59              [MethodImpl(MethodImplOptions.AggressiveInlining)]
60              get;
61          }
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected UnitedMemoryLinksBase(IResizableDirectMemory memory, long
            ↪  memoryReservationStep, LinksConstants<TLink> constants)
65          {
66              _memory = memory;
67              _memoryReservationStep = memoryReservationStep;
68              Constants = constants;
69          }
70
71          [MethodImpl(MethodImplOptions.AggressiveInlining)]
72          protected UnitedMemoryLinksBase(IResizableDirectMemory memory, long
            ↪  memoryReservationStep) : this(memory, memoryReservationStep,
            ↪  Default<LinksConstants<TLink>>.Instance) { }
73
74          [MethodImpl(MethodImplOptions.AggressiveInlining)]
75          protected virtual void Init(IResizableDirectMemory memory, long memoryReservationStep)
76          {
77              if (memory.ReservedCapacity < memoryReservationStep)
78              {
79                  memory.ReservedCapacity = memoryReservationStep;
80              }
81              SetPointers(memory);
82              ref var header = ref GetHeaderReference();
83              // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
84              memory.UsedCapacity = (ConvertToInt64(header.AllocatedLinks) * LinkSizeInBytes) +
                ↪  LinkHeaderSizeInBytes;
85              // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
86              header.ReservedLinks = ConvertToAddress((memory.ReservedCapacity -
                ↪  LinkHeaderSizeInBytes) / LinkSizeInBytes);
87          }
88
89          [MethodImpl(MethodImplOptions.AggressiveInlining)]
90          public virtual TLink Count(IList<TLink> restrictions)
91          {
```

```
            // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
            if (restrictions.Count == 0)
            {
                return Total;
            }
            var constants = Constants;
            var any = constants.Any;
            var index = restrictions[constants.IndexPart];
            if (restrictions.Count == 1)
            {
                if (AreEqual(index, any))
                {
                    return Total;
                }
                return Exists(index) ? GetOne() : GetZero();
            }
            if (restrictions.Count == 2)
            {
                var value = restrictions[1];
                if (AreEqual(index, any))
                {
                    if (AreEqual(value, any))
                    {
                        return Total; // Any - как отсутствие ограничения
                    }
                    return Add(SourcesTreeMethods.CountUsages(value),
                    ↪  TargetsTreeMethods.CountUsages(value));
                }
                else
                {
                    if (!Exists(index))
                    {
                        return GetZero();
                    }
                    if (AreEqual(value, any))
                    {
                        return GetOne();
                    }
                    ref var storedLinkValue = ref GetLinkReference(index);
                    if (AreEqual(storedLinkValue.Source, value) ||
                    ↪  AreEqual(storedLinkValue.Target, value))
                    {
                        return GetOne();
                    }
                    return GetZero();
                }
            }
            if (restrictions.Count == 3)
            {
                var source = restrictions[constants.SourcePart];
                var target = restrictions[constants.TargetPart];
                if (AreEqual(index, any))
                {
                    if (AreEqual(source, any) && AreEqual(target, any))
                    {
                        return Total;
                    }
                    else if (AreEqual(source, any))
                    {
                        return TargetsTreeMethods.CountUsages(target);
                    }
                    else if (AreEqual(target, any))
                    {
                        return SourcesTreeMethods.CountUsages(source);
                    }
                    else //if(source != Any && target != Any)
                    {
                        // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
                        var link = SourcesTreeMethods.Search(source, target);
                        return AreEqual(link, constants.Null) ? GetZero() : GetOne();
                    }
                }
                else
                {
                    if (!Exists(index))
                    {
                        return GetZero();
                    }
```

```
                    if (AreEqual(source, any) && AreEqual(target, any))
                    {
                        return GetOne();
                    }
                    ref var storedLinkValue = ref GetLinkReference(index);
                    if (!AreEqual(source, any) && !AreEqual(target, any))
                    {
                        if (AreEqual(storedLinkValue.Source, source) &&
                        ↪  AreEqual(storedLinkValue.Target, target))
                        {
                            return GetOne();
                        }
                        return GetZero();
                    }
                    var value = default(TLink);
                    if (AreEqual(source, any))
                    {
                        value = target;
                    }
                    if (AreEqual(target, any))
                    {
                        value = source;
                    }
                    if (AreEqual(storedLinkValue.Source, value) ||
                    ↪  AreEqual(storedLinkValue.Target, value))
                    {
                        return GetOne();
                    }
                    return GetZero();
                }
            }
            throw new NotSupportedException("Другие размеры и способы ограничений не
            ↪  поддерживаются.");
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
        {
            var constants = Constants;
            var @break = constants.Break;
            if (restrictions.Count == 0)
            {
                for (var link = GetOne(); LessOrEqualThan(link,
                ↪  GetHeaderReference().AllocatedLinks); link = Increment(link))
                {
                    if (Exists(link) && AreEqual(handler(GetLinkStruct(link)), @break))
                    {
                        return @break;
                    }
                }
                return @break;
            }
            var @continue = constants.Continue;
            var any = constants.Any;
            var index = restrictions[constants.IndexPart];
            if (restrictions.Count == 1)
            {
                if (AreEqual(index, any))
                {
                    return Each(handler, Array.Empty<TLink>());
                }
                if (!Exists(index))
                {
                    return @continue;
                }
                return handler(GetLinkStruct(index));
            }
            if (restrictions.Count == 2)
            {
                var value = restrictions[1];
                if (AreEqual(index, any))
                {
                    if (AreEqual(value, any))
                    {
                        return Each(handler, Array.Empty<TLink>());
                    }
                    if (AreEqual(Each(handler, new Link<TLink>(index, value, any)), @break))
                    {
```

```
                    return @break;
                }
                return Each(handler, new Link<TLink>(index, any, value));
            }
            else
            {
                if (!Exists(index))
                {
                    return @continue;
                }
                if (AreEqual(value, any))
                {
                    return handler(GetLinkStruct(index));
                }
                ref var storedLinkValue = ref GetLinkReference(index);
                if (AreEqual(storedLinkValue.Source, value) ||
                    AreEqual(storedLinkValue.Target, value))
                {
                    return handler(GetLinkStruct(index));
                }
                return @continue;
            }
        }
        if (restrictions.Count == 3)
        {
            var source = restrictions[constants.SourcePart];
            var target = restrictions[constants.TargetPart];
            if (AreEqual(index, any))
            {
                if (AreEqual(source, any) && AreEqual(target, any))
                {
                    return Each(handler, Array.Empty<TLink>());
                }
                else if (AreEqual(source, any))
                {
                    return TargetsTreeMethods.EachUsage(target, handler);
                }
                else if (AreEqual(target, any))
                {
                    return SourcesTreeMethods.EachUsage(source, handler);
                }
                else //if(source != Any && target != Any)
                {
                    var link = SourcesTreeMethods.Search(source, target);
                    return AreEqual(link, constants.Null) ? @continue :
                    ↪  handler(GetLinkStruct(link));
                }
            }
            else
            {
                if (!Exists(index))
                {
                    return @continue;
                }
                if (AreEqual(source, any) && AreEqual(target, any))
                {
                    return handler(GetLinkStruct(index));
                }
                ref var storedLinkValue = ref GetLinkReference(index);
                if (!AreEqual(source, any) && !AreEqual(target, any))
                {
                    if (AreEqual(storedLinkValue.Source, source) &&
                        AreEqual(storedLinkValue.Target, target))
                    {
                        return handler(GetLinkStruct(index));
                    }
                    return @continue;
                }
                var value = default(TLink);
                if (AreEqual(source, any))
                {
                    value = target;
                }
                if (AreEqual(target, any))
                {
                    value = source;
                }
                if (AreEqual(storedLinkValue.Source, value) ||
```

```
319                         AreEqual(storedLinkValue.Target, value))
320                     {
321                         return handler(GetLinkStruct(index));
322                     }
323                     return @continue;
324                 }
325             }
326             throw new NotSupportedException("Другие размеры и способы ограничений не
                ↪ поддерживаются.");
327         }
328 
329         /// <remarks>
330         /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
                ↪ в другом месте (но не в менеджере памяти, а в логике Links)
331         /// </remarks>
332         [MethodImpl(MethodImplOptions.AggressiveInlining)]
333         public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
334         {
335             var constants = Constants;
336             var @null = constants.Null;
337             var linkIndex = restrictions[constants.IndexPart];
338             ref var link = ref GetLinkReference(linkIndex);
339             ref var header = ref GetHeaderReference();
340             ref var firstAsSource = ref header.RootAsSource;
341             ref var firstAsTarget = ref header.RootAsTarget;
342             // Будет корректно работать только в том случае, если пространство выделенной связи
                ↪ предварительно заполнено нулями
343             if (!AreEqual(link.Source, @null))
344             {
345                 SourcesTreeMethods.Detach(ref firstAsSource, linkIndex);
346             }
347             if (!AreEqual(link.Target, @null))
348             {
349                 TargetsTreeMethods.Detach(ref firstAsTarget, linkIndex);
350             }
351             link.Source = substitution[constants.SourcePart];
352             link.Target = substitution[constants.TargetPart];
353             if (!AreEqual(link.Source, @null))
354             {
355                 SourcesTreeMethods.Attach(ref firstAsSource, linkIndex);
356             }
357             if (!AreEqual(link.Target, @null))
358             {
359                 TargetsTreeMethods.Attach(ref firstAsTarget, linkIndex);
360             }
361             return linkIndex;
362         }
363 
364         /// <remarks>
365         /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
                ↪ пространство
366         /// </remarks>
367         [MethodImpl(MethodImplOptions.AggressiveInlining)]
368         public virtual TLink Create(IList<TLink> restrictions)
369         {
370             ref var header = ref GetHeaderReference();
371             var freeLink = header.FirstFreeLink;
372             if (!AreEqual(freeLink, Constants.Null))
373             {
374                 UnusedLinksListMethods.Detach(freeLink);
375             }
376             else
377             {
378                 var maximumPossibleInnerReference = Constants.InternalReferencesRange.Maximum;
379                 if (GreaterThan(header.AllocatedLinks, maximumPossibleInnerReference))
380                 {
381                     throw new LinksLimitReachedException<TLink>(maximumPossibleInnerReference);
382                 }
383                 if (GreaterOrEqualThan(header.AllocatedLinks, Decrement(header.ReservedLinks)))
384                 {
385                     _memory.ReservedCapacity += _memoryReservationStep;
386                     SetPointers(_memory);
387                     header = ref GetHeaderReference();
388                     header.ReservedLinks = ConvertToAddress(_memory.ReservedCapacity /
                        ↪ LinkSizeInBytes);
389                 }
390                 freeLink = header.AllocatedLinks = Increment(header.AllocatedLinks);
391                 _memory.UsedCapacity += LinkSizeInBytes;
392             }
```

```
393             return freeLink;
394         }
395 
396         [MethodImpl(MethodImplOptions.AggressiveInlining)]
397         public virtual void Delete(IList<TLink> restrictions)
398         {
399             ref var header = ref GetHeaderReference();
400             var link = restrictions[Constants.IndexPart];
401             if (LessThan(link, header.AllocatedLinks))
402             {
403                 UnusedLinksListMethods.AttachAsFirst(link);
404             }
405             else if (AreEqual(link, header.AllocatedLinks))
406             {
407                 header.AllocatedLinks = Decrement(header.AllocatedLinks);
408                 _memory.UsedCapacity -= LinkSizeInBytes;
409                 // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор, пока не дойдём до первой существующей связи
410                 // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
411                 while (GreaterThan(header.AllocatedLinks, GetZero()) && IsUnusedLink(header.AllocatedLinks))
412                 {
413                     UnusedLinksListMethods.Detach(header.AllocatedLinks);
414                     header.AllocatedLinks = Decrement(header.AllocatedLinks);
415                     _memory.UsedCapacity -= LinkSizeInBytes;
416                 }
417             }
418         }
419 
420         [MethodImpl(MethodImplOptions.AggressiveInlining)]
421         public IList<TLink> GetLinkStruct(TLink linkIndex)
422         {
423             ref var link = ref GetLinkReference(linkIndex);
424             return new Link<TLink>(linkIndex, link.Source, link.Target);
425         }
426 
427         /// <remarks>
428         /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если адрес реально поменялся
429         ///
430         /// Указатель this.links может быть в том же месте,
431         /// так как 0-я связь не используется и имеет такой же размер как Header,
432         /// поэтому header размещается в том же месте, что и 0-я связь
433         /// </remarks>
434         [MethodImpl(MethodImplOptions.AggressiveInlining)]
435         protected abstract void SetPointers(IResizableDirectMemory memory);
436 
437         [MethodImpl(MethodImplOptions.AggressiveInlining)]
438         protected virtual void ResetPointers()
439         {
440             SourcesTreeMethods = null;
441             TargetsTreeMethods = null;
442             UnusedLinksListMethods = null;
443         }
444 
445         [MethodImpl(MethodImplOptions.AggressiveInlining)]
446         protected abstract ref LinksHeader<TLink> GetHeaderReference();
447 
448         [MethodImpl(MethodImplOptions.AggressiveInlining)]
449         protected abstract ref RawLink<TLink> GetLinkReference(TLink linkIndex);
450 
451         [MethodImpl(MethodImplOptions.AggressiveInlining)]
452         protected virtual bool Exists(TLink link)
453             => GreaterOrEqualThan(link, Constants.InternalReferencesRange.Minimum)
454             && LessOrEqualThan(link, GetHeaderReference().AllocatedLinks)
455             && !IsUnusedLink(link);
456 
457         [MethodImpl(MethodImplOptions.AggressiveInlining)]
458         protected virtual bool IsUnusedLink(TLink linkIndex)
459         {
460             if (!AreEqual(GetHeaderReference().FirstFreeLink, linkIndex)) // May be this check is not needed
461             {
462                 ref var link = ref GetLinkReference(linkIndex);
463                 return AreEqual(link.SizeAsSource, default) && !AreEqual(link.Source, default);
464             }
465             else
466             {
467                 return true;
```

```
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink GetOne() => _one;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink GetZero() => default;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual bool AreEqual(TLink first, TLink second) =>
        ↪  _equalityComparer.Equals(first, second);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual bool LessThan(TLink first, TLink second) => _comparer.Compare(first,
        ↪  second) < 0;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual bool LessOrEqualThan(TLink first, TLink second) =>
        ↪  _comparer.Compare(first, second) <= 0;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual bool GreaterThan(TLink first, TLink second) =>
        ↪  _comparer.Compare(first, second) > 0;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual bool GreaterOrEqualThan(TLink first, TLink second) =>
        ↪  _comparer.Compare(first, second) >= 0;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual long ConvertToInt64(TLink value) =>
        ↪  _addressToInt64Converter.Convert(value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink ConvertToAddress(long value) =>
        ↪  _int64ToAddressConverter.Convert(value);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink Add(TLink first, TLink second) => Arithmetic<TLink>.Add(first,
        ↪  second);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink Subtract(TLink first, TLink second) =>
        ↪  Arithmetic<TLink>.Subtract(first, second);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink Increment(TLink link) => Arithmetic<TLink>.Increment(link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual TLink Decrement(TLink link) => Arithmetic<TLink>.Decrement(link);

        #region Disposable

        protected override bool AllowMultipleDisposeCalls
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => true;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                ResetPointers();
                _memory.DisposeIfPossible();
            }
        }

        #endregion
    }
}
```

1.90 ./csharp/Platform.Data.Doublets/Memory/United/Generic/UnusedLinksListMethods.cs

```
using System.Runtime.CompilerServices;
using Platform.Collections.Methods.Lists;
using Platform.Converters;
using static System.Runtime.CompilerServices.Unsafe;

```

```
#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Generic
{
    public unsafe class UnusedLinksListMethods<TLink> :
    ↪  AbsoluteCircularDoublyLinkedListMethods<TLink>, ILinksListMethods<TLink>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪  UncheckedConverter<TLink, long>.Default;

        private readonly byte* _links;
        private readonly byte* _header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnusedLinksListMethods(byte* links, byte* header)
        {
            _links = links;
            _header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
        ↪  AsRef<LinksHeader<TLink>>(_header);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
        ↪  AsRef<RawLink<TLink>>(_links + (RawLink<TLink>.SizeInBytes *
        ↪  _addressToInt64Converter.Convert(link)));

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetFirst() => GetHeaderReference().FirstFreeLink;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetLast() => GetHeaderReference().LastFreeLink;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetPrevious(TLink element) => GetLinkReference(element).Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNext(TLink element) => GetLinkReference(element).Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetSize() => GetHeaderReference().FreeLinks;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetFirst(TLink element) => GetHeaderReference().FirstFreeLink =
        ↪  element;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLast(TLink element) => GetHeaderReference().LastFreeLink =
        ↪  element;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetPrevious(TLink element, TLink previous) =>
        ↪  GetLinkReference(element).Source = previous;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetNext(TLink element, TLink next) =>
        ↪  GetLinkReference(element).Target = next;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(TLink size) => GetHeaderReference().FreeLinks = size;
    }
}
```

1.91 ./csharp/Platform.Data.Doublets/Memory/United/RawLink.cs

```
using Platform.Unsafe;
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United
{
    public struct RawLink<TLink> : IEquatable<RawLink<TLink>>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

```

```
14          public static readonly long SizeInBytes = Structure<RawLink<TLink>>.Size;
15
16          public TLink Source;
17          public TLink Target;
18          public TLink LeftAsSource;
19          public TLink RightAsSource;
20          public TLink SizeAsSource;
21          public TLink LeftAsTarget;
22          public TLink RightAsTarget;
23          public TLink SizeAsTarget;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          public override bool Equals(object obj) => obj is RawLink<TLink> link ? Equals(link) :
            ↪  false;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          public bool Equals(RawLink<TLink> other)
30              => _equalityComparer.Equals(Source, other.Source)
31              && _equalityComparer.Equals(Target, other.Target)
32              && _equalityComparer.Equals(LeftAsSource, other.LeftAsSource)
33              && _equalityComparer.Equals(RightAsSource, other.RightAsSource)
34              && _equalityComparer.Equals(SizeAsSource, other.SizeAsSource)
35              && _equalityComparer.Equals(LeftAsTarget, other.LeftAsTarget)
36              && _equalityComparer.Equals(RightAsTarget, other.RightAsTarget)
37              && _equalityComparer.Equals(SizeAsTarget, other.SizeAsTarget);
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          public override int GetHashCode() => (Source, Target, LeftAsSource, RightAsSource,
            ↪  SizeAsSource, LeftAsTarget, RightAsTarget, SizeAsTarget).GetHashCode();
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          public static bool operator ==(RawLink<TLink> left, RawLink<TLink> right) =>
            ↪  left.Equals(right);
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          public static bool operator !=(RawLink<TLink> left, RawLink<TLink> right) => !(left ==
            ↪  right);
47      }
48  }
```

1.92 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksRecursionlessSizeBalancedTreeMetho

```
1   using System.Runtime.CompilerServices;
2   using Platform.Data.Doublets.Memory.United.Generic;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Memory.United.Specific
7   {
8       public unsafe abstract class UInt32LinksRecursionlessSizeBalancedTreeMethodsBase :
        ↪  LinksRecursionlessSizeBalancedTreeMethodsBase<uint>
9       {
10          protected new readonly RawLink<uint>* Links;
11          protected new readonly LinksHeader<uint>* Header;
12
13          protected UInt32LinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<uint>
            ↪  constants, RawLink<uint>* links, LinksHeader<uint>* header)
14              : base(constants, (byte*)links, (byte*)header)
15          {
16              Links = links;
17              Header = header;
18          }
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override uint GetZero() => 0U;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override bool EqualToZero(uint value) => value == 0U;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override bool AreEqual(uint first, uint second) => first == second;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override bool GreaterThanZero(uint value) => value > 0U;
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override bool GreaterThan(uint first, uint second) => first > second;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GreaterOrEqualThan(uint first, uint second) => first >= second;
37
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThanZero(uint value) => true; // value >= 0 is
        ↪ always true for uint

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThanZero(uint value) => value == 0U; // value is
        ↪ always >= 0 for uint

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(uint first, uint second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThanZero(uint value) => false; // value < 0 is always false
        ↪ for uint

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(uint first, uint second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint Increment(uint value) => ++value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint Decrement(uint value) => --value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint Add(uint first, uint second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint Subtract(uint first, uint second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(uint first, uint second)
        {
            ref var firstLink = ref Links[first];
            ref var secondLink = ref Links[second];
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
            ↪ secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(uint first, uint second)
        {
            ref var firstLink = ref Links[first];
            ref var secondLink = ref Links[second];
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪ secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<uint> GetHeaderReference() => ref *Header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLink<uint> GetLinkReference(uint link) => ref Links[link];
    }
}
```

1.93 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksSizeBalancedTreeMethodsBase.cs

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.United.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Specific
{
    public unsafe abstract class UInt32LinksSizeBalancedTreeMethodsBase :
    ↪ LinksSizeBalancedTreeMethodsBase<uint>
    {
        protected new readonly RawLink<uint>* Links;
        protected new readonly LinksHeader<uint>* Header;

        protected UInt32LinksSizeBalancedTreeMethodsBase(LinksConstants<uint> constants,
        ↪ RawLink<uint>* links, LinksHeader<uint>* header)
            : base(constants, (byte*)links, (byte*)header)
        {
            Links = links;
            Header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
21          protected override uint GetZero() => 0U;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override bool EqualToZero(uint value) => value == 0U;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override bool AreEqual(uint first, uint second) => first == second;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override bool GreaterThanZero(uint value) => value > 0U;
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override bool GreaterThan(uint first, uint second) => first > second;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GreaterOrEqualThan(uint first, uint second) => first >= second;
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override bool GreaterOrEqualThanZero(uint value) => true; // value >= 0 is
            ↪  always true for uint
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool LessOrEqualThanZero(uint value) => value == 0U; // value is
            ↪  always >= 0 for uint
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override bool LessOrEqualThan(uint first, uint second) => first <= second;
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected override bool LessThanZero(uint value) => false; // value < 0 is always false
            ↪  for uint
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override bool LessThan(uint first, uint second) => first < second;
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override uint Increment(uint value) => ++value;
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override uint Decrement(uint value) => --value;
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override uint Add(uint first, uint second) => first + second;
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override uint Subtract(uint first, uint second) => first - second;
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override bool FirstIsToTheLeftOfSecond(uint first, uint second)
67          {
68              ref var firstLink = ref Links[first];
69              ref var secondLink = ref Links[second];
70              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
71          }
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override bool FirstIsToTheRightOfSecond(uint first, uint second)
75          {
76              ref var firstLink = ref Links[first];
77              ref var secondLink = ref Links[second];
78              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
79          }
80
81          [MethodImpl(MethodImplOptions.AggressiveInlining)]
82          protected override ref LinksHeader<uint> GetHeaderReference() => ref *Header;
83
84          [MethodImpl(MethodImplOptions.AggressiveInlining)]
85          protected override ref RawLink<uint> GetLinkReference(uint link) => ref Links[link];
86      }
87  }
```

1.94 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksSourcesRecursionlessSizeBalancedTre

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Memory.United.Specific
```

```
{
    public unsafe class UInt32LinksSourcesRecursionlessSizeBalancedTreeMethods :
    ↪ UInt32LinksRecursionlessSizeBalancedTreeMethodsBase
    {
        public UInt32LinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<uint>
        ↪ constants, RawLink<uint>* links, LinksHeader<uint>* header) : base(constants, links,
        ↪ header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref uint GetLeftReference(uint node) => ref Links[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref uint GetRightReference(uint node) => ref
        ↪ Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetLeft(uint node) => Links[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetRight(uint node) => Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(uint node, uint left) => Links[node].LeftAsSource = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(uint node, uint right) => Links[node].RightAsSource =
        ↪ right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetSize(uint node) => Links[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(uint node, uint size) => Links[node].SizeAsSource = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetTreeRoot() => Header->RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetBasePartValue(uint link) => Links[link].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(uint firstSource, uint firstTarget,
        ↪ uint secondSource, uint secondTarget)
            => firstSource < secondSource || (firstSource == secondSource && firstTarget <
            ↪ secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(uint firstSource, uint firstTarget,
        ↪ uint secondSource, uint secondTarget)
            => firstSource > secondSource || (firstSource == secondSource && firstTarget >
            ↪ secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(uint node)
        {
            ref var link = ref Links[node];
            link.LeftAsSource = 0U;
            link.RightAsSource = 0U;
            link.SizeAsSource = 0U;
        }
    }
}
```

1.95 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksSourcesSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Specific
{
    public unsafe class UInt32LinksSourcesSizeBalancedTreeMethods :
    ↪ UInt32LinksSizeBalancedTreeMethodsBase
    {
        public UInt32LinksSourcesSizeBalancedTreeMethods(LinksConstants<uint> constants,
        ↪ RawLink<uint>* links, LinksHeader<uint>* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref uint GetLeftReference(uint node) => ref Links[node].LeftAsSource;

```

```
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          protected override ref uint GetRightReference(uint node) => ref
            ↪  Links[node].RightAsSource;
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override uint GetLeft(uint node) => Links[node].LeftAsSource;
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override uint GetRight(uint node) => Links[node].RightAsSource;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override void SetLeft(uint node, uint left) => Links[node].LeftAsSource = left;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override void SetRight(uint node, uint right) => Links[node].RightAsSource =
            ↪  right;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override uint GetSize(uint node) => Links[node].SizeAsSource;
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(uint node, uint size) => Links[node].SizeAsSource = size;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override uint GetTreeRoot() => Header->RootAsSource;
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override uint GetBasePartValue(uint link) => Links[link].Source;
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool FirstIsToTheLeftOfSecond(uint firstSource, uint firstTarget,
            ↪  uint secondSource, uint secondTarget)
43              => firstSource < secondSource || (firstSource == secondSource && firstTarget <
                ↪  secondTarget);
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool FirstIsToTheRightOfSecond(uint firstSource, uint firstTarget,
            ↪  uint secondSource, uint secondTarget)
47              => firstSource > secondSource || (firstSource == secondSource && firstTarget >
                ↪  secondTarget);
48
49          [MethodImpl(MethodImplOptions.AggressiveInlining)]
50          protected override void ClearNode(uint node)
51          {
52              ref var link = ref Links[node];
53              link.LeftAsSource = 0U;
54              link.RightAsSource = 0U;
55              link.SizeAsSource = 0U;
56          }
57      }
58  }
```

1.96 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksTargetsRecursionlessSizeBalancedTre

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Memory.United.Specific
6   {
7       public unsafe class UInt32LinksTargetsRecursionlessSizeBalancedTreeMethods :
        ↪  UInt32LinksRecursionlessSizeBalancedTreeMethodsBase
8       {
9           public UInt32LinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<uint>
            ↪  constants, RawLink<uint>* links, LinksHeader<uint>* header) : base(constants, links,
            ↪  header) { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected override ref uint GetLeftReference(uint node) => ref Links[node].LeftAsTarget;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          protected override ref uint GetRightReference(uint node) => ref
            ↪  Links[node].RightAsTarget;
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override uint GetLeft(uint node) => Links[node].LeftAsTarget;
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override uint GetRight(uint node) => Links[node].RightAsTarget;
22
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(uint node, uint left) => Links[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(uint node, uint right) => Links[node].RightAsTarget =
        ↪  right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetSize(uint node) => Links[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(uint node, uint size) => Links[node].SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetTreeRoot() => Header->RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetBasePartValue(uint link) => Links[link].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(uint firstSource, uint firstTarget,
        ↪  uint secondSource, uint secondTarget)
            => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
            ↪  secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(uint firstSource, uint firstTarget,
        ↪  uint secondSource, uint secondTarget)
            => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
            ↪  secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(uint node)
        {
            ref var link = ref Links[node];
            link.LeftAsTarget = 0U;
            link.RightAsTarget = 0U;
            link.SizeAsTarget = 0U;
        }
    }
}
```

1.97 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksTargetsSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Specific
{
    public unsafe class UInt32LinksTargetsSizeBalancedTreeMethods :
    ↪  UInt32LinksSizeBalancedTreeMethodsBase
    {
        public UInt32LinksTargetsSizeBalancedTreeMethods(LinksConstants<uint> constants,
        ↪  RawLink<uint>* links, LinksHeader<uint>* header) : base(constants, links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref uint GetLeftReference(uint node) => ref Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref uint GetRightReference(uint node) => ref
        ↪  Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetLeft(uint node) => Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetRight(uint node) => Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(uint node, uint left) => Links[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(uint node, uint right) => Links[node].RightAsTarget =
        ↪  right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override uint GetSize(uint node) => Links[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
33          protected override void SetSize(uint node, uint size) => Links[node].SizeAsTarget = size;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override uint GetTreeRoot() => Header->RootAsTarget;
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override uint GetBasePartValue(uint link) => Links[link].Target;
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool FirstIsToTheLeftOfSecond(uint firstSource, uint firstTarget,
            ↪  uint secondSource, uint secondTarget)
43              => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
                ↪  secondSource);
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool FirstIsToTheRightOfSecond(uint firstSource, uint firstTarget,
            ↪  uint secondSource, uint secondTarget)
47              => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
                ↪  secondSource);
48
49          [MethodImpl(MethodImplOptions.AggressiveInlining)]
50          protected override void ClearNode(uint node)
51          {
52              ref var link = ref Links[node];
53              link.LeftAsTarget = 0U;
54              link.RightAsTarget = 0U;
55              link.SizeAsTarget = 0U;
56          }
57      }
58  }
```

1.98 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32UnitedMemoryLinks.cs

```
1   using System;
2   using System.Runtime.CompilerServices;
3   using Platform.Memory;
4   using Platform.Singletons;
5   using Platform.Data.Doublets.Memory.United.Generic;
6
7   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9   namespace Platform.Data.Doublets.Memory.United.Specific
10  {
11      /// <summary>
12      /// <para>Represents a low-level implementation of direct access to resizable memory, for
            ↪  organizing the storage of links with addresses represented as <see cref="uint" />.</para>
13      /// <para>Представляет низкоуровневую реализация прямого доступа к памяти с переменным
            ↪  размером, для организации хранения связей с адресами представленными в виде <see
            ↪  cref="uint"/>.</para>
14      /// </summary>
15      public unsafe class UInt32UnitedMemoryLinks : UnitedMemoryLinksBase<uint>
16      {
17          private readonly Func<ILinksTreeMethods<uint>> _createSourceTreeMethods;
18          private readonly Func<ILinksTreeMethods<uint>> _createTargetTreeMethods;
19          private LinksHeader<uint>* _header;
20          private RawLink<uint>* _links;
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          public UInt32UnitedMemoryLinks(string address) : this(address, DefaultLinksSizeStep) { }
24
25          /// <summary>
26          /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
            ↪  минимальным шагом расширения базы данных.
27          /// </summary>
28          /// <param name="address">Полный пусть к файлу базы данных.</param>
29          /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
            ↪  байтах.</param>
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public UInt32UnitedMemoryLinks(string address, long memoryReservationStep) : this(new
            ↪  FileMappedResizableDirectMemory(address, memoryReservationStep),
            ↪  memoryReservationStep) { }
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public UInt32UnitedMemoryLinks(IResizableDirectMemory memory) : this(memory,
            ↪  DefaultLinksSizeStep) { }
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          public UInt32UnitedMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep) : this(memory, memoryReservationStep,
            ↪  Default<LinksConstants<uint>>.Instance, IndexTreeType.Default) { }
```

```
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          public UInt32UnitedMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep, LinksConstants<uint> constants, IndexTreeType indexTreeType)
            ↪  : base(memory, memoryReservationStep, constants)
41          {
42              if (indexTreeType == IndexTreeType.SizeBalancedTree)
43              {
44                  _createSourceTreeMethods = () => new
                    ↪  UInt32LinksSourcesSizeBalancedTreeMethods(Constants, _links, _header);
45                  _createTargetTreeMethods = () => new
                    ↪  UInt32LinksTargetsSizeBalancedTreeMethods(Constants, _links, _header);
46              }
47              else
48              {
49                  _createSourceTreeMethods = () => new
                    ↪  UInt32LinksSourcesRecursionlessSizeBalancedTreeMethods(Constants, _links,
                    ↪  _header);
50                  _createTargetTreeMethods = () => new
                    ↪  UInt32LinksTargetsRecursionlessSizeBalancedTreeMethods(Constants, _links,
                    ↪  _header);
51              }
52              Init(memory, memoryReservationStep);
53          }
54
55          [MethodImpl(MethodImplOptions.AggressiveInlining)]
56          protected override void SetPointers(IResizableDirectMemory memory)
57          {
58              _header = (LinksHeader<uint>*)memory.Pointer;
59              _links = (RawLink<uint>*)memory.Pointer;
60              SourcesTreeMethods = _createSourceTreeMethods();
61              TargetsTreeMethods = _createTargetTreeMethods();
62              UnusedLinksListMethods = new UInt32UnusedLinksListMethods(_links, _header);
63          }
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override void ResetPointers()
67          {
68              base.ResetPointers();
69              _links = null;
70              _header = null;
71          }
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override ref LinksHeader<uint> GetHeaderReference() => ref *_header;
75
76          [MethodImpl(MethodImplOptions.AggressiveInlining)]
77          protected override ref RawLink<uint> GetLinkReference(uint linkIndex) => ref
            ↪  _links[linkIndex];
78
79          [MethodImpl(MethodImplOptions.AggressiveInlining)]
80          protected override bool AreEqual(uint first, uint second) => first == second;
81
82          [MethodImpl(MethodImplOptions.AggressiveInlining)]
83          protected override bool LessThan(uint first, uint second) => first < second;
84
85          [MethodImpl(MethodImplOptions.AggressiveInlining)]
86          protected override bool LessOrEqualThan(uint first, uint second) => first <= second;
87
88          [MethodImpl(MethodImplOptions.AggressiveInlining)]
89          protected override bool GreaterThan(uint first, uint second) => first > second;
90
91          [MethodImpl(MethodImplOptions.AggressiveInlining)]
92          protected override bool GreaterOrEqualThan(uint first, uint second) => first >= second;
93
94          [MethodImpl(MethodImplOptions.AggressiveInlining)]
95          protected override uint GetZero() => 0U;
96
97          [MethodImpl(MethodImplOptions.AggressiveInlining)]
98          protected override uint GetOne() => 1U;
99
100         [MethodImpl(MethodImplOptions.AggressiveInlining)]
101         protected override long ConvertToInt64(uint value) => (long)value;
102
103         [MethodImpl(MethodImplOptions.AggressiveInlining)]
104         protected override uint ConvertToAddress(long value) => (uint)value;
105
106         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
107         protected override uint Add(uint first, uint second) => first + second;
108
109         [MethodImpl(MethodImplOptions.AggressiveInlining)]
110         protected override uint Subtract(uint first, uint second) => first - second;
111
112         [MethodImpl(MethodImplOptions.AggressiveInlining)]
113         protected override uint Increment(uint link) => ++link;
114
115         [MethodImpl(MethodImplOptions.AggressiveInlining)]
116         protected override uint Decrement(uint link) => --link;
117     }
118 }
```

1.99 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32UnusedLinksListMethods.cs

```
1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.United.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.United.Specific
7  {
8      public unsafe class UInt32UnusedLinksListMethods : UnusedLinksListMethods<uint>
9      {
10         private readonly RawLink<uint>* _links;
11         private readonly LinksHeader<uint>* _header;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public UInt32UnusedLinksListMethods(RawLink<uint>* links, LinksHeader<uint>* header)
15             : base((byte*)links, (byte*)header)
16         {
17             _links = links;
18             _header = header;
19         }
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         protected override ref RawLink<uint> GetLinkReference(uint link) => ref _links[link];
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected override ref LinksHeader<uint> GetHeaderReference() => ref *_header;
26     }
27 }
```

1.100 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksAvlBalancedTreeMethodsBase.cs

```
1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.United.Generic;
3  using static System.Runtime.CompilerServices.Unsafe;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.United.Specific
8  {
9      public unsafe abstract class UInt64LinksAvlBalancedTreeMethodsBase :
       ↪  LinksAvlBalancedTreeMethodsBase<ulong>
10     {
11         protected new readonly RawLink<ulong>* Links;
12         protected new readonly LinksHeader<ulong>* Header;
13
14         protected UInt64LinksAvlBalancedTreeMethodsBase(LinksConstants<ulong> constants,
           ↪  RawLink<ulong>* links, LinksHeader<ulong>* header)
15             : base(constants, (byte*)links, (byte*)header)
16         {
17             Links = links;
18             Header = header;
19         }
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         protected override ulong GetZero() => 0UL;
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected override bool EqualToZero(ulong value) => value == 0UL;
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected override bool AreEqual(ulong first, ulong second) => first == second;
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected override bool GreaterThanZero(ulong value) => value > 0UL;
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         protected override bool GreaterThan(ulong first, ulong second) => first > second;
35
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
        ↪  always true for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
        ↪  always >= 0 for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
        ↪  for ulong

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(ulong first, ulong second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong value) => ++value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Decrement(ulong value) => --value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
        {
            ref var firstLink = ref Links[first];
            ref var secondLink = ref Links[second];
            return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
        {
            ref var firstLink = ref Links[first];
            ref var secondLink = ref Links[second];
            return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪  secondLink.Source, secondLink.Target);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetSizeValue(ulong value) => (value & 4294967264UL) >> 5;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSizeValue(ref ulong storedValue, ulong size) => storedValue =
        ↪  storedValue & 31UL | (size & 134217727UL) << 5;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetLeftIsChildValue(ulong value) => (value & 16UL) >> 4 == 1UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeftIsChildValue(ref ulong storedValue, bool value) =>
        ↪  storedValue = storedValue & 4294967279UL | (As<bool, byte>(ref value) & 1UL) << 4;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GetRightIsChildValue(ulong value) => (value & 8UL) >> 3 == 1UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRightIsChildValue(ref ulong storedValue, bool value) =>
        ↪  storedValue = storedValue & 4294967287UL | (As<bool, byte>(ref value) & 1UL) << 3;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override sbyte GetBalanceValue(ulong value) => unchecked((sbyte)(value & 7UL |
        ↪  0xF8UL * ((value & 4UL) >> 2))); // if negative, then continue ones to the end of
        ↪  sbyte

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
104         protected override void SetBalanceValue(ref ulong storedValue, sbyte value) =>
            ↪ storedValue = unchecked(storedValue & 4294967288UL | (ulong)((byte)value >> 5 & 4 |
            ↪ value & 3) & 7UL);
105
106         [MethodImpl(MethodImplOptions.AggressiveInlining)]
107         protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
108
109         [MethodImpl(MethodImplOptions.AggressiveInlining)]
110         protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
111     }
112 }
```

1.101 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksRecursionlessSizeBalancedTreeMeth

```
1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.United.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.United.Specific
7  {
8      public unsafe abstract class UInt64LinksRecursionlessSizeBalancedTreeMethodsBase :
       ↪ LinksRecursionlessSizeBalancedTreeMethodsBase<ulong>
9      {
10         protected new readonly RawLink<ulong>* Links;
11         protected new readonly LinksHeader<ulong>* Header;
12
13         protected UInt64LinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<ulong>
           ↪ constants, RawLink<ulong>* links, LinksHeader<ulong>* header)
14             : base(constants, (byte*)links, (byte*)header)
15         {
16             Links = links;
17             Header = header;
18         }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         protected override ulong GetZero() => 0UL;
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override bool EqualToZero(ulong value) => value == 0UL;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override bool AreEqual(ulong first, ulong second) => first == second;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override bool GreaterThanZero(ulong value) => value > 0UL;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override bool GreaterThan(ulong first, ulong second) => first > second;
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
           ↪ always true for ulong
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
           ↪ always >= 0 for ulong
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
           ↪ for ulong
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override bool LessThan(ulong first, ulong second) => first < second;
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         protected override ulong Increment(ulong value) => ++value;
55
56         [MethodImpl(MethodImplOptions.AggressiveInlining)]
57         protected override ulong Decrement(ulong value) => --value;
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         protected override ulong Add(ulong first, ulong second) => first + second;
61
62         [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
63          protected override ulong Subtract(ulong first, ulong second) => first - second;
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
67          {
68              ref var firstLink = ref Links[first];
69              ref var secondLink = ref Links[second];
70              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
71          }
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
75          {
76              ref var firstLink = ref Links[first];
77              ref var secondLink = ref Links[second];
78              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
79          }
80
81          [MethodImpl(MethodImplOptions.AggressiveInlining)]
82          protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
83
84          [MethodImpl(MethodImplOptions.AggressiveInlining)]
85          protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
86      }
87  }
```

1.102 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksSizeBalancedTreeMethodsBase.cs

```
1   using System.Runtime.CompilerServices;
2   using Platform.Data.Doublets.Memory.United.Generic;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Memory.United.Specific
7   {
8       public unsafe abstract class UInt64LinksSizeBalancedTreeMethodsBase :
        ↪  LinksSizeBalancedTreeMethodsBase<ulong>
9       {
10          protected new readonly RawLink<ulong>* Links;
11          protected new readonly LinksHeader<ulong>* Header;
12
13          protected UInt64LinksSizeBalancedTreeMethodsBase(LinksConstants<ulong> constants,
            ↪  RawLink<ulong>* links, LinksHeader<ulong>* header)
14              : base(constants, (byte*)links, (byte*)header)
15          {
16              Links = links;
17              Header = header;
18          }
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override ulong GetZero() => 0UL;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override bool EqualToZero(ulong value) => value == 0UL;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override bool AreEqual(ulong first, ulong second) => first == second;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override bool GreaterThanZero(ulong value) => value > 0UL;
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override bool GreaterThan(ulong first, ulong second) => first > second;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
            ↪  always true for ulong
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
            ↪  always >= 0 for ulong
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
48          protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
            ↪  for ulong
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override bool LessThan(ulong first, ulong second) => first < second;
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override ulong Increment(ulong value) => ++value;
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override ulong Decrement(ulong value) => --value;
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override ulong Add(ulong first, ulong second) => first + second;
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override ulong Subtract(ulong first, ulong second) => first - second;
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
67          {
68              ref var firstLink = ref Links[first];
69              ref var secondLink = ref Links[second];
70              return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
71          }
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
75          {
76              ref var firstLink = ref Links[first];
77              ref var secondLink = ref Links[second];
78              return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
                ↪  secondLink.Source, secondLink.Target);
79          }
80
81          [MethodImpl(MethodImplOptions.AggressiveInlining)]
82          protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
83
84          [MethodImpl(MethodImplOptions.AggressiveInlining)]
85          protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
86      }
87  }
```

1.103 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksSourcesAvlBalancedTreeMethods.cs

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Memory.United.Specific
6   {
7       public unsafe class UInt64LinksSourcesAvlBalancedTreeMethods :
        ↪  UInt64LinksAvlBalancedTreeMethodsBase
8       {
9           public UInt64LinksSourcesAvlBalancedTreeMethods(LinksConstants<ulong> constants,
            ↪  RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
            ↪  { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected override ref ulong GetLeftReference(ulong node) => ref
            ↪  Links[node].LeftAsSource;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          protected override ref ulong GetRightReference(ulong node) => ref
            ↪  Links[node].RightAsSource;
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override ulong GetRight(ulong node) => Links[node].RightAsSource;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
            ↪  left;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
            ↪  right;
```

```
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override ulong GetSize(ulong node) => GetSizeValue(Links[node].SizeAsSource);
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(ulong node, ulong size) => SetSizeValue(ref
            ↪  Links[node].SizeAsSource, size);
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GetLeftIsChild(ulong node) =>
            ↪  GetLeftIsChildValue(Links[node].SizeAsSource);
37
38          //[MethodImpl(MethodImplOptions.AggressiveInlining)]
39          //protected override bool GetLeftIsChild(ulong node) => IsChild(node, GetLeft(node));
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override void SetLeftIsChild(ulong node, bool value) =>
            ↪  SetLeftIsChildValue(ref Links[node].SizeAsSource, value);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override bool GetRightIsChild(ulong node) =>
            ↪  GetRightIsChildValue(Links[node].SizeAsSource);
46
47          //[MethodImpl(MethodImplOptions.AggressiveInlining)]
48          //protected override bool GetRightIsChild(ulong node) => IsChild(node, GetRight(node));
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override void SetRightIsChild(ulong node, bool value) =>
            ↪  SetRightIsChildValue(ref Links[node].SizeAsSource, value);
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override sbyte GetBalance(ulong node) =>
            ↪  GetBalanceValue(Links[node].SizeAsSource);
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override void SetBalance(ulong node, sbyte value) => SetBalanceValue(ref
            ↪  Links[node].SizeAsSource, value);
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override ulong GetTreeRoot() => Header->RootAsSource;
61
62          [MethodImpl(MethodImplOptions.AggressiveInlining)]
63          protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
64
65          [MethodImpl(MethodImplOptions.AggressiveInlining)]
66          protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
67              => firstSource < secondSource || (firstSource == secondSource && firstTarget <
                ↪  secondTarget);
68
69          [MethodImpl(MethodImplOptions.AggressiveInlining)]
70          protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
71              => firstSource > secondSource || (firstSource == secondSource && firstTarget >
                ↪  secondTarget);
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          protected override void ClearNode(ulong node)
75          {
76              ref var link = ref Links[node];
77              link.LeftAsSource = 0UL;
78              link.RightAsSource = 0UL;
79              link.SizeAsSource = 0UL;
80          }
81      }
82  }
```

1.104 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksSourcesRecursionlessSizeBalancedTr

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Memory.United.Specific
6   {
7       public unsafe class UInt64LinksSourcesRecursionlessSizeBalancedTreeMethods :
        ↪  UInt64LinksRecursionlessSizeBalancedTreeMethodsBase
8       {
```

```
9           public UInt64LinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<ulong>
            ↪  constants, RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants,
            ↪  links, header) { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected override ref ulong GetLeftReference(ulong node) => ref
            ↪  Links[node].LeftAsSource;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          protected override ref ulong GetRightReference(ulong node) => ref
            ↪  Links[node].RightAsSource;
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override ulong GetRight(ulong node) => Links[node].RightAsSource;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
            ↪  left;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
            ↪  right;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override ulong GetSize(ulong node) => Links[node].SizeAsSource;
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsSource =
            ↪  size;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override ulong GetTreeRoot() => Header->RootAsSource;
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
43              => firstSource < secondSource || (firstSource == secondSource && firstTarget <
                ↪  secondTarget);
44
45          [MethodImpl(MethodImplOptions.AggressiveInlining)]
46          protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
47              => firstSource > secondSource || (firstSource == secondSource && firstTarget >
                ↪  secondTarget);
48
49          [MethodImpl(MethodImplOptions.AggressiveInlining)]
50          protected override void ClearNode(ulong node)
51          {
52              ref var link = ref Links[node];
53              link.LeftAsSource = OUL;
54              link.RightAsSource = OUL;
55              link.SizeAsSource = OUL;
56          }
57      }
58  }
```

1.105 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksSourcesSizeBalancedTreeMethods.c

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Memory.United.Specific
6   {
7       public unsafe class UInt64LinksSourcesSizeBalancedTreeMethods :
        ↪  UInt64LinksSizeBalancedTreeMethodsBase
8       {
9           public UInt64LinksSourcesSizeBalancedTreeMethods(LinksConstants<ulong> constants,
            ↪  RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
            ↪  { }
10
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          protected override ref ulong GetLeftReference(ulong node) => ref
            ↪  Links[node].LeftAsSource;
```

```

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref
        ↪  Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetRight(ulong node) => Links[node].RightAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
        ↪  left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
        ↪  right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetSize(ulong node) => Links[node].SizeAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsSource =
        ↪  size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetTreeRoot() => Header->RootAsSource;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetBasePartValue(ulong link) => Links[link].Source;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
        ↪  ulong secondSource, ulong secondTarget)
            => firstSource < secondSource || (firstSource == secondSource && firstTarget <
            ↪  secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
        ↪  ulong secondSource, ulong secondTarget)
            => firstSource > secondSource || (firstSource == secondSource && firstTarget >
            ↪  secondTarget);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(ulong node)
        {
            ref var link = ref Links[node];
            link.LeftAsSource = 0UL;
            link.RightAsSource = 0UL;
            link.SizeAsSource = 0UL;
        }
    }
}
```

1.106 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksTargetsAvlBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Specific
{
    public unsafe class UInt64LinksTargetsAvlBalancedTreeMethods :
    ↪  UInt64LinksAvlBalancedTreeMethodsBase
    {
        public UInt64LinksTargetsAvlBalancedTreeMethods(LinksConstants<ulong> constants,
        ↪  RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
        ↪  { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref
        ↪  Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref
        ↪  Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;
```

```
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
            ↪  left;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
            ↪  right;
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          protected override ulong GetSize(ulong node) => GetSizeValue(Links[node].SizeAsTarget);
31
32          [MethodImpl(MethodImplOptions.AggressiveInlining)]
33          protected override void SetSize(ulong node, ulong size) => SetSizeValue(ref
            ↪  Links[node].SizeAsTarget, size);
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override bool GetLeftIsChild(ulong node) =>
            ↪  GetLeftIsChildValue(Links[node].SizeAsTarget);
37
38          [MethodImpl(MethodImplOptions.AggressiveInlining)]
39          protected override void SetLeftIsChild(ulong node, bool value) =>
            ↪  SetLeftIsChildValue(ref Links[node].SizeAsTarget, value);
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          protected override bool GetRightIsChild(ulong node) =>
            ↪  GetRightIsChildValue(Links[node].SizeAsTarget);
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          protected override void SetRightIsChild(ulong node, bool value) =>
            ↪  SetRightIsChildValue(ref Links[node].SizeAsTarget, value);
46
47          [MethodImpl(MethodImplOptions.AggressiveInlining)]
48          protected override sbyte GetBalance(ulong node) =>
            ↪  GetBalanceValue(Links[node].SizeAsTarget);
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          protected override void SetBalance(ulong node, sbyte value) => SetBalanceValue(ref
            ↪  Links[node].SizeAsTarget, value);
52
53          [MethodImpl(MethodImplOptions.AggressiveInlining)]
54          protected override ulong GetTreeRoot() => Header->RootAsTarget;
55
56          [MethodImpl(MethodImplOptions.AggressiveInlining)]
57          protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
58
59          [MethodImpl(MethodImplOptions.AggressiveInlining)]
60          protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
61              => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
                ↪  secondSource);
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
            ↪  ulong secondSource, ulong secondTarget)
65              => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
                ↪  secondSource);
66
67          [MethodImpl(MethodImplOptions.AggressiveInlining)]
68          protected override void ClearNode(ulong node)
69          {
70              ref var link = ref Links[node];
71              link.LeftAsTarget = OUL;
72              link.RightAsTarget = OUL;
73              link.SizeAsTarget = OUL;
74          }
75      }
76  }
```

1.107 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksTargetsRecursionlessSizeBalancedTr

```
1   using System.Runtime.CompilerServices;
2
3   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5   namespace Platform.Data.Doublets.Memory.United.Specific
6   {
```

```
    public unsafe class UInt64LinksTargetsRecursionlessSizeBalancedTreeMethods :
    ↪ UInt64LinksRecursionlessSizeBalancedTreeMethodsBase
    {
        public UInt64LinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<ulong>
        ↪ constants, RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants,
        ↪ links, header) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref
        ↪ Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref
        ↪ Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
        ↪ left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
        ↪ right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsTarget =
        ↪ size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetTreeRoot() => Header->RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetBasePartValue(ulong link) => Links[link].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
        ↪ ulong secondSource, ulong secondTarget)
            => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
            ↪ secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
        ↪ ulong secondSource, ulong secondTarget)
            => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
            ↪ secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(ulong node)
        {
            ref var link = ref Links[node];
            link.LeftAsTarget = 0UL;
            link.RightAsTarget = 0UL;
            link.SizeAsTarget = 0UL;
        }
    }
}
```

1.108 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksTargetsSizeBalancedTreeMethods.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Specific
{
    public unsafe class UInt64LinksTargetsSizeBalancedTreeMethods :
    ↪ UInt64LinksSizeBalancedTreeMethodsBase
    {
        public UInt64LinksTargetsSizeBalancedTreeMethods(LinksConstants<ulong> constants,
        ↪ RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
        ↪ { }

```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetLeftReference(ulong node) => ref Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref ulong GetRightReference(ulong node) => ref Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget = left;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget = right;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsTarget = size;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetTreeRoot() => Header->RootAsTarget;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetBasePartValue(ulong link) => Links[link].Target;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
        ↪  ulong secondSource, ulong secondTarget)
            => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
            ↪  secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
        ↪  ulong secondSource, ulong secondTarget)
            => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
            ↪  secondSource);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void ClearNode(ulong node)
        {
            ref var link = ref Links[node];
            link.LeftAsTarget = OUL;
            link.RightAsTarget = OUL;
            link.SizeAsTarget = OUL;
        }
    }
}
```

1.109 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64UnitedMemoryLinks.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Memory;
using Platform.Singletons;
using Platform.Data.Doublets.Memory.United.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Specific
{
    /// <summary>
    /// <para>Represents a low-level implementation of direct access to resizable memory, for
    ↪  organizing the storage of links with addresses represented as <see cref="ulong"
    ↪  />.</para>
    /// <para>Представляет низкоуровневую реализация прямого доступа к памяти с переменным
    ↪  размером, для организации хранения связей с адресами представленными в виде <see
    ↪  cref="ulong"/>.</para>
    /// </summary>
    public unsafe class UInt64UnitedMemoryLinks : UnitedMemoryLinksBase<ulong>
    {
```

```
17          private readonly Func<ILinksTreeMethods<ulong>> _createSourceTreeMethods;
18          private readonly Func<ILinksTreeMethods<ulong>> _createTargetTreeMethods;
19          private LinksHeader<ulong>* _header;
20          private RawLink<ulong>* _links;
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          public UInt64UnitedMemoryLinks(string address) : this(address, DefaultLinksSizeStep) { }
24
25          /// <summary>
26          /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
            ↪  минимальным шагом расширения базы данных.
27          /// </summary>
28          /// <param name="address">Полный пусть к файлу базы данных.</param>
29          /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
            ↪  байтах.</param>
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public UInt64UnitedMemoryLinks(string address, long memoryReservationStep) : this(new
            ↪  FileMappedResizableDirectMemory(address, memoryReservationStep),
            ↪  memoryReservationStep) { }
32
33          [MethodImpl(MethodImplOptions.AggressiveInlining)]
34          public UInt64UnitedMemoryLinks(IResizableDirectMemory memory) : this(memory,
            ↪  DefaultLinksSizeStep) { }
35
36          [MethodImpl(MethodImplOptions.AggressiveInlining)]
37          public UInt64UnitedMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep) : this(memory, memoryReservationStep,
            ↪  Default<LinksConstants<ulong>>.Instance, IndexTreeType.Default) { }
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          public UInt64UnitedMemoryLinks(IResizableDirectMemory memory, long
            ↪  memoryReservationStep, LinksConstants<ulong> constants, IndexTreeType indexTreeType)
            ↪  : base(memory, memoryReservationStep, constants)
41          {
42              if (indexTreeType == IndexTreeType.SizedAndThreadedAVLBalancedTree)
43              {
44                  _createSourceTreeMethods = () => new
                    ↪  UInt64LinksSourcesAvlBalancedTreeMethods(Constants, _links, _header);
45                  _createTargetTreeMethods = () => new
                    ↪  UInt64LinksTargetsAvlBalancedTreeMethods(Constants, _links, _header);
46              }
47              else if (indexTreeType == IndexTreeType.SizeBalancedTree)
48              {
49                  _createSourceTreeMethods = () => new
                    ↪  UInt64LinksSourcesSizeBalancedTreeMethods(Constants, _links, _header);
50                  _createTargetTreeMethods = () => new
                    ↪  UInt64LinksTargetsSizeBalancedTreeMethods(Constants, _links, _header);
51              }
52              else
53              {
54                  _createSourceTreeMethods = () => new
                    ↪  UInt64LinksSourcesRecursionlessSizeBalancedTreeMethods(Constants, _links,
                    ↪  _header);
55                  _createTargetTreeMethods = () => new
                    ↪  UInt64LinksTargetsRecursionlessSizeBalancedTreeMethods(Constants, _links,
                    ↪  _header);
56              }
57              Init(memory, memoryReservationStep);
58          }
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          protected override void SetPointers(IResizableDirectMemory memory)
62          {
63              _header = (LinksHeader<ulong>*)memory.Pointer;
64              _links = (RawLink<ulong>*)memory.Pointer;
65              SourcesTreeMethods = _createSourceTreeMethods();
66              TargetsTreeMethods = _createTargetTreeMethods();
67              UnusedLinksListMethods = new UInt64UnusedLinksListMethods(_links, _header);
68          }
69
70          [MethodImpl(MethodImplOptions.AggressiveInlining)]
71          protected override void ResetPointers()
72          {
73              base.ResetPointers();
74              _links = null;
75              _header = null;
76          }
77
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<ulong> GetHeaderReference() => ref *_header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLink<ulong> GetLinkReference(ulong linkIndex) => ref
        ↪  _links[linkIndex];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool AreEqual(ulong first, ulong second) => first == second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessThan(ulong first, ulong second) => first < second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterThan(ulong first, ulong second) => first > second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetZero() => 0UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong GetOne() => 1UL;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override long ConvertToInt64(ulong value) => (long)value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong ConvertToAddress(long value) => (ulong)value;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Add(ulong first, ulong second) => first + second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Subtract(ulong first, ulong second) => first - second;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Increment(ulong link) => ++link;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ulong Decrement(ulong link) => --link;
    }
}
```

1.110 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64UnusedLinksListMethods.cs

```
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Memory.United.Generic;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Memory.United.Specific
{
    public unsafe class UInt64UnusedLinksListMethods : UnusedLinksListMethods<ulong>
    {
        private readonly RawLink<ulong>* _links;
        private readonly LinksHeader<ulong>* _header;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UInt64UnusedLinksListMethods(RawLink<ulong>* links, LinksHeader<ulong>* header)
            : base((byte*)links, (byte*)header)
        {
            _links = links;
            _header = header;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref _links[link];

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override ref LinksHeader<ulong> GetHeaderReference() => ref *_header;
    }
}
```

1.111 ./csharp/Platform.Data.Doublets/Numbers/Raw/BigIntegerToRawNumberSequenceConverter.cs

```
using System.Collections.Generic;
using System.Numerics;
```

```
using Platform.Converters;
using Platform.Data.Doublets.Decorators;
using Platform.Numbers;
using Platform.Reflection;
using Platform.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Raw
{
    public class BigIntegerToRawNumberSequenceConverter<TLink> : LinksDecoratorBase<TLink>,
    ↪ IConverter<BigInteger, TLink>
    where TLink : struct
    {
        public readonly EqualityComparer<TLink> EqualityComparer =
        ↪ EqualityComparer<TLink>.Default;
        private readonly IConverter<TLink> _addressToNumberConverter;
        private readonly IConverter<IList<TLink>, TLink> _listToSequenceConverter;
        private static readonly TLink _maximumValue = NumericType<TLink>.MaxValue;
        private static readonly TLink _bitMask = Bit.ShiftRight(_maximumValue, 1);

        public BigIntegerToRawNumberSequenceConverter(ILinks<TLink> links, IConverter<TLink>
        ↪ addressToNumberConverter, IConverter<IList<TLink>,TLink> listToSequenceConverter) :
        ↪ base(links)
        {
            _addressToNumberConverter = addressToNumberConverter;
            _listToSequenceConverter = listToSequenceConverter;
        }

        private List<TLink> GetRawNumberParts(BigInteger bigInteger)
        {
            List<TLink> rawNumbers = new();
            for (BigInteger currentBigInt = bigInteger; currentBigInt > 0; currentBigInt >>= 63)
            {
                var bigIntBytes = currentBigInt.ToByteArray();
                var bigIntWithBitMask = Bit.And(bigIntBytes.ToStructure<TLink>(), _bitMask);
                var rawNumber = _addressToNumberConverter.Convert(bigIntWithBitMask);
                rawNumbers.Add(rawNumber);
            }
            return rawNumbers;
        }

        public TLink Convert(BigInteger bigInteger)
        {
            var rawNumbers = GetRawNumberParts(bigInteger);
            return _listToSequenceConverter.Convert(rawNumbers);
        }
    }
}
```

1.112 ./csharp/Platform.Data.Doublets/Numbers/Raw/LongRawNumberSequenceToNumberConverter.cs

```
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;
using Platform.Converters;
using Platform.Numbers;
using Platform.Reflection;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.Sequences.Walkers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Raw
{
    public class LongRawNumberSequenceToNumberConverter<TSource, TTarget> :
    ↪ LinksDecoratorBase<TSource>, IConverter<TSource, TTarget>
    {
        private static readonly int _bitsPerRawNumber = NumericType<TSource>.BitsSize - 1;
        private static readonly UncheckedConverter<TSource, TTarget> _sourceToTargetConverter =
        ↪ UncheckedConverter<TSource, TTarget>.Default;

        private readonly IConverter<TSource> _numberToAddressConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LongRawNumberSequenceToNumberConverter(ILinks<TSource> links, IConverter<TSource>
        ↪ numberToAddressConverter) : base(links) => _numberToAddressConverter =
        ↪ numberToAddressConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TTarget Convert(TSource source)
        {
            var constants = Links.Constants;
```

```
            var externalReferencesRange = constants.ExternalReferencesRange;
            if (externalReferencesRange.HasValue &&
            ↪  externalReferencesRange.Value.Contains(source))
            {
                return
                ↪  _sourceToTargetConverter.Convert(_numberToAddressConverter.Convert(source));
            }
            else
            {
                var pair = Links.GetLink(source);
                var walker = new LeftSequenceWalker<TSource>(Links, new DefaultStack<TSource>(),
                ↪  (link) => externalReferencesRange.HasValue &&
                ↪  externalReferencesRange.Value.Contains(link));
                TTarget result = default;
                foreach (var element in walker.Walk(source))
                {
                    result = Bit.Or(Bit.ShiftLeft(result, _bitsPerRawNumber), Convert(element));
                }
                return result;
            }
        }
    }
}
```

1.113 ./csharp/Platform.Data.Doublets/Numbers/Raw/NumberToLongRawNumberSequenceConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;
using Platform.Numbers;
using Platform.Reflection;
using Platform.Data.Doublets.Decorators;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Raw
{
    public class NumberToLongRawNumberSequenceConverter<TSource, TTarget> :
    ↪  LinksDecoratorBase<TTarget>, IConverter<TSource, TTarget>
    {
        private static readonly Comparer<TSource> _comparer = Comparer<TSource>.Default;
        private static readonly TSource _maximumValue = NumericType<TSource>.MaxValue;
        private static readonly int _bitsPerRawNumber = NumericType<TTarget>.BitsSize - 1;
        private static readonly TSource _bitMask = Bit.ShiftRight(_maximumValue,
        ↪  NumericType<TTarget>.BitsSize + 1);
        private static readonly TSource _maximumConvertableAddress = CheckedConverter<TTarget,
        ↪  TSource>.Default.Convert(Arithmetic.Decrement(Hybrid<TTarget>.ExternalZero));
        private static readonly UncheckedConverter<TSource, TTarget> _sourceToTargetConverter =
        ↪  UncheckedConverter<TSource, TTarget>.Default;

        private readonly IConverter<TTarget> _addressToNumberConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public NumberToLongRawNumberSequenceConverter(ILinks<TTarget> links, IConverter<TTarget>
        ↪  addressToNumberConverter) : base(links) => _addressToNumberConverter =
        ↪  addressToNumberConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TTarget Convert(TSource source)
        {
            if (_comparer.Compare(source, _maximumConvertableAddress) > 0)
            {
                var numberPart = Bit.And(source, _bitMask);
                var convertedNumber = _addressToNumberConverter.Convert(_sourceToTargetConverter
                ↪  .Convert(numberPart));
                return Links.GetOrCreate(convertedNumber, Convert(Bit.ShiftRight(source,
                ↪  _bitsPerRawNumber)));
            }
            else
            {
                return
                ↪  _addressToNumberConverter.Convert(_sourceToTargetConverter.Convert(source));
            }
        }
    }
}
```

1.114 ./csharp/Platform.Data.Doublets/Numbers/Raw/RawNumberSequenceToBigIntergerConverter.cs

```
using System;
using System.Numerics;
```

```
using Platform.Collections.Stacks;
using Platform.Converters;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Unsafe;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Raw
{
    public class RawNumberSequenceToBigIntegerConverter<TLink> : LinksDecoratorBase<TLink>,
    ↪ IConverter<TLink, BigInteger>
    where TLink : struct
    {
        private readonly IConverter<TLink, TLink> _numberToAddressConverter;
        private readonly LeftSequenceWalker<TLink> _leftSequenceWalker;

        public RawNumberSequenceToBigIntegerConverter(ILinks<TLink> links, IConverter<TLink,
        ↪ TLink> numberToAddressConverter) : base(links)
        {
            _numberToAddressConverter = numberToAddressConverter;
            _leftSequenceWalker = new(links, new DefaultStack<TLink>());
        }

        public BigInteger Convert(TLink bigInteger)
        {
            var parts = _leftSequenceWalker.Walk(bigInteger);
            using var partsEnumerator = parts.GetEnumerator();
            if (!partsEnumerator.MoveNext())
            {
                throw new Exception("Raw number sequence cannot be empty.");
            }
            var nextPart = _numberToAddressConverter.Convert(partsEnumerator.Current);
            BigInteger currentBigInt = new(nextPart.ToBytes());
            while (partsEnumerator.MoveNext())
            {
                currentBigInt <<= 63;
                nextPart = _numberToAddressConverter.Convert(partsEnumerator.Current);
                currentBigInt |= new BigInteger(nextPart.ToBytes());
            }
            return currentBigInt;
        }
    }
}
```

1.115 ./csharp/Platform.Data.Doublets/Numbers/Unary/AddressToUnaryNumberConverter.cs

```
using System.Collections.Generic;
using Platform.Reflection;
using Platform.Converters;
using Platform.Numbers;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class AddressToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;
        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        private readonly IConverter<int, TLink> _powerOf2ToUnaryNumberConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public AddressToUnaryNumberConverter(ILinks<TLink> links, IConverter<int, TLink>
        ↪ powerOf2ToUnaryNumberConverter) : base(links) => _powerOf2ToUnaryNumberConverter =
        ↪ powerOf2ToUnaryNumberConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(TLink number)
        {
            var links = _links;
            var nullConstant = links.Constants.Null;
            var target = nullConstant;
            for (var i = 0; !_equalityComparer.Equals(number, _zero) && i <
            ↪ NumericType<TLink>.BitsSize; i++)
            {
```

```
                if (_equalityComparer.Equals(Bit.And(number, _one), _one))
                {
                    target = _equalityComparer.Equals(target, nullConstant)
                        ? _powerOf2ToUnaryNumberConverter.Convert(i)
                        : links.GetOrCreate(_powerOf2ToUnaryNumberConverter.Convert(i), target);
                }
                number = Bit.ShiftRight(number, 1);
            }
            return target;
        }
    }
}
```

1.116 ./csharp/Platform.Data.Doublets/Numbers/Unary/LinkToItsFrequencyNumberConveter.cs

```
using System;
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Converters;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class LinkToItsFrequencyNumberConveter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<Doublet<TLink>, TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly IProperty<TLink, TLink> _frequencyPropertyOperator;
        private readonly IConverter<TLink> _unaryNumberToAddressConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkToItsFrequencyNumberConveter(
            ILinks<TLink> links,
            IProperty<TLink, TLink> frequencyPropertyOperator,
            IConverter<TLink> unaryNumberToAddressConverter)
            : base(links)
        {
            _frequencyPropertyOperator = frequencyPropertyOperator;
            _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(Doublet<TLink> doublet)
        {
            var links = _links;
            var link = links.SearchOrDefault(doublet.Source, doublet.Target);
            if (_equalityComparer.Equals(link, default))
            {
                throw new ArgumentException($"Link ({doublet}) not found.", nameof(doublet));
            }
            var frequency = _frequencyPropertyOperator.Get(link);
            if (_equalityComparer.Equals(frequency, default))
            {
                return default;
            }
            var frequencyNumber = links.GetSource(frequency);
            return _unaryNumberToAddressConverter.Convert(frequencyNumber);
        }
    }
}
```

1.117 ./csharp/Platform.Data.Doublets/Numbers/Unary/PowerOf2ToUnaryNumberConverter.cs

```
using System.Collections.Generic;
using Platform.Exceptions;
using Platform.Ranges;
using Platform.Converters;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class PowerOf2ToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<int, TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
```

```

        private readonly TLink[] _unaryNumberPowersOf2;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public PowerOf2ToUnaryNumberConverter(ILinks<TLink> links, TLink one) : base(links)
        {
            _unaryNumberPowersOf2 = new TLink[64];
            _unaryNumberPowersOf2[0] = one;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(int power)
        {
            Ensure.Always.ArgumentInRange(power, new Range<int>(0, _unaryNumberPowersOf2.Length
            ↪  - 1), nameof(power));
            if (!_equalityComparer.Equals(_unaryNumberPowersOf2[power], default))
            {
                return _unaryNumberPowersOf2[power];
            }
            var previousPowerOf2 = Convert(power - 1);
            var powerOf2 = _links.GetOrCreate(previousPowerOf2, previousPowerOf2);
            _unaryNumberPowersOf2[power] = powerOf2;
            return powerOf2;
        }
    }
}
```

1.118 ./csharp/Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressAddOperationConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class UnaryNumberToAddressAddOperationConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly UncheckedConverter<TLink, ulong> _addressToUInt64Converter =
        ↪  UncheckedConverter<TLink, ulong>.Default;
        private static readonly UncheckedConverter<ulong, TLink> _uInt64ToAddressConverter =
        ↪  UncheckedConverter<ulong, TLink>.Default;
        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        private readonly Dictionary<TLink, TLink> _unaryToUInt64;
        private readonly TLink _unaryOne;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnaryNumberToAddressAddOperationConverter(ILinks<TLink> links, TLink unaryOne)
            : base(links)
        {
            _unaryOne = unaryOne;
            _unaryToUInt64 = CreateUnaryToUInt64Dictionary(links, unaryOne);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(TLink unaryNumber)
        {
            if (_equalityComparer.Equals(unaryNumber, default))
            {
                return default;
            }
            if (_equalityComparer.Equals(unaryNumber, _unaryOne))
            {
                return _one;
            }
            var links = _links;
            var source = links.GetSource(unaryNumber);
            var target = links.GetTarget(unaryNumber);
            if (_equalityComparer.Equals(source, target))
            {
                return _unaryToUInt64[unaryNumber];
            }
            else
            {
```

```
                var result = _unaryToUInt64[source];
                TLink lastValue;
                while (!_unaryToUInt64.TryGetValue(target, out lastValue))
                {
                    source = links.GetSource(target);
                    result = Arithmetic<TLink>.Add(result, _unaryToUInt64[source]);
                    target = links.GetTarget(target);
                }
                result = Arithmetic<TLink>.Add(result, lastValue);
                return result;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static Dictionary<TLink, TLink> CreateUnaryToUInt64Dictionary(ILinks<TLink>
        ↪  links, TLink unaryOne)
        {
            var unaryToUInt64 = new Dictionary<TLink, TLink>
            {
                { unaryOne, _one }
            };
            var unary = unaryOne;
            var number = _one;
            for (var i = 1; i < 64; i++)
            {
                unary = links.GetOrCreate(unary, unary);
                number = Double(number);
                unaryToUInt64.Add(unary, number);
            }
            return unaryToUInt64;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink Double(TLink number) =>
        ↪  _uInt64ToAddressConverter.Convert(_addressToUInt64Converter.Convert(number) * 2UL);
    }
}
```

1.119 ./csharp/Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressOrOperationConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Reflection;
using Platform.Converters;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Numbers.Unary
{
    public class UnaryNumberToAddressOrOperationConverter<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly TLink _zero = default;
        private static readonly TLink _one = Arithmetic.Increment(_zero);

        private readonly IDictionary<TLink, int> _unaryNumberPowerOf2Indicies;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnaryNumberToAddressOrOperationConverter(ILinks<TLink> links, IConverter<int,
        ↪  TLink> powerOf2ToUnaryNumberConverter) : base(links) => _unaryNumberPowerOf2Indicies
        ↪  = CreateUnaryNumberPowerOf2IndiciesDictionary(powerOf2ToUnaryNumberConverter);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(TLink sourceNumber)
        {
            var links = _links;
            var nullConstant = links.Constants.Null;
            var source = sourceNumber;
            var target = nullConstant;
            if (!_equalityComparer.Equals(source, nullConstant))
            {
                while (true)
                {
                    if (_unaryNumberPowerOf2Indicies.TryGetValue(source, out int powerOf2Index))
                    {
                        SetBit(ref target, powerOf2Index);
                        break;
                    }
```

```
                    else
                    {
                        powerOf2Index = _unaryNumberPowerOf2Indicies[links.GetSource(source)];
                        SetBit(ref target, powerOf2Index);
                        source = links.GetTarget(source);
                    }
                }
            }
            return target;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static Dictionary<TLink, int>
        ↪  CreateUnaryNumberPowerOf2IndiciesDictionary(IConverter<int, TLink>
        ↪  powerOf2ToUnaryNumberConverter)
        {
            var unaryNumberPowerOf2Indicies = new Dictionary<TLink, int>();
            for (int i = 0; i < NumericType<TLink>.BitsSize; i++)
            {
                unaryNumberPowerOf2Indicies.Add(powerOf2ToUnaryNumberConverter.Convert(i), i);
            }
            return unaryNumberPowerOf2Indicies;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static void SetBit(ref TLink target, int powerOf2Index) => target =
        ↪  Bit.Or(target, Bit.ShiftLeft(_one, powerOf2Index));
    }
}
```

1.120 ./csharp/Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.PropertyOperators
{
    public class PropertiesOperator<TLink> : LinksOperatorBase<TLink>, IProperties<TLink, TLink,
    ↪  TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public PropertiesOperator(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink GetValue(TLink @object, TLink property)
        {
            var links = _links;
            var objectProperty = links.SearchOrDefault(@object, property);
            if (_equalityComparer.Equals(objectProperty, default))
            {
                return default;
            }
            var constants = links.Constants;
            var any = constants.Any;
            var query = new Link<TLink>(any, objectProperty, any);
            var valueLink = links.SingleOrDefault(query);
            if (valueLink == null)
            {
                return default;
            }
            return links.GetTarget(valueLink[constants.IndexPart]);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void SetValue(TLink @object, TLink property, TLink value)
        {
            var links = _links;
            var objectProperty = links.GetOrCreate(@object, property);
            links.DeleteMany(links.AllIndices(links.Constants.Any, objectProperty));
            links.GetOrCreate(objectProperty, value);
        }
    }
}
```

1.121 ./csharp/Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.PropertyOperators
{
    public class PropertyOperator<TLink> : LinksOperatorBase<TLink>, IProperty<TLink, TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly TLink _propertyMarker;
        private readonly TLink _propertyValueMarker;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public PropertyOperator(ILinks<TLink> links, TLink propertyMarker, TLink
        ↪  propertyValueMarker) : base(links)
        {
            _propertyMarker = propertyMarker;
            _propertyValueMarker = propertyValueMarker;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Get(TLink link)
        {
            var property = _links.SearchOrDefault(link, _propertyMarker);
            return GetValue(GetContainer(property));
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink GetContainer(TLink property)
        {
            var valueContainer = default(TLink);
            if (_equalityComparer.Equals(property, default))
            {
                return valueContainer;
            }
            var links = _links;
            var constants = links.Constants;
            var countinueConstant = constants.Continue;
            var breakConstant = constants.Break;
            var anyConstant = constants.Any;
            var query = new Link<TLink>(anyConstant, property, anyConstant);
            links.Each(candidate =>
            {
                var candidateTarget = links.GetTarget(candidate);
                var valueTarget = links.GetTarget(candidateTarget);
                if (_equalityComparer.Equals(valueTarget, _propertyValueMarker))
                {
                    valueContainer = links.GetIndex(candidate);
                    return breakConstant;
                }
                return countinueConstant;
            }, query);
            return valueContainer;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink GetValue(TLink container) => _equalityComparer.Equals(container, default)
        ↪  ? default : _links.GetTarget(container);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Set(TLink link, TLink value)
        {
            var links = _links;
            var property = links.GetOrCreate(link, _propertyMarker);
            var container = GetContainer(property);
            if (_equalityComparer.Equals(container, default))
            {
                links.GetOrCreate(property, value);
            }
            else
            {
                links.Update(container, property, value);
            }
        }
    }
```

```
}
```

1.122 ./csharp/Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class BalancedVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public BalancedVariantConverter(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Convert(IList<TLink> sequence)
        {
            var length = sequence.Count;
            if (length < 1)
            {
                return default;
            }
            if (length == 1)
            {
                return sequence[0];
            }
            // Make copy of next layer
            if (length > 2)
            {
                // TODO: Try to use stackalloc (which at the moment is not working with
                ↪  generics) but will be possible with Sigil
                var halvedSequence = new TLink[(length / 2) + (length % 2)];
                HalveSequence(halvedSequence, sequence, length);
                sequence = halvedSequence;
                length = halvedSequence.Length;
            }
            // Keep creating layer after layer
            while (length > 2)
            {
                HalveSequence(sequence, sequence, length);
                length = (length / 2) + (length % 2);
            }
            return _links.GetOrCreate(sequence[0], sequence[1]);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void HalveSequence(IList<TLink> destination, IList<TLink> source, int length)
        {
            var loopedLength = length - (length % 2);
            for (var i = 0; i < loopedLength; i += 2)
            {
                destination[i / 2] = _links.GetOrCreate(source[i], source[i + 1]);
            }
            if (length > loopedLength)
            {
                destination[length / 2] = source[length - 1];
            }
        }
    }
}
```

1.123 ./csharp/Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections;
using Platform.Converters;
using Platform.Singletons;
using Platform.Numbers;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    /// <remarks>
    /// TODO: Возможно будет лучше если алгоритм будет выполняться полностью изолированно от
    ↪  Links на этапе сжатия.
```

```
16      ///     А именно будет создаваться временный список пар необходимых для выполнения сжатия, в
        ↪  таком случае тип значения элемента массива может быть любым, как char так и ulong.
17      ///     Как только список/словарь пар был выявлен можно разом выполнить создание всех этих
        ↪  пар, а так же разом выполнить замену.
18      /// </remarks>
19      public class CompressingConverter<TLink> : LinksListToSequenceConverterBase<TLink>
20      {
21          private static readonly LinksConstants<TLink> _constants =
            ↪  Default<LinksConstants<TLink>>.Instance;
22          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
23          private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
24
25          private static readonly TLink _zero = default;
26          private static readonly TLink _one = Arithmetic.Increment(_zero);
27
28          private readonly IConverter<IList<TLink>, TLink> _baseConverter;
29          private readonly LinkFrequenciesCache<TLink> _doubletFrequenciesCache;
30          private readonly TLink _minFrequencyToCompress;
31          private readonly bool _doInitialFrequenciesIncrement;
32          private Doublet<TLink> _maxDoublet;
33          private LinkFrequency<TLink> _maxDoubletData;
34
35          private struct HalfDoublet
36          {
37              public TLink Element;
38              public LinkFrequency<TLink> DoubletData;
39
40              [MethodImpl(MethodImplOptions.AggressiveInlining)]
41              public HalfDoublet(TLink element, LinkFrequency<TLink> doubletData)
42              {
43                  Element = element;
44                  DoubletData = doubletData;
45              }
46
47              public override string ToString() => $"{Element}: ({DoubletData})";
48          }
49
50          [MethodImpl(MethodImplOptions.AggressiveInlining)]
51          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache)
52              : this(links, baseConverter, doubletFrequenciesCache, _one, true) { }
53
54          [MethodImpl(MethodImplOptions.AggressiveInlining)]
55          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, bool
            ↪  doInitialFrequenciesIncrement)
56              : this(links, baseConverter, doubletFrequenciesCache, _one,
                ↪  doInitialFrequenciesIncrement) { }
57
58          [MethodImpl(MethodImplOptions.AggressiveInlining)]
59          public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
            ↪  baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, TLink
            ↪  minFrequencyToCompress, bool doInitialFrequenciesIncrement)
60              : base(links)
61          {
62              _baseConverter = baseConverter;
63              _doubletFrequenciesCache = doubletFrequenciesCache;
64              if (_comparer.Compare(minFrequencyToCompress, _one) < 0)
65              {
66                  minFrequencyToCompress = _one;
67              }
68              _minFrequencyToCompress = minFrequencyToCompress;
69              _doInitialFrequenciesIncrement = doInitialFrequenciesIncrement;
70              ResetMaxDoublet();
71          }
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          public override TLink Convert(IList<TLink> source) =>
            ↪  _baseConverter.Convert(Compress(source));
75
76          /// <remarks>
77          /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte_pair_encoding .
78          /// Faster version (doublets' frequencies dictionary is not recreated).
79          /// </remarks>
80          [MethodImpl(MethodImplOptions.AggressiveInlining)]
81          private IList<TLink> Compress(IList<TLink> sequence)
82          {
83              if (sequence.IsNullOrEmpty())
84              {
```

```
                return null;
            }
            if (sequence.Count == 1)
            {
                return sequence;
            }
            if (sequence.Count == 2)
            {
                return new[] { _links.GetOrCreate(sequence[0], sequence[1]) };
            }
            // TODO: arraypool with min size (to improve cache locality) or stackallow with Sigil
            var copy = new HalfDoublet[sequence.Count];
            Doublet<TLink> doublet = default;
            for (var i = 1; i < sequence.Count; i++)
            {
                doublet = new Doublet<TLink>(sequence[i - 1], sequence[i]);
                LinkFrequency<TLink> data;
                if (_doInitialFrequenciesIncrement)
                {
                    data = _doubletFrequenciesCache.IncrementFrequency(ref doublet);
                }
                else
                {
                    data = _doubletFrequenciesCache.GetFrequency(ref doublet);
                    if (data == null)
                    {
                        throw new NotSupportedException("If you ask not to increment
                        ↪  frequencies, it is expected that all frequencies for the sequence
                        ↪  are prepared.");
                    }
                }
                copy[i - 1].Element = sequence[i - 1];
                copy[i - 1].DoubletData = data;
                UpdateMaxDoublet(ref doublet, data);
            }
            copy[sequence.Count - 1].Element = sequence[sequence.Count - 1];
            copy[sequence.Count - 1].DoubletData = new LinkFrequency<TLink>();
            if (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
            {
                var newLength = ReplaceDoublets(copy);
                sequence = new TLink[newLength];
                for (int i = 0; i < newLength; i++)
                {
                    sequence[i] = copy[i].Element;
                }
            }
            return sequence;
        }

        /// <remarks>
        /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte_pair_encoding
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private int ReplaceDoublets(HalfDoublet[] copy)
        {
            var oldLength = copy.Length;
            var newLength = copy.Length;
            while (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
            {
                var maxDoubletSource = _maxDoublet.Source;
                var maxDoubletTarget = _maxDoublet.Target;
                if (_equalityComparer.Equals(_maxDoubletData.Link, _constants.Null))
                {
                    _maxDoubletData.Link = _links.GetOrCreate(maxDoubletSource,
                    ↪  maxDoubletTarget);
                }
                var maxDoubletReplacementLink = _maxDoubletData.Link;
                oldLength--;
                var oldLengthMinusTwo = oldLength - 1;
                // Substitute all usages
                int w = 0, r = 0; // (r == read, w == write)
                for (; r < oldLength; r++)
                {
                    if (_equalityComparer.Equals(copy[r].Element, maxDoubletSource) &&
                    ↪  _equalityComparer.Equals(copy[r + 1].Element, maxDoubletTarget))
                    {
                        if (r > 0)
                        {
```

```
159                             var previous = copy[w - 1].Element;
160                             copy[w - 1].DoubletData.DecrementFrequency();
161                             copy[w - 1].DoubletData =
                                ↪  _doubletFrequenciesCache.IncrementFrequency(previous,
                                ↪  maxDoubletReplacementLink);
162                         }
163                         if (r < oldLengthMinusTwo)
164                         {
165                             var next = copy[r + 2].Element;
166                             copy[r + 1].DoubletData.DecrementFrequency();
167                             copy[w].DoubletData = _doubletFrequenciesCache.IncrementFrequency(ma
                                ↪  xDoubletReplacementLink,
                                ↪  next);
168                         }
169                         copy[w++].Element = maxDoubletReplacementLink;
170                         r++;
171                         newLength--;
172                     }
173                     else
174                     {
175                         copy[w++] = copy[r];
176                     }
177                 }
178                 if (w < newLength)
179                 {
180                     copy[w] = copy[r];
181                 }
182                 oldLength = newLength;
183                 ResetMaxDoublet();
184                 UpdateMaxDoublet(copy, newLength);
185             }
186             return newLength;
187         }
188 
189         [MethodImpl(MethodImplOptions.AggressiveInlining)]
190         private void ResetMaxDoublet()
191         {
192             _maxDoublet = new Doublet<TLink>();
193             _maxDoubletData = new LinkFrequency<TLink>();
194         }
195 
196         [MethodImpl(MethodImplOptions.AggressiveInlining)]
197         private void UpdateMaxDoublet(HalfDoublet[] copy, int length)
198         {
199             Doublet<TLink> doublet = default;
200             for (var i = 1; i < length; i++)
201             {
202                 doublet = new Doublet<TLink>(copy[i - 1].Element, copy[i].Element);
203                 UpdateMaxDoublet(ref doublet, copy[i - 1].DoubletData);
204             }
205         }
206 
207         [MethodImpl(MethodImplOptions.AggressiveInlining)]
208         private void UpdateMaxDoublet(ref Doublet<TLink> doublet, LinkFrequency<TLink> data)
209         {
210             var frequency = data.Frequency;
211             var maxFrequency = _maxDoubletData.Frequency;
212             //if (frequency > _minFrequencyToCompress && (maxFrequency < frequency ||
                    ↪  (maxFrequency == frequency && doublet.Source + doublet.Target < /* gives better
                    ↪  compression string data (and gives collisions quickly) */ _maxDoublet.Source +
                    ↪  _maxDoublet.Target)))
213             if (_comparer.Compare(frequency, _minFrequencyToCompress) > 0 &&
214                (_comparer.Compare(maxFrequency, frequency) < 0 ||
                    ↪  (_equalityComparer.Equals(maxFrequency, frequency) &&
                    ↪  _comparer.Compare(Arithmetic.Add(doublet.Source, doublet.Target),
                    ↪  Arithmetic.Add(_maxDoublet.Source, _maxDoublet.Target)) > 0))) /* gives
                    ↪  better stability and better compression on sequent data and even on rundom
                    ↪  numbers data (but gives collisions anyway) */
215             {
216                 _maxDoublet = doublet;
217                 _maxDoubletData = data;
218             }
219         }
220     }
221 }
```

1.124 ./csharp/Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public abstract class LinksListToSequenceConverterBase<TLink> : LinksOperatorBase<TLink>,
    ↪  IConverter<IList<TLink>, TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected LinksListToSequenceConverterBase(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public abstract TLink Convert(IList<TLink> source);
    }
}
```

1.125 ./csharp/Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Lists;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class OptimalVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private readonly IConverter<IList<TLink>> _sequenceToItsLocalElementLevelsConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public OptimalVariantConverter(ILinks<TLink> links, IConverter<IList<TLink>>
        ↪  sequenceToItsLocalElementLevelsConverter) : base(links)
            => _sequenceToItsLocalElementLevelsConverter =
            ↪  sequenceToItsLocalElementLevelsConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public OptimalVariantConverter(ILinks<TLink> links, LinkFrequenciesCache<TLink>
        ↪  linkFrequenciesCache)
            : this(links, new SequenceToItsLocalElementLevelsConverter<TLink>(links, new Frequen
            ↪  ciesCacheBasedLinkToItsFrequencyNumberConverter<TLink>(linkFrequenciesCache))) {
            ↪  }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public OptimalVariantConverter(ILinks<TLink> links)
            : this(links, new LinkFrequenciesCache<TLink>(links, new
            ↪  TotalSequenceSymbolFrequencyCounter<TLink>(links))) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Convert(IList<TLink> sequence)
        {
            var length = sequence.Count;
            if (length == 1)
            {
                return sequence[0];
            }
            if (length == 2)
            {
                return _links.GetOrCreate(sequence[0], sequence[1]);
            }
            sequence = sequence.ToArray();
            var levels = _sequenceToItsLocalElementLevelsConverter.Convert(sequence);
            while (length > 2)
            {
                var levelRepeat = 1;
                var currentLevel = levels[0];
                var previousLevel = levels[0];
                var skipOnce = false;
                var w = 0;
                for (var i = 1; i < length; i++)
```

```
                {
                    if (_equalityComparer.Equals(currentLevel, levels[i]))
                    {
                        levelRepeat++;
                        skipOnce = false;
                        if (levelRepeat == 2)
                        {
                            sequence[w] = _links.GetOrCreate(sequence[i - 1], sequence[i]);
                            var newLevel = i >= length - 1 ?
                                GetPreviousLowerThanCurrentOrCurrent(previousLevel,
                                ↪ currentLevel) :
                                i < 2 ?
                                GetNextLowerThanCurrentOrCurrent(currentLevel, levels[i + 1]) :
                                GetGreatestNeigbourLowerThanCurrentOrCurrent(previousLevel,
                                ↪ currentLevel, levels[i + 1]);
                            levels[w] = newLevel;
                            previousLevel = currentLevel;
                            w++;
                            levelRepeat = 0;
                            skipOnce = true;
                        }
                        else if (i == length - 1)
                        {
                            sequence[w] = sequence[i];
                            levels[w] = levels[i];
                            w++;
                        }
                    }
                    else
                    {
                        currentLevel = levels[i];
                        levelRepeat = 1;
                        if (skipOnce)
                        {
                            skipOnce = false;
                        }
                        else
                        {
                            sequence[w] = sequence[i - 1];
                            levels[w] = levels[i - 1];
                            previousLevel = levels[w];
                            w++;
                        }
                        if (i == length - 1)
                        {
                            sequence[w] = sequence[i];
                            levels[w] = levels[i];
                            w++;
                        }
                    }
                }
                length = w;
            }
            return _links.GetOrCreate(sequence[0], sequence[1]);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink GetGreatestNeigbourLowerThanCurrentOrCurrent(TLink previous, TLink
        ↪ current, TLink next)
        {
            return _comparer.Compare(previous, next) > 0
                ? _comparer.Compare(previous, current) < 0 ? previous : current
                : _comparer.Compare(next, current) < 0 ? next : current;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink GetNextLowerThanCurrentOrCurrent(TLink current, TLink next) =>
        ↪ _comparer.Compare(next, current) < 0 ? next : current;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink GetPreviousLowerThanCurrentOrCurrent(TLink previous, TLink current)
        ↪ => _comparer.Compare(previous, current) < 0 ? previous : current;
    }
}
```

1.126 ./csharp/Platform.Data.Doublets/Sequences/Converters/SequenceToItsLocalElementLevelsConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;
```

```

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Converters
{
    public class SequenceToItsLocalElementLevelsConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<IList<TLink>>
    {
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        private readonly IConverter<Doublet<TLink>, TLink> _linkToItsFrequencyToNumberConveter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SequenceToItsLocalElementLevelsConverter(ILinks<TLink> links,
        ↪ IConverter<Doublet<TLink>, TLink> linkToItsFrequencyToNumberConveter) : base(links)
        ↪ => _linkToItsFrequencyToNumberConveter = linkToItsFrequencyToNumberConveter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IList<TLink> Convert(IList<TLink> sequence)
        {
            var levels = new TLink[sequence.Count];
            levels[0] = GetFrequencyNumber(sequence[0], sequence[1]);
            for (var i = 1; i < sequence.Count - 1; i++)
            {
                var previous = GetFrequencyNumber(sequence[i - 1], sequence[i]);
                var next = GetFrequencyNumber(sequence[i], sequence[i + 1]);
                levels[i] = _comparer.Compare(previous, next) > 0 ? previous : next;
            }
            levels[levels.Length - 1] = GetFrequencyNumber(sequence[sequence.Count - 2],
            ↪ sequence[sequence.Count - 1]);
            return levels;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink GetFrequencyNumber(TLink source, TLink target) =>
        ↪ _linkToItsFrequencyToNumberConveter.Convert(new Doublet<TLink>(source, target));
    }
}
```

1.127 ./csharp/Platform.Data.Doublets/Sequences/CriterionMatchers/DefaultSequenceElementCriterionMatcher.c

```

using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.CriterionMatchers
{
    public class DefaultSequenceElementCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
    ↪ ICriterionMatcher<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DefaultSequenceElementCriterionMatcher(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool IsMatched(TLink argument) => _links.IsPartialPoint(argument);
    }
}
```

1.128 ./csharp/Platform.Data.Doublets/Sequences/CriterionMatchers/MarkedSequenceCriterionMatcher.cs

```

using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.CriterionMatchers
{
    public class MarkedSequenceCriterionMatcher<TLink> : ICriterionMatcher<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪ EqualityComparer<TLink>.Default;

        private readonly ILinks<TLink> _links;
        private readonly TLink _sequenceMarkerLink;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public MarkedSequenceCriterionMatcher(ILinks<TLink> links, TLink sequenceMarkerLink)
        {
            _links = links;
            _sequenceMarkerLink = sequenceMarkerLink;
```

```
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool IsMatched(TLink sequenceCandidate)
            => _equalityComparer.Equals(_links.GetSource(sequenceCandidate), _sequenceMarkerLink)
            || !_equalityComparer.Equals(_links.SearchOrDefault(_sequenceMarkerLink,
            ↪  sequenceCandidate), _links.Constants.Null);
    }
}
```

1.129 ./csharp/Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;
using Platform.Data.Doublets.Sequences.HeightProviders;
using Platform.Data.Sequences;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class DefaultSequenceAppender<TLink> : LinksOperatorBase<TLink>,
    ↪  ISequenceAppender<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly IStack<TLink> _stack;
        private readonly ISequenceHeightProvider<TLink> _heightProvider;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DefaultSequenceAppender(ILinks<TLink> links, IStack<TLink> stack,
        ↪  ISequenceHeightProvider<TLink> heightProvider)
            : base(links)
        {
            _stack = stack;
            _heightProvider = heightProvider;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Append(TLink sequence, TLink appendant)
        {
            var cursor = sequence;
            var links = _links;
            while (!_equalityComparer.Equals(_heightProvider.Get(cursor), default))
            {
                var source = links.GetSource(cursor);
                var target = links.GetTarget(cursor);
                if (_equalityComparer.Equals(_heightProvider.Get(source),
                ↪  _heightProvider.Get(target)))
                {
                    break;
                }
                else
                {
                    _stack.Push(source);
                    cursor = target;
                }
            }
            var left = cursor;
            var right = appendant;
            while (!_equalityComparer.Equals(cursor = _stack.PopOrDefault(),
            ↪  links.Constants.Null))
            {
                right = links.GetOrCreate(left, right);
                left = cursor;
            }
            return links.GetOrCreate(left, right);
        }
    }
}
```

1.130 ./csharp/Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs

```
using System.Collections.Generic;
using System.Linq;
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

```

```
namespace Platform.Data.Doublets.Sequences
{
    public class DuplicateSegmentsCounter<TLink> : ICounter<int>
    {
        private readonly IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
        ↪  _duplicateFragmentsProvider;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DuplicateSegmentsCounter(IProvider<IList<KeyValuePair<IList<TLink>,
        ↪  IList<TLink>>>> duplicateFragmentsProvider) => _duplicateFragmentsProvider =
        ↪  duplicateFragmentsProvider;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public int Count() => _duplicateFragmentsProvider.Get().Sum(x => x.Value.Count);
    }
}
```

1.131 ./csharp/Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs

```
using System;
using System.Linq;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Collections;
using Platform.Collections.Lists;
using Platform.Collections.Segments;
using Platform.Collections.Segments.Walkers;
using Platform.Singletons;
using Platform.Converters;
using Platform.Data.Doublets.Unicode;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class DuplicateSegmentsProvider<TLink> :
    ↪  DictionaryBasedDuplicateSegmentsWalkerBase<TLink>,
    ↪  IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
    {
        private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
        ↪  UncheckedConverter<TLink, long>.Default;
        private static readonly UncheckedConverter<TLink, ulong> _addressToUInt64Converter =
        ↪  UncheckedConverter<TLink, ulong>.Default;
        private static readonly UncheckedConverter<ulong, TLink> _uInt64ToAddressConverter =
        ↪  UncheckedConverter<ulong, TLink>.Default;

        private readonly ILinks<TLink> _links;
        private readonly ILinks<TLink> _sequences;
        private HashSet<KeyValuePair<IList<TLink>, IList<TLink>>> _groups;
        private BitString _visited;

        private class ItemEquilityComparer : IEqualityComparer<KeyValuePair<IList<TLink>,
        ↪  IList<TLink>>>
        {
            private readonly IListEqualityComparer<TLink> _listComparer;

            public ItemEquilityComparer() => _listComparer =
            ↪  Default<IListEqualityComparer<TLink>>.Instance;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public bool Equals(KeyValuePair<IList<TLink>, IList<TLink>> left,
            ↪  KeyValuePair<IList<TLink>, IList<TLink>> right) =>
            ↪  _listComparer.Equals(left.Key, right.Key) && _listComparer.Equals(left.Value,
            ↪  right.Value);

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public int GetHashCode(KeyValuePair<IList<TLink>, IList<TLink>> pair) =>
            ↪  (_listComparer.GetHashCode(pair.Key),
            ↪  _listComparer.GetHashCode(pair.Value)).GetHashCode();
        }

        private class ItemComparer : IComparer<KeyValuePair<IList<TLink>, IList<TLink>>>
        {
            private readonly IListComparer<TLink> _listComparer;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public ItemComparer() => _listComparer = Default<IListComparer<TLink>>.Instance;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public int Compare(KeyValuePair<IList<TLink>, IList<TLink>> left,
            ↪  KeyValuePair<IList<TLink>, IList<TLink>> right)
```

```
            {
                var intermediateResult = _listComparer.Compare(left.Key, right.Key);
                if (intermediateResult == 0)
                {
                    intermediateResult = _listComparer.Compare(left.Value, right.Value);
                }
                return intermediateResult;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DuplicateSegmentsProvider(ILinks<TLink> links, ILinks<TLink> sequences)
            : base(minimumStringSegmentLength: 2)
        {
            _links = links;
            _sequences = sequences;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IList<KeyValuePair<IList<TLink>, IList<TLink>>> Get()
        {
            _groups = new HashSet<KeyValuePair<IList<TLink>,
            ↪  IList<TLink>>>(Default<ItemEquilityComparer>.Instance);
            var links = _links;
            var count = links.Count();
            _visited = new BitString(_addressToInt64Converter.Convert(count) + 1L);
            links.Each(link =>
            {
                var linkIndex = links.GetIndex(link);
                var linkBitIndex = _addressToInt64Converter.Convert(linkIndex);
                var constants = links.Constants;
                if (!_visited.Get(linkBitIndex))
                {
                    var sequenceElements = new List<TLink>();
                    var filler = new ListFiller<TLink, TLink>(sequenceElements, constants.Break);
                    _sequences.Each(filler.AddSkipFirstAndReturnConstant, new
                    ↪  LinkAddress<TLink>(linkIndex));
                    if (sequenceElements.Count > 2)
                    {
                        WalkAll(sequenceElements);
                    }
                }
                return constants.Continue;
            });
            var resultList = _groups.ToList();
            var comparer = Default<ItemComparer>.Instance;
            resultList.Sort(comparer);
#if DEBUG
            foreach (var item in resultList)
            {
                PrintDuplicates(item);
            }
#endif
            return resultList;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override Segment<TLink> CreateSegment(IList<TLink> elements, int offset, int
        ↪  length) => new Segment<TLink>(elements, offset, length);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void OnDublicateFound(Segment<TLink> segment)
        {
            var duplicates = CollectDuplicatesForSegment(segment);
            if (duplicates.Count > 1)
            {
                _groups.Add(new KeyValuePair<IList<TLink>, IList<TLink>>(segment.ToArray(),
                ↪  duplicates));
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private List<TLink> CollectDuplicatesForSegment(Segment<TLink> segment)
        {
            var duplicates = new List<TLink>();
            var readAsElement = new HashSet<TLink>();
            var restrictions = segment.ShiftRight();
            var constants = _links.Constants;
            restrictions[0] = constants.Any;
```

```
126                 _sequences.Each(sequence =>
127                 {
128                     var sequenceIndex = sequence[constants.IndexPart];
129                     duplicates.Add(sequenceIndex);
130                     readAsElement.Add(sequenceIndex);
131                     return constants.Continue;
132                 }, restrictions);
133                 if (duplicates.Any(x => _visited.Get(_addressToInt64Converter.Convert(x))))
134                 {
135                     return new List<TLink>();
136                 }
137                 foreach (var duplicate in duplicates)
138                 {
139                     var duplicateBitIndex = _addressToInt64Converter.Convert(duplicate);
140                     _visited.Set(duplicateBitIndex);
141                 }
142                 if (_sequences is Sequences sequencesExperiments)
143                 {
144                     var partiallyMatched = sequencesExperiments.GetAllPartiallyMatchingSequences4((H
                        ↪ ashSet<ulong>)(object)readAsElement,
                        ↪ (IList<ulong>)segment);
145                     foreach (var partiallyMatchedSequence in partiallyMatched)
146                     {
147                         var sequenceIndex =
                            ↪ _uInt64ToAddressConverter.Convert(partiallyMatchedSequence);
148                         duplicates.Add(sequenceIndex);
149                     }
150                 }
151                 duplicates.Sort();
152                 return duplicates;
153             }
154 
155             [MethodImpl(MethodImplOptions.AggressiveInlining)]
156             private void PrintDuplicates(KeyValuePair<IList<TLink>, IList<TLink>> duplicatesItem)
157             {
158                 if (!(_links is ILinks<ulong> ulongLinks))
159                 {
160                     return;
161                 }
162                 var duplicatesKey = duplicatesItem.Key;
163                 var keyString = UnicodeMap.FromLinksToString((IList<ulong>)duplicatesKey);
164                 Console.WriteLine($"> {keyString} ({string.Join(", ", duplicatesKey)})");
165                 var duplicatesList = duplicatesItem.Value;
166                 for (int i = 0; i < duplicatesList.Count; i++)
167                 {
168                     var sequenceIndex = _addressToUInt64Converter.Convert(duplicatesList[i]);
169                     var formatedSequenceStructure = ulongLinks.FormatStructure(sequenceIndex, x =>
                        ↪ Point<ulong>.IsPartialPoint(x), (sb, link) => _ =
                        ↪ UnicodeMap.IsCharLink(link.Index) ?
                        ↪ sb.Append(UnicodeMap.FromLinkToChar(link.Index)) : sb.Append(link.Index));
170                     Console.WriteLine(formatedSequenceStructure);
171                     var sequenceString = UnicodeMap.FromSequenceLinkToString(sequenceIndex,
                        ↪ ulongLinks);
172                     Console.WriteLine(sequenceString);
173                 }
174                 Console.WriteLine();
175             }
176         }
177     }
```

1.132 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs

```
1   using System;
2   using System.Collections.Generic;
3   using System.Runtime.CompilerServices;
4   using Platform.Interfaces;
5   using Platform.Numbers;
6   
7   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8   
9   namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
10  {
11      /// <remarks>
12      /// Can be used to operate with many CompressingConverters (to keep global frequencies data
        ↪ between them).
13      /// TODO: Extract interface to implement frequencies storage inside Links storage
14      /// </remarks>
15      public class LinkFrequenciesCache<TLink> : LinksOperatorBase<TLink>
16      {
```

```
17          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
18          private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
19
20          private static readonly TLink _zero = default;
21          private static readonly TLink _one = Arithmetic.Increment(_zero);
22
23          private readonly Dictionary<Doublet<TLink>, LinkFrequency<TLink>> _doubletsCache;
24          private readonly ICounter<TLink, TLink> _frequencyCounter;
25
26          [MethodImpl(MethodImplOptions.AggressiveInlining)]
27          public LinkFrequenciesCache(ILinks<TLink> links, ICounter<TLink, TLink> frequencyCounter)
28              : base(links)
29          {
30              _doubletsCache = new Dictionary<Doublet<TLink>, LinkFrequency<TLink>>(4096,
                ↪  DoubletComparer<TLink>.Default);
31              _frequencyCounter = frequencyCounter;
32          }
33
34          [MethodImpl(MethodImplOptions.AggressiveInlining)]
35          public LinkFrequency<TLink> GetFrequency(TLink source, TLink target)
36          {
37              var doublet = new Doublet<TLink>(source, target);
38              return GetFrequency(ref doublet);
39          }
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          public LinkFrequency<TLink> GetFrequency(ref Doublet<TLink> doublet)
43          {
44              _doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data);
45              return data;
46          }
47
48          [MethodImpl(MethodImplOptions.AggressiveInlining)]
49          public void IncrementFrequencies(IList<TLink> sequence)
50          {
51              for (var i = 1; i < sequence.Count; i++)
52              {
53                  IncrementFrequency(sequence[i - 1], sequence[i]);
54              }
55          }
56
57          [MethodImpl(MethodImplOptions.AggressiveInlining)]
58          public LinkFrequency<TLink> IncrementFrequency(TLink source, TLink target)
59          {
60              var doublet = new Doublet<TLink>(source, target);
61              return IncrementFrequency(ref doublet);
62          }
63
64          [MethodImpl(MethodImplOptions.AggressiveInlining)]
65          public void PrintFrequencies(IList<TLink> sequence)
66          {
67              for (var i = 1; i < sequence.Count; i++)
68              {
69                  PrintFrequency(sequence[i - 1], sequence[i]);
70              }
71          }
72
73          [MethodImpl(MethodImplOptions.AggressiveInlining)]
74          public void PrintFrequency(TLink source, TLink target)
75          {
76              var number = GetFrequency(source, target).Frequency;
77              Console.WriteLine("({0},{1}) - {2}", source, target, number);
78          }
79
80          [MethodImpl(MethodImplOptions.AggressiveInlining)]
81          public LinkFrequency<TLink> IncrementFrequency(ref Doublet<TLink> doublet)
82          {
83              if (_doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data))
84              {
85                  data.IncrementFrequency();
86              }
87              else
88              {
89                  var link = _links.SearchOrDefault(doublet.Source, doublet.Target);
90                  data = new LinkFrequency<TLink>(_one, link);
91                  if (!_equalityComparer.Equals(link, default))
92                  {
```

```
                    data.Frequency = Arithmetic.Add(data.Frequency,
                    ↪  _frequencyCounter.Count(link));
                }
                _doubletsCache.Add(doublet, data);
            }
            return data;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void ValidateFrequencies()
        {
            foreach (var entry in _doubletsCache)
            {
                var value = entry.Value;
                var linkIndex = value.Link;
                if (!_equalityComparer.Equals(linkIndex, default))
                {
                    var frequency = value.Frequency;
                    var count = _frequencyCounter.Count(linkIndex);
                    // TODO: Why `frequency` always greater than `count` by 1?
                    if (((_comparer.Compare(frequency, count) > 0) &&
                    ↪  (_comparer.Compare(Arithmetic.Subtract(frequency, count), _one) > 0))
                     || ((_comparer.Compare(count, frequency) > 0) &&
                     ↪  (_comparer.Compare(Arithmetic.Subtract(count, frequency), _one) > 0)))
                    {
                        throw new InvalidOperationException("Frequencies validation failed.");
                    }
                }
                //else
                //{
                //    if (value.Frequency > 0)
                //    {
                //        var frequency = value.Frequency;
                //        linkIndex = _createLink(entry.Key.Source, entry.Key.Target);
                //        var count = _countLinkFrequency(linkIndex);

                //        if ((frequency > count && frequency - count > 1) || (count > frequency
                ↪  && count - frequency > 1))
                //            throw new InvalidOperationException("Frequencies validation
                ↪  failed.");
                //    }
                //}
            }
        }
    }
}
```

1.133 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs

```
using System.Runtime.CompilerServices;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
{
    public class LinkFrequency<TLink>
    {
        public TLink Frequency { get; set; }
        public TLink Link { get; set; }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency(TLink frequency, TLink link)
        {
            Frequency = frequency;
            Link = link;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkFrequency() { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void IncrementFrequency() => Frequency = Arithmetic<TLink>.Increment(Frequency);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void DecrementFrequency() => Frequency = Arithmetic<TLink>.Decrement(Frequency);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override string ToString() => $"F: {Frequency}, L: {Link}";
    }
```

```
}
```

1.134 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToItsFrequencyValueConverter.cs

```
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
{
    public class FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<TLink> :
    ↪  IConverter<Doublet<TLink>, TLink>
    {
        private readonly LinkFrequenciesCache<TLink> _cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public
        ↪  FrequenciesCacheBasedLinkToItsFrequencyNumberConverter(LinkFrequenciesCache<TLink>
        ↪  cache) => _cache = cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(Doublet<TLink> source) => _cache.GetFrequency(ref source).Frequency;
    }
}
```

1.135 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneO

```
using System.Runtime.CompilerServices;
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class MarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
    ↪  SequenceSymbolFrequencyOneOffCounter<TLink>
    {
        private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public MarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
        ↪  ICriterionMatcher<TLink> markedSequenceMatcher, TLink sequenceLink, TLink symbol)
            : base(links, sequenceLink, symbol)
            => _markedSequenceMatcher = markedSequenceMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override TLink Count()
        {
            if (!_markedSequenceMatcher.IsMatched(_sequenceLink))
            {
                return default;
            }
            return base.Count();
        }
    }
}
```

1.136 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCoun

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Numbers;
using Platform.Data.Sequences;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
{
    public class SequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;
        private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;

        protected readonly ILinks<TLink> _links;
        protected readonly TLink _sequenceLink;
        protected readonly TLink _symbol;
        protected TLink _total;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
22          public SequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink sequenceLink,
            ↪  TLink symbol)
23          {
24              _links = links;
25              _sequenceLink = sequenceLink;
26              _symbol = symbol;
27              _total = default;
28          }
29
30          [MethodImpl(MethodImplOptions.AggressiveInlining)]
31          public virtual TLink Count()
32          {
33              if (_comparer.Compare(_total, default) > 0)
34              {
35                  return _total;
36              }
37              StopableSequenceWalker.WalkRight(_sequenceLink, _links.GetSource, _links.GetTarget,
                ↪  IsElement, VisitElement);
38              return _total;
39          }
40
41          [MethodImpl(MethodImplOptions.AggressiveInlining)]
42          private bool IsElement(TLink x) => _equalityComparer.Equals(x, _symbol) ||
            ↪  _links.IsPartialPoint(x); // TODO: Use SequenceElementCreteriaMatcher instead of
            ↪  IsPartialPoint
43
44          [MethodImpl(MethodImplOptions.AggressiveInlining)]
45          private bool VisitElement(TLink element)
46          {
47              if (_equalityComparer.Equals(element, _symbol))
48              {
49                  _total = Arithmetic.Increment(_total);
50              }
51              return true;
52          }
53      }
54  }
```

1.137 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequency

```
1   using System.Runtime.CompilerServices;
2   using Platform.Interfaces;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
7   {
8       public class TotalMarkedSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
9       {
10          private readonly ILinks<TLink> _links;
11          private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          public TotalMarkedSequenceSymbolFrequencyCounter(ILinks<TLink> links,
            ↪  ICriterionMatcher<TLink> markedSequenceMatcher)
15          {
16              _links = links;
17              _markedSequenceMatcher = markedSequenceMatcher;
18          }
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          public TLink Count(TLink argument) => new
            ↪  TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
            ↪  _markedSequenceMatcher, argument).Count();
22      }
23  }
```

1.138 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequency

```
1   using System.Runtime.CompilerServices;
2   using Platform.Interfaces;
3   using Platform.Numbers;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
8   {
9       public class TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
            ↪  TotalSequenceSymbolFrequencyOneOffCounter<TLink>
10      {
11          private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
```

```
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          public TotalMarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
            ↪  ICriterionMatcher<TLink> markedSequenceMatcher, TLink symbol)
15              : base(links, symbol)
16              => _markedSequenceMatcher = markedSequenceMatcher;
17
18          [MethodImpl(MethodImplOptions.AggressiveInlining)]
19          protected override void CountSequenceSymbolFrequency(TLink link)
20          {
21              var symbolFrequencyCounter = new
                ↪  MarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
                ↪  _markedSequenceMatcher, link, _symbol);
22              _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
23          }
24      }
25  }
```

1.139 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounte

```
1   using System.Runtime.CompilerServices;
2   using Platform.Interfaces;
3
4   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6   namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
7   {
8       public class TotalSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
9       {
10          private readonly ILinks<TLink> _links;
11
12          [MethodImpl(MethodImplOptions.AggressiveInlining)]
13          public TotalSequenceSymbolFrequencyCounter(ILinks<TLink> links) => _links = links;
14
15          [MethodImpl(MethodImplOptions.AggressiveInlining)]
16          public TLink Count(TLink symbol) => new
            ↪  TotalSequenceSymbolFrequencyOneOffCounter<TLink>(_links, symbol).Count();
17      }
18  }
```

1.140 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOff

```
1   using System.Collections.Generic;
2   using System.Runtime.CompilerServices;
3   using Platform.Interfaces;
4   using Platform.Numbers;
5
6   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8   namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
9   {
10      public class TotalSequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
11      {
12          private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪  EqualityComparer<TLink>.Default;
13          private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
14
15          protected readonly ILinks<TLink> _links;
16          protected readonly TLink _symbol;
17          protected readonly HashSet<TLink> _visits;
18          protected TLink _total;
19
20          [MethodImpl(MethodImplOptions.AggressiveInlining)]
21          public TotalSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink symbol)
22          {
23              _links = links;
24              _symbol = symbol;
25              _visits = new HashSet<TLink>();
26              _total = default;
27          }
28
29          [MethodImpl(MethodImplOptions.AggressiveInlining)]
30          public TLink Count()
31          {
32              if (_comparer.Compare(_total, default) > 0 || _visits.Count > 0)
33              {
34                  return _total;
35              }
36              CountCore(_symbol);
37              return _total;
38          }
39
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void CountCore(TLink link)
        {
            var any = _links.Constants.Any;
            if (_equalityComparer.Equals(_links.Count(any, link), default))
            {
                CountSequenceSymbolFrequency(link);
            }
            else
            {
                _links.Each(EachElementHandler, any, link);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual void CountSequenceSymbolFrequency(TLink link)
        {
            var symbolFrequencyCounter = new SequenceSymbolFrequencyOneOffCounter<TLink>(_links,
            ↪  link, _symbol);
            _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink EachElementHandler(IList<TLink> doublet)
        {
            var constants = _links.Constants;
            var doubletIndex = doublet[constants.IndexPart];
            if (_visits.Add(doubletIndex))
            {
                CountCore(doubletIndex);
            }
            return constants.Continue;
        }
    }
}
```

1.141 ./csharp/Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public class CachedSequenceHeightProvider<TLink> : ISequenceHeightProvider<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly TLink _heightPropertyMarker;
        private readonly ISequenceHeightProvider<TLink> _baseHeightProvider;
        private readonly IConverter<TLink> _addressToUnaryNumberConverter;
        private readonly IConverter<TLink> _unaryNumberToAddressConverter;
        private readonly IProperties<TLink, TLink, TLink> _propertyOperator;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public CachedSequenceHeightProvider(
            ISequenceHeightProvider<TLink> baseHeightProvider,
            IConverter<TLink> addressToUnaryNumberConverter,
            IConverter<TLink> unaryNumberToAddressConverter,
            TLink heightPropertyMarker,
            IProperties<TLink, TLink, TLink> propertyOperator)
        {
            _heightPropertyMarker = heightPropertyMarker;
            _baseHeightProvider = baseHeightProvider;
            _addressToUnaryNumberConverter = addressToUnaryNumberConverter;
            _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
            _propertyOperator = propertyOperator;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Get(TLink sequence)
        {
            TLink height;
            var heightValue = _propertyOperator.GetValue(sequence, _heightPropertyMarker);
            if (_equalityComparer.Equals(heightValue, default))
            {
                height = _baseHeightProvider.Get(sequence);
```

```
                heightValue = _addressToUnaryNumberConverter.Convert(height);
                _propertyOperator.SetValue(sequence, _heightPropertyMarker, heightValue);
            }
            else
            {
                height = _unaryNumberToAddressConverter.Convert(heightValue);
            }
            return height;
        }
    }
}
```

1.142 ./csharp/Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs

```
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Numbers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public class DefaultSequenceRightHeightProvider<TLink> : LinksOperatorBase<TLink>,
    ↪  ISequenceHeightProvider<TLink>
    {
        private readonly ICriterionMatcher<TLink> _elementMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public DefaultSequenceRightHeightProvider(ILinks<TLink> links, ICriterionMatcher<TLink>
        ↪  elementMatcher) : base(links) => _elementMatcher = elementMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Get(TLink sequence)
        {
            var height = default(TLink);
            var pairOrElement = sequence;
            while (!_elementMatcher.IsMatched(pairOrElement))
            {
                pairOrElement = _links.GetTarget(pairOrElement);
                height = Arithmetic.Increment(height);
            }
            return height;
        }
    }
}
```

1.143 ./csharp/Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs

```
using Platform.Interfaces;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.HeightProviders
{
    public interface ISequenceHeightProvider<TLink> : IProvider<TLink, TLink>
    {
    }
}
```

1.144 ./csharp/Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class CachedFrequencyIncrementingSequenceIndex<TLink> : ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly LinkFrequenciesCache<TLink> _cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public CachedFrequencyIncrementingSequenceIndex(LinkFrequenciesCache<TLink> cache) =>
        ↪  _cache = cache;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Add(IList<TLink> sequence)
```

```
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i]))) { }
            for (; i >= 1; i--)
            {
                _cache.IncrementFrequency(sequence[i - 1], sequence[i]);
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsIndexedWithIncrement(TLink source, TLink target)
        {
            var frequency = _cache.GetFrequency(source, target);
            if (frequency == null)
            {
                return false;
            }
            var indexed = !_equalityComparer.Equals(frequency.Frequency, default);
            if (indexed)
            {
                _cache.IncrementFrequency(source, target);
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool MightContain(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexed(sequence[i - 1], sequence[i]))) { }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsIndexed(TLink source, TLink target)
        {
            var frequency = _cache.GetFrequency(source, target);
            if (frequency == null)
            {
                return false;
            }
            return !_equalityComparer.Equals(frequency.Frequency, default);
        }
    }
}
```

1.145 ./csharp/Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Incrementers;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class FrequencyIncrementingSequenceIndex<TLink> : SequenceIndex<TLink>, ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer = EqualityComparer<TLink>.Default;

        private readonly IProperty<TLink, TLink> _frequencyPropertyOperator;
        private readonly IIncrementer<TLink> _frequencyIncrementer;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public FrequencyIncrementingSequenceIndex(ILinks<TLink> links, IProperty<TLink, TLink> frequencyPropertyOperator, IIncrementer<TLink> frequencyIncrementer)
            : base(links)
        {
            _frequencyPropertyOperator = frequencyPropertyOperator;
            _frequencyIncrementer = frequencyIncrementer;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public override bool Add(IList<TLink> sequence)
```

```
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
            ↪  { }
            for (; i >= 1; i--)
            {
                Increment(_links.GetOrCreate(sequence[i - 1], sequence[i]));
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsIndexedWithIncrement(TLink source, TLink target)
        {
            var link = _links.SearchOrDefault(source, target);
            var indexed = !_equalityComparer.Equals(link, default);
            if (indexed)
            {
                Increment(link);
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void Increment(TLink link)
        {
            var previousFrequency = _frequencyPropertyOperator.Get(link);
            var frequency = _frequencyIncrementer.Increment(previousFrequency);
            _frequencyPropertyOperator.Set(link, frequency);
        }
    }
}
```

1.146 ./csharp/Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public interface ISequenceIndex<TLink>
    {
        /// <summary>
        /// Индексирует последовательность глобально, и возвращает значение,
        /// определяющие была ли запрошенная последовательность проиндексирована ранее.
        /// </summary>
        /// <param name="sequence">Последовательность для индексации.</param>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        bool Add(IList<TLink> sequence);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        bool MightContain(IList<TLink> sequence);
    }
}
```

1.147 ./csharp/Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class SequenceIndex<TLink> : LinksOperatorBase<TLink>, ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SequenceIndex(ILinks<TLink> links) : base(links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
```

```
            while (--i >= 1 && (indexed =
            ↪  !_equalityComparer.Equals(_links.SearchOrDefault(sequence[i - 1], sequence[i]),
            ↪  default))) { }
            for (; i >= 1; i--)
            {
                _links.GetOrCreate(sequence[i - 1], sequence[i]);
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual bool MightContain(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            while (--i >= 1 && (indexed =
            ↪  !_equalityComparer.Equals(_links.SearchOrDefault(sequence[i - 1], sequence[i]),
            ↪  default))) { }
            return indexed;
        }
    }
}
```

1.148 ./csharp/Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class SynchronizedSequenceIndex<TLink> : ISequenceIndex<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly ISynchronizedLinks<TLink> _links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SynchronizedSequenceIndex(ISynchronizedLinks<TLink> links) => _links = links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool Add(IList<TLink> sequence)
        {
            var indexed = true;
            var i = sequence.Count;
            var links = _links.Unsync;
            _links.SyncRoot.ExecuteReadOperation(() =>
            {
                while (--i >= 1 && (indexed =
                ↪  !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
                ↪  sequence[i]), default))) { }
            });
            if (!indexed)
            {
                _links.SyncRoot.ExecuteWriteOperation(() =>
                {
                    for (; i >= 1; i--)
                    {
                        links.GetOrCreate(sequence[i - 1], sequence[i]);
                    }
                });
            }
            return indexed;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool MightContain(IList<TLink> sequence)
        {
            var links = _links.Unsync;
            return _links.SyncRoot.ExecuteReadOperation(() =>
            {
                var indexed = true;
                var i = sequence.Count;
                while (--i >= 1 && (indexed =
                ↪  !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
                ↪  sequence[i]), default))) { }
                return indexed;
            });
```

```
        }
    }
}
```

1.149 ./csharp/Platform.Data.Doublets/Sequences/Indexes/Unindex.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Indexes
{
    public class Unindex<TLink> : ISequenceIndex<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual bool Add(IList<TLink> sequence) => false;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public virtual bool MightContain(IList<TLink> sequence) => true;
    }
}
```

1.150 ./csharp/Platform.Data.Doublets/Sequences/Sequences.Experiments.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using System.Linq;
using System.Text;
using Platform.Collections;
using Platform.Collections.Sets;
using Platform.Collections.Stacks;
using Platform.Data.Exceptions;
using Platform.Data.Sequences;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Walkers;
using LinkIndex = System.UInt64;
using Stack = System.Collections.Generic.Stack<ulong>;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    partial class Sequences
    {
        #region Create All Variants (Not Practical)

        /// <remarks>
        /// Number of links that is needed to generate all variants for
        /// sequence of length N corresponds to https://oeis.org/A014143/list sequence.
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ulong[] CreateAllVariants2(ulong[] sequence)
        {
            return _sync.ExecuteWriteOperation(() =>
            {
                if (sequence.IsNullOrEmpty())
                {
                    return Array.Empty<ulong>();
                }
                Links.EnsureLinkExists(sequence);
                if (sequence.Length == 1)
                {
                    return sequence;
                }
                return CreateAllVariants2Core(sequence, 0, (ulong)sequence.Length - 1);
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private ulong[] CreateAllVariants2Core(ulong[] sequence, ulong startAt, ulong stopAt)
        {
            if ((stopAt - startAt) == 0)
            {
                return new[] { sequence[startAt] };
            }
            if ((stopAt - startAt) == 1)
            {
                return new[] { Links.Unsync.GetOrCreate(sequence[startAt], sequence[stopAt]) };
            }
            var variants = new ulong[Platform.Numbers.Math.Catalan(stopAt - startAt)];
```

```
            var last = 0;
            for (var splitter = startAt; splitter < stopAt; splitter++)
            {
                var left = CreateAllVariants2Core(sequence, startAt, splitter);
                var right = CreateAllVariants2Core(sequence, splitter + 1, stopAt);
                for (var i = 0; i < left.Length; i++)
                {
                    for (var j = 0; j < right.Length; j++)
                    {
                        var variant = Links.Unsync.GetOrCreate(left[i], right[j]);
                        if (variant == Constants.Null)
                        {
                            throw new NotImplementedException("Creation cancellation is not
                            ↪  implemented.");
                        }
                        variants[last++] = variant;
                    }
                }
            }
            return variants;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public List<ulong> CreateAllVariants1(params ulong[] sequence)
        {
            return _sync.ExecuteWriteOperation(() =>
            {
                if (sequence.IsNullOrEmpty())
                {
                    return new List<ulong>();
                }
                Links.Unsync.EnsureLinkExists(sequence);
                if (sequence.Length == 1)
                {
                    return new List<ulong> { sequence[0] };
                }
                var results = new
                ↪  List<ulong>((int)Platform.Numbers.Math.Catalan((ulong)sequence.Length));
                return CreateAllVariants1Core(sequence, results);
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private List<ulong> CreateAllVariants1Core(ulong[] sequence, List<ulong> results)
        {
            if (sequence.Length == 2)
            {
                var link = Links.Unsync.GetOrCreate(sequence[0], sequence[1]);
                if (link == Constants.Null)
                {
                    throw new NotImplementedException("Creation cancellation is not
                    ↪  implemented.");
                }
                results.Add(link);
                return results;
            }
            var innerSequenceLength = sequence.Length - 1;
            var innerSequence = new ulong[innerSequenceLength];
            for (var li = 0; li < innerSequenceLength; li++)
            {
                var link = Links.Unsync.GetOrCreate(sequence[li], sequence[li + 1]);
                if (link == Constants.Null)
                {
                    throw new NotImplementedException("Creation cancellation is not
                    ↪  implemented.");
                }
                for (var isi = 0; isi < li; isi++)
                {
                    innerSequence[isi] = sequence[isi];
                }
                innerSequence[li] = link;
                for (var isi = li + 1; isi < innerSequenceLength; isi++)
                {
                    innerSequence[isi] = sequence[isi + 1];
                }
                CreateAllVariants1Core(innerSequence, results);
            }
            return results;
```

```
        }

        #endregion

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> Each1(params ulong[] sequence)
        {
            var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
            Each1(link =>
            {
                if (!visitedLinks.Contains(link))
                {
                    visitedLinks.Add(link); // изучить почему случаются повторы
                }
                return true;
            }, sequence);
            return visitedLinks;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void Each1(Func<ulong, bool> handler, params ulong[] sequence)
        {
            if (sequence.Length == 2)
            {
                Links.Unsync.Each(sequence[0], sequence[1], handler);
            }
            else
            {
                var innerSequenceLength = sequence.Length - 1;
                for (var li = 0; li < innerSequenceLength; li++)
                {
                    var left = sequence[li];
                    var right = sequence[li + 1];
                    if (left == 0 && right == 0)
                    {
                        continue;
                    }
                    var linkIndex = li;
                    ulong[] innerSequence = null;
                    Links.Unsync.Each(doublet =>
                    {
                        if (innerSequence == null)
                        {
                            innerSequence = new ulong[innerSequenceLength];
                            for (var isi = 0; isi < linkIndex; isi++)
                            {
                                innerSequence[isi] = sequence[isi];
                            }
                            for (var isi = linkIndex + 1; isi < innerSequenceLength; isi++)
                            {
                                innerSequence[isi] = sequence[isi + 1];
                            }
                        }
                        innerSequence[linkIndex] = doublet[Constants.IndexPart];
                        Each1(handler, innerSequence);
                        return Constants.Continue;
                    }, Constants.Any, left, right);
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> EachPart(params ulong[] sequence)
        {
            var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
            EachPartCore(link =>
            {
                var linkIndex = link[Constants.IndexPart];
                if (!visitedLinks.Contains(linkIndex))
                {
                    visitedLinks.Add(linkIndex); // изучить почему случаются повторы
                }
                return Constants.Continue;
            }, sequence);
            return visitedLinks;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void EachPart(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[] sequence)
```

```
        {
            var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
            EachPartCore(link =>
            {
                var linkIndex = link[Constants.IndexPart];
                if (!visitedLinks.Contains(linkIndex))
                {
                    visitedLinks.Add(linkIndex); // изучить почему случаются повторы
                    return handler(new LinkAddress<LinkIndex>(linkIndex));
                }
                return Constants.Continue;
            }, sequence);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void EachPartCore(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[]
        ↪ sequence)
        {
            if (sequence.IsNullOrEmpty())
            {
                return;
            }
            Links.EnsureLinkIsAnyOrExists(sequence);
            if (sequence.Length == 1)
            {
                var link = sequence[0];
                if (link > 0)
                {
                    handler(new LinkAddress<LinkIndex>(link));
                }
                else
                {
                    Links.Each(Constants.Any, Constants.Any, handler);
                }
            }
            else if (sequence.Length == 2)
            {
                //_links.Each(sequence[0], sequence[1], handler);
                //  o_|      x_o ...
                // x_|        |___|
                Links.Each(sequence[1], Constants.Any, doublet =>
                {
                    var match = Links.SearchOrDefault(sequence[0], doublet);
                    if (match != Constants.Null)
                    {
                        handler(new LinkAddress<LinkIndex>(match));
                    }
                    return true;
                });
                // |_x      ... x_o
                //  |_o      |___|
                Links.Each(Constants.Any, sequence[0], doublet =>
                {
                    var match = Links.SearchOrDefault(doublet, sequence[1]);
                    if (match != 0)
                    {
                        handler(new LinkAddress<LinkIndex>(match));
                    }
                    return true;
                });
                //           ._x o_.
                //            |___|
                PartialStepRight(x => handler(x), sequence[0], sequence[1]);
            }
            else
            {
                throw new NotImplementedException();
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void PartialStepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
        {
            Links.Unsync.Each(Constants.Any, left, doublet =>
            {
                StepRight(handler, doublet, right);
                if (left != doublet)
                {
```

```
                PartialStepRight(handler, doublet, right);
            }
            return true;
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private void StepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
    {
        Links.Unsync.Each(left, Constants.Any, rightStep =>
        {
            TryStepRightUp(handler, right, rightStep);
            return true;
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private void TryStepRightUp(Action<IList<LinkIndex>> handler, ulong right, ulong
    ↪  stepFrom)
    {
        var upStep = stepFrom;
        var firstSource = Links.Unsync.GetTarget(upStep);
        while (firstSource != right && firstSource != upStep)
        {
            upStep = firstSource;
            firstSource = Links.Unsync.GetSource(upStep);
        }
        if (firstSource == right)
        {
            handler(new LinkAddress<LinkIndex>(stepFrom));
        }
    }

    // TODO: Test
    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private void PartialStepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
    {
        Links.Unsync.Each(right, Constants.Any, doublet =>
        {
            StepLeft(handler, left, doublet);
            if (right != doublet)
            {
                PartialStepLeft(handler, left, doublet);
            }
            return true;
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private void StepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
    {
        Links.Unsync.Each(Constants.Any, right, leftStep =>
        {
            TryStepLeftUp(handler, left, leftStep);
            return true;
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private void TryStepLeftUp(Action<IList<LinkIndex>> handler, ulong left, ulong stepFrom)
    {
        var upStep = stepFrom;
        var firstTarget = Links.Unsync.GetSource(upStep);
        while (firstTarget != left && firstTarget != upStep)
        {
            upStep = firstTarget;
            firstTarget = Links.Unsync.GetTarget(upStep);
        }
        if (firstTarget == left)
        {
            handler(new LinkAddress<LinkIndex>(stepFrom));
        }
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private bool StartsWith(ulong sequence, ulong link)
    {
        var upStep = sequence;
        var firstSource = Links.Unsync.GetSource(upStep);
```

```
            while (firstSource != link && firstSource != upStep)
            {
                upStep = firstSource;
                firstSource = Links.Unsync.GetSource(upStep);
            }
            return firstSource == link;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool EndsWith(ulong sequence, ulong link)
        {
            var upStep = sequence;
            var lastTarget = Links.Unsync.GetTarget(upStep);
            while (lastTarget != link && lastTarget != upStep)
            {
                upStep = lastTarget;
                lastTarget = Links.Unsync.GetTarget(upStep);
            }
            return lastTarget == link;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public List<ulong> GetAllMatchingSequences0(params ulong[] sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var results = new List<ulong>();
                if (sequence.Length > 0)
                {
                    Links.EnsureLinkExists(sequence);
                    var firstElement = sequence[0];
                    if (sequence.Length == 1)
                    {
                        results.Add(firstElement);
                        return results;
                    }
                    if (sequence.Length == 2)
                    {
                        var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
                        if (doublet != Constants.Null)
                        {
                            results.Add(doublet);
                        }
                        return results;
                    }
                    var linksInSequence = new HashSet<ulong>(sequence);
                    void handler(IList<LinkIndex> result)
                    {
                        var resultIndex = result[Links.Constants.IndexPart];
                        var filterPosition = 0;
                        StopableSequenceWalker.WalkRight(resultIndex, Links.Unsync.GetSource,
                        ↪  Links.Unsync.GetTarget,
                            x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
                            ↪  x =>
                            {
                                if (filterPosition == sequence.Length)
                                {
                                    filterPosition = -2; // Длиннее чем нужно
                                    return false;
                                }
                                if (x != sequence[filterPosition])
                                {
                                    filterPosition = -1;
                                    return false; // Начинается иначе
                                }
                                filterPosition++;

                                return true;
                            });
                        if (filterPosition == sequence.Length)
                        {
                            results.Add(resultIndex);
                        }
                    }
                    if (sequence.Length >= 2)
                    {
                        StepRight(handler, sequence[0], sequence[1]);
                    }
                    var last = sequence.Length - 2;
```

```
                for (var i = 1; i < last; i++)
                {
                    PartialStepRight(handler, sequence[i], sequence[i + 1]);
                }
                if (sequence.Length >= 3)
                {
                    StepLeft(handler, sequence[sequence.Length - 2],
                    ↪  sequence[sequence.Length - 1]);
                }
            }
            return results;
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public HashSet<ulong> GetAllMatchingSequences1(params ulong[] sequence)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            var results = new HashSet<ulong>();
            if (sequence.Length > 0)
            {
                Links.EnsureLinkExists(sequence);
                var firstElement = sequence[0];
                if (sequence.Length == 1)
                {
                    results.Add(firstElement);
                    return results;
                }
                if (sequence.Length == 2)
                {
                    var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
                    if (doublet != Constants.Null)
                    {
                        results.Add(doublet);
                    }
                    return results;
                }
                var matcher = new Matcher(this, sequence, results, null);
                if (sequence.Length >= 2)
                {
                    StepRight(matcher.AddFullMatchedToResults, sequence[0], sequence[1]);
                }
                var last = sequence.Length - 2;
                for (var i = 1; i < last; i++)
                {
                    PartialStepRight(matcher.AddFullMatchedToResults, sequence[i],
                    ↪  sequence[i + 1]);
                }
                if (sequence.Length >= 3)
                {
                    StepLeft(matcher.AddFullMatchedToResults, sequence[sequence.Length - 2],
                    ↪  sequence[sequence.Length - 1]);
                }
            }
            return results;
        });
    }

    public const int MaxSequenceFormatSize = 200;

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public string FormatSequence(LinkIndex sequenceLink, params LinkIndex[] knownElements)
    ↪  => FormatSequence(sequenceLink, (sb, x) => sb.Append(x), true, knownElements);

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public string FormatSequence(LinkIndex sequenceLink, Action<StringBuilder, LinkIndex>
    ↪  elementToString, bool insertComma, params LinkIndex[] knownElements) =>
    ↪  Links.SyncRoot.ExecuteReadOperation(() => FormatSequence(Links.Unsync, sequenceLink,
    ↪  elementToString, insertComma, knownElements));

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    private string FormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
    ↪  Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
    ↪  LinkIndex[] knownElements)
    {
        var linksInSequence = new HashSet<ulong>(knownElements);
        //var entered = new HashSet<ulong>();
```

```
512             var sb = new StringBuilder();
513             sb.Append('{');
514             if (links.Exists(sequenceLink))
515             {
516                 StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
517                     x => linksInSequence.Contains(x) || links.IsPartialPoint(x), element => //
                        ↪ entered.AddAndReturnVoid, x => { }, entered.DoNotContains
518                     {
519                         if (insertComma && sb.Length > 1)
520                         {
521                             sb.Append(',');
522                         }
523                         //if (entered.Contains(element))
524                         //{
525                         //    sb.Append('{');
526                         //    elementToString(sb, element);
527                         //    sb.Append('}');
528                         //}
529                         //else
530                         elementToString(sb, element);
531                         if (sb.Length < MaxSequenceFormatSize)
532                         {
533                             return true;
534                         }
535                         sb.Append(insertComma ? ", ..." : "...");
536                         return false;
537                     });
538             }
539             sb.Append('}');
540             return sb.ToString();
541         }
542 
543         [MethodImpl(MethodImplOptions.AggressiveInlining)]
544         public string SafeFormatSequence(LinkIndex sequenceLink, params LinkIndex[]
            ↪ knownElements) => SafeFormatSequence(sequenceLink, (sb, x) => sb.Append(x), true,
            ↪ knownElements);
545 
546         [MethodImpl(MethodImplOptions.AggressiveInlining)]
547         public string SafeFormatSequence(LinkIndex sequenceLink, Action<StringBuilder,
            ↪ LinkIndex> elementToString, bool insertComma, params LinkIndex[] knownElements) =>
            ↪ Links.SyncRoot.ExecuteReadOperation(() => SafeFormatSequence(Links.Unsync,
            ↪ sequenceLink, elementToString, insertComma, knownElements));
548 
549         [MethodImpl(MethodImplOptions.AggressiveInlining)]
550         private string SafeFormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
            ↪ Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
            ↪ LinkIndex[] knownElements)
551         {
552             var linksInSequence = new HashSet<ulong>(knownElements);
553             var entered = new HashSet<ulong>();
554             var sb = new StringBuilder();
555             sb.Append('{');
556             if (links.Exists(sequenceLink))
557             {
558                 StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
559                     x => linksInSequence.Contains(x) || links.IsFullPoint(x),
                        ↪ entered.AddAndReturnVoid, x => { }, entered.DoNotContains, element =>
560                     {
561                         if (insertComma && sb.Length > 1)
562                         {
563                             sb.Append(',');
564                         }
565                         if (entered.Contains(element))
566                         {
567                             sb.Append('{');
568                             elementToString(sb, element);
569                             sb.Append('}');
570                         }
571                         else
572                         {
573                             elementToString(sb, element);
574                         }
575                         if (sb.Length < MaxSequenceFormatSize)
576                         {
577                             return true;
578                         }
579                         sb.Append(insertComma ? ", ..." : "...");
580                         return false;
```

```
                });
            }
            sb.Append('}');
            return sb.ToString();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public List<ulong> GetAllPartiallyMatchingSequences0(params ulong[] sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                if (sequence.Length > 0)
                {
                    Links.EnsureLinkExists(sequence);
                    var results = new HashSet<ulong>();
                    for (var i = 0; i < sequence.Length; i++)
                    {
                        AllUsagesCore(sequence[i], results);
                    }
                    var filteredResults = new List<ulong>();
                    var linksInSequence = new HashSet<ulong>(sequence);
                    foreach (var result in results)
                    {
                        var filterPosition = -1;
                        StopableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
                            Links.Unsync.GetTarget,
                            x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
                            x =>
                            {
                                if (filterPosition == (sequence.Length - 1))
                                {
                                    return false;
                                }
                                if (filterPosition >= 0)
                                {
                                    if (x == sequence[filterPosition + 1])
                                    {
                                        filterPosition++;
                                    }
                                    else
                                    {
                                        return false;
                                    }
                                }
                                if (filterPosition < 0)
                                {
                                    if (x == sequence[0])
                                    {
                                        filterPosition = 0;
                                    }
                                }
                                return true;
                            });
                        if (filterPosition == (sequence.Length - 1))
                        {
                            filteredResults.Add(result);
                        }
                    }
                    return filteredResults;
                }
                return new List<ulong>();
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> GetAllPartiallyMatchingSequences1(params ulong[] sequence)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                if (sequence.Length > 0)
                {
                    Links.EnsureLinkExists(sequence);
                    var results = new HashSet<ulong>();
                    for (var i = 0; i < sequence.Length; i++)
                    {
                        AllUsagesCore(sequence[i], results);
                    }
                    var filteredResults = new HashSet<ulong>();
```

```
                var matcher = new Matcher(this, sequence, filteredResults, null);
                matcher.AddAllPartialMatchedToResults(results);
                return filteredResults;
            }
            return new HashSet<ulong>();
        });
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public bool GetAllPartiallyMatchingSequences2(Func<IList<LinkIndex>, LinkIndex> handler,
    ↪  params ulong[] sequence)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            if (sequence.Length > 0)
            {
                Links.EnsureLinkExists(sequence);

                var results = new HashSet<ulong>();
                var filteredResults = new HashSet<ulong>();
                var matcher = new Matcher(this, sequence, filteredResults, handler);
                for (var i = 0; i < sequence.Length; i++)
                {
                    if (!AllUsagesCore1(sequence[i], results, matcher.HandlePartialMatched))
                    {
                        return false;
                    }
                }
                return true;
            }
            return true;
        });
    }

    //public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
    //{
    //    return Sync.ExecuteReadOperation(() =>
    //    {
    //        if (sequence.Length > 0)
    //        {
    //            _links.EnsureEachLinkIsAnyOrExists(sequence);

    //            var firstResults = new HashSet<ulong>();
    //            var lastResults = new HashSet<ulong>();

    //            var first = sequence.First(x => x != LinksConstants.Any);
    //            var last = sequence.Last(x => x != LinksConstants.Any);

    //            AllUsagesCore(first, firstResults);
    //            AllUsagesCore(last, lastResults);

    //            firstResults.IntersectWith(lastResults);

    //            //for (var i = 0; i < sequence.Length; i++)
    //            //    AllUsagesCore(sequence[i], results);

    //            var filteredResults = new HashSet<ulong>();
    //            var matcher = new Matcher(this, sequence, filteredResults, null);
    //            matcher.AddAllPartialMatchedToResults(firstResults);
    //            return filteredResults;
    //        }

    //        return new HashSet<ulong>();
    //    });
    //}

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
    {
        return _sync.ExecuteReadOperation(() =>
        {
            if (sequence.Length > 0)
            {
                ILinksExtensions.EnsureLinkIsAnyOrExists(Links, sequence);
                var firstResults = new HashSet<ulong>();
                var lastResults = new HashSet<ulong>();
                var first = sequence.First(x => x != Constants.Any);
                var last = sequence.Last(x => x != Constants.Any);
                AllUsagesCore(first, firstResults);
```

```
735                     AllUsagesCore(last, lastResults);
736                     firstResults.IntersectWith(lastResults);
737                     //for (var i = 0; i < sequence.Length; i++)
738                     //    AllUsagesCore(sequence[i], results);
739                     var filteredResults = new HashSet<ulong>();
740                     var matcher = new Matcher(this, sequence, filteredResults, null);
741                     matcher.AddAllPartialMatchedToResults(firstResults);
742                     return filteredResults;
743                 }
744                 return new HashSet<ulong>();
745             });
746         }
747 
748         [MethodImpl(MethodImplOptions.AggressiveInlining)]
749         public HashSet<ulong> GetAllPartiallyMatchingSequences4(HashSet<ulong> readAsElements,
            ↪ IList<ulong> sequence)
750         {
751             return _sync.ExecuteReadOperation(() =>
752             {
753                 if (sequence.Count > 0)
754                 {
755                     Links.EnsureLinkExists(sequence);
756                     var results = new HashSet<LinkIndex>();
757                     //var nextResults = new HashSet<ulong>();
758                     //for (var i = 0; i < sequence.Length; i++)
759                     //{
760                     //    AllUsagesCore(sequence[i], nextResults);
761                     //    if (results.IsNullOrEmpty())
762                     //    {
763                     //        results = nextResults;
764                     //        nextResults = new HashSet<ulong>();
765                     //    }
766                     //    else
767                     //    {
768                     //        results.IntersectWith(nextResults);
769                     //        nextResults.Clear();
770                     //    }
771                     //}
772                     var collector1 = new AllUsagesCollector1(Links.Unsync, results);
773                     collector1.Collect(Links.Unsync.GetLink(sequence[0]));
774                     var next = new HashSet<ulong>();
775                     for (var i = 1; i < sequence.Count; i++)
776                     {
777                         var collector = new AllUsagesCollector1(Links.Unsync, next);
778                         collector.Collect(Links.Unsync.GetLink(sequence[i]));
779 
780                         results.IntersectWith(next);
781                         next.Clear();
782                     }
783                     var filteredResults = new HashSet<ulong>();
784                     var matcher = new Matcher(this, sequence, filteredResults, null,
                        ↪ readAsElements);
785                     matcher.AddAllPartialMatchedToResultsAndReadAsElements(results.OrderBy(x =>
                        ↪ x)); // OrderBy is a Hack
786                     return filteredResults;
787                 }
788                 return new HashSet<ulong>();
789             });
790         }
791 
792         // Does not work
793         //public HashSet<ulong> GetAllPartiallyMatchingSequences5(HashSet<ulong> readAsElements,
            ↪ params ulong[] sequence)
794         //{
795         //    var visited = new HashSet<ulong>();
796         //    var results = new HashSet<ulong>();
797         //    var matcher = new Matcher(this, sequence, visited, x => { results.Add(x); return
            ↪ true; }, readAsElements);
798         //    var last = sequence.Length - 1;
799         //    for (var i = 0; i < last; i++)
800         //    {
801         //        PartialStepRight(matcher.PartialMatch, sequence[i], sequence[i + 1]);
802         //    }
803         //    return results;
804         //}
805 
806         [MethodImpl(MethodImplOptions.AggressiveInlining)]
807         public List<ulong> GetAllPartiallyMatchingSequences(params ulong[] sequence)
```

```
808         {
809             return _sync.ExecuteReadOperation(() =>
810             {
811                 if (sequence.Length > 0)
812                 {
813                     Links.EnsureLinkExists(sequence);
814                     //var firstElement = sequence[0];
815                     //if (sequence.Length == 1)
816                     //{
817                     //    //results.Add(firstElement);
818                     //    return results;
819                     //}
820                     //if (sequence.Length == 2)
821                     //{
822                     //    //var doublet = _links.SearchCore(firstElement, sequence[1]);
823                     //    //if (doublet != Doublets.Links.Null)
824                     //    //    results.Add(doublet);
825                     //    return results;
826                     //}
827                     //var lastElement = sequence[sequence.Length - 1];
828                     //Func<ulong, bool> handler = x =>
829                     //{
830                     //    if (StartsWith(x, firstElement) && EndsWith(x, lastElement))
                        ↪  results.Add(x);
831                     //    return true;
832                     //};
833                     //if (sequence.Length >= 2)
834                     //    StepRight(handler, sequence[0], sequence[1]);
835                     //var last = sequence.Length - 2;
836                     //for (var i = 1; i < last; i++)
837                     //    PartialStepRight(handler, sequence[i], sequence[i + 1]);
838                     //if (sequence.Length >= 3)
839                     //    StepLeft(handler, sequence[sequence.Length - 2],
                        ↪  sequence[sequence.Length - 1]);
840                     //////if (sequence.Length == 1)
841                     //////{
842                     //////    throw new NotImplementedException(); // all sequences, containing
                        ↪  this element?
843                     //////}
844                     //////if (sequence.Length == 2)
845                     //////{
846                     //////    var results = new List<ulong>();
847                     //////    PartialStepRight(results.Add, sequence[0], sequence[1]);
848                     //////    return results;
849                     //////}
850                     //////var matches = new List<List<ulong>>();
851                     //////var last = sequence.Length - 1;
852                     //////for (var i = 0; i < last; i++)
853                     //////{
854                     //////    var results = new List<ulong>();
855                     //////    //StepRight(results.Add, sequence[i], sequence[i + 1]);
856                     //////    PartialStepRight(results.Add, sequence[i], sequence[i + 1]);
857                     //////    if (results.Count > 0)
858                     //////        matches.Add(results);
859                     //////    else
860                     //////        return results;
861                     //////    if (matches.Count == 2)
862                     //////    {
863                     //////        var merged = new List<ulong>();
864                     //////        for (var j = 0; j < matches[0].Count; j++)
865                     //////            for (var k = 0; k < matches[1].Count; k++)
866                     //////                CloseInnerConnections(merged.Add, matches[0][j],
                        ↪  matches[1][k]);
867                     //////        if (merged.Count > 0)
868                     //////            matches = new List<List<ulong>> { merged };
869                     //////        else
870                     //////            return new List<ulong>();
871                     //////    }
872                     //////}
873                     //////if (matches.Count > 0)
874                     //////{
875                     //////    var usages = new HashSet<ulong>();
876                     //////    for (int i = 0; i < sequence.Length; i++)
877                     //////    {
878                     //////        AllUsagesCore(sequence[i], usages);
879                     //////    }
880                     //////    //for (int i = 0; i < matches[0].Count; i++)
```

```
                    //////    //    AllUsagesCore(matches[0][i], usages);
                    //////    //usages.UnionWith(matches[0]);
                    //////    return usages.ToList();
                    //////}
                    var firstLinkUsages = new HashSet<ulong>();
                    AllUsagesCore(sequence[0], firstLinkUsages);
                    firstLinkUsages.Add(sequence[0]);
                    //var previousMatchings = firstLinkUsages.ToList(); //new List<ulong>() { sequence[0] }; // or all sequences, containing this element?
                    //return GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages, 1).ToList();
                    var results = new HashSet<ulong>();
                    foreach (var match in GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages, 1))
                    {
                        AllUsagesCore(match, results);
                    }
                    return results.ToList();
                }
                return new List<ulong>();
            });
        }

        /// <remarks>
        /// TODO: Может потробоваться ограничение на уровень глубины рекурсии
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> AllUsages(ulong link)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var usages = new HashSet<ulong>();
                AllUsagesCore(link, usages);
                return usages;
            });
        }

        // При сборе всех использований (последовательностей) можно сохранять обратный путь к той связи с которой начинался поиск (STTTSSSTT),
        // причём достаточно одного бита для хранения перехода влево или вправо
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void AllUsagesCore(ulong link, HashSet<ulong> usages)
        {
            bool handler(ulong doublet)
            {
                if (usages.Add(doublet))
                {
                    AllUsagesCore(doublet, usages);
                }
                return true;
            }
            Links.Unsync.Each(link, Constants.Any, handler);
            Links.Unsync.Each(Constants.Any, link, handler);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> AllBottomUsages(ulong link)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var visits = new HashSet<ulong>();
                var usages = new HashSet<ulong>();
                AllBottomUsagesCore(link, visits, usages);
                return usages;
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void AllBottomUsagesCore(ulong link, HashSet<ulong> visits, HashSet<ulong> usages)
        {
            bool handler(ulong doublet)
            {
                if (visits.Add(doublet))
                {
                    AllBottomUsagesCore(doublet, visits, usages);
                }
                return true;
```

```
954             }
955             if (Links.Unsync.Count(Constants.Any, link) == 0)
956             {
957                 usages.Add(link);
958             }
959             else
960             {
961                 Links.Unsync.Each(link, Constants.Any, handler);
962                 Links.Unsync.Each(Constants.Any, link, handler);
963             }
964         }
965 
966         [MethodImpl(MethodImplOptions.AggressiveInlining)]
967         public ulong CalculateTotalSymbolFrequencyCore(ulong symbol)
968         {
969             if (Options.UseSequenceMarker)
970             {
971                 var counter = new TotalMarkedSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
                    ↪ Options.MarkedSequenceMatcher, symbol);
972                 return counter.Count();
973             }
974             else
975             {
976                 var counter = new TotalSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
                    ↪ symbol);
977                 return counter.Count();
978             }
979         }
980 
981         [MethodImpl(MethodImplOptions.AggressiveInlining)]
982         private bool AllUsagesCore1(ulong link, HashSet<ulong> usages, Func<IList<LinkIndex>,
            ↪ LinkIndex> outerHandler)
983         {
984             bool handler(ulong doublet)
985             {
986                 if (usages.Add(doublet))
987                 {
988                     if (outerHandler(new LinkAddress<LinkIndex>(doublet)) != Constants.Continue)
989                     {
990                         return false;
991                     }
992                     if (!AllUsagesCore1(doublet, usages, outerHandler))
993                     {
994                         return false;
995                     }
996                 }
997                 return true;
998             }
999             return Links.Unsync.Each(link, Constants.Any, handler)
1000                 && Links.Unsync.Each(Constants.Any, link, handler);
1001         }
1002 
1003         [MethodImpl(MethodImplOptions.AggressiveInlining)]
1004         public void CalculateAllUsages(ulong[] totals)
1005         {
1006             var calculator = new AllUsagesCalculator(Links, totals);
1007             calculator.Calculate();
1008         }
1009 
1010         [MethodImpl(MethodImplOptions.AggressiveInlining)]
1011         public void CalculateAllUsages2(ulong[] totals)
1012         {
1013             var calculator = new AllUsagesCalculator2(Links, totals);
1014             calculator.Calculate();
1015         }
1016 
1017         private class AllUsagesCalculator
1018         {
1019             private readonly SynchronizedLinks<ulong> _links;
1020             private readonly ulong[] _totals;
1021 
1022             [MethodImpl(MethodImplOptions.AggressiveInlining)]
1023             public AllUsagesCalculator(SynchronizedLinks<ulong> links, ulong[] totals)
1024             {
1025                 _links = links;
1026                 _totals = totals;
1027             }
1028 
1029             [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
        ↪  CalculateCore);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool CalculateCore(ulong link)
        {
            if (_totals[link] == 0)
            {
                var total = 1UL;
                _totals[link] = total;
                var visitedChildren = new HashSet<ulong>();
                bool linkCalculator(ulong child)
                {
                    if (link != child && visitedChildren.Add(child))
                    {
                        total += _totals[child] == 0 ? 1 : _totals[child];
                    }
                    return true;
                }
                _links.Unsync.Each(link, _links.Constants.Any, linkCalculator);
                _links.Unsync.Each(_links.Constants.Any, link, linkCalculator);
                _totals[link] = total;
            }
            return true;
        }
    }

    private class AllUsagesCalculator2
    {
        private readonly SynchronizedLinks<ulong> _links;
        private readonly ulong[] _totals;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public AllUsagesCalculator2(SynchronizedLinks<ulong> links, ulong[] totals)
        {
            _links = links;
            _totals = totals;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
        ↪  CalculateCore);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool IsElement(ulong link)
        {
            //_linksInSequence.Contains(link) ||
            return _links.Unsync.GetTarget(link) == link || _links.Unsync.GetSource(link) ==
            ↪  link;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private bool CalculateCore(ulong link)
        {
            // TODO: Проработать защиту от зацикливания
            // Основано на SequenceWalker.WalkLeft
            Func<ulong, ulong> getSource = _links.Unsync.GetSource;
            Func<ulong, ulong> getTarget = _links.Unsync.GetTarget;
            Func<ulong, bool> isElement = IsElement;
            void visitLeaf(ulong parent)
            {
                if (link != parent)
                {
                    _totals[parent]++;
                }
            }
            void visitNode(ulong parent)
            {
                if (link != parent)
                {
                    _totals[parent]++;
                }
            }
            var stack = new Stack();
            var element = link;
            if (isElement(element))
            {
                visitLeaf(element);
            }
```

```
                else
                {
                    while (true)
                    {
                        if (isElement(element))
                        {
                            if (stack.Count == 0)
                            {
                                break;
                            }
                            element = stack.Pop();
                            var source = getSource(element);
                            var target = getTarget(element);
                            // Обработка элемента
                            if (isElement(target))
                            {
                                visitLeaf(target);
                            }
                            if (isElement(source))
                            {
                                visitLeaf(source);
                            }
                            element = source;
                        }
                        else
                        {
                            stack.Push(element);
                            visitNode(element);
                            element = getTarget(element);
                        }
                    }
                }
                _totals[link]++;
                return true;
            }
        }

        private class AllUsagesCollector
        {
            private readonly ILinks<ulong> _links;
            private readonly HashSet<ulong> _usages;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public AllUsagesCollector(ILinks<ulong> links, HashSet<ulong> usages)
            {
                _links = links;
                _usages = usages;
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public bool Collect(ulong link)
            {
                if (_usages.Add(link))
                {
                    _links.Each(link, _links.Constants.Any, Collect);
                    _links.Each(_links.Constants.Any, link, Collect);
                }
                return true;
            }
        }

        private class AllUsagesCollector1
        {
            private readonly ILinks<ulong> _links;
            private readonly HashSet<ulong> _usages;
            private readonly ulong _continue;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public AllUsagesCollector1(ILinks<ulong> links, HashSet<ulong> usages)
            {
                _links = links;
                _usages = usages;
                _continue = _links.Constants.Continue;
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public ulong Collect(IList<ulong> link)
            {
                var linkIndex = _links.GetIndex(link);
                if (_usages.Add(linkIndex))
```

```
                {
                    _links.Each(Collect, _links.Constants.Any, linkIndex);
                }
                return _continue;
            }
        }

        private class AllUsagesCollector2
        {
            private readonly ILinks<ulong> _links;
            private readonly BitString _usages;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public AllUsagesCollector2(ILinks<ulong> links, BitString usages)
            {
                _links = links;
                _usages = usages;
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public bool Collect(ulong link)
            {
                if (_usages.Add((long)link))
                {
                    _links.Each(link, _links.Constants.Any, Collect);
                    _links.Each(_links.Constants.Any, link, Collect);
                }
                return true;
            }
        }

        private class AllUsagesIntersectingCollector
        {
            private readonly SynchronizedLinks<ulong> _links;
            private readonly HashSet<ulong> _intersectWith;
            private readonly HashSet<ulong> _usages;
            private readonly HashSet<ulong> _enter;

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public AllUsagesIntersectingCollector(SynchronizedLinks<ulong> links, HashSet<ulong>
            ↪  intersectWith, HashSet<ulong> usages)
            {
                _links = links;
                _intersectWith = intersectWith;
                _usages = usages;
                _enter = new HashSet<ulong>(); // защита от зацикливания
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public bool Collect(ulong link)
            {
                if (_enter.Add(link))
                {
                    if (_intersectWith.Contains(link))
                    {
                        _usages.Add(link);
                    }
                    _links.Unsync.Each(link, _links.Constants.Any, Collect);
                    _links.Unsync.Each(_links.Constants.Any, link, Collect);
                }
                return true;
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void CloseInnerConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
        ↪  right)
        {
            TryStepLeftUp(handler, left, right);
            TryStepRightUp(handler, right, left);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void AllCloseConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
        ↪  right)
        {
            // Direct
            if (left == right)
            {
```

```
                handler(new LinkAddress<LinkIndex>(left));
            }
            var doublet = Links.Unsync.SearchOrDefault(left, right);
            if (doublet != Constants.Null)
            {
                handler(new LinkAddress<LinkIndex>(doublet));
            }
            // Inner
            CloseInnerConnections(handler, left, right);
            // Outer
            StepLeft(handler, left, right);
            StepRight(handler, left, right);
            PartialStepRight(handler, left, right);
            PartialStepLeft(handler, left, right);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private HashSet<ulong> GetAllPartiallyMatchingSequencesCore(ulong[] sequence,
        ↪  HashSet<ulong> previousMatchings, long startAt)
        {
            if (startAt >= sequence.Length) // ?
            {
                return previousMatchings;
            }
            var secondLinkUsages = new HashSet<ulong>();
            AllUsagesCore(sequence[startAt], secondLinkUsages);
            secondLinkUsages.Add(sequence[startAt]);
            var matchings = new HashSet<ulong>();
            var filler = new SetFiller<LinkIndex, LinkIndex>(matchings, Constants.Continue);
            //for (var i = 0; i < previousMatchings.Count; i++)
            foreach (var secondLinkUsage in secondLinkUsages)
            {
                foreach (var previousMatching in previousMatchings)
                {
                    //AllCloseConnections(matchings.AddAndReturnVoid, previousMatching,
                    ↪  secondLinkUsage);
                    StepRight(filler.AddFirstAndReturnConstant, previousMatching,
                    ↪  secondLinkUsage);
                    TryStepRightUp(filler.AddFirstAndReturnConstant, secondLinkUsage,
                    ↪  previousMatching);
                    //PartialStepRight(matchings.AddAndReturnVoid, secondLinkUsage,
                    ↪  sequence[startAt]); // почему-то эта ошибочная запись приводит к
                    ↪  желаемым результам.
                    PartialStepRight(filler.AddFirstAndReturnConstant, previousMatching,
                    ↪  secondLinkUsage);
                }
            }
            if (matchings.Count == 0)
            {
                return matchings;
            }
            return GetAllPartiallyMatchingSequencesCore(sequence, matchings, startAt + 1); // ??
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static void EnsureEachLinkIsAnyOrZeroOrManyOrExists(SynchronizedLinks<ulong>
        ↪  links, params ulong[] sequence)
        {
            if (sequence == null)
            {
                return;
            }
            for (var i = 0; i < sequence.Length; i++)
            {
                if (sequence[i] != links.Constants.Any && sequence[i] != ZeroOrMany &&
                ↪  !links.Exists(sequence[i]))
                {
                    throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
                    ↪  $"patternSequence[{i}]");
                }
            }
        }

        // Pattern Matching -> Key To Triggers
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> MatchPattern(params ulong[] patternSequence)
        {
```

```
            return _sync.ExecuteReadOperation(() =>
            {
                patternSequence = Simplify(patternSequence);
                if (patternSequence.Length > 0)
                {
                    EnsureEachLinkIsAnyOrZeroOrManyOrExists(Links, patternSequence);
                    var uniqueSequenceElements = new HashSet<ulong>();
                    for (var i = 0; i < patternSequence.Length; i++)
                    {
                        if (patternSequence[i] != Constants.Any && patternSequence[i] !=
                        ↪  ZeroOrMany)
                        {
                            uniqueSequenceElements.Add(patternSequence[i]);
                        }
                    }
                    var results = new HashSet<ulong>();
                    foreach (var uniqueSequenceElement in uniqueSequenceElements)
                    {
                        AllUsagesCore(uniqueSequenceElement, results);
                    }
                    var filteredResults = new HashSet<ulong>();
                    var matcher = new PatternMatcher(this, patternSequence, filteredResults);
                    matcher.AddAllPatternMatchedToResults(results);
                    return filteredResults;
                }
                return new HashSet<ulong>();
            });
        }

        // Найти все возможные связи между указанным списком связей.
        // Находит связи между всеми указанными связями в любом порядке.
        // TODO: решить что делать с повторами (когда одни и те же элементы встречаются
        ↪  несколько раз в последовательности)
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> GetAllConnections(params ulong[] linksToConnect)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var results = new HashSet<ulong>();
                if (linksToConnect.Length > 0)
                {
                    Links.EnsureLinkExists(linksToConnect);
                    AllUsagesCore(linksToConnect[0], results);
                    for (var i = 1; i < linksToConnect.Length; i++)
                    {
                        var next = new HashSet<ulong>();
                        AllUsagesCore(linksToConnect[i], next);
                        results.IntersectWith(next);
                    }
                }
                return results;
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public HashSet<ulong> GetAllConnections1(params ulong[] linksToConnect)
        {
            return _sync.ExecuteReadOperation(() =>
            {
                var results = new HashSet<ulong>();
                if (linksToConnect.Length > 0)
                {
                    Links.EnsureLinkExists(linksToConnect);
                    var collector1 = new AllUsagesCollector(Links.Unsync, results);
                    collector1.Collect(linksToConnect[0]);
                    var next = new HashSet<ulong>();
                    for (var i = 1; i < linksToConnect.Length; i++)
                    {
                        var collector = new AllUsagesCollector(Links.Unsync, next);
                        collector.Collect(linksToConnect[i]);
                        results.IntersectWith(next);
                        next.Clear();
                    }
                }
                return results;
            });
        }

```

```
1405            [MethodImpl(MethodImplOptions.AggressiveInlining)]
1406            public HashSet<ulong> GetAllConnections2(params ulong[] linksToConnect)
1407            {
1408                return _sync.ExecuteReadOperation(() =>
1409                {
1410                    var results = new HashSet<ulong>();
1411                    if (linksToConnect.Length > 0)
1412                    {
1413                        Links.EnsureLinkExists(linksToConnect);
1414                        var collector1 = new AllUsagesCollector(Links, results);
1415                        collector1.Collect(linksToConnect[0]);
1416                        //AllUsagesCore(linksToConnect[0], results);
1417                        for (var i = 1; i < linksToConnect.Length; i++)
1418                        {
1419                            var next = new HashSet<ulong>();
1420                            var collector = new AllUsagesIntersectingCollector(Links, results, next);
1421                            collector.Collect(linksToConnect[i]);
1422                            //AllUsagesCore(linksToConnect[i], next);
1423                            //results.IntersectWith(next);
1424                            results = next;
1425                        }
1426                    }
1427                    return results;
1428                });
1429            }
1430
1431            [MethodImpl(MethodImplOptions.AggressiveInlining)]
1432            public List<ulong> GetAllConnections3(params ulong[] linksToConnect)
1433            {
1434                return _sync.ExecuteReadOperation(() =>
1435                {
1436                    var results = new BitString((long)Links.Unsync.Count() + 1); // new
                        ↪  BitArray((int)_links.Total + 1);
1437                    if (linksToConnect.Length > 0)
1438                    {
1439                        Links.EnsureLinkExists(linksToConnect);
1440                        var collector1 = new AllUsagesCollector2(Links.Unsync, results);
1441                        collector1.Collect(linksToConnect[0]);
1442                        for (var i = 1; i < linksToConnect.Length; i++)
1443                        {
1444                            var next = new BitString((long)Links.Unsync.Count() + 1); //new
                                ↪  BitArray((int)_links.Total + 1);
1445                            var collector = new AllUsagesCollector2(Links.Unsync, next);
1446                            collector.Collect(linksToConnect[i]);
1447                            results = results.And(next);
1448                        }
1449                    }
1450                    return results.GetSetUInt64Indices();
1451                });
1452            }
1453
1454            [MethodImpl(MethodImplOptions.AggressiveInlining)]
1455            private static ulong[] Simplify(ulong[] sequence)
1456            {
1457                // Считаем новый размер последовательности
1458                long newLength = 0;
1459                var zeroOrManyStepped = false;
1460                for (var i = 0; i < sequence.Length; i++)
1461                {
1462                    if (sequence[i] == ZeroOrMany)
1463                    {
1464                        if (zeroOrManyStepped)
1465                        {
1466                            continue;
1467                        }
1468                        zeroOrManyStepped = true;
1469                    }
1470                    else
1471                    {
1472                        //if (zeroOrManyStepped) Is it efficient?
1473                        zeroOrManyStepped = false;
1474                    }
1475                    newLength++;
1476                }
1477                // Строим новую последовательность
1478                zeroOrManyStepped = false;
1479                var newSequence = new ulong[newLength];
1480                long j = 0;
```

```
            for (var i = 0; i < sequence.Length; i++)
            {
                //var current = zeroOrManyStepped;
                //zeroOrManyStepped = patternSequence[i] == zeroOrMany;
                //if (current && zeroOrManyStepped)
                //    continue;
                //var newZeroOrManyStepped = patternSequence[i] == zeroOrMany;
                //if (zeroOrManyStepped && newZeroOrManyStepped)
                //    continue;
                //zeroOrManyStepped = newZeroOrManyStepped;
                if (sequence[i] == ZeroOrMany)
                {
                    if (zeroOrManyStepped)
                    {
                        continue;
                    }
                    zeroOrManyStepped = true;
                }
                else
                {
                    //if (zeroOrManyStepped) Is it efficient?
                    zeroOrManyStepped = false;
                }
                newSequence[j++] = sequence[i];
            }
            return newSequence;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void TestSimplify()
        {
            var sequence = new ulong[] { ZeroOrMany, ZeroOrMany, 2, 3, 4, ZeroOrMany,
            ↪  ZeroOrMany, ZeroOrMany, 4, ZeroOrMany, ZeroOrMany, ZeroOrMany };
            var simplifiedSequence = Simplify(sequence);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public List<ulong> GetSimilarSequences() => new List<ulong>();

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Prediction()
        {
            //_links
            //sequences
        }

        #region From Triplets

        //public static void DeleteSequence(Link sequence)
        //{
        //}

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public List<ulong> CollectMatchingSequences(ulong[] links)
        {
            if (links.Length == 1)
            {
                throw new InvalidOperationException("Подпоследовательности с одним элементом не
                ↪  поддерживаются.");
            }
            var leftBound = 0;
            var rightBound = links.Length - 1;
            var left = links[leftBound++];
            var right = links[rightBound--];
            var results = new List<ulong>();
            CollectMatchingSequences(left, leftBound, links, right, rightBound, ref results);
            return results;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void CollectMatchingSequences(ulong leftLink, int leftBound, ulong[]
        ↪  middleLinks, ulong rightLink, int rightBound, ref List<ulong> results)
        {
            var leftLinkTotalReferers = Links.Unsync.Count(leftLink);
            var rightLinkTotalReferers = Links.Unsync.Count(rightLink);
            if (leftLinkTotalReferers <= rightLinkTotalReferers)
            {
                var nextLeftLink = middleLinks[leftBound];
                var elements = GetRightElements(leftLink, nextLeftLink);
```

```
                if (leftBound <= rightBound)
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            CollectMatchingSequences(element, leftBound + 1, middleLinks,
                            ↪  rightLink, rightBound, ref results);
                        }
                    }
                }
                else
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            results.Add(element);
                        }
                    }
                }
            }
            else
            {
                var nextRightLink = middleLinks[rightBound];
                var elements = GetLeftElements(rightLink, nextRightLink);
                if (leftBound <= rightBound)
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            CollectMatchingSequences(leftLink, leftBound, middleLinks,
                            ↪  elements[i], rightBound - 1, ref results);
                        }
                    }
                }
                else
                {
                    for (var i = elements.Length - 1; i >= 0; i--)
                    {
                        var element = elements[i];
                        if (element != 0)
                        {
                            results.Add(element);
                        }
                    }
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public ulong[] GetRightElements(ulong startLink, ulong rightLink)
        {
            var result = new ulong[5];
            TryStepRight(startLink, rightLink, result, 0);
            Links.Each(Constants.Any, startLink, couple =>
            {
                if (couple != startLink)
                {
                    if (TryStepRight(couple, rightLink, result, 2))
                    {
                        return false;
                    }
                }
                return true;
            });
            if (Links.GetTarget(Links.GetTarget(startLink)) == rightLink)
            {
                result[4] = startLink;
            }
            return result;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
1633            public bool TryStepRight(ulong startLink, ulong rightLink, ulong[] result, int offset)
1634            {
1635                var added = 0;
1636                Links.Each(startLink, Constants.Any, couple =>
1637                {
1638                    if (couple != startLink)
1639                    {
1640                        var coupleTarget = Links.GetTarget(couple);
1641                        if (coupleTarget == rightLink)
1642                        {
1643                            result[offset] = couple;
1644                            if (++added == 2)
1645                            {
1646                                return false;
1647                            }
1648                        }
1649                        else if (Links.GetSource(coupleTarget) == rightLink) // coupleTarget.Linker
                             ↪  == Net.And &&
1650                        {
1651                            result[offset + 1] = couple;
1652                            if (++added == 2)
1653                            {
1654                                return false;
1655                            }
1656                        }
1657                    }
1658                    return true;
1659                });
1660                return added > 0;
1661            }
1662
1663            [MethodImpl(MethodImplOptions.AggressiveInlining)]
1664            public ulong[] GetLeftElements(ulong startLink, ulong leftLink)
1665            {
1666                var result = new ulong[5];
1667                TryStepLeft(startLink, leftLink, result, 0);
1668                Links.Each(startLink, Constants.Any, couple =>
1669                {
1670                    if (couple != startLink)
1671                    {
1672                        if (TryStepLeft(couple, leftLink, result, 2))
1673                        {
1674                            return false;
1675                        }
1676                    }
1677                    return true;
1678                });
1679                if (Links.GetSource(Links.GetSource(leftLink)) == startLink)
1680                {
1681                    result[4] = leftLink;
1682                }
1683                return result;
1684            }
1685
1686            [MethodImpl(MethodImplOptions.AggressiveInlining)]
1687            public bool TryStepLeft(ulong startLink, ulong leftLink, ulong[] result, int offset)
1688            {
1689                var added = 0;
1690                Links.Each(Constants.Any, startLink, couple =>
1691                {
1692                    if (couple != startLink)
1693                    {
1694                        var coupleSource = Links.GetSource(couple);
1695                        if (coupleSource == leftLink)
1696                        {
1697                            result[offset] = couple;
1698                            if (++added == 2)
1699                            {
1700                                return false;
1701                            }
1702                        }
1703                        else if (Links.GetTarget(coupleSource) == leftLink) // coupleSource.Linker
                             ↪  == Net.And &&
1704                        {
1705                            result[offset + 1] = couple;
1706                            if (++added == 2)
1707                            {
1708                                return false;
1709                            }
```

```
                }
            }
            return true;
        });
        return added > 0;
    }

    #endregion

    #region Walkers

    public class PatternMatcher : RightSequenceWalker<ulong>
    {
        private readonly Sequences _sequences;
        private readonly ulong[] _patternSequence;
        private readonly HashSet<LinkIndex> _linksInSequence;
        private readonly HashSet<LinkIndex> _results;

        #region Pattern Match

        enum PatternBlockType
        {
            Undefined,
            Gap,
            Elements
        }

        struct PatternBlock
        {
            public PatternBlockType Type;
            public long Start;
            public long Stop;
        }

        private readonly List<PatternBlock> _pattern;
        private int _patternPosition;
        private long _sequencePosition;

        #endregion

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public PatternMatcher(Sequences sequences, LinkIndex[] patternSequence,
        ↪  HashSet<LinkIndex> results)
            : base(sequences.Links.Unsync, new DefaultStack<ulong>())
        {
            _sequences = sequences;
            _patternSequence = patternSequence;
            _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
            ↪  _sequences.Constants.Any && x != ZeroOrMany));
            _results = results;
            _pattern = CreateDetailedPattern();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override bool IsElement(ulong link) => _linksInSequence.Contains(link) ||
        ↪  base.IsElement(link);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public bool PatternMatch(LinkIndex sequenceToMatch)
        {
            _patternPosition = 0;
            _sequencePosition = 0;
            foreach (var part in Walk(sequenceToMatch))
            {
                if (!PatternMatchCore(part))
                {
                    break;
                }
            }
            return _patternPosition == _pattern.Count || (_patternPosition == _pattern.Count
            ↪  - 1 && _pattern[_patternPosition].Start == 0);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private List<PatternBlock> CreateDetailedPattern()
        {
            var pattern = new List<PatternBlock>();
            var patternBlock = new PatternBlock();
            for (var i = 0; i < _patternSequence.Length; i++)
            {
                if (patternBlock.Type == PatternBlockType.Undefined)
```

```
                {
                    if (_patternSequence[i] == _sequences.Constants.Any)
                    {
                        patternBlock.Type = PatternBlockType.Gap;
                        patternBlock.Start = 1;
                        patternBlock.Stop = 1;
                    }
                    else if (_patternSequence[i] == ZeroOrMany)
                    {
                        patternBlock.Type = PatternBlockType.Gap;
                        patternBlock.Start = 0;
                        patternBlock.Stop = long.MaxValue;
                    }
                    else
                    {
                        patternBlock.Type = PatternBlockType.Elements;
                        patternBlock.Start = i;
                        patternBlock.Stop = i;
                    }
                }
                else if (patternBlock.Type == PatternBlockType.Elements)
                {
                    if (_patternSequence[i] == _sequences.Constants.Any)
                    {
                        pattern.Add(patternBlock);
                        patternBlock = new PatternBlock
                        {
                            Type = PatternBlockType.Gap,
                            Start = 1,
                            Stop = 1
                        };
                    }
                    else if (_patternSequence[i] == ZeroOrMany)
                    {
                        pattern.Add(patternBlock);
                        patternBlock = new PatternBlock
                        {
                            Type = PatternBlockType.Gap,
                            Start = 0,
                            Stop = long.MaxValue
                        };
                    }
                    else
                    {
                        patternBlock.Stop = i;
                    }
                }
                else // patternBlock.Type == PatternBlockType.Gap
                {
                    if (_patternSequence[i] == _sequences.Constants.Any)
                    {
                        patternBlock.Start++;
                        if (patternBlock.Stop < patternBlock.Start)
                        {
                            patternBlock.Stop = patternBlock.Start;
                        }
                    }
                    else if (_patternSequence[i] == ZeroOrMany)
                    {
                        patternBlock.Stop = long.MaxValue;
                    }
                    else
                    {
                        pattern.Add(patternBlock);
                        patternBlock = new PatternBlock
                        {
                            Type = PatternBlockType.Elements,
                            Start = i,
                            Stop = i
                        };
                    }
                }
            }
            if (patternBlock.Type != PatternBlockType.Undefined)
            {
                pattern.Add(patternBlock);
            }
            return pattern;
        }

```

```
1867                // match: search for regexp anywhere in text
1868                //int match(char* regexp, char* text)
1869                //{
1870                //    do
1871                //    {
1872                //    } while (*text++ != '\0');
1873                //    return 0;
1874                //}
1875
1876                // matchhere: search for regexp at beginning of text
1877                //int matchhere(char* regexp, char* text)
1878                //{
1879                //    if (regexp[0] == '\0')
1880                //        return 1;
1881                //    if (regexp[1] == '*')
1882                //        return matchstar(regexp[0], regexp + 2, text);
1883                //    if (regexp[0] == '$' && regexp[1] == '\0')
1884                //        return *text == '\0';
1885                //    if (*text != '\0' && (regexp[0] == '.' || regexp[0] == *text))
1886                //        return matchhere(regexp + 1, text + 1);
1887                //    return 0;
1888                //}
1889
1890                // matchstar: search for c*regexp at beginning of text
1891                //int matchstar(int c, char* regexp, char* text)
1892                //{
1893                //    do
1894                //    {    /* a * matches zero or more instances */
1895                //        if (matchhere(regexp, text))
1896                //            return 1;
1897                //    } while (*text != '\0' && (*text++ == c || c == '.'));
1898                //    return 0;
1899                //}
1900
1901                //private void GetNextPatternElement(out LinkIndex element, out long mininumGap, out
                    ↪  long maximumGap)
1902                //{
1903                //    mininumGap = 0;
1904                //    maximumGap = 0;
1905                //    element = 0;
1906                //    for (; _patternPosition < _patternSequence.Length; _patternPosition++)
1907                //    {
1908                //        if (_patternSequence[_patternPosition] == Doublets.Links.Null)
1909                //            mininumGap++;
1910                //        else if (_patternSequence[_patternPosition] == ZeroOrMany)
1911                //            maximumGap = long.MaxValue;
1912                //        else
1913                //            break;
1914                //    }
1915
1916                //    if (maximumGap < mininumGap)
1917                //        maximumGap = mininumGap;
1918                //}
1919
1920                [MethodImpl(MethodImplOptions.AggressiveInlining)]
1921                private bool PatternMatchCore(LinkIndex element)
1922                {
1923                    if (_patternPosition >= _pattern.Count)
1924                    {
1925                        _patternPosition = -2;
1926                        return false;
1927                    }
1928                    var currentPatternBlock = _pattern[_patternPosition];
1929                    if (currentPatternBlock.Type == PatternBlockType.Gap)
1930                    {
1931                        //var currentMatchingBlockLength = (_sequencePosition -
                            ↪  _lastMatchedBlockPosition);
1932                        if (_sequencePosition < currentPatternBlock.Start)
1933                        {
1934                            _sequencePosition++;
1935                            return true; // Двигаемся дальше
1936                        }
1937                        // Это последний блок
1938                        if (_pattern.Count == _patternPosition + 1)
1939                        {
1940                            _patternPosition++;
1941                            _sequencePosition = 0;
1942                            return false; // Полное соответствие
```

```
                    }
                    else
                    {
                        if (_sequencePosition > currentPatternBlock.Stop)
                        {
                            return false; // Соответствие невозможно
                        }
                        var nextPatternBlock = _pattern[_patternPosition + 1];
                        if (_patternSequence[nextPatternBlock.Start] == element)
                        {
                            if (nextPatternBlock.Start < nextPatternBlock.Stop)
                            {
                                _patternPosition++;
                                _sequencePosition = 1;
                            }
                            else
                            {
                                _patternPosition += 2;
                                _sequencePosition = 0;
                            }
                        }
                    }
                }
                else // currentPatternBlock.Type == PatternBlockType.Elements
                {
                    var patternElementPosition = currentPatternBlock.Start + _sequencePosition;
                    if (_patternSequence[patternElementPosition] != element)
                    {
                        return false; // Соответствие невозможно
                    }
                    if (patternElementPosition == currentPatternBlock.Stop)
                    {
                        _patternPosition++;
                        _sequencePosition = 0;
                    }
                    else
                    {
                        _sequencePosition++;
                    }
                }
                return true;
                //if (_patternSequence[_patternPosition] != element)
                //    return false;
                //else
                //{
                //    _sequencePosition++;
                //    _patternPosition++;
                //    return true;
                //}
                ////////
                //if (_filterPosition == _patternSequence.Length)
                //{
                //    _filterPosition = -2; // Длиннее чем нужно
                //    return false;
                //}
                //if (element != _patternSequence[_filterPosition])
                //{
                //    _filterPosition = -1;
                //    return false; // Начинается иначе
                //}
                //_filterPosition++;
                //if (_filterPosition == (_patternSequence.Length - 1))
                //    return false;
                //if (_filterPosition >= 0)
                //{
                //    if (element == _patternSequence[_filterPosition + 1])
                //        _filterPosition++;
                //    else
                //        return false;
                //}
                //if (_filterPosition < 0)
                //{
                //    if (element == _patternSequence[0])
                //        _filterPosition = 0;
                //}
            }

            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            public void AddAllPatternMatchedToResults(IEnumerable<ulong> sequencesToMatch)
```

```
            {
                foreach (var sequenceToMatch in sequencesToMatch)
                {
                    if (PatternMatch(sequenceToMatch))
                    {
                        _results.Add(sequenceToMatch);
                    }
                }
            }
        }

        #endregion
    }
}
```

1.151 ./csharp/Platform.Data.Doublets/Sequences/Sequences.cs

```
using System;
using System.Collections.Generic;
using System.Linq;
using System.Runtime.CompilerServices;
using Platform.Collections;
using Platform.Collections.Lists;
using Platform.Collections.Stacks;
using Platform.Threading.Synchronization;
using Platform.Data.Doublets.Sequences.Walkers;
using LinkIndex = System.UInt64;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    /// <summary>
    /// Представляет коллекцию последовательностей связей.
    /// </summary>
    /// <remarks>
    /// Обязательно реализовать атомарность каждого публичного метода.
    ///
    /// TODO:
    ///
    /// !!! Повышение вероятности повторного использования групп (подпоследовательностей),
    /// через естественную группировку по unicode типам, все whitespace вместе, все символы вместе, все числа вместе и т.п.
    /// + использовать ровно сбалансированный вариант, чтобы уменьшать вложенность (глубину графа)
    ///
    /// x*y - найти все связи между, в последовательностях любой формы, если не стоит ограничитель на то, что является последовательностью, а что нет,
    /// то находятся любые структуры связей, которые содержат эти элементы именно в таком порядке.
    ///
    /// Рост последовательности слева и справа.
    /// Поиск со звёздочкой.
    /// URL, PURL - реестр используемых во вне ссылок на ресурсы,
    /// так же проблема может быть решена при реализации дистанционных триггеров.
    /// Нужны ли уникальные указатели вообще?
    /// Что если обращение к информации будет происходить через содержимое всегда?
    ///
    /// Писать тесты.
    ///
    ///
    /// Можно убрать зависимость от конкретной реализации Links,
    /// на зависимость от абстрактного элемента, который может быть представлен несколькими способами.
    ///
    /// Можно ли как-то сделать один общий интерфейс
    ///
    ///
    /// Блокчейн и/или гит для распределённой записи транзакций.
    ///
    /// </remarks>
    public partial class Sequences : ILinks<LinkIndex> // IList<string>, IList<LinkIndex[]> (после завершения реализации Sequences)
    {
        /// <summary>Возвращает значение LinkIndex, обозначающее любое количество связей.</summary>
        public const LinkIndex ZeroOrMany = LinkIndex.MaxValue;

        public SequencesOptions<LinkIndex> Options { get; }
        public SynchronizedLinks<LinkIndex> Links { get; }
```

```
57          private readonly ISynchronization _sync;
58
59          public LinksConstants<LinkIndex> Constants { get; }
60
61          [MethodImpl(MethodImplOptions.AggressiveInlining)]
62          public Sequences(SynchronizedLinks<LinkIndex> links, SequencesOptions<LinkIndex> options)
63          {
64              Links = links;
65              _sync = links.SyncRoot;
66              Options = options;
67              Options.ValidateOptions();
68              Options.InitOptions(Links);
69              Constants = links.Constants;
70          }
71
72          [MethodImpl(MethodImplOptions.AggressiveInlining)]
73          public Sequences(SynchronizedLinks<LinkIndex> links) : this(links, new
            ↪  SequencesOptions<LinkIndex>()) { }
74
75          [MethodImpl(MethodImplOptions.AggressiveInlining)]
76          public bool IsSequence(LinkIndex sequence)
77          {
78              return _sync.ExecuteReadOperation(() =>
79              {
80                  if (Options.UseSequenceMarker)
81                  {
82                      return Options.MarkedSequenceMatcher.IsMatched(sequence);
83                  }
84                  return !Links.Unsync.IsPartialPoint(sequence);
85              });
86          }
87
88          [MethodImpl(MethodImplOptions.AggressiveInlining)]
89          private LinkIndex GetSequenceByElements(LinkIndex sequence)
90          {
91              if (Options.UseSequenceMarker)
92              {
93                  return Links.SearchOrDefault(Options.SequenceMarkerLink, sequence);
94              }
95              return sequence;
96          }
97
98          [MethodImpl(MethodImplOptions.AggressiveInlining)]
99          private LinkIndex GetSequenceElements(LinkIndex sequence)
100         {
101             if (Options.UseSequenceMarker)
102             {
103                 var linkContents = new Link<ulong>(Links.GetLink(sequence));
104                 if (linkContents.Source == Options.SequenceMarkerLink)
105                 {
106                     return linkContents.Target;
107                 }
108                 if (linkContents.Target == Options.SequenceMarkerLink)
109                 {
110                     return linkContents.Source;
111                 }
112             }
113             return sequence;
114         }
115
116         #region Count
117
118         [MethodImpl(MethodImplOptions.AggressiveInlining)]
119         public LinkIndex Count(IList<LinkIndex> restrictions)
120         {
121             if (restrictions.IsNullOrEmpty())
122             {
123                 return Links.Count(Constants.Any, Options.SequenceMarkerLink, Constants.Any);
124             }
125             if (restrictions.Count == 1) // Первая связь это адрес
126             {
127                 var sequenceIndex = restrictions[0];
128                 if (sequenceIndex == Constants.Null)
129                 {
130                     return 0;
131                 }
132                 if (sequenceIndex == Constants.Any)
133                 {
134                     return Count(null);
```

```
                }
                if (Options.UseSequenceMarker)
                {
                    return Links.Count(Constants.Any, Options.SequenceMarkerLink, sequenceIndex);
                }
                return Links.Exists(sequenceIndex) ? 1UL : 0;
            }
            throw new NotImplementedException();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private LinkIndex CountUsages(params LinkIndex[] restrictions)
        {
            if (restrictions.Length == 0)
            {
                return 0;
            }
            if (restrictions.Length == 1) // Первая связь это адрес
            {
                if (restrictions[0] == Constants.Null)
                {
                    return 0;
                }
                var any = Constants.Any;
                if (Options.UseSequenceMarker)
                {
                    var elementsLink = GetSequenceElements(restrictions[0]);
                    var sequenceLink = GetSequenceByElements(elementsLink);
                    if (sequenceLink != Constants.Null)
                    {
                        return Links.Count(any, sequenceLink) + Links.Count(any, elementsLink) -
                        ↪  1;
                    }
                    return Links.Count(any, elementsLink);
                }
                return Links.Count(any, restrictions[0]);
            }
            throw new NotImplementedException();
        }

        #endregion

        #region Create

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkIndex Create(IList<LinkIndex> restrictions)
        {
            return _sync.ExecuteWriteOperation(() =>
            {
                if (restrictions.IsNullOrEmpty())
                {
                    return Constants.Null;
                }
                Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
                return CreateCore(restrictions);
            });
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private LinkIndex CreateCore(IList<LinkIndex> restrictions)
        {
            LinkIndex[] sequence = restrictions.SkipFirst();
            if (Options.UseIndex)
            {
                Options.Index.Add(sequence);
            }
            var sequenceRoot = default(LinkIndex);
            if (Options.EnforceSingleSequenceVersionOnWriteBasedOnExisting)
            {
                var matches = Each(restrictions);
                if (matches.Count > 0)
                {
                    sequenceRoot = matches[0];
                }
            }
            else if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew)
            {
                return CompactCore(sequence);
```

```
212             }
213             if (sequenceRoot == default)
214             {
215                 sequenceRoot = Options.LinksToSequenceConverter.Convert(sequence);
216             }
217             if (Options.UseSequenceMarker)
218             {
219                 return Links.Unsync.GetOrCreate(Options.SequenceMarkerLink, sequenceRoot);
220             }
221             return sequenceRoot; // Возвращаем корень последовательности (т.е. сами элементы)
222         }
223 
224         #endregion
225 
226         #region Each
227 
228         [MethodImpl(MethodImplOptions.AggressiveInlining)]
229         public List<LinkIndex> Each(IList<LinkIndex> sequence)
230         {
231             var results = new List<LinkIndex>();
232             var filler = new ListFiller<LinkIndex, LinkIndex>(results, Constants.Continue);
233             Each(filler.AddFirstAndReturnConstant, sequence);
234             return results;
235         }
236 
237         [MethodImpl(MethodImplOptions.AggressiveInlining)]
238         public LinkIndex Each(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
            ↪ restrictions)
239         {
240             return _sync.ExecuteReadOperation(() =>
241             {
242                 if (restrictions.IsNullOrEmpty())
243                 {
244                     return Constants.Continue;
245                 }
246                 Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
247                 if (restrictions.Count == 1)
248                 {
249                     var link = restrictions[0];
250                     var any = Constants.Any;
251                     if (link == any)
252                     {
253                         if (Options.UseSequenceMarker)
254                         {
255                             return Links.Unsync.Each(handler, new Link<LinkIndex>(any,
                                ↪ Options.SequenceMarkerLink, any));
256                         }
257                         else
258                         {
259                             return Links.Unsync.Each(handler, new Link<LinkIndex>(any, any,
                                ↪ any));
260                         }
261                     }
262                     if (Options.UseSequenceMarker)
263                     {
264                         var sequenceLinkValues = Links.Unsync.GetLink(link);
265                         if (sequenceLinkValues[Constants.SourcePart] ==
                            ↪ Options.SequenceMarkerLink)
266                         {
267                             link = sequenceLinkValues[Constants.TargetPart];
268                         }
269                     }
270                     var sequence = Options.Walker.Walk(link).ToArray().ShiftRight();
271                     sequence[0] = link;
272                     return handler(sequence);
273                 }
274                 else if (restrictions.Count == 2)
275                 {
276                     throw new NotImplementedException();
277                 }
278                 else if (restrictions.Count == 3)
279                 {
280                     return Links.Unsync.Each(handler, restrictions);
281                 }
282                 else
283                 {
284                     var sequence = restrictions.SkipFirst();
285                     if (Options.UseIndex && !Options.Index.MightContain(sequence))
```

```
286                 {
287                     return Constants.Break;
288                 }
289                 return EachCore(handler, sequence);
290             }
291         });
292     }
293 
294     [MethodImpl(MethodImplOptions.AggressiveInlining)]
295     private LinkIndex EachCore(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
        ↪ values)
296     {
297         var matcher = new Matcher(this, values, new HashSet<LinkIndex>(), handler);
298         // TODO: Find out why matcher.HandleFullMatched executed twice for the same sequence
            ↪ Id.
299         Func<IList<LinkIndex>, LinkIndex> innerHandler = Options.UseSequenceMarker ?
            ↪ (Func<IList<LinkIndex>, LinkIndex>)matcher.HandleFullMatchedSequence :
            ↪ matcher.HandleFullMatched;
300         //if (sequence.Length >= 2)
301         if (StepRight(innerHandler, values[0], values[1]) != Constants.Continue)
302         {
303             return Constants.Break;
304         }
305         var last = values.Count - 2;
306         for (var i = 1; i < last; i++)
307         {
308             if (PartialStepRight(innerHandler, values[i], values[i + 1]) !=
                ↪ Constants.Continue)
309             {
310                 return Constants.Break;
311             }
312         }
313         if (values.Count >= 3)
314         {
315             if (StepLeft(innerHandler, values[values.Count - 2], values[values.Count - 1])
                ↪ != Constants.Continue)
316             {
317                 return Constants.Break;
318             }
319         }
320         return Constants.Continue;
321     }
322 
323     [MethodImpl(MethodImplOptions.AggressiveInlining)]
324     private LinkIndex PartialStepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
        ↪ left, LinkIndex right)
325     {
326         return Links.Unsync.Each(doublet =>
327         {
328             var doubletIndex = doublet[Constants.IndexPart];
329             if (StepRight(handler, doubletIndex, right) != Constants.Continue)
330             {
331                 return Constants.Break;
332             }
333             if (left != doubletIndex)
334             {
335                 return PartialStepRight(handler, doubletIndex, right);
336             }
337             return Constants.Continue;
338         }, new Link<LinkIndex>(Constants.Any, Constants.Any, left));
339     }
340 
341     [MethodImpl(MethodImplOptions.AggressiveInlining)]
342     private LinkIndex StepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
        ↪ LinkIndex right) => Links.Unsync.Each(rightStep => TryStepRightUp(handler, right,
        ↪ rightStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, left,
        ↪ Constants.Any));
343 
344     [MethodImpl(MethodImplOptions.AggressiveInlining)]
345     private LinkIndex TryStepRightUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
        ↪ right, LinkIndex stepFrom)
346     {
347         var upStep = stepFrom;
348         var firstSource = Links.Unsync.GetTarget(upStep);
349         while (firstSource != right && firstSource != upStep)
350         {
351             upStep = firstSource;
352             firstSource = Links.Unsync.GetSource(upStep);
```

```
353             }
354             if (firstSource == right)
355             {
356                 return handler(new LinkAddress<LinkIndex>(stepFrom));
357             }
358             return Constants.Continue;
359         }
360 
361         [MethodImpl(MethodImplOptions.AggressiveInlining)]
362         private LinkIndex StepLeft(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
    ↪  LinkIndex right) => Links.Unsync.Each(leftStep => TryStepLeftUp(handler, left,
    ↪  leftStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, Constants.Any,
    ↪  right));
363 
364         [MethodImpl(MethodImplOptions.AggressiveInlining)]
365         private LinkIndex TryStepLeftUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
    ↪  left, LinkIndex stepFrom)
366         {
367             var upStep = stepFrom;
368             var firstTarget = Links.Unsync.GetSource(upStep);
369             while (firstTarget != left && firstTarget != upStep)
370             {
371                 upStep = firstTarget;
372                 firstTarget = Links.Unsync.GetTarget(upStep);
373             }
374             if (firstTarget == left)
375             {
376                 return handler(new LinkAddress<LinkIndex>(stepFrom));
377             }
378             return Constants.Continue;
379         }
380 
381         #endregion
382 
383         #region Update
384 
385         [MethodImpl(MethodImplOptions.AggressiveInlining)]
386         public LinkIndex Update(IList<LinkIndex> restrictions, IList<LinkIndex> substitution)
387         {
388             var sequence = restrictions.SkipFirst();
389             var newSequence = substitution.SkipFirst();
390             if (sequence.IsNullOrEmpty() && newSequence.IsNullOrEmpty())
391             {
392                 return Constants.Null;
393             }
394             if (sequence.IsNullOrEmpty())
395             {
396                 return Create(substitution);
397             }
398             if (newSequence.IsNullOrEmpty())
399             {
400                 Delete(restrictions);
401                 return Constants.Null;
402             }
403             return _sync.ExecuteWriteOperation((Func<ulong>)(() =>
404             {
405                 ILinksExtensions.EnsureLinkIsAnyOrExists<ulong>(Links, (IList<ulong>)sequence);
406                 Links.EnsureLinkExists(newSequence);
407                 return UpdateCore(sequence, newSequence);
408             }));
409         }
410 
411         [MethodImpl(MethodImplOptions.AggressiveInlining)]
412         private LinkIndex UpdateCore(IList<LinkIndex> sequence, IList<LinkIndex> newSequence)
413         {
414             LinkIndex bestVariant;
415             if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew &&
    ↪  !sequence.EqualTo(newSequence))
416             {
417                 bestVariant = CompactCore(newSequence);
418             }
419             else
420             {
421                 bestVariant = CreateCore(newSequence);
422             }
423             // TODO: Check all options only ones before loop execution
424             // Возможно нужно две версии Each, возвращающий фактические последовательности и с
    ↪  маркером,
```

```
425             // или возможно даже возвращать и тот и тот вариант. С другой стороны все варианты
                ↪  можно получить имея только фактические последовательности.
426             foreach (var variant in Each(sequence))
427             {
428                 if (variant != bestVariant)
429                 {
430                     UpdateOneCore(variant, bestVariant);
431                 }
432             }
433             return bestVariant;
434         }
435 
436         [MethodImpl(MethodImplOptions.AggressiveInlining)]
437         private void UpdateOneCore(LinkIndex sequence, LinkIndex newSequence)
438         {
439             if (Options.UseGarbageCollection)
440             {
441                 var sequenceElements = GetSequenceElements(sequence);
442                 var sequenceElementsContents = new Link<ulong>(Links.GetLink(sequenceElements));
443                 var sequenceLink = GetSequenceByElements(sequenceElements);
444                 var newSequenceElements = GetSequenceElements(newSequence);
445                 var newSequenceLink = GetSequenceByElements(newSequenceElements);
446                 if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
447                 {
448                     if (sequenceLink != Constants.Null)
449                     {
450                         Links.Unsync.MergeAndDelete(sequenceLink, newSequenceLink);
451                     }
452                     Links.Unsync.MergeAndDelete(sequenceElements, newSequenceElements);
453                 }
454                 ClearGarbage(sequenceElementsContents.Source);
455                 ClearGarbage(sequenceElementsContents.Target);
456             }
457             else
458             {
459                 if (Options.UseSequenceMarker)
460                 {
461                     var sequenceElements = GetSequenceElements(sequence);
462                     var sequenceLink = GetSequenceByElements(sequenceElements);
463                     var newSequenceElements = GetSequenceElements(newSequence);
464                     var newSequenceLink = GetSequenceByElements(newSequenceElements);
465                     if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
466                     {
467                         if (sequenceLink != Constants.Null)
468                         {
469                             Links.Unsync.MergeAndDelete(sequenceLink, newSequenceLink);
470                         }
471                         Links.Unsync.MergeAndDelete(sequenceElements, newSequenceElements);
472                     }
473                 }
474                 else
475                 {
476                     if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
477                     {
478                         Links.Unsync.MergeAndDelete(sequence, newSequence);
479                     }
480                 }
481             }
482         }
483 
484         #endregion
485 
486         #region Delete
487 
488         [MethodImpl(MethodImplOptions.AggressiveInlining)]
489         public void Delete(IList<LinkIndex> restrictions)
490         {
491             _sync.ExecuteWriteOperation(() =>
492             {
493                 var sequence = restrictions.SkipFirst();
494                 // TODO: Check all options only ones before loop execution
495                 foreach (var linkToDelete in Each(sequence))
496                 {
497                     DeleteOneCore(linkToDelete);
498                 }
499             });
500         }
501 
```

```
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void DeleteOneCore(LinkIndex link)
        {
            if (Options.UseGarbageCollection)
            {
                var sequenceElements = GetSequenceElements(link);
                var sequenceElementsContents = new Link<ulong>(Links.GetLink(sequenceElements));
                var sequenceLink = GetSequenceByElements(sequenceElements);
                if (Options.UseCascadeDelete || CountUsages(link) == 0)
                {
                    if (sequenceLink != Constants.Null)
                    {
                        Links.Unsync.Delete(sequenceLink);
                    }
                    Links.Unsync.Delete(link);
                }
                ClearGarbage(sequenceElementsContents.Source);
                ClearGarbage(sequenceElementsContents.Target);
            }
            else
            {
                if (Options.UseSequenceMarker)
                {
                    var sequenceElements = GetSequenceElements(link);
                    var sequenceLink = GetSequenceByElements(sequenceElements);
                    if (Options.UseCascadeDelete || CountUsages(link) == 0)
                    {
                        if (sequenceLink != Constants.Null)
                        {
                            Links.Unsync.Delete(sequenceLink);
                        }
                        Links.Unsync.Delete(link);
                    }
                }
                else
                {
                    if (Options.UseCascadeDelete || CountUsages(link) == 0)
                    {
                        Links.Unsync.Delete(link);
                    }
                }
            }
        }

        #endregion

        #region Compactification

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void CompactAll()
        {
            _sync.ExecuteWriteOperation(() =>
            {
                var sequences = Each((LinkAddress<LinkIndex>)Constants.Any);
                for (int i = 0; i < sequences.Count; i++)
                {
                    var sequence = this.ToList(sequences[i]);
                    Compact(sequence.ShiftRight());
                }
            });
        }

        /// <remarks>
        /// bestVariant можно выбирать по максимальному числу использований,
        /// но балансированный позволяет гарантировать уникальность (если есть возможность,
        /// гарантировать его использование в других местах).
        ///
        /// Получается этот метод должен игнорировать Options.EnforceSingleSequenceVersionOnWrite
        /// </remarks>
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LinkIndex Compact(IList<LinkIndex> sequence)
        {
            return _sync.ExecuteWriteOperation(() =>
            {
                if (sequence.IsNullOrEmpty())
                {
                    return Constants.Null;
                }
```

```
580                 Links.EnsureInnerReferenceExists(sequence, nameof(sequence));
581                 return CompactCore(sequence);
582             });
583         }
584 
585         [MethodImpl(MethodImplOptions.AggressiveInlining)]
586         private LinkIndex CompactCore(IList<LinkIndex> sequence) => UpdateCore(sequence,
        ↪  sequence);
587 
588         #endregion
589 
590         #region Garbage Collection
591 
592         /// <remarks>
593         /// TODO: Добавить дополнительный обработчик / событие CanBeDeleted которое можно
        ↪  определить извне или в унаследованном классе
594         /// </remarks>
595         [MethodImpl(MethodImplOptions.AggressiveInlining)]
596         private bool IsGarbage(LinkIndex link) => link != Options.SequenceMarkerLink &&
        ↪  !Links.Unsync.IsPartialPoint(link) && Links.Count(Constants.Any, link) == 0;
597 
598         [MethodImpl(MethodImplOptions.AggressiveInlining)]
599         private void ClearGarbage(LinkIndex link)
600         {
601             if (IsGarbage(link))
602             {
603                 var contents = new Link<ulong>(Links.GetLink(link));
604                 Links.Unsync.Delete(link);
605                 ClearGarbage(contents.Source);
606                 ClearGarbage(contents.Target);
607             }
608         }
609 
610         #endregion
611 
612         #region Walkers
613 
614         [MethodImpl(MethodImplOptions.AggressiveInlining)]
615         public bool EachPart(Func<LinkIndex, bool> handler, LinkIndex sequence)
616         {
617             return _sync.ExecuteReadOperation(() =>
618             {
619                 var links = Links.Unsync;
620                 foreach (var part in Options.Walker.Walk(sequence))
621                 {
622                     if (!handler(part))
623                     {
624                         return false;
625                     }
626                 }
627                 return true;
628             });
629         }
630 
631         public class Matcher : RightSequenceWalker<LinkIndex>
632         {
633             private readonly Sequences _sequences;
634             private readonly IList<LinkIndex> _patternSequence;
635             private readonly HashSet<LinkIndex> _linksInSequence;
636             private readonly HashSet<LinkIndex> _results;
637             private readonly Func<IList<LinkIndex>, LinkIndex> _stopableHandler;
638             private readonly HashSet<LinkIndex> _readAsElements;
639             private int _filterPosition;
640 
641             [MethodImpl(MethodImplOptions.AggressiveInlining)]
642             public Matcher(Sequences sequences, IList<LinkIndex> patternSequence,
                ↪  HashSet<LinkIndex> results, Func<IList<LinkIndex>, LinkIndex> stopableHandler,
                ↪  HashSet<LinkIndex> readAsElements = null)
643                 : base(sequences.Links.Unsync, new DefaultStack<LinkIndex>())
644             {
645                 _sequences = sequences;
646                 _patternSequence = patternSequence;
647                 _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
                    ↪  _links.Constants.Any && x != ZeroOrMany));
648                 _results = results;
649                 _stopableHandler = stopableHandler;
650                 _readAsElements = readAsElements;
651             }
652 
653             [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
654             protected override bool IsElement(LinkIndex link) => base.IsElement(link) ||
                ↪  (_readAsElements != null && _readAsElements.Contains(link)) ||
                ↪  _linksInSequence.Contains(link);
655
656             [MethodImpl(MethodImplOptions.AggressiveInlining)]
657             public bool FullMatch(LinkIndex sequenceToMatch)
658             {
659                 _filterPosition = 0;
660                 foreach (var part in Walk(sequenceToMatch))
661                 {
662                     if (!FullMatchCore(part))
663                     {
664                         break;
665                     }
666                 }
667                 return _filterPosition == _patternSequence.Count;
668             }
669
670             [MethodImpl(MethodImplOptions.AggressiveInlining)]
671             private bool FullMatchCore(LinkIndex element)
672             {
673                 if (_filterPosition == _patternSequence.Count)
674                 {
675                     _filterPosition = -2; // Длиннее чем нужно
676                     return false;
677                 }
678                 if (_patternSequence[_filterPosition] != _links.Constants.Any
679                  && element != _patternSequence[_filterPosition])
680                 {
681                     _filterPosition = -1;
682                     return false; // Начинается/Продолжается иначе
683                 }
684                 _filterPosition++;
685                 return true;
686             }
687
688             [MethodImpl(MethodImplOptions.AggressiveInlining)]
689             public void AddFullMatchedToResults(IList<LinkIndex> restrictions)
690             {
691                 var sequenceToMatch = restrictions[_links.Constants.IndexPart];
692                 if (FullMatch(sequenceToMatch))
693                 {
694                     _results.Add(sequenceToMatch);
695                 }
696             }
697
698             [MethodImpl(MethodImplOptions.AggressiveInlining)]
699             public LinkIndex HandleFullMatched(IList<LinkIndex> restrictions)
700             {
701                 var sequenceToMatch = restrictions[_links.Constants.IndexPart];
702                 if (FullMatch(sequenceToMatch) && _results.Add(sequenceToMatch))
703                 {
704                     return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
705                 }
706                 return _links.Constants.Continue;
707             }
708
709             [MethodImpl(MethodImplOptions.AggressiveInlining)]
710             public LinkIndex HandleFullMatchedSequence(IList<LinkIndex> restrictions)
711             {
712                 var sequenceToMatch = restrictions[_links.Constants.IndexPart];
713                 var sequence = _sequences.GetSequenceByElements(sequenceToMatch);
714                 if (sequence != _links.Constants.Null && FullMatch(sequenceToMatch) &&
                    ↪  _results.Add(sequenceToMatch))
715                 {
716                     return _stopableHandler(new LinkAddress<LinkIndex>(sequence));
717                 }
718                 return _links.Constants.Continue;
719             }
720
721             /// <remarks>
722             /// TODO: Add support for LinksConstants.Any
723             /// </remarks>
724             [MethodImpl(MethodImplOptions.AggressiveInlining)]
725             public bool PartialMatch(LinkIndex sequenceToMatch)
726             {
727                 _filterPosition = -1;
728                 foreach (var part in Walk(sequenceToMatch))
729                 {
```

```
730                     if (!PartialMatchCore(part))
731                     {
732                         break;
733                     }
734                 }
735                 return _filterPosition == _patternSequence.Count - 1;
736             }
737 
738             [MethodImpl(MethodImplOptions.AggressiveInlining)]
739             private bool PartialMatchCore(LinkIndex element)
740             {
741                 if (_filterPosition == (_patternSequence.Count - 1))
742                 {
743                     return false; // Нашлось
744                 }
745                 if (_filterPosition >= 0)
746                 {
747                     if (element == _patternSequence[_filterPosition + 1])
748                     {
749                         _filterPosition++;
750                     }
751                     else
752                     {
753                         _filterPosition = -1;
754                     }
755                 }
756                 if (_filterPosition < 0)
757                 {
758                     if (element == _patternSequence[0])
759                     {
760                         _filterPosition = 0;
761                     }
762                 }
763                 return true; // Ищем дальше
764             }
765 
766             [MethodImpl(MethodImplOptions.AggressiveInlining)]
767             public void AddPartialMatchedToResults(LinkIndex sequenceToMatch)
768             {
769                 if (PartialMatch(sequenceToMatch))
770                 {
771                     _results.Add(sequenceToMatch);
772                 }
773             }
774 
775             [MethodImpl(MethodImplOptions.AggressiveInlining)]
776             public LinkIndex HandlePartialMatched(IList<LinkIndex> restrictions)
777             {
778                 var sequenceToMatch = restrictions[_links.Constants.IndexPart];
779                 if (PartialMatch(sequenceToMatch))
780                 {
781                     return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
782                 }
783                 return _links.Constants.Continue;
784             }
785 
786             [MethodImpl(MethodImplOptions.AggressiveInlining)]
787             public void AddAllPartialMatchedToResults(IEnumerable<LinkIndex> sequencesToMatch)
788             {
789                 foreach (var sequenceToMatch in sequencesToMatch)
790                 {
791                     if (PartialMatch(sequenceToMatch))
792                     {
793                         _results.Add(sequenceToMatch);
794                     }
795                 }
796             }
797 
798             [MethodImpl(MethodImplOptions.AggressiveInlining)]
799             public void AddAllPartialMatchedToResultsAndReadAsElements(IEnumerable<LinkIndex>
                ↪  sequencesToMatch)
800             {
801                 foreach (var sequenceToMatch in sequencesToMatch)
802                 {
803                     if (PartialMatch(sequenceToMatch))
804                     {
805                         _readAsElements.Add(sequenceToMatch);
806                         _results.Add(sequenceToMatch);
```

```
                    }
                }
            }
        }

        #endregion
    }
}
```

1.152 ./csharp/Platform.Data.Doublets/Sequences/SequencesExtensions.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Lists;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public static class SequencesExtensions
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink Create<TLink>(this ILinks<TLink> sequences, IList<TLink[]>
        ↪  groupedSequence)
        {
            var finalSequence = new TLink[groupedSequence.Count];
            for (var i = 0; i < finalSequence.Length; i++)
            {
                var part = groupedSequence[i];
                finalSequence[i] = part.Length == 1 ? part[0] :
                ↪  sequences.Create(part.ShiftRight());
            }
            return sequences.Create(finalSequence.ShiftRight());
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static IList<TLink> ToList<TLink>(this ILinks<TLink> sequences, TLink sequence)
        {
            var list = new List<TLink>();
            var filler = new ListFiller<TLink, TLink>(list, sequences.Constants.Break);
            sequences.Each(filler.AddSkipFirstAndReturnConstant, new
            ↪  LinkAddress<TLink>(sequence));
            return list;
        }
    }
}
```

1.153 ./csharp/Platform.Data.Doublets/Sequences/SequencesOptions.cs

```
using System;
using System.Collections.Generic;
using Platform.Interfaces;
using Platform.Collections.Stacks;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Sequences.Indexes;
using Platform.Data.Doublets.Sequences.CriterionMatchers;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences
{
    public class SequencesOptions<TLink> // TODO: To use type parameter <TLink> the
    ↪  ILinks<TLink> must contain GetConstants function.
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        public TLink SequenceMarkerLink
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseCascadeUpdate
        {
```

```
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseCascadeDelete
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseIndex
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        } // TODO: Update Index on sequence update/delete.

        public bool UseSequenceMarker
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseCompression
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool UseGarbageCollection
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool EnforceSingleSequenceVersionOnWriteBasedOnExisting
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool EnforceSingleSequenceVersionOnWriteBasedOnNew
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public MarkedSequenceCriterionMatcher<TLink> MarkedSequenceMatcher
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public IConverter<IList<TLink>, TLink> LinksToSequenceConverter
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public ISequenceIndex<TLink> Index
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public ISequenceWalker<TLink> Walker
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        public bool ReadFullSequence
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            set;
        }

        // TODO: Реализовать компактификацию при чтении
        //public bool EnforceSingleSequenceVersionOnRead { get; set; }
        //public bool UseRequestMarker { get; set; }
        //public bool StoreRequestResults { get; set; }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void InitOptions(ISynchronizedLinks<TLink> links)
        {
            if (UseSequenceMarker)
            {
                if (_equalityComparer.Equals(SequenceMarkerLink, links.Constants.Null))
                {
                    SequenceMarkerLink = links.CreatePoint();
                }
                else
                {
                    if (!links.Exists(SequenceMarkerLink))
                    {
                        var link = links.CreatePoint();
                        if (!_equalityComparer.Equals(link, SequenceMarkerLink))
                        {
                            throw new InvalidOperationException("Cannot recreate sequence marker
                            ↪  link.");
                        }
                    }
                }
                if (MarkedSequenceMatcher == null)
                {
                    MarkedSequenceMatcher = new MarkedSequenceCriterionMatcher<TLink>(links,
                    ↪  SequenceMarkerLink);
                }
            }
            var balancedVariantConverter = new BalancedVariantConverter<TLink>(links);
            if (UseCompression)
            {
                if (LinksToSequenceConverter == null)
                {
                    ICounter<TLink, TLink> totalSequenceSymbolFrequencyCounter;
                    if (UseSequenceMarker)
                    {
                        totalSequenceSymbolFrequencyCounter = new
                        ↪  TotalMarkedSequenceSymbolFrequencyCounter<TLink>(links,
                        ↪  MarkedSequenceMatcher);
                    }
                    else
                    {
                        totalSequenceSymbolFrequencyCounter = new
                        ↪  TotalSequenceSymbolFrequencyCounter<TLink>(links);
                    }
                    var doubletFrequenciesCache = new LinkFrequenciesCache<TLink>(links,
                    ↪  totalSequenceSymbolFrequencyCounter);
                    var compressingConverter = new CompressingConverter<TLink>(links,
                    ↪  balancedVariantConverter, doubletFrequenciesCache);
                    LinksToSequenceConverter = compressingConverter;
                }
            }
            else
```

```
            {
                if (LinksToSequenceConverter == null)
                {
                    LinksToSequenceConverter = balancedVariantConverter;
                }
            }
            if (UseIndex && Index == null)
            {
                Index = new SequenceIndex<TLink>(links);
            }
            if (Walker == null)
            {
                Walker = new RightSequenceWalker<TLink>(links, new DefaultStack<TLink>());
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void ValidateOptions()
        {
            if (UseGarbageCollection && !UseSequenceMarker)
            {
                throw new NotSupportedException("To use garbage collection UseSequenceMarker
                ↪  option must be on.");
            }
        }
    }
}
```

1.154 ./csharp/Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public interface ISequenceWalker<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        IEnumerable<TLink> Walk(TLink sequence);
    }
}
```

1.155 ./csharp/Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class LeftSequenceWalker<TLink> : SequenceWalkerBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪  isElement) : base(links, stack, isElement) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links, stack,
        ↪  links.IsPartialPoint) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPop(TLink element) =>
        ↪  _links.GetSource(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPush(TLink element) =>
        ↪  _links.GetTarget(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override IEnumerable<TLink> WalkContents(TLink element)
        {
            var links = _links;
            var parts = links.GetLink(element);
            var start = links.Constants.SourcePart;
            for (var i = parts.Count - 1; i >= start; i--)
            {
```

```
                var part = parts[i];
                if (IsElement(part))
                {
                    yield return part;
                }
            }
        }
    }
}
```

1.156 ./csharp/Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

//#define USEARRAYPOOL
#if USEARRAYPOOL
using Platform.Collections;
#endif

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class LeveledSequenceWalker<TLink> : LinksOperatorBase<TLink>, ISequenceWalker<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly Func<TLink, bool> _isElement;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LeveledSequenceWalker(ILinks<TLink> links, Func<TLink, bool> isElement) :
        ↪  base(links) => _isElement = isElement;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public LeveledSequenceWalker(ILinks<TLink> links) : base(links) => _isElement =
        ↪  _links.IsPartialPoint;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IEnumerable<TLink> Walk(TLink sequence) => ToArray(sequence);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink[] ToArray(TLink sequence)
        {
            var length = 1;
            var array = new TLink[length];
            array[0] = sequence;
            if (_isElement(sequence))
            {
                return array;
            }
            bool hasElements;
            do
            {
                length *= 2;
#if USEARRAYPOOL
                var nextArray = ArrayPool.Allocate<ulong>(length);
#else
                var nextArray = new TLink[length];
#endif
                hasElements = false;
                for (var i = 0; i < array.Length; i++)
                {
                    var candidate = array[i];
                    if (_equalityComparer.Equals(array[i], default))
                    {
                        continue;
                    }
                    var doubletOffset = i * 2;
                    if (_isElement(candidate))
                    {
                        nextArray[doubletOffset] = candidate;
                    }
                    else
                    {
                        var links = _links;
                        var link = links.GetLink(candidate);
                        var linkSource = links.GetSource(link);
                        var linkTarget = links.GetTarget(link);
```

```
                        nextArray[doubletOffset] = linkSource;
                        nextArray[doubletOffset + 1] = linkTarget;
                        if (!hasElements)
                        {
                            hasElements = !(_isElement(linkSource) && _isElement(linkTarget));
                        }
                    }
                }
#if USEARRAYPOOL
                if (array.Length > 1)
                {
                    ArrayPool.Free(array);
                }
#endif
                array = nextArray;
            }
            while (hasElements);
            var filledElementsCount = CountFilledElements(array);
            if (filledElementsCount == array.Length)
            {
                return array;
            }
            else
            {
                return CopyFilledElements(array, filledElementsCount);
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static TLink[] CopyFilledElements(TLink[] array, int filledElementsCount)
        {
            var finalArray = new TLink[filledElementsCount];
            for (int i = 0, j = 0; i < array.Length; i++)
            {
                if (!_equalityComparer.Equals(array[i], default))
                {
                    finalArray[j] = array[i];
                    j++;
                }
            }
#if USEARRAYPOOL
                ArrayPool.Free(array);
#endif
            return finalArray;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private static int CountFilledElements(TLink[] array)
        {
            var count = 0;
            for (var i = 0; i < array.Length; i++)
            {
                if (!_equalityComparer.Equals(array[i], default))
                {
                    count++;
                }
            }
            return count;
        }
    }
}
```

1.157 ./csharp/Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public class RightSequenceWalker<TLink> : SequenceWalkerBase<TLink>
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪  isElement) : base(links, stack, isElement) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
        public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links,
        ↪  stack, links.IsPartialPoint) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPop(TLink element) =>
        ↪  _links.GetTarget(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override TLink GetNextElementAfterPush(TLink element) =>
        ↪  _links.GetSource(element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override IEnumerable<TLink> WalkContents(TLink element)
        {
            var parts = _links.GetLink(element);
            for (var i = _links.Constants.SourcePart; i < parts.Count; i++)
            {
                var part = parts[i];
                if (IsElement(part))
                {
                    yield return part;
                }
            }
        }
    }
}
```

1.158 ./csharp/Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Sequences.Walkers
{
    public abstract class SequenceWalkerBase<TLink> : LinksOperatorBase<TLink>,
    ↪  ISequenceWalker<TLink>
    {
        private readonly IStack<TLink> _stack;
        private readonly Func<TLink, bool> _isElement;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
        ↪  isElement) : base(links)
        {
            _stack = stack;
            _isElement = isElement;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack) : this(links,
        ↪  stack, links.IsPartialPoint) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IEnumerable<TLink> Walk(TLink sequence)
        {
            _stack.Clear();
            var element = sequence;
            if (IsElement(element))
            {
                yield return element;
            }
            else
            {
                while (true)
                {
                    if (IsElement(element))
                    {
                        if (_stack.IsEmpty)
                        {
                            break;
                        }
                        element = _stack.Pop();
                        foreach (var output in WalkContents(element))
                        {
                            yield return output;
                        }
```

```
                        element = GetNextElementAfterPop(element);
                    }
                    else
                    {
                        _stack.Push(element);
                        element = GetNextElementAfterPush(element);
                    }
                }
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected virtual bool IsElement(TLink elementLink) => _isElement(elementLink);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetNextElementAfterPop(TLink element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract TLink GetNextElementAfterPush(TLink element);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected abstract IEnumerable<TLink> WalkContents(TLink element);
    }
}
```

1.159 ./csharp/Platform.Data.Doublets/Stacks/Stack.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Collections.Stacks;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Stacks
{
    public class Stack<TLink> : LinksOperatorBase<TLink>, IStack<TLink>
    {
        private static readonly EqualityComparer<TLink> _equalityComparer =
        ↪  EqualityComparer<TLink>.Default;

        private readonly TLink _stack;

        public bool IsEmpty
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get => _equalityComparer.Equals(Peek(), _stack);
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Stack(ILinks<TLink> links, TLink stack) : base(links) => _stack = stack;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink GetStackMarker() => _links.GetSource(_stack);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private TLink GetTop() => _links.GetTarget(_stack);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Peek() => _links.GetTarget(GetTop());

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Pop()
        {
            var element = Peek();
            if (!_equalityComparer.Equals(element, _stack))
            {
                var top = GetTop();
                var previousTop = _links.GetSource(top);
                _links.Update(_stack, GetStackMarker(), previousTop);
                _links.Delete(top);
            }
            return element;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Push(TLink element) => _links.Update(_stack, GetStackMarker(),
        ↪  _links.GetOrCreate(GetTop(), element));
    }
}
```

1.160 ./csharp/Platform.Data.Doublets/Stacks/StackExtensions.cs

```
using System.Runtime.CompilerServices;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Stacks
{
    public static class StackExtensions
    {
        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static TLink CreateStack<TLink>(this ILinks<TLink> links, TLink stackMarker)
        {
            var stackPoint = links.CreatePoint();
            var stack = links.Update(stackPoint, stackMarker, stackPoint);
            return stack;
        }
    }
}
```

1.161 ./csharp/Platform.Data.Doublets/SynchronizedLinks.cs

```
using System;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Data.Doublets;
using Platform.Threading.Synchronization;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    /// <remarks>
    /// TODO: Autogeneration of synchronized wrapper (decorator).
    /// TODO: Try to unfold code of each method using IL generation for performance improvements.
    /// TODO: Or even to unfold multiple layers of implementations.
    /// </remarks>
    public class SynchronizedLinks<TLinkAddress> : ISynchronizedLinks<TLinkAddress>
    {
        public LinksConstants<TLinkAddress> Constants
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ISynchronization SyncRoot
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ILinks<TLinkAddress> Sync
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        public ILinks<TLinkAddress> Unsync
        {
            [MethodImpl(MethodImplOptions.AggressiveInlining)]
            get;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SynchronizedLinks(ILinks<TLinkAddress> links) : this(new
        ↪  ReaderWriterLockSynchronization(), links) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public SynchronizedLinks(ISynchronization synchronization, ILinks<TLinkAddress> links)
        {
            SyncRoot = synchronization;
            Sync = this;
            Unsync = links;
            Constants = links.Constants;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLinkAddress Count(IList<TLinkAddress> restriction) =>
        ↪  SyncRoot.ExecuteReadOperation(restriction, Unsync.Count);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
```

```
58          public TLinkAddress Each(Func<IList<TLinkAddress>, TLinkAddress> handler,
            ↪  IList<TLinkAddress> restrictions) => SyncRoot.ExecuteReadOperation(handler,
            ↪  restrictions, (handler1, restrictions1) => Unsync.Each(handler1, restrictions1));
59
60          [MethodImpl(MethodImplOptions.AggressiveInlining)]
61          public TLinkAddress Create(IList<TLinkAddress> restrictions) =>
            ↪  SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Create);
62
63          [MethodImpl(MethodImplOptions.AggressiveInlining)]
64          public TLinkAddress Update(IList<TLinkAddress> restrictions, IList<TLinkAddress>
            ↪  substitution) => SyncRoot.ExecuteWriteOperation(restrictions, substitution,
            ↪  Unsync.Update);
65
66          [MethodImpl(MethodImplOptions.AggressiveInlining)]
67          public void Delete(IList<TLinkAddress> restrictions) =>
            ↪  SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Delete);
68
69          //public T Trigger(IList<T> restriction, Func<IList<T>, IList<T>, T> matchedHandler,
            ↪  IList<T> substitution, Func<IList<T>, IList<T>, T> substitutedHandler)
70          //{
71          //    if (restriction != null && substitution != null &&
            ↪  !substitution.EqualTo(restriction))
72          //        return SyncRoot.ExecuteWriteOperation(restriction, matchedHandler,
            ↪  substitution, substitutedHandler, Unsync.Trigger);
73
74          //    return SyncRoot.ExecuteReadOperation(restriction, matchedHandler, substitution,
            ↪  substitutedHandler, Unsync.Trigger);
75          //}
76      }
77  }
```

1.162 ./csharp/Platform.Data.Doublets/Time/DateTimeToLongRawNumberSequenceConverter.cs

```
1   using System;
2   using System.Runtime.CompilerServices;
3   using Platform.Converters;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Data.Doublets.Time
8   {
9       public class DateTimeToLongRawNumberSequenceConverter<TLink> : IConverter<DateTime, TLink>
10      {
11          private readonly IConverter<long, TLink> _int64ToLongRawNumberConverter;
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          public DateTimeToLongRawNumberSequenceConverter(IConverter<long, TLink>
            ↪  int64ToLongRawNumberConverter) => _int64ToLongRawNumberConverter =
            ↪  int64ToLongRawNumberConverter;
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          public TLink Convert(DateTime source) =>
            ↪  _int64ToLongRawNumberConverter.Convert(source.ToFileTimeUtc());
18      }
19  }
```

1.163 ./csharp/Platform.Data.Doublets/Time/LongRawNumberSequenceToDateTimeConverter.cs

```
1   using System;
2   using System.Runtime.CompilerServices;
3   using Platform.Converters;
4
5   #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7   namespace Platform.Data.Doublets.Time
8   {
9       public class LongRawNumberSequenceToDateTimeConverter<TLink> : IConverter<TLink, DateTime>
10      {
11          private readonly IConverter<TLink, long> _longRawNumberConverterToInt64;
12
13          [MethodImpl(MethodImplOptions.AggressiveInlining)]
14          public LongRawNumberSequenceToDateTimeConverter(IConverter<TLink, long>
            ↪  longRawNumberConverterToInt64) => _longRawNumberConverterToInt64 =
            ↪  longRawNumberConverterToInt64;
15
16          [MethodImpl(MethodImplOptions.AggressiveInlining)]
17          public DateTime Convert(TLink source) =>
            ↪  DateTime.FromFileTimeUtc(_longRawNumberConverterToInt64.Convert(source));
18      }
19  }
```

```
using System;
using System.Text;
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Singletons;
using Platform.Data.Doublets.Unicode;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public static class UInt64LinksExtensions
    {
        public static readonly LinksConstants<ulong> Constants =
        ↪  Default<LinksConstants<ulong>>.Instance;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void UseUnicode(this ILinks<ulong> links) => UnicodeMap.InitNew(links);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool AnyLinkIsAny(this ILinks<ulong> links, params ulong[] sequence)
        {
            if (sequence == null)
            {
                return false;
            }
            var constants = links.Constants;
            for (var i = 0; i < sequence.Length; i++)
            {
                if (sequence[i] == constants.Any)
                {
                    return true;
                }
            }
            return false;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
        ↪  Func<Link<ulong>, bool> isElement, bool renderIndex = false, bool renderDebug =
        ↪  false)
        {
            var sb = new StringBuilder();
            var visited = new HashSet<ulong>();
            links.AppendStructure(sb, visited, linkIndex, isElement, (innerSb, link) =>
            ↪  innerSb.Append(link.Index), renderIndex, renderDebug);
            return sb.ToString();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
        ↪  Func<Link<ulong>, bool> isElement, Action<StringBuilder, Link<ulong>> appendElement,
        ↪  bool renderIndex = false, bool renderDebug = false)
        {
            var sb = new StringBuilder();
            var visited = new HashSet<ulong>();
            links.AppendStructure(sb, visited, linkIndex, isElement, appendElement, renderIndex,
            ↪  renderDebug);
            return sb.ToString();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static void AppendStructure(this ILinks<ulong> links, StringBuilder sb,
        ↪  HashSet<ulong> visited, ulong linkIndex, Func<Link<ulong>, bool> isElement,
        ↪  Action<StringBuilder, Link<ulong>> appendElement, bool renderIndex = false, bool
        ↪  renderDebug = false)
        {
            if (sb == null)
            {
                throw new ArgumentNullException(nameof(sb));
            }
            if (linkIndex == Constants.Null || linkIndex == Constants.Any || linkIndex ==
            ↪  Constants.Itself)
            {
                return;
            }
            if (links.Exists(linkIndex))
            {
```

```
                if (visited.Add(linkIndex))
                {
                    sb.Append('(');
                    var link = new Link<ulong>(links.GetLink(linkIndex));
                    if (renderIndex)
                    {
                        sb.Append(link.Index);
                        sb.Append(':');
                    }
                    if (link.Source == link.Index)
                    {
                        sb.Append(link.Index);
                    }
                    else
                    {
                        var source = new Link<ulong>(links.GetLink(link.Source));
                        if (isElement(source))
                        {
                            appendElement(sb, source);
                        }
                        else
                        {
                            links.AppendStructure(sb, visited, source.Index, isElement,
                                ↪  appendElement, renderIndex);
                        }
                    }
                    sb.Append(' ');
                    if (link.Target == link.Index)
                    {
                        sb.Append(link.Index);
                    }
                    else
                    {
                        var target = new Link<ulong>(links.GetLink(link.Target));
                        if (isElement(target))
                        {
                            appendElement(sb, target);
                        }
                        else
                        {
                            links.AppendStructure(sb, visited, target.Index, isElement,
                                ↪  appendElement, renderIndex);
                        }
                    }
                    sb.Append(')');
                }
                else
                {
                    if (renderDebug)
                    {
                        sb.Append('*');
                    }
                    sb.Append(linkIndex);
                }
            }
            else
            {
                if (renderDebug)
                {
                    sb.Append('~');
                }
                sb.Append(linkIndex);
            }
        }
    }
}
```

1.165 ./csharp/Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs

```
using System;
using System.Linq;
using System.Collections.Generic;
using System.IO;
using System.Runtime.CompilerServices;
using System.Threading;
using System.Threading.Tasks;
using Platform.Disposables;
using Platform.Timestamps;
using Platform.Unsafe;
using Platform.IO;
```

```
using Platform.Data.Doublets.Decorators;
using Platform.Exceptions;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets
{
    public class UInt64LinksTransactionsLayer : LinksDisposableDecoratorBase<ulong> //-V3073
    {
        /// <remarks>
        /// Альтернативные варианты хранения трансформации (элемента транзакции):
        ///
        /// private enum TransitionType
        /// {
        ///     Creation,
        ///     UpdateOf,
        ///     UpdateTo,
        ///     Deletion
        /// }
        ///
        /// private struct Transition
        /// {
        ///     public ulong TransactionId;
        ///     public UniqueTimestamp Timestamp;
        ///     public TransactionItemType Type;
        ///     public Link Source;
        ///     public Link Linker;
        ///     public Link Target;
        /// }
        ///
        /// Или
        ///
        /// public struct TransitionHeader
        /// {
        ///     public ulong TransactionIdCombined;
        ///     public ulong TimestampCombined;
        ///
        ///     public ulong TransactionId
        ///     {
        ///         get
        ///         {
        ///             return (ulong) mask &amp;amp; TransactionIdCombined;
        ///         }
        ///     }
        ///
        ///     public UniqueTimestamp Timestamp
        ///     {
        ///         get
        ///         {
        ///             return (UniqueTimestamp)mask &amp;amp; TransactionIdCombined;
        ///         }
        ///     }
        ///
        ///     public TransactionItemType Type
        ///     {
        ///         get
        ///         {
        ///             // Использовать по одному биту из TransactionId и Timestamp,
        ///             // для значения в 2 бита, которое представляет тип операции
        ///             throw new NotImplementedException();
        ///         }
        ///     }
        /// }
        ///
        /// private struct Transition
        /// {
        ///     public TransitionHeader Header;
        ///     public Link Source;
        ///     public Link Linker;
        ///     public Link Target;
        /// }
        ///
        /// </remarks>
        public struct Transition : IEquatable<Transition>
        {
            public static readonly long Size = Structure<Transition>.Size;

            public readonly ulong TransactionId;
```

```
90              public readonly Link<ulong> Before;
91              public readonly Link<ulong> After;
92              public readonly Timestamp Timestamp;
93
94              [MethodImpl(MethodImplOptions.AggressiveInlining)]
95              public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
                ↪  transactionId, Link<ulong> before, Link<ulong> after)
96              {
97                  TransactionId = transactionId;
98                  Before = before;
99                  After = after;
100                 Timestamp = uniqueTimestampFactory.Create();
101             }
102
103             [MethodImpl(MethodImplOptions.AggressiveInlining)]
104             public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
                ↪  transactionId, Link<ulong> before) : this(uniqueTimestampFactory, transactionId,
                ↪  before, default) { }
105
106             [MethodImpl(MethodImplOptions.AggressiveInlining)]
107             public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
                ↪  transactionId) : this(uniqueTimestampFactory, transactionId, default, default) {
                ↪  }
108
109             [MethodImpl(MethodImplOptions.AggressiveInlining)]
110             public override string ToString() => $"{Timestamp} {TransactionId}: {Before} =>
                ↪  {After}";
111
112             [MethodImpl(MethodImplOptions.AggressiveInlining)]
113             public override bool Equals(object obj) => obj is Transition transition ?
                ↪  Equals(transition) : false;
114
115             [MethodImpl(MethodImplOptions.AggressiveInlining)]
116             public override int GetHashCode() => (TransactionId, Before, After,
                ↪  Timestamp).GetHashCode();
117
118             [MethodImpl(MethodImplOptions.AggressiveInlining)]
119             public bool Equals(Transition other) => TransactionId == other.TransactionId &&
                ↪  Before == other.Before && After == other.After && Timestamp == other.Timestamp;
120
121             [MethodImpl(MethodImplOptions.AggressiveInlining)]
122             public static bool operator ==(Transition left, Transition right) =>
                ↪  left.Equals(right);
123
124             [MethodImpl(MethodImplOptions.AggressiveInlining)]
125             public static bool operator !=(Transition left, Transition right) => !(left ==
                ↪  right);
126         }
127
128         /// <remarks>
129         /// Другие варианты реализации транзакций (атомарности):
130         ///     1. Разделение хранения значения связи ((Source Target) или (Source Linker
                ↪  Target)) и индексов.
131         ///     2. Хранение трансформаций/операций в отдельном хранилище Links, но дополнительно
                ↪  потребуется решить вопрос
132         ///        со ссылками на внешние идентификаторы, или как-то иначе решить вопрос с
                ↪  пересечениями идентификаторов.
133         ///
134         /// Где хранить промежуточный список транзакций?
135         ///
136         /// В оперативной памяти:
137         ///  Минусы:
138         ///     1. Может усложнить систему, если она будет функционировать самостоятельно,
139         ///     так как нужно отдельно выделять память под список трансформаций.
140         ///     2. Выделенной оперативной памяти может не хватить, в том случае,
141         ///     если транзакция использует слишком много трансформаций.
142         ///         -> Можно использовать жёсткий диск для слишком длинных транзакций.
143         ///         -> Максимальный размер списка трансформаций можно ограничить / задать
                ↪  константой.
144         ///     3. При подтверждении транзакции (Commit) все трансформации записываются разом
                ↪  создавая задержку.
145         ///
146         /// На жёстком диске:
147         ///  Минусы:
148         ///     1. Длительный отклик, на запись каждой трансформации.
149         ///     2. Лог транзакций дополнительно наполняется отменёнными транзакциями.
150         ///         -> Это может решаться упаковкой/исключением дублирующих операций.
151         ///         -> Также это может решаться тем, что короткие транзакции вообще
```

```
152         ///            не будут записываться в случае отката.
153         ///     3. Перед тем как выполнять отмену операций транзакции нужно дождаться пока все
            ↪  операции (трансформации)
154         ///        будут записаны в лог.
155         ///
156         /// </remarks>
157         public class Transaction : DisposableBase
158         {
159             private readonly Queue<Transition> _transitions;
160             private readonly UInt64LinksTransactionsLayer _layer;
161             public bool IsCommitted { get; private set; }
162             public bool IsReverted { get; private set; }
163 
164             [MethodImpl(MethodImplOptions.AggressiveInlining)]
165             public Transaction(UInt64LinksTransactionsLayer layer)
166             {
167                 _layer = layer;
168                 if (_layer._currentTransactionId != 0)
169                 {
170                     throw new NotSupportedException("Nested transactions not supported.");
171                 }
172                 IsCommitted = false;
173                 IsReverted = false;
174                 _transitions = new Queue<Transition>();
175                 SetCurrentTransaction(layer, this);
176             }
177 
178             [MethodImpl(MethodImplOptions.AggressiveInlining)]
179             public void Commit()
180             {
181                 EnsureTransactionAllowsWriteOperations(this);
182                 while (_transitions.Count > 0)
183                 {
184                     var transition = _transitions.Dequeue();
185                     _layer._transitions.Enqueue(transition);
186                 }
187                 _layer._lastCommitedTransactionId = _layer._currentTransactionId;
188                 IsCommitted = true;
189             }
190 
191             [MethodImpl(MethodImplOptions.AggressiveInlining)]
192             private void Revert()
193             {
194                 EnsureTransactionAllowsWriteOperations(this);
195                 var transitionsToRevert = new Transition[_transitions.Count];
196                 _transitions.CopyTo(transitionsToRevert, 0);
197                 for (var i = transitionsToRevert.Length - 1; i >= 0; i--)
198                 {
199                     _layer.RevertTransition(transitionsToRevert[i]);
200                 }
201                 IsReverted = true;
202             }
203 
204             [MethodImpl(MethodImplOptions.AggressiveInlining)]
205             public static void SetCurrentTransaction(UInt64LinksTransactionsLayer layer,
                ↪  Transaction transaction)
206             {
207                 layer._currentTransactionId = layer._lastCommitedTransactionId + 1;
208                 layer._currentTransactionTransitions = transaction._transitions;
209                 layer._currentTransaction = transaction;
210             }
211 
212             [MethodImpl(MethodImplOptions.AggressiveInlining)]
213             public static void EnsureTransactionAllowsWriteOperations(Transaction transaction)
214             {
215                 if (transaction.IsReverted)
216                 {
217                     throw new InvalidOperationException("Transation is reverted.");
218                 }
219                 if (transaction.IsCommitted)
220                 {
221                     throw new InvalidOperationException("Transation is commited.");
222                 }
223             }
224 
225             [MethodImpl(MethodImplOptions.AggressiveInlining)]
226             protected override void Dispose(bool manual, bool wasDisposed)
227             {
228                 if (!wasDisposed && _layer != null && !_layer.Disposable.IsDisposed)
```

```
            {
                if (!IsCommitted && !IsReverted)
                {
                    Revert();
                }
                _layer.ResetCurrentTransation();
            }
        }
    }

    public static readonly TimeSpan DefaultPushDelay = TimeSpan.FromSeconds(0.1);

    private readonly string _logAddress;
    private readonly FileStream _log;
    private readonly Queue<Transition> _transitions;
    private readonly UniqueTimestampFactory _uniqueTimestampFactory;
    private Task _transitionsPusher;
    private Transition _lastCommitedTransition;
    private ulong _currentTransactionId;
    private Queue<Transition> _currentTransactionTransitions;
    private Transaction _currentTransaction;
    private ulong _lastCommitedTransactionId;

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public UInt64LinksTransactionsLayer(ILinks<ulong> links, string logAddress)
        : base(links)
    {
        if (string.IsNullOrWhiteSpace(logAddress))
        {
            throw new ArgumentNullException(nameof(logAddress));
        }
        // В первой строке файла хранится последняя закоммиченную транзакцию.
        // При запуске это используется для проверки удачного закрытия файла лога.
        // In the first line of the file the last committed transaction is stored.
        // On startup, this is used to check that the log file is successfully closed.
        var lastCommitedTransition = FileHelpers.ReadFirstOrDefault<Transition>(logAddress);
        var lastWrittenTransition = FileHelpers.ReadLastOrDefault<Transition>(logAddress);
        if (!lastCommitedTransition.Equals(lastWrittenTransition))
        {
            Dispose();
            throw new NotSupportedException("Database is damaged, autorecovery is not
            ↪  supported yet.");
        }
        if (lastCommitedTransition == default)
        {
            FileHelpers.WriteFirst(logAddress, lastCommitedTransition);
        }
        _lastCommitedTransition = lastCommitedTransition;
        // TODO: Think about a better way to calculate or store this value
        var allTransitions = FileHelpers.ReadAll<Transition>(logAddress);
        _lastCommitedTransactionId = allTransitions.Length > 0 ? allTransitions.Max(x =>
        ↪  x.TransactionId) : 0;
        _uniqueTimestampFactory = new UniqueTimestampFactory();
        _logAddress = logAddress;
        _log = FileHelpers.Append(logAddress);
        _transitions = new Queue<Transition>();
        _transitionsPusher = new Task(TransitionsPusher);
        _transitionsPusher.Start();
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public IList<ulong> GetLinkValue(ulong link) => _links.GetLink(link);

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public override ulong Create(IList<ulong> restrictions)
    {
        var createdLinkIndex = _links.Create();
        var createdLink = new Link<ulong>(_links.GetLink(createdLinkIndex));
        CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
        ↪  default, createdLink));
        return createdLinkIndex;
    }

    [MethodImpl(MethodImplOptions.AggressiveInlining)]
    public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
    {
        var linkIndex = restrictions[_constants.IndexPart];
        var beforeLink = new Link<ulong>(_links.GetLink(linkIndex));
        linkIndex = _links.Update(restrictions, substitution);
```

```
305             var afterLink = new Link<ulong>(_links.GetLink(linkIndex));
306             CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
                ↪  beforeLink, afterLink));
307             return linkIndex;
308         }
309 
310         [MethodImpl(MethodImplOptions.AggressiveInlining)]
311         public override void Delete(IList<ulong> restrictions)
312         {
313             var link = restrictions[_constants.IndexPart];
314             var deletedLink = new Link<ulong>(_links.GetLink(link));
315             _links.Delete(link);
316             CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
                ↪  deletedLink, default));
317         }
318 
319         [MethodImpl(MethodImplOptions.AggressiveInlining)]
320         private Queue<Transition> GetCurrentTransitions() => _currentTransactionTransitions ??
            ↪  _transitions;
321 
322         [MethodImpl(MethodImplOptions.AggressiveInlining)]
323         private void CommitTransition(Transition transition)
324         {
325             if (_currentTransaction != null)
326             {
327                 Transaction.EnsureTransactionAllowsWriteOperations(_currentTransaction);
328             }
329             var transitions = GetCurrentTransitions();
330             transitions.Enqueue(transition);
331         }
332 
333         [MethodImpl(MethodImplOptions.AggressiveInlining)]
334         private void RevertTransition(Transition transition)
335         {
336             if (transition.After.IsNull()) // Revert Deletion with Creation
337             {
338                 _links.Create();
339             }
340             else if (transition.Before.IsNull()) // Revert Creation with Deletion
341             {
342                 _links.Delete(transition.After.Index);
343             }
344             else // Revert Update
345             {
346                 _links.Update(new[] { transition.After.Index, transition.Before.Source,
                    ↪  transition.Before.Target });
347             }
348         }
349 
350         [MethodImpl(MethodImplOptions.AggressiveInlining)]
351         private void ResetCurrentTransation()
352         {
353             _currentTransactionId = 0;
354             _currentTransactionTransitions = null;
355             _currentTransaction = null;
356         }
357 
358         [MethodImpl(MethodImplOptions.AggressiveInlining)]
359         private void PushTransitions()
360         {
361             if (_log == null || _transitions == null)
362             {
363                 return;
364             }
365             for (var i = 0; i < _transitions.Count; i++)
366             {
367                 var transition = _transitions.Dequeue();
368 
369                 _log.Write(transition);
370                 _lastCommitedTransition = transition;
371             }
372         }
373 
374         [MethodImpl(MethodImplOptions.AggressiveInlining)]
375         private void TransitionsPusher()
376         {
377             while (!Disposable.IsDisposed && _transitionsPusher != null)
378             {
```

```
                Thread.Sleep(DefaultPushDelay);
                PushTransitions();
            }
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public Transaction BeginTransaction() => new Transaction(this);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        private void DisposeTransitions()
        {
            try
            {
                var pusher = _transitionsPusher;
                if (pusher != null)
                {
                    _transitionsPusher = null;
                    pusher.Wait();
                }
                if (_transitions != null)
                {
                    PushTransitions();
                }
                _log.DisposeIfPossible();
                FileHelpers.WriteFirst(_logAddress, _lastCommitedTransition);
            }
            catch (Exception ex)
            {
                ex.Ignore();
            }
        }

        #region DisposalBase

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                DisposeTransitions();
            }
            base.Dispose(manual, wasDisposed);
        }

        #endregion
    }
}
```

1.166 ./csharp/Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs

```
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class CharToUnicodeSymbolConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<char, TLink>
    {
        private static readonly UncheckedConverter<char, TLink> _charToAddressConverter =
        ↪ UncheckedConverter<char, TLink>.Default;

        private readonly IConverter<TLink> _addressToNumberConverter;
        private readonly TLink _unicodeSymbolMarker;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public CharToUnicodeSymbolConverter(ILinks<TLink> links, IConverter<TLink>
        ↪ addressToNumberConverter, TLink unicodeSymbolMarker) : base(links)
        {
            _addressToNumberConverter = addressToNumberConverter;
            _unicodeSymbolMarker = unicodeSymbolMarker;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(char source)
        {
            var unaryNumber =
            ↪ _addressToNumberConverter.Convert(_charToAddressConverter.Convert(source));
            return _links.GetOrCreate(unaryNumber, _unicodeSymbolMarker);
        }
```

```
    }
}
```

1.167 ./csharp/Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Indexes;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class StringToUnicodeSequenceConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<string, TLink>
    {
        private readonly IConverter<string, IList<TLink>> _stringToUnicodeSymbolListConverter;
        private readonly IConverter<IList<TLink>, TLink> _unicodeSymbolListToSequenceConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<string,
        ↪ IList<TLink>> stringToUnicodeSymbolListConverter, IConverter<IList<TLink>, TLink>
        ↪ unicodeSymbolListToSequenceConverter) : base(links)
        {
            _stringToUnicodeSymbolListConverter = stringToUnicodeSymbolListConverter;
            _unicodeSymbolListToSequenceConverter = unicodeSymbolListToSequenceConverter;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<string,
        ↪ IList<TLink>> stringToUnicodeSymbolListConverter, ISequenceIndex<TLink> index,
        ↪ IConverter<IList<TLink>, TLink> listToSequenceLinkConverter, TLink
        ↪ unicodeSequenceMarker)
            : this(links, stringToUnicodeSymbolListConverter, new
            ↪ UnicodeSymbolsListToUnicodeSequenceConverter<TLink>(links, index,
            ↪ listToSequenceLinkConverter, unicodeSequenceMarker)) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<char, TLink>
        ↪ charToUnicodeSymbolConverter, ISequenceIndex<TLink> index, IConverter<IList<TLink>,
        ↪ TLink> listToSequenceLinkConverter, TLink unicodeSequenceMarker)
            : this(links, new
            ↪ StringToUnicodeSymbolsListConverter<TLink>(charToUnicodeSymbolConverter), index,
            ↪ listToSequenceLinkConverter, unicodeSequenceMarker) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<char, TLink>
        ↪ charToUnicodeSymbolConverter, IConverter<IList<TLink>, TLink>
        ↪ listToSequenceLinkConverter, TLink unicodeSequenceMarker)
            : this(links, charToUnicodeSymbolConverter, new Unindex<TLink>(),
            ↪ listToSequenceLinkConverter, unicodeSequenceMarker) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<string,
        ↪ IList<TLink>> stringToUnicodeSymbolListConverter, IConverter<IList<TLink>, TLink>
        ↪ listToSequenceLinkConverter, TLink unicodeSequenceMarker)
            : this(links, stringToUnicodeSymbolListConverter, new Unindex<TLink>(),
            ↪ listToSequenceLinkConverter, unicodeSequenceMarker) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(string source)
        {
            var elements = _stringToUnicodeSymbolListConverter.Convert(source);
            return _unicodeSymbolListToSequenceConverter.Convert(elements);
        }
    }
}
```

1.168 ./csharp/Platform.Data.Doublets/Unicode/StringToUnicodeSymbolsListConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class StringToUnicodeSymbolsListConverter<TLink> : IConverter<string, IList<TLink>>
    {
```

```
        private readonly IConverter<char, TLink> _charToUnicodeSymbolConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public StringToUnicodeSymbolsListConverter(IConverter<char, TLink>
        ↪  charToUnicodeSymbolConverter) => _charToUnicodeSymbolConverter =
        ↪  charToUnicodeSymbolConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public IList<TLink> Convert(string source)
        {
            var elements = new TLink[source.Length];
            for (var i = 0; i < elements.Length; i++)
            {
                elements[i] = _charToUnicodeSymbolConverter.Convert(source[i]);
            }
            return elements;
        }
    }
}
```

1.169 ./csharp/Platform.Data.Doublets/Unicode/UnicodeMap.cs

```
using System;
using System.Collections.Generic;
using System.Globalization;
using System.Runtime.CompilerServices;
using System.Text;
using Platform.Data.Sequences;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class UnicodeMap
    {
        public static readonly ulong FirstCharLink = 1;
        public static readonly ulong LastCharLink = FirstCharLink + char.MaxValue;
        public static readonly ulong MapSize = 1 + char.MaxValue;

        private readonly ILinks<ulong> _links;
        private bool _initialized;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnicodeMap(ILinks<ulong> links) => _links = links;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static UnicodeMap InitNew(ILinks<ulong> links)
        {
            var map = new UnicodeMap(links);
            map.Init();
            return map;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public void Init()
        {
            if (_initialized)
            {
                return;
            }
            _initialized = true;
            var firstLink = _links.CreatePoint();
            if (firstLink != FirstCharLink)
            {
                _links.Delete(firstLink);
            }
            else
            {
                for (var i = FirstCharLink + 1; i <= LastCharLink; i++)
                {
                    // From NIL to It (NIL -> Character) transformation meaning, (or infinite
                    ↪  amount of NIL characters before actual Character)
                    var createdLink = _links.CreatePoint();
                    _links.Update(createdLink, firstLink, createdLink);
                    if (createdLink != i)
                    {
                        throw new InvalidOperationException("Unable to initialize UTF 16
                        ↪  table.");
                    }
                }
            }
```

```
        }

        // 0 - null link
        // 1 - nil character (0 character)
        // ...
        // 65536 (0(1) + 65535 = 65536 possible values)

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong FromCharToLink(char character) => (ulong)character + 1;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static char FromLinkToChar(ulong link) => (char)(link - 1);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static bool IsCharLink(ulong link) => link <= MapSize;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static string FromLinksToString(IList<ulong> linksList)
        {
            var sb = new StringBuilder();
            for (int i = 0; i < linksList.Count; i++)
            {
                sb.Append(FromLinkToChar(linksList[i]));
            }
            return sb.ToString();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static string FromSequenceLinkToString(ulong link, ILinks<ulong> links)
        {
            var sb = new StringBuilder();
            if (links.Exists(link))
            {
                StopableSequenceWalker.WalkRight(link, links.GetSource, links.GetTarget,
                    x => x <= MapSize || links.GetSource(x) == x || links.GetTarget(x) == x,
                    element =>
                    {
                        sb.Append(FromLinkToChar(element));
                        return true;
                    });
            }
            return sb.ToString();
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong[] FromCharsToLinkArray(char[] chars) => FromCharsToLinkArray(chars,
        chars.Length);

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong[] FromCharsToLinkArray(char[] chars, int count)
        {
            // char array to ulong array
            var linksSequence = new ulong[count];
            for (var i = 0; i < count; i++)
            {
                linksSequence[i] = FromCharToLink(chars[i]);
            }
            return linksSequence;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static ulong[] FromStringToLinkArray(string sequence)
        {
            // char array to ulong array
            var linksSequence = new ulong[sequence.Length];
            for (var i = 0; i < sequence.Length; i++)
            {
                linksSequence[i] = FromCharToLink(sequence[i]);
            }
            return linksSequence;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static List<ulong[]> FromStringToLinkArrayGroups(string sequence)
        {
            var result = new List<ulong[]>();
            var offset = 0;
            while (offset < sequence.Length)
            {
```

```
                var currentCategory = CharUnicodeInfo.GetUnicodeCategory(sequence[offset]);
                var relativeLength = 1;
                var absoluteLength = offset + relativeLength;
                while (absoluteLength < sequence.Length &&
                       currentCategory ==
                       ↪ CharUnicodeInfo.GetUnicodeCategory(sequence[absoluteLength]))
                {
                    relativeLength++;
                    absoluteLength++;
                }
                // char array to ulong array
                var innerSequence = new ulong[relativeLength];
                var maxLength = offset + relativeLength;
                for (var i = offset; i < maxLength; i++)
                {
                    innerSequence[i - offset] = FromCharToLink(sequence[i]);
                }
                result.Add(innerSequence);
                offset += relativeLength;
            }
            return result;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public static List<ulong[]> FromLinkArrayToLinkArrayGroups(ulong[] array)
        {
            var result = new List<ulong[]>();
            var offset = 0;
            while (offset < array.Length)
            {
                var relativeLength = 1;
                if (array[offset] <= LastCharLink)
                {
                    var currentCategory =
                    ↪ CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(array[offset]));
                    var absoluteLength = offset + relativeLength;
                    while (absoluteLength < array.Length &&
                           array[absoluteLength] <= LastCharLink &&
                           currentCategory == CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(
                           ↪ array[absoluteLength])))
                    {
                        relativeLength++;
                        absoluteLength++;
                    }
                }
                else
                {
                    var absoluteLength = offset + relativeLength;
                    while (absoluteLength < array.Length && array[absoluteLength] > LastCharLink)
                    {
                        relativeLength++;
                        absoluteLength++;
                    }
                }
                // copy array
                var innerSequence = new ulong[relativeLength];
                var maxLength = offset + relativeLength;
                for (var i = offset; i < maxLength; i++)
                {
                    innerSequence[i - offset] = array[i];
                }
                result.Add(innerSequence);
                offset += relativeLength;
            }
            return result;
        }
    }
}
```

1.170 ./csharp/Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Walkers;
using System.Text;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
```

```
{
    public class UnicodeSequenceToStringConverter<TLink> : LinksOperatorBase<TLink>, IConverter<TLink, string>
    {
        private readonly ICriterionMatcher<TLink> _unicodeSequenceCriterionMatcher;
        private readonly ISequenceWalker<TLink> _sequenceWalker;
        private readonly IConverter<TLink, char> _unicodeSymbolToCharConverter;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnicodeSequenceToStringConverter(ILinks<TLink> links, ICriterionMatcher<TLink> unicodeSequenceCriterionMatcher, ISequenceWalker<TLink> sequenceWalker, IConverter<TLink, char> unicodeSymbolToCharConverter) : base(links)
        {
            _unicodeSequenceCriterionMatcher = unicodeSequenceCriterionMatcher;
            _sequenceWalker = sequenceWalker;
            _unicodeSymbolToCharConverter = unicodeSymbolToCharConverter;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public string Convert(TLink source)
        {
            if (!_unicodeSequenceCriterionMatcher.IsMatched(source))
            {
                throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is not a unicode sequence.");
            }
            var sequence = _links.GetSource(source);
            var sb = new StringBuilder();
            foreach(var character in _sequenceWalker.Walk(sequence))
            {
                sb.Append(_unicodeSymbolToCharConverter.Convert(character));
            }
            return sb.ToString();
        }
    }
}
```

1.171 ./csharp/Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs

```
using System;
using System.Runtime.CompilerServices;
using Platform.Interfaces;
using Platform.Converters;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class UnicodeSymbolToCharConverter<TLink> : LinksOperatorBase<TLink>, IConverter<TLink, char>
    {
        private static readonly UncheckedConverter<TLink, char> _addressToCharConverter = UncheckedConverter<TLink, char>.Default;

        private readonly IConverter<TLink> _numberToAddressConverter;
        private readonly ICriterionMatcher<TLink> _unicodeSymbolCriterionMatcher;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnicodeSymbolToCharConverter(ILinks<TLink> links, IConverter<TLink> numberToAddressConverter, ICriterionMatcher<TLink> unicodeSymbolCriterionMatcher) : base(links)
        {
            _numberToAddressConverter = numberToAddressConverter;
            _unicodeSymbolCriterionMatcher = unicodeSymbolCriterionMatcher;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public char Convert(TLink source)
        {
            if (!_unicodeSymbolCriterionMatcher.IsMatched(source))
            {
                throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is not a unicode symbol.");
            }
            return _addressToCharConverter.Convert(_numberToAddressConverter.Convert(_links.GetSource(source)));
        }
    }
}
```

1.172 ./csharp/Platform.Data.Doublets/Unicode/UnicodeSymbolsListToUnicodeSequenceConverter.cs

```
using System.Collections.Generic;
using System.Runtime.CompilerServices;
using Platform.Converters;
using Platform.Data.Doublets.Sequences.Indexes;

#pragma warning disable CS1591 // Missing XML comment for publicly visible type or member

namespace Platform.Data.Doublets.Unicode
{
    public class UnicodeSymbolsListToUnicodeSequenceConverter<TLink> : LinksOperatorBase<TLink>, IConverter<IList<TLink>, TLink>
    {
        private readonly ISequenceIndex<TLink> _index;
        private readonly IConverter<IList<TLink>, TLink> _listToSequenceLinkConverter;
        private readonly TLink _unicodeSequenceMarker;

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnicodeSymbolsListToUnicodeSequenceConverter(ILinks<TLink> links, ISequenceIndex<TLink> index, IConverter<IList<TLink>, TLink> listToSequenceLinkConverter, TLink unicodeSequenceMarker) : base(links)
        {
            _index = index;
            _listToSequenceLinkConverter = listToSequenceLinkConverter;
            _unicodeSequenceMarker = unicodeSequenceMarker;
        }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public UnicodeSymbolsListToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink> listToSequenceLinkConverter, TLink unicodeSequenceMarker)
            : this(links, new Unindex<TLink>(), listToSequenceLinkConverter, unicodeSequenceMarker) { }

        [MethodImpl(MethodImplOptions.AggressiveInlining)]
        public TLink Convert(IList<TLink> list)
        {
            _index.Add(list);
            var sequence = _listToSequenceLinkConverter.Convert(list);
            return _links.GetOrCreate(sequence, _unicodeSequenceMarker);
        }
    }
}
```

1.173 ./csharp/Platform.Data.Doublets.Tests/DefaultSequenceAppenderTests.cs

```
using System.Collections.Generic;
using Platform.Collections.Stacks;
using Platform.Data.Doublets.Memory;
using Platform.Data.Doublets.Memory.United.Generic;
using Platform.Data.Doublets.Sequences;
using Platform.Data.Doublets.Sequences.HeightProviders;
using Platform.Data.Numbers.Raw;
using Platform.Interfaces;
using Platform.Memory;
using Platform.Numbers;
using Xunit;
using Xunit.Abstractions;
using TLink = System.UInt64;

namespace Platform.Data.Doublets.Tests
{
    public class DefaultSequenceAppenderTests
    {
        private readonly ITestOutputHelper _output;

        public DefaultSequenceAppenderTests(ITestOutputHelper output)
        {
            _output = output;
        }
        public static ILinks<TLink> CreateLinks() => CreateLinks<TLink>(new IO.TemporaryFile());

        public static ILinks<TLink> CreateLinks<TLink>(string dataDBFilename)
        {
            var linksConstants = new LinksConstants<TLink>(enableExternalReferencesSupport: true);
            return new UnitedMemoryLinks<TLink>(new FileMappedResizableDirectMemory(dataDBFilename), UnitedMemoryLinks<TLink>.DefaultLinksSizeStep, linksConstants, IndexTreeType.Default);
        }
```

```
32
33          public class ValueCriterionMatcher<TLink> : ICriterionMatcher<TLink>
34          {
35              public readonly ILinks<TLink> Links;
36              public readonly TLink Marker;
37              public ValueCriterionMatcher(ILinks<TLink> links, TLink marker)
38              {
39                  Links = links;
40                  Marker = marker;
41              }
42
43              public bool IsMatched(TLink link) =>
                ↪  EqualityComparer<TLink>.Default.Equals(Links.GetSource(link), Marker);
44          }
45
46          [Fact]
47          public void AppendArrayBug()
48          {
49              ILinks<TLink> links = CreateLinks();
50              TLink zero = default;
51              var markerIndex = Arithmetic.Increment(zero);
52              var meaningRoot = links.GetOrCreate(markerIndex, markerIndex);
53              var sequence = links.Create();
54              sequence = links.Update(sequence, meaningRoot, sequence);
55              var appendant = links.Create();
56              appendant = links.Update(appendant, meaningRoot, appendant);
57              ValueCriterionMatcher<TLink> valueCriterionMatcher = new(links, meaningRoot);
58              DefaultSequenceRightHeightProvider<ulong> defaultSequenceRightHeightProvider =
                ↪  new(links, valueCriterionMatcher);
59              DefaultSequenceAppender<TLink> defaultSequenceAppender = new(links, new
                ↪  DefaultStack<ulong>(), defaultSequenceRightHeightProvider);
60              var newArray = defaultSequenceAppender.Append(sequence, appendant);
61              var output = links.FormatStructure(newArray, link => link.IsFullPoint(), true);
62              Assert.Equal("(4:(2:1 2) (3:1 3))", output);
63          }
64      }
65  }
```

1.174 ./csharp/Platform.Data.Doublets.Tests/GenericLinksTests.cs

```
1   using System;
2   using Xunit;
3   using Platform.Reflection;
4   using Platform.Memory;
5   using Platform.Scopes;
6   using Platform.Data.Doublets.Memory.United.Generic;
7
8   namespace Platform.Data.Doublets.Tests
9   {
10      public unsafe static class GenericLinksTests
11      {
12          [Fact]
13          public static void CRUDTest()
14          {
15              Using<byte>(links => links.TestCRUDOperations());
16              Using<ushort>(links => links.TestCRUDOperations());
17              Using<uint>(links => links.TestCRUDOperations());
18              Using<ulong>(links => links.TestCRUDOperations());
19          }
20
21          [Fact]
22          public static void RawNumbersCRUDTest()
23          {
24              Using<byte>(links => links.TestRawNumbersCRUDOperations());
25              Using<ushort>(links => links.TestRawNumbersCRUDOperations());
26              Using<uint>(links => links.TestRawNumbersCRUDOperations());
27              Using<ulong>(links => links.TestRawNumbersCRUDOperations());
28          }
29
30          [Fact]
31          public static void MultipleRandomCreationsAndDeletionsTest()
32          {
33              Using<byte>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
                ↪  MultipleRandomCreationsAndDeletions(16)); // Cannot use more because current
                ↪  implementation of tree cuts out 5 bits from the address space.
34              Using<ushort>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Te
                ↪  stMultipleRandomCreationsAndDeletions(100));
35              Using<uint>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
                ↪  MultipleRandomCreationsAndDeletions(100));
```

```
            Using<ulong>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Tes
            ↪  tMultipleRandomCreationsAndDeletions(100));
        }

        private static void Using<TLink>(Action<ILinks<TLink>> action)
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  UnitedMemoryLinks<TLink>>>())
            {
                action(scope.Use<ILinks<TLink>>());
            }
        }
    }
}
```

1.175 ./csharp/Platform.Data.Doublets.Tests/ILinksExtensionsTests.cs

```
using Xunit;

namespace Platform.Data.Doublets.Tests
{
    public class ILinksExtensionsTests
    {
        [Fact]
        public void FormatTest()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;
                var link = links.Create();
                var linkString = links.Format(link);
                Assert.Equal("(1: 1 1)", linkString);
            }
        }
    }
}
```

1.176 ./csharp/Platform.Data.Doublets.Tests/LinksConstantsTests.cs

```
using Xunit;

namespace Platform.Data.Doublets.Tests
{
    public static class LinksConstantsTests
    {
        [Fact]
        public static void ExternalReferencesTest()
        {
            LinksConstants<ulong> constants = new LinksConstants<ulong>((1, long.MaxValue),
            ↪  (long.MaxValue + 1UL, ulong.MaxValue));

            //var minimum = new Hybrid<ulong>(0, isExternal: true);
            var minimum = new Hybrid<ulong>(1, isExternal: true);
            var maximum = new Hybrid<ulong>(long.MaxValue, isExternal: true);

            Assert.True(constants.IsExternalReference(minimum));
            Assert.True(constants.IsExternalReference(maximum));
        }
    }
}
```

1.177 ./csharp/Platform.Data.Doublets.Tests/Numbers/Raw/BigIntegerConvertersTests.cs

```
using System.Numerics;
using Platform.Data.Doublets.Memory;
using Platform.Data.Doublets.Memory.United.Generic;
using Platform.Data.Doublets.Numbers.Raw;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Numbers.Raw;
using Platform.Memory;
using Xunit;
using TLink = System.UInt64;

namespace Platform.Data.Doublets.Tests.Numbers.Raw
{
    public class BigIntegerConvertersTests
    {
        public ILinks<TLink> CreateLinks() => CreateLinks<TLink>(new IO.TemporaryFile());

        public ILinks<TLink> CreateLinks<TLink>(string dataDbFilename)
        {
```

```
            var linksConstants = new LinksConstants<TLink>(enableExternalReferencesSupport: true);
            return new UnitedMemoryLinks<TLink>(new FileMappedResizableDirectMemory(dataDbFilename),
                UnitedMemoryLinks<TLink>.DefaultLinksSizeStep, linksConstants,
                IndexTreeType.Default);
        }
        [Fact]
        public void Test()
        {
            var links = CreateLinks();
            BigInteger bigInt = new(1);
            AddressToRawNumberConverter<TLink> addressToRawNumberConverter = new();
            RawNumberToAddressConverter<TLink> numberToAddressConverter = new();
            BalancedVariantConverter<TLink> listToSequenceConverter = new(links);
            BigIntegerToRawNumberSequenceConverter<TLink> bigIntegerToRawNumberSequenceConverter = new(links, addressToRawNumberConverter, listToSequenceConverter);
            RawNumberSequenceToBigIntegerConverter<TLink> rawNumberSequenceToBigIntegerConverter = new(links, numberToAddressConverter);
            var bigIntSequence = bigIntegerToRawNumberSequenceConverter.Convert(bigInt);
            var bigIntFromSequence = rawNumberSequenceToBigIntegerConverter.Convert(bigIntSequence);
            Assert.Equal(bigInt, bigIntFromSequence);
        }

        [Fact]
        public void Test64BitNumber()
        {
            var links = CreateLinks();
            BigInteger bigInt = new(ulong.MaxValue);
            AddressToRawNumberConverter<TLink> addressToRawNumberConverter = new();
            RawNumberToAddressConverter<TLink> numberToAddressConverter = new();
            BalancedVariantConverter<TLink> listToSequenceConverter = new(links);
            BigIntegerToRawNumberSequenceConverter<TLink> bigIntegerToRawNumberSequenceConverter = new(links, addressToRawNumberConverter, listToSequenceConverter);
            RawNumberSequenceToBigIntegerConverter<TLink> rawNumberSequenceToBigIntegerConverter = new(links, numberToAddressConverter);
            var bigIntSequence = bigIntegerToRawNumberSequenceConverter.Convert(bigInt);
            var bigIntFromSequence = rawNumberSequenceToBigIntegerConverter.Convert(bigIntSequence);
            Assert.Equal(bigInt, bigIntFromSequence);
        }

        [Fact]
        public void Test65BitNumber()
        {
            var links = CreateLinks();
            BigInteger bigInt = new(ulong.MaxValue);
            bigInt *= 2;
            AddressToRawNumberConverter<TLink> addressToRawNumberConverter = new();
            RawNumberToAddressConverter<TLink> numberToAddressConverter = new();
            BalancedVariantConverter<TLink> listToSequenceConverter = new(links);
            BigIntegerToRawNumberSequenceConverter<TLink> bigIntegerToRawNumberSequenceConverter = new(links, addressToRawNumberConverter, listToSequenceConverter);
            RawNumberSequenceToBigIntegerConverter<TLink> rawNumberSequenceToBigIntegerConverter = new(links, numberToAddressConverter);
            var bigIntSequence = bigIntegerToRawNumberSequenceConverter.Convert(bigInt);
            var bigIntFromSequence = rawNumberSequenceToBigIntegerConverter.Convert(bigIntSequence);
            Assert.Equal(bigInt, bigIntFromSequence);
        }
    }
}
```

1.178 ./csharp/Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs

```
using System;
using System.Linq;
using Xunit;
using Platform.Collections.Stacks;
using Platform.Collections.Arrays;
using Platform.Memory;
using Platform.Data.Numbers.Raw;
using Platform.Data.Doublets.Sequences;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.PropertyOperators;
using Platform.Data.Doublets.Incrementers;
using Platform.Data.Doublets.Sequences.Walkers;
```

```
using Platform.Data.Doublets.Sequences.Indexes;
using Platform.Data.Doublets.Unicode;
using Platform.Data.Doublets.Numbers.Unary;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.Memory.United.Specific;
using Platform.Data.Doublets.Memory;

namespace Platform.Data.Doublets.Tests
{
    public static class OptimalVariantSequenceTests
    {
        private static readonly string _sequenceExample = "зеленела зелёная зелень";
        private static readonly string _loremIpsumExample = @"Lorem ipsum dolor sit amet,
        ↪  consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
        ↪  magna aliqua.
Facilisi nullam vehicula ipsum a arcu cursus vitae congue mauris.
Et malesuada fames ac turpis egestas sed.
Eget velit aliquet sagittis id consectetur purus.
Dignissim cras tincidunt lobortis feugiat vivamus.
Vitae aliquet nec ullamcorper sit.
Lectus quam id leo in vitae.
Tortor dignissim convallis aenean et tortor at risus viverra adipiscing.
Sed risus ultricies tristique nulla aliquet enim tortor at auctor.
Integer eget aliquet nibh praesent tristique.
Vitae congue eu consequat ac felis donec et odio.
Tristique et egestas quis ipsum suspendisse.
Suspendisse potenti nullam ac tortor vitae purus faucibus ornare.
Nulla facilisi etiam dignissim diam quis enim lobortis scelerisque.
Imperdiet proin fermentum leo vel orci.
In ante metus dictum at tempor commodo.
Nisi lacus sed viverra tellus in.
Quam vulputate dignissim suspendisse in.
Elit scelerisque mauris pellentesque pulvinar pellentesque habitant morbi tristique senectus.
Gravida cum sociis natoque penatibus et magnis dis parturient.
Risus quis varius quam quisque id diam.
Congue nisi vitae suscipit tellus mauris a diam maecenas.
Eget nunc scelerisque viverra mauris in aliquam sem fringilla.
Pharetra vel turpis nunc eget lorem dolor sed viverra.
Mattis pellentesque id nibh tortor id aliquet.
Purus non enim praesent elementum facilisis leo vel.
Etiam sit amet nisl purus in mollis nunc sed.
Tortor at auctor urna nunc id cursus metus aliquam.
Volutpat odio facilisis mauris sit amet.
Turpis egestas pretium aenean pharetra magna ac placerat.
Fermentum dui faucibus in ornare quam viverra orci sagittis eu.
Porttitor leo a diam sollicitudin tempor id eu.
Volutpat sed cras ornare arcu dui.
Ut aliquam purus sit amet luctus venenatis lectus magna.
Aliquet risus feugiat in ante metus dictum at.
Mattis nunc sed blandit libero.
Elit pellentesque habitant morbi tristique senectus et netus.
Nibh sit amet commodo nulla facilisi nullam vehicula ipsum a.
Enim sit amet venenatis urna cursus eget nunc scelerisque viverra.
Amet venenatis urna cursus eget nunc scelerisque viverra mauris in.
Diam donec adipiscing tristique risus nec feugiat.
Pulvinar mattis nunc sed blandit libero volutpat.
Cras fermentum odio eu feugiat pretium nibh ipsum.
In nulla posuere sollicitudin aliquam ultrices sagittis orci a.
Mauris pellentesque pulvinar pellentesque habitant morbi tristique senectus et.
A iaculis at erat pellentesque.
Morbi blandit cursus risus at ultrices mi tempus imperdiet nulla.
Eget lorem dolor sed viverra ipsum nunc.
Leo a diam sollicitudin tempor id eu.
Interdum consectetur libero id faucibus nisl tincidunt eget nullam non.";

        [Fact]
        public static void LinksBasedFrequencyStoredOptimalVariantSequenceTest()
        {
            using (var scope = new TempLinksTestScope(useSequences: false))
            {
                var links = scope.Links;
                var constants = links.Constants;

                links.UseUnicode();

                var sequence = UnicodeMap.FromStringToLinkArray(_sequenceExample);

                var meaningRoot = links.CreatePoint();
                var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
                var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
                var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
                ↪  constants.Itself);

```

```
95                  var unaryNumberToAddressConverter = new
                    ↪  UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
96                  var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
97                  var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
                    ↪  frequencyMarker, unaryOne, unaryNumberIncrementer);
98                  var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
                    ↪  frequencyPropertyMarker, frequencyMarker);
99                  var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
                    ↪  frequencyPropertyOperator, frequencyIncrementer);
100                 var linkToItsFrequencyNumberConverter = new
                    ↪  LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
                    ↪  unaryNumberToAddressConverter);
101                 var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    ↪  linkToItsFrequencyNumberConverter);
102                 var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    ↪  sequenceToItsLocalElementLevelsConverter);
103
104                 var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
                    ↪  Walker = new LeveledSequenceWalker<ulong>(links) });
105
106                 ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
                    ↪  index, optimalVariantConverter);
107             }
108         }
109
110         [Fact]
111         public static void DictionaryBasedFrequencyStoredOptimalVariantSequenceTest()
112         {
113             using (var scope = new TempLinksTestScope(useSequences: false))
114             {
115                 var links = scope.Links;
116
117                 links.UseUnicode();
118
119                 var sequence = UnicodeMap.FromStringToLinkArray(_sequenceExample);
120
121                 var totalSequenceSymbolFrequencyCounter = new
                    ↪  TotalSequenceSymbolFrequencyCounter<ulong>(links);
122
123                 var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
                    ↪  totalSequenceSymbolFrequencyCounter);
124
125                 var index = new
                    ↪  CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
126                 var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
                    ↪  ncyNumberConverter<ulong>(linkFrequenciesCache);
127
128                 var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    ↪  linkToItsFrequencyNumberConverter);
129                 var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    ↪  sequenceToItsLocalElementLevelsConverter);
130
131                 var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
                    ↪  Walker = new LeveledSequenceWalker<ulong>(links) });
132
133                 ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
                    ↪  index, optimalVariantConverter);
134             }
135         }
136
137         private static void ExecuteTest(Sequences.Sequences sequences, ulong[] sequence,
            ↪  SequenceToItsLocalElementLevelsConverter<ulong>
            ↪  sequenceToItsLocalElementLevelsConverter, ISequenceIndex<ulong> index,
            ↪  OptimalVariantConverter<ulong> optimalVariantConverter)
138         {
139             index.Add(sequence);
140
141             var optimalVariant = optimalVariantConverter.Convert(sequence);
142
143             var readSequence1 = sequences.ToList(optimalVariant);
144
145             Assert.True(sequence.SequenceEqual(readSequence1));
146         }
147
148         [Fact]
149         public static void SavedSequencesOptimizationTest()
```

```
        {
            LinksConstants<ulong> constants = new LinksConstants<ulong>((1, long.MaxValue),
            ↪  (long.MaxValue + 1UL, ulong.MaxValue));

            using (var memory = new HeapResizableDirectMemory())
            using (var disposableLinks = new UInt64UnitedMemoryLinks(memory,
            ↪  UInt64UnitedMemoryLinks.DefaultLinksSizeStep, constants, IndexTreeType.Default))
            {
                var links = new UInt64Links(disposableLinks);

                var root = links.CreatePoint();

                //var numberToAddressConverter = new RawNumberToAddressConverter<ulong>();
                var addressToNumberConverter = new AddressToRawNumberConverter<ulong>();

                var unicodeSymbolMarker = links.GetOrCreate(root,
                ↪  addressToNumberConverter.Convert(1));
                var unicodeSequenceMarker = links.GetOrCreate(root,
                ↪  addressToNumberConverter.Convert(2));

                var totalSequenceSymbolFrequencyCounter = new
                ↪  TotalSequenceSymbolFrequencyCounter<ulong>(links);
                var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
                ↪  totalSequenceSymbolFrequencyCounter);
                var index = new
                ↪  CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
                var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFreque
                ↪  ncyNumberConverter<ulong>(linkFrequenciesCache);
                var sequenceToItsLocalElementLevelsConverter = new
                ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                ↪  linkToItsFrequencyNumberConverter);
                var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                ↪  sequenceToItsLocalElementLevelsConverter);

                var walker = new RightSequenceWalker<ulong>(links, new DefaultStack<ulong>(),
                ↪  (link) => constants.IsExternalReference(link) || links.IsPartialPoint(link));

                var unicodeSequencesOptions = new SequencesOptions<ulong>()
                {
                    UseSequenceMarker = true,
                    SequenceMarkerLink = unicodeSequenceMarker,
                    UseIndex = true,
                    Index = index,
                    LinksToSequenceConverter = optimalVariantConverter,
                    Walker = walker,
                    UseGarbageCollection = true
                };

                var unicodeSequences = new Sequences.Sequences(new
                ↪  SynchronizedLinks<ulong>(links), unicodeSequencesOptions);

                // Create some sequences
                var strings = _loremIpsumExample.Split(new[] { '\n', '\r' },
                ↪  StringSplitOptions.RemoveEmptyEntries);
                var arrays = strings.Select(x => x.Select(y =>
                ↪  addressToNumberConverter.Convert(y)).ToArray()).ToArray();
                for (int i = 0; i < arrays.Length; i++)
                {
                    unicodeSequences.Create(arrays[i].ShiftRight());
                }

                var linksCountAfterCreation = links.Count();

                // get list of sequences links
                // for each sequence link
                //   create new sequence version
                //   if new sequence is not the same as sequence link
                //     delete sequence link
                //     collect garbadge
                unicodeSequences.CompactAll();

                var linksCountAfterCompactification = links.Count();

                Assert.True(linksCountAfterCompactification < linksCountAfterCreation);
            }
        }
    }
}
```

1.179 ./csharp/Platform.Data.Doublets.Tests/ReadSequenceTests.cs

```
using System;
using System.Collections.Generic;
using System.Diagnostics;
using System.Linq;
using Xunit;
using Platform.Data.Sequences;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Sequences;

namespace Platform.Data.Doublets.Tests
{
    public static class ReadSequenceTests
    {
        [Fact]
        public static void ReadSequenceTest()
        {
            const long sequenceLength = 2000;

            using (var scope = new TempLinksTestScope(useSequences: false))
            {
                var links = scope.Links;
                var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong> { Walker = new LeveledSequenceWalker<ulong>(links) });

                var sequence = new ulong[sequenceLength];
                for (var i = 0; i < sequenceLength; i++)
                {
                    sequence[i] = links.Create();
                }

                var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);

                var sw1 = Stopwatch.StartNew();
                var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();

                var sw2 = Stopwatch.StartNew();
                var readSequence1 = sequences.ToList(balancedVariant); sw2.Stop();

                var sw3 = Stopwatch.StartNew();
                var readSequence2 = new List<ulong>();
                SequenceWalker.WalkRight(balancedVariant,
                                         links.GetSource,
                                         links.GetTarget,
                                         links.IsPartialPoint,
                                         readSequence2.Add);
                sw3.Stop();

                Assert.True(sequence.SequenceEqual(readSequence1));

                Assert.True(sequence.SequenceEqual(readSequence2));

                // Assert.True(sw2.Elapsed < sw3.Elapsed);

                Console.WriteLine($"Stack-based walker: {sw3.Elapsed}, Level-based reader: {sw2.Elapsed}");

                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }
            }
        }
    }
}
```

1.180 ./csharp/Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs

```
using System.IO;
using Xunit;
using Platform.Singletons;
using Platform.Memory;
using Platform.Data.Doublets.Memory.United.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class ResizableDirectMemoryLinksTests
    {
        private static readonly LinksConstants<ulong> _constants = Default<LinksConstants<ulong>>.Instance;

```

```
13          [Fact]
14          public static void BasicFileMappedMemoryTest()
15          {
16              var tempFilename = Path.GetTempFileName();
17              using (var memoryAdapter = new UInt64UnitedMemoryLinks(tempFilename))
18              {
19                  memoryAdapter.TestBasicMemoryOperations();
20              }
21              File.Delete(tempFilename);
22          }
23
24          [Fact]
25          public static void BasicHeapMemoryTest()
26          {
27              using (var memory = new
                ↪  HeapResizableDirectMemory(UInt64UnitedMemoryLinks.DefaultLinksSizeStep))
28              using (var memoryAdapter = new UInt64UnitedMemoryLinks(memory,
                ↪  UInt64UnitedMemoryLinks.DefaultLinksSizeStep))
29              {
30                  memoryAdapter.TestBasicMemoryOperations();
31              }
32          }
33
34          private static void TestBasicMemoryOperations(this ILinks<ulong> memoryAdapter)
35          {
36              var link = memoryAdapter.Create();
37              memoryAdapter.Delete(link);
38          }
39
40          [Fact]
41          public static void NonexistentReferencesHeapMemoryTest()
42          {
43              using (var memory = new
                ↪  HeapResizableDirectMemory(UInt64UnitedMemoryLinks.DefaultLinksSizeStep))
44              using (var memoryAdapter = new UInt64UnitedMemoryLinks(memory,
                ↪  UInt64UnitedMemoryLinks.DefaultLinksSizeStep))
45              {
46                  memoryAdapter.TestNonexistentReferences();
47              }
48          }
49
50          private static void TestNonexistentReferences(this ILinks<ulong> memoryAdapter)
51          {
52              var link = memoryAdapter.Create();
53              memoryAdapter.Update(link, ulong.MaxValue, ulong.MaxValue);
54              var resultLink = _constants.Null;
55              memoryAdapter.Each(foundLink =>
56              {
57                  resultLink = foundLink[_constants.IndexPart];
58                  return _constants.Break;
59              }, _constants.Any, ulong.MaxValue, ulong.MaxValue);
60              Assert.True(resultLink == link);
61              Assert.True(memoryAdapter.Count(ulong.MaxValue) == 0);
62              memoryAdapter.Delete(link);
63          }
64      }
65  }
```

1.181 ./csharp/Platform.Data.Doublets.Tests/ScopeTests.cs

```
1   using Xunit;
2   using Platform.Scopes;
3   using Platform.Memory;
4   using Platform.Data.Doublets.Decorators;
5   using Platform.Reflection;
6   using Platform.Data.Doublets.Memory.United.Generic;
7   using Platform.Data.Doublets.Memory.United.Specific;
8
9   namespace Platform.Data.Doublets.Tests
10  {
11      public static class ScopeTests
12      {
13          [Fact]
14          public static void SingleDependencyTest()
15          {
16              using (var scope = new Scope())
17              {
18                  scope.IncludeAssemblyOf<IMemory>();
19                  var instance = scope.Use<IDirectMemory>();
20                  Assert.IsType<HeapResizableDirectMemory>(instance);
```

```
            }
        }

        [Fact]
        public static void CascadeDependencyTest()
        {
            using (var scope = new Scope())
            {
                scope.Include<TemporaryFileMappedResizableDirectMemory>();
                scope.Include<UInt64UnitedMemoryLinks>();
                var instance = scope.Use<ILinks<ulong>>();
                Assert.IsType<UInt64UnitedMemoryLinks>(instance);
            }
        }

        [Fact(Skip = "Would be fixed later.")]
        public static void FullAutoResolutionTest()
        {
            using (var scope = new Scope(autoInclude: true, autoExplore: true))
            {
                var instance = scope.Use<UInt64Links>();
                Assert.IsType<UInt64Links>(instance);
            }
        }

        [Fact]
        public static void TypeParametersTest()
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  UnitedMemoryLinks<ulong>>>())
            {
                var links = scope.Use<ILinks<ulong>>();
                Assert.IsType<UnitedMemoryLinks<ulong>>(links);
            }
        }
    }
}
```

1.182 ./csharp/Platform.Data.Doublets.Tests/SequencesTests.cs

```
using System;
using System.Collections.Generic;
using System.Diagnostics;
using System.Linq;
using Xunit;
using Platform.Collections;
using Platform.Collections.Arrays;
using Platform.Random;
using Platform.IO;
using Platform.Singletons;
using Platform.Data.Doublets.Sequences;
using Platform.Data.Doublets.Sequences.Frequencies.Cache;
using Platform.Data.Doublets.Sequences.Frequencies.Counters;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Unicode;

namespace Platform.Data.Doublets.Tests
{
    public static class SequencesTests
    {
        private static readonly LinksConstants<ulong> _constants =
        ↪  Default<LinksConstants<ulong>>.Instance;

        static SequencesTests()
        {
            // Trigger static constructor to not mess with perfomance measurements
            _ = BitString.GetBitMaskFromIndex(1);
        }

        [Fact]
        public static void CreateAllVariantsTest()
        {
            const long sequenceLength = 8;

            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var sequence = new ulong[sequenceLength];
                for (var i = 0; i < sequenceLength; i++)
```

```
            {
                sequence[i] = links.Create();
            }

            var sw1 = Stopwatch.StartNew();
            var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();

            var sw2 = Stopwatch.StartNew();
            var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();

            Assert.True(results1.Count > results2.Length);
            Assert.True(sw1.Elapsed > sw2.Elapsed);

            for (var i = 0; i < sequenceLength; i++)
            {
                links.Delete(sequence[i]);
            }

            Assert.True(links.Count() == 0);
        }
    }

    //[Fact]
    //public void CUDTest()
    //{
    //    var tempFilename = Path.GetTempFileName();

    //    const long sequenceLength = 8;

    //    const ulong itself = LinksConstants.Itself;

    //    using (var memoryAdapter = new ResizableDirectMemoryLinks(tempFilename,
    ↪  DefaultLinksSizeStep))
    //    using (var links = new Links(memoryAdapter))
    //    {
    //        var sequence = new ulong[sequenceLength];
    //        for (var i = 0; i < sequenceLength; i++)
    //            sequence[i] = links.Create(itself, itself);

    //        SequencesOptions o = new SequencesOptions();

    // TODO: Из числа в bool значения o.UseSequenceMarker = ((value & 1) != 0)
    //        o.

    //        var sequences = new Sequences(links);

    //        var sw1 = Stopwatch.StartNew();
    //        var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();

    //        var sw2 = Stopwatch.StartNew();
    //        var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();

    //        Assert.True(results1.Count > results2.Length);
    //        Assert.True(sw1.Elapsed > sw2.Elapsed);

    //        for (var i = 0; i < sequenceLength; i++)
    //            links.Delete(sequence[i]);
    //    }

    //    File.Delete(tempFilename);
    //}

    [Fact]
    public static void AllVariantsSearchTest()
    {
        const long sequenceLength = 8;

        using (var scope = new TempLinksTestScope(useSequences: true))
        {
            var links = scope.Links;
            var sequences = scope.Sequences;

            var sequence = new ulong[sequenceLength];
            for (var i = 0; i < sequenceLength; i++)
            {
                sequence[i] = links.Create();
            }

            var createResults = sequences.CreateAllVariants2(sequence).Distinct().ToArray();

```

```
120                 //for (int i = 0; i < createResults.Length; i++)
121                 //    sequences.Create(createResults[i]);
122
123                 var sw0 = Stopwatch.StartNew();
124                 var searchResults0 = sequences.GetAllMatchingSequences0(sequence); sw0.Stop();
125
126                 var sw1 = Stopwatch.StartNew();
127                 var searchResults1 = sequences.GetAllMatchingSequences1(sequence); sw1.Stop();
128
129                 var sw2 = Stopwatch.StartNew();
130                 var searchResults2 = sequences.Each1(sequence); sw2.Stop();
131
132                 var sw3 = Stopwatch.StartNew();
133                 var searchResults3 = sequences.Each(sequence.ShiftRight()); sw3.Stop();
134
135                 var intersection0 = createResults.Intersect(searchResults0).ToList();
136                 Assert.True(intersection0.Count == searchResults0.Count);
137                 Assert.True(intersection0.Count == createResults.Length);
138
139                 var intersection1 = createResults.Intersect(searchResults1).ToList();
140                 Assert.True(intersection1.Count == searchResults1.Count);
141                 Assert.True(intersection1.Count == createResults.Length);
142
143                 var intersection2 = createResults.Intersect(searchResults2).ToList();
144                 Assert.True(intersection2.Count == searchResults2.Count);
145                 Assert.True(intersection2.Count == createResults.Length);
146
147                 var intersection3 = createResults.Intersect(searchResults3).ToList();
148                 Assert.True(intersection3.Count == searchResults3.Count);
149                 Assert.True(intersection3.Count == createResults.Length);
150
151                 for (var i = 0; i < sequenceLength; i++)
152                 {
153                     links.Delete(sequence[i]);
154                 }
155             }
156         }
157
158         [Fact]
159         public static void BalancedVariantSearchTest()
160         {
161             const long sequenceLength = 200;
162
163             using (var scope = new TempLinksTestScope(useSequences: true))
164             {
165                 var links = scope.Links;
166                 var sequences = scope.Sequences;
167
168                 var sequence = new ulong[sequenceLength];
169                 for (var i = 0; i < sequenceLength; i++)
170                 {
171                     sequence[i] = links.Create();
172                 }
173
174                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
175
176                 var sw1 = Stopwatch.StartNew();
177                 var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
178
179                 var sw2 = Stopwatch.StartNew();
180                 var searchResults2 = sequences.GetAllMatchingSequences0(sequence); sw2.Stop();
181
182                 var sw3 = Stopwatch.StartNew();
183                 var searchResults3 = sequences.GetAllMatchingSequences1(sequence); sw3.Stop();
184
185                 // На количестве в 200 элементов это будет занимать вечность
186                 //var sw4 = Stopwatch.StartNew();
187                 //var searchResults4 = sequences.Each(sequence); sw4.Stop();
188
189                 Assert.True(searchResults2.Count == 1 && balancedVariant == searchResults2[0]);
190
191                 Assert.True(searchResults3.Count == 1 && balancedVariant ==
                    ↪ searchResults3.First());
192
193                 //Assert.True(sw1.Elapsed < sw2.Elapsed);
194
195                 for (var i = 0; i < sequenceLength; i++)
196                 {
197                     links.Delete(sequence[i]);
198                 }
```

```
199             }
200         }
201
202         [Fact]
203         public static void AllPartialVariantsSearchTest()
204         {
205             const long sequenceLength = 8;
206
207             using (var scope = new TempLinksTestScope(useSequences: true))
208             {
209                 var links = scope.Links;
210                 var sequences = scope.Sequences;
211
212                 var sequence = new ulong[sequenceLength];
213                 for (var i = 0; i < sequenceLength; i++)
214                 {
215                     sequence[i] = links.Create();
216                 }
217
218                 var createResults = sequences.CreateAllVariants2(sequence);
219
220                 //var createResultsStrings = createResults.Select(x => x + ": " +
                    ↪ sequences.FormatSequence(x)).ToList();
221                 //Global.Trash = createResultsStrings;
222
223                 var partialSequence = new ulong[sequenceLength - 2];
224
225                 Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
226
227                 var sw1 = Stopwatch.StartNew();
228                 var searchResults1 =
                    ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
229
230                 var sw2 = Stopwatch.StartNew();
231                 var searchResults2 =
                    ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
232
233                 //var sw3 = Stopwatch.StartNew();
234                 //var searchResults3 =
                    ↪ sequences.GetAllPartiallyMatchingSequences2(partialSequence); sw3.Stop();
235
236                 var sw4 = Stopwatch.StartNew();
237                 var searchResults4 =
                    ↪ sequences.GetAllPartiallyMatchingSequences3(partialSequence); sw4.Stop();
238
239                 //Global.Trash = searchResults3;
240
241                 //var searchResults1Strings = searchResults1.Select(x => x + ": " +
                    ↪ sequences.FormatSequence(x)).ToList();
242                 //Global.Trash = searchResults1Strings;
243
244                 var intersection1 = createResults.Intersect(searchResults1).ToList();
245                 Assert.True(intersection1.Count == createResults.Length);
246
247                 var intersection2 = createResults.Intersect(searchResults2).ToList();
248                 Assert.True(intersection2.Count == createResults.Length);
249
250                 var intersection4 = createResults.Intersect(searchResults4).ToList();
251                 Assert.True(intersection4.Count == createResults.Length);
252
253                 for (var i = 0; i < sequenceLength; i++)
254                 {
255                     links.Delete(sequence[i]);
256                 }
257             }
258         }
259
260         [Fact]
261         public static void BalancedPartialVariantsSearchTest()
262         {
263             const long sequenceLength = 200;
264
265             using (var scope = new TempLinksTestScope(useSequences: true))
266             {
267                 var links = scope.Links;
268                 var sequences = scope.Sequences;
269
270                 var sequence = new ulong[sequenceLength];
271                 for (var i = 0; i < sequenceLength; i++)
272                 {
```

```
                    sequence[i] = links.Create();
                }

                var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);

                var balancedVariant = balancedVariantConverter.Convert(sequence);

                var partialSequence = new ulong[sequenceLength - 2];

                Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);

                var sw1 = Stopwatch.StartNew();
                var searchResults1 =
                ↪  sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();

                var sw2 = Stopwatch.StartNew();
                var searchResults2 =
                ↪  sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();

                Assert.True(searchResults1.Count == 1 && balancedVariant == searchResults1[0]);

                Assert.True(searchResults2.Count == 1 && balancedVariant ==
                ↪  searchResults2.First());

                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }
            }
        }

        [Fact(Skip = "Correct implementation is pending")]
        public static void PatternMatchTest()
        {
            var zeroOrMany = Sequences.Sequences.ZeroOrMany;

            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var e1 = links.Create();
                var e2 = links.Create();

                var sequence = new[]
                {
                    e1, e2, e1, e2 // mama / papa
                };

                var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);

                var balancedVariant = balancedVariantConverter.Convert(sequence);

                // 1: [1]
                // 2: [2]
                // 3: [1,2]
                // 4: [1,2,1,2]

                var doublet = links.GetSource(balancedVariant);

                var matchedSequences1 = sequences.MatchPattern(e2, e1, zeroOrMany);

                Assert.True(matchedSequences1.Count == 0);

                var matchedSequences2 = sequences.MatchPattern(zeroOrMany, e2, e1);

                Assert.True(matchedSequences2.Count == 0);

                var matchedSequences3 = sequences.MatchPattern(e1, zeroOrMany, e1);

                Assert.True(matchedSequences3.Count == 0);

                var matchedSequences4 = sequences.MatchPattern(e1, zeroOrMany, e2);

                Assert.Contains(doublet, matchedSequences4);
                Assert.Contains(balancedVariant, matchedSequences4);

                for (var i = 0; i < sequence.Length; i++)
                {
                    links.Delete(sequence[i]);
```

```
                }
            }
        }

        [Fact]
        public static void IndexTest()
        {
            using (var scope = new TempLinksTestScope(new SequencesOptions<ulong> { UseIndex = true }, useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;
                var index = sequences.Options.Index;

                var e1 = links.Create();
                var e2 = links.Create();

                var sequence = new[]
                {
                    e1, e2, e1, e2 // mama / papa
                };

                Assert.False(index.MightContain(sequence));

                index.Add(sequence);

                Assert.True(index.MightContain(sequence));
            }
        }

        /// <summary>Imported from https://raw.githubusercontent.com/wiki/Konard/LinksPlatform/%D0%9E-%D1%82%D0%BE%D0%BC%2C-%D0%BA%D0%B0%D0%BA-%D0%B2%D1%81%D1%91-%D0%BD%D0%B0%D1%87%D0%B8%D0%BD%D0%B0%D0%BB%D0%BE%D1%81%D1%8C.md</summary>
        private static readonly string _exampleText =
            @"([english
            version](https://github.com/Konard/LinksPlatform/wiki/About-the-beginning))

Обозначение пустоты, какое оно? Темнота ли это? Там где отсутствие света, отсутствие фотонов (носителей света)? Или это то, что полностью отражает свет? Пустой белый лист бумаги? Там где есть место для нового начала? Разве пустота это не характеристика пространства? Пространство это то, что можно чем-то наполнить?

[![чёрное пространство, белое пространство](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png ""чёрное пространство, белое пространство"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png)

Что может быть минимальным рисунком, образом, графикой? Может быть это точка? Это ли простейшая форма? Но есть ли у точки размер? Цвет? Масса? Координаты? Время существования?

[![чёрное пространство, чёрная точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png ""чёрное пространство, чёрная точка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png)

А что если повторить? Сделать копию? Создать дубликат? Из одного сделать два? Может это быть так? Инверсия? Отражение? Сумма?

[![белая точка, чёрная точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png ""белая точка, чёрная точка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png)

А что если мы вообразим движение? Нужно ли время? Каким самым коротким будет путь? Что будет если этот путь зафиксировать? Запомнить след? Как две точки становятся линией? Чертой? Гранью? Разделителем? Единицей?

[![две белые точки, чёрная вертикальная линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png ""две белые точки, чёрная вертикальная линия"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png)

Можно ли замкнуть движение? Может ли это быть кругом? Можно ли замкнуть время? Или остаётся только спираль? Но что если замкнуть предел? Создать ограничение, разделение? Получится замкнутая область? Полностью отделённая от всего остального? Но что это всё остальное? Что можно делить? В каком направлении? Ничего или всё? Пустота или полнота? Начало или конец? Или может быть это единица и ноль? Дуальность? Противоположность? А что будет с кругом если у него нет размера? Будет ли круг точкой? Точка состоящая из точек?

```

[![белая вертикальная линия, чёрный круг](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png ""белая вертикальная линия, чёрный круг"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png)

Как ещё можно использовать грань, черту, линию? А что если она может что-то соединять, может тогда её нужно повернуть? Почему то, что перпендикулярно вертикальному горизонтально? Горизонт? Инвертирует ли это смысл? Что такое смысл? Из чего состоит смысл? Существует ли элементарная единица смысла?

[![белый круг, чёрная горизонтальная линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png ""белый круг, чёрная горизонтальная линия"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png)

Соединять, допустим, а какой смысл в этом есть ещё? Что если помимо смысла ""соединить, связать"", есть ещё и смысл направления ""от начала к концу""? От предка к потомку? От родителя к ребёнку? От общего к частному?

[![белая горизонтальная линия, чёрная горизонтальная стрелка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png ""белая горизонтальная линия, чёрная горизонтальная стрелка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png)

Шаг назад. Возьмём опять отделённую область, которая лишь та же замкнутая линия, что ещё она может представлять собой? Объект? Но в чём его суть? Разве не в том, что у него есть граница, разделяющая внутреннее и внешнее? Допустим связь, стрелка, линия соединяет два объекта, как бы это выглядело?

[![белая связь, чёрная направленная связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png ""белая связь, чёрная направленная связь"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png)

Допустим у нас есть смысл ""связать"" и смысл ""направления"", много ли это нам даёт? Много ли вариантов интерпретации? А что если уточнить, каким именно образом выполнена связь? Что если можно задать ей чёткий, конкретный смысл? Что это будет? Тип? Глагол? Связка? Действие? Трансформация? Переход из состояния в состояние? Или всё это и есть объект, суть которого в его конечном состоянии, если конечно конец определён направлением?

[![белая обычная и направленная связи, чёрная типизированная связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png ""белая обычная и направленная связи, чёрная типизированная связь"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png)

А что если всё это время, мы смотрели на суть как бы снаружи? Можно ли взглянуть на это изнутри? Что будет внутри объектов? Объекты ли это? Или это связи? Может ли эта структура описать сама себя? Но что тогда получится, разве это не рекурсия? Может это фрактал?

[![белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная связь с рекурсивной внутренней структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png ""белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная связь с рекурсивной внутренней структурой"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png)

На один уровень внутрь (вниз)? Или на один уровень во вне (вверх)? Или это можно назвать шагом рекурсии или фрактала?

[![белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная типизированная связь с двойной рекурсивной внутренней структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png ""белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная типизированная связь с двойной рекурсивной внутренней структурой"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png)

Последовательность? Массив? Список? Множество? Объект? Таблица? Элементы? Цвета? Символы? Буквы? Слово? Цифры? Число? Алфавит? Дерево? Сеть? Граф? Гиперграф?

[![белая обычная и направленная связи со структурой из 8 цветных элементов последовательности, чёрная типизированная связь со структурой из 8 цветных элементов последовательности](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png ""белая обычная и направленная связи со структурой из 8 цветных элементов последовательности, чёрная типизированная связь со структурой из 8 цветных элементов последовательности"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png)

...

```
[![анимация](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-animation-500.gif ""анимация"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-animation-500.gif)";

        private static readonly string _exampleLoremIpsumText =
            @"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua.
Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat.";

        [Fact]
        public static void CompressionTest()
        {
            using (var scope = new TempLinksTestScope(useSequences: true))
            {
                var links = scope.Links;
                var sequences = scope.Sequences;

                var e1 = links.Create();
                var e2 = links.Create();

                var sequence = new[]
                {
                    e1, e2, e1, e2 // mama / papa / template [(m/p), a] { [1] [2] [1] [2] }
                };

                var balancedVariantConverter = new BalancedVariantConverter<ulong>(links.Unsync);
                var totalSequenceSymbolFrequencyCounter = new TotalSequenceSymbolFrequencyCounter<ulong>(links.Unsync);
                var doubletFrequenciesCache = new LinkFrequenciesCache<ulong>(links.Unsync, totalSequenceSymbolFrequencyCounter);
                var compressingConverter = new CompressingConverter<ulong>(links.Unsync, balancedVariantConverter, doubletFrequenciesCache);

                var compressedVariant = compressingConverter.Convert(sequence);

                // 1: [1]       (1->1) point
                // 2: [2]       (2->2) point
                // 3: [1,2]     (1->2) doublet
                // 4: [1,2,1,2] (3->3) doublet

                Assert.True(links.GetSource(links.GetSource(compressedVariant)) == sequence[0]);
                Assert.True(links.GetTarget(links.GetSource(compressedVariant)) == sequence[1]);
                Assert.True(links.GetSource(links.GetTarget(compressedVariant)) == sequence[2]);
                Assert.True(links.GetTarget(links.GetTarget(compressedVariant)) == sequence[3]);

                var source = _constants.SourcePart;
                var target = _constants.TargetPart;

                Assert.True(links.GetByKeys(compressedVariant, source, source) == sequence[0]);
                Assert.True(links.GetByKeys(compressedVariant, source, target) == sequence[1]);
                Assert.True(links.GetByKeys(compressedVariant, target, source) == sequence[2]);
                Assert.True(links.GetByKeys(compressedVariant, target, target) == sequence[3]);

                // 4 - length of sequence
                Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 0) == sequence[0]);
                Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 1) == sequence[1]);
                Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 2) == sequence[2]);
                Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 3) == sequence[3]);
            }
        }

        [Fact]
        public static void CompressionEfficiencyTest()
        {
            var strings = _exampleLoremIpsumText.Split(new[] { '\n', '\r' }, StringSplitOptions.RemoveEmptyEntries);
            var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
            var totalCharacters = arrays.Select(x => x.Length).Sum();

            using (var scope1 = new TempLinksTestScope(useSequences: true))
            using (var scope2 = new TempLinksTestScope(useSequences: true))
            using (var scope3 = new TempLinksTestScope(useSequences: true))
```

```
{
    scope1.Links.Unsync.UseUnicode();
    scope2.Links.Unsync.UseUnicode();
    scope3.Links.Unsync.UseUnicode();

    var balancedVariantConverter1 = new BalancedVariantConverter<ulong>(scope1.Links.Unsync);
    var totalSequenceSymbolFrequencyCounter = new TotalSequenceSymbolFrequencyCounter<ulong>(scope1.Links.Unsync);
    var linkFrequenciesCache1 = new LinkFrequenciesCache<ulong>(scope1.Links.Unsync, totalSequenceSymbolFrequencyCounter);
    var compressor1 = new CompressingConverter<ulong>(scope1.Links.Unsync, balancedVariantConverter1, linkFrequenciesCache1, doInitialFrequenciesIncrement: false);

    //var compressor2 = scope2.Sequences;
    var compressor3 = scope3.Sequences;

    var constants = Default<LinksConstants<ulong>>.Instance;

    var sequences = compressor3;
    //var meaningRoot = links.CreatePoint();
    //var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
    //var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
    //var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);

    //var unaryNumberToAddressConverter = new UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
    //var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
    //var frequencyIncrementer = new FrequencyIncrementer<ulong>(links, frequencyMarker, unaryOne, unaryNumberIncrementer);
    //var frequencyPropertyOperator = new FrequencyPropertyOperator<ulong>(links, frequencyPropertyMarker, frequencyMarker);
    //var linkFrequencyIncrementer = new LinkFrequencyIncrementer<ulong>(links, frequencyPropertyOperator, frequencyIncrementer);
    //var linkToItsFrequencyNumberConverter = new LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator, unaryNumberToAddressConverter);

    var linkFrequenciesCache3 = new LinkFrequenciesCache<ulong>(scope3.Links.Unsync, totalSequenceSymbolFrequencyCounter);

    var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<ulong>(linkFrequenciesCache3);

    var sequenceToItsLocalElementLevelsConverter = new SequenceToItsLocalElementLevelsConverter<ulong>(scope3.Links.Unsync, linkToItsFrequencyNumberConverter);
    var optimalVariantConverter = new OptimalVariantConverter<ulong>(scope3.Links.Unsync, sequenceToItsLocalElementLevelsConverter);

    var compressed1 = new ulong[arrays.Length];
    var compressed2 = new ulong[arrays.Length];
    var compressed3 = new ulong[arrays.Length];

    var START = 0;
    var END = arrays.Length;

    //for (int i = START; i < END; i++)
    //    linkFrequenciesCache1.IncrementFrequencies(arrays[i]);

    var initialCount1 = scope2.Links.Unsync.Count();

    var sw1 = Stopwatch.StartNew();

    for (int i = START; i < END; i++)
    {
        linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
        compressed1[i] = compressor1.Convert(arrays[i]);
    }

    var elapsed1 = sw1.Elapsed;

    var balancedVariantConverter2 = new BalancedVariantConverter<ulong>(scope2.Links.Unsync);
```

```
556
557                 var initialCount2 = scope2.Links.Unsync.Count();
558
559                 var sw2 = Stopwatch.StartNew();
560
561                 for (int i = START; i < END; i++)
562                 {
563                     compressed2[i] = balancedVariantConverter2.Convert(arrays[i]);
564                 }
565
566                 var elapsed2 = sw2.Elapsed;
567
568                 for (int i = START; i < END; i++)
569                 {
570                     linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
571                 }
572
573                 var initialCount3 = scope3.Links.Unsync.Count();
574
575                 var sw3 = Stopwatch.StartNew();
576
577                 for (int i = START; i < END; i++)
578                 {
579                     //linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
580                     compressed3[i] = optimalVariantConverter.Convert(arrays[i]);
581                 }
582
583                 var elapsed3 = sw3.Elapsed;
584
585                 Console.WriteLine($"Compressor: {elapsed1}, Balanced variant: {elapsed2},
                    ↪  Optimal variant: {elapsed3}");
586
587                 // Assert.True(elapsed1 > elapsed2);
588
589                 // Checks
590                 for (int i = START; i < END; i++)
591                 {
592                     var sequence1 = compressed1[i];
593                     var sequence2 = compressed2[i];
594                     var sequence3 = compressed3[i];
595
596                     var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                        ↪  scope1.Links.Unsync);
597
598                     var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                        ↪  scope2.Links.Unsync);
599
600                     var decompress3 = UnicodeMap.FromSequenceLinkToString(sequence3,
                        ↪  scope3.Links.Unsync);
601
602                     var structure1 = scope1.Links.Unsync.FormatStructure(sequence1, link =>
                        ↪  link.IsPartialPoint());
603                     var structure2 = scope2.Links.Unsync.FormatStructure(sequence2, link =>
                        ↪  link.IsPartialPoint());
604                     var structure3 = scope3.Links.Unsync.FormatStructure(sequence3, link =>
                        ↪  link.IsPartialPoint());
605
606                     //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
                        ↪  arrays[i].Length > 3)
607                     //    Assert.False(structure1 == structure2);
608                     //if (sequence3 != Constants.Null && sequence2 != Constants.Null &&
                        ↪  arrays[i].Length > 3)
609                     //    Assert.False(structure3 == structure2);
610
611                     Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
612                     Assert.True(strings[i] == decompress3 && decompress3 == decompress2);
613                 }
614
615                 Assert.True((int)(scope1.Links.Unsync.Count() - initialCount1) <
                    ↪  totalCharacters);
616                 Assert.True((int)(scope2.Links.Unsync.Count() - initialCount2) <
                    ↪  totalCharacters);
617                 Assert.True((int)(scope3.Links.Unsync.Count() - initialCount3) <
                    ↪  totalCharacters);
618
```

```
619                 Console.WriteLine($"{(double)(scope1.Links.Unsync.Count() - initialCount1) /
                    ↪  totalCharacters} | {(double)(scope2.Links.Unsync.Count() - initialCount2) /
                    ↪  totalCharacters} | {(double)(scope3.Links.Unsync.Count() - initialCount3) /
                    ↪  totalCharacters}");
620
621                 Assert.True(scope1.Links.Unsync.Count() - initialCount1 <
                    ↪  scope2.Links.Unsync.Count() - initialCount2);
622                 Assert.True(scope3.Links.Unsync.Count() - initialCount3 <
                    ↪  scope2.Links.Unsync.Count() - initialCount2);
623
624                 var duplicateProvider1 = new
                    ↪  DuplicateSegmentsProvider<ulong>(scope1.Links.Unsync, scope1.Sequences);
625                 var duplicateProvider2 = new
                    ↪  DuplicateSegmentsProvider<ulong>(scope2.Links.Unsync, scope2.Sequences);
626                 var duplicateProvider3 = new
                    ↪  DuplicateSegmentsProvider<ulong>(scope3.Links.Unsync, scope3.Sequences);
627
628                 var duplicateCounter1 = new DuplicateSegmentsCounter<ulong>(duplicateProvider1);
629                 var duplicateCounter2 = new DuplicateSegmentsCounter<ulong>(duplicateProvider2);
630                 var duplicateCounter3 = new DuplicateSegmentsCounter<ulong>(duplicateProvider3);
631
632                 var duplicates1 = duplicateCounter1.Count();
633
634                 ConsoleHelpers.Debug("------");
635
636                 var duplicates2 = duplicateCounter2.Count();
637
638                 ConsoleHelpers.Debug("------");
639
640                 var duplicates3 = duplicateCounter3.Count();
641
642                 Console.WriteLine($"{duplicates1} | {duplicates2} | {duplicates3}");
643
644                 linkFrequenciesCache1.ValidateFrequencies();
645                 linkFrequenciesCache3.ValidateFrequencies();
646             }
647         }
648
649         [Fact]
650         public static void CompressionStabilityTest()
651         {
652             // TODO: Fix bug (do a separate test)
653             //const ulong minNumbers = 0;
654             //const ulong maxNumbers = 1000;
655
656             const ulong minNumbers = 10000;
657             const ulong maxNumbers = 12500;
658
659             var strings = new List<string>();
660
661             for (ulong i = minNumbers; i < maxNumbers; i++)
662             {
663                 strings.Add(i.ToString());
664             }
665
666             var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
667             var totalCharacters = arrays.Select(x => x.Length).Sum();
668
669             using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
                    ↪  SequencesOptions<ulong> { UseCompression = true,
                    ↪  EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
670             using (var scope2 = new TempLinksTestScope(useSequences: true))
671             {
672                 scope1.Links.UseUnicode();
673                 scope2.Links.UseUnicode();
674
675                 //var compressor1 = new Compressor(scope1.Links.Unsync, scope1.Sequences);
676                 var compressor1 = scope1.Sequences;
677                 var compressor2 = scope2.Sequences;
678
679                 var compressed1 = new ulong[arrays.Length];
680                 var compressed2 = new ulong[arrays.Length];
681
682                 var sw1 = Stopwatch.StartNew();
683
684                 var START = 0;
685                 var END = arrays.Length;
686
687                 // Collisions proved (cannot be solved by max doublet comparison, no stable rule)
```

```
                    // Stability issue starts at 10001 or 11000
                    //for (int i = START; i < END; i++)
                    //{
                    //    var first = compressor1.Compress(arrays[i]);
                    //    var second = compressor1.Compress(arrays[i]);

                    //    if (first == second)
                    //        compressed1[i] = first;
                    //    else
                    //    {
                    //        // TODO: Find a solution for this case
                    //    }
                    //}

                    for (int i = START; i < END; i++)
                    {
                        var first = compressor1.Create(arrays[i].ShiftRight());
                        var second = compressor1.Create(arrays[i].ShiftRight());

                        if (first == second)
                        {
                            compressed1[i] = first;
                        }
                        else
                        {
                            // TODO: Find a solution for this case
                        }
                    }

                    var elapsed1 = sw1.Elapsed;

                    var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);

                    var sw2 = Stopwatch.StartNew();

                    for (int i = START; i < END; i++)
                    {
                        var first = balancedVariantConverter.Convert(arrays[i]);
                        var second = balancedVariantConverter.Convert(arrays[i]);

                        if (first == second)
                        {
                            compressed2[i] = first;
                        }
                    }

                    var elapsed2 = sw2.Elapsed;

                    Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
                    ↪  {elapsed2}");

                    Assert.True(elapsed1 > elapsed2);

                    // Checks
                    for (int i = START; i < END; i++)
                    {
                        var sequence1 = compressed1[i];
                        var sequence2 = compressed2[i];

                        if (sequence1 != _constants.Null && sequence2 != _constants.Null)
                        {
                            var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                            ↪  scope1.Links);

                            var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                            ↪  scope2.Links);

                            //var structure1 = scope1.Links.FormatStructure(sequence1, link =>
                            ↪  link.IsPartialPoint());
                            //var structure2 = scope2.Links.FormatStructure(sequence2, link =>
                            ↪  link.IsPartialPoint());

                            //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
                            ↪  arrays[i].Length > 3)
                            //    Assert.False(structure1 == structure2);

                            Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
                        }
                    }
```

```
761
762                 Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
763                 Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
764
765                 Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
                    ↪  totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
                    ↪  totalCharacters}");
766
767                 Assert.True(scope1.Links.Count() <= scope2.Links.Count());
768
769                 //compressor1.ValidateFrequencies();
770             }
771         }
772
773         [Fact]
774         public static void RundomNumbersCompressionQualityTest()
775         {
776             const ulong N = 500;
777
778             //const ulong minNumbers = 10000;
779             //const ulong maxNumbers = 20000;
780
781             //var strings = new List<string>();
782
783             //for (ulong i = 0; i < N; i++)
784             //    strings.Add(RandomHelpers.DefaultFactory.NextUInt64(minNumbers,
                    ↪  maxNumbers).ToString());
785
786             var strings = new List<string>();
787
788             for (ulong i = 0; i < N; i++)
789             {
790                 strings.Add(RandomHelpers.Default.NextUInt64().ToString());
791             }
792
793             strings = strings.Distinct().ToList();
794
795             var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
796             var totalCharacters = arrays.Select(x => x.Length).Sum();
797
798             using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
                    ↪  SequencesOptions<ulong> { UseCompression = true,
                    ↪  EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
799             using (var scope2 = new TempLinksTestScope(useSequences: true))
800             {
801                 scope1.Links.UseUnicode();
802                 scope2.Links.UseUnicode();
803
804                 var compressor1 = scope1.Sequences;
805                 var compressor2 = scope2.Sequences;
806
807                 var compressed1 = new ulong[arrays.Length];
808                 var compressed2 = new ulong[arrays.Length];
809
810                 var sw1 = Stopwatch.StartNew();
811
812                 var START = 0;
813                 var END = arrays.Length;
814
815                 for (int i = START; i < END; i++)
816                 {
817                     compressed1[i] = compressor1.Create(arrays[i].ShiftRight());
818                 }
819
820                 var elapsed1 = sw1.Elapsed;
821
822                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
823
824                 var sw2 = Stopwatch.StartNew();
825
826                 for (int i = START; i < END; i++)
827                 {
828                     compressed2[i] = balancedVariantConverter.Convert(arrays[i]);
829                 }
830
831                 var elapsed2 = sw2.Elapsed;
832
833                 Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
                    ↪  {elapsed2}");
834
```

```
            Assert.True(elapsed1 > elapsed2);

            // Checks
            for (int i = START; i < END; i++)
            {
                var sequence1 = compressed1[i];
                var sequence2 = compressed2[i];

                if (sequence1 != _constants.Null && sequence2 != _constants.Null)
                {
                    var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
                    ↪  scope1.Links);

                    var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
                    ↪  scope2.Links);

                    Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
                }
            }

            Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
            Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);

            Debug.WriteLine($"{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
            ↪  totalCharacters} | {(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
            ↪  totalCharacters}");

            // Can be worse than balanced variant
            //Assert.True(scope1.Links.Count() <= scope2.Links.Count());

            //compressor1.ValidateFrequencies();
        }
    }

    [Fact]
    public static void AllTreeBreakDownAtSequencesCreationBugTest()
    {
        // Made out of AllPossibleConnectionsTest test.

        //const long sequenceLength = 5; //100% bug
        const long sequenceLength = 4; //100% bug
        //const long sequenceLength = 3; //100% _no_bug (ok)

        using (var scope = new TempLinksTestScope(useSequences: true))
        {
            var links = scope.Links;
            var sequences = scope.Sequences;

            var sequence = new ulong[sequenceLength];
            for (var i = 0; i < sequenceLength; i++)
            {
                sequence[i] = links.Create();
            }

            var createResults = sequences.CreateAllVariants2(sequence);

            Global.Trash = createResults;

            for (var i = 0; i < sequenceLength; i++)
            {
                links.Delete(sequence[i]);
            }
        }
    }

    [Fact]
    public static void AllPossibleConnectionsTest()
    {
        const long sequenceLength = 5;

        using (var scope = new TempLinksTestScope(useSequences: true))
        {
            var links = scope.Links;
            var sequences = scope.Sequences;

            var sequence = new ulong[sequenceLength];
            for (var i = 0; i < sequenceLength; i++)
            {
                sequence[i] = links.Create();
```

```
            }

            var createResults = sequences.CreateAllVariants2(sequence);
            var reverseResults = sequences.CreateAllVariants2(sequence.Reverse().ToArray());

            for (var i = 0; i < 1; i++)
            {
                var sw1 = Stopwatch.StartNew();
                var searchResults1 = sequences.GetAllConnections(sequence); sw1.Stop();

                var sw2 = Stopwatch.StartNew();
                var searchResults2 = sequences.GetAllConnections1(sequence); sw2.Stop();

                var sw3 = Stopwatch.StartNew();
                var searchResults3 = sequences.GetAllConnections2(sequence); sw3.Stop();

                var sw4 = Stopwatch.StartNew();
                var searchResults4 = sequences.GetAllConnections3(sequence); sw4.Stop();

                Global.Trash = searchResults3;
                Global.Trash = searchResults4; //-V3008

                var intersection1 = createResults.Intersect(searchResults1).ToList();
                Assert.True(intersection1.Count == createResults.Length);

                var intersection2 = reverseResults.Intersect(searchResults1).ToList();
                Assert.True(intersection2.Count == reverseResults.Length);

                var intersection0 = searchResults1.Intersect(searchResults2).ToList();
                Assert.True(intersection0.Count == searchResults2.Count);

                var intersection3 = searchResults2.Intersect(searchResults3).ToList();
                Assert.True(intersection3.Count == searchResults3.Count);

                var intersection4 = searchResults3.Intersect(searchResults4).ToList();
                Assert.True(intersection4.Count == searchResults4.Count);
            }

            for (var i = 0; i < sequenceLength; i++)
            {
                links.Delete(sequence[i]);
            }
        }
    }

    [Fact(Skip = "Correct implementation is pending")]
    public static void CalculateAllUsagesTest()
    {
        const long sequenceLength = 3;

        using (var scope = new TempLinksTestScope(useSequences: true))
        {
            var links = scope.Links;
            var sequences = scope.Sequences;

            var sequence = new ulong[sequenceLength];
            for (var i = 0; i < sequenceLength; i++)
            {
                sequence[i] = links.Create();
            }

            var createResults = sequences.CreateAllVariants2(sequence);

            //var reverseResults =
            ↪  sequences.CreateAllVariants2(sequence.Reverse().ToArray());

            for (var i = 0; i < 1; i++)
            {
                var linksTotalUsages1 = new ulong[links.Count() + 1];

                sequences.CalculateAllUsages(linksTotalUsages1);

                var linksTotalUsages2 = new ulong[links.Count() + 1];

                sequences.CalculateAllUsages2(linksTotalUsages2);

                var intersection1 = linksTotalUsages1.Intersect(linksTotalUsages2).ToList();
                Assert.True(intersection1.Count == linksTotalUsages2.Length);
            }

```

```
                for (var i = 0; i < sequenceLength; i++)
                {
                    links.Delete(sequence[i]);
                }
            }
        }
    }
}
```

1.183 ./csharp/Platform.Data.Doublets.Tests/SplitMemoryGenericLinksTests.cs

```
using System;
using Xunit;
using Platform.Memory;
using Platform.Data.Doublets.Memory.Split.Generic;
using Platform.Data.Doublets.Memory;

namespace Platform.Data.Doublets.Tests
{
    public unsafe static class SplitMemoryGenericLinksTests
    {
        [Fact]
        public static void CRUDTest()
        {
            Using<byte>(links => links.TestCRUDOperations());
            Using<ushort>(links => links.TestCRUDOperations());
            Using<uint>(links => links.TestCRUDOperations());
            Using<ulong>(links => links.TestCRUDOperations());
        }

        [Fact]
        public static void RawNumbersCRUDTest()
        {
            UsingWithExternalReferences<byte>(links => links.TestRawNumbersCRUDOperations());
            UsingWithExternalReferences<ushort>(links => links.TestRawNumbersCRUDOperations());
            UsingWithExternalReferences<uint>(links => links.TestRawNumbersCRUDOperations());
            UsingWithExternalReferences<ulong>(links => links.TestRawNumbersCRUDOperations());
        }

        [Fact]
        public static void MultipleRandomCreationsAndDeletionsTest()
        {
            Using<byte>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
            ↪  MultipleRandomCreationsAndDeletions(16)); // Cannot use more because current
            ↪  implementation of tree cuts out 5 bits from the address space.
            Using<ushort>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Te
            ↪  stMultipleRandomCreationsAndDeletions(100));
            Using<uint>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
            ↪  MultipleRandomCreationsAndDeletions(100));
            Using<ulong>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Tes
            ↪  tMultipleRandomCreationsAndDeletions(100));
        }

        private static void Using<TLink>(Action<ILinks<TLink>> action)
        {
            using (var dataMemory = new HeapResizableDirectMemory())
            using (var indexMemory = new HeapResizableDirectMemory())
            using (var memory = new SplitMemoryLinks<TLink>(dataMemory, indexMemory))
            {
                action(memory);
            }
        }

        private static void UsingWithExternalReferences<TLink>(Action<ILinks<TLink>> action)
        {
            var contants = new LinksConstants<TLink>(enableExternalReferencesSupport: true);
            using (var dataMemory = new HeapResizableDirectMemory())
            using (var indexMemory = new HeapResizableDirectMemory())
            using (var memory = new SplitMemoryLinks<TLink>(dataMemory, indexMemory,
            ↪  SplitMemoryLinks<TLink>.DefaultLinksSizeStep, contants))
            {
                action(memory);
            }
        }
    }
}
```

1.184 ./csharp/Platform.Data.Doublets.Tests/SplitMemoryUInt32LinksTests.cs

```
using System;
using Xunit;
```

```
using Platform.Memory;
using Platform.Data.Doublets.Memory.Split.Specific;
using TLink = System.UInt32;

namespace Platform.Data.Doublets.Tests
{
    public unsafe static class SplitMemoryUInt32LinksTests
    {
        [Fact]
        public static void CRUDTest()
        {
            Using(links => links.TestCRUDOperations());
        }

        [Fact]
        public static void RawNumbersCRUDTest()
        {
            UsingWithExternalReferences(links => links.TestRawNumbersCRUDOperations());
        }

        [Fact]
        public static void MultipleRandomCreationsAndDeletionsTest()
        {
            Using(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultip
            ↪ leRandomCreationsAndDeletions(500));
        }

        private static void Using(Action<ILinks<TLink>> action)
        {
            using (var dataMemory = new HeapResizableDirectMemory())
            using (var indexMemory = new HeapResizableDirectMemory())
            using (var memory = new UInt32SplitMemoryLinks(dataMemory, indexMemory))
            {
                action(memory);
            }
        }

        private static void UsingWithExternalReferences(Action<ILinks<TLink>> action)
        {
            var contants = new LinksConstants<TLink>(enableExternalReferencesSupport: true);
            using (var dataMemory = new HeapResizableDirectMemory())
            using (var indexMemory = new HeapResizableDirectMemory())
            using (var memory = new UInt32SplitMemoryLinks(dataMemory, indexMemory,
            ↪ UInt32SplitMemoryLinks.DefaultLinksSizeStep, contants))
            {
                action(memory);
            }
        }
    }
}
```

1.185 ./csharp/Platform.Data.Doublets.Tests/SplitMemoryUInt64LinksTests.cs

```
using System;
using Xunit;
using Platform.Memory;
using Platform.Data.Doublets.Memory.Split.Specific;
using TLink = System.UInt64;

namespace Platform.Data.Doublets.Tests
{
    public unsafe static class SplitMemoryUInt64LinksTests
    {
        [Fact]
        public static void CRUDTest()
        {
            Using(links => links.TestCRUDOperations());
        }

        [Fact]
        public static void RawNumbersCRUDTest()
        {
            UsingWithExternalReferences(links => links.TestRawNumbersCRUDOperations());
        }

        [Fact]
        public static void MultipleRandomCreationsAndDeletionsTest()
        {
            Using(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultip
            ↪ leRandomCreationsAndDeletions(500));
```

```
        }

        private static void Using(Action<ILinks<TLink>> action)
        {
            using (var dataMemory = new HeapResizableDirectMemory())
            using (var indexMemory = new HeapResizableDirectMemory())
            using (var memory = new UInt64SplitMemoryLinks(dataMemory, indexMemory))
            {
                action(memory);
            }
        }

        private static void UsingWithExternalReferences(Action<ILinks<TLink>> action)
        {
            var contants = new LinksConstants<TLink>(enableExternalReferencesSupport: true);
            using (var dataMemory = new HeapResizableDirectMemory())
            using (var indexMemory = new HeapResizableDirectMemory())
            using (var memory = new UInt64SplitMemoryLinks(dataMemory, indexMemory,
            ↪  UInt64SplitMemoryLinks.DefaultLinksSizeStep, contants))
            {
                action(memory);
            }
        }
    }
}
```

1.186 ./csharp/Platform.Data.Doublets.Tests/TempLinksTestScope.cs

```
using System.IO;
using Platform.Disposables;
using Platform.Data.Doublets.Sequences;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.Memory.United.Specific;
using Platform.Data.Doublets.Memory.Split.Specific;
using Platform.Memory;

namespace Platform.Data.Doublets.Tests
{
    public class TempLinksTestScope : DisposableBase
    {
        public ILinks<ulong> MemoryAdapter { get; }
        public SynchronizedLinks<ulong> Links { get; }
        public Sequences.Sequences Sequences { get; }
        public string TempFilename { get; }
        public string TempTransactionLogFilename { get; }
        private readonly bool _deleteFiles;

        public TempLinksTestScope(bool deleteFiles = true, bool useSequences = false, bool
        ↪  useLog = false) : this(new SequencesOptions<ulong>(), deleteFiles, useSequences,
        ↪  useLog) { }

        public TempLinksTestScope(SequencesOptions<ulong> sequencesOptions, bool deleteFiles =
        ↪  true, bool useSequences = false, bool useLog = false)
        {
            _deleteFiles = deleteFiles;
            TempFilename = Path.GetTempFileName();
            TempTransactionLogFilename = Path.GetTempFileName();
            //var coreMemoryAdapter = new UInt64UnitedMemoryLinks(TempFilename);
            var coreMemoryAdapter = new UInt64SplitMemoryLinks(new
            ↪  FileMappedResizableDirectMemory(TempFilename), new
            ↪  FileMappedResizableDirectMemory(Path.ChangeExtension(TempFilename, "indexes")),
            ↪  UInt64SplitMemoryLinks.DefaultLinksSizeStep, new LinksConstants<ulong>(),
            ↪  Memory.IndexTreeType.Default, useLinkedList: true);
            MemoryAdapter = useLog ? (ILinks<ulong>)new
            ↪  UInt64LinksTransactionsLayer(coreMemoryAdapter, TempTransactionLogFilename) :
            ↪  coreMemoryAdapter;
            Links = new SynchronizedLinks<ulong>(new UInt64Links(MemoryAdapter));
            if (useSequences)
            {
                Sequences = new Sequences.Sequences(Links, sequencesOptions);
            }
        }

        protected override void Dispose(bool manual, bool wasDisposed)
        {
            if (!wasDisposed)
            {
                Links.Unsync.DisposeIfPossible();
                if (_deleteFiles)
                {
```

```
                    DeleteFiles();
                }
            }
        }

        public void DeleteFiles()
        {
            File.Delete(TempFilename);
            File.Delete(TempTransactionLogFilename);
        }
    }
}
```

1.187 ./csharp/Platform.Data.Doublets.Tests/TestExtensions.cs

```
using System.Collections.Generic;
using Xunit;
using Platform.Ranges;
using Platform.Numbers;
using Platform.Random;
using Platform.Setters;
using Platform.Converters;

namespace Platform.Data.Doublets.Tests
{
    public static class TestExtensions
    {
        public static void TestCRUDOperations<T>(this ILinks<T> links)
        {
            var constants = links.Constants;

            var equalityComparer = EqualityComparer<T>.Default;

            var zero = default(T);
            var one = Arithmetic.Increment(zero);

            // Create Link
            Assert.True(equalityComparer.Equals(links.Count(), zero));

            var setter = new Setter<T>(constants.Null);
            links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);

            Assert.True(equalityComparer.Equals(setter.Result, constants.Null));

            var linkAddress = links.Create();

            var link = new Link<T>(links.GetLink(linkAddress));

            Assert.True(link.Count == 3);
            Assert.True(equalityComparer.Equals(link.Index, linkAddress));
            Assert.True(equalityComparer.Equals(link.Source, constants.Null));
            Assert.True(equalityComparer.Equals(link.Target, constants.Null));

            Assert.True(equalityComparer.Equals(links.Count(), one));

            // Get first link
            setter = new Setter<T>(constants.Null);
            links.Each(constants.Any, constants.Any, setter.SetAndReturnFalse);

            Assert.True(equalityComparer.Equals(setter.Result, linkAddress));

            // Update link to reference itself
            links.Update(linkAddress, linkAddress, linkAddress);

            link = new Link<T>(links.GetLink(linkAddress));

            Assert.True(equalityComparer.Equals(link.Source, linkAddress));
            Assert.True(equalityComparer.Equals(link.Target, linkAddress));

            // Update link to reference null (prepare for delete)
            var updated = links.Update(linkAddress, constants.Null, constants.Null);

            Assert.True(equalityComparer.Equals(updated, linkAddress));

            link = new Link<T>(links.GetLink(linkAddress));

            Assert.True(equalityComparer.Equals(link.Source, constants.Null));
            Assert.True(equalityComparer.Equals(link.Target, constants.Null));

            // Delete link
            links.Delete(linkAddress);

```

```
            Assert.True(equalityComparer.Equals(links.Count(), zero));

            setter = new Setter<T>(constants.Null);
            links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);

            Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
        }

        public static void TestRawNumbersCRUDOperations<T>(this ILinks<T> links)
        {
            // Constants
            var constants = links.Constants;
            var equalityComparer = EqualityComparer<T>.Default;

            var zero = default(T);
            var one = Arithmetic.Increment(zero);
            var two = Arithmetic.Increment(one);

            var h106E = new Hybrid<T>(106L, isExternal: true);
            var h107E = new Hybrid<T>(-char.ConvertFromUtf32(107)[0]);
            var h108E = new Hybrid<T>(-108L);

            Assert.Equal(106L, h106E.AbsoluteValue);
            Assert.Equal(107L, h107E.AbsoluteValue);
            Assert.Equal(108L, h108E.AbsoluteValue);

            // Create Link (External -> External)
            var linkAddress1 = links.Create();

            links.Update(linkAddress1, h106E, h108E);

            var link1 = new Link<T>(links.GetLink(linkAddress1));

            Assert.True(equalityComparer.Equals(link1.Source, h106E));
            Assert.True(equalityComparer.Equals(link1.Target, h108E));

            // Create Link (Internal -> External)
            var linkAddress2 = links.Create();

            links.Update(linkAddress2, linkAddress1, h108E);

            var link2 = new Link<T>(links.GetLink(linkAddress2));

            Assert.True(equalityComparer.Equals(link2.Source, linkAddress1));
            Assert.True(equalityComparer.Equals(link2.Target, h108E));

            // Create Link (Internal -> Internal)
            var linkAddress3 = links.Create();

            links.Update(linkAddress3, linkAddress1, linkAddress2);

            var link3 = new Link<T>(links.GetLink(linkAddress3));

            Assert.True(equalityComparer.Equals(link3.Source, linkAddress1));
            Assert.True(equalityComparer.Equals(link3.Target, linkAddress2));

            // Search for created link
            var setter1 = new Setter<T>(constants.Null);
            links.Each(h106E, h108E, setter1.SetAndReturnFalse);

            Assert.True(equalityComparer.Equals(setter1.Result, linkAddress1));

            // Search for nonexistent link
            var setter2 = new Setter<T>(constants.Null);
            links.Each(h106E, h107E, setter2.SetAndReturnFalse);

            Assert.True(equalityComparer.Equals(setter2.Result, constants.Null));

            // Update link to reference null (prepare for delete)
            var updated = links.Update(linkAddress3, constants.Null, constants.Null);

            Assert.True(equalityComparer.Equals(updated, linkAddress3));

            link3 = new Link<T>(links.GetLink(linkAddress3));

            Assert.True(equalityComparer.Equals(link3.Source, constants.Null));
            Assert.True(equalityComparer.Equals(link3.Target, constants.Null));

            // Delete link
            links.Delete(linkAddress3);
```

```
148
149             Assert.True(equalityComparer.Equals(links.Count(), two));
150
151             var setter3 = new Setter<T>(constants.Null);
152             links.Each(constants.Any, constants.Any, setter3.SetAndReturnTrue);
153
154             Assert.True(equalityComparer.Equals(setter3.Result, linkAddress2));
155         }
156
157         public static void TestMultipleRandomCreationsAndDeletions<TLink>(this ILinks<TLink>
            ↪ links, int maximumOperationsPerCycle)
158         {
159             var comparer = Comparer<TLink>.Default;
160             var addressToUInt64Converter = CheckedConverter<TLink, ulong>.Default;
161             var uInt64ToAddressConverter = CheckedConverter<ulong, TLink>.Default;
162             for (var N = 1; N < maximumOperationsPerCycle; N++)
163             {
164                 var random = new System.Random(N);
165                 var created = 0UL;
166                 var deleted = 0UL;
167                 for (var i = 0; i < N; i++)
168                 {
169                     var linksCount = addressToUInt64Converter.Convert(links.Count());
170                     var createPoint = random.NextBoolean();
171                     if (linksCount >= 2 && createPoint)
172                     {
173                         var linksAddressRange = new Range<ulong>(1, linksCount);
174                         TLink source = uInt64ToAddressConverter.Convert(random.NextUInt64(linksA⌋
                            ↪ ddressRange));
175                         TLink target = uInt64ToAddressConverter.Convert(random.NextUInt64(linksA⌋
                            ↪ ddressRange));
                            ↪ //-V3086
176                         var resultLink = links.GetOrCreate(source, target);
177                         if (comparer.Compare(resultLink,
                            ↪ uInt64ToAddressConverter.Convert(linksCount)) > 0)
178                         {
179                             created++;
180                         }
181                     }
182                     else
183                     {
184                         links.Create();
185                         created++;
186                     }
187                 }
188                 Assert.True(created == addressToUInt64Converter.Convert(links.Count()));
189                 for (var i = 0; i < N; i++)
190                 {
191                     TLink link = uInt64ToAddressConverter.Convert((ulong)i + 1UL);
192                     if (links.Exists(link))
193                     {
194                         links.Delete(link);
195                         deleted++;
196                     }
197                 }
198                 Assert.True(addressToUInt64Converter.Convert(links.Count()) == 0L);
199             }
200         }
201     }
202 }
```

1.188 ./csharp/Platform.Data.Doublets.Tests/UInt64LinksTests.cs

```
1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.IO;
5  using System.Text;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Xunit;
9  using Platform.Disposables;
10 using Platform.Ranges;
11 using Platform.Random;
12 using Platform.Timestamps;
13 using Platform.Reflection;
14 using Platform.Singletons;
15 using Platform.Scopes;
16 using Platform.Counters;
17 using Platform.Diagnostics;
18 using Platform.IO;
```

```
using Platform.Memory;
using Platform.Data.Doublets.Decorators;
using Platform.Data.Doublets.Memory.United.Specific;

namespace Platform.Data.Doublets.Tests
{
    public static class UInt64LinksTests
    {
        private static readonly LinksConstants<ulong> _constants =
        ↪  Default<LinksConstants<ulong>>.Instance;

        private const long Iterations = 10 * 1024;

        #region Concept

        [Fact]
        public static void MultipleCreateAndDeleteTest()
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  UInt64UnitedMemoryLinks>>())
            {
                new UInt64Links(scope.Use<ILinks<ulong>>()).TestMultipleRandomCreationsAndDeleti⌋
                ↪  ons(100);
            }
        }

        [Fact]
        public static void CascadeUpdateTest()
        {
            var itself = _constants.Itself;
            using (var scope = new TempLinksTestScope(useLog: true))
            {
                var links = scope.Links;

                var l1 = links.Create();
                var l2 = links.Create();

                l2 = links.Update(l2, l2, l1, l2);

                links.CreateAndUpdate(l2, itself);
                links.CreateAndUpdate(l2, itself);

                l2 = links.Update(l2, l1);

                links.Delete(l2);

                Global.Trash = links.Count();

                links.Unsync.DisposeIfPossible(); // Close links to access log

                Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scop⌋
                ↪  e.TempTransactionLogFilename);
            }
        }

        [Fact]
        public static void BasicTransactionLogTest()
        {
            using (var scope = new TempLinksTestScope(useLog: true))
            {
                var links = scope.Links;
                var l1 = links.Create();
                var l2 = links.Create();

                Global.Trash = links.Update(l2, l2, l1, l2);

                links.Delete(l1);

                links.Unsync.DisposeIfPossible(); // Close links to access log

                Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scop⌋
                ↪  e.TempTransactionLogFilename);
            }
        }

        [Fact]
        public static void TransactionAutoRevertedTest()
        {
            // Auto Reverted (Because no commit at transaction)
            using (var scope = new TempLinksTestScope(useLog: true))
```

```
94              {
95                  var links = scope.Links;
96                  var transactionsLayer = (UInt64LinksTransactionsLayer)scope.MemoryAdapter;
97                  using (var transaction = transactionsLayer.BeginTransaction())
98                  {
99                      var l1 = links.Create();
100                     var l2 = links.Create();
101
102                     links.Update(l2, l2, l1, l2);
103                 }
104
105                 Assert.Equal(0UL, links.Count());
106
107                 links.Unsync.DisposeIfPossible();
108
109                 var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(s
                    ↪ cope.TempTransactionLogFilename);
110                 Assert.Single(transitions);
111             }
112         }
113
114         [Fact]
115         public static void TransactionUserCodeErrorNoDataSavedTest()
116         {
117             // User Code Error (Autoreverted), no data saved
118             var itself = _constants.Itself;
119
120             TempLinksTestScope lastScope = null;
121             try
122             {
123                 using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
                    ↪ useLog: true))
124                 {
125                     var links = scope.Links;
126                     var transactionsLayer = (UInt64LinksTransactionsLayer)((LinksDisposableDecor
                        ↪ atorBase<ulong>)links.Unsync).Links;
127                     using (var transaction = transactionsLayer.BeginTransaction())
128                     {
129                         var l1 = links.CreateAndUpdate(itself, itself);
130                         var l2 = links.CreateAndUpdate(itself, itself);
131
132                         l2 = links.Update(l2, l2, l1, l2);
133
134                         links.CreateAndUpdate(l2, itself);
135                         links.CreateAndUpdate(l2, itself);
136
137                         //Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transi
                            ↪ tion>(scope.TempTransactionLogFilename);
138
139                         l2 = links.Update(l2, l1);
140
141                         links.Delete(l2);
142
143                         ExceptionThrower();
144
145                         transaction.Commit();
146                     }
147
148                     Global.Trash = links.Count();
149                 }
150             }
151             catch
152             {
153                 Assert.False(lastScope == null);
154
155                 var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(l
                    ↪ astScope.TempTransactionLogFilename);
156
157                 Assert.True(transitions.Length == 1 && transitions[0].Before.IsNull() &&
                    ↪ transitions[0].After.IsNull());
158
159                 lastScope.DeleteFiles();
160             }
161         }
162
163         [Fact]
164         public static void TransactionUserCodeErrorSomeDataSavedTest()
165         {
166             // User Code Error (Autoreverted), some data saved
```

```
167             var itself = _constants.Itself;
168
169             TempLinksTestScope lastScope = null;
170             try
171             {
172                 ulong l1;
173                 ulong l2;
174
175                 using (var scope = new TempLinksTestScope(useLog: true))
176                 {
177                     var links = scope.Links;
178                     l1 = links.CreateAndUpdate(itself, itself);
179                     l2 = links.CreateAndUpdate(itself, itself);
180
181                     l2 = links.Update(l2, l2, l1, l2);
182
183                     links.CreateAndUpdate(l2, itself);
184                     links.CreateAndUpdate(l2, itself);
185
186                     links.Unsync.DisposeIfPossible();
187
188                     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(
                        ↪ scope.TempTransactionLogFilename);
189                 }
190
191                 using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
                    ↪ useLog: true))
192                 {
193                     var links = scope.Links;
194                     var transactionsLayer = (UInt64LinksTransactionsLayer)links.Unsync;
195                     using (var transaction = transactionsLayer.BeginTransaction())
196                     {
197                         l2 = links.Update(l2, l1);
198
199                         links.Delete(l2);
200
201                         ExceptionThrower();
202
203                         transaction.Commit();
204                     }
205
206                     Global.Trash = links.Count();
207                 }
208             }
209             catch
210             {
211                 Assert.False(lastScope == null);
212
213                 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(last
                    ↪ Scope.TempTransactionLogFilename);
214
215                 lastScope.DeleteFiles();
216             }
217         }
218
219         [Fact]
220         public static void TransactionCommit()
221         {
222             var itself = _constants.Itself;
223
224             var tempDatabaseFilename = Path.GetTempFileName();
225             var tempTransactionLogFilename = Path.GetTempFileName();
226
227             // Commit
228             using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                ↪ UInt64UnitedMemoryLinks(tempDatabaseFilename), tempTransactionLogFilename))
229             using (var links = new UInt64Links(memoryAdapter))
230             {
231                 using (var transaction = memoryAdapter.BeginTransaction())
232                 {
233                     var l1 = links.CreateAndUpdate(itself, itself);
234                     var l2 = links.CreateAndUpdate(itself, itself);
235
236                     Global.Trash = links.Update(l2, l2, l1, l2);
237
238                     links.Delete(l1);
239
240                     transaction.Commit();
241                 }
242
```

```
243                 Global.Trash = links.Count();
244             }
245 
246             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
247         }
248 
249         [Fact]
250         public static void TransactionDamage()
251         {
252             var itself = _constants.Itself;
253 
254             var tempDatabaseFilename = Path.GetTempFileName();
255             var tempTransactionLogFilename = Path.GetTempFileName();
256 
257             // Commit
258             using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                ↪  UInt64UnitedMemoryLinks(tempDatabaseFilename), tempTransactionLogFilename))
259             using (var links = new UInt64Links(memoryAdapter))
260             {
261                 using (var transaction = memoryAdapter.BeginTransaction())
262                 {
263                     var l1 = links.CreateAndUpdate(itself, itself);
264                     var l2 = links.CreateAndUpdate(itself, itself);
265 
266                     Global.Trash = links.Update(l2, l2, l1, l2);
267 
268                     links.Delete(l1);
269 
270                     transaction.Commit();
271                 }
272 
273                 Global.Trash = links.Count();
274             }
275 
276             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
277 
278             // Damage database
279 
280             FileHelpers.WriteFirst(tempTransactionLogFilename, new
                ↪  UInt64LinksTransactionsLayer.Transition(new UniqueTimestampFactory(), 555));
281 
282             // Try load damaged database
283             try
284             {
285                 // TODO: Fix
286                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
                    ↪  UInt64UnitedMemoryLinks(tempDatabaseFilename), tempTransactionLogFilename))
287                 using (var links = new UInt64Links(memoryAdapter))
288                 {
289                     Global.Trash = links.Count();
290                 }
291             }
292             catch (NotSupportedException ex)
293             {
294                 Assert.True(ex.Message == "Database is damaged, autorecovery is not supported
                    ↪  yet.");
295             }
296 
297             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
                ↪  sactionLogFilename);
298 
299             File.Delete(tempDatabaseFilename);
300             File.Delete(tempTransactionLogFilename);
301         }
302 
303         [Fact]
304         public static void Bug1Test()
305         {
306             var tempDatabaseFilename = Path.GetTempFileName();
307             var tempTransactionLogFilename = Path.GetTempFileName();
308 
309             var itself = _constants.Itself;
310 
311             // User Code Error (Autoreverted), some data saved
312             try
313             {
314                 ulong l1;
```

```
315                 ulong l2;
316
317                 using (var memory = new UInt64UnitedMemoryLinks(tempDatabaseFilename))
318                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(memory,
                    ↪ tempTransactionLogFilename))
319                 using (var links = new UInt64Links(memoryAdapter))
320                 {
321                     l1 = links.CreateAndUpdate(itself, itself);
322                     l2 = links.CreateAndUpdate(itself, itself);
323
324                     l2 = links.Update(l2, l2, l1, l2);
325
326                     links.CreateAndUpdate(l2, itself);
327                     links.CreateAndUpdate(l2, itself);
328                 }
329
330                 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
                    ↪ TransactionLogFilename);
331
332                 using (var memory = new UInt64UnitedMemoryLinks(tempDatabaseFilename))
333                 using (var memoryAdapter = new UInt64LinksTransactionsLayer(memory,
                    ↪ tempTransactionLogFilename))
334                 using (var links = new UInt64Links(memoryAdapter))
335                 {
336                     using (var transaction = memoryAdapter.BeginTransaction())
337                     {
338                         l2 = links.Update(l2, l1);
339
340                         links.Delete(l2);
341
342                         ExceptionThrower();
343
344                         transaction.Commit();
345                     }
346
347                     Global.Trash = links.Count();
348                 }
349             }
350             catch
351             {
352                 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp
                    ↪ TransactionLogFilename);
353             }
354
355             File.Delete(tempDatabaseFilename);
356             File.Delete(tempTransactionLogFilename);
357         }
358
359         private static void ExceptionThrower() => throw new InvalidOperationException();
360
361         [Fact]
362         public static void PathsTest()
363         {
364             var source = _constants.SourcePart;
365             var target = _constants.TargetPart;
366
367             using (var scope = new TempLinksTestScope())
368             {
369                 var links = scope.Links;
370                 var l1 = links.CreatePoint();
371                 var l2 = links.CreatePoint();
372
373                 var r1 = links.GetByKeys(l1, source, target, source);
374                 var r2 = links.CheckPathExistance(l2, l2, l2, l2);
375             }
376         }
377
378         [Fact]
379         public static void RecursiveStringFormattingTest()
380         {
381             using (var scope = new TempLinksTestScope(useSequences: true))
382             {
383                 var links = scope.Links;
384                 var sequences = scope.Sequences; // TODO: Auto use sequences on Sequences getter.
385
386                 var a = links.CreatePoint();
387                 var b = links.CreatePoint();
388                 var c = links.CreatePoint();
389
```

```
390                 var ab = links.GetOrCreate(a, b);
391                 var cb = links.GetOrCreate(c, b);
392                 var ac = links.GetOrCreate(a, c);
393 
394                 a = links.Update(a, c, b);
395                 b = links.Update(b, a, c);
396                 c = links.Update(c, a, b);
397 
398                 Debug.WriteLine(links.FormatStructure(ab, link => link.IsFullPoint(), true));
399                 Debug.WriteLine(links.FormatStructure(cb, link => link.IsFullPoint(), true));
400                 Debug.WriteLine(links.FormatStructure(ac, link => link.IsFullPoint(), true));
401 
402                 Assert.True(links.FormatStructure(cb, link => link.IsFullPoint(), true) ==
                    ↪  "(5:(4:5 (6:5 4)) 6)");
403                 Assert.True(links.FormatStructure(ac, link => link.IsFullPoint(), true) ==
                    ↪  "(6:(5:(4:5 6) 6) 4)");
404                 Assert.True(links.FormatStructure(ab, link => link.IsFullPoint(), true) ==
                    ↪  "(4:(5:4 (6:5 4)) 6)");
405 
406                 // TODO: Think how to build balanced syntax tree while formatting structure (eg.
                    ↪  "(4:(5:4 6) (6:5 4)") instead of "(4:(5:4 (6:5 4)) 6)"
407 
408                 Assert.True(sequences.SafeFormatSequence(cb, DefaultFormatter, false) ==
                    ↪  "{{5}{5}{4}{6}}");
409                 Assert.True(sequences.SafeFormatSequence(ac, DefaultFormatter, false) ==
                    ↪  "{{5}{6}{6}{4}}");
410                 Assert.True(sequences.SafeFormatSequence(ab, DefaultFormatter, false) ==
                    ↪  "{{4}{5}{4}{6}}");
411             }
412         }
413 
414         private static void DefaultFormatter(StringBuilder sb, ulong link)
415         {
416             sb.Append(link.ToString());
417         }
418 
419         #endregion
420 
421         #region Performance
422 
423         /*
424        public static void RunAllPerformanceTests()
425        {
426             try
427             {
428                 links.TestLinksInSteps();
429             }
430             catch (Exception ex)
431             {
432                 ex.WriteToConsole();
433             }
434 
435             return;
436 
437             try
438             {
439                 //ThreadPool.SetMaxThreads(2, 2);
440 
441                 // Запускаем все тесты дважды, чтобы первоначальная инициализация не повлияла на
    ↪  результат
442                 // Также это дополнительно помогает в отладке
443                 // Увеличивает вероятность попадания информации в кэши
444                 for (var i = 0; i < 10; i++)
445                 {
446                     //0 - 10 ГБ
447                     //Каждые 100 МБ срез цифр
448 
449                     //links.TestGetSourceFunction();
450                     //links.TestGetSourceFunctionInParallel();
451                     //links.TestGetTargetFunction();
452                     //links.TestGetTargetFunctionInParallel();
453                     links.Create64BillionLinks();
454 
455                     links.TestRandomSearchFixed();
456                     //links.Create64BillionLinksInParallel();
457                     links.TestEachFunction();
458                     //links.TestForeach();
459                     //links.TestParallelForeach();
460                 }
```

```
461
462                 links.TestDeletionOfAllLinks();
463
464             }
465             catch (Exception ex)
466             {
467                 ex.WriteToConsole();
468             }
469         }*/
470
471          /*
472         public static void TestLinksInSteps()
473         {
474             const long gibibyte = 1024 * 1024 * 1024;
475             const long mebibyte = 1024 * 1024;
476
477             var totalLinksToCreate = gibibyte /
    ↪  Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
478             var linksStep = 102 * mebibyte /
    ↪  Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
479
480             var creationMeasurements = new List<TimeSpan>();
481             var searchMeasuremets = new List<TimeSpan>();
482             var deletionMeasurements = new List<TimeSpan>();
483
484             GetBaseRandomLoopOverhead(linksStep);
485             GetBaseRandomLoopOverhead(linksStep);
486
487             var stepLoopOverhead = GetBaseRandomLoopOverhead(linksStep);
488
489             ConsoleHelpers.Debug("Step loop overhead: {0}.", stepLoopOverhead);
490
491             var loops = totalLinksToCreate / linksStep;
492
493             for (int i = 0; i < loops; i++)
494             {
495                 creationMeasurements.Add(Measure(() => links.RunRandomCreations(linksStep)));
496                 searchMeasuremets.Add(Measure(() => links.RunRandomSearches(linksStep)));
497
498                 Console.Write("\rC + S {0}/{1}", i + 1, loops);
499             }
500
501             ConsoleHelpers.Debug();
502
503             for (int i = 0; i < loops; i++)
504             {
505                 deletionMeasurements.Add(Measure(() => links.RunRandomDeletions(linksStep)));
506
507                 Console.Write("\rD {0}/{1}", i + 1, loops);
508             }
509
510             ConsoleHelpers.Debug();
511
512             ConsoleHelpers.Debug("C S D");
513
514             for (int i = 0; i < loops; i++)
515             {
516                 ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i],
    ↪  searchMeasuremets[i], deletionMeasurements[i]);
517             }
518
519             ConsoleHelpers.Debug("C S D (no overhead)");
520
521             for (int i = 0; i < loops; i++)
522             {
523                 ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i] - stepLoopOverhead,
    ↪  searchMeasuremets[i] - stepLoopOverhead, deletionMeasurements[i] - stepLoopOverhead);
524             }
525
526             ConsoleHelpers.Debug("All tests done. Total links left in database: {0}.",
    ↪  links.Total);
527         }
528
529         private static void CreatePoints(this Platform.Links.Data.Core.Doublets.Links links, long
    ↪  amountToCreate)
530         {
531             for (long i = 0; i < amountToCreate; i++)
532                 links.Create(0, 0);
533         }
```

```
534
535         private static TimeSpan GetBaseRandomLoopOverhead(long loops)
536         {
537             return Measure(() =>
538             {
539                 ulong maxValue = RandomHelpers.DefaultFactory.NextUInt64();
540                 ulong result = 0;
541                 for (long i = 0; i < loops; i++)
542                 {
543                     var source = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
544                     var target = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
545
546                     result += maxValue + source + target;
547                 }
548                 Global.Trash = result;
549             });
550         }
551          */
552
553         [Fact(Skip = "performance test")]
554         public static void GetSourceTest()
555         {
556             using (var scope = new TempLinksTestScope())
557             {
558                 var links = scope.Links;
559                 ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations.",
                    ↪  Iterations);
560
561                 ulong counter = 0;
562
563                 //var firstLink = links.First();
564                 // Создаём одну связь, из которой будет производить считывание
565                 var firstLink = links.Create();
566
567                 var sw = Stopwatch.StartNew();
568
569                 // Тестируем саму функцию
570                 for (ulong i = 0; i < Iterations; i++)
571                 {
572                     counter += links.GetSource(firstLink);
573                 }
574
575                 var elapsedTime = sw.Elapsed;
576
577                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
578
579                 // Удаляем связь, из которой производилось считывание
580                 links.Delete(firstLink);
581
582                 ConsoleHelpers.Debug(
583                     "{0} Iterations of GetSource function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
584                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
585             }
586         }
587
588         [Fact(Skip = "performance test")]
589         public static void GetSourceInParallel()
590         {
591             using (var scope = new TempLinksTestScope())
592             {
593                 var links = scope.Links;
594                 ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations in
                    ↪  parallel.", Iterations);
595
596                 long counter = 0;
597
598                 //var firstLink = links.First();
599                 var firstLink = links.Create();
600
601                 var sw = Stopwatch.StartNew();
602
603                 // Тестируем саму функцию
604                 Parallel.For(0, Iterations, x =>
605                 {
606                     Interlocked.Add(ref counter, (long)links.GetSource(firstLink));
607                     //Interlocked.Increment(ref counter);
608                 });
609
```

```
610                 var elapsedTime = sw.Elapsed;
611
612                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
613
614                 links.Delete(firstLink);
615
616                 ConsoleHelpers.Debug(
617                     "{0} Iterations of GetSource function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
618                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
619             }
620         }
621
622         [Fact(Skip = "performance test")]
623         public static void TestGetTarget()
624         {
625             using (var scope = new TempLinksTestScope())
626             {
627                 var links = scope.Links;
628                 ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations.",
                    ↪  Iterations);
629
630                 ulong counter = 0;
631
632                 //var firstLink = links.First();
633                 var firstLink = links.Create();
634
635                 var sw = Stopwatch.StartNew();
636
637                 for (ulong i = 0; i < Iterations; i++)
638                 {
639                     counter += links.GetTarget(firstLink);
640                 }
641
642                 var elapsedTime = sw.Elapsed;
643
644                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
645
646                 links.Delete(firstLink);
647
648                 ConsoleHelpers.Debug(
649                     "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
650                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
651             }
652         }
653
654         [Fact(Skip = "performance test")]
655         public static void TestGetTargetInParallel()
656         {
657             using (var scope = new TempLinksTestScope())
658             {
659                 var links = scope.Links;
660                 ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations in
                    ↪  parallel.", Iterations);
661
662                 long counter = 0;
663
664                 //var firstLink = links.First();
665                 var firstLink = links.Create();
666
667                 var sw = Stopwatch.StartNew();
668
669                 Parallel.For(0, Iterations, x =>
670                 {
671                     Interlocked.Add(ref counter, (long)links.GetTarget(firstLink));
672                     //Interlocked.Increment(ref counter);
673                 });
674
675                 var elapsedTime = sw.Elapsed;
676
677                 var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
678
679                 links.Delete(firstLink);
680
681                 ConsoleHelpers.Debug(
682                     "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
                        ↪  second), counter result: {3}",
683                     Iterations, elapsedTime, (long)iterationsPerSecond, counter);
```

```
            }
        }

        // TODO: Заполнить базу данных перед тестом
        /*
        [Fact]
        public void TestRandomSearchFixed()
        {
            var tempFilename = Path.GetTempFileName();

            using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↪   DefaultLinksSizeStep))
            {
                long iterations = 64 * 1024 * 1024 /
↪   Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;

                ulong counter = 0;
                var maxLink = links.Total;

                ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.", iterations);

                var sw = Stopwatch.StartNew();

                for (var i = iterations; i > 0; i--)
                {
                    var source =
↪   RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
                    var target =
↪   RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);

                    counter += links.Search(source, target);
                }

                var elapsedTime = sw.Elapsed;

                var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;

                ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
↪   Iterations per second), c: {3}", iterations, elapsedTime, (long)iterationsPerSecond,
↪   counter);
            }

            File.Delete(tempFilename);
        }*/

        [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
        public static void TestRandomSearchAll()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;
                ulong counter = 0;

                var maxLink = links.Count();

                var iterations = links.Count();

                ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.",
                ↪  links.Count());

                var sw = Stopwatch.StartNew();

                for (var i = iterations; i > 0; i--)
                {
                    var linksAddressRange = new
                    ↪  Range<ulong>(_constants.InternalReferencesRange.Minimum, maxLink);

                    var source = RandomHelpers.Default.NextUInt64(linksAddressRange);
                    var target = RandomHelpers.Default.NextUInt64(linksAddressRange);

                    counter += links.SearchOrDefault(source, target);
                }

                var elapsedTime = sw.Elapsed;

                var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;

                ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
                ↪  Iterations per second), c: {3}",
                     iterations, elapsedTime, (long)iterationsPerSecond, counter);
```

```
            }
        }

        [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
        public static void TestEach()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;

                var counter = new Counter<IList<ulong>, ulong>(links.Constants.Continue);

                ConsoleHelpers.Debug("Testing Each function.");

                var sw = Stopwatch.StartNew();

                links.Each(counter.IncrementAndReturnTrue);

                var elapsedTime = sw.Elapsed;

                var linksPerSecond = counter.Count / elapsedTime.TotalSeconds;

                ConsoleHelpers.Debug("{0} Iterations of Each's handler function done in {1} ({2}
                ↪  links per second)",
                    counter, elapsedTime, (long)linksPerSecond);
            }
        }

        /*
        [Fact]
        public static void TestForeach()
        {
            var tempFilename = Path.GetTempFileName();

            using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↪  DefaultLinksSizeStep))
            {
                ulong counter = 0;

                ConsoleHelpers.Debug("Testing foreach through links.");

                var sw = Stopwatch.StartNew();

                //foreach (var link in links)
                //{
                //    counter++;
                //}

                var elapsedTime = sw.Elapsed;

                var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;

                ConsoleHelpers.Debug("{0} Iterations of Foreach's handler block done in {1} ({2}
↪  links per second)", counter, elapsedTime, (long)linksPerSecond);
            }

            File.Delete(tempFilename);
        }
        */

        /*
        [Fact]
        public static void TestParallelForeach()
        {
            var tempFilename = Path.GetTempFileName();

            using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↪  DefaultLinksSizeStep))
            {

                long counter = 0;

                ConsoleHelpers.Debug("Testing parallel foreach through links.");

                var sw = Stopwatch.StartNew();

                //Parallel.ForEach((IEnumerable<ulong>)links, x =>
                //{
                //    Interlocked.Increment(ref counter);
                //});
```

```
831
832                 var elapsedTime = sw.Elapsed;
833
834                 var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
835
836                 ConsoleHelpers.Debug("{0} Iterations of Parallel Foreach's handler block done in
    ↪  {1} ({2} links per second)", counter, elapsedTime, (long)linksPerSecond);
837             }
838
839             File.Delete(tempFilename);
840         }
841         */
842
843         [Fact(Skip = "performance test")]
844         public static void Create64BillionLinks()
845         {
846             using (var scope = new TempLinksTestScope())
847             {
848                 var links = scope.Links;
849                 var linksBeforeTest = links.Count();
850
851                 long linksToCreate = 64 * 1024 * 1024 / UInt64UnitedMemoryLinks.LinkSizeInBytes;
852
853                 ConsoleHelpers.Debug("Creating {0} links.", linksToCreate);
854
855                 var elapsedTime = Performance.Measure(() =>
856                 {
857                     for (long i = 0; i < linksToCreate; i++)
858                     {
859                         links.Create();
860                     }
861                 });
862
863                 var linksCreated = links.Count() - linksBeforeTest;
864                 var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
865
866                 ConsoleHelpers.Debug("Current links count: {0}.", links.Count());
867
868                 ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
                    ↪  linksCreated, elapsedTime,
869                     (long)linksPerSecond);
870             }
871         }
872
873         [Fact(Skip = "performance test")]
874         public static void Create64BillionLinksInParallel()
875         {
876             using (var scope = new TempLinksTestScope())
877             {
878                 var links = scope.Links;
879                 var linksBeforeTest = links.Count();
880
881                 var sw = Stopwatch.StartNew();
882
883                 long linksToCreate = 64 * 1024 * 1024 / UInt64UnitedMemoryLinks.LinkSizeInBytes;
884
885                 ConsoleHelpers.Debug("Creating {0} links in parallel.", linksToCreate);
886
887                 Parallel.For(0, linksToCreate, x => links.Create());
888
889                 var elapsedTime = sw.Elapsed;
890
891                 var linksCreated = links.Count() - linksBeforeTest;
892                 var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
893
894                 ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
                    ↪  linksCreated, elapsedTime,
895                     (long)linksPerSecond);
896             }
897         }
898
899         [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
900         public static void TestDeletionOfAllLinks()
901         {
902             using (var scope = new TempLinksTestScope())
903             {
904                 var links = scope.Links;
905                 var linksBeforeTest = links.Count();
906
907                 ConsoleHelpers.Debug("Deleting all links");
```

```
908
909                 var elapsedTime = Performance.Measure(links.DeleteAll);
910
911                 var linksDeleted = linksBeforeTest - links.Count();
912                 var linksPerSecond = linksDeleted / elapsedTime.TotalSeconds;
913
914                 ConsoleHelpers.Debug("{0} links deleted in {1} ({2} links per second)",
                    ↪ linksDeleted, elapsedTime,
915                     (long)linksPerSecond);
916             }
917         }
918
919         #endregion
920     }
921 }
```

1.189 ./csharp/Platform.Data.Doublets.Tests/Uint64LinksExtensionsTests.cs

```
1  using Platform.Data.Doublets.Memory;
2  using Platform.Data.Doublets.Memory.United.Generic;
3  using Platform.Data.Numbers.Raw;
4  using Platform.Memory;
5  using Platform.Numbers;
6  using Xunit;
7  using Xunit.Abstractions;
8  using TLink = System.UInt64;
9
10 namespace Platform.Data.Doublets.Tests
11 {
12     public class Uint64LinksExtensionsTests
13     {
14         public static ILinks<TLink> CreateLinks() => CreateLinks<TLink>(new
           ↪ Platform.IO.TemporaryFile());
15
16         public static ILinks<TLink> CreateLinks<TLink>(string dataDBFilename)
17         {
18             var linksConstants = new LinksConstants<TLink>(enableExternalReferencesSupport:
               ↪ true);
19             return new UnitedMemoryLinks<TLink>(new
               ↪ FileMappedResizableDirectMemory(dataDBFilename),
               ↪ UnitedMemoryLinks<TLink>.DefaultLinksSizeStep, linksConstants,
               ↪ IndexTreeType.Default);
20         }
21         [Fact]
22         public void FormatStructureWithExternalReferenceTest()
23         {
24             ILinks<TLink> links = CreateLinks();
25             TLink zero = default;
26             var one = Arithmetic.Increment(zero);
27             var markerIndex = one;
28             var meaningRoot = links.GetOrCreate(markerIndex, markerIndex);
29             var numberMarker = links.GetOrCreate(meaningRoot, Arithmetic.Increment(ref
               ↪ markerIndex));
30             AddressToRawNumberConverter<TLink> addressToNumberConverter = new();
31             var numberAddress = addressToNumberConverter.Convert(1);
32             var numberLink = links.GetOrCreate(numberMarker, numberAddress);
33             var linkNotation = links.FormatStructure(numberLink, link => link.IsFullPoint(),
               ↪ true);
34             Assert.Equal("(3:(2:1 2) 18446744073709551615)", linkNotation);
35         }
36     }
37 }
```

1.190 ./csharp/Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs

```
1  using Xunit;
2  using Platform.Random;
3  using Platform.Data.Doublets.Numbers.Unary;
4
5  namespace Platform.Data.Doublets.Tests
6  {
7      public static class UnaryNumberConvertersTests
8      {
9          [Fact]
10         public static void ConvertersTest()
11         {
12             using (var scope = new TempLinksTestScope())
13             {
14                 const int N = 10;
15                 var links = scope.Links;
16                 var meaningRoot = links.CreatePoint();
```

```
                var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
                var powerOf2ToUnaryNumberConverter = new PowerOf2ToUnaryNumberConverter<ulong>(links, one);
                var toUnaryNumberConverter = new AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
                var random = new System.Random(0);
                ulong[] numbers = new ulong[N];
                ulong[] unaryNumbers = new ulong[N];
                for (int i = 0; i < N; i++)
                {
                    numbers[i] = random.NextUInt64();
                    unaryNumbers[i] = toUnaryNumberConverter.Convert(numbers[i]);
                }
                var fromUnaryNumberConverterUsingOrOperation = new UnaryNumberToAddressOrOperationConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
                var fromUnaryNumberConverterUsingAddOperation = new UnaryNumberToAddressAddOperationConverter<ulong>(links, one);
                for (int i = 0; i < N; i++)
                {
                    Assert.Equal(numbers[i], fromUnaryNumberConverterUsingOrOperation.Convert(unaryNumbers[i]));
                    Assert.Equal(numbers[i], fromUnaryNumberConverterUsingAddOperation.Convert(unaryNumbers[i]));
                }
            }
        }
    }
}
```

1.191 ./csharp/Platform.Data.Doublets.Tests/UnicodeConvertersTests.cs

```
using Xunit;
using Platform.Converters;
using Platform.Memory;
using Platform.Reflection;
using Platform.Scopes;
using Platform.Data.Numbers.Raw;
using Platform.Data.Doublets.Incrementers;
using Platform.Data.Doublets.Numbers.Unary;
using Platform.Data.Doublets.PropertyOperators;
using Platform.Data.Doublets.Sequences.Converters;
using Platform.Data.Doublets.Sequences.Indexes;
using Platform.Data.Doublets.Sequences.Walkers;
using Platform.Data.Doublets.Unicode;
using Platform.Data.Doublets.Memory.United.Generic;
using Platform.Data.Doublets.CriterionMatchers;

namespace Platform.Data.Doublets.Tests
{
    public static class UnicodeConvertersTests
    {
        [Fact]
        public static void CharAndUnaryNumberUnicodeSymbolConvertersTest()
        {
            using (var scope = new TempLinksTestScope())
            {
                var links = scope.Links;
                var meaningRoot = links.CreatePoint();
                var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
                var powerOf2ToUnaryNumberConverter = new PowerOf2ToUnaryNumberConverter<ulong>(links, one);
                var addressToUnaryNumberConverter = new AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
                var unaryNumberToAddressConverter = new UnaryNumberToAddressOrOperationConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
                TestCharAndUnicodeSymbolConverters(links, meaningRoot, addressToUnaryNumberConverter, unaryNumberToAddressConverter);
            }
        }

        [Fact]
        public static void CharAndRawNumberUnicodeSymbolConvertersTest()
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory, UnitedMemoryLinks<ulong>>>())
            {
                var links = scope.Use<ILinks<ulong>>();
                var meaningRoot = links.CreatePoint();
```

```
43                  var addressToRawNumberConverter = new AddressToRawNumberConverter<ulong>();
44                  var rawNumberToAddressConverter = new RawNumberToAddressConverter<ulong>();
45                  TestCharAndUnicodeSymbolConverters(links, meaningRoot,
                    ↪  addressToRawNumberConverter, rawNumberToAddressConverter);
46              }
47          }
48
49          private static void TestCharAndUnicodeSymbolConverters(ILinks<ulong> links, ulong
            ↪  meaningRoot, IConverter<ulong> addressToNumberConverter, IConverter<ulong>
            ↪  numberToAddressConverter)
50          {
51              var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
52              var charToUnicodeSymbolConverter = new CharToUnicodeSymbolConverter<ulong>(links,
                ↪  addressToNumberConverter, unicodeSymbolMarker);
53              var originalCharacter = 'H';
54              var characterLink = charToUnicodeSymbolConverter.Convert(originalCharacter);
55              var unicodeSymbolCriterionMatcher = new TargetMatcher<ulong>(links,
                ↪  unicodeSymbolMarker);
56              var unicodeSymbolToCharConverter = new UnicodeSymbolToCharConverter<ulong>(links,
                ↪  numberToAddressConverter, unicodeSymbolCriterionMatcher);
57              var resultingCharacter = unicodeSymbolToCharConverter.Convert(characterLink);
58              Assert.Equal(originalCharacter, resultingCharacter);
59          }
60
61          [Fact]
62          public static void StringAndUnicodeSequenceConvertersTest()
63          {
64              using (var scope = new TempLinksTestScope())
65              {
66                  var links = scope.Links;
67
68                  var itself = links.Constants.Itself;
69
70                  var meaningRoot = links.CreatePoint();
71                  var unaryOne = links.CreateAndUpdate(meaningRoot, itself);
72                  var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, itself);
73                  var unicodeSequenceMarker = links.CreateAndUpdate(meaningRoot, itself);
74                  var frequencyMarker = links.CreateAndUpdate(meaningRoot, itself);
75                  var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot, itself);
76
77                  var powerOf2ToUnaryNumberConverter = new
                    ↪  PowerOf2ToUnaryNumberConverter<ulong>(links, unaryOne);
78                  var addressToUnaryNumberConverter = new
                    ↪  AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
79                  var charToUnicodeSymbolConverter = new
                    ↪  CharToUnicodeSymbolConverter<ulong>(links, addressToUnaryNumberConverter,
                    ↪  unicodeSymbolMarker);
80
81                  var unaryNumberToAddressConverter = new
                    ↪  UnaryNumberToAddressOrOperationConverter<ulong>(links,
                    ↪  powerOf2ToUnaryNumberConverter);
82                  var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
83                  var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
                    ↪  frequencyMarker, unaryOne, unaryNumberIncrementer);
84                  var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
                    ↪  frequencyPropertyMarker, frequencyMarker);
85                  var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
                    ↪  frequencyPropertyOperator, frequencyIncrementer);
86                  var linkToItsFrequencyNumberConverter = new
                    ↪  LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
                    ↪  unaryNumberToAddressConverter);
87                  var sequenceToItsLocalElementLevelsConverter = new
                    ↪  SequenceToItsLocalElementLevelsConverter<ulong>(links,
                    ↪  linkToItsFrequencyNumberConverter);
88                  var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
                    ↪  sequenceToItsLocalElementLevelsConverter);
89
90                  var stringToUnicodeSequenceConverter = new
                    ↪  StringToUnicodeSequenceConverter<ulong>(links, charToUnicodeSymbolConverter,
                    ↪  index, optimalVariantConverter, unicodeSequenceMarker);
91
92                  var originalString = "Hello";
93
94                  var unicodeSequenceLink =
                    ↪  stringToUnicodeSequenceConverter.Convert(originalString);
95
96                  var unicodeSymbolCriterionMatcher = new TargetMatcher<ulong>(links,
                    ↪  unicodeSymbolMarker);
```

```
                    var unicodeSymbolToCharConverter = new
                    ↪  UnicodeSymbolToCharConverter<ulong>(links, unaryNumberToAddressConverter,
                    ↪  unicodeSymbolCriterionMatcher);

                    var unicodeSequenceCriterionMatcher = new TargetMatcher<ulong>(links,
                    ↪  unicodeSequenceMarker);

                    var sequenceWalker = new LeveledSequenceWalker<ulong>(links,
                    ↪  unicodeSymbolCriterionMatcher.IsMatched);

                    var unicodeSequenceToStringConverter = new
                    ↪  UnicodeSequenceToStringConverter<ulong>(links,
                    ↪  unicodeSequenceCriterionMatcher, sequenceWalker,
                    ↪  unicodeSymbolToCharConverter);

                    var resultingString =
                    ↪  unicodeSequenceToStringConverter.Convert(unicodeSequenceLink);

                    Assert.Equal(originalString, resultingString);
                }
            }
        }
    }
```

1.192 ./csharp/Platform.Data.Doublets.Tests/UnitedMemoryUInt32LinksTests.cs

```
using System;
using Xunit;
using Platform.Reflection;
using Platform.Memory;
using Platform.Scopes;
using Platform.Data.Doublets.Memory.United.Specific;
using TLink = System.UInt32;

namespace Platform.Data.Doublets.Tests
{
    public unsafe static class UnitedMemoryUInt32LinksTests
    {
        [Fact]
        public static void CRUDTest()
        {
            Using(links => links.TestCRUDOperations());
        }

        [Fact]
        public static void RawNumbersCRUDTest()
        {
            Using(links => links.TestRawNumbersCRUDOperations());
        }

        [Fact]
        public static void MultipleRandomCreationsAndDeletionsTest()
        {
            Using(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultip⌋
            ↪  leRandomCreationsAndDeletions(100));
        }

        private static void Using(Action<ILinks<TLink>> action)
        {
            using (var scope = new Scope<Types<HeapResizableDirectMemory,
            ↪  UInt32UnitedMemoryLinks>>())
            {
                action(scope.Use<ILinks<TLink>>());
            }
        }
    }
}
```

1.193 ./csharp/Platform.Data.Doublets.Tests/UnitedMemoryUInt64LinksTests.cs

```
using System;
using Xunit;
using Platform.Reflection;
using Platform.Memory;
using Platform.Scopes;
using Platform.Data.Doublets.Memory.United.Specific;
using TLink = System.UInt64;

namespace Platform.Data.Doublets.Tests
{
    public unsafe static class UnitedMemoryUInt64LinksTests
```

```
12      {
13          [Fact]
14          public static void CRUDTest()
15          {
16              Using(links => links.TestCRUDOperations());
17          }
18
19          [Fact]
20          public static void RawNumbersCRUDTest()
21          {
22              Using(links => links.TestRawNumbersCRUDOperations());
23          }
24
25          [Fact]
26          public static void MultipleRandomCreationsAndDeletionsTest()
27          {
28              Using(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultip
                ↪ leRandomCreationsAndDeletions(100));
29          }
30
31          private static void Using(Action<ILinks<TLink>> action)
32          {
33              using (var scope = new Scope<Types<HeapResizableDirectMemory,
                ↪ UInt64UnitedMemoryLinks>>())
34              {
35                  action(scope.Use<ILinks<TLink>>());
36              }
37          }
38      }
39  }
```

Index