

LinksPlatform's Platform.Data.Doublets Class Library

1.1 ./csharp/Platform.Data.Doublets/CriterionMatchers/TargetMatcher.cs

```
1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Interfaces;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.CriterionMatchers
8 {
9     public class TargetMatcher<TLink> : LinksOperatorBase<TLink>, ICriterionMatcher<TLink>
10    {
11        private static readonly EqualityComparer<TLink> _equalityComparer =
12            ↳ EqualityComparer<TLink>.Default;
13
14        private readonly TLink _targetToMatch;
15
16        [MethodImpl(MethodImplOptions.AggressiveInlining)]
17        public TargetMatcher(ILinks<TLink> links, TLink targetToMatch) : base(links) =>
18            ↳ _targetToMatch = targetToMatch;
19
20        [MethodImpl(MethodImplOptions.AggressiveInlining)]
21        public bool IsMatched(TLink link) => _equalityComparer.Equals(_links.GetTarget(link),
22            ↳ _targetToMatch);
23    }
24 }
```

1.2 ./csharp/Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs

```
1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Decorators
6 {
7     public class LinksCascadeUniquenessAndUsagesResolver<TLink> : LinksUniquenessResolver<TLink>
8    {
9        [MethodImpl(MethodImplOptions.AggressiveInlining)]
10        public LinksCascadeUniquenessAndUsagesResolver(ILinks<TLink> links) : base(links) { }
11
12        [MethodImpl(MethodImplOptions.AggressiveInlining)]
13        protected override TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
14            ↳ newLinkAddress)
15        {
16            // Use Facade (the last decorator) to ensure recursion working correctly
17            _facade.MergeUsages(oldLinkAddress, newLinkAddress);
18            return base.ResolveAddressChangeConflict(oldLinkAddress, newLinkAddress);
19        }
20    }
21 }
```

1.3 ./csharp/Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs

```
1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Decorators
7 {
8     /// <remarks>
9     /// <para>Must be used in conjunction with NonNullContentsLinkDeletionResolver.</para>
10    /// <para>Должен использоваться вместе с NonNullContentsLinkDeletionResolver.</para>
11    /// </remarks>
12    public class LinksCascadeUsagesResolver<TLink> : LinksDecoratorBase<TLink>
13    {
14        [MethodImpl(MethodImplOptions.AggressiveInlining)]
15        public LinksCascadeUsagesResolver(ILinks<TLink> links) : base(links) { }
16
17        [MethodImpl(MethodImplOptions.AggressiveInlining)]
18        public override void Delete(ICollection<TLink> restrictions)
19        {
20            var linkIndex = restrictions[_constants.IndexPart];
21            // Use Facade (the last decorator) to ensure recursion working correctly
22            _facade.DeleteAllUsages(linkIndex);
23            _links.Delete(linkIndex);
24        }
25    }
26 }
```

1.4 ./csharp/Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Decorators
8  {
9      public abstract class LinksDecoratorBase<TLink> : LinksOperatorBase<TLink>, ILinks<TLink>
10     {
11         protected readonly LinksConstants<TLink> _constants;
12
13         public LinksConstants<TLink> Constants
14         {
15             [MethodImpl(MethodImplOptions.AggressiveInlining)]
16             get => _constants;
17         }
18
19         protected ILinks<TLink> _facade;
20
21         public ILinks<TLink> Facade
22         {
23             [MethodImpl(MethodImplOptions.AggressiveInlining)]
24             get => _facade;
25             [MethodImpl(MethodImplOptions.AggressiveInlining)]
26             set
27             {
28                 _facade = value;
29                 if (_links is LinksDecoratorBase<TLink> decorator)
30                 {
31                     decorator.Facade = value;
32                 }
33             }
34         }
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected LinksDecoratorBase(ILinks<TLink> links) : base(links)
38         {
39             _constants = links.Constants;
40             Facade = this;
41         }
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         public virtual TLink Count(IList<TLink> restrictions) => _links.Count(restrictions);
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
48             => _links.Each(handler, restrictions);
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         public virtual TLink Create(IList<TLink> restrictions) => _links.Create(restrictions);
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
55             _links.Update(restrictions, substitution);
56
57         [MethodImpl(MethodImplOptions.AggressiveInlining)]
58         public virtual void Delete(IList<TLink> restrictions) => _links.Delete(restrictions);
59     }
60 }

```

1.5 ./csharp/Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Disposables;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5  #pragma warning disable CA1063 // Implement IDisposable Correctly
6
7  namespace Platform.Data.Doublets.Decorators
8  {
9      public abstract class LinksDisposableDecoratorBase<TLink> : LinksDecoratorBase<TLink>,
10         ILinks<TLink>, System.IDisposable
11     {
12         protected class DisposableWithMultipleCallsAllowed : Disposable
13         {
14             [MethodImpl(MethodImplOptions.AggressiveInlining)]
15             public DisposableWithMultipleCallsAllowed(Disposal disposal) : base(disposal) { }
16
17             protected override bool AllowMultipleDisposeCalls

```

```

17     {
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         get => true;
20     }
21 }
22
23 protected readonly DisposableWithMultipleCallsAllowed Disposable;
24
25 [MethodImpl(MethodImplOptions.AggressiveInlining)]
26 protected LinksDisposableDecoratorBase(ILinks<TLink> links) : base(links) => Disposable
27     => = new DisposableWithMultipleCallsAllowed(Dispose);
28
29 [MethodImpl(MethodImplOptions.AggressiveInlining)]
30 ~LinksDisposableDecoratorBase() => Disposable.Destruct();
31
32 [MethodImpl(MethodImplOptions.AggressiveInlining)]
33 public void Dispose() => Disposable.Dispose();
34
35 [MethodImpl(MethodImplOptions.AggressiveInlining)]
36 protected virtual void Dispose(bool manual, bool wasDisposed)
37 {
38     if (!wasDisposed)
39     {
40         _links.DisposeIfPossible();
41     }
42 }
43 }

```

1.6 ./csharp/Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Decorators
8 {
9     // TODO: Make LinksExternalReferenceValidator. A layer that checks each link to exist or to
10     // be external (hybrid link's raw number).
11     public class LinksInnerReferenceExistenceValidator<TLink> : LinksDecoratorBase<TLink>
12     {
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public LinksInnerReferenceExistenceValidator(ILinks<TLink> links) : base(links) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
18         {
19             var links = _links;
20             links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
21             return links.Each(handler, restrictions);
22         }
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
26         {
27             // TODO: Possible values: null, ExistentLink or NonExistentHybrid(ExternalReference)
28             var links = _links;
29             links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
30             links.EnsureInnerReferenceExists(substitution, nameof(substitution));
31             return links.Update(restrictions, substitution);
32         }
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         public override void Delete(IList<TLink> restrictions)
36         {
37             var link = restrictions[_constants.IndexPart];
38             var links = _links;
39             links.EnsureLinkExists(link, nameof(link));
40             links.Delete(link);
41         }
42     }
43 }

```

1.7 ./csharp/Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4

```

```

5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Decorators
8 {
9     public class LinksItselfConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
10    {
11        private static readonly EqualityComparer<TLink> _equalityComparer =
12            ↪ EqualityComparer<TLink>.Default;
13
14        [MethodImpl(MethodImplOptions.AggressiveInlining)]
15        public LinksItselfConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }
16
17        [MethodImpl(MethodImplOptions.AggressiveInlining)]
18        public override TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
19        {
20            var constants = _constants;
21            var itselfConstant = constants.Itself;
22            if (!_equalityComparer.Equals(constants.Any, itselfConstant) &&
23                ↪ restrictions.Contains(itselfConstant))
24            {
25                // Itself constant is not supported for Each method right now, skipping execution
26                return constants.Continue;
27            }
28            return _links.Each(handler, restrictions);
29        }
30
31        [MethodImpl(MethodImplOptions.AggressiveInlining)]
32        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution) =>
33            ↪ _links.Update(restrictions, _links.ResolveConstantAsSelfReference(_constants.Itself,
34            ↪ restrictions, substitution));
35    }
36 }

```

1.8 ./csharp/Platform.Data.Doublets.Decorators/LinksNonExistentDependenciesCreator.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Decorators
7 {
8     /// <remarks>
9     /// Not practical if newSource and newTarget are too big.
10    /// To be able to use practical version we should allow to create link at any specific
11    ↪ location inside ResizableDirectMemoryLinks.
12    /// This in turn will require to implement not a list of empty links, but a list of ranges
13    ↪ to store it more efficiently.
14    /// </remarks>
15    public class LinksNonExistentDependenciesCreator<TLink> : LinksDecoratorBase<TLink>
16    {
17        [MethodImpl(MethodImplOptions.AggressiveInlining)]
18        public LinksNonExistentDependenciesCreator(ILinks<TLink> links) : base(links) { }
19
20        [MethodImpl(MethodImplOptions.AggressiveInlining)]
21        public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
22        {
23            var constants = _constants;
24            var links = _links;
25            links.EnsureCreated(substitution[constants.SourcePart],
26                ↪ substitution[constants.TargetPart]);
27            return links.Update(restrictions, substitution);
28        }
29    }
30 }

```

1.9 ./csharp/Platform.Data.Doublets.Decorators/LinksNullConstantToSelfReferenceResolver.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Decorators
7 {
8     public class LinksNullConstantToSelfReferenceResolver<TLink> : LinksDecoratorBase<TLink>
9    {
10        [MethodImpl(MethodImplOptions.AggressiveInlining)]
11        public LinksNullConstantToSelfReferenceResolver(ILinks<TLink> links) : base(links) { }
12
13        [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

14         public override TLink Create(ICollection<TLink> restrictions) => _links.CreatePoint();
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public override TLink Update(ICollection<TLink> restrictions, ICollection<TLink> substitution) =>
18             ↪ _links.Update(restrictions, _links.ResolveConstantAsSelfReference(_constants.Null,
19             ↪ restrictions, substitution));
18     }
19 }

```

1.10 ./csharp/Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      public class LinksUniquenessResolver<TLink> : LinksDecoratorBase<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ↪ EqualityComparer<TLink>.Default;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public LinksUniquenessResolver(ICollection<TLink> links) : base(links) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public override TLink Update(ICollection<TLink> restrictions, ICollection<TLink> substitution)
18         {
19             var constants = _constants;
20             var links = _links;
21             var newLinkAddress = links.SearchOrDefault(substitution[constants.SourcePart],
22             ↪ substitution[constants.TargetPart]);
23             if (_equalityComparer.Equals(newLinkAddress, default))
24             {
25                 return links.Update(restrictions, substitution);
26             }
27             return ResolveAddressChangeConflict(restrictions[constants.IndexPart],
28             ↪ newLinkAddress);
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected virtual TLink ResolveAddressChangeConflict(TLink oldLinkAddress, TLink
33             ↪ newLinkAddress)
34         {
35             if (!_equalityComparer.Equals(oldLinkAddress, newLinkAddress) &&
36             ↪ _links.Exists(oldLinkAddress))
37             {
38                 _facade.Delete(oldLinkAddress);
39             }
40             return newLinkAddress;
41         }
42     }
43 }

```

1.11 ./csharp/Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      public class LinksUniquenessValidator<TLink> : LinksDecoratorBase<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksUniquenessValidator(ICollection<TLink> links) : base(links) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public override TLink Update(ICollection<TLink> restrictions, ICollection<TLink> substitution)
15         {
16             var links = _links;
17             var constants = _constants;
18             links.EnsureDoesNotExists(substitution[constants.SourcePart],
19             ↪ substitution[constants.TargetPart]);
20             return links.Update(restrictions, substitution);
21         }
22     }
23 }

```

1.12 ./csharp/Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs

```
1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Decorators
7 {
8     public class LinksUsagesValidator<TLink> : LinksDecoratorBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksUsagesValidator(ILinks<TLink> links) : base(links) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
15         {
16             var links = _links;
17             links.EnsureNoUsages(restrictions[_constants.IndexPart]);
18             return links.Update(restrictions, substitution);
19         }
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public override void Delete(IList<TLink> restrictions)
23         {
24             var link = restrictions[_constants.IndexPart];
25             var links = _links;
26             links.EnsureNoUsages(link);
27             links.Delete(link);
28         }
29     }
30 }
```

1.13 ./csharp/Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs

```
1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Decorators
7 {
8     public class NonNullContentsLinkDeletionResolver<TLink> : LinksDecoratorBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public NonNullContentsLinkDeletionResolver(ILinks<TLink> links) : base(links) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public override void Delete(IList<TLink> restrictions)
15         {
16             var linkIndex = restrictions[_constants.IndexPart];
17             var links = _links;
18             links.EnforceResetValues(linkIndex);
19             links.Delete(linkIndex);
20         }
21     }
22 }
```

1.14 ./csharp/Platform.Data.Doublets/Decorators/UInt32Links.cs

```
1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using TLink = System.UInt32;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Decorators
8 {
9     public class UInt32Links : LinksDisposableDecoratorBase<TLink>
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public UInt32Links(ILinks<TLink> links) : base(links) { }
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         public override TLink Create(IList<TLink> restrictions) => _links.CreatePoint();
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         public override TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
19         {
20             var constants = _constants;
21             var indexPartConstant = constants.IndexPart;
22             var sourcePartConstant = constants.SourcePart;
23             var targetPartConstant = constants.TargetPart;
```

```

24     var nullConstant = constants.Null;
25     var itselfConstant = constants.Itself;
26     var existedLink = nullConstant;
27     var updatedLink = restrictions[indexPartConstant];
28     var newSource = substitution[sourcePartConstant];
29     var newTarget = substitution[targetPartConstant];
30     var links = _links;
31     if (newSource != itselfConstant && newTarget != itselfConstant)
32     {
33         existedLink = links.SearchOrDefault(newSource, newTarget);
34     }
35     if (existedLink == nullConstant)
36     {
37         var before = links.GetLink(updatedLink);
38         if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
39             ↪ newTarget)
40         {
41             links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
42                 ↪ newSource,
43                 newTarget == itselfConstant ? updatedLink :
44                     ↪ newTarget);
45         }
46         return updatedLink;
47     }
48     else
49     {
50         return _facade.MergeAndDelete(updatedLink, existedLink);
51     }
52 }
53
54 [MethodImpl(MethodImplOptions.AggressiveInlining)]
55 public override void Delete(ICollection<TLink> restrictions)
56 {
57     var linkIndex = restrictions[_constants.IndexPart];
58     var links = _links;
59     links.EnforceResetValues(linkIndex);
60     _facade.DeleteAllUsages(linkIndex);
61     links.Delete(linkIndex);
62 }
63 }

```

1.15 ./csharp/Platform.Data.Doublets/Decorators/UInt64Links.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Decorators
7  {
8      /// <summary>
9      /// <para>Represents a combined decorator that implements the basic logic for interacting
10     ↪ with the links storage for links with addresses represented as <see cref="System.UInt64"
11     ↪ </para>
12     /// <para>Представляет комбинированный декоратор, реализующий основную логику по
13     ↪ взаимодействию с хранилищем связей, для связей с адресами представленными в виде <see
14     ↪ cref="System.UInt64"></para>
15     /// </summary>
16     /// <remarks>
17     /// Возможные оптимизации:
18     /// Объединение в одном поле Source и Target с уменьшением до 32 бит.
19     /// + меньше объём БД
20     /// - меньше производительность
21     /// - больше ограничение на количество связей в БД)
22     /// Ленивое хранение размеров поддеревьев (расчитываемое по мере использования БД)
23     /// + меньше объём БД
24     /// - больше сложность
25     ///
26     /// Текущее теоретическое ограничение на индекс связи, из-за использования 5 бит в размере
27     ↪ поддеревьев для AVL баланса и флагов нитей: 2 в степени(64 минус 5 равно 59 ) равно 576
28     ↪ 460 752 303 423 488
29     /// Желательно реализовать поддержку переключения между деревьями и битовыми индексами
30     ↪ (битовыми строками) - вариант матрицы (выстраиваемой лениво).
31     ///
32     /// Решить отключать ли проверки при компиляции под Release. Т.е. исключения будут
33     ↪ выбрасываться только при #if DEBUG
34     /// </remarks>
35     public class UInt64Links : LinksDisposableDecoratorBase<ulong>

```

```

28 {
29     [MethodImpl(MethodImplOptions.AggressiveInlining)]
30     public UInt64Links(ILinks<ulong> links) : base(links) { }
31
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     public override ulong Create(IList<ulong> restrictions) => _links.CreatePoint();
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
37     {
38         var constants = _constants;
39         var indexPartConstant = constants.IndexPart;
40         var sourcePartConstant = constants.SourcePart;
41         var targetPartConstant = constants.TargetPart;
42         var nullConstant = constants.Null;
43         var itselfConstant = constants.Itself;
44         var existedLink = nullConstant;
45         var updatedLink = restrictions[indexPartConstant];
46         var newSource = substitution[sourcePartConstant];
47         var newTarget = substitution[targetPartConstant];
48         var links = _links;
49         if (newSource != itselfConstant && newTarget != itselfConstant)
50         {
51             existedLink = links.SearchOrDefault(newSource, newTarget);
52         }
53         if (existedLink == nullConstant)
54         {
55             var before = links.GetLink(updatedLink);
56             if (before[sourcePartConstant] != newSource || before[targetPartConstant] !=
57                 ↪ newTarget)
58             {
59                 links.Update(updatedLink, newSource == itselfConstant ? updatedLink :
60                     ↪ newSource,
61                                     newTarget == itselfConstant ? updatedLink :
62                     ↪ newTarget);
63             }
64             return updatedLink;
65         }
66         else
67         {
68             return _facade.MergeAndDelete(updatedLink, existedLink);
69         }
70     }
71
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     public override void Delete(IList<ulong> restrictions)
74     {
75         var linkIndex = restrictions[_constants.IndexPart];
76         var links = _links;
77         links.EnforceResetValues(linkIndex);
78         _facade.DeleteAllUsages(linkIndex);
79         links.Delete(linkIndex);
80     }
81 }
82
83 }

```

1.16 ./csharp/Platform.Data.Doublets/Decorators/UniLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Linq;
4  using Platform.Collections;
5  using Platform.Collections.Lists;
6  using Platform.Data.Universal;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Decorators
11 {
12     /// <remarks>
13     /// What does empty pattern (for condition or substitution) mean? Nothing or Everything?
14     /// Now we go with nothing. And nothing is something one, but empty, and cannot be changed
15     ↪ by itself. But can cause creation (update from nothing) or deletion (update to nothing).
16     ///
17     /// TODO: Decide to change to IDoubletLinks or not to change. (Better to create
18     ↪ DefaultUniLinksBase, that contains logic itself and can be implemented using both
19     ↪ IDoubletLinks and ILinks.)
20     /// </remarks>
21     internal class UniLinks<TLink> : LinksDecoratorBase<TLink>, IUniLinks<TLink>
22     {

```



```

20 private static readonly EqualityComparer<TLink> _equalityComparer =
    ↳ EqualityComparer<TLink>.Default;
21
22 public UniLinks(ILinks<TLink> links) : base(links) { }
23
24 private struct Transition
25 {
26     public IList<TLink> Before;
27     public IList<TLink> After;
28
29     public Transition(IList<TLink> before, IList<TLink> after)
30     {
31         Before = before;
32         After = after;
33     }
34 }
35
36 //public static readonly TLink NullConstant = Use<LinksConstants<TLink>>.Single.Null;
37 //public static readonly IReadOnlyList<TLink> NullLink = new
    ↳ ReadOnlyCollection<TLink>(new List<TLink> { NullConstant, NullConstant, NullConstant
    ↳ });
38
39 // TODO: Подумать о том, как реализовать древовидный Restriction и Substitution
    ↳ (Links-Expression)
40 public TLink Trigger(IList<TLink> restriction, Func<IList<TLink>, IList<TLink>, TLink>
    ↳ matchedHandler, IList<TLink> substitution, Func<IList<TLink>, IList<TLink>, TLink>
    ↳ substitutedHandler)
41 {
42     /////List<Transition> transitions = null;
43     /////if (!restriction.IsNullOrEmpty())
44     /////{
45     /////    // Есть причина делать проход (чтение)
46     /////    if (matchedHandler != null)
47     /////    {
48     /////        if (!substitution.IsNullOrEmpty())
49     /////        {
50     /////            // restriction => { 0, 0, 0 } | { 0 } // Create
51     /////            // substitution => { itself, 0, 0 } | { itself, itself, itself } //
    ↳ Create / Update
52     /////            // substitution => { 0, 0, 0 } | { 0 } // Delete
53     /////            transitions = new List<Transition>();
54     /////            if (Equals(substitution[Constants.IndexPart], Constants.Null))
55     /////            {
56     /////                // If index is Null, that means we always ignore every other
    ↳ value (they are also Null by definition)
57     /////                var matchDecision = matchedHandler(, NullLink);
58     /////                if (Equals(matchDecision, Constants.Break))
59     /////                {
60     /////                    return false;
61     /////                }
62     /////                if (!Equals(matchDecision, Constants.Skip))
63     /////                {
64     /////                    transitions.Add(new Transition(matchedLink, newValue));
65     /////                }
66     /////            }
67     /////            else
68     /////            {
69     /////                Func<T, bool> handler;
70     /////                handler = link =>
71     /////                {
72     /////                    var matchedLink = Memory.GetLinkValue(link);
73     /////                    var newValue = Memory.GetLinkValue(link);
74     /////                    newValue[Constants.IndexPart] = Constants.Itself;
75     /////                    newValue[Constants.SourcePart] =
    ↳ Equals(substitution[Constants.SourcePart], Constants.Itself) ?
    ↳ matchedLink[Constants.IndexPart] : substitution[Constants.SourcePart];
76     /////                    newValue[Constants.TargetPart] =
    ↳ Equals(substitution[Constants.TargetPart], Constants.Itself) ?
    ↳ matchedLink[Constants.IndexPart] : substitution[Constants.TargetPart];
77     /////                    var matchDecision = matchedHandler(matchedLink, newValue);
78     /////                    if (Equals(matchDecision, Constants.Break))
79     /////                    {
80     /////                        return false;
81     /////                    }
82     /////                    if (!Equals(matchDecision, Constants.Skip))
83     /////                    {
84     /////                        transitions.Add(new Transition(matchedLink, newValue));
85     /////                    }
86     /////                    return true;
87     /////                };
88     /////            }
89     /////            if (!Memory.Each(handler, restriction))
90     /////            {
91     /////                return Constants.Break;
92     /////            }
93     /////        }
94     /////    }
95     /////    }
96     /////    }
97     /////    }
98     /////    }
99     /////    }
100     /////    }
101     /////    }
102     /////    }
103     /////    }
104     /////    }
105     /////    }
106     /////    }
107     /////    }
108     /////    }
109     /////    }
110     /////    }
111     /////    }
112     /////    }
113     /////    }
114     /////    }
115     /////    }
116     /////    }
117     /////    }
118     /////    }
119     /////    }
120     /////    }
121     /////    }
122     /////    }
123     /////    }
124     /////    }
125     /////    }
126     /////    }
127     /////    }
128     /////    }
129     /////    }
130     /////    }
131     /////    }
132     /////    }
133     /////    }
134     /////    }
135     /////    }
136     /////    }
137     /////    }
138     /////    }
139     /////    }
140     /////    }
141     /////    }
142     /////    }
143     /////    }
144     /////    }
145     /////    }
146     /////    }
147     /////    }
148     /////    }
149     /////    }
150     /////    }
151     /////    }
152     /////    }
153     /////    }
154     /////    }
155     /////    }
156     /////    }
157     /////    }
158     /////    }
159     /////    }
160     /////    }
161     /////    }
162     /////    }
163     /////    }
164     /////    }
165     /////    }
166     /////    }
167     /////    }
168     /////    }
169     /////    }
170     /////    }
171     /////    }
172     /////    }
173     /////    }
174     /////    }
175     /////    }
176     /////    }
177     /////    }
178     /////    }
179     /////    }
180     /////    }
181     /////    }
182     /////    }
183     /////    }
184     /////    }
185     /////    }
186     /////    }
187     /////    }
188     /////    }
189     /////    }
190     /////    }
191     /////    }
192     /////    }
193     /////    }
194     /////    }
195     /////    }
196     /////    }
197     /////    }
198     /////    }
199     /////    }
200     /////    }
201     /////    }
202     /////    }
203     /////    }
204     /////    }
205     /////    }
206     /////    }
207     /////    }
208     /////    }
209     /////    }
210     /////    }
211     /////    }
212     /////    }
213     /////    }
214     /////    }
215     /////    }
216     /////    }
217     /////    }
218     /////    }
219     /////    }
220     /////    }
221     /////    }
222     /////    }
223     /////    }
224     /////    }
225     /////    }
226     /////    }
227     /////    }
228     /////    }
229     /////    }
230     /////    }
231     /////    }
232     /////    }
233     /////    }
234     /////    }
235     /////    }
236     /////    }
237     /////    }
238     /////    }
239     /////    }
240     /////    }
241     /////    }
242     /////    }
243     /////    }
244     /////    }
245     /////    }
246     /////    }
247     /////    }
248     /////    }
249     /////    }
250     /////    }
251     /////    }
252     /////    }
253     /////    }
254     /////    }
255     /////    }
256     /////    }
257     /////    }
258     /////    }
259     /////    }
260     /////    }
261     /////    }
262     /////    }
263     /////    }
264     /////    }
265     /////    }
266     /////    }
267     /////    }
268     /////    }
269     /////    }
270     /////    }
271     /////    }
272     /////    }
273     /////    }
274     /////    }
275     /////    }
276     /////    }
277     /////    }
278     /////    }
279     /////    }
280     /////    }
281     /////    }
282     /////    }
283     /////    }
284     /////    }
285     /////    }
286     /////    }
287     /////    }
288     /////    }
289     /////    }
290     /////    }
291     /////    }
292     /////    }
293     /////    }
294     /////    }
295     /////    }
296     /////    }
297     /////    }
298     /////    }
299     /////    }
300     /////    }
301     /////    }
302     /////    }
303     /////    }
304     /////    }
305     /////    }
306     /////    }
307     /////    }
308     /////    }
309     /////    }
310     /////    }
311     /////    }
312     /////    }
313     /////    }
314     /////    }
315     /////    }
316     /////    }
317     /////    }
318     /////    }
319     /////    }
320     /////    }
321     /////    }
322     /////    }
323     /////    }
324     /////    }
325     /////    }
326     /////    }
327     /////    }
328     /////    }
329     /////    }
330     /////    }
331     /////    }
332     /////    }
333     /////    }
334     /////    }
335     /////    }
336     /////    }
337     /////    }
338     /////    }
339     /////    }
340     /////    }
341     /////    }
342     /////    }
343     /////    }
344     /////    }
345     /////    }
346     /////    }
347     /////    }
348     /////    }
349     /////    }
350     /////    }
351     /////    }
352     /////    }
353     /////    }
354     /////    }
355     /////    }
356     /////    }
357     /////    }
358     /////    }
359     /////    }
360     /////    }
361     /////    }
362     /////    }
363     /////    }
364     /////    }
365     /////    }
366     /////    }
367     /////    }
368     /////    }
369     /////    }
370     /////    }
371     /////    }
372     /////    }
373     /////    }
374     /////    }
375     /////    }
376     /////    }
377     /////    }
378     /////    }
379     /////    }
380     /////    }
381     /////    }
382     /////    }
383     /////    }
384     /////    }
385     /////    }
386     /////    }
387     /////    }
388     /////    }
389     /////    }
390     /////    }
391     /////    }
392     /////    }
393     /////    }
394     /////    }
395     /////    }
396     /////    }
397     /////    }
398     /////    }
399     /////    }
400     /////    }
401     /////    }
402     /////    }
403     /////    }
404     /////    }
405     /////    }
406     /////    }
407     /////    }
408     /////    }
409     /////    }
410     /////    }
411     /////    }
412     /////    }
413     /////    }
414     /////    }
415     /////    }
416     /////    }
417     /////    }
418     /////    }
419     /////    }
420     /////    }
421     /////    }
422     /////    }
423     /////    }
424     /////    }
425     /////    }
426     /////    }
427     /////    }
428     /////    }
429     /////    }
430     /////    }
431     /////    }
432     /////    }
433     /////    }
434     /////    }
435     /////    }
436     /////    }
437     /////    }
438     /////    }
439     /////    }
440     /////    }
441     /////    }
442     /////    }
443     /////    }
444     /////    }
445     /////    }
446     /////    }
447     /////    }
448     /////    }
449     /////    }
450     /////    }
451     /////    }
452     /////    }
453     /////    }
454     /////    }
455     /////    }
456     /////    }
457     /////    }
458     /////    }
459     /////    }
460     /////    }
461     /////    }
462     /////    }
463     /////    }
464     /////    }
465     /////    }
466     /////    }
467     /////    }
468     /////    }
469     /////    }
470     /////    }
471     /////    }
472     /////    }
473     /////    }
474     /////    }
475     /////    }
476     /////    }
477     /////    }
478     /////    }
479     /////    }
480     /////    }
481     /////    }
482     /////    }
483     /////    }
484     /////    }
485     /////    }
486     /////    }
487     /////    }
488     /////    }
489     /////    }
490     /////    }
491     /////    }
492     /////    }
493     /////    }
494     /////    }
495     /////    }
496     /////    }
497     /////    }
498     /////    }
499     /////    }
500     /////    }
501     /////    }
502     /////    }
503     /////    }
504     /////    }
505     /////    }
506     /////    }
507     /////    }
508     /////    }
509     /////    }
510     /////    }
511     /////    }
512     /////    }
513     /////    }
514     /////    }
515     /////    }
516     /////    }
517     /////    }
518     /////    }
519     /////    }
520     /////    }
521     /////    }
522     /////    }
523     /////    }
524     /////    }
525     /////    }
526     /////    }
527     /////    }
528     /////    }
529     /////    }
530     /////    }
531     /////    }
532     /////    }
533     /////    }
534     /////    }
535     /////    }
536     /////    }
537     /////    }
538     /////    }
539     /////    }
540     /////    }
541     /////    }
542     /////    }
543     /////    }
544     /////    }
545     /////    }
546     /////    }
547     /////    }
548     /////    }
549     /////    }
550     /////    }
551     /////    }
552     /////    }
553     /////    }
554     /////    }
555     /////    }
556     /////    }
557     /////    }
558     /////    }
559     /////    }
560     /////    }
561     /////    }
562     /////    }
563     /////    }
564     /////    }
565     /////    }
566     /////    }
567     /////    }
568     /////    }
569     /////    }
570     /////    }
571     /////    }
572     /////    }
573     /////    }
574     /////    }
575     /////    }
576     /////    }
577     /////    }
578     /////    }
579     /////    }
580     /////    }
581     /////    }
582     /////    }
583     /////    }
584     /////    }
585     /////    }
586     /////    }
587     /////    }
588     /////    }
589     /////    }
590     /////    }
591     /////    }
592     /////    }
593     /////    }
594     /////    }
595     /////    }
596     /////    }
597     /////    }
598     /////    }
599     /////    }
600     /////    }
601     /////    }
602     /////    }
603     /////    }
604     /////    }
605     /////    }
606     /////    }
607     /////    }
608     /////    }
609     /////    }
610     /////    }
611     /////    }
612     /////    }
613     /////    }
614     /////    }
615     /////    }
616     /////    }
617     /////    }
618     /////    }
619     /////    }
620     /////    }
621     /////    }
622     /////    }
623     /////    }
624     /////    }
625     /////    }
626     /////    }
627     /////    }
628     /////    }
629     /////    }
630     /////    }
631     /////    }
632     /////    }
633     /////    }
634     /////    }
635     /////    }
636     /////    }
637     /////    }
638     /////    }
639     /////    }
640     /////    }
641     /////    }
642     /////    }
643     /////    }
644     /////    }
645     /////    }
646     /////    }
647     /////    }
648     /////    }
649     /////    }
650     /////    }
651     /////    }
652     /////    }
653     /////    }
654     /////    }
655     /////    }
656     /////    }
657     /////    }
658     /////    }
659     /////    }
660     /////    }
661     /////    }
662     /////    }
663     /////    }
664     /////    }
665     /////    }
666     /////    }
667     /////    }
668     /////    }
669     /////    }
670     /////    }
671     /////    }
672     /////    }
673     /////    }
674     /////    }
675     /////    }
676     /////    }
677     /////    }
678     /////    }
679     /////    }
680     /////    }
681     /////    }
682     /////    }
683     /////    }
684     /////    }
685     /////    }
686     /////    }
687     /////    }
688     /////    }
689     /////    }
690     /////    }
691     /////    }
692     /////    }
693     /////    }
694     /////    }
695     /////    }
696     /////    }
697     /////    }
698     /////    }
699     /////    }
700     /////    }
701     /////    }
702     /////    }
703     /////    }
704     /////    }
705     /////    }
706     /////    }
707     /////    }
708     /////    }
709     /////    }
710     /////    }
711     /////    }
712     /////    }
713     /////    }
714     /////    }
715     /////    }
716     /////    }
717     /////    }
718     /////    }
719     /////    }
720     /////    }
721     /////    }
722     /////    }
723     /////    }
724     /////    }
725     /////    }
726     /////    }
727     /////    }
728     /////    }
729     /////    }
730     /////    }
731     /////    }
732     /////    }
733     /////    }
734     /////    }
735     /////    }
736     /////    }
737     /////    }
738     /////    }
739     /////    }
740     /////    }
741     /////    }
742     /////    }
743     /////    }
744     /////    }
745     /////    }
746     /////    }
747     /////    }
748     /////    }
749     /////    }
750     /////    }
751     /////    }
752     /////    }
753     /////    }
754     /////    }
755     /////    }
756     /////    }
757     /////    }
758     /////    }
759     /////    }
760     /////    }
761     /////    }
762     /////    }
763     /////    }
764     /////    }
765     /////    }
766     /////    }
767     /////    }
768     /////    }
769     /////    }
770     /////    }
771     /////    }
772     /////    }
773     /////    }
774     /////    }
775     /////    }
776     /////    }
777     /////    }
778     /////    }
779     /////    }
780     /////    }
781     /////    }
782     /////    }
783     /////    }
784     /////    }
785     /////    }
786     /////    }
787     /////    }
788     /////    }
789     /////    }
790     /////    }
791     /////    }
792     /////    }
793     /////    }
794     /////    }
795     /////    }
796     /////    }
797     /////    }
798     /////    }
799     /////    }
800     /////    }
801     /////    }
802     /////    }
803     /////    }
804     /////    }
805     /////    }
806     /////    }
807     /////    }
808     /////    }
809     /////    }
810     /////    }
811     /////    }
812     /////    }
813     /////    }
814     /////    }
815     /////    }
816     /////    }
817     /////    }
818     /////    }
819     /////    }
820     /////    }
821     /////    }
822     /////    }
823     /////    }
824     /////    }
825     /////    }
826     /////    }
827     /////    }
828     /////    }
829     /////    }
830     /////    }
831     /////    }
832     /////    }
833     /////    }
834     /////    }
835     /////    }
836     /////    }
837     /////    }
838     /////    }
839     /////    }
840     /////    }
841     /////    }
842     /////    }
843     /////    }
844     /////    }
845     /////    }
846     /////    }
847     /////    }
848     /////    }
849     /////    }
850     /////    }
851     /////    }
852     /////    }
853     /////    }
854     /////    }
855     /////    }
856     /////    }
857     /////    }
858     /////    }
859     /////    }
860     /////    }
861     /////    }
862     /////    }
863     /////    }
864     /////    }
865     /////    }
866     /////    }
867     /////    }
868     /////    }
869     /////    }
870     /////    }
871     /////    }
872     /////    }
873     /////    }
874     /////    }
875     /////    }
876     /////    }
877     /////    }
878     /////    }
879     /////    }
880     /////    }
881     /////    }
882     /////    }
883     /////    }
884     /////    }
885     /////    }
886     /////    }
887     /////    }
888     /////    }
889     /////    }
890     /////    }
891     /////    }
892     /////    }
893     /////    }
894     /////    }
895     /////    }
896     /////    }
897     /////    }
898     /////    }
899     /////    }
900     /////    }
901     /////    }
902     /////    }
903     /////    }
904     /////    }
905     /////    }
906     /////    }
907     /////    }
908     /////    }
909     /////    }
910     /////    }
911     /////    }
912     /////    }
913     /////    }
914     /////    }
915     /////    }
916     /////    }
917     /////    }
918     /////    }
919     /////    }
920     /////    }
921     /////    }
922     /////    }
923     /////    }
924     /////    }
925     /////    }
926     /////    }
927     /////    }
928     /////    }
929     /////    }
930     /////    }
931     /////    }
932     /////    }
933     /////    }
934     /////    }
935     /////    }
936     /////    }
937     /////    }
938     /////    }
939     /////    }
940     /////    }
941     /////    }
942     /////    }
943     /////    }
944     /////    }
945     /////    }
946     /////    }
947     /////    }
948     /////    }
949     /////    }
950     /////    }
951     /////    }
952     /////    }
953     /////    }
954     /////    }
955     /////    }
956     /////    }
957     /////    }
958     /////    }
959     /////    }
960     /////    }
961     /////    }
962     /////    }
963     /////    }
964     /////    }
965     /////    }
966     /////    }
967     /////    }
968     /////    }
969     /////    }
970     /////    }
971     /////    }
972     /////    }
973     /////    }
974     /////    }
975     /////    }
976     /////    }
977     /////    }
978     /////    }
979     /////    }
980     /////    }
981     /////    }
982     /////    }
983     /////    }
984     /////    }
985     /////    }
986     /////    }
987     /////    }
988     /////    }
989     /////    }
990     /////    }
991     /////    }
992     /////    }
993     /////    }
994     /////    }
995     /////    }
996     /////    }
997     /////    }
998     /////    }
999     /////    }
1000    /////    }

```

```

86         Func<T, bool> handler = link =>
87         {
88             var matchedLink = Memory.GetLinkValue(link);
89             var matchDecision = matchedHandler(matchedLink, matchedLink);
90             return !Equals(matchDecision, Constants.Break);
91         };
92         if (!Memory.Each(handler, restriction))
93             return Constants.Break;
94     }
95 }
96 else
97 {
98     if (substitution != null)
99     {
100         transitions = new List<IList<T>>>();
101         Func<T, bool> handler = link =>
102         {
103             var matchedLink = Memory.GetLinkValue(link);
104             transitions.Add(matchedLink);
105             return true;
106         };
107         if (!Memory.Each(handler, restriction))
108             return Constants.Break;
109     }
110     else
111     {
112         return Constants.Continue;
113     }
114 }
115 }
116 if (substitution != null)
117 {
118     // Есть причина делать замену (запись)
119     if (substitutedHandler != null)
120     {
121     }
122     else
123     {
124     }
125 }
126 return Constants.Continue;
127
128 //if (restriction.IsNullOrEmpty()) // Create
129 //{
130     substitution[Constants.IndexPart] = Memory.AllocateLink();
131     Memory.SetLinkValue(substitution);
132 //}
133 //else if (substitution.IsNullOrEmpty()) // Delete
134 //{
135     Memory.FreeLink(restriction[Constants.IndexPart]);
136 //}
137 //else if (restriction.EqualTo(substitution)) // Read or ("repeat" the state) // Each
138 //{
139     // No need to collect links to list
140     // Skip == Continue
141     // No need to check substitutedHandler
142     if (!Memory.Each(link => !Equals(matchedHandler(Memory.GetLinkValue(link)),
143         ↪ Constants.Break), restriction))
144         return Constants.Break;
145 //}
146 //else // Update
147 //{
148     //List<IList<T>> matchedLinks = null;
149     if (matchedHandler != null)
150     {
151         matchedLinks = new List<IList<T>>>();
152         Func<T, bool> handler = link =>
153         {
154             var matchedLink = Memory.GetLinkValue(link);
155             var matchDecision = matchedHandler(matchedLink);
156             if (Equals(matchDecision, Constants.Break))
157                 return false;
158             if (!Equals(matchDecision, Constants.Skip))
159                 matchedLinks.Add(matchedLink);
160             return true;
161         };
162         if (!Memory.Each(handler, restriction))
163             return Constants.Break;

```

```

163         //     }
164         //     if (!matchedLinks.IsNullOrEmpty())
165         //     {
166             var totalMatchedLinks = matchedLinks.Count;
167             for (var i = 0; i < totalMatchedLinks; i++)
168             {
169                 var matchedLink = matchedLinks[i];
170                 if (substitutedHandler != null)
171                 {
172                     var newValue = new List<T>(); // TODO: Prepare value to update here
173                     // TODO: Decide is it actually needed to use Before and After
174                     ↪ substitution handling.
175                     var substitutedDecision = substitutedHandler(matchedLink,
176                     ↪ newValue);
177                     if (Equals(substitutedDecision, Constants.Break))
178                         return Constants.Break;
179                     if (Equals(substitutedDecision, Constants.Continue))
180                     {
181                         // Actual update here
182                         Memory.SetLinkValue(newValue);
183                     }
184                     if (Equals(substitutedDecision, Constants.Skip))
185                     {
186                         // Cancel the update. TODO: decide use separate Cancel
187                         ↪ constant or Skip is enough?
188                     }
189                 }
190             }
191         }
192     }
193     // }
194     // }
195     // }
196     // }
197     // }
198     // }
199     // }
200     // }
201     // }
202     // }
203     // }
204     // }
205     // }
206     // }
207     // }
208     // }
209     // }
210     // }
211     // }
212     // }
213     // }
214     // }
215     // }
216     // }
217     // }
218     // }
219     // }
220     // }
221     // }
222     // }
223     // }
224     // }
225     // }
226     // }
227     // }
228     // }
229     // }
230     // }
231     // }
232     // }
233     // }
234     // }
235     // }
236     // }
237     // }
238     // }
239     // }
240     // }
241     // }
242     // }
243     // }
244     // }
245     // }
246     // }
247     // }
248     // }
249     // }
250     // }
251     // }
252     // }
253     // }
254     // }
255     // }
256     // }
257     // }
258     // }
259     // }
260     // }
261     // }
262     // }
263     // }
264     // }
265     // }
266     // }
267     // }
268     // }
269     // }
270     // }
271     // }
272     // }
273     // }
274     // }
275     // }
276     // }
277     // }
278     // }
279     // }
280     // }
281     // }
282     // }
283     // }
284     // }
285     // }
286     // }
287     // }
288     // }
289     // }
290     // }
291     // }
292     // }
293     // }
294     // }
295     // }
296     // }
297     // }
298     // }
299     // }
300     // }
301     // }
302     // }
303     // }
304     // }
305     // }
306     // }
307     // }
308     // }
309     // }
310     // }
311     // }
312     // }
313     // }
314     // }
315     // }
316     // }
317     // }
318     // }
319     // }
320     // }
321     // }
322     // }
323     // }
324     // }
325     // }
326     // }
327     // }
328     // }
329     // }
330     // }
331     // }
332     // }
333     // }
334     // }
335     // }
336     // }
337     // }
338     // }
339     // }
340     // }
341     // }
342     // }
343     // }
344     // }
345     // }
346     // }
347     // }
348     // }
349     // }
350     // }
351     // }
352     // }
353     // }
354     // }
355     // }
356     // }
357     // }
358     // }
359     // }
360     // }
361     // }
362     // }
363     // }
364     // }
365     // }
366     // }
367     // }
368     // }
369     // }
370     // }
371     // }
372     // }
373     // }
374     // }
375     // }
376     // }
377     // }
378     // }
379     // }
380     // }
381     // }
382     // }
383     // }
384     // }
385     // }
386     // }
387     // }
388     // }
389     // }
390     // }
391     // }
392     // }
393     // }
394     // }
395     // }
396     // }
397     // }
398     // }
399     // }
400     // }
401     // }
402     // }
403     // }
404     // }
405     // }
406     // }
407     // }
408     // }
409     // }
410     // }
411     // }
412     // }
413     // }
414     // }
415     // }
416     // }
417     // }
418     // }
419     // }
420     // }
421     // }
422     // }
423     // }
424     // }
425     // }
426     // }
427     // }
428     // }
429     // }
430     // }
431     // }
432     // }
433     // }
434     // }
435     // }
436     // }
437     // }
438     // }
439     // }
440     // }
441     // }
442     // }
443     // }
444     // }
445     // }
446     // }
447     // }
448     // }
449     // }
450     // }
451     // }
452     // }
453     // }
454     // }
455     // }
456     // }
457     // }
458     // }
459     // }
460     // }
461     // }
462     // }
463     // }
464     // }
465     // }
466     // }
467     // }
468     // }
469     // }
470     // }
471     // }
472     // }
473     // }
474     // }
475     // }
476     // }
477     // }
478     // }
479     // }
480     // }
481     // }
482     // }
483     // }
484     // }
485     // }
486     // }
487     // }
488     // }
489     // }
490     // }
491     // }
492     // }
493     // }
494     // }
495     // }
496     // }
497     // }
498     // }
499     // }
500     // }
501     // }
502     // }
503     // }
504     // }
505     // }
506     // }
507     // }
508     // }
509     // }
510     // }
511     // }
512     // }
513     // }
514     // }
515     // }
516     // }
517     // }
518     // }
519     // }
520     // }
521     // }
522     // }
523     // }
524     // }
525     // }
526     // }
527     // }
528     // }
529     // }
530     // }
531     // }
532     // }
533     // }
534     // }
535     // }
536     // }
537     // }
538     // }
539     // }
540     // }
541     // }
542     // }
543     // }
544     // }
545     // }
546     // }
547     // }
548     // }
549     // }
550     // }
551     // }
552     // }
553     // }
554     // }
555     // }
556     // }
557     // }
558     // }
559     // }
560     // }
561     // }
562     // }
563     // }
564     // }
565     // }
566     // }
567     // }
568     // }
569     // }
570     // }
571     // }
572     // }
573     // }
574     // }
575     // }
576     // }
577     // }
578     // }
579     // }
580     // }
581     // }
582     // }
583     // }
584     // }
585     // }
586     // }
587     // }
588     // }
589     // }
590     // }
591     // }
592     // }
593     // }
594     // }
595     // }
596     // }
597     // }
598     // }
599     // }
600     // }
601     // }
602     // }
603     // }
604     // }
605     // }
606     // }
607     // }
608     // }
609     // }
610     // }
611     // }
612     // }
613     // }
614     // }
615     // }
616     // }
617     // }
618     // }
619     // }
620     // }
621     // }
622     // }
623     // }
624     // }
625     // }
626     // }
627     // }
628     // }
629     // }
630     // }
631     // }
632     // }
633     // }
634     // }
635     // }
636     // }
637     // }
638     // }
639     // }
640     // }
641     // }
642     // }
643     // }
644     // }
645     // }
646     // }
647     // }
648     // }
649     // }
650     // }
651     // }
652     // }
653     // }
654     // }
655     // }
656     // }
657     // }
658     // }
659     // }
660     // }
661     // }
662     // }
663     // }
664     // }
665     // }
666     // }
667     // }
668     // }
669     // }
670     // }
671     // }
672     // }
673     // }
674     // }
675     // }
676     // }
677     // }
678     // }
679     // }
680     // }
681     // }
682     // }
683     // }
684     // }
685     // }
686     // }
687     // }
688     // }
689     // }
690     // }
691     // }
692     // }
693     // }
694     // }
695     // }
696     // }
697     // }
698     // }
699     // }
700     // }
701     // }
702     // }
703     // }
704     // }
705     // }
706     // }
707     // }
708     // }
709     // }
710     // }
711     // }
712     // }
713     // }
714     // }
715     // }
716     // }
717     // }
718     // }
719     // }
720     // }
721     // }
722     // }
723     // }
724     // }
725     // }
726     // }
727     // }
728     // }
729     // }
730     // }
731     // }
732     // }
733     // }
734     // }
735     // }
736     // }
737     // }
738     // }
739     // }
740     // }
741     // }
742     // }
743     // }
744     // }
745     // }
746     // }
747     // }
748     // }
749     // }
750     // }
751     // }
752     // }
753     // }
754     // }
755     // }
756     // }
757     // }
758     // }
759     // }
760     // }
761     // }
762     // }
763     // }
764     // }
765     // }
766     // }
767     // }
768     // }
769     // }
770     // }
771     // }
772     // }
773     // }
774     // }
775     // }
776     // }
777     // }
778     // }
779     // }
780     // }
781     // }
782     // }
783     // }
784     // }
785     // }
786     // }
787     // }
788     // }
789     // }
790     // }
791     // }
792     // }
793     // }
794     // }
795     // }
796     // }
797     // }
798     // }
799     // }
800     // }
801     // }
802     // }
803     // }
804     // }
805     // }
806     // }
807     // }
808     // }
809     // }
810     // }
811     // }
812     // }
813     // }
814     // }
815     // }
816     // }
817     // }
818     // }
819     // }
820     // }
821     // }
822     // }
823     // }
824     // }
825     // }
826     // }
827     // }
828     // }
829     // }
830     // }
831     // }
832     // }
833     // }
834     // }
835     // }
836     // }
837     // }
838     // }
839     // }
840     // }
841     // }
842     // }
843     // }
844     // }
845     // }
846     // }
847     // }
848     // }
849     // }
850     // }
851     // }
852     // }
853     // }
854     // }
855     // }
856     // }
857     // }
858     // }
859     // }
860     // }
861     // }
862     // }
863     // }
864     // }
865     // }
866     // }
867     // }
868     // }
869     // }
870     // }
871     // }
872     // }
873     // }
874     // }
875     // }
876     // }
877     // }
878     // }
879     // }
880     // }
881     // }
882     // }
883     // }
884     // }
885     // }
886     // }
887     // }
888     // }
889     // }
890     // }
891     // }
892     // }
893     // }
894     // }
895     // }
896     // }
897     // }
898     // }
899     // }
900     // }
901     // }
902     // }
903     // }
904     // }
905     // }
906     // }
907     // }
908     // }
909     // }
910     // }
911     // }
912     // }
913     // }
914     // }
915     // }
916     // }
917     // }
918     // }
919     // }
920     // }
921     // }
922     // }
923     // }
924     // }
925     // }
926     // }
927     // }
928     // }
929     // }
930     // }
931     // }
932     // }
933     // }
934     // }
935     // }
936     // }
937     // }
938     // }
939     // }
940     // }
941     // }
942     // }
943     // }
944     // }
945     // }
946     // }
947     // }
948     // }
949     // }
950     // }
951     // }
952     // }
953     // }
954     // }
955     // }
956     // }
957     // }
958     // }
959     // }
960     // }
961     // }
962     // }
963     // }
964     // }
965     // }
966     // }
967     // }
968     // }
969     // }
970     // }
971     // }
972     // }
973     // }
974     // }
975     // }
976     // }
977     // }
978     // }
979     // }
980     // }
981     // }
982     // }
983     // }
984     // }
985     // }
986     // }
987     // }
988     // }
989     // }
990     // }
991     // }
992     // }
993     // }
994     // }
995     // }
996     // }
997     // }
998     // }
999     // }
1000    // }

```

```

233         return substitutionHandler(before, after);
234     }
235     return constants.Continue;
236 }
237 else if (!patternOrCondition.IsNullOrEmpty()) // Deletion
238 {
239     if (patternOrCondition.Count == 1)
240     {
241         var linkToDelete = patternOrCondition[0];
242         var before = _links.GetLink(linkToDelete);
243         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
244             ↪ constants.Break))
245         {
246             return constants.Break;
247         }
248         var after = Array.Empty<TLink>();
249         _links.Update(linkToDelete, constants.Null, constants.Null);
250         _links.Delete(linkToDelete);
251         if (matchHandler != null)
252         {
253             return substitutionHandler(before, after);
254         }
255         return constants.Continue;
256     }
257     else
258     {
259         throw new NotSupportedException();
260     }
261 }
262 else // Replace / Update
263 {
264     if (patternOrCondition.Count == 1) //-V3125
265     {
266         var linkToUpdate = patternOrCondition[0];
267         var before = _links.GetLink(linkToUpdate);
268         if (matchHandler != null && _equalityComparer.Equals(matchHandler(before),
269             ↪ constants.Break))
270         {
271             return constants.Break;
272         }
273         var after = (IList<TLink>)substitution.ToArray(); //-V3125
274         if (_equalityComparer.Equals(after[0], default))
275         {
276             after[0] = linkToUpdate;
277         }
278         if (substitution.Count == 1)
279         {
280             if (!_equalityComparer.Equals(substitution[0], linkToUpdate))
281             {
282                 after = _links.GetLink(substitution[0]);
283                 _links.Update(linkToUpdate, constants.Null, constants.Null);
284                 _links.Delete(linkToUpdate);
285             }
286         }
287         else if (substitution.Count == 3)
288         {
289             //Links.Update(after);
290         }
291         else
292         {
293             throw new NotSupportedException();
294         }
295         if (matchHandler != null)
296         {
297             return substitutionHandler(before, after);
298         }
299         return constants.Continue;
300     }
301     else
302     {
303         throw new NotSupportedException();
304     }
305 }
306 }
307
308 /// <remarks>
309 /// IList[IList[IList[T]]]
310 /// |         |         |         |||

```

```

309     /// |         |         |-----| |
310     /// |         |         |   link   | |
311     /// |         |         |-----| |
312     /// |         |         |   change  | |
313     /// |-----|-----|
314     ///         changes
315     /// </remarks>
316     public IList<IList<IList<TLink>>> Trigger(IList<TLink> condition, IList<TLink>
    ↪ substitution)
317     {
318         var changes = new List<IList<IList<TLink>>>();
319         var @continue = _constants.Continue;
320         Trigger(condition, AlwaysContinue, substitution, (before, after) =>
321         {
322             var change = new[] { before, after };
323             changes.Add(change);
324             return @continue;
325         });
326         return changes;
327     }
328
329     private TLink AlwaysContinue(IList<TLink> linkToMatch) => _constants.Continue;
330 }
331 }

```

1.17 ./csharp/Platform.Data.Doublets/Doublet.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets
8  {
9
10     /// <summary>
11     /// <para>.</para>
12     /// <para>.</para>
13     /// </summary>
14     /// <typeparam>
15     /// <para>.</para>
16     /// <para>.</para>
17     /// </typeparam>
18     public struct Doublet<T> : IEquatable<Doublet<T>>
19     {
20         private static readonly EqualityComparer<T> _equalityComparer =
    ↪ EqualityComparer<T>.Default;
21
22         /// <summary>
23         /// <para>.</para>
24         /// <para>.</para>
25         /// </summary>
26         /// <typeparam name="T">
27         /// <para>.</para>
28         /// <para>.</para>
29         /// </typeparam>
30         public readonly T Source;
31
32         /// <summary>
33         /// <para>.</para>
34         /// <para>.</para>
35         /// </summary>
36         /// <typeparam name="T">
37         /// <para>.</para>
38         /// <para>.</para>
39         /// </typeparam>
40         public readonly T Target;
41
42         /// <summary>
43         /// <para>.</para>
44         /// <para>.</para>
45         /// </summary>
46         /// <typeparam name="T">
47         /// <para>.</para>
48         /// <para>.</para>
49         /// </typeparam>
50         /// <param name="source">
51         /// <para>.</para>
52         /// <para>.</para>

```

```

53     /// </param>
54     /// <param name="target">
55     /// <para>.</para>
56     /// <para>.</para>
57     /// </param>
58     [MethodImpl(MethodImplOptions.AggressiveInlining)]
59     public Doublet(T source, T target)
60     {
61         Source = source;
62         Target = target;
63     }
64
65     /// <summary>
66     /// <para>.</para>
67     /// <para>.</para>
68     /// </summary>
69     /// <returns>
70     /// <para>.</para>
71     /// <para>.</para>
72     /// </returns>
73     [MethodImpl(MethodImplOptions.AggressiveInlining)]
74     public override string ToString() => $"{Source}->{Target}";
75
76     /// <summary>
77     /// <para>.</para>
78     /// <para>.</para>
79     /// </summary>
80     /// <typeparam>
81     /// <para>.</para>
82     /// <para>.</para>
83     /// </typeparam>
84     /// <param name="other">
85     /// <para>.</para>
86     /// <para>.</para>
87     /// </param>
88     /// <returns>
89     /// <para>.</para>
90     /// <para>.</para>
91     /// </returns>
92     [MethodImpl(MethodImplOptions.AggressiveInlining)]
93     public bool Equals(Doublet<T> other) => _equalityComparer.Equals(Source, other.Source)
94     ↪ && _equalityComparer.Equals(Target, other.Target);
95
96     /// <summary>
97     /// <para>.</para>
98     /// <para>.</para>
99     /// </summary>
100    /// <typeparam>
101    /// <para>.</para>
102    /// <para>.</para>
103    /// </typeparam>
104    /// <param name="obj">
105    /// <para>.</para>
106    /// <para>.</para>
107    /// </param>
108    /// <returns>
109    /// <para>.</para>
110    /// <para>.</para>
111    /// </returns>
112    [MethodImpl(MethodImplOptions.AggressiveInlining)]
113    public override bool Equals(object obj) => obj is Doublet<T> doublet ?
114    ↪ base.Equals(doublet) : false;
115
116    /// <summary>
117    /// <para>.</para>
118    /// <para>.</para>
119    /// </summary>
120    /// <returns>
121    /// <para>.</para>
122    /// <para>.</para>
123    /// </returns>
124    [MethodImpl(MethodImplOptions.AggressiveInlining)]
125    public override int GetHashCode() => (Source, Target).GetHashCode();
126
127    /// <summary>
128    /// <para>.</para>
129    /// <para>.</para>
130    /// </summary>

```

```

129     /// <param name="left">
130     /// <para>.</para>
131     /// <para>.</para>
132     /// </param>
133     /// <param name="right">
134     /// <para>.</para>
135     /// <para>.</para>
136     /// </param>
137     /// <returns>
138     /// <para>.</para>
139     /// <para>.</para>
140     /// </returns>
141     [MethodImpl(MethodImplOptions.AggressiveInlining)]
142     public static bool operator ==(Doublet<T> left, Doublet<T> right) => left.Equals(right);
143
144     /// <summury>
145     /// <para>.</para>
146     /// <para>.</para>
147     /// </summury>
148     /// <param name="left">
149     /// <para>.</para>
150     /// <para>.</para>
151     /// </param>
152     /// <param name="right">
153     /// <para>.</para>
154     /// <para>.</para>
155     /// </param>
156     /// <returns>
157     /// <para>.</para>
158     /// <para>.</para>
159     /// </returns>
160     [MethodImpl(MethodImplOptions.AggressiveInlining)]
161     public static bool operator !=(Doublet<T> left, Doublet<T> right) => !(left == right);
162 }
163 }

```

1.18 ./csharp/Platform.Data.Doublets/DoubletComparer.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets
7 {
8     /// <remarks>
9     /// TODO: Может стоит попробовать ref во всех методах (IRefEqualityComparer)
10    /// 2x faster with comparer
11    /// </remarks>
12    public class DoubletComparer<T> : IEqualityComparer<Doublet<T>>
13    {
14        public static readonly DoubletComparer<T> Default = new DoubletComparer<T>();
15
16        [MethodImpl(MethodImplOptions.AggressiveInlining)]
17        public bool Equals(Doublet<T> x, Doublet<T> y) => x.Equals(y);
18
19        [MethodImpl(MethodImplOptions.AggressiveInlining)]
20        public int GetHashCode(Doublet<T> obj) => obj.GetHashCode();
21    }
22 }

```

1.19 ./csharp/Platform.Data.Doublets/ILinks.cs

```

1 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3 using System.Collections.Generic;
4
5 namespace Platform.Data.Doublets
6 {
7     public interface ILinks<TLink> : ILinks<TLink, LinksConstants<TLink>>
8     {
9     }
10 }

```

1.20 ./csharp/Platform.Data.Doublets/ILinksExtensions.cs

```

1 using System;
2 using System.Collections;
3 using System.Collections.Generic;
4 using System.Linq;
5 using System.Runtime.CompilerServices;
6 using Platform.Ranges;

```

```

7 using Platform.Collections.Arrays;
8 using Platform.Random;
9 using Platform.Setters;
10 using Platform.Converters;
11 using Platform.Numbers;
12 using Platform.Data.Exceptions;
13 using Platform.Data.Doublets.Decorators;
14
15 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
16
17 namespace Platform.Data.Doublets
18 {
19     public static class ILinksExtensions
20     {
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public static void RunRandomCreations<TLink>(this ILinks<TLink> links, ulong
23             ↳ amountOfCreations)
24         {
25             var random = RandomHelpers.Default;
26             var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
27             var uint64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
28             for (var i = OUL; i < amountOfCreations; i++)
29             {
30                 var linksAddressRange = new Range<ulong>(0,
31                     ↳ addressToUInt64Converter.Convert(links.Count()));
32                 var source =
33                     ↳ uint64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
34                 var target =
35                     ↳ uint64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
36                 links.GetOrCreate(source, target);
37             }
38         }
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         public static void RunRandomSearches<TLink>(this ILinks<TLink> links, ulong
42             ↳ amountOfSearches)
43         {
44             var random = RandomHelpers.Default;
45             var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
46             var uint64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
47             for (var i = OUL; i < amountOfSearches; i++)
48             {
49                 var linksAddressRange = new Range<ulong>(0,
50                     ↳ addressToUInt64Converter.Convert(links.Count()));
51                 var source =
52                     ↳ uint64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
53                 var target =
54                     ↳ uint64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
55                 links.SearchOrDefault(source, target);
56             }
57         }
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         public static void RunRandomDeletions<TLink>(this ILinks<TLink> links, ulong
61             ↳ amountOfDeletions)
62         {
63             var random = RandomHelpers.Default;
64             var addressToUInt64Converter = UncheckedConverter<TLink, ulong>.Default;
65             var uint64ToAddressConverter = UncheckedConverter<ulong, TLink>.Default;
66             var linksCount = addressToUInt64Converter.Convert(links.Count());
67             var min = amountOfDeletions > linksCount ? OUL : linksCount - amountOfDeletions;
68             for (var i = OUL; i < amountOfDeletions; i++)
69             {
70                 linksCount = addressToUInt64Converter.Convert(links.Count());
71                 if (linksCount <= min)
72                 {
73                     break;
74                 }
75                 var linksAddressRange = new Range<ulong>(min, linksCount);
76                 var link =
77                     ↳ uint64ToAddressConverter.Convert(random.NextUInt64(linksAddressRange));
78                 links.Delete(link);
79             }
80         }
81
82         [MethodImpl(MethodImplOptions.AggressiveInlining)]
83         public static void Delete<TLink>(this ILinks<TLink> links, TLink linkToDelete) =>
84             ↳ links.Delete(new LinkAddress<TLink>(linkToDelete));
85     }
86 }

```



```

75  /// <remarks>
76  /// TODO: Возможно есть очень простой способ это сделать.
77  /// (Например просто удалить файл, или изменить его размер таким образом,
78  /// чтобы удалился весь контент)
79  /// Например через _header->AllocatedLinks в ResizableDirectMemoryLinks
80  /// </remarks>
81  [MethodImpl(MethodImplOptions.AggressiveInlining)]
82  public static void DeleteAll<TLink>(this ILinks<TLink> links)
83  {
84      var equalityComparer = EqualityComparer<TLink>.Default;
85      var comparer = Comparer<TLink>.Default;
86      for (var i = links.Count(); comparer.Compare(i, default) > 0; i =
87          ↪ Arithmetic.Decrement(i))
88      {
89          links.Delete(i);
90          if (!equalityComparer.Equals(links.Count(), Arithmetic.Decrement(i)))
91          {
92              i = links.Count();
93          }
94      }
95  }
96  [MethodImpl(MethodImplOptions.AggressiveInlining)]
97  public static TLink First<TLink>(this ILinks<TLink> links)
98  {
99      TLink firstLink = default;
100     var equalityComparer = EqualityComparer<TLink>.Default;
101     if (equalityComparer.Equals(links.Count(), default))
102     {
103         throw new InvalidOperationException("В хранилище нет связей.");
104     }
105     links.Each(links.Constants.Any, links.Constants.Any, link =>
106     {
107         firstLink = link[links.Constants.IndexPart];
108         return links.Constants.Break;
109     });
110     if (equalityComparer.Equals(firstLink, default))
111     {
112         throw new InvalidOperationException("В процессе поиска по хранилищу не было
113             ↪ найдено связей.");
114     }
115     return firstLink;
116 }
117 [MethodImpl(MethodImplOptions.AggressiveInlining)]
118 public static IList<TLink> SingleOrDefault<TLink>(this ILinks<TLink> links, IList<TLink>
119     ↪ query)
120 {
121     IList<TLink> result = null;
122     var count = 0;
123     var constants = links.Constants;
124     var @continue = constants.Continue;
125     var @break = constants.Break;
126     links.Each(linkHandler, query);
127     return result;
128 }
129 TLink linkHandler(IList<TLink> link)
130 {
131     if (count == 0)
132     {
133         result = link;
134         count++;
135         return @continue;
136     }
137     else
138     {
139         result = null;
140         return @break;
141     }
142 }
143 }
144 #region Paths
145
146 /// <remarks>
147 /// TODO: Как так? Как то что ниже может быть корректно?
148 /// Скорее всего практически не применимо
149 /// Предполагалось, что можно было конвертировать формируемый в проходе через
150     ↪ SequenceWalker

```

```

150 /// Stack в конкретный путь из Source, Target до связи, но это не всегда так.
151 /// TODO: Возможно нужен метод, который именно выбрасывает исключения (EnsurePathExists)
152 /// </remarks>
153 [MethodImpl(MethodImplOptions.AggressiveInlining)]
154 public static bool CheckPathExistance<TLink>(this ILinks<TLink> links, params TLink[]
    ↪ path)
155 {
156     var current = path[0];
157     //EnsureLinkExists(current, "path");
158     if (!links.Exists(current))
159     {
160         return false;
161     }
162     var equalityComparer = EqualityComparer<TLink>.Default;
163     var constants = links.Constants;
164     for (var i = 1; i < path.Length; i++)
165     {
166         var next = path[i];
167         var values = links.GetLink(current);
168         var source = values[constants.SourcePart];
169         var target = values[constants.TargetPart];
170         if (equalityComparer.Equals(source, target) && equalityComparer.Equals(source,
            ↪ next))
171         {
172             //throw new InvalidOperationException(string.Format("Невозможно выбрать
            ↪ путь, так как и Source и Target совпадают с элементом пути {0}.", next));
173             return false;
174         }
175         if (!equalityComparer.Equals(next, source) && !equalityComparer.Equals(next,
            ↪ target))
176         {
177             //throw new InvalidOperationException(string.Format("Невозможно продолжить
            ↪ путь через элемент пути {0}", next));
178             return false;
179         }
180         current = next;
181     }
182     return true;
183 }
184
185 /// <remarks>
186 /// Может потребовать дополнительного стека для PathElement's при использовании
    ↪ SequenceWalker.
187 /// </remarks>
188 [MethodImpl(MethodImplOptions.AggressiveInlining)]
189 public static TLink GetByKeyes<TLink>(this ILinks<TLink> links, TLink root, params int[]
    ↪ path)
190 {
191     links.EnsureLinkExists(root, "root");
192     var currentLink = root;
193     for (var i = 0; i < path.Length; i++)
194     {
195         currentLink = links.GetLink(currentLink)[path[i]];
196     }
197     return currentLink;
198 }
199
200 [MethodImpl(MethodImplOptions.AggressiveInlining)]
201 public static TLink GetSquareMatrixSequenceElementByIndex<TLink>(this ILinks<TLink>
    ↪ links, TLink root, ulong size, ulong index)
202 {
203     var constants = links.Constants;
204     var source = constants.SourcePart;
205     var target = constants.TargetPart;
206     if (!Platform.Numbers.Math.IsPowerOfTwo(size))
207     {
208         throw new ArgumentOutOfRangeException(nameof(size), "Sequences with sizes other
            ↪ than powers of two are not supported.");
209     }
210     var path = new BitArray(BitConverter.GetBytes(index));
211     var length = Bit.GetLowestPosition(size);
212     links.EnsureLinkExists(root, "root");
213     var currentLink = root;
214     for (var i = length - 1; i >= 0; i--)
215     {
216         currentLink = links.GetLink(currentLink)[path[i] ? target : source];
217     }
218     return currentLink;

```

```

}
#endregion

/// <summary>
/// Возвращает индекс указанной связи.
/// </summary>
/// <param name="links">Хранилище связей.</param>
/// <param name="link">Связь представленная списком, состоящим из её адреса и
    ↳ содержимого.</param>
/// <returns>Индекс начальной связи для указанной связи.</returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static TLink GetIndex<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
    ↳ link[links.Constants.IndexPart];

/// <summary>
/// Возвращает индекс начальной (Source) связи для указанной связи.
/// </summary>
/// <param name="links">Хранилище связей.</param>
/// <param name="link">Индекс связи.</param>
/// <returns>Индекс начальной связи для указанной связи.</returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static TLink GetSource<TLink>(this ILinks<TLink> links, TLink link) =>
    ↳ links.GetLink(link)[links.Constants.SourcePart];

/// <summary>
/// Возвращает индекс начальной (Source) связи для указанной связи.
/// </summary>
/// <param name="links">Хранилище связей.</param>
/// <param name="link">Связь представленная списком, состоящим из её адреса и
    ↳ содержимого.</param>
/// <returns>Индекс начальной связи для указанной связи.</returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static TLink GetSource<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
    ↳ link[links.Constants.SourcePart];

/// <summary>
/// Возвращает индекс конечной (Target) связи для указанной связи.
/// </summary>
/// <param name="links">Хранилище связей.</param>
/// <param name="link">Индекс связи.</param>
/// <returns>Индекс конечной связи для указанной связи.</returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static TLink GetTarget<TLink>(this ILinks<TLink> links, TLink link) =>
    ↳ links.GetLink(link)[links.Constants.TargetPart];

/// <summary>
/// Возвращает индекс конечной (Target) связи для указанной связи.
/// </summary>
/// <param name="links">Хранилище связей.</param>
/// <param name="link">Связь представленная списком, состоящим из её адреса и
    ↳ содержимого.</param>
/// <returns>Индекс конечной связи для указанной связи.</returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static TLink GetTarget<TLink>(this ILinks<TLink> links, IList<TLink> link) =>
    ↳ link[links.Constants.TargetPart];

/// <summary>
/// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
/// </summary>
/// <param name="links">Хранилище связей.</param>
/// <param name="handler">Обработчик каждой подходящей связи.</param>
/// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
    ↳ может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
    ↳ Any - отсутствие ограничения, 1..∞ конкретный адрес связи.</param>
/// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
[MethodImpl(MethodImplOptions.AggressiveInlining)]
public static bool Each<TLink>(this ILinks<TLink> links, Func<IList<TLink>, TLink>
    ↳ handler, params TLink[] restrictions)
    => EqualityComparer<TLink>.Default.Equals(links.Each(handler, restrictions),
        ↳ links.Constants.Continue);

/// <summary>
/// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.

```

```

281 /// </summary>
282 /// <param name="links">Хранилище связей.</param>
283 /// <param name="source">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
    ↳ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
284 /// <param name="target">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
    ↳ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
285 /// <param name="handler">Обработчик каждой подходящей связи.</param>
286 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
287 [MethodImpl(MethodImplOptions.AggressiveInlining)]
288 public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
    ↳ Func<TLink, bool> handler)
289 {
290     var constants = links.Constants;
291     return links.Each(link => handler(link[constants.IndexPart]) ? constants.Continue :
    ↳ constants.Break, constants.Any, source, target);
292 }
293
294 /// <summary>
295 /// Выполняет проход по всем связям, соответствующим шаблону, вызывая обработчик
    ↳ (handler) для каждой подходящей связи.
296 /// </summary>
297 /// <param name="links">Хранилище связей.</param>
298 /// <param name="source">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве начала,
    ↳ Constants.Any - любое начало, 1..∞ конкретное начало)</param>
299 /// <param name="target">Значение, определяющее соответствующие шаблону связи.
    ↳ (Constants.Null - 0-я связь, обозначающая ссылку на пустоту в качестве конца,
    ↳ Constants.Any - любой конец, 1..∞ конкретный конец)</param>
300 /// <param name="handler">Обработчик каждой подходящей связи.</param>
301 /// <returns>True, в случае если проход по связям не был прерван и False в обратном
    ↳ случае.</returns>
302 [MethodImpl(MethodImplOptions.AggressiveInlining)]
303 public static bool Each<TLink>(this ILinks<TLink> links, TLink source, TLink target,
    ↳ Func<IList<TLink>, TLink> handler) => links.Each(handler, links.Constants.Any,
    ↳ source, target);
304
305 [MethodImpl(MethodImplOptions.AggressiveInlining)]
306 public static IList<IList<TLink>> All<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ restrictions)
307 {
308     var arraySize = CheckedConverter<TLink,
    ↳ ulong>.Default.Convert(links.Count(restrictions));
309     if (arraySize > 0)
310     {
311         var array = new IList<TLink>[arraySize];
312         var filler = new ArrayFiller<IList<TLink>, TLink>(array,
    ↳ links.Constants.Continue);
313         links.Each(filler.AddAndReturnConstant, restrictions);
314         return array;
315     }
316     else
317     {
318         return Array.Empty<IList<TLink>>();
319     }
320 }
321
322 [MethodImpl(MethodImplOptions.AggressiveInlining)]
323 public static IList<TLink> AllIndices<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ restrictions)
324 {
325     var arraySize = CheckedConverter<TLink,
    ↳ ulong>.Default.Convert(links.Count(restrictions));
326     if (arraySize > 0)
327     {
328         var array = new TLink[arraySize];
329         var filler = new ArrayFiller<TLink, TLink>(array, links.Constants.Continue);
330         links.Each(filler.AddFirstAndReturnConstant, restrictions);
331         return array;
332     }
333     else
334     {
335         return Array.Empty<TLink>();
336     }
337 }

```

```

338
339 /// <summary>
340 /// Возвращает значение, определяющее существует ли связь с указанными началом и концом
    ↳ в хранилище связей.
341 /// </summary>
342 /// <param name="links">Хранилище связей.</param>
343 /// <param name="source">Начало связи.</param>
344 /// <param name="target">Конец связи.</param>
345 /// <returns>Значение, определяющее существует ли связь.</returns>
346 [MethodImpl(MethodImplOptions.AggressiveInlining)]
347 public static bool Exists<TLink>(this ILinks<TLink> links, TLink source, TLink target)
    ↳ => Comparer<TLink>.Default.Compare(links.Count(links.Constants.Any, source, target),
    ↳ default) > 0;

348
349 #region Ensure
350 // TODO: May be move to EnsureExtensions or make it both there and here
351
352 [MethodImpl(MethodImplOptions.AggressiveInlining)]
353 public static void EnsureLinkExists<TLink>(this ILinks<TLink> links, IList<TLink>
    ↳ restrictions)
354 {
355     for (var i = 0; i < restrictions.Count; i++)
356     {
357         if (!links.Exists(restrictions[i]))
358         {
359             throw new ArgumentLinkDoesNotExistsException<TLink>(restrictions[i],
    ↳ $"sequence[{i}]");
360         }
361     }
362 }
363
364 [MethodImpl(MethodImplOptions.AggressiveInlining)]
365 public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links, TLink
    ↳ reference, string argumentName)
366 {
367     if (links.Constants.IsInternalReference(reference) && !links.Exists(reference))
368     {
369         throw new ArgumentLinkDoesNotExistsException<TLink>(reference, argumentName);
370     }
371 }
372
373 [MethodImpl(MethodImplOptions.AggressiveInlining)]
374 public static void EnsureInnerReferenceExists<TLink>(this ILinks<TLink> links,
    ↳ IList<TLink> restrictions, string argumentName)
375 {
376     for (int i = 0; i < restrictions.Count; i++)
377     {
378         links.EnsureInnerReferenceExists(restrictions[i], argumentName);
379     }
380 }
381
382 [MethodImpl(MethodImplOptions.AggressiveInlining)]
383 public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, IList<TLink>
    ↳ restrictions)
384 {
385     var equalityComparer = EqualityComparer<TLink>.Default;
386     var any = links.Constants.Any;
387     for (var i = 0; i < restrictions.Count; i++)
388     {
389         if (!equalityComparer.Equals(restrictions[i], any) &&
    ↳ !links.Exists(restrictions[i]))
390         {
391             throw new ArgumentLinkDoesNotExistsException<TLink>(restrictions[i],
    ↳ $"sequence[{i}]");
392         }
393     }
394 }
395
396 [MethodImpl(MethodImplOptions.AggressiveInlining)]
397 public static void EnsureLinkIsAnyOrExists<TLink>(this ILinks<TLink> links, TLink link,
    ↳ string argumentName)
398 {
399     var equalityComparer = EqualityComparer<TLink>.Default;
400     if (!equalityComparer.Equals(link, links.Constants.Any) && !links.Exists(link))
401     {
402         throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
403     }

```

```

404 }
405
406 [MethodImpl(MethodImplOptions.AggressiveInlining)]
407 public static void EnsureLinkIsItselfOrExists<TLink>(this ILinks<TLink> links, TLink
    ↳ link, string argumentName)
408 {
409     var equalityComparer = EqualityComparer<TLink>.Default;
410     if (!equalityComparer.Equals(link, links.Constants.Itself) && !links.Exists(link))
411     {
412         throw new ArgumentLinkDoesNotExistsException<TLink>(link, argumentName);
413     }
414 }
415
416 /// <param name="links">Хранилище связей.</param>
417 [MethodImpl(MethodImplOptions.AggressiveInlining)]
418 public static void EnsureDoesNotExists<TLink>(this ILinks<TLink> links, TLink source,
    ↳ TLink target)
419 {
420     if (links.Exists(source, target))
421     {
422         throw new LinkWithSameValueAlreadyExistsException();
423     }
424 }
425
426 /// <param name="links">Хранилище связей.</param>
427 [MethodImpl(MethodImplOptions.AggressiveInlining)]
428 public static void EnsureNoUsages<TLink>(this ILinks<TLink> links, TLink link)
429 {
430     if (links.HasUsages(link))
431     {
432         throw new ArgumentLinkHasDependenciesException<TLink>(link);
433     }
434 }
435
436 /// <param name="links">Хранилище связей.</param>
437 [MethodImpl(MethodImplOptions.AggressiveInlining)]
438 public static void EnsureCreated<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ addresses) => links.EnsureCreated(links.Create, addresses);
439
440 /// <param name="links">Хранилище связей.</param>
441 [MethodImpl(MethodImplOptions.AggressiveInlining)]
442 public static void EnsurePointsCreated<TLink>(this ILinks<TLink> links, params TLink[]
    ↳ addresses) => links.EnsureCreated(links.CreatePoint, addresses);
443
444 /// <param name="links">Хранилище связей.</param>
445 [MethodImpl(MethodImplOptions.AggressiveInlining)]
446 public static void EnsureCreated<TLink>(this ILinks<TLink> links, Func<TLink> creator,
    ↳ params TLink[] addresses)
447 {
448     var addressToUInt64Converter = CheckedConverter<TLink, ulong>.Default;
449     var uInt64ToAddressConverter = CheckedConverter<ulong, TLink>.Default;
450     var nonExistentAddresses = new HashSet<TLink>(addresses.Where(x =>
        ↳ !links.Exists(x)));
451     if (nonExistentAddresses.Count > 0)
452     {
453         var max = nonExistentAddresses.Max();
454         max = uInt64ToAddressConverter.Convert(System.Math.Min(addressToUInt64Converter.
            ↳ Convert(max),
            ↳ addressToUInt64Converter.Convert(links.Constants.InternalReferencesRange.Max
            ↳ imum)));
455         var createdLinks = new List<TLink>();
456         var equalityComparer = EqualityComparer<TLink>.Default;
457         TLink createdLink = creator();
458         while (!equalityComparer.Equals(createdLink, max))
459         {
460             createdLinks.Add(createdLink);
461         }
462         for (var i = 0; i < createdLinks.Count; i++)
463         {
464             if (!nonExistentAddresses.Contains(createdLinks[i]))
465             {
466                 links.Delete(createdLinks[i]);
467             }
468         }
469     }
470 }
471
472 #endregion

```

```

473
474 /// <param name="links">Хранилище связей.</param>
475 [MethodImpl(MethodImplOptions.AggressiveInlining)]
476 public static TLink CountUsages<TLink>(this ILinks<TLink> links, TLink link)
477 {
478     var constants = links.Constants;
479     var values = links.GetLink(link);
480     TLink usagesAsSource = links.Count(new Link<TLink>(constants.Any, link,
481         ↪ constants.Any));
482     var equalityComparer = EqualityComparer<TLink>.Default;
483     if (equalityComparer.Equals(values[constants.SourcePart], link))
484     {
485         usagesAsSource = Arithmetic<TLink>.Decrement(usagesAsSource);
486     }
487     TLink usagesAsTarget = links.Count(new Link<TLink>(constants.Any, constants.Any,
488         ↪ link));
489     if (equalityComparer.Equals(values[constants.TargetPart], link))
490     {
491         usagesAsTarget = Arithmetic<TLink>.Decrement(usagesAsTarget);
492     }
493     return Arithmetic<TLink>.Add(usagesAsSource, usagesAsTarget);
494 }
495
496 /// <param name="links">Хранилище связей.</param>
497 [MethodImpl(MethodImplOptions.AggressiveInlining)]
498 public static bool HasUsages<TLink>(this ILinks<TLink> links, TLink link) =>
499     ↪ Comparer<TLink>.Default.Compare(links.CountUsages(link), default) > 0;
500
501 /// <param name="links">Хранилище связей.</param>
502 [MethodImpl(MethodImplOptions.AggressiveInlining)]
503 public static bool Equals<TLink>(this ILinks<TLink> links, TLink link, TLink source,
504     ↪ TLink target)
505 {
506     var constants = links.Constants;
507     var values = links.GetLink(link);
508     var equalityComparer = EqualityComparer<TLink>.Default;
509     return equalityComparer.Equals(values[constants.SourcePart], source) &&
510         ↪ equalityComparer.Equals(values[constants.TargetPart], target);
511 }
512
513 /// <summary>
514 /// Выполняет поиск связи с указанными Source (началом) и Target (концом).
515 /// </summary>
516 /// <param name="links">Хранилище связей.</param>
517 /// <param name="source">Индекс связи, которая является началом для искомой
518     ↪ связи.</param>
519 /// <param name="target">Индекс связи, которая является концом для искомой связи.</param>
520 /// <returns>Индекс искомой связи с указанными Source (началом) и Target
521     ↪ (концом).</returns>
522 [MethodImpl(MethodImplOptions.AggressiveInlining)]
523 public static TLink SearchOrDefault<TLink>(this ILinks<TLink> links, TLink source, TLink
524     ↪ target)
525 {
526     var constants = links.Constants;
527     var setter = new Setter<TLink, TLink>(constants.Continue, constants.Break, default);
528     links.Each(setter.SetFirstAndReturnFalse, constants.Any, source, target);
529     return setter.Result;
530 }
531
532 /// <param name="links">Хранилище связей.</param>
533 [MethodImpl(MethodImplOptions.AggressiveInlining)]
534 public static TLink Create<TLink>(this ILinks<TLink> links) => links.Create(null);
535
536 /// <param name="links">Хранилище связей.</param>
537 [MethodImpl(MethodImplOptions.AggressiveInlining)]
538 public static TLink CreatePoint<TLink>(this ILinks<TLink> links)
539 {
540     var link = links.Create();
541     return links.Update(link, link, link);
542 }
543
544 /// <param name="links">Хранилище связей.</param>
545 [MethodImpl(MethodImplOptions.AggressiveInlining)]
546 public static TLink CreateAndUpdate<TLink>(this ILinks<TLink> links, TLink source, TLink
547     ↪ target) => links.Update(links.Create(), source, target);
548
549 /// <summary>
550 /// Обновляет связь с указанными началом (Source) и концом (Target)

```

```

542     /// на связь с указанными началом (NewSource) и концом (NewTarget).
543     /// </summary>
544     /// <param name="links">Хранилище связей.</param>
545     /// <param name="link">Индекс обновляемой связи.</param>
546     /// <param name="newSource">Индекс связи, которая является началом связи, на которую
    → выполняется обновление.</param>
547     /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
    → выполняется обновление.</param>
548     /// <returns>Индекс обновлённой связи.</returns>
549     [MethodImpl(MethodImplOptions.AggressiveInlining)]
550     public static TLink Update<TLink>(this ILinks<TLink> links, TLink link, TLink newSource,
    → TLink newTarget) => links.Update(new LinkAddress<TLink>(link), new Link<TLink>(link,
    → newSource, newTarget));
551
552     /// <summary>
553     /// Обновляет связь с указанными началом (Source) и концом (Target)
554     /// на связь с указанными началом (NewSource) и концом (NewTarget).
555     /// </summary>
556     /// <param name="links">Хранилище связей.</param>
557     /// <param name="restrictions">Ограничения на содержимое связей. Каждое ограничение
    → может иметь значения: Constants.Null - 0-я связь, обозначающая ссылку на пустоту,
    → Itself - требование установить ссылку на себя, 1.. $\infty$  конкретный адрес другой
    → связи.</param>
558     /// <returns>Индекс обновлённой связи.</returns>
559     [MethodImpl(MethodImplOptions.AggressiveInlining)]
560     public static TLink Update<TLink>(this ILinks<TLink> links, params TLink[] restrictions)
561     {
562         if (restrictions.Length == 2)
563         {
564             return links.MergeAndDelete(restrictions[0], restrictions[1]);
565         }
566         if (restrictions.Length == 4)
567         {
568             return links.UpdateOrCreateOrGet(restrictions[0], restrictions[1],
    → restrictions[2], restrictions[3]);
569         }
570         else
571         {
572             return links.Update(new LinkAddress<TLink>(restrictions[0]), restrictions);
573         }
574     }
575
576     [MethodImpl(MethodImplOptions.AggressiveInlining)]
577     public static IList<TLink> ResolveConstantAsSelfReference<TLink>(this ILinks<TLink>
    → links, TLink constant, IList<TLink> restrictions, IList<TLink> substitution)
578     {
579         var equalityComparer = EqualityComparer<TLink>.Default;
580         var constants = links.Constants;
581         var restrictionsIndex = restrictions[constants.IndexPart];
582         var substitutionIndex = substitution[constants.IndexPart];
583         if (equalityComparer.Equals(substitutionIndex, default))
584         {
585             substitutionIndex = restrictionsIndex;
586         }
587         var source = substitution[constants.SourcePart];
588         var target = substitution[constants.TargetPart];
589         source = equalityComparer.Equals(source, constant) ? substitutionIndex : source;
590         target = equalityComparer.Equals(target, constant) ? substitutionIndex : target;
591         return new Link<TLink>(substitutionIndex, source, target);
592     }
593
594     /// <summary>
595     /// Создаёт связь (если она не существовала), либо возвращает индекс существующей связи
    → с указанными Source (началом) и Target (концом).
596     /// </summary>
597     /// <param name="links">Хранилище связей.</param>
598     /// <param name="source">Индекс связи, которая является началом на создаваемой
    → связи.</param>
599     /// <param name="target">Индекс связи, которая является концом для создаваемой
    → связи.</param>
600     /// <returns>Индекс связи, с указанным Source (началом) и Target (концом)</returns>
601     [MethodImpl(MethodImplOptions.AggressiveInlining)]
602     public static TLink GetOrCreate<TLink>(this ILinks<TLink> links, TLink source, TLink
    → target)
603     {
604         var link = links.SearchOrDefault(source, target);
605         if (EqualityComparer<TLink>.Default.Equals(link, default))

```



```

606     {
607         link = links.CreateAndUpdate(source, target);
608     }
609     return link;
610 }
611
612 /// <summary>
613 /// Обновляет связь с указанными началом (Source) и концом (Target)
614 /// на связь с указанными началом (NewSource) и концом (NewTarget).
615 /// </summary>
616 /// <param name="links">Хранилище связей.</param>
617 /// <param name="source">Индекс связи, которая является началом обновляемой
    → связи.</param>
618 /// <param name="target">Индекс связи, которая является концом обновляемой связи.</param>
619 /// <param name="newSource">Индекс связи, которая является началом связи, на которую
    → выполняется обновление.</param>
620 /// <param name="newTarget">Индекс связи, которая является концом связи, на которую
    → выполняется обновление.</param>
621 /// <returns>Индекс обновлённой связи.</returns>
622 [MethodImpl(MethodImplOptions.AggressiveInlining)]
623 public static TLink UpdateOrCreateOrGet<TLink>(this ILinks<TLink> links, TLink source,
    → TLink target, TLink newSource, TLink newTarget)
624 {
625     var equalityComparer = EqualityComparer<TLink>.Default;
626     var link = links.SearchOrDefault(source, target);
627     if (equalityComparer.Equals(link, default))
628     {
629         return links.CreateAndUpdate(newSource, newTarget);
630     }
631     if (equalityComparer.Equals(newSource, source) && equalityComparer.Equals(newTarget,
    → target))
632     {
633         return link;
634     }
635     return links.Update(link, newSource, newTarget);
636 }
637
638 /// <summary>Удаляет связь с указанными началом (Source) и концом (Target).</summary>
639 /// <param name="links">Хранилище связей.</param>
640 /// <param name="source">Индекс связи, которая является началом удаляемой связи.</param>
641 /// <param name="target">Индекс связи, которая является концом удаляемой связи.</param>
642 [MethodImpl(MethodImplOptions.AggressiveInlining)]
643 public static TLink DeleteIfExists<TLink>(this ILinks<TLink> links, TLink source, TLink
    → target)
644 {
645     var link = links.SearchOrDefault(source, target);
646     if (!EqualityComparer<TLink>.Default.Equals(link, default))
647     {
648         links.Delete(link);
649         return link;
650     }
651     return default;
652 }
653
654 /// <summary>Удаляет несколько связей.</summary>
655 /// <param name="links">Хранилище связей.</param>
656 /// <param name="deletedLinks">Список адресов связей к удалению.</param>
657 [MethodImpl(MethodImplOptions.AggressiveInlining)]
658 public static void DeleteMany<TLink>(this ILinks<TLink> links, IList<TLink> deletedLinks)
659 {
660     for (int i = 0; i < deletedLinks.Count; i++)
661     {
662         links.Delete(deletedLinks[i]);
663     }
664 }
665
666 /// <remarks>Before execution of this method ensure that deleted link is detached (all
    → values - source and target are reset to null) or it might enter into infinite
    → recursion.</remarks>
667 [MethodImpl(MethodImplOptions.AggressiveInlining)]
668 public static void DeleteAllUsages<TLink>(this ILinks<TLink> links, TLink linkIndex)
669 {
670     var anyConstant = links.Constants.Any;
671     var usagesAsSourceQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
672     links.DeleteByQuery(usagesAsSourceQuery);
673     var usagesAsTargetQuery = new Link<TLink>(anyConstant, linkIndex, anyConstant);
674     links.DeleteByQuery(usagesAsTargetQuery);
675 }

```

```

676 [MethodImpl(MethodImplOptions.AggressiveInlining)]
677 public static void DeleteByQuery<TLink>(this ILinks<TLink> links, Link<TLink> query)
678 {
679     var count = CheckedConverter<TLink, long>.Default.Convert(links.Count(query));
680     if (count > 0)
681     {
682         var queryResult = new TLink[count];
683         var queryResultFiller = new ArrayFiller<TLink, TLink>(queryResult,
684             ↪ links.Constants.Continue);
685         links.Each(queryResultFiller.AddFirstAndReturnConstant, query);
686         for (var i = count - 1; i >= 0; i--)
687         {
688             links.Delete(queryResult[i]);
689         }
690     }
691 }
692
693 // TODO: Move to Platform.Data
694 [MethodImpl(MethodImplOptions.AggressiveInlining)]
695 public static bool AreValuesReset<TLink>(this ILinks<TLink> links, TLink linkIndex)
696 {
697     var nullConstant = links.Constants.Null;
698     var equalityComparer = EqualityComparer<TLink>.Default;
699     var link = links.GetLink(linkIndex);
700     for (int i = 1; i < link.Count; i++)
701     {
702         if (!equalityComparer.Equals(link[i], nullConstant))
703         {
704             return false;
705         }
706     }
707     return true;
708 }
709
710 // TODO: Create a universal version of this method in Platform.Data (with using of for
711 ↪ loop)
712 [MethodImpl(MethodImplOptions.AggressiveInlining)]
713 public static void ResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
714 {
715     var nullConstant = links.Constants.Null;
716     var updateRequest = new Link<TLink>(linkIndex, nullConstant, nullConstant);
717     links.Update(updateRequest);
718 }
719
720 // TODO: Create a universal version of this method in Platform.Data (with using of for
721 ↪ loop)
722 [MethodImpl(MethodImplOptions.AggressiveInlining)]
723 public static void EnforceResetValues<TLink>(this ILinks<TLink> links, TLink linkIndex)
724 {
725     if (!links.AreValuesReset(linkIndex))
726     {
727         links.ResetValues(linkIndex);
728     }
729 }
730
731 /// <summary>
732 /// Merging two usages graphs, all children of old link moved to be children of new link
733 ↪ or deleted.
734 /// </summary>
735 [MethodImpl(MethodImplOptions.AggressiveInlining)]
736 public static TLink MergeUsages<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
737 ↪ TLink newLinkIndex)
738 {
739     var addressToInt64Converter = CheckedConverter<TLink, long>.Default;
740     var equalityComparer = EqualityComparer<TLink>.Default;
741     if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
742     {
743         var constants = links.Constants;
744         var usagesAsSourceQuery = new Link<TLink>(constants.Any, oldLinkIndex,
745             ↪ constants.Any);
746         var usagesAsSourceCount =
747             ↪ addressToInt64Converter.Convert(links.Count(usagesAsSourceQuery));
748         var usagesAsTargetQuery = new Link<TLink>(constants.Any, constants.Any,
749             ↪ oldLinkIndex);
750         var usagesAsTargetCount =
751             ↪ addressToInt64Converter.Convert(links.Count(usagesAsTargetQuery));

```

```

744     var isStandalonePoint = Point<TLink>.IsFullPoint(links.GetLink(oldLinkIndex)) &&
745         ↳ usagesAsSourceCount == 1 && usagesAsTargetCount == 1;
746     if (!isStandalonePoint)
747     {
748         var totalUsages = usagesAsSourceCount + usagesAsTargetCount;
749         if (totalUsages > 0)
750         {
751             var usages = ArrayPool.Allocate<TLink>(totalUsages);
752             var usagesFiller = new ArrayFiller<TLink, TLink>(usages,
753                 ↳ links.Constants.Continue);
754             var i = 0L;
755             if (usagesAsSourceCount > 0)
756             {
757                 links.Each(usagesFiller.AddFirstAndReturnConstant,
758                     ↳ usagesAsSourceQuery);
759                 for (; i < usagesAsSourceCount; i++)
760                 {
761                     var usage = usages[i];
762                     if (!equalityComparer.Equals(usage, oldLinkIndex))
763                     {
764                         links.Update(usage, newLinkIndex, links.GetTarget(usage));
765                     }
766                 }
767             }
768             if (usagesAsTargetCount > 0)
769             {
770                 links.Each(usagesFiller.AddFirstAndReturnConstant,
771                     ↳ usagesAsTargetQuery);
772                 for (; i < usages.Length; i++)
773                 {
774                     var usage = usages[i];
775                     if (!equalityComparer.Equals(usage, oldLinkIndex))
776                     {
777                         links.Update(usage, links.GetSource(usage), newLinkIndex);
778                     }
779                 }
780             }
781             ArrayPool.Free(usages);
782         }
783     }
784     return newLinkIndex;
785 }
786
787 /// <summary>
788 /// Replace one link with another (replaced link is deleted, children are updated or
789   ↳ deleted).
790 /// </summary>
791 [MethodImpl(MethodImplOptions.AggressiveInlining)]
792 public static TLink MergeAndDelete<TLink>(this ILinks<TLink> links, TLink oldLinkIndex,
793     ↳ TLink newLinkIndex)
794 {
795     var equalityComparer = EqualityComparer<TLink>.Default;
796     if (!equalityComparer.Equals(oldLinkIndex, newLinkIndex))
797     {
798         links.MergeUsages(oldLinkIndex, newLinkIndex);
799         links.Delete(oldLinkIndex);
800     }
801     return newLinkIndex;
802 }
803
804 [MethodImpl(MethodImplOptions.AggressiveInlining)]
805 public static ILinks<TLink>
806     ↳ DecorateWithAutomaticUniquenessAndUsagesResolution<TLink>(this ILinks<TLink> links)
807 {
808     links = new LinksCascadeUsagesResolver<TLink>(links);
809     links = new NonNullContentsLinkDeletionResolver<TLink>(links);
810     links = new LinksCascadeUniquenessAndUsagesResolver<TLink>(links);
811     return links;
812 }
813
814 [MethodImpl(MethodImplOptions.AggressiveInlining)]
815 public static string Format<TLink>(this ILinks<TLink> links, IList<TLink> link)
816 {
817     var constants = links.Constants;
818     return $"({link[constants.IndexPart]}: {link[constants.SourcePart]}
819         ↳ {link[constants.TargetPart]});";
820 }

```

```

814     [MethodImpl(MethodImplOptions.AggressiveInlining)]
815     public static string Format<TLink>(this ILinks<TLink> links, TLink link) =>
816         ↪ links.Format(links.GetLink(link));
817 }
818 }

```

1.21 ./csharp/Platform.Data.Doublets/ISynchronizedLinks.cs

```

1  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3  namespace Platform.Data.Doublets
4  {
5      public interface ISynchronizedLinks<TLink> : ISynchronizedLinks<TLink, ILinks<TLink>,
6          ↪ LinksConstants<TLink>>, ILinks<TLink>
7      {
8      }
9  }

```

1.22 ./csharp/Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Incrementers;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Incrementers
8  {
9      public class FrequencyIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↪ EqualityComparer<TLink>.Default;
13
14         private readonly TLink _frequencyMarker;
15         private readonly TLink _unaryOne;
16         private readonly IIncrementer<TLink> _unaryNumberIncrementer;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         public FrequencyIncrementer(ILinks<TLink> links, TLink frequencyMarker, TLink unaryOne,
20             ↪ IIncrementer<TLink> unaryNumberIncrementer)
21             : base(links)
22         {
23             _frequencyMarker = frequencyMarker;
24             _unaryOne = unaryOne;
25             _unaryNumberIncrementer = unaryNumberIncrementer;
26         }
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         public TLink Increment(TLink frequency)
30         {
31             var links = _links;
32             if (_equalityComparer.Equals(frequency, default))
33             {
34                 return links.GetOrCreate(_unaryOne, _frequencyMarker);
35             }
36             var incrementedSource =
37                 ↪ _unaryNumberIncrementer.Increment(links.GetSource(frequency));
38             return links.GetOrCreate(incrementedSource, _frequencyMarker);
39         }
40     }
41 }

```

1.23 ./csharp/Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Incrementers;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Incrementers
8  {
9      public class UnaryNumberIncrementer<TLink> : LinksOperatorBase<TLink>, IIncrementer<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↪ EqualityComparer<TLink>.Default;
13
14         private readonly TLink _unaryOne;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public UnaryNumberIncrementer(ILinks<TLink> links, TLink unaryOne) : base(links) =>
18             ↪ _unaryOne = unaryOne;
19     }
20 }

```

```

17     [MethodImpl(MethodImplOptions.AggressiveInlining)]
18     public TLink Increment(TLink unaryNumber)
19     {
20         var links = _links;
21         if (_equalityComparer.Equals(unaryNumber, _unaryOne))
22         {
23             return links.GetOrCreate(_unaryOne, _unaryOne);
24         }
25         var source = links.GetSource(unaryNumber);
26         var target = links.GetTarget(unaryNumber);
27         if (_equalityComparer.Equals(source, target))
28         {
29             return links.GetOrCreate(unaryNumber, _unaryOne);
30         }
31         else
32         {
33             return links.GetOrCreate(source, Increment(target));
34         }
35     }
36 }
37 }
38 }

```

1.24 ./csharp/Platform.Data.Doublets/Link.cs

```

1  using Platform.Collections.Lists;
2  using Platform.Exceptions;
3  using Platform.Ranges;
4  using Platform.Singletons;
5  using System;
6  using System.Collections;
7  using System.Collections.Generic;
8  using System.Runtime.CompilerServices;
9
10 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
11
12 namespace Platform.Data.Doublets
13 {
14     /// <summary>
15     /// Структура описывающая уникальную связь.
16     /// </summary>
17     public struct Link<TLink> : IEquatable<Link<TLink>>, IReadOnlyList<TLink>, IList<TLink>
18     {
19         public static readonly Link<TLink> Null = new Link<TLink>();
20
21         private static readonly LinksConstants<TLink> _constants =
22             ↪ Default<LinksConstants<TLink>>.Instance;
23         private static readonly EqualityComparer<TLink> _equalityComparer =
24             ↪ EqualityComparer<TLink>.Default;
25
26         private const int Length = 3;
27
28         public readonly TLink Index;
29         public readonly TLink Source;
30         public readonly TLink Target;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public Link(params TLink[] values) => SetValues(values, out Index, out Source, out
34             ↪ Target);
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         public Link(IList<TLink> values) => SetValues(values, out Index, out Source, out Target);
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         public Link(object other)
41         {
42             if (other is Link<TLink> otherLink)
43             {
44                 SetValues(ref otherLink, out Index, out Source, out Target);
45             }
46             else if (other is IList<TLink> otherList)
47             {
48                 SetValues(otherList, out Index, out Source, out Target);
49             }
50             else
51             {
52                 throw new NotSupportedException();
53             }
54         }
55
56         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

54 public Link(ref Link<TLink> other) => SetValues(ref other, out Index, out Source, out
55     ↪ Target);
56
57 [MethodImpl(MethodImplOptions.AggressiveInlining)]
58 public Link(TLink index, TLink source, TLink target)
59 {
60     Index = index;
61     Source = source;
62     Target = target;
63 }
64
65 [MethodImpl(MethodImplOptions.AggressiveInlining)]
66 private static void SetValues(ref Link<TLink> other, out TLink index, out TLink source,
67     ↪ out TLink target)
68 {
69     index = other.Index;
70     source = other.Source;
71     target = other.Target;
72 }
73
74 [MethodImpl(MethodImplOptions.AggressiveInlining)]
75 private static void SetValues(ICollection<TLink> values, out TLink index, out TLink source,
76     ↪ out TLink target)
77 {
78     switch (values.Count)
79     {
80         case 3:
81             index = values[0];
82             source = values[1];
83             target = values[2];
84             break;
85         case 2:
86             index = values[0];
87             source = values[1];
88             target = default;
89             break;
90         case 1:
91             index = values[0];
92             source = default;
93             target = default;
94             break;
95         default:
96             index = default;
97             source = default;
98             target = default;
99             break;
100     }
101 }
102
103 [MethodImpl(MethodImplOptions.AggressiveInlining)]
104 public override int GetHashCode() => (Index, Source, Target).GetHashCode();
105
106 [MethodImpl(MethodImplOptions.AggressiveInlining)]
107 public bool IsNull() => _equalityComparer.Equals(Index, _constants.Null)
108     && _equalityComparer.Equals(Source, _constants.Null)
109     && _equalityComparer.Equals(Target, _constants.Null);
110
111 [MethodImpl(MethodImplOptions.AggressiveInlining)]
112 public override bool Equals(object other) => other is Link<TLink> &&
113     ↪ Equals((Link<TLink>)other);
114
115 [MethodImpl(MethodImplOptions.AggressiveInlining)]
116 public bool Equals(Link<TLink> other) => _equalityComparer.Equals(Index, other.Index)
117     && _equalityComparer.Equals(Source, other.Source)
118     && _equalityComparer.Equals(Target, other.Target);
119
120 [MethodImpl(MethodImplOptions.AggressiveInlining)]
121 public static string ToString(TLink index, TLink source, TLink target) => $"{index}:
122     ↪ {source}->{target}";
123
124 [MethodImpl(MethodImplOptions.AggressiveInlining)]
125 public static string ToString(TLink source, TLink target) => $"{source}->{target}";
126
127 [MethodImpl(MethodImplOptions.AggressiveInlining)]
128 public static implicit operator TLink[] (Link<TLink> link) => link.ToArray();
129
130 [MethodImpl(MethodImplOptions.AggressiveInlining)]
131 public static implicit operator Link<TLink> (TLink[] linkArray) => new
132     ↪ Link<TLink>(linkArray);

```

```

128 [MethodImpl(MethodImplOptions.AggressiveInlining)]
129 public override string ToString() => _equalityComparer.Equals(Index, _constants.Null) ?
    ↳ ToString(Source, Target) : ToString(Index, Source, Target);
130
131 #region IList
132
133 public int Count
134 {
135     [MethodImpl(MethodImplOptions.AggressiveInlining)]
136     get => Length;
137 }
138
139 public bool IsReadOnly
140 {
141     [MethodImpl(MethodImplOptions.AggressiveInlining)]
142     get => true;
143 }
144
145 public TLink this[int index]
146 {
147     [MethodImpl(MethodImplOptions.AggressiveInlining)]
148     get
149     {
150         Ensure.OnDebug.ArgumentInRange(index, new Range<int>(0, Length - 1),
151             ↳ nameof(index));
152         if (index == _constants.IndexPart)
153         {
154             return Index;
155         }
156         if (index == _constants.SourcePart)
157         {
158             return Source;
159         }
160         if (index == _constants.TargetPart)
161         {
162             return Target;
163         }
164         throw new NotSupportedException(); // Impossible path due to
165             ↳ Ensure.ArgumentInRange
166     }
167     [MethodImpl(MethodImplOptions.AggressiveInlining)]
168     set => throw new NotSupportedException();
169 }
170
171 [MethodImpl(MethodImplOptions.AggressiveInlining)]
172 IEnumerator IEnumerable.GetEnumerator() => GetEnumerator();
173
174 [MethodImpl(MethodImplOptions.AggressiveInlining)]
175 public IEnumerator<TLink> GetEnumerator()
176 {
177     yield return Index;
178     yield return Source;
179     yield return Target;
180 }
181
182 [MethodImpl(MethodImplOptions.AggressiveInlining)]
183 public void Add(TLink item) => throw new NotSupportedException();
184
185 [MethodImpl(MethodImplOptions.AggressiveInlining)]
186 public void Clear() => throw new NotSupportedException();
187
188 [MethodImpl(MethodImplOptions.AggressiveInlining)]
189 public bool Contains(TLink item) => IndexOf(item) >= 0;
190
191 [MethodImpl(MethodImplOptions.AggressiveInlining)]
192 public void CopyTo(TLink[] array, int arrayIndex)
193 {
194     Ensure.OnDebug.ArgumentNotNull(array, nameof(array));
195     Ensure.OnDebug.ArgumentInRange(arrayIndex, new Range<int>(0, array.Length - 1),
196         ↳ nameof(arrayIndex));
197     if (arrayIndex + Length > array.Length)
198     {
199         throw new InvalidOperationException();
200     }
201     array[arrayIndex++] = Index;
202     array[arrayIndex++] = Source;
203     array[arrayIndex] = Target;
204 }

```

```

203 [MethodImpl(MethodImplOptions.AggressiveInlining)]
204 public bool Remove(TLink item) => Throw.A.NotSupportedExceptionAndReturn<bool>();
205
206 [MethodImpl(MethodImplOptions.AggressiveInlining)]
207 public int IndexOf(TLink item)
208 {
209     if (_equalityComparer.Equals(Index, item))
210     {
211         return _constants.IndexPart;
212     }
213     if (_equalityComparer.Equals(Source, item))
214     {
215         return _constants.SourcePart;
216     }
217     if (_equalityComparer.Equals(Target, item))
218     {
219         return _constants.TargetPart;
220     }
221     return -1;
222 }
223
224 [MethodImpl(MethodImplOptions.AggressiveInlining)]
225 public void Insert(int index, TLink item) => throw new NotSupportedException();
226
227 [MethodImpl(MethodImplOptions.AggressiveInlining)]
228 public void RemoveAt(int index) => throw new NotSupportedException();
229
230 [MethodImpl(MethodImplOptions.AggressiveInlining)]
231 public static bool operator ==(Link<TLink> left, Link<TLink> right) =>
    ↪ left.Equals(right);
232
233 [MethodImpl(MethodImplOptions.AggressiveInlining)]
234 public static bool operator !=(Link<TLink> left, Link<TLink> right) => !(left == right);
235
236 #endregion
237 }
238 }

```

1.25 ./csharp/Platform.Data.Doublets/LinkExtensions.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets
6 {
7     public static class LinkExtensions
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10         public static bool IsFullPoint<TLink>(this Link<TLink> link) =>
            ↪ Point<TLink>.IsFullPoint(link);
11
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         public static bool IsPartialPoint<TLink>(this Link<TLink> link) =>
            ↪ Point<TLink>.IsPartialPoint(link);
14     }
15 }

```

1.26 ./csharp/Platform.Data.Doublets/LinksOperatorBase.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets
6 {
7     public abstract class LinksOperatorBase<TLink>
8     {
9         protected readonly ILinks<TLink> _links;
10
11         public ILinks<TLink> Links
12         {
13             [MethodImpl(MethodImplOptions.AggressiveInlining)]
14             get => _links;
15         }
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         protected LinksOperatorBase(ILinks<TLink> links) => _links = links;
19     }
20 }

```


1.27 ./csharp/Platform.Data.Doublets/Memory/ILinksListMethods.cs

```
1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory
6 {
7     public interface ILinksListMethods<TLink>
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10         void Detach(TLink freeLink);
11
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         void AttachAsFirst(TLink link);
14     }
15 }
```

1.28 ./csharp/Platform.Data.Doublets/Memory/ILinksTreeMethods.cs

```
1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Memory
8 {
9     public interface ILinksTreeMethods<TLink>
10    {
11        [MethodImpl(MethodImplOptions.AggressiveInlining)]
12        TLink CountUsages(TLink root);
13
14        [MethodImpl(MethodImplOptions.AggressiveInlining)]
15        TLink Search(TLink source, TLink target);
16
17        [MethodImpl(MethodImplOptions.AggressiveInlining)]
18        TLink EachUsage(TLink root, Func<IList<TLink>, TLink> handler);
19
20        [MethodImpl(MethodImplOptions.AggressiveInlining)]
21        void Detach(ref TLink root, TLink linkIndex);
22
23        [MethodImpl(MethodImplOptions.AggressiveInlining)]
24        void Attach(ref TLink root, TLink linkIndex);
25    }
26 }
```

1.29 ./csharp/Platform.Data.Doublets/Memory/IndexTreeType.cs

```
1 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
2
3 namespace Platform.Data.Doublets.Memory
4 {
5     public enum IndexTreeType
6     {
7         Default = 0,
8         SizeBalancedTree = 1,
9         RecursionlessSizeBalancedTree = 2,
10        SizedAndThreadedAVLBalancedTree = 3
11    }
12 }
```

1.30 ./csharp/Platform.Data.Doublets/Memory/LinksHeader.cs

```
1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4 using Platform.Unsafe;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Memory
9 {
10    public struct LinksHeader<TLink> : IEquatable<LinksHeader<TLink>>
11    {
12        private static readonly EqualityComparer<TLink> _equalityComparer =
13            ↪ EqualityComparer<TLink>.Default;
14
15        public static readonly long SizeInBytes = Structure<LinksHeader<TLink>>.Size;
16
17        public TLink AllocatedLinks;
18        public TLink ReservedLinks;
19        public TLink FreeLinks;
20        public TLink FirstFreeLink;
21    }
22 }
```

```

20 public TLink RootAsSource;
21 public TLink RootAsTarget;
22 public TLink LastFreeLink;
23 public TLink Reserved8;
24
25 [MethodImpl(MethodImplOptions.AggressiveInlining)]
26 public override bool Equals(object obj) => obj is LinksHeader<TLink> linksHeader ?
    ↳ Equals(linksHeader) : false;
27
28 [MethodImpl(MethodImplOptions.AggressiveInlining)]
29 public bool Equals(LinksHeader<TLink> other)
30     => _equalityComparer.Equals(AllocatedLinks, other.AllocatedLinks)
31     && _equalityComparer.Equals(ReservedLinks, other.ReservedLinks)
32     && _equalityComparer.Equals(FreeLinks, other.FreeLinks)
33     && _equalityComparer.Equals(FirstFreeLink, other.FirstFreeLink)
34     && _equalityComparer.Equals(RootAsSource, other.RootAsSource)
35     && _equalityComparer.Equals(RootAsTarget, other.RootAsTarget)
36     && _equalityComparer.Equals(LastFreeLink, other.LastFreeLink)
37     && _equalityComparer.Equals(Reserved8, other.Reserved8);
38
39 [MethodImpl(MethodImplOptions.AggressiveInlining)]
40 public override int GetHashCode() => (AllocatedLinks, ReservedLinks, FreeLinks,
    ↳ FirstFreeLink, RootAsSource, RootAsTarget, LastFreeLink, Reserved8).GetHashCode();
41
42 [MethodImpl(MethodImplOptions.AggressiveInlining)]
43 public static bool operator ==(LinksHeader<TLink> left, LinksHeader<TLink> right) =>
    ↳ left.Equals(right);
44
45 [MethodImpl(MethodImplOptions.AggressiveInlining)]
46 public static bool operator !=(LinksHeader<TLink> left, LinksHeader<TLink> right) =>
    ↳ !(left == right);
47 }
48 }

```

1.31 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksRecursionlessSizeBalancedTreeMethod

```

1 using System;
2 using System.Text;
3 using System.Collections.Generic;
4 using System.Runtime.CompilerServices;
5 using Platform.Collections.Methods.Trees;
6 using Platform.Converters;
7 using static System.Runtime.CompilerServices.Unsafe;
8
9 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets.Memory.Split.Generic
12 {
13     public unsafe abstract class ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink> :
14         ↪ RecursionlessSizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
15     {
16         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
17             ↪ UncheckedConverter<TLink, long>.Default;
18
19         protected readonly TLink Break;
20         protected readonly TLink Continue;
21         protected readonly byte* LinksDataParts;
22         protected readonly byte* LinksIndexParts;
23         protected readonly byte* Header;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected ExternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
27             ↪ constants, byte* linksDataParts, byte* linksIndexParts, byte* header)
28         {
29             LinksDataParts = linksDataParts;
30             LinksIndexParts = linksIndexParts;
31             Header = header;
32             Break = constants.Break;
33             Continue = constants.Continue;
34         }
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected abstract TLink GetTreeRoot();
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected abstract TLink GetBasePartValue(TLink link);
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
44             ↪ rootSource, TLink rootTarget);
45     }
46 }

```

```

42 [MethodImpl(MethodImplOptions.AggressiveInlining)]
43 protected abstract bool FirstIsToLeftOfSecond(TLink source, TLink target, TLink
    ↪ rootSource, TLink rootTarget);
44
45 [MethodImpl(MethodImplOptions.AggressiveInlining)]
46 protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
    ↪ AsRef<LinksHeader<TLink>>(Header);
47
48 [MethodImpl(MethodImplOptions.AggressiveInlining)]
49 protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
    ↪ AsRef<RawLinkDataPart<TLink>>(LinksDataParts + (RawLinkDataPart<TLink>.SizeInBytes *
    ↪ _addressToInt64Converter.Convert(link)));
50
51 [MethodImpl(MethodImplOptions.AggressiveInlining)]
52 protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
    ↪ ref AsRef<RawLinkIndexPart<TLink>>(LinksIndexParts +
    ↪ (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));
53
54 [MethodImpl(MethodImplOptions.AggressiveInlining)]
55 protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
56 {
57     ref var link = ref GetLinkDataPartReference(linkIndex);
58     return new Link<TLink>(linkIndex, link.Source, link.Target);
59 }
60
61 [MethodImpl(MethodImplOptions.AggressiveInlining)]
62 protected override bool FirstIsToLeftOfSecond(TLink first, TLink second)
63 {
64     ref var firstLink = ref GetLinkDataPartReference(first);
65     ref var secondLink = ref GetLinkDataPartReference(second);
66     return FirstIsToLeftOfSecond(firstLink.Source, firstLink.Target,
    ↪ secondLink.Source, secondLink.Target);
67 }
68
69 [MethodImpl(MethodImplOptions.AggressiveInlining)]
70 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
71 {
72     ref var firstLink = ref GetLinkDataPartReference(first);
73     ref var secondLink = ref GetLinkDataPartReference(second);
74     return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
    ↪ secondLink.Source, secondLink.Target);
75 }
76
77 public TLink this[TLink index]
78 {
79     [MethodImpl(MethodImplOptions.AggressiveInlining)]
80     get
81     {
82         var root = GetTreeRoot();
83         if (GreaterOrEqualThan(index, GetSize(root)))
84         {
85             return Zero;
86         }
87         while (!EqualToZero(root))
88         {
89             var left = GetLeftOrDefault(root);
90             var leftSize = GetSizeOrZero(left);
91             if (LessThan(index, leftSize))
92             {
93                 root = left;
94                 continue;
95             }
96             if (AreEqual(index, leftSize))
97             {
98                 return root;
99             }
100             root = GetRightOrDefault(root);
101             index = Subtract(index, Increment(leftSize));
102         }
103         return Zero; // TODO: Impossible situation exception (only if tree structure
    ↪ broken)
104     }
105 }
106
107 /// <summary>
108 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
    ↪ (концом).
109 /// </summary>

```

```

110 /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
111 /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
112 /// <returns>Индекс искомой связи.</returns>
113 [MethodImpl(MethodImplOptions.AggressiveInlining)]
114 public TLink Search(TLink source, TLink target)
115 {
116     var root = GetTreeRoot();
117     while (!EqualToZero(root))
118     {
119         ref var rootLink = ref GetLinkDataPartReference(root);
120         var rootSource = rootLink.Source;
121         var rootTarget = rootLink.Target;
122         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
123             ↪ node.Key < root.Key
124         {
125             root = GetLeftOrDefault(root);
126         }
127         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
128             ↪ node.Key > root.Key
129         {
130             root = GetRightOrDefault(root);
131         }
132         else // node.Key == root.Key
133         {
134             return root;
135         }
136     }
137     return Zero;
138 }
139
140 // TODO: Return indices range instead of references count
141 [MethodImpl(MethodImplOptions.AggressiveInlining)]
142 public TLink CountUsages(TLink link)
143 {
144     var root = GetTreeRoot();
145     var total = GetSize(root);
146     var totalRightIgnore = Zero;
147     while (!EqualToZero(root))
148     {
149         var @base = GetBasePartValue(root);
150         if (LessOrEqualThan(@base, link))
151         {
152             root = GetRightOrDefault(root);
153         }
154         else
155         {
156             totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
157             root = GetLeftOrDefault(root);
158         }
159     }
160     root = GetTreeRoot();
161     var totalLeftIgnore = Zero;
162     while (!EqualToZero(root))
163     {
164         var @base = GetBasePartValue(root);
165         if (GreaterOrEqualThan(@base, link))
166         {
167             root = GetLeftOrDefault(root);
168         }
169         else
170         {
171             totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
172             root = GetRightOrDefault(root);
173         }
174     }
175     return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
176 }
177
178 [MethodImpl(MethodImplOptions.AggressiveInlining)]
179 public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
180     ↪ EachUsageCore(@base, GetTreeRoot(), handler);
181
182 // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
183     ↪ low-level MSIL stack.
184 [MethodImpl(MethodImplOptions.AggressiveInlining)]
185 private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
186 {
187     var @continue = Continue;

```

```

184         if (EqualToZero(link))
185         {
186             return @continue;
187         }
188         var linkBasePart = GetBasePartValue(link);
189         var @break = Break;
190         if (GreaterThan(linkBasePart, @base))
191         {
192             if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
193             {
194                 return @break;
195             }
196         }
197         else if (LessThan(linkBasePart, @base))
198         {
199             if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
200             {
201                 return @break;
202             }
203         }
204         else //if (linkBasePart == @base)
205         {
206             if (AreEqual(handler(GetLinkValues(link)), @break))
207             {
208                 return @break;
209             }
210             if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
211             {
212                 return @break;
213             }
214             if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
215             {
216                 return @break;
217             }
218         }
219         return @continue;
220     }
221
222     [MethodImpl(MethodImplOptions.AggressiveInlining)]
223     protected override void PrintNodeValue(TLink node, StringBuilder sb)
224     {
225         ref var link = ref GetLinkDataPartReference(node);
226         sb.Append(' ');
227         sb.Append(link.Source);
228         sb.Append('-');
229         sb.Append('>');
230         sb.Append(link.Target);
231     }
232 }
233 }

```

1.32 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSizeBalancedTreeMethodsBase.cs

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections.Methods.Trees;
6  using Platform.Converters;
7  using static System.Runtime.CompilerServices.Unsafe;
8
9  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets.Memory.Split.Generic
12 {
13     public unsafe abstract class ExternalLinksSizeBalancedTreeMethodsBase<TLink> :
14         ↳ SizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
15     {
16         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
17             ↳ UncheckedConverter<TLink, long>.Default;
18
19         protected readonly TLink Break;
20         protected readonly TLink Continue;
21         protected readonly byte* LinksDataParts;
22         protected readonly byte* LinksIndexParts;
23         protected readonly byte* Header;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected ExternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants,
27             ↳ byte* linksDataParts, byte* linksIndexParts, byte* header)
28         {

```

```

26     LinksDataParts = linksDataParts;
27     LinksIndexParts = linksIndexParts;
28     Header = header;
29     Break = constants.Break;
30     Continue = constants.Continue;
31 }
32
33 [MethodImpl(MethodImplOptions.AggressiveInlining)]
34 protected abstract TLink GetTreeRoot();
35
36 [MethodImpl(MethodImplOptions.AggressiveInlining)]
37 protected abstract TLink GetBasePartValue(TLink link);
38
39 [MethodImpl(MethodImplOptions.AggressiveInlining)]
40 protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
    ↪ rootSource, TLink rootTarget);
41
42 [MethodImpl(MethodImplOptions.AggressiveInlining)]
43 protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
    ↪ rootSource, TLink rootTarget);
44
45 [MethodImpl(MethodImplOptions.AggressiveInlining)]
46 protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
    ↪ AsRef<LinksHeader<TLink>>(Header);
47
48 [MethodImpl(MethodImplOptions.AggressiveInlining)]
49 protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
    ↪ AsRef<RawLinkDataPart<TLink>>(LinksDataParts + (RawLinkDataPart<TLink>.SizeInBytes *
    ↪ _addressToInt64Converter.Convert(link)));
50
51 [MethodImpl(MethodImplOptions.AggressiveInlining)]
52 protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
    ↪ ref AsRef<RawLinkIndexPart<TLink>>(LinksIndexParts +
    ↪ (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));
53
54 [MethodImpl(MethodImplOptions.AggressiveInlining)]
55 protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
56 {
57     ref var link = ref GetLinkDataPartReference(linkIndex);
58     return new Link<TLink>(linkIndex, link.Source, link.Target);
59 }
60
61 [MethodImpl(MethodImplOptions.AggressiveInlining)]
62 protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
63 {
64     ref var firstLink = ref GetLinkDataPartReference(first);
65     ref var secondLink = ref GetLinkDataPartReference(second);
66     return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
    ↪ secondLink.Source, secondLink.Target);
67 }
68
69 [MethodImpl(MethodImplOptions.AggressiveInlining)]
70 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
71 {
72     ref var firstLink = ref GetLinkDataPartReference(first);
73     ref var secondLink = ref GetLinkDataPartReference(second);
74     return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
    ↪ secondLink.Source, secondLink.Target);
75 }
76
77 public TLink this[TLink index]
78 {
79     [MethodImpl(MethodImplOptions.AggressiveInlining)]
80     get
81     {
82         var root = GetTreeRoot();
83         if (GreaterOrEqualThan(index, GetSize(root)))
84         {
85             return Zero;
86         }
87         while (!EqualToZero(root))
88         {
89             var left = GetLeftOrDefault(root);
90             var leftSize = GetSizeOrZero(left);
91             if (LessThan(index, leftSize))
92             {
93                 root = left;
94                 continue;
95             }

```

```

96         if (AreEqual(index, leftSize))
97         {
98             return root;
99         }
100         root = GetRightOrDefault(root);
101         index = Subtract(index, Increment(leftSize));
102     }
103     return Zero; // TODO: Impossible situation exception (only if tree structure
104     ↪ broken)
105 }
106
107 /// <summary>
108 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
109 ↪ (концом).
110 /// </summary>
111 /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
112 /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
113 /// <returns>Индекс искомой связи.</returns>
114 [MethodImpl(MethodImplOptions.AggressiveInlining)]
115 public TLink Search(TLink source, TLink target)
116 {
117     var root = GetTreeRoot();
118     while (!EqualToZero(root))
119     {
120         ref var rootLink = ref GetLinkDataPartReference(root);
121         var rootSource = rootLink.Source;
122         var rootTarget = rootLink.Target;
123         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
124             ↪ node.Key < root.Key
125         {
126             root = GetLeftOrDefault(root);
127         }
128         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
129             ↪ node.Key > root.Key
130         {
131             root = GetRightOrDefault(root);
132         }
133         else // node.Key == root.Key
134         {
135             return root;
136         }
137     }
138     return Zero;
139 }
140
141 // TODO: Return indices range instead of references count
142 [MethodImpl(MethodImplOptions.AggressiveInlining)]
143 public TLink CountUsages(TLink link)
144 {
145     var root = GetTreeRoot();
146     var total = GetSize(root);
147     var totalRightIgnore = Zero;
148     while (!EqualToZero(root))
149     {
150         var @base = GetBasePartValue(root);
151         if (LessOrEqualThan(@base, link))
152         {
153             root = GetRightOrDefault(root);
154         }
155         else
156         {
157             totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
158             root = GetLeftOrDefault(root);
159         }
160     }
161     root = GetTreeRoot();
162     var totalLeftIgnore = Zero;
163     while (!EqualToZero(root))
164     {
165         var @base = GetBasePartValue(root);
166         if (GreaterOrEqualThan(@base, link))
167         {
168             root = GetLeftOrDefault(root);
169         }
170         else
171         {
172             totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
173         }
174     }
175 }

```

```

170         root = GetRightOrDefault(root);
171     }
172 }
173 return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
174 }
175
176 [MethodImpl(MethodImplOptions.AggressiveInlining)]
177 public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
178     ↳ EachUsageCore(@base, GetTreeRoot(), handler);
179
180 // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
181 ↳ low-level MSIL stack.
182 [MethodImpl(MethodImplOptions.AggressiveInlining)]
183 private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
184 {
185     var @continue = Continue;
186     if (EqualToZero(link))
187     {
188         return @continue;
189     }
190     var linkBasePart = GetBasePartValue(link);
191     var @break = Break;
192     if (GreaterThan(linkBasePart, @base))
193     {
194         if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
195         {
196             return @break;
197         }
198     }
199     else if (LessThan(linkBasePart, @base))
200     {
201         if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
202         {
203             return @break;
204         }
205     }
206     else //if (linkBasePart == @base)
207     {
208         if (AreEqual(handler(GetLinkValues(link)), @break))
209         {
210             return @break;
211         }
212         if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
213         {
214             return @break;
215         }
216         if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
217         {
218             return @break;
219         }
220     }
221     return @continue;
222 }
223
224 [MethodImpl(MethodImplOptions.AggressiveInlining)]
225 protected override void PrintNodeValue(TLink node, StringBuilder sb)
226 {
227     ref var link = ref GetLinkDataPartReference(node);
228     sb.Append(' ');
229     sb.Append(link.Source);
230     sb.Append('-');
231     sb.Append('>');
232     sb.Append(link.Target);
233 }

```

1.33 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSourcesRecursionlessSizeBalancedTree

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.Split.Generic
6 {
7     public unsafe class ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods<TLink> :
8     ↳ ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```



```

10 public ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
    ↳ constants, byte* linksDataParts, byte* linksIndexParts, byte* header) :
    ↳ base(constants, linksDataParts, linksIndexParts, header) { }
11
12 [MethodImpl(MethodImplOptions.AggressiveInlining)]
13 protected override ref TLink GetLeftReference(TLink node) => ref
    ↳ GetLinkIndexPartReference(node).LeftAsSource;
14
15 [MethodImpl(MethodImplOptions.AggressiveInlining)]
16 protected override ref TLink GetRightReference(TLink node) => ref
    ↳ GetLinkIndexPartReference(node).RightAsSource;
17
18 [MethodImpl(MethodImplOptions.AggressiveInlining)]
19 protected override TLink GetLeft(TLink node) =>
    ↳ GetLinkIndexPartReference(node).LeftAsSource;
20
21 [MethodImpl(MethodImplOptions.AggressiveInlining)]
22 protected override TLink GetRight(TLink node) =>
    ↳ GetLinkIndexPartReference(node).RightAsSource;
23
24 [MethodImpl(MethodImplOptions.AggressiveInlining)]
25 protected override void SetLeft(TLink node, TLink left) =>
    ↳ GetLinkIndexPartReference(node).LeftAsSource = left;
26
27 [MethodImpl(MethodImplOptions.AggressiveInlining)]
28 protected override void SetRight(TLink node, TLink right) =>
    ↳ GetLinkIndexPartReference(node).RightAsSource = right;
29
30 [MethodImpl(MethodImplOptions.AggressiveInlining)]
31 protected override TLink GetSize(TLink node) =>
    ↳ GetLinkIndexPartReference(node).SizeAsSource;
32
33 [MethodImpl(MethodImplOptions.AggressiveInlining)]
34 protected override void SetSize(TLink node, TLink size) =>
    ↳ GetLinkIndexPartReference(node).SizeAsSource = size;
35
36 [MethodImpl(MethodImplOptions.AggressiveInlining)]
37 protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;
38
39 [MethodImpl(MethodImplOptions.AggressiveInlining)]
40 protected override TLink GetBasePartValue(TLink link) =>
    ↳ GetLinkDataPartReference(link).Source;
41
42 [MethodImpl(MethodImplOptions.AggressiveInlining)]
43 protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
    ↳ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
    ↳ (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
44
45 [MethodImpl(MethodImplOptions.AggressiveInlining)]
46 protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
    ↳ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
    ↳ (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
47
48 [MethodImpl(MethodImplOptions.AggressiveInlining)]
49 protected override void ClearNode(TLink node)
50 {
51     ref var link = ref GetLinkIndexPartReference(node);
52     link.LeftAsSource = Zero;
53     link.RightAsSource = Zero;
54     link.SizeAsSource = Zero;
55 }
56 }
57 }

```

1.34 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSourcesSizeBalancedTreeMethods.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.Split.Generic
6 {
7     public unsafe class ExternalLinksSourcesSizeBalancedTreeMethods<TLink> :
    ↳ ExternalLinksSizeBalancedTreeMethodsBase<TLink>
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10        public ExternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants,
    ↳ byte* linksDataParts, byte* linksIndexParts, byte* header) : base(constants,
    ↳ linksDataParts, linksIndexParts, header) { }

```

```

11 [MethodImpl(MethodImplOptions.AggressiveInlining)]
12 protected override ref TLink GetLeftReference(TLink node) => ref
13     ↳ GetLinkIndexPartReference(node).LeftAsSource;
14
15 [MethodImpl(MethodImplOptions.AggressiveInlining)]
16 protected override ref TLink GetRightReference(TLink node) => ref
17     ↳ GetLinkIndexPartReference(node).RightAsSource;
18
19 [MethodImpl(MethodImplOptions.AggressiveInlining)]
20 protected override TLink GetLeft(TLink node) =>
21     ↳ GetLinkIndexPartReference(node).LeftAsSource;
22
23 [MethodImpl(MethodImplOptions.AggressiveInlining)]
24 protected override TLink GetRight(TLink node) =>
25     ↳ GetLinkIndexPartReference(node).RightAsSource;
26
27 [MethodImpl(MethodImplOptions.AggressiveInlining)]
28 protected override void SetLeft(TLink node, TLink left) =>
29     ↳ GetLinkIndexPartReference(node).LeftAsSource = left;
30
31 [MethodImpl(MethodImplOptions.AggressiveInlining)]
32 protected override void SetRight(TLink node, TLink right) =>
33     ↳ GetLinkIndexPartReference(node).RightAsSource = right;
34
35 [MethodImpl(MethodImplOptions.AggressiveInlining)]
36 protected override TLink GetSize(TLink node) =>
37     ↳ GetLinkIndexPartReference(node).SizeAsSource;
38
39 [MethodImpl(MethodImplOptions.AggressiveInlining)]
40 protected override void SetSize(TLink node, TLink size) =>
41     ↳ GetLinkIndexPartReference(node).SizeAsSource = size;
42
43 [MethodImpl(MethodImplOptions.AggressiveInlining)]
44 protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;
45
46 [MethodImpl(MethodImplOptions.AggressiveInlining)]
47 protected override TLink GetBasePartValue(TLink link) =>
48     ↳ GetLinkDataPartReference(link).Source;
49
50 [MethodImpl(MethodImplOptions.AggressiveInlining)]
51 protected override bool FirstIsToLeftOfSecond(TLink firstSource, TLink firstTarget,
52     ↳ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
53     ↳ (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
54
55 [MethodImpl(MethodImplOptions.AggressiveInlining)]
56 protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
57     ↳ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
58     ↳ (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
59
60 [MethodImpl(MethodImplOptions.AggressiveInlining)]
61 protected override void ClearNode(TLink node)
62 {
63     ref var link = ref GetLinkIndexPartReference(node);
64     link.LeftAsSource = Zero;
65     link.RightAsSource = Zero;
66     link.SizeAsSource = Zero;
67 }
68 }

```

1.35 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksTargetsRecursionlessSizeBalancedTree

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.Split.Generic
6 {
7     public unsafe class ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods<TLink> :
8         ↳ ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
12             ↳ constants, byte* linksDataParts, byte* linksIndexParts, byte* header) :
13             ↳ base(constants, linksDataParts, linksIndexParts, header) { }
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

13     protected override ref TLink GetLeftReference(TLink node) => ref
14         ↳ GetLinkIndexPartReference(node).LeftAsTarget;
15
16     [MethodImpl(MethodImplOptions.AggressiveInlining)]
17     protected override ref TLink GetRightReference(TLink node) => ref
18         ↳ GetLinkIndexPartReference(node).RightAsTarget;
19
20     [MethodImpl(MethodImplOptions.AggressiveInlining)]
21     protected override TLink GetLeft(TLink node) =>
22         ↳ GetLinkIndexPartReference(node).LeftAsTarget;
23
24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override TLink GetRight(TLink node) =>
26         ↳ GetLinkIndexPartReference(node).RightAsTarget;
27
28     [MethodImpl(MethodImplOptions.AggressiveInlining)]
29     protected override void SetLeft(TLink node, TLink left) =>
30         ↳ GetLinkIndexPartReference(node).LeftAsTarget = left;
31
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected override void SetRight(TLink node, TLink right) =>
34         ↳ GetLinkIndexPartReference(node).RightAsTarget = right;
35
36     [MethodImpl(MethodImplOptions.AggressiveInlining)]
37     protected override TLink GetSize(TLink node) =>
38         ↳ GetLinkIndexPartReference(node).SizeAsTarget;
39
40     [MethodImpl(MethodImplOptions.AggressiveInlining)]
41     protected override void SetSize(TLink node, TLink size) =>
42         ↳ GetLinkIndexPartReference(node).SizeAsTarget = size;
43
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;
46
47     [MethodImpl(MethodImplOptions.AggressiveInlining)]
48     protected override TLink GetBasePartValue(TLink link) =>
49         ↳ GetLinkDataPartReference(link).Target;
50
51     [MethodImpl(MethodImplOptions.AggressiveInlining)]
52     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
53         ↳ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
54         ↳ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
58         ↳ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
59         ↳ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));
60
61     [MethodImpl(MethodImplOptions.AggressiveInlining)]
62     protected override void ClearNode(TLink node)
63     {
64         ref var link = ref GetLinkIndexPartReference(node);
65         link.LeftAsTarget = Zero;
66         link.RightAsTarget = Zero;
67         link.SizeAsTarget = Zero;
68     }
69 }
70 }

```

1.36 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksTargetsSizeBalancedTreeMethods.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Memory.Split.Generic
6  {
7      public unsafe class ExternalLinksTargetsSizeBalancedTreeMethods<TLink> :
8          ↳ ExternalLinksSizeBalancedTreeMethodsBase<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public ExternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink> constants,
12             ↳ byte* linksDataParts, byte* linksIndexParts, byte* header) : base(constants,
13             ↳ linksDataParts, linksIndexParts, header) { }
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         protected override ref TLink GetLeftReference(TLink node) => ref
17             ↳ GetLinkIndexPartReference(node).LeftAsTarget;
18
19
20

```

```

15     [MethodImpl(MethodImplOptions.AggressiveInlining)]
16     protected override ref TLink GetRightReference(TLink node) => ref
    ↪ GetLinkIndexPartReference(node).RightAsTarget;
17
18     [MethodImpl(MethodImplOptions.AggressiveInlining)]
19     protected override TLink GetLeft(TLink node) =>
    ↪ GetLinkIndexPartReference(node).LeftAsTarget;
20
21     [MethodImpl(MethodImplOptions.AggressiveInlining)]
22     protected override TLink GetRight(TLink node) =>
    ↪ GetLinkIndexPartReference(node).RightAsTarget;
23
24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override void SetLeft(TLink node, TLink left) =>
    ↪ GetLinkIndexPartReference(node).LeftAsTarget = left;
26
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     protected override void SetRight(TLink node, TLink right) =>
    ↪ GetLinkIndexPartReference(node).RightAsTarget = right;
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     protected override TLink GetSize(TLink node) =>
    ↪ GetLinkIndexPartReference(node).SizeAsTarget;
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected override void SetSize(TLink node, TLink size) =>
    ↪ GetLinkIndexPartReference(node).SizeAsTarget = size;
35
36     [MethodImpl(MethodImplOptions.AggressiveInlining)]
37     protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override TLink GetBasePartValue(TLink link) =>
    ↪ GetLinkDataPartReference(link).Target;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
    ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
    ↪ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
    ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
    ↪ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));
47
48     [MethodImpl(MethodImplOptions.AggressiveInlining)]
49     protected override void ClearNode(TLink node)
50     {
51         ref var link = ref GetLinkIndexPartReference(node);
52         link.LeftAsTarget = Zero;
53         link.RightAsTarget = Zero;
54         link.SizeAsTarget = Zero;
55     }
56 }
57 }

```

1.37 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksRecursionlessSizeBalancedTreeMethod

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections.Methods.Trees;
6  using Platform.Converters;
7  using static System.Runtime.CompilerServices.Unsafe;
8
9  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets.Memory.Split.Generic
12 {
13     public unsafe abstract class InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink> :
    ↪ RecursionlessSizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
14     {
15         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
    ↪ UncheckedConverter<TLink, long>.Default;
16
17         protected readonly TLink Break;
18         protected readonly TLink Continue;
19         protected readonly byte* LinksDataParts;
20         protected readonly byte* LinksIndexParts;

```

```

21     protected readonly byte* Header;
22
23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     protected InternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
    ↪ constants, byte* linksDataParts, byte* linksIndexParts, byte* header)
25     {
26         LinksDataParts = linksDataParts;
27         LinksIndexParts = linksIndexParts;
28         Header = header;
29         Break = constants.Break;
30         Continue = constants.Continue;
31     }
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected abstract TLink GetTreeRoot(TLink link);
35
36     [MethodImpl(MethodImplOptions.AggressiveInlining)]
37     protected abstract TLink GetBasePartValue(TLink link);
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected abstract TLink GetKeyPartValue(TLink link);
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
    ↪ AsRef<RawLinkDataPart<TLink>>(LinksDataParts + (RawLinkDataPart<TLink>.SizeInBytes *
    ↪ _addressToInt64Converter.Convert(link)));
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
    ↪ ref AsRef<RawLinkIndexPart<TLink>>(LinksIndexParts +
    ↪ (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));
47
48     [MethodImpl(MethodImplOptions.AggressiveInlining)]
49     protected override bool FirstIsToLeftOfSecond(TLink first, TLink second) =>
    ↪ LessThan(GetKeyPartValue(first), GetKeyPartValue(second));
50
51     [MethodImpl(MethodImplOptions.AggressiveInlining)]
52     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
    ↪ GreaterThan(GetKeyPartValue(first), GetKeyPartValue(second));
53
54     [MethodImpl(MethodImplOptions.AggressiveInlining)]
55     protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
56     {
57         ref var link = ref GetLinkDataPartReference(linkIndex);
58         return new Link<TLink>(linkIndex, link.Source, link.Target);
59     }
60
61     public TLink this[TLink link, TLink index]
62     {
63         [MethodImpl(MethodImplOptions.AggressiveInlining)]
64         get
65         {
66             var root = GetTreeRoot(link);
67             if (GreaterOrEqualThan(index, GetSize(root)))
68             {
69                 return Zero;
70             }
71             while (!EqualToZero(root))
72             {
73                 var left = GetLeftOrDefault(root);
74                 var leftSize = GetSizeOrZero(left);
75                 if (LessThan(index, leftSize))
76                 {
77                     root = left;
78                     continue;
79                 }
80                 if (AreEqual(index, leftSize))
81                 {
82                     return root;
83                 }
84                 root = GetRightOrDefault(root);
85                 index = Subtract(index, Increment(leftSize));
86             }
87             return Zero; // TODO: Impossible situation exception (only if tree structure
    ↪ broken)
88         }
89     }
90
91     /// <summary>

```

```

92     /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
93     ↪ (концом).
94     /// </summary>
95     /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
96     /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
97     /// <returns>Индекс искомой связи.</returns>
98     [MethodImpl(MethodImplOptions.AggressiveInlining)]
99     public abstract TLink Search(TLink source, TLink target);
100
101     [MethodImpl(MethodImplOptions.AggressiveInlining)]
102     protected TLink SearchCore(TLink root, TLink key)
103     {
104         while (!EqualToZero(root))
105         {
106             var rootKey = GetKeyPartValue(root);
107             if (LessThan(key, rootKey)) // node.Key < root.Key
108             {
109                 root = GetLeftOrDefault(root);
110             }
111             else if (GreaterThan(key, rootKey)) // node.Key > root.Key
112             {
113                 root = GetRightOrDefault(root);
114             }
115             else // node.Key == root.Key
116             {
117                 return root;
118             }
119         }
120         return Zero;
121     }
122
123     /// TODO: Return indices range instead of references count
124     [MethodImpl(MethodImplOptions.AggressiveInlining)]
125     public TLink CountUsages(TLink link) => GetSizeOrZero(GetTreeRoot(link));
126
127     [MethodImpl(MethodImplOptions.AggressiveInlining)]
128     public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
129     ↪ EachUsageCore(@base, GetTreeRoot(@base), handler);
130
131     /// TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
132     ↪ low-level MSIL stack.
133     [MethodImpl(MethodImplOptions.AggressiveInlining)]
134     private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
135     {
136         var @continue = Continue;
137         if (EqualToZero(link))
138         {
139             return @continue;
140         }
141         var @break = Break;
142         if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
143         {
144             return @break;
145         }
146         if (AreEqual(handler(GetLinkValues(link)), @break))
147         {
148             return @break;
149         }
150         if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
151         {
152             return @break;
153         }
154         return @continue;
155     }
156
157     [MethodImpl(MethodImplOptions.AggressiveInlining)]
158     protected override void PrintNodeValue(TLink node, StringBuilder sb)
159     {
160         ref var link = ref GetLinkDataPartReference(node);
161         sb.Append(' ');
162         sb.Append(link.Source);
163         sb.Append('-');
164         sb.Append('>');
165         sb.Append(link.Target);
166     }
167 }

```

1.38 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSizeBalancedTreeMethodsBase.cs

```
1 using System;
2 using System.Text;
3 using System.Collections.Generic;
4 using System.Runtime.CompilerServices;
5 using Platform.Collections.Methods.Trees;
6 using Platform.Converters;
7 using static System.Runtime.CompilerServices.Unsafe;
8
9 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets.Memory.Split.Generic
12 {
13     public unsafe abstract class InternalLinksSizeBalancedTreeMethodsBase<TLink> :
14         ↳ SizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
15     {
16         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
17             ↳ UncheckedConverter<TLink, long>.Default;
18
19         protected readonly TLink Break;
20         protected readonly TLink Continue;
21         protected readonly byte* LinksDataParts;
22         protected readonly byte* LinksIndexParts;
23         protected readonly byte* Header;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected InternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants,
27             ↳ byte* linksDataParts, byte* linksIndexParts, byte* header)
28         {
29             LinksDataParts = linksDataParts;
30             LinksIndexParts = linksIndexParts;
31             Header = header;
32             Break = constants.Break;
33             Continue = constants.Continue;
34         }
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected abstract TLink GetTreeRoot(TLink link);
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected abstract TLink GetBasePartValue(TLink link);
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         protected abstract TLink GetKeyPartValue(TLink link);
44
45         [MethodImpl(MethodImplOptions.AggressiveInlining)]
46         protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
47             ↳ AsRef<RawLinkDataPart<TLink>>(LinksDataParts + (RawLinkDataPart<TLink>.SizeInBytes *
48             ↳ _addressToInt64Converter.Convert(link)));
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
52             ↳ ref AsRef<RawLinkIndexPart<TLink>>(LinksIndexParts +
53             ↳ (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) =>
57             ↳ LessThan(GetKeyPartValue(first), GetKeyPartValue(second));
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
61             ↳ GreaterThan(GetKeyPartValue(first), GetKeyPartValue(second));
62
63         [MethodImpl(MethodImplOptions.AggressiveInlining)]
64         protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
65         {
66             ref var link = ref GetLinkDataPartReference(linkIndex);
67             return new Link<TLink>(linkIndex, link.Source, link.Target);
68         }
69
70         public TLink this[TLink link, TLink index]
71         {
72             [MethodImpl(MethodImplOptions.AggressiveInlining)]
73             get
74             {
75                 var root = GetTreeRoot(link);
76                 if (GreaterOrEqualThan(index, GetSize(root)))
77                 {
78                     return Zero;
79                 }
80             }
81         }
82     }
83 }
```

```

71     while (!EqualToZero(root))
72     {
73         var left = GetLeftOrDefault(root);
74         var leftSize = GetSizeOrZero(left);
75         if (LessThan(index, leftSize))
76         {
77             root = left;
78             continue;
79         }
80         if (AreEqual(index, leftSize))
81         {
82             return root;
83         }
84         root = GetRightOrDefault(root);
85         index = Subtract(index, Increment(leftSize));
86     }
87     return Zero; // TODO: Impossible situation exception (only if tree structure
    ↪ broken)
88 }
89 }
90
91 /// <summary>
92 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
    ↪ (концом).
93 /// </summary>
94 /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
95 /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
96 /// <returns>Индекс искомой связи.</returns>
97 [MethodImpl(MethodImplOptions.AggressiveInlining)]
98 public abstract TLink Search(TLink source, TLink target);
99
100 [MethodImpl(MethodImplOptions.AggressiveInlining)]
101 protected TLink SearchCore(TLink root, TLink key)
102 {
103     while (!EqualToZero(root))
104     {
105         var rootKey = GetKeyPartValue(root);
106         if (LessThan(key, rootKey)) // node.Key < root.Key
107         {
108             root = GetLeftOrDefault(root);
109         }
110         else if (GreaterThan(key, rootKey)) // node.Key > root.Key
111         {
112             root = GetRightOrDefault(root);
113         }
114         else // node.Key == root.Key
115         {
116             return root;
117         }
118     }
119     return Zero;
120 }
121
122 // TODO: Return indices range instead of references count
123 [MethodImpl(MethodImplOptions.AggressiveInlining)]
124 public TLink CountUsages(TLink link) => GetSizeOrZero(GetTreeRoot(link));
125
126 [MethodImpl(MethodImplOptions.AggressiveInlining)]
127 public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
    ↪ EachUsageCore(@base, GetTreeRoot(@base), handler);
128
129 // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
    ↪ low-level MSIL stack.
130 [MethodImpl(MethodImplOptions.AggressiveInlining)]
131 private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
132 {
133     var @continue = Continue;
134     if (EqualToZero(link))
135     {
136         return @continue;
137     }
138     var @break = Break;
139     if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
140     {
141         return @break;
142     }
143     if (AreEqual(handler(GetLinkValues(link)), @break))
144     {
145         return @break;

```



```

146     }
147     if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
148     {
149         return @break;
150     }
151     return @continue;
152 }
153
154 [MethodImpl(MethodImplOptions.AggressiveInlining)]
155 protected override void PrintNodeValue(TLink node, StringBuilder sb)
156 {
157     ref var link = ref GetLinkDataPartReference(node);
158     sb.Append(' ');
159     sb.Append(link.Source);
160     sb.Append('-');
161     sb.Append('>');
162     sb.Append(link.Target);
163 }
164 }
165 }

```

1.39 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesLinkedListMethods.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Collections.Methods.Lists;
5  using Platform.Converters;
6  using static System.Runtime.CompilerServices.Unsafe;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Memory.Split.Generic
11 {
12     public unsafe class InternalLinksSourcesLinkedListMethods<TLink> :
13         ↳ RelativeCircularDoublyLinkedListMethods<TLink>
14     {
15         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
16             ↳ UncheckedConverter<TLink, long>.Default;
17         private readonly byte* _linksDataParts;
18         private readonly byte* _linksIndexParts;
19         protected readonly TLink Break;
20         protected readonly TLink Continue;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         public InternalLinksSourcesLinkedListMethods(LinksConstants<TLink> constants, byte*
24             ↳ linksDataParts, byte* linksIndexParts)
25         {
26             _linksDataParts = linksDataParts;
27             _linksIndexParts = linksIndexParts;
28             Break = constants.Break;
29             Continue = constants.Continue;
30
31             [MethodImpl(MethodImplOptions.AggressiveInlining)]
32             protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
33                 ↳ AsRef<RawLinkDataPart<TLink>>(_linksDataParts + (RawLinkDataPart<TLink>.SizeInBytes
34                 ↳ * _addressToInt64Converter.Convert(link)));
35
36             [MethodImpl(MethodImplOptions.AggressiveInlining)]
37             protected virtual ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
38                 ↳ ref AsRef<RawLinkIndexPart<TLink>>(_linksIndexParts +
39                 ↳ (RawLinkIndexPart<TLink>.SizeInBytes * _addressToInt64Converter.Convert(link)));
40
41             [MethodImpl(MethodImplOptions.AggressiveInlining)]
42             protected override TLink GetFirst(TLink head) =>
43                 ↳ GetLinkIndexPartReference(head).RootAsSource;
44
45             [MethodImpl(MethodImplOptions.AggressiveInlining)]
46             protected override TLink GetLast(TLink head)
47             {
48                 var first = GetLinkIndexPartReference(head).RootAsSource;
49                 if (EqualToZero(first))
50                 {
51                     return first;
52                 }
53                 else
54                 {
55                     return GetPrevious(first);
56                 }
57             }
58         }
59     }
60 }

```

```

51 [MethodImpl(MethodImplOptions.AggressiveInlining)]
52 protected override TLink GetPrevious(TLink element) =>
53     ↳ GetLinkIndexPartReference(element).LeftAsSource;
54
55 [MethodImpl(MethodImplOptions.AggressiveInlining)]
56 protected override TLink GetNext(TLink element) =>
57     ↳ GetLinkIndexPartReference(element).RightAsSource;
58
59 [MethodImpl(MethodImplOptions.AggressiveInlining)]
60 protected override TLink GetSize(TLink head) =>
61     ↳ GetLinkIndexPartReference(head).SizeAsSource;
62
63 [MethodImpl(MethodImplOptions.AggressiveInlining)]
64 protected override void SetFirst(TLink head, TLink element) =>
65     ↳ GetLinkIndexPartReference(head).RootAsSource = element;
66
67 [MethodImpl(MethodImplOptions.AggressiveInlining)]
68 protected override void SetLast(TLink head, TLink element)
69 {
70     //var first = GetLinkIndexPartReference(head).RootAsSource;
71     //if (EqualToZero(first))
72     //{
73     //    SetFirst(head, element);
74     //}
75     //else
76     //{
77     //    SetPrevious(first, element);
78     //}
79 }
80
81 [MethodImpl(MethodImplOptions.AggressiveInlining)]
82 protected override void SetPrevious(TLink element, TLink previous) =>
83     ↳ GetLinkIndexPartReference(element).LeftAsSource = previous;
84
85 [MethodImpl(MethodImplOptions.AggressiveInlining)]
86 protected override void SetNext(TLink element, TLink next) =>
87     ↳ GetLinkIndexPartReference(element).RightAsSource = next;
88
89 [MethodImpl(MethodImplOptions.AggressiveInlining)]
90 protected override void SetSize(TLink head, TLink size) =>
91     ↳ GetLinkIndexPartReference(head).SizeAsSource = size;
92
93 [MethodImpl(MethodImplOptions.AggressiveInlining)]
94 public TLink CountUsages(TLink head) => GetSize(head);
95
96 [MethodImpl(MethodImplOptions.AggressiveInlining)]
97 protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
98 {
99     ref var link = ref GetLinkDataPartReference(linkIndex);
100     return new Link<TLink>(linkIndex, link.Source, link.Target);
101 }
102
103 [MethodImpl(MethodImplOptions.AggressiveInlining)]
104 public TLink EachUsage(TLink source, Func<IList<TLink>, TLink> handler)
105 {
106     var @continue = Continue;
107     var @break = Break;
108     var current = GetFirst(source);
109     var first = current;
110     while (!EqualToZero(current))
111     {
112         if (AreEqual(handler(GetLinkValues(current)), @break))
113         {
114             return @break;
115         }
116         current = GetNext(current);
117         if (AreEqual(current, first))
118         {
119             return @continue;
120         }
121     }
122     return @continue;
123 }
124
125 }
126
127 }
```

1.40 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesRecursionlessSizeBalancedTree

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Memory.Split.Generic
6  {
7      public unsafe class InternalLinksSourcesRecursionlessSizeBalancedTreeMethods<TLink> :
8          ↳ InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
12             ↳ constants, byte* linksDataParts, byte* linksIndexParts, byte* header) :
13             ↳ base(constants, linksDataParts, linksIndexParts, header) { }
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         protected override ref TLink GetLeftReference(TLink node) => ref
17             ↳ GetLinkIndexPartReference(node).LeftAsSource;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         protected override ref TLink GetRightReference(TLink node) => ref
21             ↳ GetLinkIndexPartReference(node).RightAsSource;
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override TLink GetLeft(TLink node) =>
25             ↳ GetLinkIndexPartReference(node).LeftAsSource;
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected override TLink GetRight(TLink node) =>
29             ↳ GetLinkIndexPartReference(node).RightAsSource;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override void SetLeft(TLink node, TLink left) =>
33             ↳ GetLinkIndexPartReference(node).LeftAsSource = left;
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override void SetRight(TLink node, TLink right) =>
37             ↳ GetLinkIndexPartReference(node).RightAsSource = right;
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected override TLink GetSize(TLink node) =>
41             ↳ GetLinkIndexPartReference(node).SizeAsSource;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override void SetSize(TLink node, TLink size) =>
45             ↳ GetLinkIndexPartReference(node).SizeAsSource = size;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override TLink GetTreeRoot(TLink link) =>
49             ↳ GetLinkIndexPartReference(link).RootAsSource;
50
51         [MethodImpl(MethodImplOptions.AggressiveInlining)]
52         protected override TLink GetBasePartValue(TLink link) =>
53             ↳ GetLinkDataPartReference(link).Source;
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         protected override TLink GetKeyPartValue(TLink link) =>
57             ↳ GetLinkDataPartReference(link).Target;
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         protected override void ClearNode(TLink node)
61         {
62             ref var link = ref GetLinkIndexPartReference(node);
63             link.LeftAsSource = Zero;
64             link.RightAsSource = Zero;
65             link.SizeAsSource = Zero;
66         }
67
68         public override TLink Search(TLink source, TLink target) =>
69             ↳ SearchCore(GetTreeRoot(source), target);
70     }
71 }

```

1.41 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesSizeBalancedTreeMethods.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4

```

```

5 namespace Platform.Data.Doublets.Memory.Split.Generic
6 {
7     public unsafe class InternalLinksSourcesSizeBalancedTreeMethods<TLink> :
8         ↳ InternalLinksSizeBalancedTreeMethodsBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public InternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants,
12             ↳ byte* linksDataParts, byte* linksIndexParts, byte* header) : base(constants,
13             ↳ linksDataParts, linksIndexParts, header) { }
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         protected override ref TLink GetLeftReference(TLink node) => ref
17             ↳ GetLinkIndexPartReference(node).LeftAsSource;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         protected override ref TLink GetRightReference(TLink node) => ref
21             ↳ GetLinkIndexPartReference(node).RightAsSource;
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override TLink GetLeft(TLink node) =>
25             ↳ GetLinkIndexPartReference(node).LeftAsSource;
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected override TLink GetRight(TLink node) =>
29             ↳ GetLinkIndexPartReference(node).RightAsSource;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override void SetLeft(TLink node, TLink left) =>
33             ↳ GetLinkIndexPartReference(node).LeftAsSource = left;
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override void SetRight(TLink node, TLink right) =>
37             ↳ GetLinkIndexPartReference(node).RightAsSource = right;
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected override TLink GetSize(TLink node) =>
41             ↳ GetLinkIndexPartReference(node).SizeAsSource;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override void SetSize(TLink node, TLink size) =>
45             ↳ GetLinkIndexPartReference(node).SizeAsSource = size;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override TLink GetTreeRoot(TLink link) =>
49             ↳ GetLinkIndexPartReference(link).RootAsSource;
50
51         [MethodImpl(MethodImplOptions.AggressiveInlining)]
52         protected override TLink GetBasePartValue(TLink link) =>
53             ↳ GetLinkDataPartReference(link).Source;
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         protected override TLink GetKeyPartValue(TLink link) =>
57             ↳ GetLinkDataPartReference(link).Target;
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         protected override void ClearNode(TLink node)
61         {
62             ref var link = ref GetLinkIndexPartReference(node);
63             link.LeftAsSource = Zero;
64             link.RightAsSource = Zero;
65             link.SizeAsSource = Zero;
66         }
67
68         public override TLink Search(TLink source, TLink target) =>
69             ↳ SearchCore(GetTreeRoot(source), target);
70     }
71 }

```

1.42 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksTargetsRecursionlessSizeBalancedTree

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.Split.Generic
6 {
7     public unsafe class InternalLinksTargetsRecursionlessSizeBalancedTreeMethods<TLink> :
8         ↳ InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
9     {

```

```

9      [MethodImpl(MethodImplOptions.AggressiveInlining)]
10     public InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
    ↳ constants, byte* linksDataParts, byte* linksIndexParts, byte* header) :
    ↳ base(constants, linksDataParts, linksIndexParts, header) { }

11
12     [MethodImpl(MethodImplOptions.AggressiveInlining)]
13     protected override ref TLink GetLeftReference(TLink node) => ref
    ↳ GetLinkIndexPartReference(node).LeftAsTarget;

14
15     [MethodImpl(MethodImplOptions.AggressiveInlining)]
16     protected override ref TLink GetRightReference(TLink node) => ref
    ↳ GetLinkIndexPartReference(node).RightAsTarget;

17
18     [MethodImpl(MethodImplOptions.AggressiveInlining)]
19     protected override TLink GetLeft(TLink node) =>
    ↳ GetLinkIndexPartReference(node).LeftAsTarget;

20
21     [MethodImpl(MethodImplOptions.AggressiveInlining)]
22     protected override TLink GetRight(TLink node) =>
    ↳ GetLinkIndexPartReference(node).RightAsTarget;

23
24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override void SetLeft(TLink node, TLink left) =>
    ↳ GetLinkIndexPartReference(node).LeftAsTarget = left;

26
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     protected override void SetRight(TLink node, TLink right) =>
    ↳ GetLinkIndexPartReference(node).RightAsTarget = right;

29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     protected override TLink GetSize(TLink node) =>
    ↳ GetLinkIndexPartReference(node).SizeAsTarget;

32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected override void SetSize(TLink node, TLink size) =>
    ↳ GetLinkIndexPartReference(node).SizeAsTarget = size;

35
36     [MethodImpl(MethodImplOptions.AggressiveInlining)]
37     protected override TLink GetTreeRoot(TLink link) =>
    ↳ GetLinkIndexPartReference(link).RootAsTarget;

38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override TLink GetBasePartValue(TLink link) =>
    ↳ GetLinkDataPartReference(link).Target;

41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override TLink GetKeyPartValue(TLink link) =>
    ↳ GetLinkDataPartReference(link).Source;

44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override void ClearNode(TLink node)
47     {
48         ref var link = ref GetLinkIndexPartReference(node);
49         link.LeftAsTarget = Zero;
50         link.RightAsTarget = Zero;
51         link.SizeAsTarget = Zero;
52     }

53
54     public override TLink Search(TLink source, TLink target) =>
    ↳ SearchCore(GetTreeRoot(target), source);

55 }
56 }

```

1.43 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksTargetsSizeBalancedTreeMethods.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Memory.Split.Generic
6  {
7      public unsafe class InternalLinksTargetsSizeBalancedTreeMethods<TLink> :
    ↳ InternalLinksSizeBalancedTreeMethodsBase<TLink>
8      {
9          [MethodImpl(MethodImplOptions.AggressiveInlining)]
10         public InternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink> constants,
    ↳ byte* linksDataParts, byte* linksIndexParts, byte* header) : base(constants,
    ↳ linksDataParts, linksIndexParts, header) { }

```

```

12     [MethodImpl(MethodImplOptions.AggressiveInlining)]
13     protected override ref TLink GetLeftReference(TLink node) => ref
    ↪ GetLinkIndexPartReference(node).LeftAsTarget;
14
15     [MethodImpl(MethodImplOptions.AggressiveInlining)]
16     protected override ref TLink GetRightReference(TLink node) => ref
    ↪ GetLinkIndexPartReference(node).RightAsTarget;
17
18     [MethodImpl(MethodImplOptions.AggressiveInlining)]
19     protected override TLink GetLeft(TLink node) =>
    ↪ GetLinkIndexPartReference(node).LeftAsTarget;
20
21     [MethodImpl(MethodImplOptions.AggressiveInlining)]
22     protected override TLink GetRight(TLink node) =>
    ↪ GetLinkIndexPartReference(node).RightAsTarget;
23
24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override void SetLeft(TLink node, TLink left) =>
    ↪ GetLinkIndexPartReference(node).LeftAsTarget = left;
26
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     protected override void SetRight(TLink node, TLink right) =>
    ↪ GetLinkIndexPartReference(node).RightAsTarget = right;
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     protected override TLink GetSize(TLink node) =>
    ↪ GetLinkIndexPartReference(node).SizeAsTarget;
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected override void SetSize(TLink node, TLink size) =>
    ↪ GetLinkIndexPartReference(node).SizeAsTarget = size;
35
36     [MethodImpl(MethodImplOptions.AggressiveInlining)]
37     protected override TLink GetTreeRoot(TLink link) =>
    ↪ GetLinkIndexPartReference(link).RootAsTarget;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override TLink GetBasePartValue(TLink link) =>
    ↪ GetLinkDataPartReference(link).Target;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override TLink GetKeyPartValue(TLink link) =>
    ↪ GetLinkDataPartReference(link).Source;
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override void ClearNode(TLink node)
47     {
48         ref var link = ref GetLinkIndexPartReference(node);
49         link.LeftAsTarget = Zero;
50         link.RightAsTarget = Zero;
51         link.SizeAsTarget = Zero;
52     }
53
54     public override TLink Search(TLink source, TLink target) =>
    ↪ SearchCore(GetTreeRoot(target), source);
55 }
56 }

```

1.44 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/SplitMemoryLinks.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Singletons;
4  using Platform.Memory;
5  using static System.Runtime.CompilerServices.Unsafe;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Data.Doublets.Memory.Split.Generic
10 {
11     public unsafe class SplitMemoryLinks<TLink> : SplitMemoryLinksBase<TLink>
12     {
13         private readonly Func<ILinksTreeMethods<TLink>> _createInternalSourceTreeMethods;
14         private readonly Func<ILinksTreeMethods<TLink>> _createExternalSourceTreeMethods;
15         private readonly Func<ILinksTreeMethods<TLink>> _createInternalTargetTreeMethods;
16         private readonly Func<ILinksTreeMethods<TLink>> _createExternalTargetTreeMethods;
17         private byte* _header;
18         private byte* _linksDataParts;
19         private byte* _linksIndexParts;
20

```

```

21 [MethodImpl(MethodImplOptions.AggressiveInlining)]
22 public SplitMemoryLinks(string dataMemory, string indexMemory) : this(new
    ↳ FileMappedResizableDirectMemory(dataMemory), new
    ↳ FileMappedResizableDirectMemory(indexMemory)) { }
23
24 [MethodImpl(MethodImplOptions.AggressiveInlining)]
25 public SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory) : this(dataMemory, indexMemory, DefaultLinksSizeStep) { }
26
27 [MethodImpl(MethodImplOptions.AggressiveInlining)]
28 public SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory, long memoryReservationStep) : this(dataMemory, indexMemory,
    ↳ memoryReservationStep, Default<LinksConstants<TLink>>.Instance,
    ↳ IndexTreeType.Default, useLinkedList: true) { }
29
30 [MethodImpl(MethodImplOptions.AggressiveInlining)]
31 public SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory, long memoryReservationStep, LinksConstants<TLink> constants) :
    ↳ this(dataMemory, indexMemory, memoryReservationStep, constants,
    ↳ IndexTreeType.Default, useLinkedList: true) { }
32
33 [MethodImpl(MethodImplOptions.AggressiveInlining)]
34 public SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory, long memoryReservationStep, LinksConstants<TLink> constants,
    ↳ IndexTreeType indexTreeType, bool useLinkedList) : base(dataMemory, indexMemory,
    ↳ memoryReservationStep, constants, useLinkedList)
35 {
36     if (indexTreeType == IndexTreeType.SizeBalancedTree)
37     {
38         _createInternalSourceTreeMethods = () => new
            ↳ InternalLinksSourcesSizeBalancedTreeMethods<TLink>(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
39         _createExternalSourceTreeMethods = () => new
            ↳ ExternalLinksSourcesSizeBalancedTreeMethods<TLink>(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
40         _createInternalTargetTreeMethods = () => new
            ↳ InternalLinksTargetsSizeBalancedTreeMethods<TLink>(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
41         _createExternalTargetTreeMethods = () => new
            ↳ ExternalLinksTargetsSizeBalancedTreeMethods<TLink>(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
42     }
43     else
44     {
45         _createInternalSourceTreeMethods = () => new
            ↳ InternalLinksSourcesRecursionlessSizeBalancedTreeMethods<TLink>(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
46         _createExternalSourceTreeMethods = () => new
            ↳ ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods<TLink>(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
47         _createInternalTargetTreeMethods = () => new
            ↳ InternalLinksTargetsRecursionlessSizeBalancedTreeMethods<TLink>(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
48         _createExternalTargetTreeMethods = () => new
            ↳ ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods<TLink>(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
49     }
50     Init(dataMemory, indexMemory);
51 }
52
53 [MethodImpl(MethodImplOptions.AggressiveInlining)]
54 protected override void SetPointers(IResizableDirectMemory dataMemory,
    ↳ IResizableDirectMemory indexMemory)
55 {
56     _linksDataParts = (byte*)dataMemory.Pointer;
57     _linksIndexParts = (byte*)indexMemory.Pointer;
58     _header = _linksIndexParts;
59     if (_useLinkedList)
60     {
61         InternalSourcesListMethods = new
            ↳ InternalLinksSourcesLinkedListMethods<TLink>(Constants, _linksDataParts,
            ↳ _linksIndexParts);
62     }
63     else
64     {
65         InternalSourcesTreeMethods = _createInternalSourceTreeMethods();
66     }

```

```

67         ExternalSourcesTreeMethods = _createExternalSourceTreeMethods();
68         InternalTargetsTreeMethods = _createInternalTargetTreeMethods();
69         ExternalTargetsTreeMethods = _createExternalTargetTreeMethods();
70         UnusedLinksListMethods = new UnusedLinksListMethods<TLink>(_linksDataParts, _header);
71     }
72
73     [MethodImpl(MethodImplOptions.AggressiveInlining)]
74     protected override void ResetPointers()
75     {
76         base.ResetPointers();
77         _linksDataParts = null;
78         _linksIndexParts = null;
79         _header = null;
80     }
81
82     [MethodImpl(MethodImplOptions.AggressiveInlining)]
83     protected override ref LinksHeader<TLink> GetHeaderReference() => ref
84         ↪ AsRef<LinksHeader<TLink>>(_header);
85
86     [MethodImpl(MethodImplOptions.AggressiveInlining)]
87     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink linkIndex)
88         ↪ => ref AsRef<RawLinkDataPart<TLink>>(_linksDataParts + (LinkDataPartSizeInBytes *
89         ↪ ConvertToInt64(linkIndex)));
90
91     [MethodImpl(MethodImplOptions.AggressiveInlining)]
92     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink
93         ↪ linkIndex) => ref AsRef<RawLinkIndexPart<TLink>>(_linksIndexParts +
94         ↪ (LinkIndexPartSizeInBytes * ConvertToInt64(linkIndex)));
95 }
96 }

```

1.45 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/SplitMemoryLinksBase.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Disposables;
5  using Platform.Singletons;
6  using Platform.Converters;
7  using Platform.Numbers;
8  using Platform.Memory;
9  using Platform.Data.Exceptions;
10
11  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
12
13  namespace Platform.Data.Doublets.Memory.Split.Generic
14  {
15      public abstract class SplitMemoryLinksBase<TLink> : DisposableBase, ILinks<TLink>
16      {
17          private static readonly EqualityComparer<TLink> _equalityComparer =
18              ↪ EqualityComparer<TLink>.Default;
19          private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
20          private static readonly uncheckedConverter<TLink, long> _addressToInt64Converter =
21              ↪ uncheckedConverter<TLink, long>.Default;
22          private static readonly uncheckedConverter<long, TLink> _int64ToAddressConverter =
23              ↪ uncheckedConverter<long, TLink>.Default;
24
25          private static readonly TLink _zero = default;
26          private static readonly TLink _one = Arithmetic.Increment(_zero);
27
28          /// <summary>Возвращает размер одной связи в байтах.</summary>
29          /// <remarks>
30          /// Используется только во вне класса, не рекомендуется использовать внутри.
31          /// Так как во вне не обязательно будет доступен unsafe C#.
32          /// </remarks>
33          public static readonly long LinkDataPartSizeInBytes = RawLinkDataPart<TLink>.SizeInBytes;
34
35          public static readonly long LinkIndexPartSizeInBytes =
36              ↪ RawLinkIndexPart<TLink>.SizeInBytes;
37
38          public static readonly long LinkHeaderSizeInBytes = LinksHeader<TLink>.SizeInBytes;
39
40          public static readonly long DefaultLinksSizeStep = 1 * 1024 * 1024;
41
42          protected readonly IResizableDirectMemory _dataMemory;
43          protected readonly IResizableDirectMemory _indexMemory;
44          protected readonly bool _useLinkedList;
45          protected readonly long _dataMemoryReservationStepInBytes;
46          protected readonly long _indexMemoryReservationStepInBytes;
47
48          protected InternalLinksSourcesLinkedListMethods<TLink> InternalSourcesListMethods;
49          protected ILinksTreeMethods<TLink> InternalSourcesTreeMethods;

```



```

46 protected ILinksTreeMethods<TLink> ExternalSourcesTreeMethods;
47 protected ILinksTreeMethods<TLink> InternalTargetsTreeMethods;
48 protected ILinksTreeMethods<TLink> ExternalTargetsTreeMethods;
49 // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
    ↳ нужно использовать не список а дерево, так как так можно быстрее проверить на
    ↳ наличие связи внутри
50 protected ILinksListMethods<TLink> UnusedLinksListMethods;
51
52 /// <summary>
53 /// Возвращает общее число связей находящихся в хранилище.
54 /// </summary>
55 protected virtual TLink Total
56 {
57     [MethodImpl(MethodImplOptions.AggressiveInlining)]
58     get
59     {
60         ref var header = ref GetHeaderReference();
61         return Subtract(header.AllocatedLinks, header.FreeLinks);
62     }
63 }
64
65 public virtual LinksConstants<TLink> Constants
66 {
67     [MethodImpl(MethodImplOptions.AggressiveInlining)]
68     get;
69 }
70
71 [MethodImpl(MethodImplOptions.AggressiveInlining)]
72 protected SplitMemoryLinksBase(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory, long memoryReservationStep, LinksConstants<TLink> constants, bool
    ↳ useLinkedList)
73 {
74     _dataMemory = dataMemory;
75     _indexMemory = indexMemory;
76     _dataMemoryReservationStepInBytes = memoryReservationStep * LinkDataPartSizeInBytes;
77     _indexMemoryReservationStepInBytes = memoryReservationStep *
    ↳ LinkIndexPartSizeInBytes;
78     _useLinkedList = useLinkedList;
79     Constants = constants;
80 }
81
82 [MethodImpl(MethodImplOptions.AggressiveInlining)]
83 protected SplitMemoryLinksBase(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory, long memoryReservationStep) : this(dataMemory, indexMemory,
    ↳ memoryReservationStep, Default<LinksConstants<TLink>>.Instance, useLinkedList: true)
    ↳ { }
84
85 [MethodImpl(MethodImplOptions.AggressiveInlining)]
86 protected virtual void Init(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory)
87 {
88     // Read allocated links from header
89     if (indexMemory.ReservedCapacity < LinkHeaderSizeInBytes)
90     {
91         indexMemory.ReservedCapacity = LinkHeaderSizeInBytes;
92     }
93     SetPointers(dataMemory, indexMemory);
94     ref var header = ref GetHeaderReference();
95     var allocatedLinks = ConvertToInt64(header.AllocatedLinks);
96     // Adjust reserved capacity
97     var minimumDataReservedCapacity = allocatedLinks * LinkDataPartSizeInBytes;
98     if (minimumDataReservedCapacity < dataMemory.UsedCapacity)
99     {
100         minimumDataReservedCapacity = dataMemory.UsedCapacity;
101     }
102     if (minimumDataReservedCapacity < _dataMemoryReservationStepInBytes)
103     {
104         minimumDataReservedCapacity = _dataMemoryReservationStepInBytes;
105     }
106     var minimumIndexReservedCapacity = allocatedLinks * LinkDataPartSizeInBytes;
107     if (minimumIndexReservedCapacity < indexMemory.UsedCapacity)
108     {
109         minimumIndexReservedCapacity = indexMemory.UsedCapacity;
110     }
111     if (minimumIndexReservedCapacity < _indexMemoryReservationStepInBytes)
112     {
113         minimumIndexReservedCapacity = _indexMemoryReservationStepInBytes;
114     }
115     // Check for alignment

```

```

116     if (minimumDataReservedCapacity % _dataMemoryReservationStepInBytes > 0)
117     {
118         minimumDataReservedCapacity = ((minimumDataReservedCapacity /
119             ↪ _dataMemoryReservationStepInBytes) * _dataMemoryReservationStepInBytes) +
120             ↪ _dataMemoryReservationStepInBytes;
121     }
122     if (minimumIndexReservedCapacity % _indexMemoryReservationStepInBytes > 0)
123     {
124         minimumIndexReservedCapacity = ((minimumIndexReservedCapacity /
125             ↪ _indexMemoryReservationStepInBytes) * _indexMemoryReservationStepInBytes) +
126             ↪ _indexMemoryReservationStepInBytes;
127     }
128     if (dataMemory.ReservedCapacity != minimumDataReservedCapacity)
129     {
130         dataMemory.ReservedCapacity = minimumDataReservedCapacity;
131     }
132     if (indexMemory.ReservedCapacity != minimumIndexReservedCapacity)
133     {
134         indexMemory.ReservedCapacity = minimumIndexReservedCapacity;
135     }
136     SetPointers(dataMemory, indexMemory);
137     header = ref GetHeaderReference();
138     // Ensure correctness _memory.UsedCapacity over _header->AllocatedLinks
139     // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
140     dataMemory.UsedCapacity = (ConvertToInt64(header.AllocatedLinks) *
141         ↪ LinkDataPartSizeInBytes) + LinkDataPartSizeInBytes; // First link is read only
142         ↪ zero link.
143     indexMemory.UsedCapacity = (ConvertToInt64(header.AllocatedLinks) *
144         ↪ LinkIndexPartSizeInBytes) + LinkHeaderSizeInBytes;
145     // Ensure correctness _memory.ReservedLinks over _header->ReservedCapacity
146     // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
147     header.ReservedLinks = ConvertToAddress((dataMemory.ReservedCapacity -
148         ↪ LinkDataPartSizeInBytes) / LinkDataPartSizeInBytes);
149 }
150
151 [MethodImpl(MethodImplOptions.AggressiveInlining)]
152 public virtual TLink Count(IList<TLink> restrictions)
153 {
154     // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
155     if (restrictions.Count == 0)
156     {
157         return Total;
158     }
159     var constants = Constants;
160     var any = constants.Any;
161     var index = restrictions[constants.IndexPart];
162     if (restrictions.Count == 1)
163     {
164         if (AreEqual(index, any))
165         {
166             return Total;
167         }
168         return Exists(index) ? GetOne() : GetZero();
169     }
170     if (restrictions.Count == 2)
171     {
172         var value = restrictions[1];
173         if (AreEqual(index, any))
174         {
175             return Total; // Any - как отсутствие ограничения
176         }
177         var externalReferencesRange = constants.ExternalReferencesRange;
178         if (externalReferencesRange.HasValue &&
179             ↪ externalReferencesRange.Value.Contains(value))
180         {
181             return Add(ExternalSourcesTreeMethods.CountUsages(value),
182                 ↪ ExternalTargetsTreeMethods.CountUsages(value));
183         }
184         else
185         {
186             if (_useLinkedList)
187             {
188                 return Add(InternalSourcesListMethods.CountUsages(value),
189                     ↪ InternalTargetsTreeMethods.CountUsages(value));
190             }
191             else
192             {
193                 // ...
194             }
195         }
196     }
197 }

```

```

183         {
184             return Add(InternalSourcesTreeMethods.CountUsages(value),
185                 ↪ InternalTargetsTreeMethods.CountUsages(value));
186         }
187     }
188 }
189 else
190 {
191     if (!Exists(index))
192     {
193         return GetZero();
194     }
195     if (AreEqual(value, any))
196     {
197         return GetOne();
198     }
199     ref var storedLinkValue = ref GetLinkDataPartReference(index);
200     if (AreEqual(storedLinkValue.Source, value) ||
201         ↪ AreEqual(storedLinkValue.Target, value))
202     {
203         return GetOne();
204     }
205     return GetZero();
206 }
207 if (restrictions.Count == 3)
208 {
209     var externalReferencesRange = constants.ExternalReferencesRange;
210     var source = restrictions[constants.SourcePart];
211     var target = restrictions[constants.TargetPart];
212     if (AreEqual(index, any))
213     {
214         if (AreEqual(source, any) && AreEqual(target, any))
215         {
216             return Total;
217         }
218         else if (AreEqual(source, any))
219         {
220             if (externalReferencesRange.HasValue &&
221                 ↪ externalReferencesRange.Value.Contains(target))
222             {
223                 return ExternalTargetsTreeMethods.CountUsages(target);
224             }
225             else
226             {
227                 return InternalTargetsTreeMethods.CountUsages(target);
228             }
229         }
230         else if (AreEqual(target, any))
231         {
232             if (externalReferencesRange.HasValue &&
233                 ↪ externalReferencesRange.Value.Contains(source))
234             {
235                 return ExternalSourcesTreeMethods.CountUsages(source);
236             }
237             else
238             {
239                 if (_useLinkedList)
240                 {
241                     return InternalSourcesListMethods.CountUsages(source);
242                 }
243                 else
244                 {
245                     return InternalSourcesTreeMethods.CountUsages(source);
246                 }
247             }
248         }
249     }
250 }
251 else //if(source != Any && target != Any)
252 {
253     // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
254     TLink link;
255     if (externalReferencesRange.HasValue)
256     {
257         if (externalReferencesRange.Value.Contains(source) &&
258             ↪ externalReferencesRange.Value.Contains(target))
259         {
260             link = ExternalSourcesTreeMethods.Search(source, target);
261         }
262     }
263 }

```

```

256         else if (externalReferencesRange.Value.Contains(source))
257         {
258             link = InternalTargetsTreeMethods.Search(source, target);
259         }
260         else if (externalReferencesRange.Value.Contains(target))
261         {
262             if (_useLinkedList)
263             {
264                 link = ExternalSourcesTreeMethods.Search(source, target);
265             }
266             else
267             {
268                 link = InternalSourcesTreeMethods.Search(source, target);
269             }
270         }
271         else
272         {
273             if (_useLinkedList ||
274                 ↪ GreaterThan(InternalSourcesTreeMethods.CountUsages(source),
275                 ↪ InternalTargetsTreeMethods.CountUsages(target)))
276             {
277                 link = InternalTargetsTreeMethods.Search(source, target);
278             }
279             else
280             {
281                 link = InternalSourcesTreeMethods.Search(source, target);
282             }
283         }
284     }
285     else
286     {
287         if (_useLinkedList ||
288             ↪ GreaterThan(InternalSourcesTreeMethods.CountUsages(source),
289             ↪ InternalTargetsTreeMethods.CountUsages(target)))
290         {
291             link = InternalTargetsTreeMethods.Search(source, target);
292         }
293         else
294         {
295             link = InternalSourcesTreeMethods.Search(source, target);
296         }
297     }
298     return AreEqual(link, constants.Null) ? GetZero() : GetOne();
299 }
300 }
301 else
302 {
303     if (!Exists(index))
304     {
305         return GetZero();
306     }
307     if (AreEqual(source, any) && AreEqual(target, any))
308     {
309         return GetOne();
310     }
311     ref var storedLinkValue = ref GetLinkDataPartReference(index);
312     if (!AreEqual(source, any) && !AreEqual(target, any))
313     {
314         if (AreEqual(storedLinkValue.Source, source) &&
315             ↪ AreEqual(storedLinkValue.Target, target))
316         {
317             return GetOne();
318         }
319         return GetZero();
320     }
321     var value = default(TLink);
322     if (AreEqual(source, any))
323     {
324         value = target;
325     }
326     if (AreEqual(target, any))
327     {
328         value = source;
329     }
330     if (AreEqual(storedLinkValue.Source, value) ||
331         ↪ AreEqual(storedLinkValue.Target, value))
332     {
333         return GetOne();
334     }

```

```

328     }
329     return GetZero();
330 }
331 }
332 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
333 }
334
335 [MethodImpl(MethodImplOptions.AggressiveInlining)]
336 public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
337 {
338     var constants = Constants;
339     var @break = constants.Break;
340     if (restrictions.Count == 0)
341     {
342         for (var link = GetOne(); LessOrEqualThan(link,
343             ↳ GetHeaderReference().AllocatedLinks); link = Increment(link))
344         {
345             if (Exists(link) && AreEqual(handler(GetLinkStruct(link)), @break))
346             {
347                 return @break;
348             }
349             return @break;
350         }
351         var @continue = constants.Continue;
352         var any = constants.Any;
353         var index = restrictions[constants.IndexPart];
354         if (restrictions.Count == 1)
355         {
356             if (AreEqual(index, any))
357             {
358                 return Each(handler, Array.Empty<TLink>());
359             }
360             if (!Exists(index))
361             {
362                 return @continue;
363             }
364             return handler(GetLinkStruct(index));
365         }
366         if (restrictions.Count == 2)
367         {
368             var value = restrictions[1];
369             if (AreEqual(index, any))
370             {
371                 if (AreEqual(value, any))
372                 {
373                     return Each(handler, Array.Empty<TLink>());
374                 }
375                 if (AreEqual(Each(handler, new Link<TLink>(index, value, any)), @break))
376                 {
377                     return @break;
378                 }
379                 return Each(handler, new Link<TLink>(index, any, value));
380             }
381             else
382             {
383                 if (!Exists(index))
384                 {
385                     return @continue;
386                 }
387                 if (AreEqual(value, any))
388                 {
389                     return handler(GetLinkStruct(index));
390                 }
391                 ref var storedLinkValue = ref GetLinkDataPartReference(index);
392                 if (AreEqual(storedLinkValue.Source, value) ||
393                     AreEqual(storedLinkValue.Target, value))
394                 {
395                     return handler(GetLinkStruct(index));
396                 }
397                 return @continue;
398             }
399         }
400         if (restrictions.Count == 3)
401         {
402             var externalReferencesRange = constants.ExternalReferencesRange;
403             var source = restrictions[constants.SourcePart];

```

```

404 var target = restrictions[constants.TargetPart];
405 if (AreEqual(index, any))
406 {
407     if (AreEqual(source, any) && AreEqual(target, any))
408     {
409         return Each(handler, Array.Empty<TLink>());
410     }
411     else if (AreEqual(source, any))
412     {
413         if (externalReferencesRange.HasValue &&
414             ↪ externalReferencesRange.Value.Contains(target))
415         {
416             return ExternalTargetsTreeMethods.EachUsage(target, handler);
417         }
418         else
419         {
420             return InternalTargetsTreeMethods.EachUsage(target, handler);
421         }
422     }
423     else if (AreEqual(target, any))
424     {
425         if (externalReferencesRange.HasValue &&
426             ↪ externalReferencesRange.Value.Contains(source))
427         {
428             return ExternalSourcesTreeMethods.EachUsage(source, handler);
429         }
430         else
431         {
432             if (_useLinkedList)
433             {
434                 return InternalSourcesListMethods.EachUsage(source, handler);
435             }
436             else
437             {
438                 return InternalSourcesTreeMethods.EachUsage(source, handler);
439             }
440         }
441     }
442     else //if(source != Any && target != Any)
443     {
444         TLink link;
445         if (externalReferencesRange.HasValue)
446         {
447             if (externalReferencesRange.Value.Contains(source) &&
448                 ↪ externalReferencesRange.Value.Contains(target))
449             {
450                 link = ExternalSourcesTreeMethods.Search(source, target);
451             }
452             else if (externalReferencesRange.Value.Contains(source))
453             {
454                 link = InternalTargetsTreeMethods.Search(source, target);
455             }
456             else if (externalReferencesRange.Value.Contains(target))
457             {
458                 if (_useLinkedList)
459                 {
460                     link = ExternalSourcesTreeMethods.Search(source, target);
461                 }
462                 else
463                 {
464                     link = InternalSourcesTreeMethods.Search(source, target);
465                 }
466             }
467             else
468             {
469                 if (_useLinkedList ||
470                     ↪ GreaterThan(InternalSourcesTreeMethods.CountUsages(source),
471                     ↪ InternalTargetsTreeMethods.CountUsages(target)))
472                 {
473                     link = InternalTargetsTreeMethods.Search(source, target);
474                 }
475                 else
476                 {

```

```

477         {
478             if (_useLinkedList ||
479                 ↪ GreaterThan(InternalSourcesTreeMethods.CountUsages(source),
480                 ↪ InternalTargetsTreeMethods.CountUsages(target)))
481             {
482                 link = InternalTargetsTreeMethods.Search(source, target);
483             }
484             else
485             {
486                 link = InternalSourcesTreeMethods.Search(source, target);
487             }
488             return AreEqual(link, constants.Null) ? @continue :
489                 ↪ handler(GetLinkStruct(link));
490         }
491     else
492     {
493         if (!Exists(index))
494         {
495             return @continue;
496         }
497         if (AreEqual(source, any) && AreEqual(target, any))
498         {
499             return handler(GetLinkStruct(index));
500         }
501         ref var storedLinkValue = ref GetLinkDataPartReference(index);
502         if (!AreEqual(source, any) && !AreEqual(target, any))
503         {
504             if (AreEqual(storedLinkValue.Source, source) &&
505                 AreEqual(storedLinkValue.Target, target))
506             {
507                 return handler(GetLinkStruct(index));
508             }
509             return @continue;
510         }
511         var value = default(TLink);
512         if (AreEqual(source, any))
513         {
514             value = target;
515         }
516         if (AreEqual(target, any))
517         {
518             value = source;
519         }
520         if (AreEqual(storedLinkValue.Source, value) ||
521             AreEqual(storedLinkValue.Target, value))
522         {
523             return handler(GetLinkStruct(index));
524         }
525         return @continue;
526     }
527 }
528 throw new NotSupportedException("Другие размеры и способы ограничений не
529     ↪ поддерживаются.");
530
531 /// <remarks>
532 /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
533     ↪ в другом месте (но не в менеджере памяти, а в логике Links)
534 /// </remarks>
535 [MethodImpl(MethodImplOptions.AggressiveInlining)]
536 public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
537 {
538     var constants = Constants;
539     var @null = constants.Null;
540     var externalReferencesRange = constants.ExternalReferencesRange;
541     var linkIndex = restrictions[constants.IndexPart];
542     ref var link = ref GetLinkDataPartReference(linkIndex);
543     var source = link.Source;
544     var target = link.Target;
545     ref var header = ref GetHeaderReference();
546     ref var rootAsSource = ref header.RootAsSource;
547     ref var rootAsTarget = ref header.RootAsTarget;
548     // Будет корректно работать только в том случае, если пространство выделенной связи
549     ↪ предварительно заполнено нулями
550     if (!AreEqual(source, @null))
551     {

```

```

549         if (externalReferencesRange.HasValue &&
550             ↪ externalReferencesRange.Value.Contains(source))
551         {
552             ExternalSourcesTreeMethods.Detach(ref rootAsSource, linkIndex);
553         }
554         else
555         {
556             if (_useLinkedList)
557             {
558                 InternalSourcesListMethods.Detach(source, linkIndex);
559             }
560             else
561             {
562                 InternalSourcesTreeMethods.Detach(ref
563                     ↪ GetLinkIndexPartReference(source).RootAsSource, linkIndex);
564             }
565         }
566     }
567     if (!AreEqual(target, @null))
568     {
569         if (externalReferencesRange.HasValue &&
570             ↪ externalReferencesRange.Value.Contains(target))
571         {
572             ExternalTargetsTreeMethods.Detach(ref rootAsTarget, linkIndex);
573         }
574         else
575         {
576             InternalTargetsTreeMethods.Detach(ref
577                 ↪ GetLinkIndexPartReference(target).RootAsTarget, linkIndex);
578         }
579     }
580     source = link.Source = substitution[constants.SourcePart];
581     target = link.Target = substitution[constants.TargetPart];
582     if (!AreEqual(source, @null))
583     {
584         if (externalReferencesRange.HasValue &&
585             ↪ externalReferencesRange.Value.Contains(source))
586         {
587             ExternalSourcesTreeMethods.Attach(ref rootAsSource, linkIndex);
588         }
589         else
590         {
591             if (_useLinkedList)
592             {
593                 InternalSourcesListMethods.AttachAsLast(source, linkIndex);
594             }
595             else
596             {
597                 InternalSourcesTreeMethods.Attach(ref
598                     ↪ GetLinkIndexPartReference(source).RootAsSource, linkIndex);
599             }
600         }
601     }
602     if (!AreEqual(target, @null))
603     {
604         if (externalReferencesRange.HasValue &&
605             ↪ externalReferencesRange.Value.Contains(target))
606         {
607             ExternalTargetsTreeMethods.Attach(ref rootAsTarget, linkIndex);
608         }
609         else
610         {
611             InternalTargetsTreeMethods.Attach(ref
612                 ↪ GetLinkIndexPartReference(target).RootAsTarget, linkIndex);
613         }
614     }
615     return linkIndex;
616 }
617
618 /// <remarks>
619 /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
620 ↪ пространство
621 /// </remarks>
622 [MethodImpl(MethodImplOptions.AggressiveInlining)]
623 public virtual TLink Create(ICollection<TLink> restrictions)
624 {
625     ref var header = ref GetHeaderReference();
626     var freeLink = header.FirstFreeLink;

```



```

618         if (!AreEqual(freeLink, Constants.Null))
619         {
620             UnusedLinksListMethods.Detach(freeLink);
621         }
622     else
623     {
624         var maximumPossibleInnerReference = Constants.InternalReferencesRange.Maximum;
625         if (GreaterThan(header.AllocatedLinks, maximumPossibleInnerReference))
626         {
627             throw new LinksLimitReachedException<TLink>(maximumPossibleInnerReference);
628         }
629         if (GreaterOrEqualThan(header.AllocatedLinks, Decrement(header.ReservedLinks)))
630         {
631             _dataMemory.ReservedCapacity += _dataMemory.ReservationStepInBytes;
632             _indexMemory.ReservedCapacity += _indexMemory.ReservationStepInBytes;
633             SetPointers(_dataMemory, _indexMemory);
634             header = ref GetHeaderReference();
635             header.ReservedLinks = ConvertToAddress(_dataMemory.ReservedCapacity /
636                 ↳ LinkDataPartSizeInBytes);
637         }
638         freeLink = header.AllocatedLinks = Increment(header.AllocatedLinks);
639         _dataMemory.UsedCapacity += LinkDataPartSizeInBytes;
640         _indexMemory.UsedCapacity += LinkIndexPartSizeInBytes;
641     }
642     return freeLink;
643 }
644 [MethodImpl(MethodImplOptions.AggressiveInlining)]
645 public virtual void Delete(IList<TLink> restrictions)
646 {
647     ref var header = ref GetHeaderReference();
648     var link = restrictions[Constants.IndexPart];
649     if (LessThan(link, header.AllocatedLinks))
650     {
651         UnusedLinksListMethods.AttachAsFirst(link);
652     }
653     else if (AreEqual(link, header.AllocatedLinks))
654     {
655         header.AllocatedLinks = Decrement(header.AllocatedLinks);
656         _dataMemory.UsedCapacity -= LinkDataPartSizeInBytes;
657         _indexMemory.UsedCapacity -= LinkIndexPartSizeInBytes;
658         // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
659         ↳ пока не дойдём до первой существующей связи
660         // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
661         while (GreaterThan(header.AllocatedLinks, GetZero()) &&
662             ↳ IsUnusedLink(header.AllocatedLinks))
663         {
664             UnusedLinksListMethods.Detach(header.AllocatedLinks);
665             header.AllocatedLinks = Decrement(header.AllocatedLinks);
666             _dataMemory.UsedCapacity -= LinkDataPartSizeInBytes;
667             _indexMemory.UsedCapacity -= LinkIndexPartSizeInBytes;
668         }
669     }
670 }
671 [MethodImpl(MethodImplOptions.AggressiveInlining)]
672 public IList<TLink> GetLinkStruct(TLink linkIndex)
673 {
674     ref var link = ref GetLinkDataPartReference(linkIndex);
675     return new Link<TLink>(linkIndex, link.Source, link.Target);
676 }
677 /// <remarks>
678 /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
679 ↳ адрес реально поменялся
680 ///
681 /// Указатель this.links может быть в том же месте,
682 /// так как 0-я связь не используется и имеет такой же размер как Header,
683 /// поэтому header размещается в том же месте, что и 0-я связь
684 /// </remarks>
685 [MethodImpl(MethodImplOptions.AggressiveInlining)]
686 protected abstract void SetPointers(IResizableDirectMemory dataMemory,
687     ↳ IResizableDirectMemory indexMemory);
688 [MethodImpl(MethodImplOptions.AggressiveInlining)]
689 protected virtual void ResetPointers()
690 {
691     InternalSourcesListMethods = null;
692     InternalSourcesTreeMethods = null;

```

```

692     ExternalSourcesTreeMethods = null;
693     InternalTargetsTreeMethods = null;
694     ExternalTargetsTreeMethods = null;
695     UnusedLinksListMethods = null;
696 }
697
698 [MethodImpl(MethodImplOptions.AggressiveInlining)]
699 protected abstract ref LinksHeader<TLink> GetHeaderReference();
700
701 [MethodImpl(MethodImplOptions.AggressiveInlining)]
702 protected abstract ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink linkIndex);
703
704 [MethodImpl(MethodImplOptions.AggressiveInlining)]
705 protected abstract ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink
    ↪ linkIndex);
706
707 [MethodImpl(MethodImplOptions.AggressiveInlining)]
708 protected virtual bool Exists(TLink link)
709     => GreaterOrEqualThan(link, Constants.InternalReferencesRange.Minimum)
710     && LessOrEqualThan(link, GetHeaderReference().AllocatedLinks)
711     && !IsUnusedLink(link);
712
713 [MethodImpl(MethodImplOptions.AggressiveInlining)]
714 protected virtual bool IsUnusedLink(TLink linkIndex)
715 {
716     if (!AreEqual(GetHeaderReference().FirstFreeLink, linkIndex)) // May be this check
    ↪ is not needed
717     {
718         // TODO: Reduce access to memory in different location (should be enough to use
    ↪ just linkIndexPart)
719         ref var linkDataPart = ref GetLinkDataPartReference(linkIndex);
720         ref var linkIndexPart = ref GetLinkIndexPartReference(linkIndex);
721         return AreEqual(linkIndexPart.SizeAsTarget, default) &&
    ↪ !AreEqual(linkDataPart.Source, default);
722     }
723     else
724     {
725         return true;
726     }
727 }
728
729 [MethodImpl(MethodImplOptions.AggressiveInlining)]
730 protected virtual TLink GetOne() => _one;
731
732 [MethodImpl(MethodImplOptions.AggressiveInlining)]
733 protected virtual TLink GetZero() => default;
734
735 [MethodImpl(MethodImplOptions.AggressiveInlining)]
736 protected virtual bool AreEqual(TLink first, TLink second) =>
    ↪ _equalityComparer.Equals(first, second);
737
738 [MethodImpl(MethodImplOptions.AggressiveInlining)]
739 protected virtual bool LessThan(TLink first, TLink second) => _comparer.Compare(first,
    ↪ second) < 0;
740
741 [MethodImpl(MethodImplOptions.AggressiveInlining)]
742 protected virtual bool LessOrEqualThan(TLink first, TLink second) =>
    ↪ _comparer.Compare(first, second) <= 0;
743
744 [MethodImpl(MethodImplOptions.AggressiveInlining)]
745 protected virtual bool GreaterThan(TLink first, TLink second) =>
    ↪ _comparer.Compare(first, second) > 0;
746
747 [MethodImpl(MethodImplOptions.AggressiveInlining)]
748 protected virtual bool GreaterOrEqualThan(TLink first, TLink second) =>
    ↪ _comparer.Compare(first, second) >= 0;
749
750 [MethodImpl(MethodImplOptions.AggressiveInlining)]
751 protected virtual long ConvertToInt64(TLink value) =>
    ↪ _addressToInt64Converter.Convert(value);
752
753 [MethodImpl(MethodImplOptions.AggressiveInlining)]
754 protected virtual TLink ConvertToAddress(long value) =>
    ↪ _int64ToAddressConverter.Convert(value);
755
756 [MethodImpl(MethodImplOptions.AggressiveInlining)]
757 protected virtual TLink Add(TLink first, TLink second) => Arithmetic<TLink>.Add(first,
    ↪ second);

```

```

758 [MethodImpl(MethodImplOptions.AggressiveInlining)]
759 protected virtual TLink Subtract(TLink first, TLink second) =>
760     ↪ Arithmetic<TLink>.Subtract(first, second);
761
762 [MethodImpl(MethodImplOptions.AggressiveInlining)]
763 protected virtual TLink Increment(TLink link) => Arithmetic<TLink>.Increment(link);
764
765 [MethodImpl(MethodImplOptions.AggressiveInlining)]
766 protected virtual TLink Decrement(TLink link) => Arithmetic<TLink>.Decrement(link);
767
768 #region Disposable
769
770 protected override bool AllowMultipleDisposeCalls
771 {
772     [MethodImpl(MethodImplOptions.AggressiveInlining)]
773     get => true;
774 }
775
776 [MethodImpl(MethodImplOptions.AggressiveInlining)]
777 protected override void Dispose(bool manual, bool wasDisposed)
778 {
779     if (!wasDisposed)
780     {
781         ResetPointers();
782         _dataMemory.DisposeIfPossible();
783         _indexMemory.DisposeIfPossible();
784     }
785 }
786
787 #endregion
788 }
789 }

```

1.46 ./csharp/Platform.Data.Doublets/Memory/Split/Generic/UnusedLinksListMethods.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Collections.Methods.Lists;
3  using Platform.Converters;
4  using static System.Runtime.CompilerServices.Unsafe;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Memory.Split.Generic
9  {
10     public unsafe class UnusedLinksListMethods<TLink> :
11         ↪ AbsoluteCircularDoublyLinkedListMethods<TLink>, ILinksListMethods<TLink>
12     {
13         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
14             ↪ UncheckedConverter<TLink, long>.Default;
15
16         private readonly byte* _links;
17         private readonly byte* _header;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public UnusedLinksListMethods(byte* links, byte* header)
21         {
22             _links = links;
23             _header = header;
24         }
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
28             ↪ AsRef<LinksHeader<TLink>>(_header);
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected virtual ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) => ref
32             ↪ AsRef<RawLinkDataPart<TLink>>(_links + (RawLinkDataPart<TLink>.SizeInBytes *
33             ↪ _addressToInt64Converter.Convert(link)));
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override TLink GetFirst() => GetHeaderReference().FirstFreeLink;
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         protected override TLink GetLast() => GetHeaderReference().LastFreeLink;
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         protected override TLink GetPrevious(TLink element) =>
43             ↪ GetLinkDataPartReference(element).Source;
44
45         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

40     protected override TLink GetNext(TLink element) =>
41         ↪ GetLinkDataPartReference(element).Target;
42
43     [MethodImpl(MethodImplOptions.AggressiveInlining)]
44     protected override TLink GetSize() => GetHeaderReference().FreeLinks;
45
46     [MethodImpl(MethodImplOptions.AggressiveInlining)]
47     protected override void SetFirst(TLink element) => GetHeaderReference().FirstFreeLink =
48         ↪ element;
49
50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     protected override void SetLast(TLink element) => GetHeaderReference().LastFreeLink =
52         ↪ element;
53
54     [MethodImpl(MethodImplOptions.AggressiveInlining)]
55     protected override void SetPrevious(TLink element, TLink previous) =>
56         ↪ GetLinkDataPartReference(element).Source = previous;
57
58     [MethodImpl(MethodImplOptions.AggressiveInlining)]
59     protected override void SetNext(TLink element, TLink next) =>
60         ↪ GetLinkDataPartReference(element).Target = next;
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     protected override void SetSize(TLink size) => GetHeaderReference().FreeLinks = size;
64 }

```

1.47 ./csharp/Platform.Data.Doublets/Memory/Split/RawLinkDataPart.cs

```

1  using Platform.Unsafe;
2  using System;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Memory.Split
9  {
10     public struct RawLinkDataPart<TLink> : IEquatable<RawLinkDataPart<TLink>>
11     {
12         private static readonly EqualityComparer<TLink> _equalityComparer =
13             ↪ EqualityComparer<TLink>.Default;
14
15         public static readonly long SizeInBytes = Structure<RawLinkDataPart<TLink>>.Size;
16
17         public TLink Source;
18         public TLink Target;
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public override bool Equals(object obj) => obj is RawLinkDataPart<TLink> link ?
22             ↪ Equals(link) : false;
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         public bool Equals(RawLinkDataPart<TLink> other)
26             => _equalityComparer.Equals(Source, other.Source)
27             && _equalityComparer.Equals(Target, other.Target);
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         public override int GetHashCode() => (Source, Target).GetHashCode();
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public static bool operator ==(RawLinkDataPart<TLink> left, RawLinkDataPart<TLink>
34             ↪ right) => left.Equals(right);
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         public static bool operator !=(RawLinkDataPart<TLink> left, RawLinkDataPart<TLink>
38             ↪ right) => !(left == right);
39     }
40 }

```

1.48 ./csharp/Platform.Data.Doublets/Memory/Split/RawLinkIndexPart.cs

```

1  using Platform.Unsafe;
2  using System;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Memory.Split
9  {
10     public struct RawLinkIndexPart<TLink> : IEquatable<RawLinkIndexPart<TLink>>

```

```

11 {
12     private static readonly EqualityComparer<TLink> _equalityComparer =
13         ↳ EqualityComparer<TLink>.Default;
14
15     public static readonly long SizeInBytes = Structure<RawLinkIndexPart<TLink>>.Size;
16
17     public TLink RootAsSource;
18     public TLink LeftAsSource;
19     public TLink RightAsSource;
20     public TLink SizeAsSource;
21     public TLink RootAsTarget;
22     public TLink LeftAsTarget;
23     public TLink RightAsTarget;
24     public TLink SizeAsTarget;
25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     public override bool Equals(object obj) => obj is RawLinkIndexPart<TLink> link ?
28         ↳ Equals(link) : false;
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     public bool Equals(RawLinkIndexPart<TLink> other)
32     => _equalityComparer.Equals(RootAsSource, other.RootAsSource)
33     && _equalityComparer.Equals(LeftAsSource, other.LeftAsSource)
34     && _equalityComparer.Equals(RightAsSource, other.RightAsSource)
35     && _equalityComparer.Equals(SizeAsSource, other.SizeAsSource)
36     && _equalityComparer.Equals(RootAsTarget, other.RootAsTarget)
37     && _equalityComparer.Equals(LeftAsTarget, other.LeftAsTarget)
38     && _equalityComparer.Equals(RightAsTarget, other.RightAsTarget)
39     && _equalityComparer.Equals(SizeAsTarget, other.SizeAsTarget);
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     public override int GetHashCode() => (RootAsSource, LeftAsSource, RightAsSource,
43         ↳ SizeAsSource, RootAsTarget, LeftAsTarget, RightAsTarget, SizeAsTarget).GetHashCode();
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     public static bool operator ==(RawLinkIndexPart<TLink> left, RawLinkIndexPart<TLink>
47         ↳ right) => left.Equals(right);
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     public static bool operator !=(RawLinkIndexPart<TLink> left, RawLinkIndexPart<TLink>
51         ↳ right) => !(left == right);
52 }
53 }

```

1.49 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksRecursionlessSizeBalancedTree

```

1 using System.Runtime.CompilerServices;
2 using Platform.Data.Doublets.Memory.Split.Generic;
3 using TLink = System.UInt32;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Memory.Split.Specific
8 {
9     public unsafe abstract class UInt32ExternalLinksRecursionlessSizeBalancedTreeMethodsBase :
10         ↳ ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>, ILinksTreeMethods<TLink>
11     {
12         protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
13         protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
14         protected new readonly LinksHeader<TLink>* Header;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected
18         ↳ UInt32ExternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
19         ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
20         ↳ linksIndexParts, LinksHeader<TLink>* header)
21         : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
22         {
23             LinksDataParts = linksDataParts;
24             LinksIndexParts = linksIndexParts;
25             Header = header;
26         }
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override TLink GetZero() => 0U;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override bool EqualToZero(TLink value) => value == 0U;
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         protected override bool AreEqual(TLink first, TLink second) => first == second;
36     }
37 }

```

```

32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected override bool GreaterThanZero(TLink value) => value > 0U;
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override bool GreaterThan(TLink first, TLink second) => first > second;
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override bool GreaterOrEqualThanZero(TLink value) => true; // value >= 0 is
43     ↪ always true for ulong
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool LessOrEqualThanZero(TLink value) => value == 0UL; // value is
47     ↪ always >= 0 for ulong
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;
51
52     [MethodImpl(MethodImplOptions.AggressiveInlining)]
53     protected override bool LessThanZero(TLink value) => false; // value < 0 is always false
54     ↪ for ulong
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     protected override bool LessThan(TLink first, TLink second) => first < second;
58
59     [MethodImpl(MethodImplOptions.AggressiveInlining)]
60     protected override TLink Increment(TLink value) => ++value;
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     protected override TLink Decrement(TLink value) => --value;
64
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     protected override TLink Add(TLink first, TLink second) => first + second;
67
68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     protected override TLink Subtract(TLink first, TLink second) => first - second;
70
71     [MethodImpl(MethodImplOptions.AggressiveInlining)]
72     protected override ref LinksHeader<TLink> GetHeaderReference() => ref *Header;
73
74     [MethodImpl(MethodImplOptions.AggressiveInlining)]
75     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
76     ↪ ref LinksDataParts[link];
77
78     [MethodImpl(MethodImplOptions.AggressiveInlining)]
79     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
80     ↪ ref LinksIndexParts[link];
81
82     [MethodImpl(MethodImplOptions.AggressiveInlining)]
83     protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
84     {
85         ref var firstLink = ref LinksDataParts[first];
86         ref var secondLink = ref LinksDataParts[second];
87         return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
88         ↪ secondLink.Source, secondLink.Target);
89     }
90
91     [MethodImpl(MethodImplOptions.AggressiveInlining)]
92     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
93     {
94         ref var firstLink = ref LinksDataParts[first];
95         ref var secondLink = ref LinksDataParts[second];
96         return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
97         ↪ secondLink.Source, secondLink.Target);
98     }
99 }

```

1.50 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksSizeBalancedTreeMethodsBase

```

1 using System.Runtime.CompilerServices;
2 using Platform.Data.Doublets.Memory.Split.Generic;
3 using TLink = System.UInt32;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Memory.Split.Specific

```

```

8 {
9     public unsafe abstract class UInt32ExternalLinksSizeBalancedTreeMethodsBase :
    ↳ ExternalLinksSizeBalancedTreeMethodsBase<TLink>, ILinksTreeMethods<TLink>
10 {
11     protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
12     protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
13     protected new readonly LinksHeader<TLink>* Header;
14
15     [MethodImpl(MethodImplOptions.AggressiveInlining)]
16     protected UInt32ExternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink>
    ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
    ↳ linksIndexParts, LinksHeader<TLink>* header)
        : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
17     {
18         LinksDataParts = linksDataParts;
19         LinksIndexParts = linksIndexParts;
20         Header = header;
21     }
22
23
24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override TLink GetZero() => 0U;
26
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     protected override bool EqualToZero(TLink value) => value == 0U;
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     protected override bool AreEqual(TLink first, TLink second) => first == second;
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected override bool GreaterThanZero(TLink value) => value > 0U;
35
36     [MethodImpl(MethodImplOptions.AggressiveInlining)]
37     protected override bool GreaterThan(TLink first, TLink second) => first > second;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override bool GreaterOrEqualThanZero(TLink value) => true; // value >= 0 is
    ↳ always true for ulong
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool LessOrEqualThanZero(TLink value) => value == 0UL; // value is
    ↳ always >= 0 for ulong
47
48     [MethodImpl(MethodImplOptions.AggressiveInlining)]
49     protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;
50
51     [MethodImpl(MethodImplOptions.AggressiveInlining)]
52     protected override bool LessThanZero(TLink value) => false; // value < 0 is always false
    ↳ for ulong
53
54     [MethodImpl(MethodImplOptions.AggressiveInlining)]
55     protected override bool LessThan(TLink first, TLink second) => first < second;
56
57     [MethodImpl(MethodImplOptions.AggressiveInlining)]
58     protected override TLink Increment(TLink value) => ++value;
59
60     [MethodImpl(MethodImplOptions.AggressiveInlining)]
61     protected override TLink Decrement(TLink value) => --value;
62
63     [MethodImpl(MethodImplOptions.AggressiveInlining)]
64     protected override TLink Add(TLink first, TLink second) => first + second;
65
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     protected override TLink Subtract(TLink first, TLink second) => first - second;
68
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     protected override ref LinksHeader<TLink> GetHeaderReference() => ref *Header;
71
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
    ↳ ref LinksDataParts[link];
74
75     [MethodImpl(MethodImplOptions.AggressiveInlining)]
76     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
    ↳ ref LinksIndexParts[link];
77
78     [MethodImpl(MethodImplOptions.AggressiveInlining)]
79     protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)

```

```

80     {
81         ref var firstLink = ref LinksDataParts[first];
82         ref var secondLink = ref LinksDataParts[second];
83         return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
            ↪ secondLink.Source, secondLink.Target);
84     }
85
86     [MethodImpl(MethodImplOptions.AggressiveInlining)]
87     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
88     {
89         ref var firstLink = ref LinksDataParts[first];
90         ref var secondLink = ref LinksDataParts[second];
91         return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
            ↪ secondLink.Source, secondLink.Target);
92     }
93 }
94 }

```

1.51 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt32;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt32ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods :
9          ↪ UInt32ExternalLinksRecursionlessSizeBalancedTreeMethodsBase
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public
13             ↪ UInt32ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
14             ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
15             ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
16             ↪ linksIndexParts, header) { }
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetLeftReference(TLink node) => ref
20             ↪ LinksIndexParts[node].LeftAsSource;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ref TLink GetRightReference(TLink node) => ref
24             ↪ LinksIndexParts[node].RightAsSource;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override void SetLeft(TLink node, TLink left) =>
34             ↪ LinksIndexParts[node].LeftAsSource = left;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override void SetRight(TLink node, TLink right) =>
38             ↪ LinksIndexParts[node].RightAsSource = right;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override void SetSize(TLink node, TLink size) =>
45             ↪ LinksIndexParts[node].SizeAsSource = size;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override TLink GetTreeRoot() => Header->RootAsSource;
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
55             ↪ TLink secondSource, TLink secondTarget)
56             => firstSource < secondSource || firstSource == secondSource && firstTarget <
57             ↪ secondTarget;
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```



```

48     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
49         ↪ TLink secondSource, TLink secondTarget)
50         => firstSource > secondSource || firstSource == secondSource && firstTarget >
51         ↪ secondTarget;
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     protected override void ClearNode(TLink node)
55     {
56         ref var link = ref LinksIndexParts[node];
57         link.LeftAsSource = Zero;
58         link.RightAsSource = Zero;
59         link.SizeAsSource = Zero;
60     }
61 }

```

1.52 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksSourcesSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt32;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt32ExternalLinksSourcesSizeBalancedTreeMethods :
9          ↪ UInt32ExternalLinksSizeBalancedTreeMethodsBase
10      {
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          public UInt32ExternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink>
13              ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14              ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15              ↪ linksIndexParts, header) { }
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ref TLink GetLeftReference(TLink node) => ref
19              ↪ LinksIndexParts[node].LeftAsSource;
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          protected override ref TLink GetRightReference(TLink node) => ref
23              ↪ LinksIndexParts[node].RightAsSource;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override void SetLeft(TLink node, TLink left) =>
33              ↪ LinksIndexParts[node].LeftAsSource = left;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override void SetRight(TLink node, TLink right) =>
37              ↪ LinksIndexParts[node].RightAsSource = right;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override void SetSize(TLink node, TLink size) =>
44              ↪ LinksIndexParts[node].SizeAsSource = size;
45
46          [MethodImpl(MethodImplOptions.AggressiveInlining)]
47          protected override TLink GetTreeRoot() => Header->RootAsSource;
48
49          [MethodImpl(MethodImplOptions.AggressiveInlining)]
50          protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
51
52          [MethodImpl(MethodImplOptions.AggressiveInlining)]
53          protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
54              ↪ TLink secondSource, TLink secondTarget)
55              => firstSource < secondSource || firstSource == secondSource && firstTarget <
56              ↪ secondTarget;
57
58          [MethodImpl(MethodImplOptions.AggressiveInlining)]
59          protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
60              ↪ TLink secondSource, TLink secondTarget)
61              => firstSource > secondSource || firstSource == secondSource && firstTarget >
62              ↪ secondTarget;
63      }
64  }

```

```

50
51     [MethodImpl(MethodImplOptions.AggressiveInlining)]
52     protected override void ClearNode(TLink node)
53     {
54         ref var link = ref LinksIndexParts[node];
55         link.LeftAsSource = Zero;
56         link.RightAsSource = Zero;
57         link.SizeAsSource = Zero;
58     }
59 }
60 }

```

1.53 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt32;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt32ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods :
9          ↳ UInt32ExternalLinksRecursionlessSizeBalancedTreeMethodsBase
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public
13             ↳ UInt32ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
14             ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
15             ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
16             ↳ linksIndexParts, header) { }
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetLeftReference(TLink node) => ref
20             ↳ LinksIndexParts[node].LeftAsTarget;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ref TLink GetRightReference(TLink node) => ref
24             ↳ LinksIndexParts[node].RightAsTarget;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override void SetLeft(TLink node, TLink left) =>
34             ↳ LinksIndexParts[node].LeftAsTarget = left;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override void SetRight(TLink node, TLink right) =>
38             ↳ LinksIndexParts[node].RightAsTarget = right;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override void SetSize(TLink node, TLink size) =>
45             ↳ LinksIndexParts[node].SizeAsTarget = size;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override TLink GetTreeRoot() => Header->RootAsTarget;
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
55             ↳ TLink secondSource, TLink secondTarget)
56             => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
57             ↳ secondSource;
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
61             ↳ TLink secondSource, TLink secondTarget)
62             => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
63             ↳ secondSource;
64
65         [MethodImpl(MethodImplOptions.AggressiveInlining)]
66         protected override void ClearNode(TLink node)

```

```

53     {
54         ref var link = ref LinksIndexParts[node];
55         link.LeftAsTarget = Zero;
56         link.RightAsTarget = Zero;
57         link.SizeAsTarget = Zero;
58     }
59 }
60 }

```

1.54 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32ExternalLinksTargetsSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt32;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt32ExternalLinksTargetsSizeBalancedTreeMethods :
9          ↳ UInt32ExternalLinksSizeBalancedTreeMethodsBase
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public UInt32ExternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink>
13             ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14             ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15             ↳ linksIndexParts, header) { }
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         protected override ref TLink GetLeftReference(TLink node) => ref
19             ↳ LinksIndexParts[node].LeftAsTarget;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         protected override ref TLink GetRightReference(TLink node) => ref
23             ↳ LinksIndexParts[node].RightAsTarget;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override void SetLeft(TLink node, TLink left) =>
33             ↳ LinksIndexParts[node].LeftAsTarget = left;
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override void SetRight(TLink node, TLink right) =>
37             ↳ LinksIndexParts[node].RightAsTarget = right;
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         protected override void SetSize(TLink node, TLink size) =>
44             ↳ LinksIndexParts[node].SizeAsTarget = size;
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         protected override TLink GetTreeRoot() => Header->RootAsTarget;
48
49         [MethodImpl(MethodImplOptions.AggressiveInlining)]
50         protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
51
52         [MethodImpl(MethodImplOptions.AggressiveInlining)]
53         protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
54             ↳ TLink secondSource, TLink secondTarget)
55             => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
56             ↳ secondSource;
57
58         [MethodImpl(MethodImplOptions.AggressiveInlining)]
59         protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
60             ↳ TLink secondSource, TLink secondTarget)
61             => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
62             ↳ secondSource;
63
64         [MethodImpl(MethodImplOptions.AggressiveInlining)]
65         protected override void ClearNode(TLink node)
66         {
67             ref var link = ref LinksIndexParts[node];
68             link.LeftAsTarget = Zero;
69             link.RightAsTarget = Zero;
70         }
71     }
72 }

```

```

57         link.SizeAsTarget = Zero;
58     }
59 }
60 }

```

1.55 ./csharp/Platform.Data.Doublets.Memory.Split.Specific/UInt32InternalLinksRecursionlessSizeBalancedTree

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.Split.Generic;
3  using TLink = System.UInt32;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.Split.Specific
8  {
9      public unsafe abstract class UInt32InternalLinksRecursionlessSizeBalancedTreeMethodsBase :
10         ↳ InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
11     {
12         protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
13         protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
14         protected new readonly LinksHeader<TLink>* Header;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected
18         ↳ UInt32InternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
19         ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
20         ↳ linksIndexParts, LinksHeader<TLink>* header)
21         : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
22         {
23             LinksDataParts = linksDataParts;
24             LinksIndexParts = linksIndexParts;
25             Header = header;
26         }
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override TLink GetZero() => 0U;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override bool EqualToZero(TLink value) => value == 0U;
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         protected override bool AreEqual(TLink first, TLink second) => first == second;
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         protected override bool GreaterThanZero(TLink value) => value > 0U;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override bool GreaterThan(TLink first, TLink second) => first > second;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         protected override bool GreaterOrEqualThanZero(TLink value) => true; // value >= 0 is
48         ↳ always true for ulong
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override bool LessOrEqualThanZero(TLink value) => value == 0UL; // value is
52         ↳ always >= 0 for ulong
53
54         [MethodImpl(MethodImplOptions.AggressiveInlining)]
55         protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;
56
57         [MethodImpl(MethodImplOptions.AggressiveInlining)]
58         protected override bool LessThanZero(TLink value) => false; // value < 0 is always false
59         ↳ for ulong
60
61         [MethodImpl(MethodImplOptions.AggressiveInlining)]
62         protected override bool LessThan(TLink first, TLink second) => first < second;
63
64         [MethodImpl(MethodImplOptions.AggressiveInlining)]
65         protected override TLink Increment(TLink value) => ++value;
66
67         [MethodImpl(MethodImplOptions.AggressiveInlining)]
68         protected override TLink Decrement(TLink value) => --value;
69
70         [MethodImpl(MethodImplOptions.AggressiveInlining)]
71         protected override TLink Add(TLink first, TLink second) => first + second;
72
73         [MethodImpl(MethodImplOptions.AggressiveInlining)]
74         protected override TLink Subtract(TLink first, TLink second) => first - second;

```

```

68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
70         ↪ ref LinksDataParts[link];
71
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
74         ↪ ref LinksIndexParts[link];
75
76     [MethodImpl(MethodImplOptions.AggressiveInlining)]
77     protected override bool FirstIsToLeftOfSecond(TLink first, TLink second) =>
78         ↪ GetKeyPartValue(first) < GetKeyPartValue(second);
79
80     [MethodImpl(MethodImplOptions.AggressiveInlining)]
81     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
82         ↪ GetKeyPartValue(first) > GetKeyPartValue(second);
83 }

```

1.56 ./csharp/Platform.Data.Doublets.Memory.Split.Specific/UInt32InternalLinksSizeBalancedTreeMethodsBase.

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.Split.Generic;
3  using TLink = System.UInt32;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.Split.Specific
8  {
9      public unsafe abstract class UInt32InternalLinksSizeBalancedTreeMethodsBase :
10         ↪ InternalLinksSizeBalancedTreeMethodsBase<TLink>
11     {
12         protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
13         protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
14         protected new readonly LinksHeader<TLink>* Header;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected UInt32InternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink>
18             ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
19             ↪ linksIndexParts, LinksHeader<TLink>* header)
20             : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
21         {
22             LinksDataParts = linksDataParts;
23             LinksIndexParts = linksIndexParts;
24             Header = header;
25         }
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected override TLink GetZero() => 0U;
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected override bool EqualToZero(TLink value) => value == 0U;
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         protected override bool AreEqual(TLink first, TLink second) => first == second;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override bool GreaterThanZero(TLink value) => value > 0U;
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected override bool GreaterThan(TLink first, TLink second) => first > second;
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;
44
45         [MethodImpl(MethodImplOptions.AggressiveInlining)]
46         protected override bool GreaterOrEqualThanZero(TLink value) => true; // value >= 0 is
47             ↪ always true for ulong
48
49         [MethodImpl(MethodImplOptions.AggressiveInlining)]
50         protected override bool LessOrEqualThanZero(TLink value) => value == 0UL; // value is
51             ↪ always >= 0 for ulong
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;
55
56         [MethodImpl(MethodImplOptions.AggressiveInlining)]
57         protected override bool LessThanZero(TLink value) => false; // value < 0 is always false
58             ↪ for ulong
59
60         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

55     protected override bool LessThan(TLink first, TLink second) => first < second;
56
57     [MethodImpl(MethodImplOptions.AggressiveInlining)]
58     protected override TLink Increment(TLink value) => ++value;
59
60     [MethodImpl(MethodImplOptions.AggressiveInlining)]
61     protected override TLink Decrement(TLink value) => --value;
62
63     [MethodImpl(MethodImplOptions.AggressiveInlining)]
64     protected override TLink Add(TLink first, TLink second) => first + second;
65
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     protected override TLink Subtract(TLink first, TLink second) => first - second;
68
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
71         ↪ ref LinksDataParts[link];
72
73     [MethodImpl(MethodImplOptions.AggressiveInlining)]
74     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
75         ↪ ref LinksIndexParts[link];
76
77     [MethodImpl(MethodImplOptions.AggressiveInlining)]
78     protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) =>
79         ↪ GetKeyPartValue(first) < GetKeyPartValue(second);
80
81     [MethodImpl(MethodImplOptions.AggressiveInlining)]
82     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
83         ↪ GetKeyPartValue(first) > GetKeyPartValue(second);
84 }
85 }

```

1.57 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksSourcesLinkedListMethods.cs

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt32;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Generic
7  {
8      public unsafe class UInt32InternalLinksSourcesLinkedListMethods :
9          ↪ InternalLinksSourcesLinkedListMethods<TLink>
10      {
11          private readonly RawLinkDataPart<TLink>* _linksDataParts;
12          private readonly RawLinkIndexPart<TLink>* _linksIndexParts;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          public UInt32InternalLinksSourcesLinkedListMethods(LinksConstants<TLink> constants,
16              ↪ RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>* linksIndexParts)
17              : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts)
18          {
19              _linksDataParts = linksDataParts;
20              _linksIndexParts = linksIndexParts;
21          }
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
25              ↪ ref _linksDataParts[link];
26
27          [MethodImpl(MethodImplOptions.AggressiveInlining)]
28          protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
29              ↪ ref _linksIndexParts[link];
30      }
31 }

```

1.58 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksSourcesRecursionlessSizeBalancedTreeMethods.cs

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt32;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt32InternalLinksSourcesRecursionlessSizeBalancedTreeMethods :
9          ↪ UInt32InternalLinksRecursionlessSizeBalancedTreeMethodsBase
10      {
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

11     public
12         ↳ UInt32InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
13         ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14         ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15         ↳ linksIndexParts, header) { }
16
17     [MethodImpl(MethodImplOptions.AggressiveInlining)]
18     protected override ref TLink GetLeftReference(TLink node) => ref
19         ↳ LinksIndexParts[node].LeftAsSource;
20
21     [MethodImpl(MethodImplOptions.AggressiveInlining)]
22     protected override ref TLink GetRightReference(TLink node) => ref
23         ↳ LinksIndexParts[node].RightAsSource;
24
25     [MethodImpl(MethodImplOptions.AggressiveInlining)]
26     protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
27
28     [MethodImpl(MethodImplOptions.AggressiveInlining)]
29     protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     protected override void SetLeft(TLink node, TLink left) =>
33         ↳ LinksIndexParts[node].LeftAsSource = left;
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override void SetRight(TLink node, TLink right) =>
37         ↳ LinksIndexParts[node].RightAsSource = right;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override void SetSize(TLink node, TLink size) =>
44         ↳ LinksIndexParts[node].SizeAsSource = size;
45
46     [MethodImpl(MethodImplOptions.AggressiveInlining)]
47     protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
51
52     [MethodImpl(MethodImplOptions.AggressiveInlining)]
53     protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;
54
55     [MethodImpl(MethodImplOptions.AggressiveInlining)]
56     protected override void ClearNode(TLink node)
57     {
58         ref var link = ref LinksIndexParts[node];
59         link.LeftAsSource = Zero;
60         link.RightAsSource = Zero;
61         link.SizeAsSource = Zero;
62     }
63
64     public override TLink Search(TLink source, TLink target) =>
65         ↳ SearchCore(GetTreeRoot(source), target);
66 }
67 }

```

1.59 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksSourcesSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt32;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt32InternalLinksSourcesSizeBalancedTreeMethods :
9          ↳ UInt32InternalLinksSizeBalancedTreeMethodsBase
10      {
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          public UInt32InternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink>
13          ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14          ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15          ↳ linksIndexParts, header) { }
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ref TLink GetLeftReference(TLink node) => ref
19              ↳ LinksIndexParts[node].LeftAsSource;
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          protected override ref TLink GetRightReference(TLink node) => ref
23              ↳ LinksIndexParts[node].RightAsSource;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override void SetLeft(TLink node, TLink left) =>
33              ↳ LinksIndexParts[node].LeftAsSource = left;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override void SetRight(TLink node, TLink right) =>
37              ↳ LinksIndexParts[node].RightAsSource = right;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override void SetSize(TLink node, TLink size) =>
44              ↳ LinksIndexParts[node].SizeAsSource = size;
45
46          [MethodImpl(MethodImplOptions.AggressiveInlining)]
47          protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;
48
49          [MethodImpl(MethodImplOptions.AggressiveInlining)]
50          protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
51
52          [MethodImpl(MethodImplOptions.AggressiveInlining)]
53          protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;
54
55          [MethodImpl(MethodImplOptions.AggressiveInlining)]
56          protected override void ClearNode(TLink node)
57          {
58              ref var link = ref LinksIndexParts[node];
59              link.LeftAsSource = Zero;
60              link.RightAsSource = Zero;
61              link.SizeAsSource = Zero;
62          }
63
64          public override TLink Search(TLink source, TLink target) =>
65              ↳ SearchCore(GetTreeRoot(source), target);
66      }
67  }

```

```

16 [MethodImpl(MethodImplOptions.AggressiveInlining)]
17 protected override ref TLink GetRightReference(TLink node) => ref
    ↳ LinksIndexParts[node].RightAsSource;
18
19 [MethodImpl(MethodImplOptions.AggressiveInlining)]
20 protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
21
22 [MethodImpl(MethodImplOptions.AggressiveInlining)]
23 protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
24
25 [MethodImpl(MethodImplOptions.AggressiveInlining)]
26 protected override void SetLeft(TLink node, TLink left) =>
    ↳ LinksIndexParts[node].LeftAsSource = left;
27
28 [MethodImpl(MethodImplOptions.AggressiveInlining)]
29 protected override void SetRight(TLink node, TLink right) =>
    ↳ LinksIndexParts[node].RightAsSource = right;
30
31 [MethodImpl(MethodImplOptions.AggressiveInlining)]
32 protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
33
34 [MethodImpl(MethodImplOptions.AggressiveInlining)]
35 protected override void SetSize(TLink node, TLink size) =>
    ↳ LinksIndexParts[node].SizeAsSource = size;
36
37 [MethodImpl(MethodImplOptions.AggressiveInlining)]
38 protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;
39
40 [MethodImpl(MethodImplOptions.AggressiveInlining)]
41 protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
42
43 [MethodImpl(MethodImplOptions.AggressiveInlining)]
44 protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;
45
46 [MethodImpl(MethodImplOptions.AggressiveInlining)]
47 protected override void ClearNode(TLink node)
48 {
49     ref var link = ref LinksIndexParts[node];
50     link.LeftAsSource = Zero;
51     link.RightAsSource = Zero;
52     link.SizeAsSource = Zero;
53 }
54
55 public override TLink Search(TLink source, TLink target) =>
    ↳ SearchCore(GetTreeRoot(source), target);
56 }
57 }

```

1.60 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksTargetsRecursionlessSizeBalance

```

1 using System.Runtime.CompilerServices;
2 using TLink = System.UInt32;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Memory.Split.Specific
7 {
8     public unsafe class UInt32InternalLinksTargetsRecursionlessSizeBalancedTreeMethods :
9         ↳ UInt32InternalLinksRecursionlessSizeBalancedTreeMethodsBase
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public
13         ↳ UInt32InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
14         ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
15         ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
16         ↳ linksIndexParts, header) { }
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetLeftReference(TLink node) => ref
20         ↳ LinksIndexParts[node].LeftAsTarget;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ref TLink GetRightReference(TLink node) => ref
24         ↳ LinksIndexParts[node].RightAsTarget;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override void SetLeft(TLink node, TLink left) =>
34         ↳ LinksIndexParts[node].LeftAsTarget = left;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override void SetRight(TLink node, TLink right) =>
38         ↳ LinksIndexParts[node].RightAsTarget = right;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override void ClearNode(TLink node)
42         {
43             ref var link = ref LinksIndexParts[node];
44             link.LeftAsTarget = Zero;
45             link.RightAsTarget = Zero;
46         }
47
48         public override TLink Search(TLink source, TLink target) =>
49             SearchCore(GetTreeRoot(source), target);
50     }
51 }

```



```

24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override void SetLeft(TLink node, TLink left) =>
26         ↳ LinksIndexParts[node].LeftAsTarget = left;
27
28     [MethodImpl(MethodImplOptions.AggressiveInlining)]
29     protected override void SetRight(TLink node, TLink right) =>
30         ↳ LinksIndexParts[node].RightAsTarget = right;
31
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override void SetSize(TLink node, TLink size) =>
37         ↳ LinksIndexParts[node].SizeAsTarget = size;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsTarget;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Source;
47
48     [MethodImpl(MethodImplOptions.AggressiveInlining)]
49     protected override void ClearNode(TLink node)
50     {
51         ref var link = ref LinksIndexParts[node];
52         link.LeftAsTarget = Zero;
53         link.RightAsTarget = Zero;
54         link.SizeAsTarget = Zero;
55     }
56
57     public override TLink Search(TLink source, TLink target) =>
58         ↳ SearchCore(GetTreeRoot(target), source);
59 }

```

1.61 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32InternalLinksTargetsSizeBalancedTreeMethod

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt32;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt32InternalLinksTargetsSizeBalancedTreeMethods :
9          ↳ UInt32InternalLinksSizeBalancedTreeMethodsBase
10      {
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          public UInt32InternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink>
13              ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14              ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15              ↳ linksIndexParts, header) { }
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ref TLink GetLeftReference(TLink node) => ref
19              ↳ LinksIndexParts[node].LeftAsTarget;
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          protected override ref TLink GetRightReference(TLink node) => ref
23              ↳ LinksIndexParts[node].RightAsTarget;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override void SetLeft(TLink node, TLink left) =>
33              ↳ LinksIndexParts[node].LeftAsTarget = left;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override void SetRight(TLink node, TLink right) =>
37              ↳ LinksIndexParts[node].RightAsTarget = right;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

32     protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
33
34     [MethodImpl(MethodImplOptions.AggressiveInlining)]
35     protected override void SetSize(TLink node, TLink size) =>
36     ↪ LinksIndexParts[node].SizeAsTarget = size;
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsTarget;
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
43
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Source;
46
47     [MethodImpl(MethodImplOptions.AggressiveInlining)]
48     protected override void ClearNode(TLink node)
49     {
50         ref var link = ref LinksIndexParts[node];
51         link.LeftAsTarget = Zero;
52         link.RightAsTarget = Zero;
53         link.SizeAsTarget = Zero;
54     }
55
56     public override TLink Search(TLink source, TLink target) =>
57     ↪ SearchCore(GetTreeRoot(target), source);
58 }

```

1.62 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32SplitMemoryLinks.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Singletons;
4  using Platform.Memory;
5  using Platform.Data.Doublets.Memory.Split.Generic;
6  using TLink = System.UInt32;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Memory.Split.Specific
11 {
12     public unsafe class UInt32SplitMemoryLinks : SplitMemoryLinksBase<TLink>
13     {
14         private readonly Func<ILinksTreeMethods<TLink>> _createInternalSourceTreeMethods;
15         private readonly Func<ILinksTreeMethods<TLink>> _createExternalSourceTreeMethods;
16         private readonly Func<ILinksTreeMethods<TLink>> _createInternalTargetTreeMethods;
17         private readonly Func<ILinksTreeMethods<TLink>> _createExternalTargetTreeMethods;
18         private LinksHeader<TLink>* _header;
19         private RawLinkDataPart<TLink>* _linksDataParts;
20         private RawLinkIndexPart<TLink>* _linksIndexParts;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         public UInt32SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
24         ↪ indexMemory) : this(dataMemory, indexMemory, DefaultLinksSizeStep) { }
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public UInt32SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
28         ↪ indexMemory, long memoryReservationStep) : this(dataMemory, indexMemory,
29         ↪ memoryReservationStep, Default<LinksConstants<TLink>>.Instance,
30         ↪ IndexTreeType.Default, useLinkedList: true) { }
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public UInt32SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
34         ↪ indexMemory, long memoryReservationStep, LinksConstants<TLink> constants) :
35         ↪ this(dataMemory, indexMemory, memoryReservationStep, constants,
36         ↪ IndexTreeType.Default, useLinkedList: true) { }
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         public UInt32SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
40         ↪ indexMemory, long memoryReservationStep, LinksConstants<TLink> constants,
41         ↪ IndexTreeType indexTreeType, bool useLinkedList) : base(dataMemory, indexMemory,
42         ↪ memoryReservationStep, constants, useLinkedList)
43         {
44             if (indexTreeType == IndexTreeType.SizeBalancedTree)
45             {
46                 _createInternalSourceTreeMethods = () => new
47                 ↪ UInt32InternalLinksSourcesSizeBalancedTreeMethods(Constants,
48                 ↪ _linksDataParts, _linksIndexParts, _header);

```

```

37         _createExternalSourceTreeMethods = () => new
38         ↪ UInt32ExternalLinksSourcesSizeBalancedTreeMethods(Constants,
39         ↪ _linksDataParts, _linksIndexParts, _header);
40     }
41     else
42     {
43         _createInternalSourceTreeMethods = () => new
44         ↪ UInt32InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(Constants,
45         ↪ _linksDataParts, _linksIndexParts, _header);
46         _createExternalSourceTreeMethods = () => new
47         ↪ UInt32ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(Constants,
48         ↪ _linksDataParts, _linksIndexParts, _header);
49         _createInternalTargetTreeMethods = () => new
50         ↪ UInt32InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(Constants,
51         ↪ _linksDataParts, _linksIndexParts, _header);
52         _createExternalTargetTreeMethods = () => new
53         ↪ UInt32ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(Constants,
54         ↪ _linksDataParts, _linksIndexParts, _header);
55     }
56     Init(dataMemory, indexMemory);
57 }
58
59 [MethodImpl(MethodImplOptions.AggressiveInlining)]
60 protected override void SetPointers(IResizableDirectMemory dataMemory,
61 ↪ IResizableDirectMemory indexMemory)
62 {
63     _linksDataParts = (RawLinkDataPart<TLink>*)dataMemory.Pointer;
64     _linksIndexParts = (RawLinkIndexPart<TLink>*)indexMemory.Pointer;
65     _header = (LinksHeader<TLink>*)indexMemory.Pointer;
66     if (_useLinkedList)
67     {
68         InternalSourcesListMethods = new
69         ↪ UInt32InternalLinksSourcesLinkedListMethods(Constants, _linksDataParts,
70         ↪ _linksIndexParts);
71     }
72     else
73     {
74         InternalSourcesTreeMethods = _createInternalSourceTreeMethods();
75     }
76     ExternalSourcesTreeMethods = _createExternalSourceTreeMethods();
77     InternalTargetsTreeMethods = _createInternalTargetTreeMethods();
78     ExternalTargetsTreeMethods = _createExternalTargetTreeMethods();
79     UnusedLinksListMethods = new UInt32UnusedLinksListMethods(_linksDataParts, _header);
80 }
81
82 [MethodImpl(MethodImplOptions.AggressiveInlining)]
83 protected override void ResetPointers()
84 {
85     base.ResetPointers();
86     _linksDataParts = null;
87     _linksIndexParts = null;
88     _header = null;
89 }
90
91 [MethodImpl(MethodImplOptions.AggressiveInlining)]
92 protected override ref LinksHeader<TLink> GetHeaderReference() => ref *_header;
93
94 [MethodImpl(MethodImplOptions.AggressiveInlining)]
95 protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink linkIndex)
96 ↪ => ref _linksDataParts[linkIndex];
97
98 [MethodImpl(MethodImplOptions.AggressiveInlining)]
99 protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink
100 ↪ linkIndex) => ref _linksIndexParts[linkIndex];
101
102 [MethodImpl(MethodImplOptions.AggressiveInlining)]
103 protected override bool AreEqual(TLink first, TLink second) => first == second;
104
105 [MethodImpl(MethodImplOptions.AggressiveInlining)]
106 protected override bool LessThan(TLink first, TLink second) => first < second;
107
108 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

protected override bool LessOrEqualThan(TLink first, TLink second) => first <= second;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override bool GreaterThan(TLink first, TLink second) => first > second;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override bool GreaterOrEqualThan(TLink first, TLink second) => first >= second;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override TLink GetZero() => 0U;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override TLink GetOne() => 1U;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override long ConvertToInt64(TLink value) => value;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override TLink ConvertToAddress(long value) => (TLink)value;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override TLink Add(TLink first, TLink second) => first + second;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override TLink Subtract(TLink first, TLink second) => first - second;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override TLink Increment(TLink link) => ++link;

[MethodImpl(MethodImplOptions.AggressiveInlining)]
protected override TLink Decrement(TLink link) => --link;
}
}

```

1.63 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt32UnusedLinksListMethods.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Data.Doublets.Memory.Split.Generic;
3 using TLink = System.UInt32;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Memory.Split.Specific
8 {
9     public unsafe class UInt32UnusedLinksListMethods : UnusedLinksListMethods<TLink>
10     {
11         private readonly RawLinkDataPart<TLink>* _links;
12         private readonly LinksHeader<TLink>* _header;
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         public UInt32UnusedLinksListMethods(RawLinkDataPart<TLink>* links, LinksHeader<TLink>*
16             ↪ header)
17             : base((byte*)links, (byte*)header)
18         {
19             _links = links;
20             _header = header;
21         }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
25             ↪ ref _links[link];
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected override ref LinksHeader<TLink> GetHeaderReference() => ref *_header;
29     }
30 }

```

1.64 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksRecursionlessSizeBalancedTree

```

1 using System.Runtime.CompilerServices;
2 using Platform.Data.Doublets.Memory.Split.Generic;
3 using TLink = System.UInt64;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Memory.Split.Specific
8 {
9     public unsafe abstract class UInt64ExternalLinksRecursionlessSizeBalancedTreeMethodsBase :
10         ↪ ExternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>, ILinksTreeMethods<TLink>
11     {
12         protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
13         protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
14     }
15 }

```

```

13     protected new readonly LinksHeader<TLink>* Header;
14
15     [MethodImpl(MethodImplOptions.AggressiveInlining)]
16     protected
17     ↪ UInt64ExternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
18     ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
19     ↪ linksIndexParts, LinksHeader<TLink>* header)
20     : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
21     {
22         LinksDataParts = linksDataParts;
23         LinksIndexParts = linksIndexParts;
24         Header = header;
25     }
26
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     protected override ulong GetZero() => 0UL;
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     protected override bool EqualToZero(ulong value) => value == 0UL;
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected override bool AreEqual(ulong first, ulong second) => first == second;
35
36     [MethodImpl(MethodImplOptions.AggressiveInlining)]
37     protected override bool GreaterThanZero(ulong value) => value > 0UL;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override bool GreaterThan(ulong first, ulong second) => first > second;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
47     ↪ always true for ulong
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
51     ↪ always >= 0 for ulong
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
58     ↪ for ulong
59
60     [MethodImpl(MethodImplOptions.AggressiveInlining)]
61     protected override bool LessThan(ulong first, ulong second) => first < second;
62
63     [MethodImpl(MethodImplOptions.AggressiveInlining)]
64     protected override ulong Increment(ulong value) => ++value;
65
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     protected override ulong Decrement(ulong value) => --value;
68
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     protected override ulong Add(ulong first, ulong second) => first + second;
71
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     protected override ulong Subtract(ulong first, ulong second) => first - second;
74
75     [MethodImpl(MethodImplOptions.AggressiveInlining)]
76     protected override ref LinksHeader<TLink> GetHeaderReference() => ref *Header;
77
78     [MethodImpl(MethodImplOptions.AggressiveInlining)]
79     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
80     ↪ ref LinksDataParts[link];
81
82     [MethodImpl(MethodImplOptions.AggressiveInlining)]
83     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
84     ↪ ref LinksIndexParts[link];
85
86     [MethodImpl(MethodImplOptions.AggressiveInlining)]
87     protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
88     {
89         ref var firstLink = ref LinksDataParts[first];
90         ref var secondLink = ref LinksDataParts[second];
91         return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
92         ↪ secondLink.Source, secondLink.Target);
93     }

```

```

84     }
85
86     [MethodImpl(MethodImplOptions.AggressiveInlining)]
87     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
88     {
89         ref var firstLink = ref LinksDataParts[first];
90         ref var secondLink = ref LinksDataParts[second];
91         return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
92             ↪ secondLink.Source, secondLink.Target);
93     }
94 }

```

1.65 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksSizeBalancedTreeMethodsBase

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.Split.Generic;
3  using TLink = System.UInt64;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.Split.Specific
8  {
9      public unsafe abstract class UInt64ExternalLinksSizeBalancedTreeMethodsBase :
10         ↪ ExternalLinksSizeBalancedTreeMethodsBase<TLink>, ILinksTreeMethods<TLink>
11     {
12         protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
13         protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
14         protected new readonly LinksHeader<TLink>* Header;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected UInt64ExternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink>
18             ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
19             ↪ linksIndexParts, LinksHeader<TLink>* header)
20             : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
21         {
22             LinksDataParts = linksDataParts;
23             LinksIndexParts = linksIndexParts;
24             Header = header;
25         }
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected override ulong GetZero() => 0UL;
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected override bool EqualToZero(ulong value) => value == 0UL;
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         protected override bool AreEqual(ulong first, ulong second) => first == second;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override bool GreaterThanZero(ulong value) => value > 0UL;
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected override bool GreaterThan(ulong first, ulong second) => first > second;
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
44
45         [MethodImpl(MethodImplOptions.AggressiveInlining)]
46         protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
47             ↪ always true for ulong
48
49         [MethodImpl(MethodImplOptions.AggressiveInlining)]
50         protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
51             ↪ always >= 0 for ulong
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
55
56         [MethodImpl(MethodImplOptions.AggressiveInlining)]
57         protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
58             ↪ for ulong
59
60         [MethodImpl(MethodImplOptions.AggressiveInlining)]
61         protected override bool LessThan(ulong first, ulong second) => first < second;
62
63         [MethodImpl(MethodImplOptions.AggressiveInlining)]
64         protected override ulong Increment(ulong value) => ++value;
65
66         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

61     protected override ulong Decrement(ulong value) => --value;
62
63     [MethodImpl(MethodImplOptions.AggressiveInlining)]
64     protected override ulong Add(ulong first, ulong second) => first + second;
65
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     protected override ulong Subtract(ulong first, ulong second) => first - second;
68
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     protected override ref LinksHeader<TLink> GetHeaderReference() => ref *Header;
71
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
74         ↪ ref LinksDataParts[link];
75
76     [MethodImpl(MethodImplOptions.AggressiveInlining)]
77     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
78         ↪ ref LinksIndexParts[link];
79
80     [MethodImpl(MethodImplOptions.AggressiveInlining)]
81     protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
82     {
83         ref var firstLink = ref LinksDataParts[first];
84         ref var secondLink = ref LinksDataParts[second];
85         return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
86             ↪ secondLink.Source, secondLink.Target);
87     }
88
89     [MethodImpl(MethodImplOptions.AggressiveInlining)]
90     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
91     {
92         ref var firstLink = ref LinksDataParts[first];
93         ref var secondLink = ref LinksDataParts[second];
94         return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
95             ↪ secondLink.Source, secondLink.Target);
96     }
97 }
98 }

```

1.66 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt64;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt64ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods :
9          ↪ UInt64ExternalLinksRecursionlessSizeBalancedTreeMethodsBase
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public
13             ↪ UInt64ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
14             ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
15             ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
16             ↪ linksIndexParts, header) { }
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetLeftReference(TLink node) => ref
20             ↪ LinksIndexParts[node].LeftAsSource;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ref TLink GetRightReference(TLink node) => ref
24             ↪ LinksIndexParts[node].RightAsSource;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override void SetLeft(TLink node, TLink left) =>
34             ↪ LinksIndexParts[node].LeftAsSource = left;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override void SetRight(TLink node, TLink right) =>
38             ↪ LinksIndexParts[node].RightAsSource = right;
39     }
40 }

```

```

31 [MethodImpl(MethodImplOptions.AggressiveInlining)]
32 protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
33
34 [MethodImpl(MethodImplOptions.AggressiveInlining)]
35 protected override void SetSize(TLink node, TLink size) =>
36     ↳ LinksIndexParts[node].SizeAsSource = size;
37
38 [MethodImpl(MethodImplOptions.AggressiveInlining)]
39 protected override TLink GetTreeRoot() => Header->RootAsSource;
40
41 [MethodImpl(MethodImplOptions.AggressiveInlining)]
42 protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
43
44 [MethodImpl(MethodImplOptions.AggressiveInlining)]
45 protected override bool FirstIsToLeftOfSecond(TLink firstSource, TLink firstTarget,
46     ↳ TLink secondSource, TLink secondTarget)
47     => firstSource < secondSource || firstSource == secondSource && firstTarget <
48     ↳ secondTarget;
49
50 [MethodImpl(MethodImplOptions.AggressiveInlining)]
51 protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
52     ↳ TLink secondSource, TLink secondTarget)
53     => firstSource > secondSource || firstSource == secondSource && firstTarget >
54     ↳ secondTarget;
55
56 [MethodImpl(MethodImplOptions.AggressiveInlining)]
57 protected override void ClearNode(TLink node)
58 {
59     ref var link = ref LinksIndexParts[node];
60     link.LeftAsSource = Zero;
61     link.RightAsSource = Zero;
62     link.SizeAsSource = Zero;
63 }

```

1.67 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksSourcesSizeBalancedTreeMethods

```

1 using System.Runtime.CompilerServices;
2 using TLink = System.UInt64;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Memory.Split.Specific
7 {
8     public unsafe class UInt64ExternalLinksSourcesSizeBalancedTreeMethods :
9         ↳ UInt64ExternalLinksSizeBalancedTreeMethodsBase
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public UInt64ExternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink>
13             ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14             ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15             ↳ linksIndexParts, header) { }
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         protected override ref TLink GetLeftReference(TLink node) => ref
19             ↳ LinksIndexParts[node].LeftAsSource;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         protected override ref TLink GetRightReference(TLink node) => ref
23             ↳ LinksIndexParts[node].RightAsSource;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override void SetLeft(TLink node, TLink left) =>
33             ↳ LinksIndexParts[node].LeftAsSource = left;
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override void SetRight(TLink node, TLink right) =>
37             ↳ LinksIndexParts[node].RightAsSource = right;
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```



```

35     protected override void SetSize(TLink node, TLink size) =>
36         ↳ LinksIndexParts[node].SizeAsSource = size;
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override TLink GetTreeRoot() => Header->RootAsSource;
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
43
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
46         ↳ TLink secondSource, TLink secondTarget)
47         => firstSource < secondSource || firstSource == secondSource && firstTarget <
48         ↳ secondTarget;
49
50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
52         ↳ TLink secondSource, TLink secondTarget)
53         => firstSource > secondSource || firstSource == secondSource && firstTarget >
54         ↳ secondTarget;
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     protected override void ClearNode(TLink node)
58     {
59         ref var link = ref LinksIndexParts[node];
60         link.LeftAsSource = Zero;
61         link.RightAsSource = Zero;
62         link.SizeAsSource = Zero;
63     }
64 }

```

1.68 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksTargetsRecursionlessSizeBalance

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt64;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt64ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods :
9          ↳ UInt64ExternalLinksRecursionlessSizeBalancedTreeMethodsBase
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public
13         ↳ UInt64ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
14         ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
15         ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
16         ↳ linksIndexParts, header) { }
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetLeftReference(TLink node) => ref
20         ↳ LinksIndexParts[node].LeftAsTarget;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ref TLink GetRightReference(TLink node) => ref
24         ↳ LinksIndexParts[node].RightAsTarget;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override void SetLeft(TLink node, TLink left) =>
34         ↳ LinksIndexParts[node].LeftAsTarget = left;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override void SetRight(TLink node, TLink right) =>
38         ↳ LinksIndexParts[node].RightAsTarget = right;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override void SetSize(TLink node, TLink size) =>
45         ↳ LinksIndexParts[node].SizeAsTarget = size;
46     }
47 }

```

```

37     [MethodImpl(MethodImplOptions.AggressiveInlining)]
38     protected override TLink GetTreeRoot() => Header->RootAsTarget;
39
40     [MethodImpl(MethodImplOptions.AggressiveInlining)]
41     protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
42
43     [MethodImpl(MethodImplOptions.AggressiveInlining)]
44     protected override bool FirstIsToLeftOfSecond(TLink firstSource, TLink firstTarget,
45         ↪ TLink secondSource, TLink secondTarget)
46         => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
47         ↪ secondSource;
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
51         ↪ TLink secondSource, TLink secondTarget)
52         => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
53         ↪ secondSource;
54
55     [MethodImpl(MethodImplOptions.AggressiveInlining)]
56     protected override void ClearNode(TLink node)
57     {
58         ref var link = ref LinksIndexParts[node];
59         link.LeftAsTarget = Zero;
60         link.RightAsTarget = Zero;
61         link.SizeAsTarget = Zero;
62     }
63 }

```

1.69 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64ExternalLinksTargetsSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt64;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt64ExternalLinksTargetsSizeBalancedTreeMethods :
9          ↪ UInt64ExternalLinksSizeBalancedTreeMethodsBase
10      {
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          public UInt64ExternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink>
13              ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14              ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15              ↪ linksIndexParts, header) { }
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ref TLink GetLeftReference(TLink node) => ref
19              ↪ LinksIndexParts[node].LeftAsTarget;
20
21          [MethodImpl(MethodImplOptions.AggressiveInlining)]
22          protected override ref TLink GetRightReference(TLink node) => ref
23              ↪ LinksIndexParts[node].RightAsTarget;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override void SetLeft(TLink node, TLink left) =>
33              ↪ LinksIndexParts[node].LeftAsTarget = left;
34
35          [MethodImpl(MethodImplOptions.AggressiveInlining)]
36          protected override void SetRight(TLink node, TLink right) =>
37              ↪ LinksIndexParts[node].RightAsTarget = right;
38
39          [MethodImpl(MethodImplOptions.AggressiveInlining)]
40          protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
41
42          [MethodImpl(MethodImplOptions.AggressiveInlining)]
43          protected override void SetSize(TLink node, TLink size) =>
44              ↪ LinksIndexParts[node].SizeAsTarget = size;
45
46          [MethodImpl(MethodImplOptions.AggressiveInlining)]
47          protected override TLink GetTreeRoot() => Header->RootAsTarget;
48
49          [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

41     protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
42
43     [MethodImpl(MethodImplOptions.AggressiveInlining)]
44     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
45         ↪ TLink secondSource, TLink secondTarget)
46         => firstTarget < secondTarget || firstTarget == secondTarget && firstSource <
47         ↪ secondSource;
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
51         ↪ TLink secondSource, TLink secondTarget)
52         => firstTarget > secondTarget || firstTarget == secondTarget && firstSource >
53         ↪ secondSource;
54
55     [MethodImpl(MethodImplOptions.AggressiveInlining)]
56     protected override void ClearNode(TLink node)
57     {
58         ref var link = ref LinksIndexParts[node];
59         link.LeftAsTarget = Zero;
60         link.RightAsTarget = Zero;
61         link.SizeAsTarget = Zero;
62     }
63 }

```

1.70 ./csharp/Platform.Data.Doublets.Memory.Split.Specific/UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.Split.Generic;
3  using TLink = System.UInt64;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.Split.Specific
8  {
9      public unsafe abstract class UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase :
10         ↪ InternalLinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
11     {
12         protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
13         protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
14         protected new readonly LinksHeader<TLink>* Header;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected
18         ↪ UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink>
19         ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
20         ↪ linksIndexParts, LinksHeader<TLink>* header)
21             : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
22         {
23             LinksDataParts = linksDataParts;
24             LinksIndexParts = linksIndexParts;
25             Header = header;
26         }
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override ulong GetZero() => OUL;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override bool EqualToZero(ulong value) => value == OUL;
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         protected override bool AreEqual(ulong first, ulong second) => first == second;
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         protected override bool GreaterThanZero(ulong value) => value > OUL;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override bool GreaterThan(ulong first, ulong second) => first > second;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
48         ↪ always true for ulong
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override bool LessOrEqualThanZero(ulong value) => value == OUL; // value is
52         ↪ always >= 0 for ulong
53
54         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

49     protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
50
51     [MethodImpl(MethodImplOptions.AggressiveInlining)]
52     protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
    ↪     for ulong
53
54     [MethodImpl(MethodImplOptions.AggressiveInlining)]
55     protected override bool LessThan(ulong first, ulong second) => first < second;
56
57     [MethodImpl(MethodImplOptions.AggressiveInlining)]
58     protected override ulong Increment(ulong value) => ++value;
59
60     [MethodImpl(MethodImplOptions.AggressiveInlining)]
61     protected override ulong Decrement(ulong value) => --value;
62
63     [MethodImpl(MethodImplOptions.AggressiveInlining)]
64     protected override ulong Add(ulong first, ulong second) => first + second;
65
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     protected override ulong Subtract(ulong first, ulong second) => first - second;
68
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
    ↪     ref LinksDataParts[link];
71
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
    ↪     ref LinksIndexParts[link];
74
75     [MethodImpl(MethodImplOptions.AggressiveInlining)]
76     protected override bool FirstIsToLeftOfSecond(TLink first, TLink second) =>
    ↪     GetKeyPartValue(first) < GetKeyPartValue(second);
77
78     [MethodImpl(MethodImplOptions.AggressiveInlining)]
79     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
    ↪     GetKeyPartValue(first) > GetKeyPartValue(second);
80 }
81 }

```

1.71 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksSizeBalancedTreeMethodsBase.

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.Split.Generic;
3  using TLink = System.UInt64;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Memory.Split.Specific
8  {
9      public unsafe abstract class UInt64InternalLinksSizeBalancedTreeMethodsBase :
    ↪     InternalLinksSizeBalancedTreeMethodsBase<TLink>
10     {
11         protected new readonly RawLinkDataPart<TLink>* LinksDataParts;
12         protected new readonly RawLinkIndexPart<TLink>* LinksIndexParts;
13         protected new readonly LinksHeader<TLink>* Header;
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         protected UInt64InternalLinksSizeBalancedTreeMethodsBase(LinksConstants<TLink>
    ↪     constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
    ↪     linksIndexParts, LinksHeader<TLink>* header)
            : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts, (byte*)header)
17         {
18             LinksDataParts = linksDataParts;
19             LinksIndexParts = linksIndexParts;
20             Header = header;
21         }
22
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected override ulong GetZero() => 0UL;
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected override bool EqualToZero(ulong value) => value == 0UL;
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected override bool AreEqual(ulong first, ulong second) => first == second;
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         protected override bool GreaterThanZero(ulong value) => value > 0UL;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override bool GreaterThan(ulong first, ulong second) => first > second;

```

```

38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
43     ↪ always true for ulong
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
47     ↪ always >= 0 for ulong
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
51
52     [MethodImpl(MethodImplOptions.AggressiveInlining)]
53     protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
54     ↪ for ulong
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     protected override bool LessThan(ulong first, ulong second) => first < second;
58
59     [MethodImpl(MethodImplOptions.AggressiveInlining)]
60     protected override ulong Increment(ulong value) => ++value;
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     protected override ulong Decrement(ulong value) => --value;
64
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     protected override ulong Add(ulong first, ulong second) => first + second;
67
68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     protected override ulong Subtract(ulong first, ulong second) => first - second;
70
71     [MethodImpl(MethodImplOptions.AggressiveInlining)]
72     protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
73     ↪ ref LinksDataParts[link];
74
75     [MethodImpl(MethodImplOptions.AggressiveInlining)]
76     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
77     ↪ ref LinksIndexParts[link];
78
79     [MethodImpl(MethodImplOptions.AggressiveInlining)]
80     protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second) =>
81     ↪ GetKeyPartValue(first) < GetKeyPartValue(second);
82
83     [MethodImpl(MethodImplOptions.AggressiveInlining)]
84     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second) =>
85     ↪ GetKeyPartValue(first) > GetKeyPartValue(second);
86
87 }
88
89 }

```

1.72 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksSourcesLinkedListMethods.cs

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt64;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Generic
7  {
8      public unsafe class UInt64InternalLinksSourcesLinkedListMethods :
9      ↪ InternalLinksSourcesLinkedListMethods<TLink>
10      {
11          private readonly RawLinkDataPart<TLink>* _linksDataParts;
12          private readonly RawLinkIndexPart<TLink>* _linksIndexParts;
13
14          [MethodImpl(MethodImplOptions.AggressiveInlining)]
15          public UInt64InternalLinksSourcesLinkedListMethods(LinksConstants<TLink> constants,
16          ↪ RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>* linksIndexParts)
17          : base(constants, (byte*)linksDataParts, (byte*)linksIndexParts)
18          {
19              _linksDataParts = linksDataParts;
20              _linksIndexParts = linksIndexParts;
21          }
22
23          [MethodImpl(MethodImplOptions.AggressiveInlining)]
24          protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
25          ↪ ref _linksDataParts[link];
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99

```

```

24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink link) =>
        ↪ ref _linksIndexParts[link];
26 }
27 }

```

1.73 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksSourcesRecursionlessSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt64;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt64InternalLinksSourcesRecursionlessSizeBalancedTreeMethods :
9          ↪ UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public
13             ↪ UInt64InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
14             ↪ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
15             ↪ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
16             ↪ linksIndexParts, header) { }
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetLeftReference(TLink node) => ref
20             ↪ LinksIndexParts[node].LeftAsSource;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ref TLink GetRightReference(TLink node) => ref
24             ↪ LinksIndexParts[node].RightAsSource;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override void SetLeft(TLink node, TLink left) =>
34             ↪ LinksIndexParts[node].LeftAsSource = left;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override void SetRight(TLink node, TLink right) =>
38             ↪ LinksIndexParts[node].RightAsSource = right;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override void SetSize(TLink node, TLink size) =>
45             ↪ LinksIndexParts[node].SizeAsSource = size;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;
55
56         [MethodImpl(MethodImplOptions.AggressiveInlining)]
57         protected override void ClearNode(TLink node)
58         {
59             ref var link = ref LinksIndexParts[node];
60             link.LeftAsSource = Zero;
61             link.RightAsSource = Zero;
62             link.SizeAsSource = Zero;
63         }
64
65         public override TLink Search(TLink source, TLink target) =>
66             ↪ SearchCore(GetTreeRoot(source), target);
67     }
68 }

```

1.74 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksSourcesSizeBalancedTreeMethods

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt64;

```

```

3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Memory.Split.Specific
7 {
8     public unsafe class UInt64InternalLinksSourcesSizeBalancedTreeMethods :
9         ↳ UInt64InternalLinksSizeBalancedTreeMethodsBase
10    {
11        [MethodImpl(MethodImplOptions.AggressiveInlining)]
12        public UInt64InternalLinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink>
13            ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14            ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15            ↳ linksIndexParts, header) { }
16
17        [MethodImpl(MethodImplOptions.AggressiveInlining)]
18        protected override ref TLink GetLeftReference(TLink node) => ref
19            ↳ LinksIndexParts[node].LeftAsSource;
20
21        [MethodImpl(MethodImplOptions.AggressiveInlining)]
22        protected override ref TLink GetRightReference(TLink node) => ref
23            ↳ LinksIndexParts[node].RightAsSource;
24
25        [MethodImpl(MethodImplOptions.AggressiveInlining)]
26        protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsSource;
27
28        [MethodImpl(MethodImplOptions.AggressiveInlining)]
29        protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsSource;
30
31        [MethodImpl(MethodImplOptions.AggressiveInlining)]
32        protected override void SetLeft(TLink node, TLink left) =>
33            ↳ LinksIndexParts[node].LeftAsSource = left;
34
35        [MethodImpl(MethodImplOptions.AggressiveInlining)]
36        protected override void SetRight(TLink node, TLink right) =>
37            ↳ LinksIndexParts[node].RightAsSource = right;
38
39        [MethodImpl(MethodImplOptions.AggressiveInlining)]
40        protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsSource;
41
42        [MethodImpl(MethodImplOptions.AggressiveInlining)]
43        protected override void SetSize(TLink node, TLink size) =>
44            ↳ LinksIndexParts[node].SizeAsSource = size;
45
46        [MethodImpl(MethodImplOptions.AggressiveInlining)]
47        protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsSource;
48
49        [MethodImpl(MethodImplOptions.AggressiveInlining)]
50        protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Source;
51
52        [MethodImpl(MethodImplOptions.AggressiveInlining)]
53        protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Target;
54
55        [MethodImpl(MethodImplOptions.AggressiveInlining)]
56        protected override void ClearNode(TLink node)
57        {
58            ref var link = ref LinksIndexParts[node];
59            link.LeftAsSource = Zero;
60            link.RightAsSource = Zero;
61            link.SizeAsSource = Zero;
62        }
63
64        public override TLink Search(TLink source, TLink target) =>
65            ↳ SearchCore(GetTreeRoot(source), target);
66    }
67 }

```

1.75 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksTargetsRecursionlessSizeBalancedTreeMethods

```

1 using System.Runtime.CompilerServices;
2 using TLink = System.UInt64;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Memory.Split.Specific
7 {
8     public unsafe class UInt64InternalLinksTargetsRecursionlessSizeBalancedTreeMethods :
9         ↳ UInt64InternalLinksRecursionlessSizeBalancedTreeMethodsBase
10    {
11        [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

11     public
12         ↳ UInt64InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink>
13         ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14         ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15         ↳ linksIndexParts, header) { }
16
17     [MethodImpl(MethodImplOptions.AggressiveInlining)]
18     protected override ref ulong GetLeftReference(ulong node) => ref
19         ↳ LinksIndexParts[node].LeftAsTarget;
20
21     [MethodImpl(MethodImplOptions.AggressiveInlining)]
22     protected override ref ulong GetRightReference(ulong node) => ref
23         ↳ LinksIndexParts[node].RightAsTarget;
24
25     [MethodImpl(MethodImplOptions.AggressiveInlining)]
26     protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
27
28     [MethodImpl(MethodImplOptions.AggressiveInlining)]
29     protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     protected override void SetLeft(TLink node, TLink left) =>
33         ↳ LinksIndexParts[node].LeftAsTarget = left;
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override void SetRight(TLink node, TLink right) =>
37         ↳ LinksIndexParts[node].RightAsTarget = right;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override void SetSize(TLink node, TLink size) =>
44         ↳ LinksIndexParts[node].SizeAsTarget = size;
45
46     [MethodImpl(MethodImplOptions.AggressiveInlining)]
47     protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsTarget;
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
51
52     [MethodImpl(MethodImplOptions.AggressiveInlining)]
53     protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Source;
54
55     [MethodImpl(MethodImplOptions.AggressiveInlining)]
56     protected override void ClearNode(TLink node)
57     {
58         ref var link = ref LinksIndexParts[node];
59         link.LeftAsTarget = Zero;
60         link.RightAsTarget = Zero;
61         link.SizeAsTarget = Zero;
62     }
63
64     public override TLink Search(TLink source, TLink target) =>
65         ↳ SearchCore(GetTreeRoot(target), source);
66 }
67 }

```

1.76 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64InternalLinksTargetsSizeBalancedTreeMetho

```

1  using System.Runtime.CompilerServices;
2  using TLink = System.UInt64;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.Split.Specific
7  {
8      public unsafe class UInt64InternalLinksTargetsSizeBalancedTreeMethods :
9          ↳ UInt64InternalLinksSizeBalancedTreeMethodsBase
10      {
11          [MethodImpl(MethodImplOptions.AggressiveInlining)]
12          public UInt64InternalLinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink>
13          ↳ constants, RawLinkDataPart<TLink>* linksDataParts, RawLinkIndexPart<TLink>*
14          ↳ linksIndexParts, LinksHeader<TLink>* header) : base(constants, linksDataParts,
15          ↳ linksIndexParts, header) { }
16
17          [MethodImpl(MethodImplOptions.AggressiveInlining)]
18          protected override ref ulong GetLeftReference(ulong node) => ref
19              ↳ LinksIndexParts[node].LeftAsTarget;
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100

```



```

16     [MethodImpl(MethodImplOptions.AggressiveInlining)]
17     protected override ref ulong GetRightReference(ulong node) => ref
    ↳ LinksIndexParts[node].RightAsTarget;
18
19     [MethodImpl(MethodImplOptions.AggressiveInlining)]
20     protected override TLink GetLeft(TLink node) => LinksIndexParts[node].LeftAsTarget;
21
22     [MethodImpl(MethodImplOptions.AggressiveInlining)]
23     protected override TLink GetRight(TLink node) => LinksIndexParts[node].RightAsTarget;
24
25     [MethodImpl(MethodImplOptions.AggressiveInlining)]
26     protected override void SetLeft(TLink node, TLink left) =>
    ↳ LinksIndexParts[node].LeftAsTarget = left;
27
28     [MethodImpl(MethodImplOptions.AggressiveInlining)]
29     protected override void SetRight(TLink node, TLink right) =>
    ↳ LinksIndexParts[node].RightAsTarget = right;
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     protected override TLink GetSize(TLink node) => LinksIndexParts[node].SizeAsTarget;
33
34     [MethodImpl(MethodImplOptions.AggressiveInlining)]
35     protected override void SetSize(TLink node, TLink size) =>
    ↳ LinksIndexParts[node].SizeAsTarget = size;
36
37     [MethodImpl(MethodImplOptions.AggressiveInlining)]
38     protected override TLink GetTreeRoot(TLink node) => LinksIndexParts[node].RootAsTarget;
39
40     [MethodImpl(MethodImplOptions.AggressiveInlining)]
41     protected override TLink GetBasePartValue(TLink node) => LinksDataParts[node].Target;
42
43     [MethodImpl(MethodImplOptions.AggressiveInlining)]
44     protected override TLink GetKeyPartValue(TLink node) => LinksDataParts[node].Source;
45
46     [MethodImpl(MethodImplOptions.AggressiveInlining)]
47     protected override void ClearNode(TLink node)
48     {
49         ref var link = ref LinksIndexParts[node];
50         link.LeftAsTarget = Zero;
51         link.RightAsTarget = Zero;
52         link.SizeAsTarget = Zero;
53     }
54
55     public override TLink Search(TLink source, TLink target) =>
    ↳ SearchCore(GetTreeRoot(target), source);
56 }
57 }

```

1.77 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64SplitMemoryLinks.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Singletons;
4  using Platform.Memory;
5  using Platform.Data.Doublets.Memory.Split.Generic;
6  using TLink = System.UInt64;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Memory.Split.Specific
11 {
12     public unsafe class UInt64SplitMemoryLinks : SplitMemoryLinksBase<TLink>
13     {
14         private readonly Func<ILinksTreeMethods<TLink>> _createInternalSourceTreeMethods;
15         private readonly Func<ILinksTreeMethods<TLink>> _createExternalSourceTreeMethods;
16         private readonly Func<ILinksTreeMethods<TLink>> _createInternalTargetTreeMethods;
17         private readonly Func<ILinksTreeMethods<TLink>> _createExternalTargetTreeMethods;
18         private LinksHeader<ulong>* _header;
19         private RawLinkDataPart<ulong>* _linksDataParts;
20         private RawLinkIndexPart<ulong>* _linksIndexParts;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         public UInt64SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory) : this(dataMemory, indexMemory, DefaultLinksSizeStep) { }
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         public UInt64SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory, long memoryReservationStep) : this(dataMemory, indexMemory,
    ↳ memoryReservationStep, Default<LinksConstants<TLink>>.Instance,
    ↳ IndexTreeType.Default, useLinkedList: true) { }
27

```

```

28 [MethodImpl(MethodImplOptions.AggressiveInlining)]
29 public UInt64SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory, long memoryReservationStep, LinksConstants<TLink> constants) :
    ↳ this(dataMemory, indexMemory, memoryReservationStep, constants,
    ↳ IndexTreeType.Default, useLinkedList: true) { }

30
31 [MethodImpl(MethodImplOptions.AggressiveInlining)]
32 public UInt64SplitMemoryLinks(IResizableDirectMemory dataMemory, IResizableDirectMemory
    ↳ indexMemory, long memoryReservationStep, LinksConstants<TLink> constants,
    ↳ IndexTreeType indexTreeType, bool useLinkedList) : base(dataMemory, indexMemory,
    ↳ memoryReservationStep, constants, useLinkedList)
33 {
34     if (indexTreeType == IndexTreeType.SizeBalancedTree)
35     {
36         _createInternalSourceTreeMethods = () => new
            ↳ UInt64InternalLinksSourcesSizeBalancedTreeMethods(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
37         _createExternalSourceTreeMethods = () => new
            ↳ UInt64ExternalLinksSourcesSizeBalancedTreeMethods(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
38         _createInternalTargetTreeMethods = () => new
            ↳ UInt64InternalLinksTargetsSizeBalancedTreeMethods(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
39         _createExternalTargetTreeMethods = () => new
            ↳ UInt64ExternalLinksTargetsSizeBalancedTreeMethods(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
40     }
41     else
42     {
43         _createInternalSourceTreeMethods = () => new
            ↳ UInt64InternalLinksSourcesRecursionlessSizeBalancedTreeMethods(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
44         _createExternalSourceTreeMethods = () => new
            ↳ UInt64ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
45         _createInternalTargetTreeMethods = () => new
            ↳ UInt64InternalLinksTargetsRecursionlessSizeBalancedTreeMethods(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
46         _createExternalTargetTreeMethods = () => new
            ↳ UInt64ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods(Constants,
            ↳ _linksDataParts, _linksIndexParts, _header);
47     }
48     Init(dataMemory, indexMemory);
49 }

50
51 [MethodImpl(MethodImplOptions.AggressiveInlining)]
52 protected override void SetPointers(IResizableDirectMemory dataMemory,
    ↳ IResizableDirectMemory indexMemory)
53 {
54     _linksDataParts = (RawLinkDataPart<TLink>*)dataMemory.Pointer;
55     _linksIndexParts = (RawLinkIndexPart<TLink>*)indexMemory.Pointer;
56     _header = (LinksHeader<TLink>*)indexMemory.Pointer;
57     if (_useLinkedList)
58     {
59         InternalSourcesListMethods = new
            ↳ UInt64InternalLinksSourcesLinkedListMethods(Constants, _linksDataParts,
            ↳ _linksIndexParts);
60     }
61     else
62     {
63         InternalSourcesTreeMethods = _createInternalSourceTreeMethods();
64     }
65     ExternalSourcesTreeMethods = _createExternalSourceTreeMethods();
66     InternalTargetsTreeMethods = _createInternalTargetTreeMethods();
67     ExternalTargetsTreeMethods = _createExternalTargetTreeMethods();
68     UnusedLinksListMethods = new UInt64UnusedLinksListMethods(_linksDataParts, _header);
69 }

70
71 [MethodImpl(MethodImplOptions.AggressiveInlining)]
72 protected override void ResetPointers()
73 {
74     base.ResetPointers();
75     _linksDataParts = null;
76     _linksIndexParts = null;
77     _header = null;
78 }
79

```

```

80 [MethodImpl(MethodImplOptions.AggressiveInlining)]
81 protected override ref LinksHeader<TLink> GetHeaderReference() => ref *_header;
82
83 [MethodImpl(MethodImplOptions.AggressiveInlining)]
84 protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink linkIndex)
85     => ref _linksDataParts[linkIndex];
86
87 [MethodImpl(MethodImplOptions.AggressiveInlining)]
88 protected override ref RawLinkIndexPart<TLink> GetLinkIndexPartReference(TLink
89     linkIndex) => ref _linksIndexParts[linkIndex];
90
91 [MethodImpl(MethodImplOptions.AggressiveInlining)]
92 protected override bool AreEqual(ulong first, ulong second) => first == second;
93
94 [MethodImpl(MethodImplOptions.AggressiveInlining)]
95 protected override bool LessThan(ulong first, ulong second) => first < second;
96
97 [MethodImpl(MethodImplOptions.AggressiveInlining)]
98 protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
99
100 [MethodImpl(MethodImplOptions.AggressiveInlining)]
101 protected override bool GreaterThan(ulong first, ulong second) => first > second;
102
103 [MethodImpl(MethodImplOptions.AggressiveInlining)]
104 protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
105
106 [MethodImpl(MethodImplOptions.AggressiveInlining)]
107 protected override ulong GetZero() => 0UL;
108
109 [MethodImpl(MethodImplOptions.AggressiveInlining)]
110 protected override ulong GetOne() => 1UL;
111
112 [MethodImpl(MethodImplOptions.AggressiveInlining)]
113 protected override long ConvertToInt64(ulong value) => (long)value;
114
115 [MethodImpl(MethodImplOptions.AggressiveInlining)]
116 protected override ulong ConvertToAddress(long value) => (ulong)value;
117
118 [MethodImpl(MethodImplOptions.AggressiveInlining)]
119 protected override ulong Add(ulong first, ulong second) => first + second;
120
121 [MethodImpl(MethodImplOptions.AggressiveInlining)]
122 protected override ulong Subtract(ulong first, ulong second) => first - second;
123
124 [MethodImpl(MethodImplOptions.AggressiveInlining)]
125 protected override ulong Increment(ulong link) => ++link;
126
127 [MethodImpl(MethodImplOptions.AggressiveInlining)]
128 protected override ulong Decrement(ulong link) => --link;
129 }
130 }

```

1.78 ./csharp/Platform.Data.Doublets/Memory/Split/Specific/UInt64UnusedLinksListMethods.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Data.Doublets.Memory.Split.Generic;
3 using TLink = System.UInt64;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Memory.Split.Specific
8 {
9     public unsafe class UInt64UnusedLinksListMethods : UnusedLinksListMethods<TLink>
10     {
11         private readonly RawLinkDataPart<ulong>* _links;
12         private readonly LinksHeader<ulong>* _header;
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         public UInt64UnusedLinksListMethods(RawLinkDataPart<ulong>* links, LinksHeader<ulong>*
16             header)
17             : base((byte*)links, (byte*)header)
18         {
19             _links = links;
20             _header = header;
21         }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override ref RawLinkDataPart<TLink> GetLinkDataPartReference(TLink link) =>
25             ref _links[link];
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

26         protected override ref LinksHeader<TLink> GetHeaderReference() => ref *_header;
27     }
28 }

```

1.79 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksAvlBalancedTreeMethodsBase.cs

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections.Methods.Trees;
6  using Platform.Converters;
7  using Platform.Numbers;
8  using static System.Runtime.CompilerServices.Unsafe;
9
10 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
11
12 namespace Platform.Data.Doublets.Memory.United.Generic
13 {
14     public unsafe abstract class LinksAvlBalancedTreeMethodsBase<TLink> :
15         ↳ SizedAndThreadedAVLBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
16     {
17         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
18             ↳ UncheckedConverter<TLink, long>.Default;
19         private static readonly UncheckedConverter<TLink, int> _addressToInt32Converter =
20             ↳ UncheckedConverter<TLink, int>.Default;
21         private static readonly UncheckedConverter<bool, TLink> _boolToAddressConverter =
22             ↳ UncheckedConverter<bool, TLink>.Default;
23         private static readonly UncheckedConverter<TLink, bool> _addressToBoolConverter =
24             ↳ UncheckedConverter<TLink, bool>.Default;
25         private static readonly UncheckedConverter<int, TLink> _int32ToAddressConverter =
26             ↳ UncheckedConverter<int, TLink>.Default;
27
28         protected readonly TLink Break;
29         protected readonly TLink Continue;
30         protected readonly byte* Links;
31         protected readonly byte* Header;
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         protected LinksAvlBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* links,
35             ↳ byte* header)
36         {
37             Links = links;
38             Header = header;
39             Break = constants.Break;
40             Continue = constants.Continue;
41         }
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected abstract TLink GetTreeRoot();
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         protected abstract TLink GetBasePartValue(TLink link);
48
49         [MethodImpl(MethodImplOptions.AggressiveInlining)]
50         protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
51             ↳ rootSource, TLink rootTarget);
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
55             ↳ rootSource, TLink rootTarget);
56
57         [MethodImpl(MethodImplOptions.AggressiveInlining)]
58         protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
59             ↳ AsRef<LinksHeader<TLink>>(Header);
60
61         [MethodImpl(MethodImplOptions.AggressiveInlining)]
62         protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
63             ↳ AsRef<RawLink<TLink>>(Links + (RawLink<TLink>.SizeInBytes *
64                 ↳ _addressToInt64Converter.Convert(link)));
65
66         [MethodImpl(MethodImplOptions.AggressiveInlining)]
67         protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
68         {
69             ref var link = ref GetLinkReference(linkIndex);
70             return new Link<TLink>(linkIndex, link.Source, link.Target);
71         }
72
73         [MethodImpl(MethodImplOptions.AggressiveInlining)]
74         protected override bool FirstIsToTheLeftOfSecond(TLink first, TLink second)
75         {

```

```

64     ref var firstLink = ref GetLinkReference(first);
65     ref var secondLink = ref GetLinkReference(second);
66     return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
    ↪     secondLink.Source, secondLink.Target);
67 }
68
69 [MethodImpl(MethodImplOptions.AggressiveInlining)]
70 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
71 {
72     ref var firstLink = ref GetLinkReference(first);
73     ref var secondLink = ref GetLinkReference(second);
74     return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
    ↪     secondLink.Source, secondLink.Target);
75 }
76
77 [MethodImpl(MethodImplOptions.AggressiveInlining)]
78 protected virtual TLink GetSizeValue(TLink value) => Bit<TLink>.PartialRead(value, 5,
    ↪     -5);
79
80 [MethodImpl(MethodImplOptions.AggressiveInlining)]
81 protected virtual void SetSizeValue(ref TLink storedValue, TLink size) => storedValue =
    ↪     Bit<TLink>.PartialWrite(storedValue, size, 5, -5);
82
83 [MethodImpl(MethodImplOptions.AggressiveInlining)]
84 protected virtual bool GetLeftIsChildValue(TLink value)
85 {
86     unchecked
87     {
88         return _addressToBoolConverter.Convert(Bit<TLink>.PartialRead(value, 4, 1));
89         //return !EqualityComparer.Equals(Bit<TLink>.PartialRead(value, 4, 1), default);
90     }
91 }
92
93 [MethodImpl(MethodImplOptions.AggressiveInlining)]
94 protected virtual void SetLeftIsChildValue(ref TLink storedValue, bool value)
95 {
96     unchecked
97     {
98         var previousValue = storedValue;
99         var modified = Bit<TLink>.PartialWrite(previousValue,
    ↪         _boolToAddressConverter.Convert(value), 4, 1);
100         storedValue = modified;
101     }
102 }
103
104 [MethodImpl(MethodImplOptions.AggressiveInlining)]
105 protected virtual bool GetRightIsChildValue(TLink value)
106 {
107     unchecked
108     {
109         return _addressToBoolConverter.Convert(Bit<TLink>.PartialRead(value, 3, 1));
110         //return !EqualityComparer.Equals(Bit<TLink>.PartialRead(value, 3, 1), default);
111     }
112 }
113
114 [MethodImpl(MethodImplOptions.AggressiveInlining)]
115 protected virtual void SetRightIsChildValue(ref TLink storedValue, bool value)
116 {
117     unchecked
118     {
119         var previousValue = storedValue;
120         var modified = Bit<TLink>.PartialWrite(previousValue,
    ↪         _boolToAddressConverter.Convert(value), 3, 1);
121         storedValue = modified;
122     }
123 }
124
125 [MethodImpl(MethodImplOptions.AggressiveInlining)]
126 protected bool IsChild(TLink parent, TLink possibleChild)
127 {
128     var parentSize = GetSize(parent);
129     var childSize = GetSizeOrZero(possibleChild);
130     return GreaterThanZero(childSize) && LessOrEqualThan(childSize, parentSize);
131 }
132
133 [MethodImpl(MethodImplOptions.AggressiveInlining)]
134 protected virtual sbyte GetBalanceValue(TLink storedValue)
135 {
136     unchecked

```

```

137     {
138         var value = _addressToInt32Converter.Convert(Bit<TLink>.PartialRead(storedValue,
139             ↪ 0, 3));
140         value |= 0xF8 * ((value & 4) >> 2); // if negative, then continue ones to the
141             ↪ end of sbyte
142         return (sbyte)value;
143     }
144 }
145 [MethodImpl(MethodImplOptions.AggressiveInlining)]
146 protected virtual void SetBalanceValue(ref TLink storedValue, sbyte value)
147 {
148     unchecked
149     {
150         var packagedValue = _int32ToAddressConverter.Convert((byte)value >> 5 & 4 |
151             ↪ value & 3);
152         var modified = Bit<TLink>.PartialWrite(storedValue, packagedValue, 0, 3);
153         storedValue = modified;
154     }
155 }
156 public TLink this[TLink index]
157 {
158     [MethodImpl(MethodImplOptions.AggressiveInlining)]
159     get
160     {
161         var root = GetTreeRoot();
162         if (GreaterOrEqualThan(index, GetSize(root)))
163         {
164             return Zero;
165         }
166         while (!EqualToZero(root))
167         {
168             var left = GetLeftOrDefault(root);
169             var leftSize = GetSizeOrZero(left);
170             if (LessThan(index, leftSize))
171             {
172                 root = left;
173                 continue;
174             }
175             if (AreEqual(index, leftSize))
176             {
177                 return root;
178             }
179             root = GetRightOrDefault(root);
180             index = Subtract(index, Increment(leftSize));
181         }
182         return Zero; // TODO: Impossible situation exception (only if tree structure
183             ↪ broken)
184     }
185 }
186 /// <summary>
187 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
188 /// ↪ (концом).
189 /// </summary>
190 /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
191 /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
192 /// <returns>Индекс искомой связи.</returns>
193 [MethodImpl(MethodImplOptions.AggressiveInlining)]
194 public TLink Search(TLink source, TLink target)
195 {
196     var root = GetTreeRoot();
197     while (!EqualToZero(root))
198     {
199         ref var rootLink = ref GetLinkReference(root);
200         var rootSource = rootLink.Source;
201         var rootTarget = rootLink.Target;
202         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
203             ↪ node.Key < root.Key
204         {
205             root = GetLeftOrDefault(root);
206         }
207         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
208             ↪ node.Key > root.Key
209         {
210             root = GetRightOrDefault(root);
211         }
212     }
213 }

```

```

208         else // node.Key == root.Key
209         {
210             return root;
211         }
212     }
213     return Zero;
214 }
215
216 // TODO: Return indices range instead of references count
217 [MethodImpl(MethodImplOptions.AggressiveInlining)]
218 public TLink CountUsages(TLink link)
219 {
220     var root = GetTreeRoot();
221     var total = GetSize(root);
222     var totalRightIgnore = Zero;
223     while (!EqualToZero(root))
224     {
225         var @base = GetBasePartValue(root);
226         if (LessOrEqualThan(@base, link))
227         {
228             root = GetRightOrDefault(root);
229         }
230         else
231         {
232             totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
233             root = GetLeftOrDefault(root);
234         }
235     }
236     root = GetTreeRoot();
237     var totalLeftIgnore = Zero;
238     while (!EqualToZero(root))
239     {
240         var @base = GetBasePartValue(root);
241         if (GreaterOrEqualThan(@base, link))
242         {
243             root = GetLeftOrDefault(root);
244         }
245         else
246         {
247             totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
248             root = GetRightOrDefault(root);
249         }
250     }
251     return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
252 }
253
254 [MethodImpl(MethodImplOptions.AggressiveInlining)]
255 public TLink EachUsage(TLink link, Func<IList<TLink>, TLink> handler)
256 {
257     var root = GetTreeRoot();
258     if (EqualToZero(root))
259     {
260         return Continue;
261     }
262     TLink first = Zero, current = root;
263     while (!EqualToZero(current))
264     {
265         var @base = GetBasePartValue(current);
266         if (GreaterOrEqualThan(@base, link))
267         {
268             if (AreEqual(@base, link))
269             {
270                 first = current;
271             }
272             current = GetLeftOrDefault(current);
273         }
274         else
275         {
276             current = GetRightOrDefault(current);
277         }
278     }
279     if (!EqualToZero(first))
280     {
281         current = first;
282         while (true)
283         {
284             if (AreEqual(handler(GetLinkValues(current)), Break))
285             {
286

```

```

287         return Break;
288     }
289     current = GetNext(current);
290     if (EqualToZero(current) || !AreEqual(GetBasePartValue(current), link))
291     {
292         break;
293     }
294 }
295 }
296 return Continue;
297 }
298
299 [MethodImpl(MethodImplOptions.AggressiveInlining)]
300 protected override void PrintNodeValue(TLink node, StringBuilder sb)
301 {
302     ref var link = ref GetLinkReference(node);
303     sb.Append(' ');
304     sb.Append(link.Source);
305     sb.Append('-');
306     sb.Append('>');
307     sb.Append(link.Target);
308 }
309 }
310 }

```

1.80 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksRecursionlessSizeBalancedTreeMethodsBase

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections.Methods.Trees;
6  using Platform.Converters;
7  using static System.Runtime.CompilerServices.Unsafe;
8
9  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets.Memory.United.Generic
12 {
13     public unsafe abstract class LinksRecursionlessSizeBalancedTreeMethodsBase<TLink> :
14         ↳ RecursionlessSizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
15     {
16         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
17             ↳ UncheckedConverter<TLink, long>.Default;
18
19         protected readonly TLink Break;
20         protected readonly TLink Continue;
21         protected readonly byte* Links;
22         protected readonly byte* Header;
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected LinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants,
26             ↳ byte* links, byte* header)
27         {
28             Links = links;
29             Header = header;
30             Break = constants.Break;
31             Continue = constants.Continue;
32         }
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         protected abstract TLink GetTreeRoot();
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         protected abstract TLink GetBasePartValue(TLink link);
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
42             ↳ rootSource, TLink rootTarget);
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         protected abstract bool FirstIsToTheLeftOfSecond(TLink source, TLink target, TLink
46             ↳ rootSource, TLink rootTarget);
47
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
50             ↳ AsRef<LinksHeader<TLink>>(Header);
51
52         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```



```

47     protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
48         ↪ AsRef<RawLink<TLink>>(Links + (RawLink<TLink>.SizeInBytes *
49         ↪ _addressToInt64Converter.Convert(link)));
50
51     [MethodImpl(MethodImplOptions.AggressiveInlining)]
52     protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
53     {
54         ref var link = ref GetLinkReference(linkIndex);
55         return new Link<TLink>(linkIndex, link.Source, link.Target);
56     }
57
58     [MethodImpl(MethodImplOptions.AggressiveInlining)]
59     protected override bool FirstIsToLeftOfSecond(TLink first, TLink second)
60     {
61         ref var firstLink = ref GetLinkReference(first);
62         ref var secondLink = ref GetLinkReference(second);
63         return FirstIsToLeftOfSecond(firstLink.Source, firstLink.Target,
64         ↪ secondLink.Source, secondLink.Target);
65     }
66
67     [MethodImpl(MethodImplOptions.AggressiveInlining)]
68     protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
69     {
70         ref var firstLink = ref GetLinkReference(first);
71         ref var secondLink = ref GetLinkReference(second);
72         return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
73         ↪ secondLink.Source, secondLink.Target);
74     }
75
76     public TLink this[TLink index]
77     {
78         [MethodImpl(MethodImplOptions.AggressiveInlining)]
79         get
80         {
81             var root = GetTreeRoot();
82             if (GreaterOrEqualThan(index, GetSize(root)))
83             {
84                 return Zero;
85             }
86             while (!EqualToZero(root))
87             {
88                 var left = GetLeftOrDefault(root);
89                 var leftSize = GetSizeOrZero(left);
90                 if (LessThan(index, leftSize))
91                 {
92                     root = left;
93                     continue;
94                 }
95                 if (AreEqual(index, leftSize))
96                 {
97                     return root;
98                 }
99                 root = GetRightOrDefault(root);
100                 index = Subtract(index, Increment(leftSize));
101             }
102             return Zero; // TODO: Impossible situation exception (only if tree structure
103             ↪ broken)
104         }
105     }
106
107     /// <summary>
108     /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
109     ↪ (концом).
110     /// </summary>
111     /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
112     /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
113     /// <returns>Индекс искомой связи.</returns>
114     [MethodImpl(MethodImplOptions.AggressiveInlining)]
115     public TLink Search(TLink source, TLink target)
116     {
117         var root = GetTreeRoot();
118         while (!EqualToZero(root))
119         {
120             ref var rootLink = ref GetLinkReference(root);
121             var rootSource = rootLink.Source;
122             var rootTarget = rootLink.Target;
123             if (FirstIsToLeftOfSecond(source, target, rootSource, rootTarget)) //
124             ↪ node.Key < root.Key

```

```

118     {
119         root = GetLeftOrDefault(root);
120     }
121     else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
122         ↪ node.Key > root.Key
123     {
124         root = GetRightOrDefault(root);
125     }
126     else // node.Key == root.Key
127     {
128         return root;
129     }
130     return Zero;
131 }
132
133 // TODO: Return indices range instead of references count
134 [MethodImpl(MethodImplOptions.AggressiveInlining)]
135 public TLink CountUsages(TLink link)
136 {
137     var root = GetTreeRoot();
138     var total = GetSize(root);
139     var totalRightIgnore = Zero;
140     while (!EqualToZero(root))
141     {
142         var @base = GetBasePartValue(root);
143         if (LessOrEqualThan(@base, link))
144         {
145             root = GetRightOrDefault(root);
146         }
147         else
148         {
149             totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
150             root = GetLeftOrDefault(root);
151         }
152     }
153     root = GetTreeRoot();
154     var totalLeftIgnore = Zero;
155     while (!EqualToZero(root))
156     {
157         var @base = GetBasePartValue(root);
158         if (GreaterOrEqualThan(@base, link))
159         {
160             root = GetLeftOrDefault(root);
161         }
162         else
163         {
164             totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
165             root = GetRightOrDefault(root);
166         }
167     }
168     return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
169 }
170
171 [MethodImpl(MethodImplOptions.AggressiveInlining)]
172 public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
173     ↪ EachUsageCore(@base, GetTreeRoot(), handler);
174
175 // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
176     ↪ low-level MSIL stack.
177 [MethodImpl(MethodImplOptions.AggressiveInlining)]
178 private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
179 {
180     var @continue = Continue;
181     if (EqualToZero(link))
182     {
183         return @continue;
184     }
185     var linkBasePart = GetBasePartValue(link);
186     var @break = Break;
187     if (GreaterThan(linkBasePart, @base))
188     {
189         if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
190         {
191             return @break;
192         }
193     }
194     else if (LessThan(linkBasePart, @base))
195     {

```

```

194         if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
195         {
196             return @break;
197         }
198     }
199     else //if (linkBasePart == @base)
200     {
201         if (AreEqual(handler(GetLinkValues(link)), @break))
202         {
203             return @break;
204         }
205         if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
206         {
207             return @break;
208         }
209         if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
210         {
211             return @break;
212         }
213     }
214     return @continue;
215 }
216
217 [MethodImpl(MethodImplOptions.AggressiveInlining)]
218 protected override void PrintNodeValue(TLink node, StringBuilder sb)
219 {
220     ref var link = ref GetLinkReference(node);
221     sb.Append(' ');
222     sb.Append(link.Source);
223     sb.Append('-');
224     sb.Append('>');
225     sb.Append(link.Target);
226 }
227 }
228 }

```

1.81 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksSizeBalancedTreeMethodsBase.cs

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections.Methods.Trees;
6  using Platform.Converters;
7  using static System.Runtime.CompilerServices.Unsafe;
8
9  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets.Memory.United.Generic
12 {
13     public unsafe abstract class LinksSizeBalancedTreeMethodsBase<TLink> :
14     ↪ SizeBalancedTreeMethods<TLink>, ILinksTreeMethods<TLink>
15     {
16         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
17         ↪ UncheckedConverter<TLink, long>.Default;
18
19         protected readonly TLink Break;
20         protected readonly TLink Continue;
21         protected readonly byte* Links;
22         protected readonly byte* Header;
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected LinksSizeBalancedTreeMethodsBase(LinksConstants<TLink> constants, byte* links,
26         ↪ byte* header)
27         {
28             Links = links;
29             Header = header;
30             Break = constants.Break;
31             Continue = constants.Continue;
32         }
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         protected abstract TLink GetTreeRoot();
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         protected abstract TLink GetBasePartValue(TLink link);
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected abstract bool FirstIsToTheRightOfSecond(TLink source, TLink target, TLink
42         ↪ rootSource, TLink rootTarget);
43     }
44 }

```

```

40 [MethodImpl(MethodImplOptions.AggressiveInlining)]
41 protected abstract bool FirstIsToLeftOfSecond(TLink source, TLink target, TLink
    ↳ rootSource, TLink rootTarget);
42
43 [MethodImpl(MethodImplOptions.AggressiveInlining)]
44 protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
    ↳ AsRef<LinksHeader<TLink>>(Header);
45
46 [MethodImpl(MethodImplOptions.AggressiveInlining)]
47 protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
    ↳ AsRef<RawLink<TLink>>(Links + (RawLink<TLink>.SizeInBytes *
    ↳ _addressToInt64Converter.Convert(link)));
48
49 [MethodImpl(MethodImplOptions.AggressiveInlining)]
50 protected virtual IList<TLink> GetLinkValues(TLink linkIndex)
51 {
52     ref var link = ref GetLinkReference(linkIndex);
53     return new Link<TLink>(linkIndex, link.Source, link.Target);
54 }
55
56 [MethodImpl(MethodImplOptions.AggressiveInlining)]
57 protected override bool FirstIsToLeftOfSecond(TLink first, TLink second)
58 {
59     ref var firstLink = ref GetLinkReference(first);
60     ref var secondLink = ref GetLinkReference(second);
61     return FirstIsToLeftOfSecond(firstLink.Source, firstLink.Target,
    ↳ secondLink.Source, secondLink.Target);
62 }
63
64 [MethodImpl(MethodImplOptions.AggressiveInlining)]
65 protected override bool FirstIsToTheRightOfSecond(TLink first, TLink second)
66 {
67     ref var firstLink = ref GetLinkReference(first);
68     ref var secondLink = ref GetLinkReference(second);
69     return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
    ↳ secondLink.Source, secondLink.Target);
70 }
71
72 public TLink this[TLink index]
73 {
74     [MethodImpl(MethodImplOptions.AggressiveInlining)]
75     get
76     {
77         var root = GetTreeRoot();
78         if (GreaterOrEqualThan(index, GetSize(root)))
79         {
80             return Zero;
81         }
82         while (!EqualToZero(root))
83         {
84             var left = GetLeftOrDefault(root);
85             var leftSize = GetSizeOrZero(left);
86             if (LessThan(index, leftSize))
87             {
88                 root = left;
89                 continue;
90             }
91             if (AreEqual(index, leftSize))
92             {
93                 return root;
94             }
95             root = GetRightOrDefault(root);
96             index = Subtract(index, Increment(leftSize));
97         }
98         return Zero; // TODO: Impossible situation exception (only if tree structure
    ↳ broken)
99     }
100 }
101
102 /// <summary>
103 /// Выполняет поиск и возвращает индекс связи с указанными Source (началом) и Target
    ↳ (концом).
104 /// </summary>
105 /// <param name="source">Индекс связи, которая является началом на искомой связи.</param>
106 /// <param name="target">Индекс связи, которая является концом на искомой связи.</param>
107 /// <returns>Индекс искомой связи.</returns>
108 [MethodImpl(MethodImplOptions.AggressiveInlining)]
109 public TLink Search(TLink source, TLink target)

```

```

110 {
111     var root = GetTreeRoot();
112     while (!EqualToZero(root))
113     {
114         ref var rootLink = ref GetLinkReference(root);
115         var rootSource = rootLink.Source;
116         var rootTarget = rootLink.Target;
117         if (FirstIsToTheLeftOfSecond(source, target, rootSource, rootTarget)) //
118             ↪ node.Key < root.Key
119         {
120             root = GetLeftOrDefault(root);
121         }
122         else if (FirstIsToTheRightOfSecond(source, target, rootSource, rootTarget)) //
123             ↪ node.Key > root.Key
124         {
125             root = GetRightOrDefault(root);
126         }
127         else // node.Key == root.Key
128         {
129             return root;
130         }
131     }
132     return Zero;
133 }
134
135 // TODO: Return indices range instead of references count
136 [MethodImpl(MethodImplOptions.AggressiveInlining)]
137 public TLink CountUsages(TLink link)
138 {
139     var root = GetTreeRoot();
140     var total = GetSize(root);
141     var totalRightIgnore = Zero;
142     while (!EqualToZero(root))
143     {
144         var @base = GetBasePartValue(root);
145         if (LessOrEqualThan(@base, link))
146         {
147             root = GetRightOrDefault(root);
148         }
149         else
150         {
151             totalRightIgnore = Add(totalRightIgnore, Increment(GetRightSize(root)));
152             root = GetLeftOrDefault(root);
153         }
154     }
155     root = GetTreeRoot();
156     var totalLeftIgnore = Zero;
157     while (!EqualToZero(root))
158     {
159         var @base = GetBasePartValue(root);
160         if (GreaterOrEqualThan(@base, link))
161         {
162             root = GetLeftOrDefault(root);
163         }
164         else
165         {
166             totalLeftIgnore = Add(totalLeftIgnore, Increment(GetLeftSize(root)));
167             root = GetRightOrDefault(root);
168         }
169     }
170     return Subtract(Subtract(total, totalRightIgnore), totalLeftIgnore);
171 }
172
173 [MethodImpl(MethodImplOptions.AggressiveInlining)]
174 public TLink EachUsage(TLink @base, Func<IList<TLink>, TLink> handler) =>
175     ↪ EachUsageCore(@base, GetTreeRoot(), handler);
176
177 // TODO: 1. Move target, handler to separate object. 2. Use stack or walker 3. Use
178     ↪ low-level MSIL stack.
179 [MethodImpl(MethodImplOptions.AggressiveInlining)]
180 private TLink EachUsageCore(TLink @base, TLink link, Func<IList<TLink>, TLink> handler)
181 {
182     var @continue = Continue;
183     if (EqualToZero(link))
184     {
185         return @continue;
186     }
187     var linkBasePart = GetBasePartValue(link);
188     var @break = Break;

```

```

185         if (GreaterThan(linkBasePart, @base))
186         {
187             if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
188             {
189                 return @break;
190             }
191         }
192         else if (LessThan(linkBasePart, @base))
193         {
194             if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
195             {
196                 return @break;
197             }
198         }
199         else //if (linkBasePart == @base)
200         {
201             if (AreEqual(handler(GetLinkValues(link)), @break))
202             {
203                 return @break;
204             }
205             if (AreEqual(EachUsageCore(@base, GetLeftOrDefault(link), handler), @break))
206             {
207                 return @break;
208             }
209             if (AreEqual(EachUsageCore(@base, GetRightOrDefault(link), handler), @break))
210             {
211                 return @break;
212             }
213         }
214         return @continue;
215     }
216
217     [MethodImpl(MethodImplOptions.AggressiveInlining)]
218     protected override void PrintNodeValue(TLink node, StringBuilder sb)
219     {
220         ref var link = ref GetLinkReference(node);
221         sb.Append(' ');
222         sb.Append(link.Source);
223         sb.Append('-');
224         sb.Append('>');
225         sb.Append(link.Target);
226     }
227 }
228 }

```

1.82 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksSourcesAvlBalancedTreeMethods.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Generic
6 {
7     public unsafe class LinksSourcesAvlBalancedTreeMethods<TLink> :
8     ↪ LinksAvlBalancedTreeMethodsBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksSourcesAvlBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
12         ↪ byte* header) : base(constants, links, header) { }
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override ref TLink GetLeftReference(TLink node) => ref
16         ↪ GetLinkReference(node).LeftAsSource;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetRightReference(TLink node) => ref
20         ↪ GetLinkReference(node).RightAsSource;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override void SetLeft(TLink node, TLink left) =>
30         ↪ GetLinkReference(node).LeftAsSource = left;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33

```

```

28     protected override void SetRight(TLink node, TLink right) =>
29         ↳ GetLinkReference(node).RightAsSource = right;
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     protected override TLink GetSize(TLink node) =>
33         ↳ GetSizeValue(GetLinkReference(node).SizeAsSource);
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override void SetSize(TLink node, TLink size) => SetSizeValue(ref
37         ↳ GetLinkReference(node).SizeAsSource, size);
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override bool GetLeftIsChild(TLink node) =>
41         ↳ GetLeftIsChildValue(GetLinkReference(node).SizeAsSource);
42
43     [MethodImpl(MethodImplOptions.AggressiveInlining)]
44     protected override void SetLeftIsChild(TLink node, bool value) =>
45         ↳ SetLeftIsChildValue(ref GetLinkReference(node).SizeAsSource, value);
46
47     [MethodImpl(MethodImplOptions.AggressiveInlining)]
48     protected override bool GetRightIsChild(TLink node) =>
49         ↳ GetRightIsChildValue(GetLinkReference(node).SizeAsSource);
50
51     [MethodImpl(MethodImplOptions.AggressiveInlining)]
52     protected override void SetRightIsChild(TLink node, bool value) =>
53         ↳ SetRightIsChildValue(ref GetLinkReference(node).SizeAsSource, value);
54
55     [MethodImpl(MethodImplOptions.AggressiveInlining)]
56     protected override sbyte GetBalance(TLink node) =>
57         ↳ GetBalanceValue(GetLinkReference(node).SizeAsSource);
58
59     [MethodImpl(MethodImplOptions.AggressiveInlining)]
60     protected override void SetBalance(TLink node, sbyte value) => SetBalanceValue(ref
61         ↳ GetLinkReference(node).SizeAsSource, value);
62
63     [MethodImpl(MethodImplOptions.AggressiveInlining)]
64     protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;
65
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;
68
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
71         ↳ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
72         ↳ (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
73
74     [MethodImpl(MethodImplOptions.AggressiveInlining)]
75     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
76         ↳ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
77         ↳ (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
78
79     [MethodImpl(MethodImplOptions.AggressiveInlining)]
80     protected override void ClearNode(TLink node)
81     {
82         ref var link = ref GetLinkReference(node);
83         link.LeftAsSource = Zero;
84         link.RightAsSource = Zero;
85         link.SizeAsSource = Zero;
86     }
87 }

```

1.83 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksSourcesRecursionlessSizeBalancedTreeMethods

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Generic
6 {
7     public unsafe class LinksSourcesRecursionlessSizeBalancedTreeMethods<TLink> :
8         ↳ LinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink> constants,
12             ↳ byte* links, byte* header) : base(constants, links, header) { }
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override ref TLink GetLeftReference(TLink node) => ref
16             ↳ GetLinkReference(node).LeftAsSource;
17     }
18 }

```

```

14 [MethodImpl(MethodImplOptions.AggressiveInlining)]
15 protected override ref TLink GetRightReference(TLink node) => ref
16     ↳ GetLinkReference(node).RightAsSource;
17
18 [MethodImpl(MethodImplOptions.AggressiveInlining)]
19 protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;
20
21 [MethodImpl(MethodImplOptions.AggressiveInlining)]
22 protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;
23
24 [MethodImpl(MethodImplOptions.AggressiveInlining)]
25 protected override void SetLeft(TLink node, TLink left) =>
26     ↳ GetLinkReference(node).LeftAsSource = left;
27
28 [MethodImpl(MethodImplOptions.AggressiveInlining)]
29 protected override void SetRight(TLink node, TLink right) =>
30     ↳ GetLinkReference(node).RightAsSource = right;
31
32 [MethodImpl(MethodImplOptions.AggressiveInlining)]
33 protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsSource;
34
35 [MethodImpl(MethodImplOptions.AggressiveInlining)]
36 protected override void SetSize(TLink node, TLink size) =>
37     ↳ GetLinkReference(node).SizeAsSource = size;
38
39 [MethodImpl(MethodImplOptions.AggressiveInlining)]
40 protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;
41
42 [MethodImpl(MethodImplOptions.AggressiveInlining)]
43 protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;
44
45 [MethodImpl(MethodImplOptions.AggressiveInlining)]
46 protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
47     ↳ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
48     ↳ (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
49
50 [MethodImpl(MethodImplOptions.AggressiveInlining)]
51 protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
52     ↳ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
53     ↳ (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
54
55 [MethodImpl(MethodImplOptions.AggressiveInlining)]
56 protected override void ClearNode(TLink node)
57 {
58     ref var link = ref GetLinkReference(node);
59     link.LeftAsSource = Zero;
60     link.RightAsSource = Zero;
61     link.SizeAsSource = Zero;
62 }
63 }

```

1.84 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksSourcesSizeBalancedTreeMethods.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Generic
6 {
7     public unsafe class LinksSourcesSizeBalancedTreeMethods<TLink> :
8         ↳ LinksSizeBalancedTreeMethodsBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksSourcesSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
12             ↳ byte* header) : base(constants, links, header) { }
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override ref TLink GetLeftReference(TLink node) => ref
16             ↳ GetLinkReference(node).LeftAsSource;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetRightReference(TLink node) => ref
20             ↳ GetLinkReference(node).RightAsSource;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsSource;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```



```

22     protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsSource;
23
24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override void SetLeft(TLink node, TLink left) =>
26         ↪ GetLinkReference(node).LeftAsSource = left;
27
28     [MethodImpl(MethodImplOptions.AggressiveInlining)]
29     protected override void SetRight(TLink node, TLink right) =>
30         ↪ GetLinkReference(node).RightAsSource = right;
31
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsSource;
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override void SetSize(TLink node, TLink size) =>
37         ↪ GetLinkReference(node).SizeAsSource = size;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override TLink GetTreeRoot() => GetHeaderReference().RootAsSource;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Source;
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
47         ↪ TLink secondSource, TLink secondTarget) => LessThan(firstSource, secondSource) ||
48         ↪ (AreEqual(firstSource, secondSource) && LessThan(firstTarget, secondTarget));
49
50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
52         ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstSource, secondSource) ||
53         ↪ (AreEqual(firstSource, secondSource) && GreaterThan(firstTarget, secondTarget));
54
55     [MethodImpl(MethodImplOptions.AggressiveInlining)]
56     protected override void ClearNode(TLink node)
57     {
58         ref var link = ref GetLinkReference(node);
59         link.LeftAsSource = Zero;
60         link.RightAsSource = Zero;
61         link.SizeAsSource = Zero;
62     }
63 }

```

1.85 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksTargetsAvlBalancedTreeMethods.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Memory.United.Generic
6  {
7      public unsafe class LinksTargetsAvlBalancedTreeMethods<TLink> :
8          ↪ LinksAvlBalancedTreeMethodsBase<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksTargetsAvlBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
12             ↪ byte* header) : base(constants, links, header) { }
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override ref TLink GetLeftReference(TLink node) => ref
16             ↪ GetLinkReference(node).LeftAsTarget;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref TLink GetRightReference(TLink node) => ref
20             ↪ GetLinkReference(node).RightAsTarget;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override void SetLeft(TLink node, TLink left) =>
30             ↪ GetLinkReference(node).LeftAsTarget = left;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override void SetRight(TLink node, TLink right) =>
34             ↪ GetLinkReference(node).RightAsTarget = right;
35     }
36 }

```

```

29     [MethodImpl(MethodImplOptions.AggressiveInlining)]
30     protected override TLink GetSize(TLink node) =>
31     ↪ GetSizeValue(GetLinkReference(node).SizeAsTarget);
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected override void SetSize(TLink node, TLink size) => SetSizeValue(ref
35     ↪ GetLinkReference(node).SizeAsTarget, size);
36
37     [MethodImpl(MethodImplOptions.AggressiveInlining)]
38     protected override bool GetLeftIsChild(TLink node) =>
39     ↪ GetLeftIsChildValue(GetLinkReference(node).SizeAsTarget);
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override void SetLeftIsChild(TLink node, bool value) =>
43     ↪ SetLeftIsChildValue(ref GetLinkReference(node).SizeAsTarget, value);
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool GetRightIsChild(TLink node) =>
47     ↪ GetRightIsChildValue(GetLinkReference(node).SizeAsTarget);
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override void SetRightIsChild(TLink node, bool value) =>
51     ↪ SetRightIsChildValue(ref GetLinkReference(node).SizeAsTarget, value);
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     protected override sbyte GetBalance(TLink node) =>
55     ↪ GetBalanceValue(GetLinkReference(node).SizeAsTarget);
56
57     [MethodImpl(MethodImplOptions.AggressiveInlining)]
58     protected override void SetBalance(TLink node, sbyte value) => SetBalanceValue(ref
59     ↪ GetLinkReference(node).SizeAsTarget, value);
60
61     [MethodImpl(MethodImplOptions.AggressiveInlining)]
62     protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;
63
64     [MethodImpl(MethodImplOptions.AggressiveInlining)]
65     protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;
66
67     [MethodImpl(MethodImplOptions.AggressiveInlining)]
68     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
69     ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
70     ↪ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));
71
72     [MethodImpl(MethodImplOptions.AggressiveInlining)]
73     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
74     ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
75     ↪ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));
76
77     [MethodImpl(MethodImplOptions.AggressiveInlining)]
78     protected override void ClearNode(TLink node)
79     {
80         ref var link = ref GetLinkReference(node);
81         link.LeftAsTarget = Zero;
82         link.RightAsTarget = Zero;
83         link.SizeAsTarget = Zero;
84     }
85 }

```

1.86 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksTargetsRecursionlessSizeBalancedTreeMethods

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Generic
6 {
7     public unsafe class LinksTargetsRecursionlessSizeBalancedTreeMethods<TLink> :
8     ↪ LinksRecursionlessSizeBalancedTreeMethodsBase<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public LinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<TLink> constants,
12         ↪ byte* links, byte* header) : base(constants, links, header) { }
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override ref TLink GetLeftReference(TLink node) => ref
16         ↪ GetLinkReference(node).LeftAsTarget;
17
18     }
19 }

```

```

15     [MethodImpl(MethodImplOptions.AggressiveInlining)]
16     protected override ref TLink GetRightReference(TLink node) => ref
    ↪ GetLinkReference(node).RightAsTarget;
17
18     [MethodImpl(MethodImplOptions.AggressiveInlining)]
19     protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;
20
21     [MethodImpl(MethodImplOptions.AggressiveInlining)]
22     protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;
23
24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override void SetLeft(TLink node, TLink left) =>
    ↪ GetLinkReference(node).LeftAsTarget = left;
26
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     protected override void SetRight(TLink node, TLink right) =>
    ↪ GetLinkReference(node).RightAsTarget = right;
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsTarget;
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected override void SetSize(TLink node, TLink size) =>
    ↪ GetLinkReference(node).SizeAsTarget = size;
35
36     [MethodImpl(MethodImplOptions.AggressiveInlining)]
37     protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
    ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
    ↪ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
    ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
    ↪ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));
47
48     [MethodImpl(MethodImplOptions.AggressiveInlining)]
49     protected override void ClearNode(TLink node)
50     {
51         ref var link = ref GetLinkReference(node);
52         link.LeftAsTarget = Zero;
53         link.RightAsTarget = Zero;
54         link.SizeAsTarget = Zero;
55     }
56 }
57 }

```

1.87 ./csharp/Platform.Data.Doublets/Memory/United/Generic/LinksTargetsSizeBalancedTreeMethods.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Generic
6 {
7     public unsafe class LinksTargetsSizeBalancedTreeMethods<TLink> :
    ↪ LinksSizeBalancedTreeMethodsBase<TLink>
8     {
9         [MethodImpl(MethodImplOptions.AggressiveInlining)]
10        public LinksTargetsSizeBalancedTreeMethods(LinksConstants<TLink> constants, byte* links,
    ↪ byte* header) : base(constants, links, header) { }
11
12        [MethodImpl(MethodImplOptions.AggressiveInlining)]
13        protected override ref TLink GetLeftReference(TLink node) => ref
    ↪ GetLinkReference(node).LeftAsTarget;
14
15        [MethodImpl(MethodImplOptions.AggressiveInlining)]
16        protected override ref TLink GetRightReference(TLink node) => ref
    ↪ GetLinkReference(node).RightAsTarget;
17
18        [MethodImpl(MethodImplOptions.AggressiveInlining)]
19        protected override TLink GetLeft(TLink node) => GetLinkReference(node).LeftAsTarget;
20
21        [MethodImpl(MethodImplOptions.AggressiveInlining)]
22        protected override TLink GetRight(TLink node) => GetLinkReference(node).RightAsTarget;

```

```

23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     protected override void SetLeft(TLink node, TLink left) =>
25     ↪ GetLinkReference(node).LeftAsTarget = left;
26
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     protected override void SetRight(TLink node, TLink right) =>
29     ↪ GetLinkReference(node).RightAsTarget = right;
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     protected override TLink GetSize(TLink node) => GetLinkReference(node).SizeAsTarget;
33
34     [MethodImpl(MethodImplOptions.AggressiveInlining)]
35     protected override void SetSize(TLink node, TLink size) =>
36     ↪ GetLinkReference(node).SizeAsTarget = size;
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override TLink GetTreeRoot() => GetHeaderReference().RootAsTarget;
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override TLink GetBasePartValue(TLink link) => GetLinkReference(link).Target;
43
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     protected override bool FirstIsToTheLeftOfSecond(TLink firstSource, TLink firstTarget,
46     ↪ TLink secondSource, TLink secondTarget) => LessThan(firstTarget, secondTarget) ||
47     ↪ (AreEqual(firstTarget, secondTarget) && LessThan(firstSource, secondSource));
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override bool FirstIsToTheRightOfSecond(TLink firstSource, TLink firstTarget,
51     ↪ TLink secondSource, TLink secondTarget) => GreaterThan(firstTarget, secondTarget) ||
52     ↪ (AreEqual(firstTarget, secondTarget) && GreaterThan(firstSource, secondSource));
53
54     [MethodImpl(MethodImplOptions.AggressiveInlining)]
55     protected override void ClearNode(TLink node)
56     {
57         ref var link = ref GetLinkReference(node);
58         link.LeftAsTarget = Zero;
59         link.RightAsTarget = Zero;
60         link.SizeAsTarget = Zero;
61     }
62 }

```

1.88 ./csharp/Platform.Data.Doublets/Memory/United/Generic/UnitedMemoryLinks.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Singletons;
4  using Platform.Memory;
5  using static System.Runtime.CompilerServices.Unsafe;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Data.Doublets.Memory.United.Generic
10 {
11     public unsafe class UnitedMemoryLinks<TLink> : UnitedMemoryLinksBase<TLink>
12     {
13         private readonly Func<ILinksTreeMethods<TLink>> _createSourceTreeMethods;
14         private readonly Func<ILinksTreeMethods<TLink>> _createTargetTreeMethods;
15         private byte* _header;
16         private byte* _links;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         public UnitedMemoryLinks(string address) : this(address, DefaultLinksSizeStep) { }
20
21         /// <summary>
22         /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
23         ↪ минимальным шагом расширения базы данных.
24         /// </summary>
25         /// <param name="address">Полный путь к файлу базы данных.</param>
26         /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
27         ↪ байтах.</param>
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         public UnitedMemoryLinks(string address, long memoryReservationStep) : this(new
31         ↪ FileMappedResizableDirectMemory(address, memoryReservationStep),
32         ↪ memoryReservationStep) { }
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         public UnitedMemoryLinks(IResizableDirectMemory memory) : this(memory,
36         ↪ DefaultLinksSizeStep) { }
37     }
38 }

```

```

31
32 [MethodImpl(MethodImplOptions.AggressiveInlining)]
33 public UnitedMemoryLinks(IResizableDirectMemory memory, long memoryReservationStep) :
    ↳ this(memory, memoryReservationStep, Default<LinksConstants<TLink>>.Instance,
    ↳ IndexTreeType.Default) { }
34
35 [MethodImpl(MethodImplOptions.AggressiveInlining)]
36 public UnitedMemoryLinks(IResizableDirectMemory memory, long memoryReservationStep,
    ↳ LinksConstants<TLink> constants, IndexTreeType indexTreeType) : base(memory,
    ↳ memoryReservationStep, constants)
37 {
38     if (indexTreeType == IndexTreeType.SizedAndThreadedAVLBalancedTree)
39     {
40         _createSourceTreeMethods = () => new
41             ↳ LinksSourcesAvlBalancedTreeMethods<TLink>(Constants, _links, _header);
42         _createTargetTreeMethods = () => new
43             ↳ LinksTargetsAvlBalancedTreeMethods<TLink>(Constants, _links, _header);
44     }
45     else
46     {
47         _createSourceTreeMethods = () => new
48             ↳ LinksSourcesSizeBalancedTreeMethods<TLink>(Constants, _links, _header);
49         _createTargetTreeMethods = () => new
50             ↳ LinksTargetsSizeBalancedTreeMethods<TLink>(Constants, _links, _header);
51     }
52     Init(memory, memoryReservationStep);
53 }
54
55 [MethodImpl(MethodImplOptions.AggressiveInlining)]
56 protected override void SetPointers(IResizableDirectMemory memory)
57 {
58     _links = (byte*)memory.Pointer;
59     _header = _links;
60     SourcesTreeMethods = _createSourceTreeMethods();
61     TargetsTreeMethods = _createTargetTreeMethods();
62     UnusedLinksListMethods = new UnusedLinksListMethods<TLink>(_links, _header);
63 }
64
65 [MethodImpl(MethodImplOptions.AggressiveInlining)]
66 protected override void ResetPointers()
67 {
68     base.ResetPointers();
69     _links = null;
70     _header = null;
71 }
72
73 [MethodImpl(MethodImplOptions.AggressiveInlining)]
74 protected override ref LinksHeader<TLink> GetHeaderReference() => ref
75     ↳ AsRef<LinksHeader<TLink>>(_header);
76
77 [MethodImpl(MethodImplOptions.AggressiveInlining)]
78 protected override ref RawLink<TLink> GetLinkReference(TLink linkIndex) => ref
79     ↳ AsRef<RawLink<TLink>>(_links + (LinkSizeInBytes * ConvertToInt64(linkIndex)));
80 }
81 }

```

1.89 ./csharp/Platform.Data.Doublets/Memory/United/Generic/UnitedMemoryLinksBase.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4 using Platform.Disposables;
5 using Platform.Singletons;
6 using Platform.Converters;
7 using Platform.Numbers;
8 using Platform.Memory;
9 using Platform.Data.Exceptions;
10
11 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
12
13 namespace Platform.Data.Doublets.Memory.United.Generic
14 {
15     public abstract class UnitedMemoryLinksBase<TLink> : DisposableBase, ILinks<TLink>
16     {
17         private static readonly EqualityComparer<TLink> _equalityComparer =
18             ↳ EqualityComparer<TLink>.Default;
19         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
20         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
21             ↳ UncheckedConverter<TLink, long>.Default;

```

```

20 private static readonly UncheckedConverter<long, TLink> _int64ToAddressConverter =
    ↳ UncheckedConverter<long, TLink>.Default;
21
22 private static readonly TLink _zero = default;
23 private static readonly TLink _one = Arithmetic.Increment(_zero);
24
25 /// <summary>Возвращает размер одной связи в байтах.</summary>
26 /// <remarks>
27 /// Используется только во вне класса, не рекомендуется использовать внутри.
28 /// Так как во вне не обязательно будет доступен unsafe C#.
29 /// </remarks>
30 public static readonly long LinkSizeInBytes = RawLink<TLink>.SizeInBytes;
31
32 public static readonly long LinkHeaderSizeInBytes = LinksHeader<TLink>.SizeInBytes;
33
34 public static readonly long DefaultLinksSizeStep = LinkSizeInBytes * 1024 * 1024;
35
36 protected readonly IResizableDirectMemory _memory;
37 protected readonly long _memoryReservationStep;
38
39 protected ILinksTreeMethods<TLink> TargetsTreeMethods;
40 protected ILinksTreeMethods<TLink> SourcesTreeMethods;
41 // TODO: Возможно чтобы гарантированно проверять на то, является ли связь удалённой,
    ↳ нужно использовать не список а дерево, так как так можно быстрее проверить на
    ↳ наличие связи внутри
42 protected ILinksListMethods<TLink> UnusedLinksListMethods;
43
44 /// <summary>
45 /// Возвращает общее число связей находящихся в хранилище.
46 /// </summary>
47 protected virtual TLink Total
48 {
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     get
51     {
52         ref var header = ref GetHeaderReference();
53         return Subtract(header.AllocatedLinks, header.FreeLinks);
54     }
55 }
56
57 public virtual LinksConstants<TLink> Constants
58 {
59     [MethodImpl(MethodImplOptions.AggressiveInlining)]
60     get;
61 }
62
63 [MethodImpl(MethodImplOptions.AggressiveInlining)]
64 protected UnitedMemoryLinksBase(IResizableDirectMemory memory, long
    ↳ memoryReservationStep, LinksConstants<TLink> constants)
65 {
66     _memory = memory;
67     _memoryReservationStep = memoryReservationStep;
68     Constants = constants;
69 }
70
71 [MethodImpl(MethodImplOptions.AggressiveInlining)]
72 protected UnitedMemoryLinksBase(IResizableDirectMemory memory, long
    ↳ memoryReservationStep) : this(memory, memoryReservationStep,
    ↳ Default<LinksConstants<TLink>>.Instance) { }
73
74 [MethodImpl(MethodImplOptions.AggressiveInlining)]
75 protected virtual void Init(IResizableDirectMemory memory, long memoryReservationStep)
76 {
77     if (memory.ReservedCapacity < memoryReservationStep)
78     {
79         memory.ReservedCapacity = memoryReservationStep;
80     }
81     SetPointers(memory);
82     ref var header = ref GetHeaderReference();
83     // Гарантия корректности _memory.UsedCapacity относительно _header->AllocatedLinks
84     memory.UsedCapacity = (ConvertToInt64(header.AllocatedLinks) * LinkSizeInBytes) +
        ↳ LinkHeaderSizeInBytes;
85     // Гарантия корректности _header->ReservedLinks относительно _memory.ReservedCapacity
86     header.ReservedLinks = ConvertToAddress((memory.ReservedCapacity -
        ↳ LinkHeaderSizeInBytes) / LinkSizeInBytes);
87 }
88
89 [MethodImpl(MethodImplOptions.AggressiveInlining)]
90 public virtual TLink Count(IList<TLink> restrictions)
91 {

```

```

92 // Если нет ограничений, тогда возвращаем общее число связей находящихся в хранилище.
93 if (restrictions.Count == 0)
94 {
95     return Total;
96 }
97 var constants = Constants;
98 any = constants.Any;
99 var index = restrictions[constants.IndexPart];
100 if (restrictions.Count == 1)
101 {
102     if (AreEqual(index, any))
103     {
104         return Total;
105     }
106     return Exists(index) ? GetOne() : GetZero();
107 }
108 if (restrictions.Count == 2)
109 {
110     var value = restrictions[1];
111     if (AreEqual(index, any))
112     {
113         if (AreEqual(value, any))
114         {
115             return Total; // Any - как отсутствие ограничения
116         }
117         return Add(SourcesTreeMethods.CountUsages(value),
118             ↪ TargetsTreeMethods.CountUsages(value));
119     }
120     else
121     {
122         if (!Exists(index))
123         {
124             return GetZero();
125         }
126         if (AreEqual(value, any))
127         {
128             return GetOne();
129         }
130         ref var storedLinkValue = ref GetLinkReference(index);
131         if (AreEqual(storedLinkValue.Source, value) ||
132             ↪ AreEqual(storedLinkValue.Target, value))
133         {
134             return GetOne();
135         }
136         return GetZero();
137     }
138 }
139 if (restrictions.Count == 3)
140 {
141     var source = restrictions[constants.SourcePart];
142     var target = restrictions[constants.TargetPart];
143     if (AreEqual(index, any))
144     {
145         if (AreEqual(source, any) && AreEqual(target, any))
146         {
147             return Total;
148         }
149         else if (AreEqual(source, any))
150         {
151             return TargetsTreeMethods.CountUsages(target);
152         }
153         else if (AreEqual(target, any))
154         {
155             return SourcesTreeMethods.CountUsages(source);
156         }
157         else //if(source != Any && target != Any)
158         {
159             // Эквивалент Exists(source, target) => Count(Any, source, target) > 0
160             var link = SourcesTreeMethods.Search(source, target);
161             return AreEqual(link, constants.Null) ? GetZero() : GetOne();
162         }
163     }
164     else
165     {
166         if (!Exists(index))
167         {
168             return GetZero();
169         }
170     }
171 }

```

```

168         if (AreEqual(source, any) && AreEqual(target, any))
169         {
170             return GetOne();
171         }
172         ref var storedLinkValue = ref GetLinkReference(index);
173         if (!AreEqual(source, any) && !AreEqual(target, any))
174         {
175             if (AreEqual(storedLinkValue.Source, source) &&
176                 ↪ AreEqual(storedLinkValue.Target, target))
177             {
178                 return GetOne();
179             }
180             return GetZero();
181         }
182         var value = default(TLink);
183         if (AreEqual(source, any))
184         {
185             value = target;
186         }
187         if (AreEqual(target, any))
188         {
189             value = source;
190         }
191         if (AreEqual(storedLinkValue.Source, value) ||
192             ↪ AreEqual(storedLinkValue.Target, value))
193         {
194             return GetOne();
195         }
196         return GetZero();
197     }
198 }
199
200 [MethodImpl(MethodImplOptions.AggressiveInlining)]
201 public virtual TLink Each(Func<IList<TLink>, TLink> handler, IList<TLink> restrictions)
202 {
203     var constants = Constants;
204     var @break = constants.Break;
205     if (restrictions.Count == 0)
206     {
207         for (var link = GetOne(); LessOrEqualThan(link,
208             ↪ GetHeaderReference().AllocatedLinks); link = Increment(link))
209         {
210             if (Exists(link) && AreEqual(handler(GetLinkStruct(link)), @break))
211             {
212                 return @break;
213             }
214         }
215         return @break;
216     }
217     var @continue = constants.Continue;
218     var any = constants.Any;
219     var index = restrictions[constants.IndexPart];
220     if (restrictions.Count == 1)
221     {
222         if (AreEqual(index, any))
223         {
224             return Each(handler, Array.Empty<TLink>());
225         }
226         if (!Exists(index))
227         {
228             return @continue;
229         }
230         return handler(GetLinkStruct(index));
231     }
232     if (restrictions.Count == 2)
233     {
234         var value = restrictions[1];
235         if (AreEqual(index, any))
236         {
237             if (AreEqual(value, any))
238             {
239                 return Each(handler, Array.Empty<TLink>());
240             }
241             if (AreEqual(Each(handler, new Link<TLink>(index, value, any)), @break))

```



```

242         return @break;
243     }
244     return Each(handler, new Link<TLink>(index, any, value));
245 }
246 else
247 {
248     if (!Exists(index))
249     {
250         return @continue;
251     }
252     if (AreEqual(value, any))
253     {
254         return handler(GetLinkStruct(index));
255     }
256     ref var storedLinkValue = ref GetLinkReference(index);
257     if (AreEqual(storedLinkValue.Source, value) ||
258         AreEqual(storedLinkValue.Target, value))
259     {
260         return handler(GetLinkStruct(index));
261     }
262     return @continue;
263 }
264 }
265 if (restrictions.Count == 3)
266 {
267     var source = restrictions[constants.SourcePart];
268     var target = restrictions[constants.TargetPart];
269     if (AreEqual(index, any))
270     {
271         if (AreEqual(source, any) && AreEqual(target, any))
272         {
273             return Each(handler, Array.Empty<TLink>());
274         }
275         else if (AreEqual(source, any))
276         {
277             return TargetsTreeMethods.EachUsage(target, handler);
278         }
279         else if (AreEqual(target, any))
280         {
281             return SourcesTreeMethods.EachUsage(source, handler);
282         }
283         else //if(source != Any && target != Any)
284         {
285             var link = SourcesTreeMethods.Search(source, target);
286             return AreEqual(link, constants.Null) ? @continue :
287                 ↪ handler(GetLinkStruct(link));
288         }
289     }
290     else
291     {
292         if (!Exists(index))
293         {
294             return @continue;
295         }
296         if (AreEqual(source, any) && AreEqual(target, any))
297         {
298             return handler(GetLinkStruct(index));
299         }
300         ref var storedLinkValue = ref GetLinkReference(index);
301         if (!AreEqual(source, any) && !AreEqual(target, any))
302         {
303             if (AreEqual(storedLinkValue.Source, source) &&
304                 AreEqual(storedLinkValue.Target, target))
305             {
306                 return handler(GetLinkStruct(index));
307             }
308             return @continue;
309         }
310         var value = default(TLink);
311         if (AreEqual(source, any))
312         {
313             value = target;
314         }
315         if (AreEqual(target, any))
316         {
317             value = source;
318         }
319         if (AreEqual(storedLinkValue.Source, value) ||

```

```

319         AreEqual(storedLinkValue.Target, value))
320     {
321         return handler(GetLinkStruct(index));
322     }
323     return @continue;
324 }
325 }
326 throw new NotSupportedException("Другие размеры и способы ограничений не
    ↳ поддерживаются.");
327 }
328
329 /// <remarks>
330 /// TODO: Возможно можно перемещать значения, если указан индекс, но значение существует
    ↳ в другом месте (но не в менеджере памяти, а в логике Links)
331 /// </remarks>
332 [MethodImpl(MethodImplOptions.AggressiveInlining)]
333 public virtual TLink Update(IList<TLink> restrictions, IList<TLink> substitution)
334 {
335     var constants = Constants;
336     var @null = constants.Null;
337     var linkIndex = restrictions[constants.IndexPart];
338     ref var link = ref GetLinkReference(linkIndex);
339     ref var header = ref GetHeaderReference();
340     ref var firstAsSource = ref header.RootAsSource;
341     ref var firstAsTarget = ref header.RootAsTarget;
342     // Будет корректно работать только в том случае, если пространство выделенной связи
    ↳ предварительно заполнено нулями
343     if (!AreEqual(link.Source, @null))
344     {
345         SourcesTreeMethods.Detach(ref firstAsSource, linkIndex);
346     }
347     if (!AreEqual(link.Target, @null))
348     {
349         TargetsTreeMethods.Detach(ref firstAsTarget, linkIndex);
350     }
351     link.Source = substitution[constants.SourcePart];
352     link.Target = substitution[constants.TargetPart];
353     if (!AreEqual(link.Source, @null))
354     {
355         SourcesTreeMethods.Attach(ref firstAsSource, linkIndex);
356     }
357     if (!AreEqual(link.Target, @null))
358     {
359         TargetsTreeMethods.Attach(ref firstAsTarget, linkIndex);
360     }
361     return linkIndex;
362 }
363
364 /// <remarks>
365 /// TODO: Возможно нужно будет заполнение нулями, если внешнее API ими не заполняет
    ↳ пространство
366 /// </remarks>
367 [MethodImpl(MethodImplOptions.AggressiveInlining)]
368 public virtual TLink Create(IList<TLink> restrictions)
369 {
370     ref var header = ref GetHeaderReference();
371     var freeLink = header.FirstFreeLink;
372     if (!AreEqual(freeLink, Constants.Null))
373     {
374         UnusedLinksListMethods.Detach(freeLink);
375     }
376     else
377     {
378         var maximumPossibleInnerReference = Constants.InternalReferencesRange.Maximum;
379         if (GreaterThan(header.AllocatedLinks, maximumPossibleInnerReference))
380         {
381             throw new LinksLimitReachedException<TLink>(maximumPossibleInnerReference);
382         }
383         if (GreaterOrEqualThan(header.AllocatedLinks, Decrement(header.ReservedLinks)))
384         {
385             _memory.ReservedCapacity += _memory.ReservationStep;
386             SetPointers(_memory);
387             header = ref GetHeaderReference();
388             header.ReservedLinks = ConvertToAddress(_memory.ReservedCapacity /
    ↳ LinkSizeInBytes);
389         }
390         freeLink = header.AllocatedLinks = Increment(header.AllocatedLinks);
391         _memory.UsedCapacity += LinkSizeInBytes;
392     }

```

```

393     return freeLink;
394 }
395
396 [MethodImpl(MethodImplOptions.AggressiveInlining)]
397 public virtual void Delete(ICollection<TLink> restrictions)
398 {
399     ref var header = ref GetHeaderReference();
400     var link = restrictions[Constants.IndexPart];
401     if (LessThan(link, header.AllocatedLinks))
402     {
403         UnusedLinksListMethods.AttachAsFirst(link);
404     }
405     else if (AreEqual(link, header.AllocatedLinks))
406     {
407         header.AllocatedLinks = Decrement(header.AllocatedLinks);
408         _memory.UsedCapacity -= LinkSizeInBytes;
409         // Убираем все связи, находящиеся в списке свободных в конце файла, до тех пор,
410         // ↳ пока не дойдём до первой существующей связи
411         // Позволяет оптимизировать количество выделенных связей (AllocatedLinks)
412         while (GreaterThan(header.AllocatedLinks, GetZero()) &&
413             ↳ IsUnusedLink(header.AllocatedLinks))
414         {
415             UnusedLinksListMethods.Detach(header.AllocatedLinks);
416             header.AllocatedLinks = Decrement(header.AllocatedLinks);
417             _memory.UsedCapacity -= LinkSizeInBytes;
418         }
419     }
420 }
421
422 [MethodImpl(MethodImplOptions.AggressiveInlining)]
423 public ICollection<TLink> GetLinkStruct(TLink linkIndex)
424 {
425     ref var link = ref GetLinkReference(linkIndex);
426     return new Link<TLink>(linkIndex, link.Source, link.Target);
427 }
428
429 /// <remarks>
430 /// TODO: Возможно это должно быть событием, вызываемым из IMemory, в том случае, если
431 /// ↳ адрес реально поменялся
432 ///
433 /// Указатель this.links может быть в том же месте,
434 /// так как 0-я связь не используется и имеет такой же размер как Header,
435 /// поэтому header размещается в том же месте, что и 0-я связь
436 /// </remarks>
437 [MethodImpl(MethodImplOptions.AggressiveInlining)]
438 protected abstract void SetPointers(IResizableDirectMemory memory);
439
440 [MethodImpl(MethodImplOptions.AggressiveInlining)]
441 protected virtual void ResetPointers()
442 {
443     SourcesTreeMethods = null;
444     TargetsTreeMethods = null;
445     UnusedLinksListMethods = null;
446 }
447
448 [MethodImpl(MethodImplOptions.AggressiveInlining)]
449 protected abstract ref LinkHeader<TLink> GetHeaderReference();
450
451 [MethodImpl(MethodImplOptions.AggressiveInlining)]
452 protected abstract ref RawLink<TLink> GetLinkReference(TLink linkIndex);
453
454 [MethodImpl(MethodImplOptions.AggressiveInlining)]
455 protected virtual bool Exists(TLink link)
456 => GreaterOrEqualThan(link, Constants.InternalReferencesRange.Minimum)
457     && LessOrEqualThan(link, GetHeaderReference().AllocatedLinks)
458     && !IsUnusedLink(link);
459
460 [MethodImpl(MethodImplOptions.AggressiveInlining)]
461 protected virtual bool IsUnusedLink(TLink linkIndex)
462 {
463     if (!AreEqual(GetHeaderReference().FirstFreeLink, linkIndex)) // May be this check
464         ↳ is not needed
465     {
466         ref var link = ref GetLinkReference(linkIndex);
467         return AreEqual(link.SizeAsSource, default) && !AreEqual(link.Source, default);
468     }
469     else
470     {
471         return true;
472     }
473 }

```

```

468     }
469 }
470
471 [MethodImpl(MethodImplOptions.AggressiveInlining)]
472 protected virtual TLink GetOne() => _one;
473
474 [MethodImpl(MethodImplOptions.AggressiveInlining)]
475 protected virtual TLink GetZero() => default;
476
477 [MethodImpl(MethodImplOptions.AggressiveInlining)]
478 protected virtual bool AreEqual(TLink first, TLink second) =>
479     ↳ _equalityComparer.Equals(first, second);
480
481 [MethodImpl(MethodImplOptions.AggressiveInlining)]
482 protected virtual bool LessThan(TLink first, TLink second) => _comparer.Compare(first,
483     ↳ second) < 0;
484
485 [MethodImpl(MethodImplOptions.AggressiveInlining)]
486 protected virtual bool LessOrEqualThan(TLink first, TLink second) =>
487     ↳ _comparer.Compare(first, second) <= 0;
488
489 [MethodImpl(MethodImplOptions.AggressiveInlining)]
490 protected virtual bool GreaterThan(TLink first, TLink second) =>
491     ↳ _comparer.Compare(first, second) > 0;
492
493 [MethodImpl(MethodImplOptions.AggressiveInlining)]
494 protected virtual bool GreaterOrEqualThan(TLink first, TLink second) =>
495     ↳ _comparer.Compare(first, second) >= 0;
496
497 [MethodImpl(MethodImplOptions.AggressiveInlining)]
498 protected virtual long ConvertToInt64(TLink value) =>
499     ↳ _addressToInt64Converter.Convert(value);
500
501 [MethodImpl(MethodImplOptions.AggressiveInlining)]
502 protected virtual TLink ConvertToAddress(long value) =>
503     ↳ _int64ToAddressConverter.Convert(value);
504
505 [MethodImpl(MethodImplOptions.AggressiveInlining)]
506 protected virtual TLink Add(TLink first, TLink second) => Arithmetic<TLink>.Add(first,
507     ↳ second);
508
509 [MethodImpl(MethodImplOptions.AggressiveInlining)]
510 protected virtual TLink Subtract(TLink first, TLink second) =>
511     ↳ Arithmetic<TLink>.Subtract(first, second);
512
513 [MethodImpl(MethodImplOptions.AggressiveInlining)]
514 protected virtual TLink Increment(TLink link) => Arithmetic<TLink>.Increment(link);
515
516 [MethodImpl(MethodImplOptions.AggressiveInlining)]
517 protected virtual TLink Decrement(TLink link) => Arithmetic<TLink>.Decrement(link);
518
519 #region Disposable
520
521 protected override bool AllowMultipleDisposeCalls
522 {
523     [MethodImpl(MethodImplOptions.AggressiveInlining)]
524     get => true;
525 }
526
527 [MethodImpl(MethodImplOptions.AggressiveInlining)]
528 protected override void Dispose(bool manual, bool wasDisposed)
529 {
530     if (!wasDisposed)
531     {
532         ResetPointers();
533         _memory.DisposeIfPossible();
534     }
535 }
536
537 #endregion
538 }
539 }
540 }

```

1.90 ./csharp/Platform.Data.Doublets/Memory/United/Generic/UnusedLinksListMethods.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Collections.Methods.Lists;
3 using Platform.Converters;
4 using static System.Runtime.CompilerServices.Unsafe;
5

```

```

6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Memory.United.Generic
9 {
10     public unsafe class UnusedLinksListMethods<TLink> :
11         ↳ AbsoluteCircularDoublyLinkedListMethods<TLink>, ILinksListMethods<TLink>
12     {
13         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
14             ↳ UncheckedConverter<TLink, long>.Default;
15
16         private readonly byte* _links;
17         private readonly byte* _header;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public UnusedLinksListMethods(byte* links, byte* header)
21         {
22             _links = links;
23             _header = header;
24         }
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected virtual ref LinksHeader<TLink> GetHeaderReference() => ref
28             ↳ AsRef<LinksHeader<TLink>>(_header);
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected virtual ref RawLink<TLink> GetLinkReference(TLink link) => ref
32             ↳ AsRef<RawLink<TLink>>(_links + (RawLink<TLink>.SizeInBytes *
33             ↳ _addressToInt64Converter.Convert(link)));
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override TLink GetFirst() => GetHeaderReference().FirstFreeLink;
37
38         [MethodImpl(MethodImplOptions.AggressiveInlining)]
39         protected override TLink GetLast() => GetHeaderReference().LastFreeLink;
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         protected override TLink GetPrevious(TLink element) => GetLinkReference(element).Source;
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         protected override TLink GetNext(TLink element) => GetLinkReference(element).Target;
46
47         [MethodImpl(MethodImplOptions.AggressiveInlining)]
48         protected override TLink GetSize() => GetHeaderReference().FreeLinks;
49
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         protected override void SetFirst(TLink element) => GetHeaderReference().FirstFreeLink =
52             ↳ element;
53
54         [MethodImpl(MethodImplOptions.AggressiveInlining)]
55         protected override void SetLast(TLink element) => GetHeaderReference().LastFreeLink =
56             ↳ element;
57
58         [MethodImpl(MethodImplOptions.AggressiveInlining)]
59         protected override void SetPrevious(TLink element, TLink previous) =>
60             ↳ GetLinkReference(element).Source = previous;
61
62         [MethodImpl(MethodImplOptions.AggressiveInlining)]
63         protected override void SetNext(TLink element, TLink next) =>
64             ↳ GetLinkReference(element).Target = next;
65
66         [MethodImpl(MethodImplOptions.AggressiveInlining)]
67         protected override void SetSize(TLink size) => GetHeaderReference().FreeLinks = size;
68     }
69 }

```

1.91 ./csharp/Platform.Data.Doublets/Memory/United/RawLink.cs

```

1 using Platform.Unsafe;
2 using System;
3 using System.Collections.Generic;
4 using System.Runtime.CompilerServices;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Memory.United
9 {
10     public struct RawLink<TLink> : IEquatable<RawLink<TLink>>
11     {
12         private static readonly EqualityComparer<TLink> _equalityComparer =
13             ↳ EqualityComparer<TLink>.Default;
14
15     }
16 }

```

```

14     public static readonly long SizeInBytes = Structure<RawLink<TLink>>.Size;
15
16     public TLink Source;
17     public TLink Target;
18     public TLink LeftAsSource;
19     public TLink RightAsSource;
20     public TLink SizeAsSource;
21     public TLink LeftAsTarget;
22     public TLink RightAsTarget;
23     public TLink SizeAsTarget;
24
25     [MethodImpl(MethodImplOptions.AggressiveInlining)]
26     public override bool Equals(object obj) => obj is RawLink<TLink> link ? Equals(link) :
        ↳ false;
27
28     [MethodImpl(MethodImplOptions.AggressiveInlining)]
29     public bool Equals(RawLink<TLink> other)
30         => _equalityComparer.Equals(Source, other.Source)
31         && _equalityComparer.Equals(Target, other.Target)
32         && _equalityComparer.Equals(LeftAsSource, other.LeftAsSource)
33         && _equalityComparer.Equals(RightAsSource, other.RightAsSource)
34         && _equalityComparer.Equals(SizeAsSource, other.SizeAsSource)
35         && _equalityComparer.Equals(LeftAsTarget, other.LeftAsTarget)
36         && _equalityComparer.Equals(RightAsTarget, other.RightAsTarget)
37         && _equalityComparer.Equals(SizeAsTarget, other.SizeAsTarget);
38
39     [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     public override int GetHashCode() => (Source, Target, LeftAsSource, RightAsSource,
        ↳ SizeAsSource, LeftAsTarget, RightAsTarget, SizeAsTarget).GetHashCode();
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     public static bool operator ==(RawLink<TLink> left, RawLink<TLink> right) =>
        ↳ left.Equals(right);
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     public static bool operator !=(RawLink<TLink> left, RawLink<TLink> right) => !(left ==
        ↳ right);
47 }
48 }

```

1.92 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksRecursionlessSizeBalancedTreeMethod

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.United.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.United.Specific
7  {
8      public unsafe abstract class UInt32LinksRecursionlessSizeBalancedTreeMethodsBase :
9          ↳ LinksRecursionlessSizeBalancedTreeMethodsBase<uint>
10      {
11          protected new readonly RawLink<uint>* Links;
12          protected new readonly LinksHeader<uint>* Header;
13
14          protected UInt32LinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<uint>
15              ↳ constants, RawLink<uint>* links, LinksHeader<uint>* header)
16              : base(constants, (byte*)links, (byte*)header)
17          {
18              Links = links;
19              Header = header;
20          }
21
22          [MethodImpl(MethodImplOptions.AggressiveInlining)]
23          protected override uint GetZero() => 0U;
24
25          [MethodImpl(MethodImplOptions.AggressiveInlining)]
26          protected override bool EqualToZero(uint value) => value == 0U;
27
28          [MethodImpl(MethodImplOptions.AggressiveInlining)]
29          protected override bool AreEqual(uint first, uint second) => first == second;
30
31          [MethodImpl(MethodImplOptions.AggressiveInlining)]
32          protected override bool GreaterThanZero(uint value) => value > 0U;
33
34          [MethodImpl(MethodImplOptions.AggressiveInlining)]
35          protected override bool GreaterThan(uint first, uint second) => first > second;
36
37          [MethodImpl(MethodImplOptions.AggressiveInlining)]
38          protected override bool GreaterOrEqualThan(uint first, uint second) => first >= second;
39

```

```

38 [MethodImpl(MethodImplOptions.AggressiveInlining)]
39 protected override bool GreaterOrEqualThanZero(uint value) => true; // value >= 0 is
    ↳ always true for uint
40
41 [MethodImpl(MethodImplOptions.AggressiveInlining)]
42 protected override bool LessOrEqualThanZero(uint value) => value == 0U; // value is
    ↳ always >= 0 for uint
43
44 [MethodImpl(MethodImplOptions.AggressiveInlining)]
45 protected override bool LessOrEqualThan(uint first, uint second) => first <= second;
46
47 [MethodImpl(MethodImplOptions.AggressiveInlining)]
48 protected override bool LessThanZero(uint value) => false; // value < 0 is always false
    ↳ for uint
49
50 [MethodImpl(MethodImplOptions.AggressiveInlining)]
51 protected override bool LessThan(uint first, uint second) => first < second;
52
53 [MethodImpl(MethodImplOptions.AggressiveInlining)]
54 protected override uint Increment(uint value) => ++value;
55
56 [MethodImpl(MethodImplOptions.AggressiveInlining)]
57 protected override uint Decrement(uint value) => --value;
58
59 [MethodImpl(MethodImplOptions.AggressiveInlining)]
60 protected override uint Add(uint first, uint second) => first + second;
61
62 [MethodImpl(MethodImplOptions.AggressiveInlining)]
63 protected override uint Subtract(uint first, uint second) => first - second;
64
65 [MethodImpl(MethodImplOptions.AggressiveInlining)]
66 protected override bool FirstIsToTheLeftOfSecond(uint first, uint second)
67 {
68     ref var firstLink = ref Links[first];
69     ref var secondLink = ref Links[second];
70     return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
    ↳ secondLink.Source, secondLink.Target);
71 }
72
73 [MethodImpl(MethodImplOptions.AggressiveInlining)]
74 protected override bool FirstIsToTheRightOfSecond(uint first, uint second)
75 {
76     ref var firstLink = ref Links[first];
77     ref var secondLink = ref Links[second];
78     return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
    ↳ secondLink.Source, secondLink.Target);
79 }
80
81 [MethodImpl(MethodImplOptions.AggressiveInlining)]
82 protected override ref LinksHeader<uint> GetHeaderReference() => ref *Header;
83
84 [MethodImpl(MethodImplOptions.AggressiveInlining)]
85 protected override ref RawLink<uint> GetLinkReference(uint link) => ref Links[link];
86 }
87 }

```

1.93 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksSizeBalancedTreeMethodsBase.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Data.Doublets.Memory.United.Generic;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Memory.United.Specific
7 {
8     public unsafe abstract class UInt32LinksSizeBalancedTreeMethodsBase :
9     ↳ LinksSizeBalancedTreeMethodsBase<uint>
10     {
11         protected new readonly RawLink<uint>* Links;
12         protected new readonly LinksHeader<uint>* Header;
13
14         protected UInt32LinksSizeBalancedTreeMethodsBase(LinksConstants<uint> constants,
15     ↳ RawLink<uint>* links, LinksHeader<uint>* header)
16         : base(constants, (byte*)links, (byte*)header)
17         {
18             Links = links;
19             Header = header;
20         }
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

21     protected override uint GetZero() => 0U;
22
23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     protected override bool EqualToZero(uint value) => value == 0U;
25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     protected override bool AreEqual(uint first, uint second) => first == second;
28
29     [MethodImpl(MethodImplOptions.AggressiveInlining)]
30     protected override bool GreaterThanZero(uint value) => value > 0U;
31
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected override bool GreaterThan(uint first, uint second) => first > second;
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override bool GreaterOrEqualThan(uint first, uint second) => first >= second;
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override bool GreaterOrEqualThanZero(uint value) => true; // value >= 0 is
    ↪ always true for uint
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override bool LessOrEqualThanZero(uint value) => value == 0U; // value is
    ↪ always >= 0 for uint
43
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     protected override bool LessOrEqualThan(uint first, uint second) => first <= second;
46
47     [MethodImpl(MethodImplOptions.AggressiveInlining)]
48     protected override bool LessThanZero(uint value) => false; // value < 0 is always false
    ↪ for uint
49
50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     protected override bool LessThan(uint first, uint second) => first < second;
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     protected override uint Increment(uint value) => ++value;
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     protected override uint Decrement(uint value) => --value;
58
59     [MethodImpl(MethodImplOptions.AggressiveInlining)]
60     protected override uint Add(uint first, uint second) => first + second;
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     protected override uint Subtract(uint first, uint second) => first - second;
64
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     protected override bool FirstIsToTheLeftOfSecond(uint first, uint second)
67     {
68         ref var firstLink = ref Links[first];
69         ref var secondLink = ref Links[second];
70         return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
    ↪ secondLink.Source, secondLink.Target);
71     }
72
73     [MethodImpl(MethodImplOptions.AggressiveInlining)]
74     protected override bool FirstIsToTheRightOfSecond(uint first, uint second)
75     {
76         ref var firstLink = ref Links[first];
77         ref var secondLink = ref Links[second];
78         return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
    ↪ secondLink.Source, secondLink.Target);
79     }
80
81     [MethodImpl(MethodImplOptions.AggressiveInlining)]
82     protected override ref LinksHeader<uint> GetHeaderReference() => ref *Header;
83
84     [MethodImpl(MethodImplOptions.AggressiveInlining)]
85     protected override ref RawLink<uint> GetLinkReference(uint link) => ref Links[link];
86 }
87 }

```

1.94 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksSourcesRecursionlessSizeBalancedTree

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Specific

```



```

6 {
7     public unsafe class UInt32LinksSourcesRecursionlessSizeBalancedTreeMethods :
8         ↳ UInt32LinksRecursionlessSizeBalancedTreeMethodsBase
9     {
10         public UInt32LinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<uint>
11             ↳ constants, RawLink<uint>* links, LinksHeader<uint>* header) : base(constants, links,
12             ↳ header) { }
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override ref uint GetLeftReference(uint node) => ref Links[node].LeftAsSource;
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         protected override ref uint GetRightReference(uint node) => ref
19             ↳ Links[node].RightAsSource;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         protected override uint GetLeft(uint node) => Links[node].LeftAsSource;
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected override uint GetRight(uint node) => Links[node].RightAsSource;
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         protected override void SetLeft(uint node, uint left) => Links[node].LeftAsSource = left;
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         protected override void SetRight(uint node, uint right) => Links[node].RightAsSource =
32             ↳ right;
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         protected override uint GetSize(uint node) => Links[node].SizeAsSource;
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         protected override void SetSize(uint node, uint size) => Links[node].SizeAsSource = size;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override uint GetTreeRoot() => Header->RootAsSource;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override uint GetBasePartValue(uint link) => Links[link].Source;
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         protected override bool FirstIsToTheLeftOfSecond(uint firstSource, uint firstTarget,
48             ↳ uint secondSource, uint secondTarget)
49             => firstSource < secondSource || (firstSource == secondSource && firstTarget <
50             ↳ secondTarget);
51
52         [MethodImpl(MethodImplOptions.AggressiveInlining)]
53         protected override bool FirstIsToTheRightOfSecond(uint firstSource, uint firstTarget,
54             ↳ uint secondSource, uint secondTarget)
55             => firstSource > secondSource || (firstSource == secondSource && firstTarget >
56             ↳ secondTarget);
57
58         [MethodImpl(MethodImplOptions.AggressiveInlining)]
59         protected override void ClearNode(uint node)
60         {
61             ref var link = ref Links[node];
62             link.LeftAsSource = 0U;
63             link.RightAsSource = 0U;
64             link.SizeAsSource = 0U;
65         }
66     }
67 }

```

1.95 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksSourcesSizeBalancedTreeMethods.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Specific
6 {
7     public unsafe class UInt32LinksSourcesSizeBalancedTreeMethods :
8         ↳ UInt32LinksSizeBalancedTreeMethodsBase
9     {
10         public UInt32LinksSourcesSizeBalancedTreeMethods(LinksConstants<uint> constants,
11             ↳ RawLink<uint>* links, LinksHeader<uint>* header) : base(constants, links, header) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         protected override ref uint GetLeftReference(uint node) => ref Links[node].LeftAsSource;
15
16

```

```

14 [MethodImpl(MethodImplOptions.AggressiveInlining)]
15 protected override ref uint GetRightReference(uint node) => ref
    ↳ Links[node].RightAsSource;
16
17 [MethodImpl(MethodImplOptions.AggressiveInlining)]
18 protected override uint GetLeft(uint node) => Links[node].LeftAsSource;
19
20 [MethodImpl(MethodImplOptions.AggressiveInlining)]
21 protected override uint GetRight(uint node) => Links[node].RightAsSource;
22
23 [MethodImpl(MethodImplOptions.AggressiveInlining)]
24 protected override void SetLeft(uint node, uint left) => Links[node].LeftAsSource = left;
25
26 [MethodImpl(MethodImplOptions.AggressiveInlining)]
27 protected override void SetRight(uint node, uint right) => Links[node].RightAsSource =
    ↳ right;
28
29 [MethodImpl(MethodImplOptions.AggressiveInlining)]
30 protected override uint GetSize(uint node) => Links[node].SizeAsSource;
31
32 [MethodImpl(MethodImplOptions.AggressiveInlining)]
33 protected override void SetSize(uint node, uint size) => Links[node].SizeAsSource = size;
34
35 [MethodImpl(MethodImplOptions.AggressiveInlining)]
36 protected override uint GetTreeRoot() => Header->RootAsSource;
37
38 [MethodImpl(MethodImplOptions.AggressiveInlining)]
39 protected override uint GetBasePartValue(uint link) => Links[link].Source;
40
41 [MethodImpl(MethodImplOptions.AggressiveInlining)]
42 protected override bool FirstIsToTheLeftOfSecond(uint firstSource, uint firstTarget,
    ↳ uint secondSource, uint secondTarget)
    ↳ => firstSource < secondSource || (firstSource == secondSource && firstTarget <
    ↳ secondTarget);
44
45 [MethodImpl(MethodImplOptions.AggressiveInlining)]
46 protected override bool FirstIsToTheRightOfSecond(uint firstSource, uint firstTarget,
    ↳ uint secondSource, uint secondTarget)
    ↳ => firstSource > secondSource || (firstSource == secondSource && firstTarget >
    ↳ secondTarget);
48
49 [MethodImpl(MethodImplOptions.AggressiveInlining)]
50 protected override void ClearNode(uint node)
51 {
52     ref var link = ref Links[node];
53     link.LeftAsSource = 0U;
54     link.RightAsSource = 0U;
55     link.SizeAsSource = 0U;
56 }
57 }
58 }

```

1.96 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksTargetsRecursionlessSizeBalancedTree

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Specific
6 {
7     public unsafe class UInt32LinksTargetsRecursionlessSizeBalancedTreeMethods :
    ↳ UInt32LinksRecursionlessSizeBalancedTreeMethodsBase
8     {
9         public UInt32LinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<uint>
    ↳ constants, RawLink<uint>* links, LinksHeader<uint>* header) : base(constants, links,
    ↳ header) { }
10
11 [MethodImpl(MethodImplOptions.AggressiveInlining)]
12 protected override ref uint GetLeftReference(uint node) => ref Links[node].LeftAsTarget;
13
14 [MethodImpl(MethodImplOptions.AggressiveInlining)]
15 protected override ref uint GetRightReference(uint node) => ref
    ↳ Links[node].RightAsTarget;
16
17 [MethodImpl(MethodImplOptions.AggressiveInlining)]
18 protected override uint GetLeft(uint node) => Links[node].LeftAsTarget;
19
20 [MethodImpl(MethodImplOptions.AggressiveInlining)]
21 protected override uint GetRight(uint node) => Links[node].RightAsTarget;
22

```

```

23 [MethodImpl(MethodImplOptions.AggressiveInlining)]
24 protected override void SetLeft(uint node, uint left) => Links[node].LeftAsTarget = left;
25
26 [MethodImpl(MethodImplOptions.AggressiveInlining)]
27 protected override void SetRight(uint node, uint right) => Links[node].RightAsTarget =
    ↳ right;
28
29 [MethodImpl(MethodImplOptions.AggressiveInlining)]
30 protected override uint GetSize(uint node) => Links[node].SizeAsTarget;
31
32 [MethodImpl(MethodImplOptions.AggressiveInlining)]
33 protected override void SetSize(uint node, uint size) => Links[node].SizeAsTarget = size;
34
35 [MethodImpl(MethodImplOptions.AggressiveInlining)]
36 protected override uint GetTreeRoot() => Header->RootAsTarget;
37
38 [MethodImpl(MethodImplOptions.AggressiveInlining)]
39 protected override uint GetBasePartValue(uint link) => Links[link].Target;
40
41 [MethodImpl(MethodImplOptions.AggressiveInlining)]
42 protected override bool FirstIsToLeftOfSecond(uint firstSource, uint firstTarget,
    ↳ uint secondSource, uint secondTarget)
    => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
    ↳ secondSource);
43
44 [MethodImpl(MethodImplOptions.AggressiveInlining)]
45 protected override bool FirstIsToTheRightOfSecond(uint firstSource, uint firstTarget,
    ↳ uint secondSource, uint secondTarget)
    => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
    ↳ secondSource);
46
47 [MethodImpl(MethodImplOptions.AggressiveInlining)]
48 protected override void ClearNode(uint node)
49 {
50     {
51         ref var link = ref Links[node];
52         link.LeftAsTarget = 0U;
53         link.RightAsTarget = 0U;
54         link.SizeAsTarget = 0U;
55     }
56 }
57 }
58 }

```

1.97 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32LinksTargetsSizeBalancedTreeMethods.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Specific
6 {
7     public unsafe class UInt32LinksTargetsSizeBalancedTreeMethods :
8         ↳ UInt32LinksSizeBalancedTreeMethodsBase
9     {
10         public UInt32LinksTargetsSizeBalancedTreeMethods(LinksConstants<uint> constants,
11             ↳ RawLink<uint>* links, LinksHeader<uint>* header) : base(constants, links, header) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         protected override ref uint GetLeftReference(uint node) => ref Links[node].LeftAsTarget;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected override ref uint GetRightReference(uint node) => ref
18             ↳ Links[node].RightAsTarget;
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         protected override uint GetLeft(uint node) => Links[node].LeftAsTarget;
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override uint GetRight(uint node) => Links[node].RightAsTarget;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override void SetLeft(uint node, uint left) => Links[node].LeftAsTarget = left;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override void SetRight(uint node, uint right) => Links[node].RightAsTarget =
31             ↳ right;
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         protected override uint GetSize(uint node) => Links[node].SizeAsTarget;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

33     protected override void SetSize(uint node, uint size) => Links[node].SizeAsTarget = size;
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override uint GetTreeRoot() => Header->RootAsTarget;
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override uint GetBasePartValue(uint link) => Links[link].Target;
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override bool FirstIsToTheLeftOfSecond(uint firstSource, uint firstTarget,
43         ↪ uint secondSource, uint secondTarget)
44         => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
45             ↪ secondSource);
46
47     [MethodImpl(MethodImplOptions.AggressiveInlining)]
48     protected override bool FirstIsToTheRightOfSecond(uint firstSource, uint firstTarget,
49         ↪ uint secondSource, uint secondTarget)
50         => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
51             ↪ secondSource);
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     protected override void ClearNode(uint node)
55     {
56         ref var link = ref Links[node];
57         link.LeftAsTarget = 0U;
58         link.RightAsTarget = 0U;
59         link.SizeAsTarget = 0U;
60     }
61 }

```

1.98 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32UnitedMemoryLinks.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Memory;
4  using Platform.Singletons;
5  using Platform.Data.Doublets.Memory.United.Generic;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Data.Doublets.Memory.United.Specific
10 {
11     /// <summary>
12     /// <para>Represents a low-level implementation of direct access to resizable memory, for
13     ↪ organizing the storage of links with addresses represented as <see cref="uint" />.</para>
14     /// <para>Представляет низкоуровневую реализация прямого доступа к памяти с переменным
15     ↪ размером, для организации хранения связей с адресами представленными в виде <see
16     ↪ cref="uint"/>.</para>
17     /// </summary>
18     public unsafe class UInt32UnitedMemoryLinks : UnitedMemoryLinksBase<uint>
19     {
20         private readonly Func<ILinksTreeMethods<uint>> _createSourceTreeMethods;
21         private readonly Func<ILinksTreeMethods<uint>> _createTargetTreeMethods;
22         private LinksHeader<uint>* _header;
23         private RawLink<uint>* _links;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         public UInt32UnitedMemoryLinks(string address) : this(address, DefaultLinksSizeStep) { }
27
28         /// <summary>
29         /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
30         ↪ минимальным шагом расширения базы данных.
31         /// </summary>
32         /// <param name="address">Полный путь к файлу базы данных.</param>
33         /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
34         ↪ байтах.</param>
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         public UInt32UnitedMemoryLinks(string address, long memoryReservationStep) : this(new
37             ↪ FileMappedResizableDirectMemory(address, memoryReservationStep),
38             ↪ memoryReservationStep) { }
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         public UInt32UnitedMemoryLinks(IResizableDirectMemory memory) : this(memory,
42             ↪ DefaultLinksSizeStep) { }
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         public UInt32UnitedMemoryLinks(IResizableDirectMemory memory, long
46             ↪ memoryReservationStep) : this(memory, memoryReservationStep,
47             ↪ Default<LinksConstants<uint>>.Instance, IndexTreeType.Default) { }

```

```

38 [MethodImpl(MethodImplOptions.AggressiveInlining)]
39 public UInt32UnitedMemoryLinks(IResizableDirectMemory memory, long
40     ↪ memoryReservationStep, LinksConstants<uint> constants, IndexTreeType indexTreeType)
41     ↪ : base(memory, memoryReservationStep, constants)
42 {
43     if (indexTreeType == IndexTreeType.SizeBalancedTree)
44     {
45         _createSourceTreeMethods = () => new
46             ↪ UInt32LinksSourcesSizeBalancedTreeMethods(Constants, _links, _header);
47         _createTargetTreeMethods = () => new
48             ↪ UInt32LinksTargetsSizeBalancedTreeMethods(Constants, _links, _header);
49     }
50     else
51     {
52         _createSourceTreeMethods = () => new
53             ↪ UInt32LinksSourcesRecursionlessSizeBalancedTreeMethods(Constants, _links,
54             ↪ _header);
55         _createTargetTreeMethods = () => new
56             ↪ UInt32LinksTargetsRecursionlessSizeBalancedTreeMethods(Constants, _links,
57             ↪ _header);
58     }
59     Init(memory, memoryReservationStep);
60 }
61
62 [MethodImpl(MethodImplOptions.AggressiveInlining)]
63 protected override void SetPointers(IResizableDirectMemory memory)
64 {
65     _header = (LinksHeader<uint>*)memory.Pointer;
66     _links = (RawLink<uint>*)memory.Pointer;
67     SourcesTreeMethods = _createSourceTreeMethods();
68     TargetsTreeMethods = _createTargetTreeMethods();
69     UnusedLinksListMethods = new UInt32UnusedLinksListMethods(_links, _header);
70 }
71
72 [MethodImpl(MethodImplOptions.AggressiveInlining)]
73 protected override void ResetPointers()
74 {
75     base.ResetPointers();
76     _links = null;
77     _header = null;
78 }
79
80 [MethodImpl(MethodImplOptions.AggressiveInlining)]
81 protected override ref LinksHeader<uint> GetHeaderReference() => ref *_header;
82
83 [MethodImpl(MethodImplOptions.AggressiveInlining)]
84 protected override ref RawLink<uint> GetLinkReference(uint linkIndex) => ref
85     ↪ _links[linkIndex];
86
87 [MethodImpl(MethodImplOptions.AggressiveInlining)]
88 protected override bool AreEqual(uint first, uint second) => first == second;
89
90 [MethodImpl(MethodImplOptions.AggressiveInlining)]
91 protected override bool LessThan(uint first, uint second) => first < second;
92
93 [MethodImpl(MethodImplOptions.AggressiveInlining)]
94 protected override bool LessOrEqualThan(uint first, uint second) => first <= second;
95
96 [MethodImpl(MethodImplOptions.AggressiveInlining)]
97 protected override bool GreaterThan(uint first, uint second) => first > second;
98
99 [MethodImpl(MethodImplOptions.AggressiveInlining)]
100 protected override bool GreaterOrEqualThan(uint first, uint second) => first >= second;
101
102 [MethodImpl(MethodImplOptions.AggressiveInlining)]
103 protected override uint GetZero() => 0U;
104
105 [MethodImpl(MethodImplOptions.AggressiveInlining)]
106 protected override uint GetOne() => 1U;
107
108 [MethodImpl(MethodImplOptions.AggressiveInlining)]
109 protected override long ConvertToInt64(uint value) => (long)value;
110
111 [MethodImpl(MethodImplOptions.AggressiveInlining)]
112 protected override uint ConvertToAddress(long value) => (uint)value;
113
114 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

107     protected override uint Add(uint first, uint second) => first + second;
108
109     [MethodImpl(MethodImplOptions.AggressiveInlining)]
110     protected override uint Subtract(uint first, uint second) => first - second;
111
112     [MethodImpl(MethodImplOptions.AggressiveInlining)]
113     protected override uint Increment(uint link) => ++link;
114
115     [MethodImpl(MethodImplOptions.AggressiveInlining)]
116     protected override uint Decrement(uint link) => --link;
117 }
118 }

```

1.99 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt32UnusedLinksListMethods.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Data.Doublets.Memory.United.Generic;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Memory.United.Specific
7 {
8     public unsafe class UInt32UnusedLinksListMethods : UnusedLinksListMethods<uint>
9     {
10         private readonly RawLink<uint>* _links;
11         private readonly LinksHeader<uint>* _header;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public UInt32UnusedLinksListMethods(RawLink<uint>* links, LinksHeader<uint>* header)
15             : base((byte*)links, (byte*)header)
16         {
17             _links = links;
18             _header = header;
19         }
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         protected override ref RawLink<uint> GetLinkReference(uint link) => ref _links[link];
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected override ref LinksHeader<uint> GetHeaderReference() => ref *_header;
26     }
27 }

```

1.100 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksAvlBalancedTreeMethodsBase.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Data.Doublets.Memory.United.Generic;
3 using static System.Runtime.CompilerServices.Unsafe;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Memory.United.Specific
8 {
9     public unsafe abstract class UInt64LinksAvlBalancedTreeMethodsBase :
10         ↳ LinksAvlBalancedTreeMethodsBase<ulong>
11     {
12         protected new readonly RawLink<ulong>* Links;
13         protected new readonly LinksHeader<ulong>* Header;
14
15         protected UInt64LinksAvlBalancedTreeMethodsBase(LinksConstants<ulong> constants,
16             ↳ RawLink<ulong>* links, LinksHeader<ulong>* header)
17             : base(constants, (byte*)links, (byte*)header)
18         {
19             Links = links;
20             Header = header;
21         }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override ulong GetZero() => OUL;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override bool EqualToZero(ulong value) => value == OUL;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         protected override bool AreEqual(ulong first, ulong second) => first == second;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override bool GreaterThanZero(ulong value) => value > OUL;
34
35         [MethodImpl(MethodImplOptions.AggressiveInlining)]
36         protected override bool GreaterThan(ulong first, ulong second) => first > second;
37     }
38 }

```

```

36 [MethodImpl(MethodImplOptions.AggressiveInlining)]
37 protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
38
39 [MethodImpl(MethodImplOptions.AggressiveInlining)]
40 protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
    ↳ always true for ulong
41
42 [MethodImpl(MethodImplOptions.AggressiveInlining)]
43 protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
    ↳ always >= 0 for ulong
44
45 [MethodImpl(MethodImplOptions.AggressiveInlining)]
46 protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
47
48 [MethodImpl(MethodImplOptions.AggressiveInlining)]
49 protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
    ↳ for ulong
50
51 [MethodImpl(MethodImplOptions.AggressiveInlining)]
52 protected override bool LessThan(ulong first, ulong second) => first < second;
53
54 [MethodImpl(MethodImplOptions.AggressiveInlining)]
55 protected override ulong Increment(ulong value) => ++value;
56
57 [MethodImpl(MethodImplOptions.AggressiveInlining)]
58 protected override ulong Decrement(ulong value) => --value;
59
60 [MethodImpl(MethodImplOptions.AggressiveInlining)]
61 protected override ulong Add(ulong first, ulong second) => first + second;
62
63 [MethodImpl(MethodImplOptions.AggressiveInlining)]
64 protected override ulong Subtract(ulong first, ulong second) => first - second;
65
66 [MethodImpl(MethodImplOptions.AggressiveInlining)]
67 protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
68 {
69     ref var firstLink = ref Links[first];
70     ref var secondLink = ref Links[second];
71     return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
    ↳ secondLink.Source, secondLink.Target);
72 }
73
74 [MethodImpl(MethodImplOptions.AggressiveInlining)]
75 protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
76 {
77     ref var firstLink = ref Links[first];
78     ref var secondLink = ref Links[second];
79     return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
    ↳ secondLink.Source, secondLink.Target);
80 }
81
82 [MethodImpl(MethodImplOptions.AggressiveInlining)]
83 protected override ulong GetSizeValue(ulong value) => (value & 4294967264UL) >> 5;
84
85 [MethodImpl(MethodImplOptions.AggressiveInlining)]
86 protected override void SetSizeValue(ref ulong storedValue, ulong size) => storedValue =
    ↳ storedValue & 31UL | (size & 134217727UL) << 5;
87
88 [MethodImpl(MethodImplOptions.AggressiveInlining)]
89 protected override bool GetLeftIsChildValue(ulong value) => (value & 16UL) >> 4 == 1UL;
90
91 [MethodImpl(MethodImplOptions.AggressiveInlining)]
92 protected override void SetLeftIsChildValue(ref ulong storedValue, bool value) =>
    ↳ storedValue = storedValue & 4294967279UL | (As<bool, byte>(ref value) & 1UL) << 4;
93
94 [MethodImpl(MethodImplOptions.AggressiveInlining)]
95 protected override bool GetRightIsChildValue(ulong value) => (value & 8UL) >> 3 == 1UL;
96
97 [MethodImpl(MethodImplOptions.AggressiveInlining)]
98 protected override void SetRightIsChildValue(ref ulong storedValue, bool value) =>
    ↳ storedValue = storedValue & 4294967287UL | (As<bool, byte>(ref value) & 1UL) << 3;
99
100 [MethodImpl(MethodImplOptions.AggressiveInlining)]
101 protected override sbyte GetBalanceValue(ulong value) => unchecked((sbyte)(value & 7UL |
    ↳ 0xF8UL * ((value & 4UL) >> 2))); // if negative, then continue ones to the end of
    ↳ sbyte
102
103 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

104     protected override void SetBalanceValue(ref ulong storedValue, sbyte value) =>
        ↳ storedValue = unchecked(storedValue & 4294967288UL | (ulong)((byte)value >> 5 & 4 |
        ↳ value & 3) & 7UL);
105
106     [MethodImpl(MethodImplOptions.AggressiveInlining)]
107     protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
108
109     [MethodImpl(MethodImplOptions.AggressiveInlining)]
110     protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
111 }
112 }

```

1.101 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksRecursionlessSizeBalancedTreeMeth

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.United.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.United.Specific
7  {
8      public unsafe abstract class UInt64LinksRecursionlessSizeBalancedTreeMethodsBase :
9          ↳ LinksRecursionlessSizeBalancedTreeMethodsBase<ulong>
10     {
11         protected new readonly RawLink<ulong>* Links;
12         protected new readonly LinksHeader<ulong>* Header;
13
14         protected UInt64LinksRecursionlessSizeBalancedTreeMethodsBase(LinksConstants<ulong>
15             ↳ constants, RawLink<ulong>* links, LinksHeader<ulong>* header)
16             : base(constants, (byte*)links, (byte*)header)
17         {
18             Links = links;
19             Header = header;
20         }
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ulong GetZero() => 0UL;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected override bool EqualToZero(ulong value) => value == 0UL;
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override bool AreEqual(ulong first, ulong second) => first == second;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override bool GreaterThanZero(ulong value) => value > 0UL;
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         protected override bool GreaterThan(ulong first, ulong second) => first > second;
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
42             ↳ always true for ulong
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         protected override bool LessOrEqualThanZero(ulong value) => value == 0UL; // value is
46             ↳ always >= 0 for ulong
47
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
50
51         [MethodImpl(MethodImplOptions.AggressiveInlining)]
52         protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
53             ↳ for ulong
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         protected override bool LessThan(ulong first, ulong second) => first < second;
57
58         [MethodImpl(MethodImplOptions.AggressiveInlining)]
59         protected override ulong Increment(ulong value) => ++value;
60
61         [MethodImpl(MethodImplOptions.AggressiveInlining)]
62         protected override ulong Decrement(ulong value) => --value;
63
64         [MethodImpl(MethodImplOptions.AggressiveInlining)]
65         protected override ulong Add(ulong first, ulong second) => first + second;
66
67         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```



```

63     protected override ulong Subtract(ulong first, ulong second) => first - second;
64
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
67     {
68         ref var firstLink = ref Links[first];
69         ref var secondLink = ref Links[second];
70         return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
71             ↪ secondLink.Source, secondLink.Target);
72     }
73
74     [MethodImpl(MethodImplOptions.AggressiveInlining)]
75     protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
76     {
77         ref var firstLink = ref Links[first];
78         ref var secondLink = ref Links[second];
79         return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
80             ↪ secondLink.Source, secondLink.Target);
81     }
82
83     [MethodImpl(MethodImplOptions.AggressiveInlining)]
84     protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
85
86     [MethodImpl(MethodImplOptions.AggressiveInlining)]
87     protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
88 }

```

1.102 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksSizeBalancedTreeMethodsBase.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.United.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.United.Specific
7  {
8      public unsafe abstract class UInt64LinksSizeBalancedTreeMethodsBase :
9          ↪ LinksSizeBalancedTreeMethodsBase<ulong>
10     {
11         protected new readonly RawLink<ulong>* Links;
12         protected new readonly LinksHeader<ulong>* Header;
13
14         protected UInt64LinksSizeBalancedTreeMethodsBase(LinksConstants<ulong> constants,
15             ↪ RawLink<ulong>* links, LinksHeader<ulong>* header)
16             : base(constants, (byte*)links, (byte*)header)
17         {
18             Links = links;
19             Header = header;
20         }
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ulong GetZero() => OUL;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected override bool EqualToZero(ulong value) => value == OUL;
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override bool AreEqual(ulong first, ulong second) => first == second;
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         protected override bool GreaterThanZero(ulong value) => value > OUL;
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         protected override bool GreaterThan(ulong first, ulong second) => first > second;
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
39
40         [MethodImpl(MethodImplOptions.AggressiveInlining)]
41         protected override bool GreaterOrEqualThanZero(ulong value) => true; // value >= 0 is
42             ↪ always true for ulong
43
44         [MethodImpl(MethodImplOptions.AggressiveInlining)]
45         protected override bool LessOrEqualThanZero(ulong value) => value == OUL; // value is
46             ↪ always >= 0 for ulong
47
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
50
51         [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

48     protected override bool LessThanZero(ulong value) => false; // value < 0 is always false
    ↪ for ulong
49
50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     protected override bool LessThan(ulong first, ulong second) => first < second;
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     protected override ulong Increment(ulong value) => ++value;
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     protected override ulong Decrement(ulong value) => --value;
58
59     [MethodImpl(MethodImplOptions.AggressiveInlining)]
60     protected override ulong Add(ulong first, ulong second) => first + second;
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     protected override ulong Subtract(ulong first, ulong second) => first - second;
64
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     protected override bool FirstIsToTheLeftOfSecond(ulong first, ulong second)
67     {
68         ref var firstLink = ref Links[first];
69         ref var secondLink = ref Links[second];
70         return FirstIsToTheLeftOfSecond(firstLink.Source, firstLink.Target,
    ↪ secondLink.Source, secondLink.Target);
71     }
72
73     [MethodImpl(MethodImplOptions.AggressiveInlining)]
74     protected override bool FirstIsToTheRightOfSecond(ulong first, ulong second)
75     {
76         ref var firstLink = ref Links[first];
77         ref var secondLink = ref Links[second];
78         return FirstIsToTheRightOfSecond(firstLink.Source, firstLink.Target,
    ↪ secondLink.Source, secondLink.Target);
79     }
80
81     [MethodImpl(MethodImplOptions.AggressiveInlining)]
82     protected override ref LinksHeader<ulong> GetHeaderReference() => ref *Header;
83
84     [MethodImpl(MethodImplOptions.AggressiveInlining)]
85     protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref Links[link];
86 }
87 }

```

1.103 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksSourcesAvlBalancedTreeMethods.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Memory.United.Specific
6  {
7      public unsafe class UInt64LinksSourcesAvlBalancedTreeMethods :
    ↪ UInt64LinksAvlBalancedTreeMethodsBase
8      {
9          public UInt64LinksSourcesAvlBalancedTreeMethods(LinksConstants<ulong> constants,
    ↪ RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
    ↪ { }
10
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         protected override ref ulong GetLeftReference(ulong node) => ref
    ↪ Links[node].LeftAsSource;
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override ref ulong GetRightReference(ulong node) => ref
    ↪ Links[node].RightAsSource;
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         protected override ulong GetRight(ulong node) => Links[node].RightAsSource;
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
    ↪ left;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
    ↪ right;

```

```

28     [MethodImpl(MethodImplOptions.AggressiveInlining)]
29     protected override ulong GetSize(ulong node) => GetSizeValue(Links[node].SizeAsSource);
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     protected override void SetSize(ulong node, ulong size) => SetSizeValue(ref
33         ↳ Links[node].SizeAsSource, size);
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override bool GetLeftIsChild(ulong node) =>
37         ↳ GetLeftIsChildValue(Links[node].SizeAsSource);
38
39     // [MethodImpl(MethodImplOptions.AggressiveInlining)]
40     // protected override bool GetLeftIsChild(ulong node) => IsChild(node, GetLeft(node));
41
42     [MethodImpl(MethodImplOptions.AggressiveInlining)]
43     protected override void SetLeftIsChild(ulong node, bool value) =>
44         ↳ SetLeftIsChildValue(ref Links[node].SizeAsSource, value);
45
46     [MethodImpl(MethodImplOptions.AggressiveInlining)]
47     protected override bool GetRightIsChild(ulong node) =>
48         ↳ GetRightIsChildValue(Links[node].SizeAsSource);
49
50     // [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     // protected override bool GetRightIsChild(ulong node) => IsChild(node, GetRight(node));
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     protected override void SetRightIsChild(ulong node, bool value) =>
55         ↳ SetRightIsChildValue(ref Links[node].SizeAsSource, value);
56
57     [MethodImpl(MethodImplOptions.AggressiveInlining)]
58     protected override sbyte GetBalance(ulong node) =>
59         ↳ GetBalanceValue(Links[node].SizeAsSource);
60
61     [MethodImpl(MethodImplOptions.AggressiveInlining)]
62     protected override void SetBalance(ulong node, sbyte value) => SetBalanceValue(ref
63         ↳ Links[node].SizeAsSource, value);
64
65     [MethodImpl(MethodImplOptions.AggressiveInlining)]
66     protected override ulong GetTreeRoot() => Header->RootAsSource;
67
68     [MethodImpl(MethodImplOptions.AggressiveInlining)]
69     protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
70
71     [MethodImpl(MethodImplOptions.AggressiveInlining)]
72     protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
73         ↳ ulong secondSource, ulong secondTarget)
74         => firstSource < secondSource || (firstSource == secondSource && firstTarget <
75         ↳ secondTarget);
76
77     [MethodImpl(MethodImplOptions.AggressiveInlining)]
78     protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
79         ↳ ulong secondSource, ulong secondTarget)
80         => firstSource > secondSource || (firstSource == secondSource && firstTarget >
81         ↳ secondTarget);
82
83     [MethodImpl(MethodImplOptions.AggressiveInlining)]
84     protected override void ClearNode(ulong node)
85     {
86         ref var link = ref Links[node];
87         link.LeftAsSource = OUL;
88         link.RightAsSource = OUL;
89         link.SizeAsSource = OUL;
90     }
91 }
92

```

1.104 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksSourcesRecursionlessSizeBalancedTreeMethods

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Specific
6 {
7     public unsafe class UInt64LinksSourcesRecursionlessSizeBalancedTreeMethods :
8         ↳ UInt64LinksRecursionlessSizeBalancedTreeMethodsBase
9     {
10

```

```

9      public UInt64LinksSourcesRecursionlessSizeBalancedTreeMethods(LinksConstants<ulong>
    ↪ constants, RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants,
    ↪ links, header) { }

10
11      [MethodImpl(MethodImplOptions.AggressiveInlining)]
12      protected override ref ulong GetLeftReference(ulong node) => ref
    ↪ Links[node].LeftAsSource;

13
14      [MethodImpl(MethodImplOptions.AggressiveInlining)]
15      protected override ref ulong GetRightReference(ulong node) => ref
    ↪ Links[node].RightAsSource;

16
17      [MethodImpl(MethodImplOptions.AggressiveInlining)]
18      protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;

19
20      [MethodImpl(MethodImplOptions.AggressiveInlining)]
21      protected override ulong GetRight(ulong node) => Links[node].RightAsSource;

22
23      [MethodImpl(MethodImplOptions.AggressiveInlining)]
24      protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
    ↪ left;

25
26      [MethodImpl(MethodImplOptions.AggressiveInlining)]
27      protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
    ↪ right;

28
29      [MethodImpl(MethodImplOptions.AggressiveInlining)]
30      protected override ulong GetSize(ulong node) => Links[node].SizeAsSource;

31
32      [MethodImpl(MethodImplOptions.AggressiveInlining)]
33      protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsSource =
    ↪ size;

34
35      [MethodImpl(MethodImplOptions.AggressiveInlining)]
36      protected override ulong GetTreeRoot() => Header->RootAsSource;

37
38      [MethodImpl(MethodImplOptions.AggressiveInlining)]
39      protected override ulong GetBasePartValue(ulong link) => Links[link].Source;

40
41      [MethodImpl(MethodImplOptions.AggressiveInlining)]
42      protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
    ↪ ulong secondSource, ulong secondTarget)
43      => firstSource < secondSource || (firstSource == secondSource && firstTarget <
    ↪ secondTarget);

44
45      [MethodImpl(MethodImplOptions.AggressiveInlining)]
46      protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
    ↪ ulong secondSource, ulong secondTarget)
47      => firstSource > secondSource || (firstSource == secondSource && firstTarget >
    ↪ secondTarget);

48
49      [MethodImpl(MethodImplOptions.AggressiveInlining)]
50      protected override void ClearNode(ulong node)
51      {
52          ref var link = ref Links[node];
53          link.LeftAsSource = OUL;
54          link.RightAsSource = OUL;
55          link.SizeAsSource = OUL;
56      }
57  }
58  }

```

1.105 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksSourcesSizeBalancedTreeMethods.c

```

1      using System.Runtime.CompilerServices;
2
3      #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5      namespace Platform.Data.Doublets.Memory.United.Specific
6      {
7          public unsafe class UInt64LinksSourcesSizeBalancedTreeMethods :
    ↪ UInt64LinksSizeBalancedTreeMethodsBase
8          {
9              public UInt64LinksSourcesSizeBalancedTreeMethods(LinksConstants<ulong> constants,
    ↪ RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
    ↪ { }

10
11              [MethodImpl(MethodImplOptions.AggressiveInlining)]
12              protected override ref ulong GetLeftReference(ulong node) => ref
    ↪ Links[node].LeftAsSource;

```

```

13     [MethodImpl(MethodImplOptions.AggressiveInlining)]
14     protected override ref ulong GetRightReference(ulong node) => ref
15     ↪ Links[node].RightAsSource;
16
17     [MethodImpl(MethodImplOptions.AggressiveInlining)]
18     protected override ulong GetLeft(ulong node) => Links[node].LeftAsSource;
19
20     [MethodImpl(MethodImplOptions.AggressiveInlining)]
21     protected override ulong GetRight(ulong node) => Links[node].RightAsSource;
22
23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsSource =
25     ↪ left;
26
27     [MethodImpl(MethodImplOptions.AggressiveInlining)]
28     protected override void SetRight(ulong node, ulong right) => Links[node].RightAsSource =
29     ↪ right;
30
31     [MethodImpl(MethodImplOptions.AggressiveInlining)]
32     protected override ulong GetSize(ulong node) => Links[node].SizeAsSource;
33
34     [MethodImpl(MethodImplOptions.AggressiveInlining)]
35     protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsSource =
36     ↪ size;
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override ulong GetTreeRoot() => Header->RootAsSource;
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override ulong GetBasePartValue(ulong link) => Links[link].Source;
43
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
46     ↪ ulong secondSource, ulong secondTarget)
47     => firstSource < secondSource || (firstSource == secondSource && firstTarget <
48     ↪ secondTarget);
49
50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
52     ↪ ulong secondSource, ulong secondTarget)
53     => firstSource > secondSource || (firstSource == secondSource && firstTarget >
54     ↪ secondTarget);
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     protected override void ClearNode(ulong node)
58     {
59         ref var link = ref Links[node];
60         link.LeftAsSource = OUL;
61         link.RightAsSource = OUL;
62         link.SizeAsSource = OUL;
63     }
64 }

```

1.106 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksTargetsAvlBalancedTreeMethods.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Specific
6 {
7     public unsafe class UInt64LinksTargetsAvlBalancedTreeMethods :
8     ↪ UInt64LinksAvlBalancedTreeMethodsBase
9     {
10         public UInt64LinksTargetsAvlBalancedTreeMethods(LinksConstants<ulong> constants,
11         ↪ RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
12         ↪ { }
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         protected override ref ulong GetLeftReference(ulong node) => ref
16         ↪ Links[node].LeftAsTarget;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override ref ulong GetRightReference(ulong node) => ref
20         ↪ Links[node].RightAsTarget;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
30         ↪ left;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
34         ↪ right;
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;
38
39         [MethodImpl(MethodImplOptions.AggressiveInlining)]
40         protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsTarget =
41         ↪ size;
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         protected override ulong GetTreeRoot() => Header->RootAsTarget;
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
48
49         [MethodImpl(MethodImplOptions.AggressiveInlining)]
50         protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
51         ↪ ulong secondSource, ulong secondTarget)
52         => firstSource < secondSource || (firstSource == secondSource && firstTarget <
53         ↪ secondTarget);
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
57         ↪ ulong secondSource, ulong secondTarget)
58         => firstSource > secondSource || (firstSource == secondSource && firstTarget >
59         ↪ secondTarget);
60
61         [MethodImpl(MethodImplOptions.AggressiveInlining)]
62         protected override void ClearNode(ulong node)
63         {
64             ref var link = ref Links[node];
65             link.LeftAsTarget = OUL;
66             link.RightAsTarget = OUL;
67             link.SizeAsTarget = OUL;
68         }
69     }
70 }

```

```

19     [MethodImpl(MethodImplOptions.AggressiveInlining)]
20     protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;
21
22     [MethodImpl(MethodImplOptions.AggressiveInlining)]
23     protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
24         ↳ left;
25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
28         ↳ right;
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     protected override ulong GetSize(ulong node) => GetSizeValue(Links[node].SizeAsTarget);
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     protected override void SetSize(ulong node, ulong size) => SetSizeValue(ref
35         ↳ Links[node].SizeAsTarget, size);
36
37     [MethodImpl(MethodImplOptions.AggressiveInlining)]
38     protected override bool GetLeftIsChild(ulong node) =>
39         ↳ GetLeftIsChildValue(Links[node].SizeAsTarget);
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override void SetLeftIsChild(ulong node, bool value) =>
43         ↳ SetLeftIsChildValue(ref Links[node].SizeAsTarget, value);
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool GetRightIsChild(ulong node) =>
47         ↳ GetRightIsChildValue(Links[node].SizeAsTarget);
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override void SetRightIsChild(ulong node, bool value) =>
51         ↳ SetRightIsChildValue(ref Links[node].SizeAsTarget, value);
52
53     [MethodImpl(MethodImplOptions.AggressiveInlining)]
54     protected override sbyte GetBalance(ulong node) =>
55         ↳ GetBalanceValue(Links[node].SizeAsTarget);
56
57     [MethodImpl(MethodImplOptions.AggressiveInlining)]
58     protected override void SetBalance(ulong node, sbyte value) => SetBalanceValue(ref
59         ↳ Links[node].SizeAsTarget, value);
60
61     [MethodImpl(MethodImplOptions.AggressiveInlining)]
62     protected override ulong GetTreeRoot() => Header->RootAsTarget;
63
64     [MethodImpl(MethodImplOptions.AggressiveInlining)]
65     protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
66
67     [MethodImpl(MethodImplOptions.AggressiveInlining)]
68     protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
69         ↳ ulong secondSource, ulong secondTarget)
70         => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
71         ↳ secondSource);
72
73     [MethodImpl(MethodImplOptions.AggressiveInlining)]
74     protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
75         ↳ ulong secondSource, ulong secondTarget)
76         => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
77         ↳ secondSource);
78
79     [MethodImpl(MethodImplOptions.AggressiveInlining)]
80     protected override void ClearNode(ulong node)
81     {
82         ref var link = ref Links[node];
83         link.LeftAsTarget = OUL;
84         link.RightAsTarget = OUL;
85         link.SizeAsTarget = OUL;
86     }
87 }

```

1.107 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksTargetsRecursionlessSizeBalancedTr

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Specific
6 {

```

```

7 public unsafe class UInt64LinksTargetsRecursionlessSizeBalancedTreeMethods :
  ↳ UInt64LinksRecursionlessSizeBalancedTreeMethodsBase
8 {
9     public UInt64LinksTargetsRecursionlessSizeBalancedTreeMethods(LinksConstants<ulong>
  ↳ constants, RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants,
  ↳ links, header) { }

10
11     [MethodImpl(MethodImplOptions.AggressiveInlining)]
12     protected override ref ulong GetLeftReference(ulong node) => ref
  ↳ Links[node].LeftAsTarget;

13
14     [MethodImpl(MethodImplOptions.AggressiveInlining)]
15     protected override ref ulong GetRightReference(ulong node) => ref
  ↳ Links[node].RightAsTarget;

16
17     [MethodImpl(MethodImplOptions.AggressiveInlining)]
18     protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;

19
20     [MethodImpl(MethodImplOptions.AggressiveInlining)]
21     protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;

22
23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
  ↳ left;

25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
  ↳ right;

28
29     [MethodImpl(MethodImplOptions.AggressiveInlining)]
30     protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;

31
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsTarget =
  ↳ size;

34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override ulong GetTreeRoot() => Header->RootAsTarget;

37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override ulong GetBasePartValue(ulong link) => Links[link].Target;

40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
  ↳ ulong secondSource, ulong secondTarget)
43     => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
  ↳ secondSource);

44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
  ↳ ulong secondSource, ulong secondTarget)
47     => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
  ↳ secondSource);

48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override void ClearNode(ulong node)
51     {
52         ref var link = ref Links[node];
53         link.LeftAsTarget = OUL;
54         link.RightAsTarget = OUL;
55         link.SizeAsTarget = OUL;
56     }
57 }
58 }

```

1.108 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksTargetsSizeBalancedTreeMethods.cs

```

1 using System.Runtime.CompilerServices;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Memory.United.Specific
6 {
7     public unsafe class UInt64LinksTargetsSizeBalancedTreeMethods :
  ↳ UInt64LinksSizeBalancedTreeMethodsBase
8     {
9         public UInt64LinksTargetsSizeBalancedTreeMethods(LinksConstants<ulong> constants,
  ↳ RawLink<ulong>* links, LinksHeader<ulong>* header) : base(constants, links, header)
  ↳ { }
10

```

```

11     [MethodImpl(MethodImplOptions.AggressiveInlining)]
12     protected override ref ulong GetLeftReference(ulong node) => ref
    ↳ Links[node].LeftAsTarget;
13
14     [MethodImpl(MethodImplOptions.AggressiveInlining)]
15     protected override ref ulong GetRightReference(ulong node) => ref
    ↳ Links[node].RightAsTarget;
16
17     [MethodImpl(MethodImplOptions.AggressiveInlining)]
18     protected override ulong GetLeft(ulong node) => Links[node].LeftAsTarget;
19
20     [MethodImpl(MethodImplOptions.AggressiveInlining)]
21     protected override ulong GetRight(ulong node) => Links[node].RightAsTarget;
22
23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     protected override void SetLeft(ulong node, ulong left) => Links[node].LeftAsTarget =
    ↳ left;
25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     protected override void SetRight(ulong node, ulong right) => Links[node].RightAsTarget =
    ↳ right;
28
29     [MethodImpl(MethodImplOptions.AggressiveInlining)]
30     protected override ulong GetSize(ulong node) => Links[node].SizeAsTarget;
31
32     [MethodImpl(MethodImplOptions.AggressiveInlining)]
33     protected override void SetSize(ulong node, ulong size) => Links[node].SizeAsTarget =
    ↳ size;
34
35     [MethodImpl(MethodImplOptions.AggressiveInlining)]
36     protected override ulong GetTreeRoot() => Header->RootAsTarget;
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     protected override ulong GetBasePartValue(ulong link) => Links[link].Target;
40
41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     protected override bool FirstIsToTheLeftOfSecond(ulong firstSource, ulong firstTarget,
    ↳ ulong secondSource, ulong secondTarget)
43     => firstTarget < secondTarget || (firstTarget == secondTarget && firstSource <
    ↳ secondSource);
44
45     [MethodImpl(MethodImplOptions.AggressiveInlining)]
46     protected override bool FirstIsToTheRightOfSecond(ulong firstSource, ulong firstTarget,
    ↳ ulong secondSource, ulong secondTarget)
47     => firstTarget > secondTarget || (firstTarget == secondTarget && firstSource >
    ↳ secondSource);
48
49     [MethodImpl(MethodImplOptions.AggressiveInlining)]
50     protected override void ClearNode(ulong node)
51     {
52         ref var link = ref Links[node];
53         link.LeftAsTarget = OUL;
54         link.RightAsTarget = OUL;
55         link.SizeAsTarget = OUL;
56     }
57 }
58 }

```

1.109 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64UnitedMemoryLinks.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Memory;
4  using Platform.Singletons;
5  using Platform.Data.Doublets.Memory.United.Generic;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Data.Doublets.Memory.United.Specific
10 {
11     /// <summary>
12     /// <para>Represents a low-level implementation of direct access to resizable memory, for
    ↳ organizing the storage of links with addresses represented as <see cref="ulong"
    ↳ />.</para>
13     /// <para>Представляет низкоуровневую реализация прямого доступа к памяти с переменным
    ↳ размером, для организации хранения связей с адресами представленными в виде <see
    ↳ cref="ulong"/>.</para>
14     /// </summary>
15     public unsafe class UInt64UnitedMemoryLinks : UnitedMemoryLinksBase<ulong>
16     {

```



```

17 private readonly Func<ILinksTreeMethods<ulong>> _createSourceTreeMethods;
18 private readonly Func<ILinksTreeMethods<ulong>> _createTargetTreeMethods;
19 private LinksHeader<ulong>* _header;
20 private RawLink<ulong>* _links;
21
22 [MethodImpl(MethodImplOptions.AggressiveInlining)]
23 public UInt64UnitedMemoryLinks(string address) : this(address, DefaultLinksSizeStep) { }
24
25 /// <summary>
26 /// Создаёт экземпляр базы данных Links в файле по указанному адресу, с указанным
27   ↳ минимальным шагом расширения базы данных.
28 /// </summary>
29 /// <param name="address">Полный путь к файлу базы данных.</param>
30 /// <param name="memoryReservationStep">Минимальный шаг расширения базы данных в
31   ↳ байтах.</param>
32 [MethodImpl(MethodImplOptions.AggressiveInlining)]
33 public UInt64UnitedMemoryLinks(string address, long memoryReservationStep) : this(new
34   ↳ FileMappedResizableDirectMemory(address, memoryReservationStep),
35   ↳ memoryReservationStep) { }
36
37 [MethodImpl(MethodImplOptions.AggressiveInlining)]
38 public UInt64UnitedMemoryLinks(IResizableDirectMemory memory) : this(memory,
39   ↳ DefaultLinksSizeStep) { }
40
41 [MethodImpl(MethodImplOptions.AggressiveInlining)]
42 public UInt64UnitedMemoryLinks(IResizableDirectMemory memory, long
43   ↳ memoryReservationStep) : this(memory, memoryReservationStep,
44   ↳ Default<LinksConstants<ulong>>.Instance, IndexTreeType.Default) { }
45
46 [MethodImpl(MethodImplOptions.AggressiveInlining)]
47 public UInt64UnitedMemoryLinks(IResizableDirectMemory memory, long
48   ↳ memoryReservationStep, LinksConstants<ulong> constants, IndexTreeType indexTreeType)
49   ↳ : base(memory, memoryReservationStep, constants)
50 {
51     if (indexTreeType == IndexTreeType.SizedAndThreadedAVLBalancedTree)
52     {
53         _createSourceTreeMethods = () => new
54           ↳ UInt64LinksSourcesAvlBalancedTreeMethods(Constants, _links, _header);
55         _createTargetTreeMethods = () => new
56           ↳ UInt64LinksTargetsAvlBalancedTreeMethods(Constants, _links, _header);
57     }
58     else if (indexTreeType == IndexTreeType.SizeBalancedTree)
59     {
60         _createSourceTreeMethods = () => new
61           ↳ UInt64LinksSourcesSizeBalancedTreeMethods(Constants, _links, _header);
62         _createTargetTreeMethods = () => new
63           ↳ UInt64LinksTargetsSizeBalancedTreeMethods(Constants, _links, _header);
64     }
65     else
66     {
67         _createSourceTreeMethods = () => new
68           ↳ UInt64LinksSourcesRecursionlessSizeBalancedTreeMethods(Constants, _links,
69           ↳ _header);
70         _createTargetTreeMethods = () => new
71           ↳ UInt64LinksTargetsRecursionlessSizeBalancedTreeMethods(Constants, _links,
72           ↳ _header);
73     }
74     Init(memory, memoryReservationStep);
75 }
76
77 [MethodImpl(MethodImplOptions.AggressiveInlining)]
78 protected override void SetPointers(IResizableDirectMemory memory)
79 {
80     _header = (LinksHeader<ulong>*)memory.Pointer;
81     _links = (RawLink<ulong>*)memory.Pointer;
82     SourcesTreeMethods = _createSourceTreeMethods();
83     TargetsTreeMethods = _createTargetTreeMethods();
84     UnusedLinksListMethods = new UInt64UnusedLinksListMethods(_links, _header);
85 }
86
87 [MethodImpl(MethodImplOptions.AggressiveInlining)]
88 protected override void ResetPointers()
89 {
90     base.ResetPointers();
91     _links = null;
92     _header = null;
93 }

```

```

78     [MethodImpl(MethodImplOptions.AggressiveInlining)]
79     protected override ref LinksHeader<ulong> GetHeaderReference() => ref *_header;
80
81     [MethodImpl(MethodImplOptions.AggressiveInlining)]
82     protected override ref RawLink<ulong> GetLinkReference(ulong linkIndex) => ref
83     ↪     _links[linkIndex];
84
85     [MethodImpl(MethodImplOptions.AggressiveInlining)]
86     protected override bool AreEqual(ulong first, ulong second) => first == second;
87
88     [MethodImpl(MethodImplOptions.AggressiveInlining)]
89     protected override bool LessThan(ulong first, ulong second) => first < second;
90
91     [MethodImpl(MethodImplOptions.AggressiveInlining)]
92     protected override bool LessOrEqualThan(ulong first, ulong second) => first <= second;
93
94     [MethodImpl(MethodImplOptions.AggressiveInlining)]
95     protected override bool GreaterThan(ulong first, ulong second) => first > second;
96
97     [MethodImpl(MethodImplOptions.AggressiveInlining)]
98     protected override bool GreaterOrEqualThan(ulong first, ulong second) => first >= second;
99
100    [MethodImpl(MethodImplOptions.AggressiveInlining)]
101    protected override ulong GetZero() => 0UL;
102
103    [MethodImpl(MethodImplOptions.AggressiveInlining)]
104    protected override ulong GetOne() => 1UL;
105
106    [MethodImpl(MethodImplOptions.AggressiveInlining)]
107    protected override long ConvertToInt64(ulong value) => (long)value;
108
109    [MethodImpl(MethodImplOptions.AggressiveInlining)]
110    protected override ulong ConvertToAddress(long value) => (ulong)value;
111
112    [MethodImpl(MethodImplOptions.AggressiveInlining)]
113    protected override ulong Add(ulong first, ulong second) => first + second;
114
115    [MethodImpl(MethodImplOptions.AggressiveInlining)]
116    protected override ulong Subtract(ulong first, ulong second) => first - second;
117
118    [MethodImpl(MethodImplOptions.AggressiveInlining)]
119    protected override ulong Increment(ulong link) => ++link;
120
121    [MethodImpl(MethodImplOptions.AggressiveInlining)]
122    protected override ulong Decrement(ulong link) => --link;
123 }

```

1.110 ./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64UnusedLinksListMethods.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Data.Doublets.Memory.United.Generic;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Memory.United.Specific
7  {
8      public unsafe class UInt64UnusedLinksListMethods : UnusedLinksListMethods<ulong>
9      {
10         private readonly RawLink<ulong>* _links;
11         private readonly LinksHeader<ulong>* _header;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public UInt64UnusedLinksListMethods(RawLink<ulong>* links, LinksHeader<ulong>* header)
15             : base((byte*)links, (byte*)header)
16         {
17             _links = links;
18             _header = header;
19         }
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         protected override ref RawLink<ulong> GetLinkReference(ulong link) => ref _links[link];
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected override ref LinksHeader<ulong> GetHeaderReference() => ref *_header;
26     }
27 }

```

1.111 ./csharp/Platform.Data.Doublets/Numbers/Raw/BigIntegerToRawNumberSequenceConverter.cs

```

1  using System;
2  using System.Collections.Generic;

```

```

3 using System.Diagnostics;
4 using System.Numerics;
5 using Platform.Converters;
6 using Platform.Data.Doublets.Decorators;
7 using Platform.Numbers;
8 using Platform.Reflection;
9 using Platform.Unsafe;
10
11 namespace Platform.Data.Doublets.Numbers.Raw
12 {
13     public class BigIntegerToRawNumberSequenceConverter<TLink> : LinksDecoratorBase<TLink>,
14         ↪ IConverter<BigInteger, TLink>
15     where TLink : struct
16     {
17         private readonly IConverter<TLink> _addressToNumberConverter;
18         public static readonly int BitsStorableInRawNumber = Structure<TLink>.Size - 1;
19         private static readonly int _bitsPerRawNumber = NumericType<TLink>.BitsSize - 1;
20         private static readonly TLink _maximumValue = NumericType<TLink>.MaxValue;
21         private static readonly TLink _bitMask = Bit.ShiftRight(_maximumValue, 1);
22
23         public BigIntegerToRawNumberSequenceConverter(ILinks<TLink> links, IConverter<TLink>
24             ↪ addressToNumberConverter) : base(links)
25         {
26             _addressToNumberConverter = addressToNumberConverter;
27
28             public TLink Convert(BigInteger bigInt)
29             {
30                 var currentBigInt = bigInt;
31                 var bigIntBytes = currentBigInt.ToByteArray();
32                 var nextBigInt = currentBigInt >> 63;
33                 TLink bigIntLink;
34                 if (nextBigInt > 0)
35                 {
36                     TLink nextBigIntLink = Convert(nextBigInt);
37                     var bigIntWithBitMask = Bit.And(bigIntBytes.ToStructure<TLink>(), _bitMask);
38                     var convertedBigInt = _addressToNumberConverter.Convert(bigIntWithBitMask);
39                     bigIntLink = _links.GetOrCreate(convertedBigInt, nextBigIntLink);
40                 }
41                 else
42                 {
43                     bigIntLink = _addressToNumberConverter.Convert(bigIntBytes.ToStructure<TLink>());
44                 }
45                 return bigIntLink;
46             }
47         }
48     }

```

1.112 ./csharp/Platform.Data.Doublets/Numbers/Raw/LongRawNumberSequenceToNumberConverter.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Collections.Stacks;
3 using Platform.Converters;
4 using Platform.Numbers;
5 using Platform.Reflection;
6 using Platform.Data.Doublets.Decorators;
7 using Platform.Data.Doublets.Sequences.Walkers;
8
9 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
10
11 namespace Platform.Data.Doublets.Numbers.Raw
12 {
13     public class LongRawNumberSequenceToNumberConverter<TSource, TTarget> :
14         ↪ LinksDecoratorBase<TSource>, IConverter<TSource, TTarget>
15     {
16         private static readonly int _bitsPerRawNumber = NumericType<TSource>.BitsSize - 1;
17         private static readonly unchecked<TSource, TTarget> _sourceToTargetConverter =
18             ↪ unchecked<TSource, TTarget>.Default;
19
20         private readonly IConverter<TSource> _numberToAddressConverter;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         public LongRawNumberSequenceToNumberConverter(ILinks<TSource> links, IConverter<TSource>
24             ↪ numberToAddressConverter) : base(links) => _numberToAddressConverter =
25             ↪ numberToAddressConverter;
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         public TTarget Convert(TSource source)
29         {
30             var constants = Links.Constants;
31             var externalReferencesRange = constants.ExternalReferencesRange;

```

```

28         if (externalReferencesRange.HasValue &&
29             ↪ externalReferencesRange.Value.Contains(source))
30         {
31             return
32             ↪ _sourceToTargetConverter.Convert(_numberToAddressConverter.Convert(source));
33         }
34         else
35         {
36             var pair = Links.GetLink(source);
37             var walker = new LeftSequenceWalker<TSource>(Links, new DefaultStack<TSource>(),
38                 ↪ (link) => externalReferencesRange.HasValue &&
39                 ↪ externalReferencesRange.Value.Contains(link));
40             TTarget result = default;
41             foreach (var element in walker.Walk(source))
42             {
43                 result = Bit.Or(Bit.ShiftLeft(result, _bitsPerRawNumber), Convert(element));
44             }
45             return result;
46         }
47     }
48 }

```

1.113 ./csharp/Platform.Data.Doublets/Numbers/Raw/NumberToLongRawNumberSequenceConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Converters;
4  using Platform.Numbers;
5  using Platform.Reflection;
6  using Platform.Data.Doublets.Decorators;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Numbers.Raw
11 {
12     public class NumberToLongRawNumberSequenceConverter<TSource, TTarget> :
13         ↪ LinksDecoratorBase<TTarget>, IConverter<TSource, TTarget>
14     {
15         private static readonly Comparer<TSource> _comparer = Comparer<TSource>.Default;
16         private static readonly TSource _maximumValue = NumericType<TSource>.MaxValue;
17         private static readonly int _bitsPerRawNumber = NumericType<TTarget>.BitsSize - 1;
18         private static readonly TSource _bitMask = Bit.ShiftRight(_maximumValue,
19             ↪ NumericType<TTarget>.BitsSize + 1);
20         private static readonly TSource _maximumConvertibleAddress = CheckedConverter<TTarget,
21             ↪ TSource>.Default.Convert(Arithmetic.Decrement(Hybrid<TTarget>.ExternalZero));
22         private static readonly UncheckedConverter<TSource, TTarget> _sourceToTargetConverter =
23             ↪ UncheckedConverter<TSource, TTarget>.Default;
24
25         private readonly IConverter<TTarget> _addressToNumberConverter;
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         public NumberToLongRawNumberSequenceConverter(ILinks<TTarget> links, IConverter<TTarget>
29             ↪ addressToNumberConverter) : base(links) => _addressToNumberConverter =
30             ↪ addressToNumberConverter;
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public TTarget Convert(TSource source)
34         {
35             if (_comparer.Compare(source, _maximumConvertibleAddress) > 0)
36             {
37                 var numberPart = Bit.And(source, _bitMask);
38                 var convertedNumber = _addressToNumberConverter.Convert(_sourceToTargetConverter
39                     ↪ .Convert(numberPart));
40                 return Links.GetOrCreate(convertedNumber, Convert(Bit.ShiftRight(source,
41                     ↪ _bitsPerRawNumber)));
42             }
43             else
44             {
45                 return
46                 ↪ _addressToNumberConverter.Convert(_sourceToTargetConverter.Convert(source));
47             }
48         }
49     }
50 }

```

1.114 ./csharp/Platform.Data.Doublets/Numbers/Raw/RawNumberSequenceToBigIntegerConverter.cs

```

1  using System;
2  using System.Numerics;
3  using Platform.Converters;

```

```

4 using Platform.Data.Doublets.Decorators;
5 using Platform.Unsafe;
6
7 namespace Platform.Data.Doublets.Numbers.Raw
8 {
9     public class RawNumberSequenceToBigIntegerConverter<TLink> : LinksDecoratorBase<TLink>,
10         ⇨ IConverter<TLink, BigInteger>
11     where TLink : struct
12     {
13         private readonly IConverter<TLink, TLink> _numberToAddressConverter;
14
15         public RawNumberSequenceToBigIntegerConverter(ILinks<TLink> links, IConverter<TLink,
16             ⇨ TLink> numberToAddressConverter) : base(links)
17         {
18             _numberToAddressConverter = numberToAddressConverter;
19
20         public BigInteger Convert(TLink bigInt)
21         {
22             var convertedBigInt = _numberToAddressConverter.Convert(bigInt);
23             var convertedBigIntBytes = convertedBigInt.ToBytes();
24             return new BigInteger(convertedBigIntBytes);
25         }
26     }
27 }

```

1.115 ./csharp/Platform.Data.Doublets/Numbers/Unary/AddressToUnaryNumberConverter.cs

```

1 using System.Collections.Generic;
2 using Platform.Reflection;
3 using Platform.Converters;
4 using Platform.Numbers;
5 using System.Runtime.CompilerServices;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Data.Doublets.Numbers.Unary
10 {
11     public class AddressToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
12         ⇨ IConverter<TLink>
13     {
14         private static readonly EqualityComparer<TLink> _equalityComparer =
15             ⇨ EqualityComparer<TLink>.Default;
16         private static readonly TLink _zero = default;
17         private static readonly TLink _one = Arithmetic.Increment(_zero);
18
19         private readonly IConverter<int, TLink> _powerOf2ToUnaryNumberConverter;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public AddressToUnaryNumberConverter(ILinks<TLink> links, IConverter<int, TLink>
23             ⇨ powerOf2ToUnaryNumberConverter) : base(links) => _powerOf2ToUnaryNumberConverter =
24             ⇨ powerOf2ToUnaryNumberConverter;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public TLink Convert(TLink number)
28         {
29             var links = _links;
30             var nullConstant = links.Constants.Null;
31             var target = nullConstant;
32             for (var i = 0; !_equalityComparer.Equals(number, _zero) && i <
33                 ⇨ NumericType<TLink>.BitsSize; i++)
34             {
35                 if (_equalityComparer.Equals(Bit.And(number, _one), _one))
36                 {
37                     target = _equalityComparer.Equals(target, nullConstant)
38                         ? _powerOf2ToUnaryNumberConverter.Convert(i)
39                         : links.GetOrCreate(_powerOf2ToUnaryNumberConverter.Convert(i), target);
40                 }
41                 number = Bit.ShiftRight(number, 1);
42             }
43             return target;
44         }
45     }
46 }

```

1.116 ./csharp/Platform.Data.Doublets/Numbers/Unary/LinkToltsFrequencyNumberConveter.cs

```

1 using System;
2 using System.Collections.Generic;
3 using Platform.Interfaces;
4 using Platform.Converters;
5 using System.Runtime.CompilerServices;

```

```

6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Data.Doublets.Numbers.Unary
10 {
11     public class LinkToItsFrequencyNumberConveter<TLink> : LinksOperatorBase<TLink>,
12         ↪ IConverter<Doublet<TLink>, TLink>
13     {
14         private static readonly EqualityComparer<TLink> _equalityComparer =
15             ↪ EqualityComparer<TLink>.Default;
16
17         private readonly IProperty<TLink, TLink> _frequencyPropertyOperator;
18         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public LinkToItsFrequencyNumberConveter(
22             ILinks<TLink> links,
23             IProperty<TLink, TLink> frequencyPropertyOperator,
24             IConverter<TLink> unaryNumberToAddressConverter)
25             : base(links)
26         {
27             _frequencyPropertyOperator = frequencyPropertyOperator;
28             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         public TLink Convert(Doublet<TLink> doublet)
33         {
34             var links = _links;
35             var link = links.SearchOrDefault(doublet.Source, doublet.Target);
36             if (_equalityComparer.Equals(link, default))
37             {
38                 throw new ArgumentException($"Link ({doublet}) not found.", nameof(doublet));
39             }
40             var frequency = _frequencyPropertyOperator.Get(link);
41             if (_equalityComparer.Equals(frequency, default))
42             {
43                 return default;
44             }
45             var frequencyNumber = links.GetSource(frequency);
46             return _unaryNumberToAddressConverter.Convert(frequencyNumber);
47         }
48     }
49 }

```

1.117 ./csharp/Platform.Data.Doublets/Numbers/Unary/PowerOf2ToUnaryNumberConverter.cs

```

1 using System.Collections.Generic;
2 using Platform.Exceptions;
3 using Platform.Ranges;
4 using Platform.Converters;
5 using System.Runtime.CompilerServices;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Data.Doublets.Numbers.Unary
10 {
11     public class PowerOf2ToUnaryNumberConverter<TLink> : LinksOperatorBase<TLink>,
12         ↪ IConverter<int, TLink>
13     {
14         private static readonly EqualityComparer<TLink> _equalityComparer =
15             ↪ EqualityComparer<TLink>.Default;
16
17         private readonly TLink[] _unaryNumberPowersOf2;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public PowerOf2ToUnaryNumberConverter(ILinks<TLink> links, TLink one) : base(links)
21         {
22             _unaryNumberPowersOf2 = new TLink[64];
23             _unaryNumberPowersOf2[0] = one;
24         }
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public TLink Convert(int power)
28         {
29             Ensure.Always.ArgumentInRange(power, new Range<int>(0, _unaryNumberPowersOf2.Length
30                 ↪ - 1), nameof(power));
31             if (!_equalityComparer.Equals(_unaryNumberPowersOf2[power], default))
32             {
33                 return _unaryNumberPowersOf2[power];
34             }
35         }
36     }
37 }

```

```

32     var previousPowerOf2 = Convert(power - 1);
33     var powerOf2 = _links.GetOrCreate(previousPowerOf2, previousPowerOf2);
34     _unaryNumberPowersOf2[power] = powerOf2;
35     return powerOf2;
36 }
37 }
38 }

```

1.118 ./csharp/Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressAddOperationConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Converters;
4  using Platform.Numbers;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Numbers.Unary
9  {
10     public class UnaryNumberToAddressAddOperationConverter<TLink> : LinksOperatorBase<TLink>,
11         ⇨ IConverter<TLink>
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
14             ⇨ EqualityComparer<TLink>.Default;
15         private static readonly UncheckedConverter<TLink, ulong> _addressToUInt64Converter =
16             ⇨ UncheckedConverter<TLink, ulong>.Default;
17         private static readonly UncheckedConverter<ulong, TLink> _uint64ToAddressConverter =
18             ⇨ UncheckedConverter<ulong, TLink>.Default;
19         private static readonly TLink _zero = default;
20         private static readonly TLink _one = Arithmetic.Increment(_zero);
21
22         private readonly Dictionary<TLink, TLink> _unaryToUInt64;
23         private readonly TLink _unaryOne;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         public UnaryNumberToAddressAddOperationConverter(ILinks<TLink> links, TLink unaryOne)
27             : base(links)
28         {
29             _unaryOne = unaryOne;
30             _unaryToUInt64 = CreateUnaryToUInt64Dictionary(links, unaryOne);
31         }
32
33         [MethodImpl(MethodImplOptions.AggressiveInlining)]
34         public TLink Convert(TLink unaryNumber)
35         {
36             if (_equalityComparer.Equals(unaryNumber, default))
37             {
38                 return default;
39             }
40             if (_equalityComparer.Equals(unaryNumber, _unaryOne))
41             {
42                 return _one;
43             }
44             var links = _links;
45             var source = links.GetSource(unaryNumber);
46             var target = links.GetTarget(unaryNumber);
47             if (_equalityComparer.Equals(source, target))
48             {
49                 return _unaryToUInt64[unaryNumber];
50             }
51             else
52             {
53                 var result = _unaryToUInt64[source];
54                 TLink lastValue;
55                 while (!_unaryToUInt64.TryGetValue(target, out lastValue))
56                 {
57                     source = links.GetSource(target);
58                     result = Arithmetic<TLink>.Add(result, _unaryToUInt64[source]);
59                     target = links.GetTarget(target);
60                 }
61                 result = Arithmetic<TLink>.Add(result, lastValue);
62                 return result;
63             }
64         }
65
66         [MethodImpl(MethodImplOptions.AggressiveInlining)]
67         private static Dictionary<TLink, TLink> CreateUnaryToUInt64Dictionary(ILinks<TLink>
68             ⇨ links, TLink unaryOne)
69         {
70             var unaryToUInt64 = new Dictionary<TLink, TLink>
71             {

```

```

67         { unaryOne, _one }
68     };
69     var unary = unaryOne;
70     var number = _one;
71     for (var i = 1; i < 64; i++)
72     {
73         unary = links.GetOrCreate(unary, unary);
74         number = Double(number);
75         unaryToUInt64.Add(unary, number);
76     }
77     return unaryToUInt64;
78 }
79
80 [MethodImpl(MethodImplOptions.AggressiveInlining)]
81 private static TLink Double(TLink number) =>
82     ↪ _uint64ToAddressConverter.Convert(_addressToUInt64Converter.Convert(number) * 2UL);
83 }

```

1.119 ./csharp/Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressOrOperationConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Reflection;
4  using Platform.Converters;
5  using Platform.Numbers;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Data.Doublets.Numbers.Unary
10 {
11     public class UnaryNumberToAddressOrOperationConverter<TLink> : LinksOperatorBase<TLink>,
12         ↪ IConverter<TLink>
13     {
14         private static readonly EqualityComparer<TLink> _equalityComparer =
15             ↪ EqualityComparer<TLink>.Default;
16         private static readonly TLink _zero = default;
17         private static readonly TLink _one = Arithmetic.Increment(_zero);
18
19         private readonly IDictionary<TLink, int> _unaryNumberPowerOf2Indicies;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public UnaryNumberToAddressOrOperationConverter(ILinks<TLink> links, IConverter<int,
23             ↪ TLink> powerOf2ToUnaryNumberConverter) : base(links) => _unaryNumberPowerOf2Indicies
24             ↪ = CreateUnaryNumberPowerOf2IndiciesDictionary(powerOf2ToUnaryNumberConverter);
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public TLink Convert(TLink sourceNumber)
28         {
29             var links = _links;
30             var nullConstant = links.Constants.Null;
31             var source = sourceNumber;
32             var target = nullConstant;
33             if (!_equalityComparer.Equals(source, nullConstant))
34             {
35                 while (true)
36                 {
37                     if (_unaryNumberPowerOf2Indicies.TryGetValue(source, out int powerOf2Index))
38                     {
39                         SetBit(ref target, powerOf2Index);
40                         break;
41                     }
42                     else
43                     {
44                         powerOf2Index = _unaryNumberPowerOf2Indicies[links.GetSource(source)];
45                         SetBit(ref target, powerOf2Index);
46                         source = links.GetTarget(source);
47                     }
48                 }
49             }
50             return target;
51         }
52
53         [MethodImpl(MethodImplOptions.AggressiveInlining)]
54         private static Dictionary<TLink, int>
55             ↪ CreateUnaryNumberPowerOf2IndiciesDictionary(IConverter<int, TLink>
56             ↪ powerOf2ToUnaryNumberConverter)
57         {
58             var unaryNumberPowerOf2Indicies = new Dictionary<TLink, int>();
59             for (int i = 0; i < NumericType<TLink>.BitsSize; i++)
60             {

```



```

55         unaryNumberPowerOf2Indicies.Add(powerOf2ToUnaryNumberConverter.Convert(i), i);
56     }
57     return unaryNumberPowerOf2Indicies;
58 }
59
60 [MethodImpl(MethodImplOptions.AggressiveInlining)]
61 private static void SetBit(ref TLink target, int powerOf2Index) => target =
    ↪ Bit.Or(target, Bit.ShiftLeft(_one, powerOf2Index));
62 }
63 }

```

1.120 ./csharp/Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.PropertyOperators
8  {
9      public class PropertiesOperator<TLink> : LinksOperatorBase<TLink>, IProperties<TLink, TLink,
    ↪ TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
    ↪ EqualityComparer<TLink>.Default;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public PropertiesOperator(ILinks<TLink> links) : base(links) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public TLink GetValue(TLink @object, TLink property)
18         {
19             var links = _links;
20             var objectProperty = links.SearchOrDefault(@object, property);
21             if (_equalityComparer.Equals(objectProperty, default))
22             {
23                 return default;
24             }
25             var constants = links.Constants;
26             var any = constants.Any;
27             var query = new Link<TLink>(any, objectProperty, any);
28             var valueLink = links.SingleOrDefault(query);
29             if (valueLink == null)
30             {
31                 return default;
32             }
33             return links.GetTarget(valueLink[constants.IndexPart]);
34         }
35
36         [MethodImpl(MethodImplOptions.AggressiveInlining)]
37         public void SetValue(TLink @object, TLink property, TLink value)
38         {
39             var links = _links;
40             var objectProperty = links.GetOrCreate(@object, property);
41             links.DeleteMany(links.AllIndices(links.Constants.Any, objectProperty));
42             links.GetOrCreate(objectProperty, value);
43         }
44     }
45 }

```

1.121 ./csharp/Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.PropertyOperators
8  {
9      public class PropertyOperator<TLink> : LinksOperatorBase<TLink>, IProperty<TLink, TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
    ↪ EqualityComparer<TLink>.Default;
12
13         private readonly TLink _propertyMarker;
14         private readonly TLink _propertyValueMarker;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public PropertyOperator(ILinks<TLink> links, TLink propertyMarker, TLink
    ↪ propertyValueMarker) : base(links)

```

```

18     {
19         _propertyMarker = propertyMarker;
20         _propertyValueMarker = propertyValueMarker;
21     }
22
23     [MethodImpl(MethodImplOptions.AggressiveInlining)]
24     public TLink Get(TLink link)
25     {
26         var property = _links.SearchOrDefault(link, _propertyMarker);
27         return GetValue(GetContainer(property));
28     }
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     private TLink GetContainer(TLink property)
32     {
33         var valueContainer = default(TLink);
34         if (_equalityComparer.Equals(property, default))
35         {
36             return valueContainer;
37         }
38         var links = _links;
39         var constants = links.Constants;
40         var countinueConstant = constants.Continue;
41         var breakConstant = constants.Break;
42         var anyConstant = constants.Any;
43         var query = new Link<TLink>(anyConstant, property, anyConstant);
44         links.Each(candidate =>
45         {
46             var candidateTarget = links.GetTarget(candidate);
47             var valueTarget = links.GetTarget(candidateTarget);
48             if (_equalityComparer.Equals(valueTarget, _propertyValueMarker))
49             {
50                 valueContainer = links.GetIndex(candidate);
51                 return breakConstant;
52             }
53             return countinueConstant;
54         }, query);
55         return valueContainer;
56     }
57
58     [MethodImpl(MethodImplOptions.AggressiveInlining)]
59     private TLink GetValue(TLink container) => _equalityComparer.Equals(container, default)
60     ↪ ? default : _links.GetTarget(container);
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     public void Set(TLink link, TLink value)
64     {
65         var links = _links;
66         var property = links.GetOrCreate(link, _propertyMarker);
67         var container = GetContainer(property);
68         if (_equalityComparer.Equals(container, default))
69         {
70             links.GetOrCreate(property, value);
71         }
72         else
73         {
74             links.Update(container, property, value);
75         }
76     }
77 }

```

1.122 ./csharp/Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.Converters
7  {
8      public class BalancedVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public BalancedVariantConverter(ILinks<TLink> links) : base(links) { }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public override TLink Convert(ICollection<TLink> sequence)
15         {
16             var length = sequence.Count;
17             if (length < 1)

```

```

18     {
19         return default;
20     }
21     if (length == 1)
22     {
23         return sequence[0];
24     }
25     // Make copy of next layer
26     if (length > 2)
27     {
28         // TODO: Try to use stackalloc (which at the moment is not working with
29         // ↪ generics) but will be possible with Sigil
30         var halvedSequence = new TLink[(length / 2) + (length % 2)];
31         HalveSequence(halvedSequence, sequence, length);
32         sequence = halvedSequence;
33         length = halvedSequence.Length;
34     }
35     // Keep creating layer after layer
36     while (length > 2)
37     {
38         HalveSequence(sequence, sequence, length);
39         length = (length / 2) + (length % 2);
40     }
41     return _links.GetOrCreate(sequence[0], sequence[1]);
42 }
43 [MethodImpl(MethodImplOptions.AggressiveInlining)]
44 private void HalveSequence(ICollection<TLink> destination, ICollection<TLink> source, int length)
45 {
46     var loopedLength = length - (length % 2);
47     for (var i = 0; i < loopedLength; i += 2)
48     {
49         destination[i / 2] = _links.GetOrCreate(source[i], source[i + 1]);
50     }
51     if (length > loopedLength)
52     {
53         destination[length / 2] = source[length - 1];
54     }
55 }
56 }
57 }

```

1.123 ./csharp/Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4 using Platform.Collections;
5 using Platform.Converters;
6 using Platform.Singletons;
7 using Platform.Numbers;
8 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
9
10 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
11
12 namespace Platform.Data.Doublets.Sequences.Converters
13 {
14     /// <remarks>
15     /// TODO: Возможно будет лучше если алгоритм будет выполняться полностью изолированно от
16     /// ↪ Links на этапе сжатия.
17     /// А именно будет создаваться временный список пар необходимых для выполнения сжатия, в
18     /// ↪ таком случае тип значения элемента массива может быть любым, как char так и ulong.
19     /// Как только список/словарь пар был выявлен можно разом выполнить создание всех этих
20     /// ↪ пар, а так же разом выполнить замену.
21     /// </remarks>
22     public class CompressingConverter<TLink> : LinksListToSequenceConverterBase<TLink>
23     {
24         private static readonly LinksConstants<TLink> _constants =
25             ↪ Default<LinksConstants<TLink>>.Instance;
26         private static readonly EqualityComparer<TLink> _equalityComparer =
27             ↪ EqualityComparer<TLink>.Default;
28         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
29
30         private static readonly TLink _zero = default;
31         private static readonly TLink _one = Arithmetic.Increment(_zero);
32
33         private readonly IConverter<ICollection<TLink>, TLink> _baseConverter;
34         private readonly LinkFrequenciesCache<TLink> _doubletFrequenciesCache;
35         private readonly TLink _minFrequencyToCompress;
36         private readonly bool _doInitialFrequenciesIncrement;
37         private Doublet<TLink> _maxDoublet;
38     }
39 }

```

```

33 private LinkFrequency<TLink> _maxDoubletData;
34
35 private struct HalfDoublet
36 {
37     public TLink Element;
38     public LinkFrequency<TLink> DoubletData;
39
40     [MethodImpl(MethodImplOptions.AggressiveInlining)]
41     public HalfDoublet(TLink element, LinkFrequency<TLink> doubletData)
42     {
43         Element = element;
44         DoubletData = doubletData;
45     }
46
47     public override string ToString() => $"{Element}: ({DoubletData})";
48 }
49
50 [MethodImpl(MethodImplOptions.AggressiveInlining)]
51 public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
    ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache)
    : this(links, baseConverter, doubletFrequenciesCache, _one, true) { }
52
53 [MethodImpl(MethodImplOptions.AggressiveInlining)]
54 public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
    ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, bool
    ↳ doInitialFrequenciesIncrement)
    : this(links, baseConverter, doubletFrequenciesCache, _one,
    ↳ doInitialFrequenciesIncrement) { }
55
56 [MethodImpl(MethodImplOptions.AggressiveInlining)]
57 public CompressingConverter(ILinks<TLink> links, IConverter<IList<TLink>, TLink>
    ↳ baseConverter, LinkFrequenciesCache<TLink> doubletFrequenciesCache, TLink
    ↳ minFrequencyToCompress, bool doInitialFrequenciesIncrement)
    : base(links)
58 {
59     _baseConverter = baseConverter;
60     _doubletFrequenciesCache = doubletFrequenciesCache;
61     if (_comparer.Compare(minFrequencyToCompress, _one) < 0)
62     {
63         minFrequencyToCompress = _one;
64     }
65     _minFrequencyToCompress = minFrequencyToCompress;
66     _doInitialFrequenciesIncrement = doInitialFrequenciesIncrement;
67     ResetMaxDoublet();
68 }
69
70 [MethodImpl(MethodImplOptions.AggressiveInlining)]
71 public override TLink Convert(IList<TLink> source) =>
72     ↳ _baseConverter.Convert(Compress(source));
73
74 /// <remarks>
75 /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte\_pair\_encoding .
76 /// Faster version (doublets' frequencies dictionary is not recreated).
77 /// </remarks>
78 [MethodImpl(MethodImplOptions.AggressiveInlining)]
79 private IList<TLink> Compress(IList<TLink> sequence)
80 {
81     if (sequence.IsNullOrEmpty())
82     {
83         return null;
84     }
85     if (sequence.Count == 1)
86     {
87         return sequence;
88     }
89     if (sequence.Count == 2)
90     {
91         return new[] { _links.GetOrCreate(sequence[0], sequence[1]) };
92     }
93     // TODO: arraypool with min size (to improve cache locality) or stackalloc with Sigil
94     var copy = new HalfDoublet[sequence.Count];
95     Doublet<TLink> doublet = default;
96     for (var i = 1; i < sequence.Count; i++)
97     {
98         doublet = new Doublet<TLink>(sequence[i - 1], sequence[i]);
99         LinkFrequency<TLink> data;
100         if (_doInitialFrequenciesIncrement)
101         {
102             data = _doubletFrequenciesCache.IncrementFrequency(ref doublet);
103         }
104     }

```

```

105     }
106     else
107     {
108         data = _doubletFrequenciesCache.GetFrequency(ref doublet);
109         if (data == null)
110         {
111             throw new NotSupportedException("If you ask not to increment
112                 ↪ frequencies, it is expected that all frequencies for the sequence
113                 ↪ are prepared.");
114         }
115         copy[i - 1].Element = sequence[i - 1];
116         copy[i - 1].DoubletData = data;
117         UpdateMaxDoublet(ref doublet, data);
118     }
119     copy[sequence.Count - 1].Element = sequence[sequence.Count - 1];
120     copy[sequence.Count - 1].DoubletData = new LinkFrequency<TLink>();
121     if (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
122     {
123         var newLength = ReplaceDoublets(copy);
124         sequence = new TLink[newLength];
125         for (int i = 0; i < newLength; i++)
126         {
127             sequence[i] = copy[i].Element;
128         }
129     }
130     return sequence;
131 }
132
133 /// <remarks>
134 /// Original algorithm idea: https://en.wikipedia.org/wiki/Byte\_pair\_encoding
135 /// </remarks>
136 [MethodImpl(MethodImplOptions.AggressiveInlining)]
137 private int ReplaceDoublets(HalfDoublet[] copy)
138 {
139     var oldLength = copy.Length;
140     var newLength = copy.Length;
141     while (_comparer.Compare(_maxDoubletData.Frequency, default) > 0)
142     {
143         var maxDoubletSource = _maxDoublet.Source;
144         var maxDoubletTarget = _maxDoublet.Target;
145         if (_equalityComparer.Equals(_maxDoubletData.Link, _constants.Null))
146         {
147             _maxDoubletData.Link = _links.GetOrCreate(maxDoubletSource,
148                 ↪ maxDoubletTarget);
149         }
150         var maxDoubletReplacementLink = _maxDoubletData.Link;
151         oldLength--;
152         var oldLengthMinusTwo = oldLength - 1;
153         // Substitute all usages
154         int w = 0, r = 0; // (r == read, w == write)
155         for (; r < oldLength; r++)
156         {
157             if (_equalityComparer.Equals(copy[r].Element, maxDoubletSource) &&
158                 ↪ _equalityComparer.Equals(copy[r + 1].Element, maxDoubletTarget))
159             {
160                 if (r > 0)
161                 {
162                     var previous = copy[w - 1].Element;
163                     copy[w - 1].DoubletData.DecrementFrequency();
164                     copy[w - 1].DoubletData =
165                         ↪ _doubletFrequenciesCache.IncrementFrequency(previous,
166                         ↪ maxDoubletReplacementLink);
167                 }
168                 if (r < oldLengthMinusTwo)
169                 {
170                     var next = copy[r + 2].Element;
171                     copy[r + 1].DoubletData.DecrementFrequency();
172                     copy[w].DoubletData = _doubletFrequenciesCache.IncrementFrequency(maxDoubletReplacementLink,
173                         ↪ next);
174                 }
175                 copy[w++].Element = maxDoubletReplacementLink;
176                 r++;
177                 newLength--;
178             }
179             else
180             {
181                 copy[w++] = copy[r];
182             }
183         }
184     }
185     return newLength;
186 }

```

```

175         copy[w++] = copy[r];
176     }
177 }
178 if (w < newLength)
179 {
180     copy[w] = copy[r];
181 }
182 oldLength = newLength;
183 ResetMaxDoublet();
184 UpdateMaxDoublet(copy, newLength);
185 }
186 return newLength;
187 }
188
189 [MethodImpl(MethodImplOptions.AggressiveInlining)]
190 private void ResetMaxDoublet()
191 {
192     _maxDoublet = new Doublet<TLink>();
193     _maxDoubletData = new LinkFrequency<TLink>();
194 }
195
196 [MethodImpl(MethodImplOptions.AggressiveInlining)]
197 private void UpdateMaxDoublet(HalfDoublet[] copy, int length)
198 {
199     Doublet<TLink> doublet = default;
200     for (var i = 1; i < length; i++)
201     {
202         doublet = new Doublet<TLink>(copy[i - 1].Element, copy[i].Element);
203         UpdateMaxDoublet(ref doublet, copy[i - 1].DoubletData);
204     }
205 }
206
207 [MethodImpl(MethodImplOptions.AggressiveInlining)]
208 private void UpdateMaxDoublet(ref Doublet<TLink> doublet, LinkFrequency<TLink> data)
209 {
210     var frequency = data.Frequency;
211     var maxFrequency = _maxDoubletData.Frequency;
212     //if (frequency > _minFrequencyToCompress && (maxFrequency < frequency ||
213     ↪ (maxFrequency == frequency && doublet.Source + doublet.Target < /* gives better
214     ↪ compression string data (and gives collisions quickly) */ _maxDoublet.Source +
215     ↪ _maxDoublet.Target)))
216     if (_comparer.Compare(frequency, _minFrequencyToCompress) > 0 &&
217     ↪ (_comparer.Compare(maxFrequency, frequency) < 0 ||
218     ↪ (_equalityComparer.Equals(maxFrequency, frequency) &&
219     ↪ _comparer.Compare(Arithmetic.Add(doublet.Source, doublet.Target),
220     ↪ Arithmetic.Add(_maxDoublet.Source, _maxDoublet.Target)) > 0))) /* gives
221     ↪ better stability and better compression on sequent data and even on random
222     ↪ numbers data (but gives collisions anyway) */
223     {
224         _maxDoublet = doublet;
225         _maxDoubletData = data;
226     }
227 }
228 }
229 }
230 }
231 }

```

1.124 ./csharp/Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Converters;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Sequences.Converters
8 {
9     public abstract class LinksListToSequenceConverterBase<TLink> : LinksOperatorBase<TLink>,
10     ↪ IConverter<IList<TLink>, TLink>
11     {
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         protected LinksListToSequenceConverterBase(ILinks<TLink> links) : base(links) { }
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public abstract TLink Convert(IList<TLink> source);
17     }
18 }

```

1.125 ./csharp/Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;

```

```

3 using Platform.Collections.Lists;
4 using Platform.Converters;
5 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
6 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
7
8 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Sequences.Converters
11 {
12     public class OptimalVariantConverter<TLink> : LinksListToSequenceConverterBase<TLink>
13     {
14         private static readonly EqualityComparer<TLink> _equalityComparer =
15             ↪ EqualityComparer<TLink>.Default;
16         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
17
18         private readonly IConverter<IList<TLink>> _sequenceToItsLocalElementLevelsConverter;
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public OptimalVariantConverter(ILinks<TLink> links, IConverter<IList<TLink>>
22             ↪ sequenceToItsLocalElementLevelsConverter) : base(links)
23             => _sequenceToItsLocalElementLevelsConverter =
24                 ↪ sequenceToItsLocalElementLevelsConverter;
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public OptimalVariantConverter(ILinks<TLink> links, LinkFrequenciesCache<TLink>
28             ↪ linkFrequenciesCache)
29             : this(links, new SequenceToItsLocalElementLevelsConverter<TLink>(links, new Frequen_
30                 ↪ ciesCacheBasedLinkToItsFrequencyNumberConverter<TLink>(linkFrequenciesCache))) { }
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public OptimalVariantConverter(ILinks<TLink> links)
34             : this(links, new LinkFrequenciesCache<TLink>(links, new
35                 ↪ TotalSequenceSymbolFrequencyCounter<TLink>(links))) { }
36
37         [MethodImpl(MethodImplOptions.AggressiveInlining)]
38         public override TLink Convert(IList<TLink> sequence)
39         {
40             var length = sequence.Count;
41             if (length == 1)
42             {
43                 return sequence[0];
44             }
45             if (length == 2)
46             {
47                 return _links.GetOrCreate(sequence[0], sequence[1]);
48             }
49             sequence = sequence.ToArray();
50             var levels = _sequenceToItsLocalElementLevelsConverter.Convert(sequence);
51             while (length > 2)
52             {
53                 var levelRepeat = 1;
54                 var currentLevel = levels[0];
55                 var previousLevel = levels[0];
56                 var skipOnce = false;
57                 var w = 0;
58                 for (var i = 1; i < length; i++)
59                 {
60                     if (_equalityComparer.Equals(currentLevel, levels[i]))
61                     {
62                         levelRepeat++;
63                         skipOnce = false;
64                         if (levelRepeat == 2)
65                         {
66                             sequence[w] = _links.GetOrCreate(sequence[i - 1], sequence[i]);
67                             var newLevel = i >= length - 1 ?
68                                 GetPreviousLowerThanCurrentOrCurrent(previousLevel,
69                                     ↪ currentLevel) :
70                                 i < 2 ?
71                                     GetNextLowerThanCurrentOrCurrent(currentLevel, levels[i + 1]) :
72                                     GetGreatestNeighbourLowerThanCurrentOrCurrent(previousLevel,
73                                         ↪ currentLevel, levels[i + 1]);
74                             levels[w] = newLevel;
75                             previousLevel = currentLevel;
76                             w++;
77                             levelRepeat = 0;
78                             skipOnce = true;
79                         }
80                     }
81                     else if (i == length - 1)

```

```

73         {
74             sequence[w] = sequence[i];
75             levels[w] = levels[i];
76             w++;
77         }
78     }
79     else
80     {
81         currentLevel = levels[i];
82         levelRepeat = 1;
83         if (skipOnce)
84         {
85             skipOnce = false;
86         }
87         else
88         {
89             sequence[w] = sequence[i - 1];
90             levels[w] = levels[i - 1];
91             previousLevel = levels[w];
92             w++;
93         }
94         if (i == length - 1)
95         {
96             sequence[w] = sequence[i];
97             levels[w] = levels[i];
98             w++;
99         }
100     }
101     }
102     length = w;
103 }
104 return _links.GetOrCreate(sequence[0], sequence[1]);
105 }
106
107 [MethodImpl(MethodImplOptions.AggressiveInlining)]
108 private static TLink GetGreatestNeighbourLowerThanCurrentOrCurrent(TLink previous, TLink
    ↪ current, TLink next)
109 {
110     return _comparer.Compare(previous, next) > 0
111         ? _comparer.Compare(previous, current) < 0 ? previous : current
112         : _comparer.Compare(next, current) < 0 ? next : current;
113 }
114
115 [MethodImpl(MethodImplOptions.AggressiveInlining)]
116 private static TLink GetNextLowerThanCurrentOrCurrent(TLink current, TLink next) =>
    ↪ _comparer.Compare(next, current) < 0 ? next : current;
117
118 [MethodImpl(MethodImplOptions.AggressiveInlining)]
119 private static TLink GetPreviousLowerThanCurrentOrCurrent(TLink previous, TLink current)
    ↪ => _comparer.Compare(previous, current) < 0 ? previous : current;
120 }
121 }

```

1.126 ./csharp/Platform.Data.Doublets/Sequences/Converters/SequenceToItsLocalElementLevelsConverter.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Converters;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Sequences.Converters
8 {
9     public class SequenceToItsLocalElementLevelsConverter<TLink> : LinksOperatorBase<TLink>,
    ↪ IConverter<IList<TLink>>
10     {
11         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
12
13         private readonly IConverter<Doublet<TLink>, TLink> _linkToItsFrequencyToNumberConveter;
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public SequenceToItsLocalElementLevelsConverter(ILinks<TLink> links,
    ↪ IConverter<Doublet<TLink>, TLink> linkToItsFrequencyToNumberConveter) : base(links)
    ↪ => _linkToItsFrequencyToNumberConveter = linkToItsFrequencyToNumberConveter;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         public IList<TLink> Convert(IList<TLink> sequence)
20         {
21             var levels = new TLink[sequence.Count];
22             levels[0] = GetFrequencyNumber(sequence[0], sequence[1]);

```



```

23     for (var i = 1; i < sequence.Count - 1; i++)
24     {
25         var previous = GetFrequencyNumber(sequence[i - 1], sequence[i]);
26         var next = GetFrequencyNumber(sequence[i], sequence[i + 1]);
27         levels[i] = _comparer.Compare(previous, next) > 0 ? previous : next;
28     }
29     levels[levels.Length - 1] = GetFrequencyNumber(sequence[sequence.Count - 2],
30     ↪ sequence[sequence.Count - 1]);
31     return levels;
32 }
33 [MethodImpl(MethodImplOptions.AggressiveInlining)]
34 public TLink GetFrequencyNumber(TLink source, TLink target) =>
35     ↪ _linkToItsFrequencyToNumberConveter.Convert(new Doublet<TLink>(source, target));
36 }

```

1.127 ./csharp/Platform.Data.Doublets/Sequences/CriterionMatchers/DefaultSequenceElementCriterionMatcher.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Interfaces;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.CriterionMatchers
7 {
8     public class DefaultSequenceElementCriterionMatcher<TLink> : LinksOperatorBase<TLink>,
9     ↪ ICriterionMatcher<TLink>
10    {
11        [MethodImpl(MethodImplOptions.AggressiveInlining)]
12        public DefaultSequenceElementCriterionMatcher(ILinks<TLink> links) : base(links) { }
13
14        [MethodImpl(MethodImplOptions.AggressiveInlining)]
15        public bool IsMatched(TLink argument) => _links.IsPartialPoint(argument);
16    }

```

1.128 ./csharp/Platform.Data.Doublets/Sequences/CriterionMatchers/MarkedSequenceCriterionMatcher.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Interfaces;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Sequences.CriterionMatchers
8 {
9     public class MarkedSequenceCriterionMatcher<TLink> : ICriterionMatcher<TLink>
10    {
11        private static readonly EqualityComparer<TLink> _equalityComparer =
12        ↪ EqualityComparer<TLink>.Default;
13
14        private readonly ILinks<TLink> _links;
15        private readonly TLink _sequenceMarkerLink;
16
17        [MethodImpl(MethodImplOptions.AggressiveInlining)]
18        public MarkedSequenceCriterionMatcher(ILinks<TLink> links, TLink sequenceMarkerLink)
19        {
20            _links = links;
21            _sequenceMarkerLink = sequenceMarkerLink;
22        }
23
24        [MethodImpl(MethodImplOptions.AggressiveInlining)]
25        public bool IsMatched(TLink sequenceCandidate)
26        => _equalityComparer.Equals(_links.GetSource(sequenceCandidate), _sequenceMarkerLink)
27        || !_equalityComparer.Equals(_links.SearchOrDefault(_sequenceMarkerLink,
28        ↪ sequenceCandidate), _links.Constants.Null);
29    }

```

1.129 ./csharp/Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Collections.Stacks;
4 using Platform.Data.Doublets.Sequences.HeightProviders;
5 using Platform.Data.Sequences;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Data.Doublets.Sequences
10 {

```

```

11 public class DefaultSequenceAppender<TLink> : LinksOperatorBase<TLink>,
    ↳ ISequenceAppender<TLink>
12 {
13     private static readonly EqualityComparer<TLink> _equalityComparer =
        ↳ EqualityComparer<TLink>.Default;
14
15     private readonly IStack<TLink> _stack;
16     private readonly ISequenceHeightProvider<TLink> _heightProvider;
17
18     [MethodImpl(MethodImplOptions.AggressiveInlining)]
19     public DefaultSequenceAppender(ILinks<TLink> links, IStack<TLink> stack,
        ↳ ISequenceHeightProvider<TLink> heightProvider)
        : base(links)
20     {
21     }
22     _stack = stack;
23     _heightProvider = heightProvider;
24 }
25
26 [MethodImpl(MethodImplOptions.AggressiveInlining)]
27 public TLink Append(TLink sequence, TLink appendant)
28 {
29     var cursor = sequence;
30     var links = _links;
31     while (!_equalityComparer.Equals(_heightProvider.Get(cursor), default))
32     {
33         var source = links.GetSource(cursor);
34         var target = links.GetTarget(cursor);
35         if (_equalityComparer.Equals(_heightProvider.Get(source),
            ↳ _heightProvider.Get(target)))
36         {
37             break;
38         }
39         else
40         {
41             _stack.Push(source);
42             cursor = target;
43         }
44     }
45     var left = cursor;
46     var right = appendant;
47     while (!_equalityComparer.Equals(cursor = _stack.PopOrDefault(),
        ↳ links.Constants.Null))
48     {
49         right = links.GetOrCreate(left, right);
50         left = cursor;
51     }
52     return links.GetOrCreate(left, right);
53 }
54 }
55 }

```

1.130 ./csharp/Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs

```

1 using System.Collections.Generic;
2 using System.Linq;
3 using System.Runtime.CompilerServices;
4 using Platform.Interfaces;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Sequences
9 {
10     public class DuplicateSegmentsCounter<TLink> : ICounter<int>
11     {
12         private readonly IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
            ↳ _duplicateFragmentsProvider;
13
14         [MethodImpl(MethodImplOptions.AggressiveInlining)]
15         public DuplicateSegmentsCounter(IProvider<IList<KeyValuePair<IList<TLink>,
            ↳ IList<TLink>>>> duplicateFragmentsProvider) => _duplicateFragmentsProvider =
            ↳ duplicateFragmentsProvider;
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         public int Count() => _duplicateFragmentsProvider.Get().Sum(x => x.Value.Count);
19     }
20 }

```

1.131 ./csharp/Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs

```

1 using System;
2 using System.Linq;
3 using System.Collections.Generic;

```

```

4  using System.Runtime.CompilerServices;
5  using Platform.Interfaces;
6  using Platform.Collections;
7  using Platform.Collections.Lists;
8  using Platform.Collections.Segments;
9  using Platform.Collections.Segments.Walkers;
10 using Platform.Singletons;
11 using Platform.Converters;
12 using Platform.Data.Doublets.Unicode;
13
14 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
15
16 namespace Platform.Data.Doublets.Sequences
17 {
18     public class DuplicateSegmentsProvider<TLink> :
19         ↳ DictionaryBasedDuplicateSegmentsWalkerBase<TLink>,
20         ↳ IProvider<IList<KeyValuePair<IList<TLink>, IList<TLink>>>>
21     {
22         private static readonly UncheckedConverter<TLink, long> _addressToInt64Converter =
23             ↳ UncheckedConverter<TLink, long>.Default;
24         private static readonly UncheckedConverter<TLink, ulong> _addressToUInt64Converter =
25             ↳ UncheckedConverter<TLink, ulong>.Default;
26         private static readonly UncheckedConverter<ulong, TLink> _uInt64ToAddressConverter =
27             ↳ UncheckedConverter<ulong, TLink>.Default;
28
29         private readonly ILinks<TLink> _links;
30         private readonly ILinks<TLink> _sequences;
31         private HashSet<KeyValuePair<IList<TLink>, IList<TLink>>> _groups;
32         private BitString _visited;
33
34         private class ItemEquilityComparer : IEqualityComparer<KeyValuePair<IList<TLink>,
35             ↳ IList<TLink>>>
36         {
37             private readonly IListEqualityComparer<TLink> _listComparer;
38
39             public ItemEquilityComparer() => _listComparer =
40                 ↳ Default<IListEqualityComparer<TLink>>.Instance;
41
42             [MethodImpl(MethodImplOptions.AggressiveInlining)]
43             public bool Equals(KeyValuePair<IList<TLink>, IList<TLink>> left,
44                 ↳ KeyValuePair<IList<TLink>, IList<TLink>> right) =>
45                 ↳ _listComparer.Equals(left.Key, right.Key) && _listComparer.Equals(left.Value,
46                 ↳ right.Value);
47
48             [MethodImpl(MethodImplOptions.AggressiveInlining)]
49             public int GetHashCode(KeyValuePair<IList<TLink>, IList<TLink>> pair) =>
50                 ↳ (_listComparer.GetHashCode(pair.Key),
51                 ↳ _listComparer.GetHashCode(pair.Value)).GetHashCode();
52         }
53
54         private class ItemComparer : IComparer<KeyValuePair<IList<TLink>, IList<TLink>>>
55         {
56             private readonly IListComparer<TLink> _listComparer;
57
58             [MethodImpl(MethodImplOptions.AggressiveInlining)]
59             public ItemComparer() => _listComparer = Default<IListComparer<TLink>>.Instance;
60
61             [MethodImpl(MethodImplOptions.AggressiveInlining)]
62             public int Compare(KeyValuePair<IList<TLink>, IList<TLink>> left,
63                 ↳ KeyValuePair<IList<TLink>, IList<TLink>> right)
64             {
65                 var intermediateResult = _listComparer.Compare(left.Key, right.Key);
66                 if (intermediateResult == 0)
67                 {
68                     intermediateResult = _listComparer.Compare(left.Value, right.Value);
69                 }
70                 return intermediateResult;
71             }
72         }
73
74         [MethodImpl(MethodImplOptions.AggressiveInlining)]
75         public DuplicateSegmentsProvider(ILinks<TLink> links, ILinks<TLink> sequences)
76             : base(minimumStringSegmentLength: 2)
77         {
78             _links = links;
79             _sequences = sequences;
80         }
81
82         [MethodImpl(MethodImplOptions.AggressiveInlining)]
83         public IList<KeyValuePair<IList<TLink>, IList<TLink>>> Get()

```

```

71 {
72     _groups = new HashSet<KeyValuePair<IList<TLink>,
73         ↳ IList<TLink>>>(Default<ItemEqualityComparer>.Instance);
74     var links = _links;
75     var count = links.Count();
76     _visited = new BitString(_addressToInt64Converter.Convert(count) + 1L);
77     links.Each(link =>
78     {
79         var linkIndex = links.GetIndex(link);
80         var linkBitIndex = _addressToInt64Converter.Convert(linkIndex);
81         var constants = links.Constants;
82         if (!_visited.Get(linkBitIndex))
83         {
84             var sequenceElements = new List<TLink>();
85             var filler = new ListFiller<TLink, TLink>(sequenceElements, constants.Break);
86             _sequences.Each(filler.AddSkipFirstAndReturnConstant, new
87                 ↳ LinkAddress<TLink>(linkIndex));
88             if (sequenceElements.Count > 2)
89             {
90                 WalkAll(sequenceElements);
91             }
92             return constants.Continue;
93         });
94     var resultList = _groups.ToList();
95     var comparer = Default<ItemComparer>.Instance;
96     resultList.Sort(comparer);
97     #if DEBUG
98     foreach (var item in resultList)
99     {
100         PrintDuplicates(item);
101     }
102     #endif
103     return resultList;
104 }
105 [MethodImpl(MethodImplOptions.AggressiveInlining)]
106 protected override Segment<TLink> CreateSegment(IList<TLink> elements, int offset, int
107     ↳ length) => new Segment<TLink>(elements, offset, length);
108 [MethodImpl(MethodImplOptions.AggressiveInlining)]
109 protected override void OnDuplicateFound(Segment<TLink> segment)
110 {
111     var duplicates = CollectDuplicatesForSegment(segment);
112     if (duplicates.Count > 1)
113     {
114         _groups.Add(new KeyValuePair<IList<TLink>, IList<TLink>>(segment.ToArray(),
115             ↳ duplicates));
116     }
117 }
118 [MethodImpl(MethodImplOptions.AggressiveInlining)]
119 private List<TLink> CollectDuplicatesForSegment(Segment<TLink> segment)
120 {
121     var duplicates = new List<TLink>();
122     var readAsElement = new HashSet<TLink>();
123     var restrictions = segment.ShiftRight();
124     var constants = _links.Constants;
125     restrictions[0] = constants.Any;
126     _sequences.Each(sequence =>
127     {
128         var sequenceIndex = sequence[constants.IndexPart];
129         duplicates.Add(sequenceIndex);
130         readAsElement.Add(sequenceIndex);
131         return constants.Continue;
132     }, restrictions);
133     if (duplicates.Any(x => _visited.Get(_addressToInt64Converter.Convert(x))))
134     {
135         return new List<TLink>();
136     }
137     foreach (var duplicate in duplicates)
138     {
139         var duplicateBitIndex = _addressToInt64Converter.Convert(duplicate);
140         _visited.Set(duplicateBitIndex);
141     }
142     if (_sequences is Sequences sequencesExperiments)
143     {

```

```

144         var partiallyMatched = sequencesExperiments.GetAllPartiallyMatchingSequences4((H
            ↪ ashSet<ulong>)(object)readAsElement,
            ↪ (IList<ulong>)segment);
145     foreach (var partiallyMatchedSequence in partiallyMatched)
146     {
147         var sequenceIndex =
            ↪ _uInt64ToAddressConverter.Convert(partiallyMatchedSequence);
            duplicates.Add(sequenceIndex);
148     }
149 }
150 }
151 duplicates.Sort();
152 return duplicates;
153 }
154
155 [MethodImpl(MethodImplOptions.AggressiveInlining)]
156 private void PrintDuplicates(KeyValuePair<IList<TLink>, IList<TLink>> duplicatesItem)
157 {
158     if (!(_links is ILinks<ulong> ulongLinks))
159     {
160         return;
161     }
162     var duplicatesKey = duplicatesItem.Key;
163     var keyString = UnicodeMap.FromLinksToString((IList<ulong>)duplicatesKey);
164     Console.WriteLine($"{> {keyString} ({string.Join(", ", duplicatesKey})}");
165     var duplicatesList = duplicatesItem.Value;
166     for (int i = 0; i < duplicatesList.Count; i++)
167     {
168         var sequenceIndex = _addressToUInt64Converter.Convert(duplicatesList[i]);
169         var formattedSequenceStructure = ulongLinks.FormatStructure(sequenceIndex, x =>
            ↪ Point<ulong>.IsPartialPoint(x), (sb, link) => _ =
            ↪ UnicodeMap.IsCharLink(link.Index) ?
            ↪ sb.Append(UnicodeMap.FromLinkToChar(link.Index)) : sb.Append(link.Index));
170         Console.WriteLine(formattedSequenceStructure);
171         var sequenceString = UnicodeMap.FromSequenceLinkToString(sequenceIndex,
            ↪ ulongLinks);
172         Console.WriteLine(sequenceString);
173     }
174     Console.WriteLine();
175 }
176 }
177 }

```

1.132 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4 using Platform.Interfaces;
5 using Platform.Numbers;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
10 {
11     /// <remarks>
12     /// Can be used to operate with many CompressingConverters (to keep global frequencies data
13     ↪ between them).
14     /// TODO: Extract interface to implement frequencies storage inside Links storage
15     /// </remarks>
16     public class LinkFrequenciesCache<TLink> : LinksOperatorBase<TLink>
17     {
18         private static readonly EqualityComparer<TLink> _equalityComparer =
            ↪ EqualityComparer<TLink>.Default;
19         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
20
21         private static readonly TLink _zero = default;
22         private static readonly TLink _one = Arithmetic.Increment(_zero);
23
24         private readonly Dictionary<Doublet<TLink>, LinkFrequency<TLink>> _doubletsCache;
25         private readonly ICounter<TLink, TLink> _frequencyCounter;
26
27         [MethodImpl(MethodImplOptions.AggressiveInlining)]
28         public LinkFrequenciesCache(ILinks<TLink> links, ICounter<TLink, TLink> frequencyCounter)
29             : base(links)
30         {
31             _doubletsCache = new Dictionary<Doublet<TLink>, LinkFrequency<TLink>>(4096,
            ↪ DoubletComparer<TLink>.Default);
32             _frequencyCounter = frequencyCounter;
33         }
34     }
35 }

```

```

34 [MethodImpl(MethodImplOptions.AggressiveInlining)]
35 public LinkFrequency<TLink> GetFrequency(TLink source, TLink target)
36 {
37     var doublet = new Doublet<TLink>(source, target);
38     return GetFrequency(ref doublet);
39 }
40
41 [MethodImpl(MethodImplOptions.AggressiveInlining)]
42 public LinkFrequency<TLink> GetFrequency(ref Doublet<TLink> doublet)
43 {
44     _doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data);
45     return data;
46 }
47
48 [MethodImpl(MethodImplOptions.AggressiveInlining)]
49 public void IncrementFrequencies(IList<TLink> sequence)
50 {
51     for (var i = 1; i < sequence.Count; i++)
52     {
53         IncrementFrequency(sequence[i - 1], sequence[i]);
54     }
55 }
56
57 [MethodImpl(MethodImplOptions.AggressiveInlining)]
58 public LinkFrequency<TLink> IncrementFrequency(TLink source, TLink target)
59 {
60     var doublet = new Doublet<TLink>(source, target);
61     return IncrementFrequency(ref doublet);
62 }
63
64 [MethodImpl(MethodImplOptions.AggressiveInlining)]
65 public void PrintFrequencies(IList<TLink> sequence)
66 {
67     for (var i = 1; i < sequence.Count; i++)
68     {
69         PrintFrequency(sequence[i - 1], sequence[i]);
70     }
71 }
72
73 [MethodImpl(MethodImplOptions.AggressiveInlining)]
74 public void PrintFrequency(TLink source, TLink target)
75 {
76     var number = GetFrequency(source, target).Frequency;
77     Console.WriteLine("{0},{1} - {2}", source, target, number);
78 }
79
80 [MethodImpl(MethodImplOptions.AggressiveInlining)]
81 public LinkFrequency<TLink> IncrementFrequency(ref Doublet<TLink> doublet)
82 {
83     if (_doubletsCache.TryGetValue(doublet, out LinkFrequency<TLink> data))
84     {
85         data.IncrementFrequency();
86     }
87     else
88     {
89         var link = _links.SearchOrDefault(doublet.Source, doublet.Target);
90         data = new LinkFrequency<TLink>(_one, link);
91         if (!_equalityComparer.Equals(link, default))
92         {
93             data.Frequency = Arithmetic.Add(data.Frequency,
94                 ↪ _frequencyCounter.Count(link));
95         }
96         _doubletsCache.Add(doublet, data);
97     }
98     return data;
99 }
100
101 [MethodImpl(MethodImplOptions.AggressiveInlining)]
102 public void ValidateFrequencies()
103 {
104     foreach (var entry in _doubletsCache)
105     {
106         var value = entry.Value;
107         var linkIndex = value.Link;
108         if (!_equalityComparer.Equals(linkIndex, default))
109         {
110             var frequency = value.Frequency;
111             var count = _frequencyCounter.Count(linkIndex);
112             // TODO: Why `frequency` always greater than `count` by 1?

```

```

112         if (((_comparer.Compare(frequency, count) > 0) &&
113             ↪ (_comparer.Compare(Arithmetic.Subtract(frequency, count), _one) > 0))
114             || ((_comparer.Compare(count, frequency) > 0) &&
115                 ↪ (_comparer.Compare(Arithmetic.Subtract(count, frequency), _one) > 0)))
116         {
117             throw new InvalidOperationException("Frequencies validation failed.");
118         }
119     }
120     //else
121     //{
122     //    if (value.Frequency > 0)
123     //    {
124     //        var frequency = value.Frequency;
125     //        linkIndex = _createLink(entry.Key.Source, entry.Key.Target);
126     //        var count = _countLinkFrequency(linkIndex);
127     //        if ((frequency > count && frequency - count > 1) || (count > frequency
128     //            ↪ && count - frequency > 1))
129     //            throw new InvalidOperationException("Frequencies validation
130     //            ↪ failed.");
131     //    }
132     //}
133 }

```

1.133 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Numbers;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
7 {
8     public class LinkFrequency<TLink>
9     {
10         public TLink Frequency { get; set; }
11         public TLink Link { get; set; }
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public LinkFrequency(TLink frequency, TLink link)
15         {
16             Frequency = frequency;
17             Link = link;
18         }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public LinkFrequency() { }
22
23         [MethodImpl(MethodImplOptions.AggressiveInlining)]
24         public void IncrementFrequency() => Frequency = Arithmetic<TLink>.Increment(Frequency);
25
26         [MethodImpl(MethodImplOptions.AggressiveInlining)]
27         public void DecrementFrequency() => Frequency = Arithmetic<TLink>.Decrement(Frequency);
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         public override string ToString() => $"F: {Frequency}, L: {Link}";
31     }
32 }

```

1.134 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToItsFrequencyValueConverter.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Converters;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Frequencies.Cache
7 {
8     public class FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<TLink> :
9         ↪ IConverter<Doublet<TLink>, TLink>
10     {
11         private readonly LinkFrequenciesCache<TLink> _cache;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public
15             ↪ FrequenciesCacheBasedLinkToItsFrequencyNumberConverter(LinkFrequenciesCache<TLink>
16             ↪ cache) => _cache = cache;
17     }
18 }

```

```

15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public TLink Convert(Doublet<TLink> source) => _cache.GetFrequency(ref source).Frequency;
17     }
18 }

```

1.135 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounter.cs

```

1 using System.Runtime.CompilerServices;
2 using Platform.Interfaces;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
7 {
8     public class MarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
9         ↳ SequenceSymbolFrequencyOneOffCounter<TLink>
10     {
11         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public MarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
15             ↳ ICriterionMatcher<TLink> markedSequenceMatcher, TLink sequenceLink, TLink symbol)
16             : base(links, sequenceLink, symbol)
17             => _markedSequenceMatcher = markedSequenceMatcher;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public override TLink Count()
21         {
22             if (!_markedSequenceMatcher.IsMatched(_sequenceLink))
23             {
24                 return default;
25             }
26             return base.Count();
27         }
28     }
29 }

```

1.136 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Interfaces;
4 using Platform.Numbers;
5 using Platform.Data.Sequences;
6
7 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
10 {
11     public class SequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
14             ↳ EqualityComparer<TLink>.Default;
15         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
16
17         protected readonly ILinks<TLink> _links;
18         protected readonly TLink _sequenceLink;
19         protected readonly TLink _symbol;
20         protected TLink _total;
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         public SequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink sequenceLink,
24             ↳ TLink symbol)
25         {
26             _links = links;
27             _sequenceLink = sequenceLink;
28             _symbol = symbol;
29             _total = default;
30         }
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public virtual TLink Count()
34         {
35             if (_comparer.Compare(_total, default) > 0)
36             {
37                 return _total;
38             }
39             StopableSequenceWalker.WalkRight(_sequenceLink, _links.GetSource, _links.GetTarget,
40                 ↳ IsElement, VisitElement);
41             return _total;
42         }
43     }
44 }

```



```

41     [MethodImpl(MethodImplOptions.AggressiveInlining)]
42     private bool IsElement(TLink x) => _equalityComparer.Equals(x, _symbol) ||
    ↪ _links.IsPartialPoint(x); // TODO: Use SequenceElementCriteriaMatcher instead of
    ↪ IsPartialPoint
43
44     [MethodImpl(MethodImplOptions.AggressiveInlining)]
45     private bool VisitElement(TLink element)
46     {
47         if (_equalityComparer.Equals(element, _symbol))
48         {
49             _total = Arithmetic.Increment(_total);
50         }
51         return true;
52     }
53 }
54 }

```

1.137 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequency

```

1 using System.Runtime.CompilerServices;
2 using Platform.Interfaces;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
7 {
8     public class TotalMarkedSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
9     {
10         private readonly ILinks<TLink> _links;
11         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public TotalMarkedSequenceSymbolFrequencyCounter(ILinks<TLink> links,
    ↪ ICriterionMatcher<TLink> markedSequenceMatcher)
15         {
16             _links = links;
17             _markedSequenceMatcher = markedSequenceMatcher;
18         }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         public TLink Count(TLink argument) => new
    ↪ TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
    ↪ _markedSequenceMatcher, argument).Count();
22     }
23 }

```

1.138 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequency

```

1 using System.Runtime.CompilerServices;
2 using Platform.Interfaces;
3 using Platform.Numbers;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
8 {
9     public class TotalMarkedSequenceSymbolFrequencyOneOffCounter<TLink> :
    ↪ TotalSequenceSymbolFrequencyOneOffCounter<TLink>
10     {
11         private readonly ICriterionMatcher<TLink> _markedSequenceMatcher;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public TotalMarkedSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links,
    ↪ ICriterionMatcher<TLink> markedSequenceMatcher, TLink symbol)
15             : base(links, symbol)
16             => _markedSequenceMatcher = markedSequenceMatcher;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         protected override void CountSequenceSymbolFrequency(TLink link)
20         {
21             var symbolFrequencyCounter = new
    ↪ MarkedSequenceSymbolFrequencyOneOffCounter<TLink>(_links,
    ↪ _markedSequenceMatcher, link, _symbol);
22             _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
23         }
24     }
25 }

```

1.139 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounte

```

1 using System.Runtime.CompilerServices;
2 using Platform.Interfaces;

```

```

3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
7 {
8     public class TotalSequenceSymbolFrequencyCounter<TLink> : ICounter<TLink, TLink>
9     {
10         private readonly ILinks<TLink> _links;
11
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         public TotalSequenceSymbolFrequencyCounter(ILinks<TLink> links) => _links = links;
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public TLink Count(TLink symbol) => new
17             ↳ TotalSequenceSymbolFrequencyOneOffCounter<TLink>(_links, symbol).Count();
18     }
19 }

```

1.140 ./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Interfaces;
4 using Platform.Numbers;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Sequences.Frequencies.Counters
9 {
10     public class TotalSequenceSymbolFrequencyOneOffCounter<TLink> : ICounter<TLink>
11     {
12         private static readonly EqualityComparer<TLink> _equalityComparer =
13             ↳ EqualityComparer<TLink>.Default;
14         private static readonly Comparer<TLink> _comparer = Comparer<TLink>.Default;
15
16         protected readonly ILinks<TLink> _links;
17         protected readonly TLink _symbol;
18         protected readonly HashSet<TLink> _visits;
19         protected TLink _total;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public TotalSequenceSymbolFrequencyOneOffCounter(ILinks<TLink> links, TLink symbol)
23         {
24             _links = links;
25             _symbol = symbol;
26             _visits = new HashSet<TLink>();
27             _total = default;
28         }
29
30         [MethodImpl(MethodImplOptions.AggressiveInlining)]
31         public TLink Count()
32         {
33             if (_comparer.Compare(_total, default) > 0 || _visits.Count > 0)
34             {
35                 return _total;
36             }
37             CountCore(_symbol);
38             return _total;
39         }
40
41         [MethodImpl(MethodImplOptions.AggressiveInlining)]
42         private void CountCore(TLink link)
43         {
44             var any = _links.Constants.Any;
45             if (_equalityComparer.Equals(_links.Count(any, link), default))
46             {
47                 CountSequenceSymbolFrequency(link);
48             }
49             else
50             {
51                 _links.Each(EachElementHandler, any, link);
52             }
53         }
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         protected virtual void CountSequenceSymbolFrequency(TLink link)
57         {
58             var symbolFrequencyCounter = new SequenceSymbolFrequencyOneOffCounter<TLink>(_links,
59                 ↳ link, _symbol);
60             _total = Arithmetic.Add(_total, symbolFrequencyCounter.Count());
61         }
62     }
63 }

```

```

60
61     [MethodImpl(MethodImplOptions.AggressiveInlining)]
62     private TLink EachElementHandler(IList<TLink> doublet)
63     {
64         var constants = _links.Constants;
65         var doubletIndex = doublet[constants.IndexPart];
66         if (_visits.Add(doubletIndex))
67         {
68             CountCore(doubletIndex);
69         }
70         return constants.Continue;
71     }
72 }
73 }

```

1.141 ./csharp/Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4  using Platform.Converters;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Sequences.HeightProviders
9  {
10     public class CachedSequenceHeightProvider<TLink> : ISequenceHeightProvider<TLink>
11     {
12         private static readonly EqualityComparer<TLink> _equalityComparer =
13             ⇨ EqualityComparer<TLink>.Default;
14
15         private readonly TLink _heightPropertyMarker;
16         private readonly ISequenceHeightProvider<TLink> _baseHeightProvider;
17         private readonly IConverter<TLink> _addressToUnaryNumberConverter;
18         private readonly IConverter<TLink> _unaryNumberToAddressConverter;
19         private readonly IProperties<TLink, TLink, TLink> _propertyOperator;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public CachedSequenceHeightProvider(
23             ISequenceHeightProvider<TLink> baseHeightProvider,
24             IConverter<TLink> addressToUnaryNumberConverter,
25             IConverter<TLink> unaryNumberToAddressConverter,
26             TLink heightPropertyMarker,
27             IProperties<TLink, TLink, TLink> propertyOperator)
28         {
29             _heightPropertyMarker = heightPropertyMarker;
30             _baseHeightProvider = baseHeightProvider;
31             _addressToUnaryNumberConverter = addressToUnaryNumberConverter;
32             _unaryNumberToAddressConverter = unaryNumberToAddressConverter;
33             _propertyOperator = propertyOperator;
34
35             [MethodImpl(MethodImplOptions.AggressiveInlining)]
36             public TLink Get(TLink sequence)
37             {
38                 TLink height;
39                 var heightValue = _propertyOperator.GetValue(sequence, _heightPropertyMarker);
40                 if (_equalityComparer.Equals(heightValue, default))
41                 {
42                     height = _baseHeightProvider.Get(sequence);
43                     heightValue = _addressToUnaryNumberConverter.Convert(height);
44                     _propertyOperator.SetValue(sequence, _heightPropertyMarker, heightValue);
45                 }
46                 else
47                 {
48                     height = _unaryNumberToAddressConverter.Convert(heightValue);
49                 }
50                 return height;
51             }
52         }
53     }

```

1.142 ./csharp/Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Interfaces;
3  using Platform.Numbers;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Sequences.HeightProviders
8  {

```

```

9     public class DefaultSequenceRightHeightProvider<TLink> : LinksOperatorBase<TLink>,
    ↪ ISequenceHeightProvider<TLink>
10     {
11         private readonly ICriterionMatcher<TLink> _elementMatcher;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public DefaultSequenceRightHeightProvider(ILinks<TLink> links, ICriterionMatcher<TLink>
    ↪ elementMatcher) : base(links) => _elementMatcher = elementMatcher;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public TLink Get(TLink sequence)
18         {
19             var height = default(TLink);
20             var pairOrElement = sequence;
21             while (!_elementMatcher.IsMatched(pairOrElement))
22             {
23                 pairOrElement = _links.GetTarget(pairOrElement);
24                 height = Arithmetic.Increment(height);
25             }
26             return height;
27         }
28     }
29 }

```

1.143 ./csharp/Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs

```

1 using Platform.Interfaces;
2
3 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5 namespace Platform.Data.Doublets.Sequences.HeightProviders
6 {
7     public interface ISequenceHeightProvider<TLink> : IProvider<TLink, TLink>
8     {
9     }
10 }

```

1.144 ./csharp/Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Sequences.Indexes
8 {
9     public class CachedFrequencyIncrementingSequenceIndex<TLink> : ISequenceIndex<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
    ↪ EqualityComparer<TLink>.Default;
12
13         private readonly LinkFrequenciesCache<TLink> _cache;
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public CachedFrequencyIncrementingSequenceIndex(LinkFrequenciesCache<TLink> cache) =>
    ↪ _cache = cache;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         public bool Add(IList<TLink> sequence)
20         {
21             var indexed = true;
22             var i = sequence.Count;
23             while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
    ↪ { }
24             for (; i >= 1; i--)
25             {
26                 _cache.IncrementFrequency(sequence[i - 1], sequence[i]);
27             }
28             return indexed;
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         private bool IsIndexedWithIncrement(TLink source, TLink target)
33         {
34             var frequency = _cache.GetFrequency(source, target);
35             if (frequency == null)
36             {
37                 return false;
38             }
39             var indexed = !_equalityComparer.Equals(frequency.Frequency, default);

```

```

40         if (indexed)
41         {
42             _cache.IncrementFrequency(source, target);
43         }
44         return indexed;
45     }
46
47     [MethodImpl(MethodImplOptions.AggressiveInlining)]
48     public bool MightContain(ICollection<TLink> sequence)
49     {
50         var indexed = true;
51         var i = sequence.Count;
52         while (--i >= 1 && (indexed = IsIndexed(sequence[i - 1], sequence[i]))) { }
53         return indexed;
54     }
55
56     [MethodImpl(MethodImplOptions.AggressiveInlining)]
57     private bool IsIndexed(TLink source, TLink target)
58     {
59         var frequency = _cache.GetFrequency(source, target);
60         if (frequency == null)
61         {
62             return false;
63         }
64         return !_equalityComparer.Equals(frequency.Frequency, default);
65     }
66 }
67 }

```

1.145 ./csharp/Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4  using Platform.Incrementers;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Sequences.Indexes
9  {
10     public class FrequencyIncrementingSequenceIndex<TLink> : SequenceIndex<TLink>,
11         ↳ ISequenceIndex<TLink>
12     {
13         private static readonly EqualityComparer<TLink> _equalityComparer =
14             ↳ EqualityComparer<TLink>.Default;
15
16         private readonly IProperty<TLink, TLink> _frequencyPropertyOperator;
17         private readonly IIncrementer<TLink> _frequencyIncrementer;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public FrequencyIncrementingSequenceIndex(ICollection<TLink> links, IProperty<TLink, TLink>
21             ↳ frequencyPropertyOperator, IIncrementer<TLink> frequencyIncrementer)
22             : base(links)
23         {
24             _frequencyPropertyOperator = frequencyPropertyOperator;
25             _frequencyIncrementer = frequencyIncrementer;
26         }
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         public override bool Add(ICollection<TLink> sequence)
30         {
31             var indexed = true;
32             var i = sequence.Count;
33             while (--i >= 1 && (indexed = IsIndexedWithIncrement(sequence[i - 1], sequence[i])))
34                 ↳ { }
35             for (; i >= 1; i--)
36             {
37                 Increment(_links.GetOrCreate(sequence[i - 1], sequence[i]));
38             }
39             return indexed;
40         }
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         private bool IsIndexedWithIncrement(TLink source, TLink target)
44         {
45             var link = _links.SearchOrCreate(source, target);
46             var indexed = !_equalityComparer.Equals(link, default);
47             if (indexed)
48             {
49                 Increment(link);
50             }
51         }
52     }
53 }

```

```

47         return indexed;
48     }
49
50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     private void Increment(TLink link)
52     {
53         var previousFrequency = _frequencyPropertyOperator.Get(link);
54         var frequency = _frequencyIncrementer.Increment(previousFrequency);
55         _frequencyPropertyOperator.Set(link, frequency);
56     }
57 }
58 }

```

1.146 ./csharp/Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.Indexes
7  {
8      public interface ISequenceIndex<TLink>
9      {
10         /// <summary>
11         /// Индексирует последовательность глобально, и возвращает значение,
12         /// определяющие была ли запрошенная последовательность проиндексирована ранее.
13         /// </summary>
14         /// <param name="sequence">Последовательность для индексации.</param>
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         bool Add(IList<TLink> sequence);
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         bool MightContain(IList<TLink> sequence);
20     }
21 }

```

1.147 ./csharp/Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.Indexes
7  {
8      public class SequenceIndex<TLink> : LinksOperatorBase<TLink>, ISequenceIndex<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ↳ EqualityComparer<TLink>.Default;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public SequenceIndex(ILinks<TLink> links) : base(links) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public virtual bool Add(IList<TLink> sequence)
18         {
19             var indexed = true;
20             var i = sequence.Count;
21             while (--i >= 1 && (indexed =
22                 ↳ !_equalityComparer.Equals(_links.SearchOrDefault(sequence[i - 1], sequence[i]),
23                 ↳ default))) { }
24             for (; i >= 1; i--)
25             {
26                 _links.GetOrCreate(sequence[i - 1], sequence[i]);
27             }
28             return indexed;
29         }
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         public virtual bool MightContain(IList<TLink> sequence)
33         {
34             var indexed = true;
35             var i = sequence.Count;
36             while (--i >= 1 && (indexed =
37                 ↳ !_equalityComparer.Equals(_links.SearchOrDefault(sequence[i - 1], sequence[i]),
38                 ↳ default))) { }
39             return indexed;
40         }
41     }
42 }

```

1.148 ./csharp/Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.Indexes
7  {
8      public class SynchronizedSequenceIndex<TLink> : ISequenceIndex<TLink>
9      {
10         private static readonly EqualityComparer<TLink> _equalityComparer =
11             ↳ EqualityComparer<TLink>.Default;
12
13         private readonly ISynchronizedLinks<TLink> _links;
14
15         [MethodImpl(MethodImplOptions.AggressiveInlining)]
16         public SynchronizedSequenceIndex(ISynchronizedLinks<TLink> links) => _links = links;
17
18         [MethodImpl(MethodImplOptions.AggressiveInlining)]
19         public bool Add(IList<TLink> sequence)
20         {
21             var indexed = true;
22             var i = sequence.Count;
23             var links = _links.Unsync;
24             _links.SyncRoot.ExecuteReadOperation(() =>
25             {
26                 while (--i >= 1 && (indexed =
27                     ↳ !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
28                     ↳ sequence[i]), default))) { }
29             });
30             if (!indexed)
31             {
32                 _links.SyncRoot.ExecuteWriteOperation(() =>
33                 {
34                     for (; i >= 1; i--)
35                     {
36                         links.GetOrCreate(sequence[i - 1], sequence[i]);
37                     }
38                 });
39             }
40             return indexed;
41         }
42
43         [MethodImpl(MethodImplOptions.AggressiveInlining)]
44         public bool MightContain(IList<TLink> sequence)
45         {
46             var links = _links.Unsync;
47             return _links.SyncRoot.ExecuteReadOperation(() =>
48             {
49                 var indexed = true;
50                 var i = sequence.Count;
51                 while (--i >= 1 && (indexed =
52                     ↳ !_equalityComparer.Equals(links.SearchOrDefault(sequence[i - 1],
53                     ↳ sequence[i]), default))) { }
54                 return indexed;
55             });
56         }
57     }
58 }

```

1.149 ./csharp/Platform.Data.Doublets/Sequences/Indexes/Unindex.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Sequences.Indexes
7  {
8      public class Unindex<TLink> : ISequenceIndex<TLink>
9      {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         public virtual bool Add(IList<TLink> sequence) => false;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public virtual bool MightContain(IList<TLink> sequence) => true;
15     }
16 }

```

1.150 ./csharp/Platform.Data.Doublets/Sequences/Sequences.Experiments.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using System.Linq;
5  using System.Text;
6  using Platform.Collections;
7  using Platform.Collections.Sets;
8  using Platform.Collections.Stacks;
9  using Platform.Data.Exceptions;
10 using Platform.Data.Sequences;
11 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
12 using Platform.Data.Doublets.Sequences.Walkers;
13 using LinkIndex = System.UInt64;
14 using Stack = System.Collections.Generic.Stack<ulong>;
15
16 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
17
18 namespace Platform.Data.Doublets.Sequences
19 {
20     partial class Sequences
21     {
22         #region Create All Variants (Not Practical)
23
24         /// <remarks>
25         /// Number of links that is needed to generate all variants for
26         /// sequence of length N corresponds to https://oeis.org/A014143/list sequence.
27         /// </remarks>
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         public ulong[] CreateAllVariants2(ulong[] sequence)
30         {
31             return _sync.ExecuteWriteOperation(() =>
32             {
33                 if (sequence.IsNullOrEmpty())
34                 {
35                     return Array.Empty<ulong>();
36                 }
37                 Links.EnsureLinkExists(sequence);
38                 if (sequence.Length == 1)
39                 {
40                     return sequence;
41                 }
42                 return CreateAllVariants2Core(sequence, 0, sequence.Length - 1);
43             });
44         }
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         private ulong[] CreateAllVariants2Core(ulong[] sequence, long startAt, long stopAt)
48         {
49             #if DEBUG
50                 if ((stopAt - startAt) < 0)
51                 {
52                     throw new ArgumentOutOfRangeException(nameof(startAt), "startAt должен быть
53                     ↪ меньше или равен stopAt");
54                 }
55                 #endif
56                 if ((stopAt - startAt) == 0)
57                 {
58                     return new[] { sequence[startAt] };
59                 }
60                 if ((stopAt - startAt) == 1)
61                 {
62                     return new[] { Links.Unsync.GetOrCreate(sequence[startAt], sequence[stopAt]) };
63                 }
64                 var variants = new ulong[(ulong)Platform.Numbers.Math.Catalan(stopAt - startAt)];
65                 var last = 0;
66                 for (var splitter = startAt; splitter < stopAt; splitter++)
67                 {
68                     var left = CreateAllVariants2Core(sequence, startAt, splitter);
69                     var right = CreateAllVariants2Core(sequence, splitter + 1, stopAt);
70                     for (var i = 0; i < left.Length; i++)
71                     {
72                         for (var j = 0; j < right.Length; j++)
73                         {
74                             var variant = Links.Unsync.GetOrCreate(left[i], right[j]);
75                             if (variant == Constants.Null)
76                             {
77                                 throw new NotImplementedException("Creation cancellation is not
78                                 ↪ implemented.");
79                             }
80                         }
81                     }
82                     last++;
83                 }
84                 return variants;
85             }
86         }
87     }
88 }

```



```

77         }
78         variants[last++] = variant;
79     }
80 }
81 }
82 return variants;
83 }
84
85 [MethodImpl(MethodImplOptions.AggressiveInlining)]
86 public List<ulong> CreateAllVariants1(params ulong[] sequence)
87 {
88     return _sync.ExecuteWriteOperation(() =>
89     {
90         if (sequence.IsNullOrEmpty())
91         {
92             return new List<ulong>();
93         }
94         Links.Unsync.EnsureLinkExists(sequence);
95         if (sequence.Length == 1)
96         {
97             return new List<ulong> { sequence[0] };
98         }
99         var results = new
100             ↳ List<ulong>((int)Platform.Numbers.Math.Catalan(sequence.Length));
101         return CreateAllVariants1Core(sequence, results);
102     });
103 }
104
105 [MethodImpl(MethodImplOptions.AggressiveInlining)]
106 private List<ulong> CreateAllVariants1Core(ulong[] sequence, List<ulong> results)
107 {
108     if (sequence.Length == 2)
109     {
110         var link = Links.Unsync.GetOrCreate(sequence[0], sequence[1]);
111         if (link == Constants.Null)
112         {
113             throw new NotImplementedException("Creation cancellation is not
114                 ↳ implemented.");
115         }
116         results.Add(link);
117         return results;
118     }
119     var innerSequenceLength = sequence.Length - 1;
120     var innerSequence = new ulong[innerSequenceLength];
121     for (var li = 0; li < innerSequenceLength; li++)
122     {
123         var link = Links.Unsync.GetOrCreate(sequence[li], sequence[li + 1]);
124         if (link == Constants.Null)
125         {
126             throw new NotImplementedException("Creation cancellation is not
127                 ↳ implemented.");
128         }
129         for (var isi = 0; isi < li; isi++)
130         {
131             innerSequence[isi] = sequence[isi];
132         }
133         innerSequence[li] = link;
134         for (var isi = li + 1; isi < innerSequenceLength; isi++)
135         {
136             innerSequence[isi] = sequence[isi + 1];
137         }
138         CreateAllVariants1Core(innerSequence, results);
139     }
140     return results;
141 }
142
143 #endregion
144
145 [MethodImpl(MethodImplOptions.AggressiveInlining)]
146 public HashSet<ulong> Each1(params ulong[] sequence)
147 {
148     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
149     Each1(link =>
150     {
151         if (!visitedLinks.Contains(link))
152         {
153             visitedLinks.Add(link); // изучить почему случаются повторы
154         }
155     });
156 }

```

```

152         return true;
153     }, sequence);
154     return visitedLinks;
155 }
156
157 [MethodImpl(MethodImplOptions.AggressiveInlining)]
158 private void Each1(Func<ulong, bool> handler, params ulong[] sequence)
159 {
160     if (sequence.Length == 2)
161     {
162         Links.Unsync.Each(sequence[0], sequence[1], handler);
163     }
164     else
165     {
166         var innerSequenceLength = sequence.Length - 1;
167         for (var li = 0; li < innerSequenceLength; li++)
168         {
169             var left = sequence[li];
170             var right = sequence[li + 1];
171             if (left == 0 && right == 0)
172             {
173                 continue;
174             }
175             var linkIndex = li;
176             ulong[] innerSequence = null;
177             Links.Unsync.Each(doublet =>
178             {
179                 if (innerSequence == null)
180                 {
181                     innerSequence = new ulong[innerSequenceLength];
182                     for (var isi = 0; isi < linkIndex; isi++)
183                     {
184                         innerSequence[isi] = sequence[isi];
185                     }
186                     for (var isi = linkIndex + 1; isi < innerSequenceLength; isi++)
187                     {
188                         innerSequence[isi] = sequence[isi + 1];
189                     }
190                 }
191                 innerSequence[linkIndex] = doublet[Constants.IndexPart];
192                 Each1(handler, innerSequence);
193                 return Constants.Continue;
194             }, Constants.Any, left, right);
195         }
196     }
197 }
198
199 [MethodImpl(MethodImplOptions.AggressiveInlining)]
200 public HashSet<ulong> EachPart(params ulong[] sequence)
201 {
202     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
203     EachPartCore(link =>
204     {
205         var linkIndex = link[Constants.IndexPart];
206         if (!visitedLinks.Contains(linkIndex))
207         {
208             visitedLinks.Add(linkIndex); // изучить почему случаются повторы
209         }
210         return Constants.Continue;
211     }, sequence);
212     return visitedLinks;
213 }
214
215 [MethodImpl(MethodImplOptions.AggressiveInlining)]
216 public void EachPart(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[] sequence)
217 {
218     var visitedLinks = new HashSet<ulong>(); // Заменить на bitstring
219     EachPartCore(link =>
220     {
221         var linkIndex = link[Constants.IndexPart];
222         if (!visitedLinks.Contains(linkIndex))
223         {
224             visitedLinks.Add(linkIndex); // изучить почему случаются повторы
225             return handler(new LinkAddress<LinkIndex>(linkIndex));
226         }
227         return Constants.Continue;
228     }, sequence);
229 }
230

```

```

231 [MethodImpl(MethodImplOptions.AggressiveInlining)]
232 private void EachPartCore(Func<IList<LinkIndex>, LinkIndex> handler, params ulong[]
    ↳ sequence)
233 {
234     if (sequence.IsNullOrEmpty())
235     {
236         return;
237     }
238     Links.EnsureLinkIsAnyOrExists(sequence);
239     if (sequence.Length == 1)
240     {
241         var link = sequence[0];
242         if (link > 0)
243         {
244             handler(new LinkAddress<LinkIndex>(link));
245         }
246         else
247         {
248             Links.Each(Constants.Any, Constants.Any, handler);
249         }
250     }
251     else if (sequence.Length == 2)
252     {
253         // _links.Each(sequence[0], sequence[1], handler);
254         //   o_|      x_o ...
255         // x_|      |__|
256         Links.Each(sequence[1], Constants.Any, doublet =>
257         {
258             var match = Links.SearchOrDefault(sequence[0], doublet);
259             if (match != Constants.Null)
260             {
261                 handler(new LinkAddress<LinkIndex>(match));
262             }
263             return true;
264         });
265         // |_x      ... x_o
266         // |_o      |__|
267         Links.Each(Constants.Any, sequence[0], doublet =>
268         {
269             var match = Links.SearchOrDefault(doublet, sequence[1]);
270             if (match != 0)
271             {
272                 handler(new LinkAddress<LinkIndex>(match));
273             }
274             return true;
275         });
276         //           .x o_.
277         //           |__|
278         PartialStepRight(x => handler(x), sequence[0], sequence[1]);
279     }
280     else
281     {
282         throw new NotImplementedException();
283     }
284 }
285
286 [MethodImpl(MethodImplOptions.AggressiveInlining)]
287 private void PartialStepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
288 {
289     Links.Unsync.Each(Constants.Any, left, doublet =>
290     {
291         StepRight(handler, doublet, right);
292         if (left != doublet)
293         {
294             PartialStepRight(handler, doublet, right);
295         }
296         return true;
297     });
298 }
299
300 [MethodImpl(MethodImplOptions.AggressiveInlining)]
301 private void StepRight(Action<IList<LinkIndex>> handler, ulong left, ulong right)
302 {
303     Links.Unsync.Each(left, Constants.Any, rightStep =>
304     {
305         TryStepRightUp(handler, right, rightStep);
306         return true;
307     });

```

```

308     }
309
310     [MethodImpl(MethodImplOptions.AggressiveInlining)]
311     private void TryStepRightUp(Action<IList<LinkIndex>> handler, ulong right, ulong
    ↪ stepFrom)
312     {
313         var upStep = stepFrom;
314         var firstSource = Links.Unsync.GetTarget(upStep);
315         while (firstSource != right && firstSource != upStep)
316         {
317             upStep = firstSource;
318             firstSource = Links.Unsync.GetSource(upStep);
319         }
320         if (firstSource == right)
321         {
322             handler(new LinkAddress<LinkIndex>(stepFrom));
323         }
324     }
325
326     // TODO: Test
327     [MethodImpl(MethodImplOptions.AggressiveInlining)]
328     private void PartialStepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
329     {
330         Links.Unsync.Each(right, Constants.Any, doublet =>
331         {
332             StepLeft(handler, left, doublet);
333             if (right != doublet)
334             {
335                 PartialStepLeft(handler, left, doublet);
336             }
337             return true;
338         });
339     }
340
341     [MethodImpl(MethodImplOptions.AggressiveInlining)]
342     private void StepLeft(Action<IList<LinkIndex>> handler, ulong left, ulong right)
343     {
344         Links.Unsync.Each(Constants.Any, right, leftStep =>
345         {
346             TryStepLeftUp(handler, left, leftStep);
347             return true;
348         });
349     }
350
351     [MethodImpl(MethodImplOptions.AggressiveInlining)]
352     private void TryStepLeftUp(Action<IList<LinkIndex>> handler, ulong left, ulong stepFrom)
353     {
354         var upStep = stepFrom;
355         var firstTarget = Links.Unsync.GetSource(upStep);
356         while (firstTarget != left && firstTarget != upStep)
357         {
358             upStep = firstTarget;
359             firstTarget = Links.Unsync.GetTarget(upStep);
360         }
361         if (firstTarget == left)
362         {
363             handler(new LinkAddress<LinkIndex>(stepFrom));
364         }
365     }
366
367     [MethodImpl(MethodImplOptions.AggressiveInlining)]
368     private bool StartsWith(ulong sequence, ulong link)
369     {
370         var upStep = sequence;
371         var firstSource = Links.Unsync.GetSource(upStep);
372         while (firstSource != link && firstSource != upStep)
373         {
374             upStep = firstSource;
375             firstSource = Links.Unsync.GetSource(upStep);
376         }
377         return firstSource == link;
378     }
379
380     [MethodImpl(MethodImplOptions.AggressiveInlining)]
381     private bool EndsWith(ulong sequence, ulong link)
382     {
383         var upStep = sequence;
384         var lastTarget = Links.Unsync.GetTarget(upStep);
385         while (lastTarget != link && lastTarget != upStep)

```

```

386     {
387         upStep = lastTarget;
388         lastTarget = Links.Unsync.GetTarget(upStep);
389     }
390     return lastTarget == link;
391 }
392
393 [MethodImpl(MethodImplOptions.AggressiveInlining)]
394 public List<ulong> GetAllMatchingSequences0(params ulong[] sequence)
395 {
396     return _sync.ExecuteReadOperation(() =>
397     {
398         var results = new List<ulong>();
399         if (sequence.Length > 0)
400         {
401             Links.EnsureLinkExists(sequence);
402             var firstElement = sequence[0];
403             if (sequence.Length == 1)
404             {
405                 results.Add(firstElement);
406                 return results;
407             }
408             if (sequence.Length == 2)
409             {
410                 var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
411                 if (doublet != Constants.Null)
412                 {
413                     results.Add(doublet);
414                 }
415                 return results;
416             }
417             var linksInSequence = new HashSet<ulong>(sequence);
418             void handler(IList<LinkIndex> result)
419             {
420                 var resultIndex = result[Links.Constants.IndexPart];
421                 var filterPosition = 0;
422                 StopableSequenceWalker.WalkRight(resultIndex, Links.Unsync.GetSource,
423                     ↪ Links.Unsync.GetTarget,
424                     ↪ x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
425                     ↪ x =>
426                     {
427                         if (filterPosition == sequence.Length)
428                         {
429                             filterPosition = -2; // Длиннее чем нужно
430                             return false;
431                         }
432                         if (x != sequence[filterPosition])
433                         {
434                             filterPosition = -1;
435                             return false; // Начинается иначе
436                         }
437                         filterPosition++;
438                     }
439                     return true;
440                 });
441                 if (filterPosition == sequence.Length)
442                 {
443                     results.Add(resultIndex);
444                 }
445             }
446             if (sequence.Length >= 2)
447             {
448                 StepRight(handler, sequence[0], sequence[1]);
449             }
450             var last = sequence.Length - 2;
451             for (var i = 1; i < last; i++)
452             {
453                 PartialStepRight(handler, sequence[i], sequence[i + 1]);
454             }
455             if (sequence.Length >= 3)
456             {
457                 StepLeft(handler, sequence[sequence.Length - 2],
458                     ↪ sequence[sequence.Length - 1]);
459             }
460         }
461         return results;
462     });
463 }

```

```

462 [MethodImpl(MethodImplOptions.AggressiveInlining)]
463 public HashSet<ulong> GetAllMatchingSequences1(params ulong[] sequence)
464 {
465     return _sync.ExecuteReadOperation(() =>
466     {
467         var results = new HashSet<ulong>();
468         if (sequence.Length > 0)
469         {
470             Links.EnsureLinkExists(sequence);
471             var firstElement = sequence[0];
472             if (sequence.Length == 1)
473             {
474                 results.Add(firstElement);
475                 return results;
476             }
477             if (sequence.Length == 2)
478             {
479                 var doublet = Links.SearchOrDefault(firstElement, sequence[1]);
480                 if (doublet != Constants.Null)
481                 {
482                     results.Add(doublet);
483                 }
484                 return results;
485             }
486             var matcher = new Matcher(this, sequence, results, null);
487             if (sequence.Length >= 2)
488             {
489                 StepRight(matcher.AddFullMatchedToResults, sequence[0], sequence[1]);
490             }
491             var last = sequence.Length - 2;
492             for (var i = 1; i < last; i++)
493             {
494                 PartialStepRight(matcher.AddFullMatchedToResults, sequence[i],
495                     ↪ sequence[i + 1]);
496             }
497             if (sequence.Length >= 3)
498             {
499                 StepLeft(matcher.AddFullMatchedToResults, sequence[sequence.Length - 2],
500                     ↪ sequence[sequence.Length - 1]);
501             }
502             return results;
503         });
504     }
505
506     public const int MaxSequenceFormatSize = 200;
507
508     [MethodImpl(MethodImplOptions.AggressiveInlining)]
509     public string FormatSequence(LinkIndex sequenceLink, params LinkIndex[] knownElements)
510     ↪ => FormatSequence(sequenceLink, (sb, x) => sb.Append(x), true, knownElements);
511
512     [MethodImpl(MethodImplOptions.AggressiveInlining)]
513     public string FormatSequence(LinkIndex sequenceLink, Action<StringBuilder, LinkIndex>
514     ↪ elementToString, bool insertComma, params LinkIndex[] knownElements) =>
515     ↪ Links.SyncRoot.ExecuteReadOperation(() => FormatSequence(Links.Unsync, sequenceLink,
516     ↪ elementToString, insertComma, knownElements));
517
518     [MethodImpl(MethodImplOptions.AggressiveInlining)]
519     private string FormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
520     ↪ Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
521     ↪ LinkIndex[] knownElements)
522     {
523         var linksInSequence = new HashSet<ulong>(knownElements);
524         //var entered = new HashSet<ulong>();
525         var sb = new StringBuilder();
526         sb.Append('{');
527         if (links.Exists(sequenceLink))
528         {
529             StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
530             x => linksInSequence.Contains(x) || links.IsPartialPoint(x), element => //
531             ↪ entered.AddAndReturnVoid, x => { }, entered.DoNotContains
532             {
533                 if (insertComma && sb.Length > 1)
534                 {
535                     sb.Append(',');
536                 }
537                 //if (entered.Contains(element))
538                 //{

```

```

531         // sb.Append('{');
532         // elementToString(sb, element);
533         // sb.Append('}');
534         //}
535         //else
536         elementToString(sb, element);
537         if (sb.Length < MaxSequenceFormatSize)
538         {
539             return true;
540         }
541         sb.Append(insertComma ? ", ..." : "...");
542         return false;
543     });
544 }
545 sb.Append('}');
546 return sb.ToString();
547 }
548
549 [MethodImpl(MethodImplOptions.AggressiveInlining)]
550 public string SafeFormatSequence(LinkIndex sequenceLink, params LinkIndex[]
    ↪ knownElements) => SafeFormatSequence(sequenceLink, (sb, x) => sb.Append(x), true,
    ↪ knownElements);
551
552 [MethodImpl(MethodImplOptions.AggressiveInlining)]
553 public string SafeFormatSequence(LinkIndex sequenceLink, Action<StringBuilder,
    ↪ LinkIndex> elementToString, bool insertComma, params LinkIndex[] knownElements) =>
    ↪ Links.SyncRoot.ExecuteReadOperation(() => SafeFormatSequence(Links.Unsync,
    ↪ sequenceLink, elementToString, insertComma, knownElements));
554
555 [MethodImpl(MethodImplOptions.AggressiveInlining)]
556 private string SafeFormatSequence(ILinks<LinkIndex> links, LinkIndex sequenceLink,
    ↪ Action<StringBuilder, LinkIndex> elementToString, bool insertComma, params
    ↪ LinkIndex[] knownElements)
557 {
558     var linksInSequence = new HashSet<ulong>(knownElements);
559     var entered = new HashSet<ulong>();
560     var sb = new StringBuilder();
561     sb.Append('{');
562     if (links.Exists(sequenceLink))
563     {
564         StopableSequenceWalker.WalkRight(sequenceLink, links.GetSource, links.GetTarget,
565             x => linksInSequence.Contains(x) || links.IsFullPoint(x),
    ↪ entered.AddAndReturnVoid, x => { }, entered.DoNotContains, element =>
566         {
567             if (insertComma && sb.Length > 1)
568             {
569                 sb.Append(',');
570             }
571             if (entered.Contains(element))
572             {
573                 sb.Append('{');
574                 elementToString(sb, element);
575                 sb.Append('}');
576             }
577             else
578             {
579                 elementToString(sb, element);
580             }
581             if (sb.Length < MaxSequenceFormatSize)
582             {
583                 return true;
584             }
585             sb.Append(insertComma ? ", ..." : "...");
586             return false;
587         });
588     }
589     sb.Append('}');
590     return sb.ToString();
591 }
592
593 [MethodImpl(MethodImplOptions.AggressiveInlining)]
594 public List<ulong> GetAllPartiallyMatchingSequences0(params ulong[] sequence)
595 {
596     return _sync.ExecuteReadOperation(() =>
597     {
598         if (sequence.Length > 0)
599         {
600             Links.EnsureLinkExists(sequence);

```

```

601     var results = new HashSet<ulong>();
602     for (var i = 0; i < sequence.Length; i++)
603     {
604         AllUsagesCore(sequence[i], results);
605     }
606     var filteredResults = new List<ulong>();
607     var linksInSequence = new HashSet<ulong>(sequence);
608     foreach (var result in results)
609     {
610         var filterPosition = -1;
611         StopableSequenceWalker.WalkRight(result, Links.Unsync.GetSource,
        ↪ Links.Unsync.GetTarget,
612         x => linksInSequence.Contains(x) || Links.Unsync.GetTarget(x) == x,
        ↪ x =>
        {
613             if (filterPosition == (sequence.Length - 1))
614             {
615                 return false;
616             }
617             if (filterPosition >= 0)
618             {
619                 if (x == sequence[filterPosition + 1])
620                 {
621                     filterPosition++;
622                 }
623                 else
624                 {
625                     return false;
626                 }
627             }
628             if (filterPosition < 0)
629             {
630                 if (x == sequence[0])
631                 {
632                     filterPosition = 0;
633                 }
634             }
635             return true;
636         }
637     });
638     if (filterPosition == (sequence.Length - 1))
639     {
640         filteredResults.Add(result);
641     }
642     return filteredResults;
643 }
644 return new List<ulong>();
645 });
646 }
647
648 [MethodImpl(MethodImplOptions.AggressiveInlining)]
649 public HashSet<ulong> GetAllPartiallyMatchingSequences1(params ulong[] sequence)
650 {
651     return _sync.ExecuteReadOperation(() =>
652     {
653         if (sequence.Length > 0)
654         {
655             Links.EnsureLinkExists(sequence);
656             var results = new HashSet<ulong>();
657             for (var i = 0; i < sequence.Length; i++)
658             {
659                 AllUsagesCore(sequence[i], results);
660             }
661             var filteredResults = new HashSet<ulong>();
662             var matcher = new Matcher(this, sequence, filteredResults, null);
663             matcher.AddAllPartialMatchedToResults(results);
664             return filteredResults;
665         }
666         return new HashSet<ulong>();
667     });
668 }
669
670 [MethodImpl(MethodImplOptions.AggressiveInlining)]
671 public bool GetAllPartiallyMatchingSequences2(Func<IList<LinkIndex>, LinkIndex> handler,
672 ↪ params ulong[] sequence)
673 {
674     return _sync.ExecuteReadOperation(() =>
675     {

```



```

676         if (sequence.Length > 0)
677         {
678             Links.EnsureLinkExists(sequence);
679
680             var results = new HashSet<ulong>();
681             var filteredResults = new HashSet<ulong>();
682             var matcher = new Matcher(this, sequence, filteredResults, handler);
683             for (var i = 0; i < sequence.Length; i++)
684             {
685                 if (!AllUsagesCore1(sequence[i], results, matcher.HandlePartialMatched))
686                 {
687                     return false;
688                 }
689             }
690             return true;
691         }
692         return true;
693     });
694 }
695
696 //public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
697 //{
698 //    return Sync.ExecuteReadOperation(() =>
699 //    {
700 //        if (sequence.Length > 0)
701 //        {
702 //            _links.EnsureEachLinkIsAnyOrExists(sequence);
703
704 //            var firstResults = new HashSet<ulong>();
705 //            var lastResults = new HashSet<ulong>();
706
707 //            var first = sequence.First(x => x != LinksConstants.Any);
708 //            var last = sequence.Last(x => x != LinksConstants.Any);
709
710 //            AllUsagesCore(first, firstResults);
711 //            AllUsagesCore(last, lastResults);
712
713 //            firstResults.IntersectWith(lastResults);
714
715 //            //for (var i = 0; i < sequence.Length; i++)
716 //            //    AllUsagesCore(sequence[i], results);
717
718 //            var filteredResults = new HashSet<ulong>();
719 //            var matcher = new Matcher(this, sequence, filteredResults, null);
720 //            matcher.AddAllPartialMatchedToResults(firstResults);
721 //            return filteredResults;
722 //        }
723
724 //        return new HashSet<ulong>();
725 //    });
726 //}
727
728 [MethodImpl(MethodImplOptions.AggressiveInlining)]
729 public HashSet<ulong> GetAllPartiallyMatchingSequences3(params ulong[] sequence)
730 {
731     return _sync.ExecuteReadOperation((Func<HashSet<ulong>>)(() =>
732     {
733         if (sequence.Length > 0)
734         {
735             ILinksExtensions.EnsureLinkIsAnyOrExists<ulong>(Links,
736                 ↪ (IList<ulong>)sequence);
737             var firstResults = new HashSet<ulong>();
738             var lastResults = new HashSet<ulong>();
739             var first = sequence.First(x => x != Constants.Any);
740             var last = sequence.Last(x => x != Constants.Any);
741             AllUsagesCore(first, firstResults);
742             AllUsagesCore(last, lastResults);
743             firstResults.IntersectWith(lastResults);
744             //for (var i = 0; i < sequence.Length; i++)
745             //    AllUsagesCore(sequence[i], results);
746             var filteredResults = new HashSet<ulong>();
747             var matcher = new Matcher(this, sequence, filteredResults, null);
748             matcher.AddAllPartialMatchedToResults(firstResults);
749             return filteredResults;
750         }
751         return new HashSet<ulong>();
752     }));
753 }

```

```

754 [MethodImpl(MethodImplOptions.AggressiveInlining)]
755 public HashSet<ulong> GetAllPartiallyMatchingSequences4(HashSet<ulong> readAsElements,
756     ↳ IList<ulong> sequence)
757 {
758     return _sync.ExecuteReadOperation(() =>
759     {
760         if (sequence.Count > 0)
761         {
762             Links.EnsureLinkExists(sequence);
763             var results = new HashSet<LinkIndex>();
764             //var nextResults = new HashSet<ulong>();
765             //for (var i = 0; i < sequence.Length; i++)
766             //{
767                 AllUsagesCore(sequence[i], nextResults);
768                 if (results.IsNullOrEmpty())
769                 {
770                     results = nextResults;
771                     nextResults = new HashSet<ulong>();
772                 }
773                 else
774                 {
775                     results.IntersectWith(nextResults);
776                     nextResults.Clear();
777                 }
778             }
779             var collector1 = new AllUsagesCollector1(Links.Unsync, results);
780             collector1.Collect(Links.Unsync.GetLink(sequence[0]));
781             var next = new HashSet<ulong>();
782             for (var i = 1; i < sequence.Count; i++)
783             {
784                 var collector = new AllUsagesCollector1(Links.Unsync, next);
785                 collector.Collect(Links.Unsync.GetLink(sequence[i]));
786
787                 results.IntersectWith(next);
788                 next.Clear();
789             }
790             var filteredResults = new HashSet<ulong>();
791             var matcher = new Matcher(this, sequence, filteredResults, null,
792                 ↳ readAsElements);
793             matcher.AddAllPartialMatchedToResultsAndReadAsElements(results.OrderBy(x =>
794                 ↳ x)); // OrderBy is a Hack
795             return filteredResults;
796         }
797         return new HashSet<ulong>();
798     });
799 }
800
801 // Does not work
802 //public HashSet<ulong> GetAllPartiallyMatchingSequences5(HashSet<ulong> readAsElements,
803 //    ↳ params ulong[] sequence)
804 //{
805 //    var visited = new HashSet<ulong>();
806 //    var results = new HashSet<ulong>();
807 //    var matcher = new Matcher(this, sequence, visited, x => { results.Add(x); return
808 //        ↳ true; }, readAsElements);
809 //    var last = sequence.Length - 1;
810 //    for (var i = 0; i < last; i++)
811 //    {
812 //        PartialStepRight(matcher.PartialMatch, sequence[i], sequence[i + 1]);
813 //    }
814 //    return results;
815 //}
816
817 [MethodImpl(MethodImplOptions.AggressiveInlining)]
818 public List<ulong> GetAllPartiallyMatchingSequences(params ulong[] sequence)
819 {
820     return _sync.ExecuteReadOperation(() =>
821     {
822         if (sequence.Length > 0)
823         {
824             Links.EnsureLinkExists(sequence);
825             //var firstElement = sequence[0];
826             //if (sequence.Length == 1)
827             //{
828                 //results.Add(firstElement);
829                 return results;
830             }
831             //}
832         }
833     });
834 }

```

```

826 //if (sequence.Length == 2)
827 //{
828 //    //var doublet = _links.SearchCore(firstElement, sequence[1]);
829 //    //if (doublet != Doublets.Links.Null)
830 //        results.Add(doublet);
831 //    return results;
832 //}
833 //var lastElement = sequence[sequence.Length - 1];
834 //Func<ulong, bool> handler = x =>
835 //{
836 //    if (StartsWith(x, firstElement) && EndsWith(x, lastElement))
837 //        results.Add(x);
838 //    return true;
839 //};
840 //if (sequence.Length >= 2)
841 //    StepRight(handler, sequence[0], sequence[1]);
842 //var last = sequence.Length - 2;
843 //for (var i = 1; i < last; i++)
844 //    PartialStepRight(handler, sequence[i], sequence[i + 1]);
845 //if (sequence.Length >= 3)
846 //    StepLeft(handler, sequence[sequence.Length - 2],
847 //        sequence[sequence.Length - 1]);
848 //if (sequence.Length == 1)
849 //    throw new NotImplementedException(); // all sequences, containing
850 //    this element?
851 //if (sequence.Length == 2)
852 //{
853 //    var results = new List<ulong>();
854 //    PartialStepRight(results.Add, sequence[0], sequence[1]);
855 //    return results;
856 //}
857 //var matches = new List<List<ulong>>();
858 //var last = sequence.Length - 1;
859 //for (var i = 0; i < last; i++)
860 //{
861 //    var results = new List<ulong>();
862 //    //StepRight(results.Add, sequence[i], sequence[i + 1]);
863 //    PartialStepRight(results.Add, sequence[i], sequence[i + 1]);
864 //    if (results.Count > 0)
865 //        matches.Add(results);
866 //    else
867 //        return results;
868 //    if (matches.Count == 2)
869 //    {
870 //        var merged = new List<ulong>();
871 //        for (var j = 0; j < matches[0].Count; j++)
872 //            for (var k = 0; k < matches[1].Count; k++)
873 //                CloseInnerConnections(merged.Add, matches[0][j],
874 //                    matches[1][k]);
875 //        if (merged.Count > 0)
876 //            matches = new List<List<ulong>> { merged };
877 //        else
878 //            return new List<ulong>();
879 //    }
880 //}
881 //if (matches.Count > 0)
882 //{
883 //    var usages = new HashSet<ulong>();
884 //    for (int i = 0; i < sequence.Length; i++)
885 //    {
886 //        AllUsagesCore(sequence[i], usages);
887 //    }
888 //    //for (int i = 0; i < matches[0].Count; i++)
889 //    //    AllUsagesCore(matches[0][i], usages);
890 //    //usages.UnionWith(matches[0]);
891 //    return usages.ToList();
892 //}
893 var firstLinkUsages = new HashSet<ulong>();
894 AllUsagesCore(sequence[0], firstLinkUsages);
895 firstLinkUsages.Add(sequence[0]);
896 //var previousMatchings = firstLinkUsages.ToList(); //new List<ulong>() {
897 //    sequence[0] }; // or all sequences, containing this element?
898 //return GetAllPartiallyMatchingSequencesCore(sequence, firstLinkUsages,
899 //    1).ToList();
900 var results = new HashSet<ulong>();

```

```

897         foreach (var match in GetAllPartiallyMatchingSequencesCore(sequence,
898             ↪ firstLinkUsages, 1))
899         {
900             AllUsagesCore(match, results);
901         }
902         return results.ToList();
903     }
904     return new List<ulong>();
905 });
906 }
907
908 /// <remarks>
909 /// TODO: Может потребоваться ограничение на уровень глубины рекурсии
910 /// </remarks>
911 [MethodImpl(MethodImplOptions.AggressiveInlining)]
912 public HashSet<ulong> AllUsages(ulong link)
913 {
914     return _sync.ExecuteReadOperation(() =>
915     {
916         var usages = new HashSet<ulong>();
917         AllUsagesCore(link, usages);
918         return usages;
919     });
920 }
921
922 // При сборе всех использований (последовательностей) можно сохранять обратный путь к
923 ↪ той связи с которой начинался поиск (STTTSSSTT),
924 // причём достаточно одного бита для хранения перехода влево или вправо
925 [MethodImpl(MethodImplOptions.AggressiveInlining)]
926 private void AllUsagesCore(ulong link, HashSet<ulong> usages)
927 {
928     bool handler(ulong doublet)
929     {
930         if (usages.Add(doublet))
931         {
932             AllUsagesCore(doublet, usages);
933         }
934         return true;
935     }
936     Links.Unsync.Each(link, Constants.Any, handler);
937     Links.Unsync.Each(Constants.Any, link, handler);
938 }
939
940 [MethodImpl(MethodImplOptions.AggressiveInlining)]
941 public HashSet<ulong> AllBottomUsages(ulong link)
942 {
943     return _sync.ExecuteReadOperation(() =>
944     {
945         var visits = new HashSet<ulong>();
946         var usages = new HashSet<ulong>();
947         AllBottomUsagesCore(link, visits, usages);
948         return usages;
949     });
950 }
951
952 [MethodImpl(MethodImplOptions.AggressiveInlining)]
953 private void AllBottomUsagesCore(ulong link, HashSet<ulong> visits, HashSet<ulong>
954 ↪ usages)
955 {
956     bool handler(ulong doublet)
957     {
958         if (visits.Add(doublet))
959         {
960             AllBottomUsagesCore(doublet, visits, usages);
961         }
962         return true;
963     }
964     if (Links.Unsync.Count(Constants.Any, link) == 0)
965     {
966         usages.Add(link);
967     }
968     else
969     {
970         Links.Unsync.Each(link, Constants.Any, handler);
971         Links.Unsync.Each(Constants.Any, link, handler);
972     }
973 }

```

```

972 [MethodImpl(MethodImplOptions.AggressiveInlining)]
973 public ulong CalculateTotalSymbolFrequencyCore(ulong symbol)
974 {
975     if (Options.UseSequenceMarker)
976     {
977         var counter = new TotalMarkedSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
978             ↪ Options.MarkedSequenceMatcher, symbol);
979         return counter.Count();
980     }
981     else
982     {
983         var counter = new TotalSequenceSymbolFrequencyOneOffCounter<ulong>(Links,
984             ↪ symbol);
985         return counter.Count();
986     }
987 }
988 [MethodImpl(MethodImplOptions.AggressiveInlining)]
989 private bool AllUsagesCore1(ulong link, HashSet<ulong> usages, Func<IList<LinkIndex>,
990     ↪ LinkIndex> outerHandler)
991 {
992     bool handler(ulong doublet)
993     {
994         if (usages.Add(doublet))
995         {
996             if (outerHandler(new LinkAddress<LinkIndex>(doublet)) != Constants.Continue)
997             {
998                 return false;
999             }
1000             if (!AllUsagesCore1(doublet, usages, outerHandler))
1001             {
1002                 return false;
1003             }
1004         }
1005         return true;
1006     }
1007     return Links.Unsync.Each(link, Constants.Any, handler)
1008         && Links.Unsync.Each(Constants.Any, link, handler);
1009 }
1010 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1011 public void CalculateAllUsages(ulong[] totals)
1012 {
1013     var calculator = new AllUsagesCalculator(Links, totals);
1014     calculator.Calculate();
1015 }
1016 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1017 public void CalculateAllUsages2(ulong[] totals)
1018 {
1019     var calculator = new AllUsagesCalculator2(Links, totals);
1020     calculator.Calculate();
1021 }
1022 private class AllUsagesCalculator
1023 {
1024     private readonly SynchronizedLinks<ulong> _links;
1025     private readonly ulong[] _totals;
1026
1027     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1028     public AllUsagesCalculator(SynchronizedLinks<ulong> links, ulong[] totals)
1029     {
1030         _links = links;
1031         _totals = totals;
1032     }
1033
1034     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1035     public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
1036         ↪ CalculateCore);
1037
1038     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1039     private bool CalculateCore(ulong link)
1040     {
1041         if (_totals[link] == 0)
1042         {
1043             var total = 1UL;
1044             _totals[link] = total;
1045             var visitedChildren = new HashSet<ulong>();
1046             bool linkCalculator(ulong child)

```

```

1047         {
1048             if (link != child && visitedChildren.Add(child))
1049             {
1050                 total += _totals[child] == 0 ? 1 : _totals[child];
1051             }
1052             return true;
1053         }
1054         _links.Unsync.Each(link, _links.Constants.Any, linkCalculator);
1055         _links.Unsync.Each(_links.Constants.Any, link, linkCalculator);
1056         _totals[link] = total;
1057     }
1058     return true;
1059 }
1060
1061 private class AllUsagesCalculator2
1062 {
1063     private readonly SynchronizedLinks<ulong> _links;
1064     private readonly ulong[] _totals;
1065
1066     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1067     public AllUsagesCalculator2(SynchronizedLinks<ulong> links, ulong[] totals)
1068     {
1069         _links = links;
1070         _totals = totals;
1071     }
1072
1073     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1074     public void Calculate() => _links.Each(_links.Constants.Any, _links.Constants.Any,
1075         ↪ CalculateCore);
1076
1077     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1078     private bool IsElement(ulong link)
1079     {
1080         // _linksInSequence.Contains(link) ||
1081         return _links.Unsync.GetTarget(link) == link || _links.Unsync.GetSource(link) ==
1082             ↪ link;
1083     }
1084
1085     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1086     private bool CalculateCore(ulong link)
1087     {
1088         // TODO: Проработать защиту от заикливания
1089         // Основано на SequenceWalker.WalkLeft
1090         Func<ulong, ulong> getSource = _links.Unsync.GetSource;
1091         Func<ulong, ulong> getTarget = _links.Unsync.GetTarget;
1092         Func<ulong, bool> isElement = IsElement;
1093         void visitLeaf(ulong parent)
1094         {
1095             if (link != parent)
1096             {
1097                 _totals[parent]++;
1098             }
1099         }
1100         void visitNode(ulong parent)
1101         {
1102             if (link != parent)
1103             {
1104                 _totals[parent]++;
1105             }
1106         }
1107         var stack = new Stack();
1108         var element = link;
1109         if (isElement(element))
1110         {
1111             visitLeaf(element);
1112         }
1113         else
1114         {
1115             while (true)
1116             {
1117                 if (isElement(element))
1118                 {
1119                     if (stack.Count == 0)
1120                     {
1121                         break;
1122                     }
1123                     element = stack.Pop();
1124                     var source = getSource(element);

```

```

1124         var target = getTarget(element);
1125         // 06пабoтка элемента
1126         if (isElement(target))
1127         {
1128             visitLeaf(target);
1129         }
1130         if (isElement(source))
1131         {
1132             visitLeaf(source);
1133         }
1134         element = source;
1135     }
1136     else
1137     {
1138         stack.Push(element);
1139         visitNode(element);
1140         element = getTarget(element);
1141     }
1142 }
1143 }
1144 _totals[link]++;
1145 return true;
1146 }
1147 }
1148
1149 private class AllUsagesCollector
1150 {
1151     private readonly ILinks<ulong> _links;
1152     private readonly HashSet<ulong> _usages;
1153
1154     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1155     public AllUsagesCollector(ILinks<ulong> links, HashSet<ulong> usages)
1156     {
1157         _links = links;
1158         _usages = usages;
1159     }
1160
1161     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1162     public bool Collect(ulong link)
1163     {
1164         if (_usages.Add(link))
1165         {
1166             _links.Each(link, _links.Constants.Any, Collect);
1167             _links.Each(_links.Constants.Any, link, Collect);
1168         }
1169         return true;
1170     }
1171 }
1172
1173 private class AllUsagesCollector1
1174 {
1175     private readonly ILinks<ulong> _links;
1176     private readonly HashSet<ulong> _usages;
1177     private readonly ulong _continue;
1178
1179     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1180     public AllUsagesCollector1(ILinks<ulong> links, HashSet<ulong> usages)
1181     {
1182         _links = links;
1183         _usages = usages;
1184         _continue = _links.Constants.Continue;
1185     }
1186
1187     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1188     public ulong Collect(ICollection<ulong> link)
1189     {
1190         var linkIndex = _links.GetIndex(link);
1191         if (_usages.Add(linkIndex))
1192         {
1193             _links.Each(Collect, _links.Constants.Any, linkIndex);
1194         }
1195         return _continue;
1196     }
1197 }
1198
1199 private class AllUsagesCollector2
1200 {
1201     private readonly ILinks<ulong> _links;
1202     private readonly BitString _usages;
1203

```

```

1204 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1205 public AllUsagesCollector2(ILinks<ulong> links, BitString usages)
1206 {
1207     _links = links;
1208     _usages = usages;
1209 }
1210
1211 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1212 public bool Collect(ulong link)
1213 {
1214     if (_usages.Add((long)link))
1215     {
1216         _links.Each(link, _links.Constants.Any, Collect);
1217         _links.Each(_links.Constants.Any, link, Collect);
1218     }
1219     return true;
1220 }
1221 }
1222
1223 private class AllUsagesIntersectingCollector
1224 {
1225     private readonly SynchronizedLinks<ulong> _links;
1226     private readonly HashSet<ulong> _intersectWith;
1227     private readonly HashSet<ulong> _usages;
1228     private readonly HashSet<ulong> _enter;
1229
1230     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1231     public AllUsagesIntersectingCollector(SynchronizedLinks<ulong> links, HashSet<ulong>
↪ intersectWith, HashSet<ulong> usages)
1232     {
1233         _links = links;
1234         _intersectWith = intersectWith;
1235         _usages = usages;
1236         _enter = new HashSet<ulong>(); // защита от зацикливания
1237     }
1238
1239     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1240     public bool Collect(ulong link)
1241     {
1242         if (_enter.Add(link))
1243         {
1244             if (_intersectWith.Contains(link))
1245             {
1246                 _usages.Add(link);
1247             }
1248             _links.Unsync.Each(link, _links.Constants.Any, Collect);
1249             _links.Unsync.Each(_links.Constants.Any, link, Collect);
1250         }
1251         return true;
1252     }
1253 }
1254
1255 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1256 private void CloseInnerConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
↪ right)
1257 {
1258     TryStepLeftUp(handler, left, right);
1259     TryStepRightUp(handler, right, left);
1260 }
1261
1262 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1263 private void AllCloseConnections(Action<IList<LinkIndex>> handler, ulong left, ulong
↪ right)
1264 {
1265     // Direct
1266     if (left == right)
1267     {
1268         handler(new LinkAddress<LinkIndex>(left));
1269     }
1270     var doublet = Links.Unsync.SearchOrDefault(left, right);
1271     if (doublet != Constants.Null)
1272     {
1273         handler(new LinkAddress<LinkIndex>(doublet));
1274     }
1275     // Inner
1276     CloseInnerConnections(handler, left, right);
1277     // Outer
1278     StepLeft(handler, left, right);
1279     StepRight(handler, left, right);

```



```

1280     PartialStepRight(handler, left, right);
1281     PartialStepLeft(handler, left, right);
1282 }
1283
1284 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1285 private HashSet<ulong> GetAllPartiallyMatchingSequencesCore(ulong[] sequence,
1286     ↪ HashSet<ulong> previousMatchings, long startAt)
1287 {
1288     if (startAt >= sequence.Length) // ?
1289     {
1290         return previousMatchings;
1291     }
1292     var secondLinkUsages = new HashSet<ulong>();
1293     AllUsagesCore(sequence[startAt], secondLinkUsages);
1294     secondLinkUsages.Add(sequence[startAt]);
1295     var matchings = new HashSet<ulong>();
1296     var filler = new SetFiller<LinkIndex, LinkIndex>(matchings, Constants.Continue);
1297     //for (var i = 0; i < previousMatchings.Count; i++)
1298     foreach (var secondLinkUsage in secondLinkUsages)
1299     {
1300         foreach (var previousMatching in previousMatchings)
1301         {
1302             //AllCloseConnections(matchings.AddAndReturnVoid, previousMatching,
1303             ↪ secondLinkUsage);
1304             StepRight(filler.AddFirstAndReturnConstant, previousMatching,
1305             ↪ secondLinkUsage);
1306             TryStepRightUp(filler.AddFirstAndReturnConstant, secondLinkUsage,
1307             ↪ previousMatching);
1308             //PartialStepRight(matchings.AddAndReturnVoid, secondLinkUsage,
1309             ↪ sequence[startAt]); // почему-то эта ошибочная запись приводит к
1310             ↪ желаемым результатам.
1311             PartialStepRight(filler.AddFirstAndReturnConstant, previousMatching,
1312             ↪ secondLinkUsage);
1313         }
1314     }
1315     if (matchings.Count == 0)
1316     {
1317         return matchings;
1318     }
1319     return GetAllPartiallyMatchingSequencesCore(sequence, matchings, startAt + 1); // ??
1320 }
1321
1322 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1323 private static void EnsureEachLinkIsAnyOrZeroOrManyOrExists(SynchronizedLinks<ulong>
1324     ↪ links, params ulong[] sequence)
1325 {
1326     if (sequence == null)
1327     {
1328         return;
1329     }
1330     for (var i = 0; i < sequence.Length; i++)
1331     {
1332         if (sequence[i] != links.Constants.Any && sequence[i] != ZeroOrMany &&
1333             ↪ !links.Exists(sequence[i]))
1334         {
1335             throw new ArgumentLinkDoesNotExistsException<ulong>(sequence[i],
1336             ↪ $"patternSequence[{i}]");
1337         }
1338     }
1339 }
1340
1341 // Pattern Matching -> Key To Triggers
1342 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1343 public HashSet<ulong> MatchPattern(params ulong[] patternSequence)
1344 {
1345     return _sync.ExecuteReadOperation(() =>
1346     {
1347         patternSequence = Simplify(patternSequence);
1348         if (patternSequence.Length > 0)
1349         {
1350             EnsureEachLinkIsAnyOrZeroOrManyOrExists(links, patternSequence);
1351             var uniqueSequenceElements = new HashSet<ulong>();
1352             for (var i = 0; i < patternSequence.Length; i++)
1353             {
1354                 if (patternSequence[i] != Constants.Any && patternSequence[i] !=
1355                     ↪ ZeroOrMany)
1356                 {
1357                     uniqueSequenceElements.Add(patternSequence[i]);
1358                 }
1359             }
1360             return uniqueSequenceElements;
1361         }
1362         return new HashSet<ulong>();
1363     });
1364 }

```

```

1346         uniqueSequenceElements.Add(patternSequence[i]);
1347     }
1348 }
1349 var results = new HashSet<ulong>();
1350 foreach (var uniqueSequenceElement in uniqueSequenceElements)
1351 {
1352     AllUsagesCore(uniqueSequenceElement, results);
1353 }
1354 var filteredResults = new HashSet<ulong>();
1355 var matcher = new PatternMatcher(this, patternSequence, filteredResults);
1356 matcher.AddAllPatternMatchedToResults(results);
1357 return filteredResults;
1358 }
1359 return new HashSet<ulong>();
1360 });
1361 }
1362
1363 // Найти все возможные связи между указанным списком связей.
1364 // Находит связи между всеми указанными связями в любом порядке.
1365 // TODO: решить что делать с повторами (когда одни и те же элементы встречаются
1366 // ↪ несколько раз в последовательности)
1367 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1368 public HashSet<ulong> GetAllConnections(params ulong[] linksToConnect)
1369 {
1370     return _sync.ExecuteReadOperation(() =>
1371     {
1372         var results = new HashSet<ulong>();
1373         if (linksToConnect.Length > 0)
1374         {
1375             Links.EnsureLinkExists(linksToConnect);
1376             AllUsagesCore(linksToConnect[0], results);
1377             for (var i = 1; i < linksToConnect.Length; i++)
1378             {
1379                 var next = new HashSet<ulong>();
1380                 AllUsagesCore(linksToConnect[i], next);
1381                 results.IntersectWith(next);
1382             }
1383             return results;
1384         }
1385     });
1386 }
1387 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1388 public HashSet<ulong> GetAllConnections1(params ulong[] linksToConnect)
1389 {
1390     return _sync.ExecuteReadOperation(() =>
1391     {
1392         var results = new HashSet<ulong>();
1393         if (linksToConnect.Length > 0)
1394         {
1395             Links.EnsureLinkExists(linksToConnect);
1396             var collector1 = new AllUsagesCollector(Links.Unsync, results);
1397             collector1.Collect(linksToConnect[0]);
1398             var next = new HashSet<ulong>();
1399             for (var i = 1; i < linksToConnect.Length; i++)
1400             {
1401                 var collector = new AllUsagesCollector(Links.Unsync, next);
1402                 collector.Collect(linksToConnect[i]);
1403                 results.IntersectWith(next);
1404                 next.Clear();
1405             }
1406             return results;
1407         }
1408     });
1409 }
1410
1411 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1412 public HashSet<ulong> GetAllConnections2(params ulong[] linksToConnect)
1413 {
1414     return _sync.ExecuteReadOperation(() =>
1415     {
1416         var results = new HashSet<ulong>();
1417         if (linksToConnect.Length > 0)
1418         {
1419             Links.EnsureLinkExists(linksToConnect);
1420             var collector1 = new AllUsagesCollector(Links, results);
1421             collector1.Collect(linksToConnect[0]);
1422             //AllUsagesCore(linksToConnect[0], results);

```

```

1423         for (var i = 1; i < linksToConnect.Length; i++)
1424         {
1425             var next = new HashSet<ulong>();
1426             var collector = new AllUsagesIntersectingCollector(Links, results, next);
1427             collector.Collect(linksToConnect[i]);
1428             //AllUsagesCore(linksToConnect[i], next);
1429             //results.IntersectWith(next);
1430             results = next;
1431         }
1432     }
1433     return results;
1434 });
1435 }
1436
1437 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1438 public List<ulong> GetAllConnections3(params ulong[] linksToConnect)
1439 {
1440     return _sync.ExecuteReadOperation(() =>
1441     {
1442         var results = new BitString((long)Links.Unsync.Count() + 1); // new
1443         ↪ BitArray((int)_links.Total + 1);
1444         if (linksToConnect.Length > 0)
1445         {
1446             Links.EnsureLinkExists(linksToConnect);
1447             var collector1 = new AllUsagesCollector2(Links.Unsync, results);
1448             collector1.Collect(linksToConnect[0]);
1449             for (var i = 1; i < linksToConnect.Length; i++)
1450             {
1451                 var next = new BitString((long)Links.Unsync.Count() + 1); //new
1452                 ↪ BitArray((int)_links.Total + 1);
1453                 var collector = new AllUsagesCollector2(Links.Unsync, next);
1454                 collector.Collect(linksToConnect[i]);
1455                 results = results.And(next);
1456             }
1457         }
1458         return results.GetSetUInt64Indices();
1459     });
1460 }
1461
1462 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1463 private static ulong[] Simplify(ulong[] sequence)
1464 {
1465     // Считаем новый размер последовательности
1466     long newLength = 0;
1467     var zeroOrManyStepped = false;
1468     for (var i = 0; i < sequence.Length; i++)
1469     {
1470         if (sequence[i] == ZeroOrMany)
1471         {
1472             if (zeroOrManyStepped)
1473             {
1474                 continue;
1475             }
1476             zeroOrManyStepped = true;
1477         }
1478         else
1479         {
1480             //if (zeroOrManyStepped) Is it efficient?
1481             zeroOrManyStepped = false;
1482         }
1483         newLength++;
1484     }
1485     // Строим новую последовательность
1486     zeroOrManyStepped = false;
1487     var newSequence = new ulong[newLength];
1488     long j = 0;
1489     for (var i = 0; i < sequence.Length; i++)
1490     {
1491         //var current = zeroOrManyStepped;
1492         //zeroOrManyStepped = patternSequence[i] == zeroOrMany;
1493         //if (current && zeroOrManyStepped)
1494         //    continue;
1495         //var newZeroOrManyStepped = patternSequence[i] == zeroOrMany;
1496         //if (zeroOrManyStepped && newZeroOrManyStepped)
1497         //    continue;
1498         //zeroOrManyStepped = newZeroOrManyStepped;
1499         if (sequence[i] == ZeroOrMany)
1500         {

```

```

1499         if (zeroOrManyStepped)
1500         {
1501             continue;
1502         }
1503         zeroOrManyStepped = true;
1504     }
1505     else
1506     {
1507         //if (zeroOrManyStepped) Is it efficient?
1508         zeroOrManyStepped = false;
1509     }
1510     newSequence[j++] = sequence[i];
1511 }
1512 return newSequence;
1513 }
1514
1515 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1516 public static void TestSimplify()
1517 {
1518     var sequence = new ulong[] { ZeroOrMany, ZeroOrMany, 2, 3, 4, ZeroOrMany,
1519         ↪ ZeroOrMany, ZeroOrMany, 4, ZeroOrMany, ZeroOrMany, ZeroOrMany };
1520     var simplifiedSequence = Simplify(sequence);
1521 }
1522
1523 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1524 public List<ulong> GetSimilarSequences() => new List<ulong>();
1525
1526 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1527 public void Prediction()
1528 {
1529     //_links
1530     //_sequences
1531 }
1532
1533 #region From Triplets
1534
1535 //public static void DeleteSequence(Link sequence)
1536 //{
1537 //}
1538
1539 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1540 public List<ulong> CollectMatchingSequences(ulong[] links)
1541 {
1542     if (links.Length == 1)
1543     {
1544         throw new InvalidOperationException("Подпоследовательности с одним элементом не
1545             ↪ поддерживаются.");
1546     }
1547     var leftBound = 0;
1548     var rightBound = links.Length - 1;
1549     var left = links[leftBound++];
1550     var right = links[rightBound--];
1551     var results = new List<ulong>();
1552     CollectMatchingSequences(left, leftBound, links, right, rightBound, ref results);
1553     return results;
1554 }
1555
1556 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1557 private void CollectMatchingSequences(ulong leftLink, int leftBound, ulong[]
1558     ↪ middleLinks, ulong rightLink, int rightBound, ref List<ulong> results)
1559 {
1560     var leftLinkTotalReferers = Links.Unsync.Count(leftLink);
1561     var rightLinkTotalReferers = Links.Unsync.Count(rightLink);
1562     if (leftLinkTotalReferers <= rightLinkTotalReferers)
1563     {
1564         var nextLeftLink = middleLinks[leftBound];
1565         var elements = GetRightElements(leftLink, nextLeftLink);
1566         if (leftBound <= rightBound)
1567         {
1568             for (var i = elements.Length - 1; i >= 0; i--)
1569             {
1570                 var element = elements[i];
1571                 if (element != 0)
1572                 {
1573                     CollectMatchingSequences(element, leftBound + 1, middleLinks,
1574                         ↪ rightLink, rightBound, ref results);
1575                 }
1576             }
1577         }
1578     }
1579 }

```

```

1574     else
1575     {
1576         for (var i = elements.Length - 1; i >= 0; i--)
1577         {
1578             var element = elements[i];
1579             if (element != 0)
1580             {
1581                 results.Add(element);
1582             }
1583         }
1584     }
1585 }
1586 else
1587 {
1588     var nextRightLink = middleLinks[rightBound];
1589     var elements = GetLeftElements(rightLink, nextRightLink);
1590     if (leftBound <= rightBound)
1591     {
1592         for (var i = elements.Length - 1; i >= 0; i--)
1593         {
1594             var element = elements[i];
1595             if (element != 0)
1596             {
1597                 CollectMatchingSequences(leftLink, leftBound, middleLinks,
1598                                         ↪ elements[i], rightBound - 1, ref results);
1599             }
1600         }
1601     }
1602     else
1603     {
1604         for (var i = elements.Length - 1; i >= 0; i--)
1605         {
1606             var element = elements[i];
1607             if (element != 0)
1608             {
1609                 results.Add(element);
1610             }
1611         }
1612     }
1613 }
1614
1615 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1616 public ulong[] GetRightElements(ulong startLink, ulong rightLink)
1617 {
1618     var result = new ulong[5];
1619     TryStepRight(startLink, rightLink, result, 0);
1620     Links.Each(Constants.Any, startLink, couple =>
1621     {
1622         if (couple != startLink)
1623         {
1624             if (TryStepRight(couple, rightLink, result, 2))
1625             {
1626                 return false;
1627             }
1628         }
1629         return true;
1630     });
1631     if (Links.GetTarget(Links.GetTarget(startLink)) == rightLink)
1632     {
1633         result[4] = startLink;
1634     }
1635     return result;
1636 }
1637
1638 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1639 public bool TryStepRight(ulong startLink, ulong rightLink, ulong[] result, int offset)
1640 {
1641     var added = 0;
1642     Links.Each(startLink, Constants.Any, couple =>
1643     {
1644         if (couple != startLink)
1645         {
1646             var coupleTarget = Links.GetTarget(couple);
1647             if (coupleTarget == rightLink)
1648             {
1649                 result[offset] = couple;
1650                 if (++added == 2)

```

```

1651         {
1652             return false;
1653         }
1654     }
1655     else if (Links.GetSource(coupleTarget) == rightLink) // coupleTarget.Linker
1656         ↪ == Net.And &&
1657     {
1658         result[offset + 1] = couple;
1659         if (++added == 2)
1660         {
1661             return false;
1662         }
1663     }
1664     return true;
1665 });
1666 return added > 0;
1667 }
1668
1669 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1670 public ulong[] GetLeftElements(ulong startLink, ulong leftLink)
1671 {
1672     var result = new ulong[5];
1673     TryStepLeft(startLink, leftLink, result, 0);
1674     Links.Each(startLink, Constants.Any, couple =>
1675     {
1676         if (couple != startLink)
1677         {
1678             if (TryStepLeft(couple, leftLink, result, 2))
1679             {
1680                 return false;
1681             }
1682         }
1683         return true;
1684     });
1685     if (Links.GetSource(Links.GetSource(leftLink)) == startLink)
1686     {
1687         result[4] = leftLink;
1688     }
1689     return result;
1690 }
1691
1692 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1693 public bool TryStepLeft(ulong startLink, ulong leftLink, ulong[] result, int offset)
1694 {
1695     var added = 0;
1696     Links.Each(Constants.Any, startLink, couple =>
1697     {
1698         if (couple != startLink)
1699         {
1700             var coupleSource = Links.GetSource(couple);
1701             if (coupleSource == leftLink)
1702             {
1703                 result[offset] = couple;
1704                 if (++added == 2)
1705                 {
1706                     return false;
1707                 }
1708             }
1709             else if (Links.GetTarget(coupleSource) == leftLink) // coupleSource.Linker
1710                 ↪ == Net.And &&
1711             {
1712                 result[offset + 1] = couple;
1713                 if (++added == 2)
1714                 {
1715                     return false;
1716                 }
1717             }
1718             return true;
1719         });
1720     return added > 0;
1721 }
1722
1723 #endregion
1724
1725 #region Walkers
1726
1727 public class PatternMatcher : RightSequenceWalker<ulong>

```

```

1728 {
1729     private readonly Sequences _sequences;
1730     private readonly ulong[] _patternSequence;
1731     private readonly HashSet<LinkIndex> _linksInSequence;
1732     private readonly HashSet<LinkIndex> _results;
1733
1734     #region Pattern Match
1735
1736     enum PatternBlockType
1737     {
1738         Undefined,
1739         Gap,
1740         Elements
1741     }
1742
1743     struct PatternBlock
1744     {
1745         public PatternBlockType Type;
1746         public long Start;
1747         public long Stop;
1748     }
1749
1750     private readonly List<PatternBlock> _pattern;
1751     private int _patternPosition;
1752     private long _sequencePosition;
1753
1754     #endregion
1755
1756     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1757     public PatternMatcher(Sequences sequences, LinkIndex[] patternSequence,
1758         ↳ HashSet<LinkIndex> results)
1759         : base(sequences.Links.Unsync, new DefaultStack<ulong>())
1760     {
1761         _sequences = sequences;
1762         _patternSequence = patternSequence;
1763         _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
1764             ↳ _sequences.Constants.Any && x != ZeroOrMany));
1765         _results = results;
1766         _pattern = CreateDetailedPattern();
1767     }
1768
1769     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1770     protected override bool IsElement(ulong link) => _linksInSequence.Contains(link) ||
1771         ↳ base.IsElement(link);
1772
1773     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1774     public bool PatternMatch(LinkIndex sequenceToMatch)
1775     {
1776         _patternPosition = 0;
1777         _sequencePosition = 0;
1778         foreach (var part in Walk(sequenceToMatch))
1779         {
1780             if (!PatternMatchCore(part))
1781             {
1782                 break;
1783             }
1784         }
1785         return _patternPosition == _pattern.Count || (_patternPosition == _pattern.Count
1786             ↳ - 1 && _pattern[_patternPosition].Start == 0);
1787     }
1788
1789     [MethodImpl(MethodImplOptions.AggressiveInlining)]
1790     private List<PatternBlock> CreateDetailedPattern()
1791     {
1792         var pattern = new List<PatternBlock>();
1793         var patternBlock = new PatternBlock();
1794         for (var i = 0; i < _patternSequence.Length; i++)
1795         {
1796             if (patternBlock.Type == PatternBlockType.Undefined)
1797             {
1798                 if (_patternSequence[i] == _sequences.Constants.Any)
1799                 {
1800                     patternBlock.Type = PatternBlockType.Gap;
1801                     patternBlock.Start = 1;
1802                     patternBlock.Stop = 1;
1803                 }
1804                 else if (_patternSequence[i] == ZeroOrMany)
1805                 {
1806                     patternBlock.Type = PatternBlockType.Gap;
1807                     patternBlock.Start = 0;
1808                 }
1809             }
1810             else
1811             {
1812                 patternBlock.Type = PatternBlockType.Elements;
1813                 patternBlock.Start = i;
1814                 patternBlock.Stop = i + 1;
1815             }
1816             pattern.Add(patternBlock);
1817             patternBlock = new PatternBlock();
1818         }
1819     }

```

```

1804         patternBlock.Stop = long.MaxValue;
1805     }
1806     else
1807     {
1808         patternBlock.Type = PatternBlockType.Elements;
1809         patternBlock.Start = i;
1810         patternBlock.Stop = i;
1811     }
1812 }
1813 else if (patternBlock.Type == PatternBlockType.Elements)
1814 {
1815     if (_patternSequence[i] == _sequences.Constants.Any)
1816     {
1817         pattern.Add(patternBlock);
1818         patternBlock = new PatternBlock
1819         {
1820             Type = PatternBlockType.Gap,
1821             Start = 1,
1822             Stop = 1
1823         };
1824     }
1825     else if (_patternSequence[i] == ZeroOrMany)
1826     {
1827         pattern.Add(patternBlock);
1828         patternBlock = new PatternBlock
1829         {
1830             Type = PatternBlockType.Gap,
1831             Start = 0,
1832             Stop = long.MaxValue
1833         };
1834     }
1835     else
1836     {
1837         patternBlock.Stop = i;
1838     }
1839 }
1840 else // patternBlock.Type == PatternBlockType.Gap
1841 {
1842     if (_patternSequence[i] == _sequences.Constants.Any)
1843     {
1844         patternBlock.Start++;
1845         if (patternBlock.Stop < patternBlock.Start)
1846         {
1847             patternBlock.Stop = patternBlock.Start;
1848         }
1849     }
1850     else if (_patternSequence[i] == ZeroOrMany)
1851     {
1852         patternBlock.Stop = long.MaxValue;
1853     }
1854     else
1855     {
1856         pattern.Add(patternBlock);
1857         patternBlock = new PatternBlock
1858         {
1859             Type = PatternBlockType.Elements,
1860             Start = i,
1861             Stop = i
1862         };
1863     }
1864 }
1865 }
1866 if (patternBlock.Type != PatternBlockType.Undefined)
1867 {
1868     pattern.Add(patternBlock);
1869 }
1870 return pattern;
1871 }
1872
1873 // match: search for regexp anywhere in text
1874 //int match(char* regexp, char* text)
1875 //{
1876 //    do
1877 //    {
1878 //        } while (*text++ != '\0');
1879 //    return 0;
1880 //}
1881
1882 // matchhere: search for regexp at beginning of text
1883 //int matchhere(char* regexp, char* text)

```



```

1884 // {
1885 //     if (regex[0] == '\0')
1886 //         return 1;
1887 //     if (regex[1] == '*')
1888 //         return matchstar(regex[0], regex + 2, text);
1889 //     if (regex[0] == '$' && regex[1] == '\0')
1890 //         return *text == '\0';
1891 //     if (*text != '\0' && (regex[0] == '.' || regex[0] == *text))
1892 //         return matchhere(regex + 1, text + 1);
1893 //     return 0;
1894 // }
1895
1896 // matchstar: search for c*regex at beginning of text
1897 // int matchstar(int c, char* regex, char* text)
1898 // {
1899 //     do
1900 //     {
1901 //         /* a * matches zero or more instances */
1902 //         if (matchhere(regex, text))
1903 //             return 1;
1904 //     } while (*text != '\0' && (*text++ == c || c == '.'));
1905 //     return 0;
1906 // }
1907
1908 // private void GetNextPatternElement(out LinkIndex element, out long mininumGap, out
1909 //     long maximumGap)
1910 // {
1911 //     mininumGap = 0;
1912 //     maximumGap = 0;
1913 //     element = 0;
1914 //     for (; _patternPosition < _patternSequence.Length; _patternPosition++)
1915 //     {
1916 //         if (_patternSequence[_patternPosition] == Doublets.Links.Null)
1917 //             mininumGap++;
1918 //         else if (_patternSequence[_patternPosition] == ZeroOrMany)
1919 //             maximumGap = long.MaxValue;
1920 //         else
1921 //             break;
1922 //     }
1923 //     if (maximumGap < mininumGap)
1924 //         maximumGap = mininumGap;
1925 // }
1926
1927 [MethodImpl(MethodImplOptions.AggressiveInlining)]
1928 private bool PatternMatchCore(LinkIndex element)
1929 {
1930     if (_patternPosition >= _pattern.Count)
1931     {
1932         _patternPosition = -2;
1933         return false;
1934     }
1935     var currentPatternBlock = _pattern[_patternPosition];
1936     if (currentPatternBlock.Type == PatternBlockType.Gap)
1937     {
1938         // var currentMatchingBlockLength = (_sequencePosition -
1939 //     _lastMatchedBlockPosition);
1940         if (_sequencePosition < currentPatternBlock.Start)
1941         {
1942             _sequencePosition++;
1943             return true; // Двигаемся дальше
1944         }
1945         // Это последний блок
1946         if (_pattern.Count == _patternPosition + 1)
1947         {
1948             _patternPosition++;
1949             _sequencePosition = 0;
1950             return false; // Полное соответствие
1951         }
1952         else
1953         {
1954             if (_sequencePosition > currentPatternBlock.Stop)
1955             {
1956                 return false; // Соответствие невозможно
1957             }
1958             var nextPatternBlock = _pattern[_patternPosition + 1];
1959             if (_patternSequence[nextPatternBlock.Start] == element)
1960             {
1961                 if (nextPatternBlock.Start < nextPatternBlock.Stop)

```

```

1960         {
1961             _patternPosition++;
1962             _sequencePosition = 1;
1963         }
1964         else
1965         {
1966             _patternPosition += 2;
1967             _sequencePosition = 0;
1968         }
1969     }
1970 }
1971 }
1972 else // currentPatternBlock.Type == PatternBlockType.Elements
1973 {
1974     var patternElementPosition = currentPatternBlock.Start + _sequencePosition;
1975     if (_patternSequence[patternElementPosition] != element)
1976     {
1977         return false; // Соответствие невозможно
1978     }
1979     if (patternElementPosition == currentPatternBlock.Stop)
1980     {
1981         _patternPosition++;
1982         _sequencePosition = 0;
1983     }
1984     else
1985     {
1986         _sequencePosition++;
1987     }
1988 }
1989 return true;
1990 //if (_patternSequence[_patternPosition] != element)
1991 //    return false;
1992 //else
1993 //{
1994 //    _sequencePosition++;
1995 //    _patternPosition++;
1996 //    return true;
1997 //}
1998 //if (_filterPosition == _patternSequence.Length)
1999 //{
2000 //    _filterPosition = -2; // Длиннее чем нужно
2001 //    return false;
2002 //}
2003 //if (element != _patternSequence[_filterPosition])
2004 //{
2005 //    _filterPosition = -1;
2006 //    return false; // Начинается иначе
2007 //}
2008 //_filterPosition++;
2009 //if (_filterPosition == (_patternSequence.Length - 1))
2010 //    return false;
2011 //if (_filterPosition >= 0)
2012 //{
2013 //    if (element == _patternSequence[_filterPosition + 1])
2014 //        _filterPosition++;
2015 //    else
2016 //        return false;
2017 //}
2018 //if (_filterPosition < 0)
2019 //{
2020 //    if (element == _patternSequence[0])
2021 //        _filterPosition = 0;
2022 //}
2023 }
2024 }
2025
2026 [MethodImpl(MethodImplOptions.AggressiveInlining)]
2027 public void AddAllPatternMatchedToResults(IEnumerable<ulong> sequencesToMatch)
2028 {
2029     foreach (var sequenceToMatch in sequencesToMatch)
2030     {
2031         if (PatternMatch(sequenceToMatch))
2032         {
2033             _results.Add(sequenceToMatch);
2034         }
2035     }
2036 }
2037 }
2038

```

```
2039     #endregion
2040 }
2041 }
```

1.151 ./csharp/Platform.Data.Doublets/Sequences/Sequences.cs

```
1  using System;
2  using System.Collections.Generic;
3  using System.Linq;
4  using System.Runtime.CompilerServices;
5  using Platform.Collections;
6  using Platform.Collections.Lists;
7  using Platform.Collections.Stacks;
8  using Platform.Threading.Synchronization;
9  using Platform.Data.Doublets.Sequences.Walkers;
10 using LinkIndex = System.UInt64;
11
12 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
13
14 namespace Platform.Data.Doublets.Sequences
15 {
16     /// <summary>
17     /// Представляет коллекцию последовательностей связей.
18     /// </summary>
19     /// <remarks>
20     /// Обязательно реализовать атомарность каждого публичного метода.
21     ///
22     /// TODO:
23     ///
24     /// !!! Повышение вероятности повторного использования групп (подпоследовательностей),
25     /// через естественную группировку по unicode типам, все whitespace вместе, все символы
26     /// ↪ вместе, все числа вместе и т.п.
27     /// + использовать ровно сбалансированный вариант, чтобы уменьшать вложенность (глубину
28     /// ↪ графа)
29     ///
30     /// х*у - найти все связи между, в последовательностях любой формы, если не стоит
31     /// ↪ ограничитель на то, что является последовательностью, а что нет,
32     /// то находятся любые структуры связей, которые содержат эти элементы именно в таком
33     /// ↪ порядке.
34     ///
35     /// Рост последовательности слева и справа.
36     /// Поиск со звёздочкой.
37     /// URL, PURL - реестр используемых во вне ссылок на ресурсы,
38     /// так же проблема может быть решена при реализации дистанционных триггеров.
39     /// Нужны ли уникальные указатели вообще?
40     /// Что если обращение к информации будет происходить через содержимое всегда?
41     ///
42     /// Писать тесты.
43     ///
44     ///
45     /// Можно убрать зависимость от конкретной реализации Links,
46     /// на зависимость от абстрактного элемента, который может быть представлен несколькими
47     /// ↪ способами.
48     ///
49     /// Можно ли как-то сделать один общий интерфейс
50     ///
51     ///
52     /// Блокчейн и/или гит для распределённой записи транзакций.
53     ///
54     /// </remarks>
55     public partial class Sequences : ILinks<LinkIndex> // IList<string>, IList<LinkIndex[]>
56     ↪ (после завершения реализации Sequences)
57     {
58         /// <summary>Возвращает значение LinkIndex, обозначающее любое количество
59         ↪ связей.</summary>
60         public const LinkIndex ZeroOrMany = LinkIndex.MaxValue;
61
62         public SequencesOptions<LinkIndex> Options { get; }
63         public SynchronizedLinks<LinkIndex> Links { get; }
64         private readonly ISynchronization _sync;
65
66         public LinksConstants<LinkIndex> Constants { get; }
67
68         [MethodImpl(MethodImplOptions.AggressiveInlining)]
69         public Sequences(SynchronizedLinks<LinkIndex> links, SequencesOptions<LinkIndex> options)
70         {
71             Links = links;
72             _sync = links.SyncRoot;
73             Options = options;
74             Options.ValidateOptions();
75         }
76     }
77 }
```

```

68     Options.InitOptions(Links);
69     Constants = links.Constants;
70 }
71
72 [MethodImpl(MethodImplOptions.AggressiveInlining)]
73 public Sequences(SynchronizedLinks<LinkIndex> links) : this(links, new
    ↳ SequencesOptions<LinkIndex>()) { }
74
75 [MethodImpl(MethodImplOptions.AggressiveInlining)]
76 public bool IsSequence(LinkIndex sequence)
77 {
78     return _sync.ExecuteReadOperation(() =>
79     {
80         if (Options.UseSequenceMarker)
81         {
82             return Options.MarkedSequenceMatcher.IsMatched(sequence);
83         }
84         return !Links.Unsync.IsPartialPoint(sequence);
85     });
86 }
87
88 [MethodImpl(MethodImplOptions.AggressiveInlining)]
89 private LinkIndex GetSequenceByElements(LinkIndex sequence)
90 {
91     if (Options.UseSequenceMarker)
92     {
93         return Links.SearchOrDefault(Options.SequenceMarkerLink, sequence);
94     }
95     return sequence;
96 }
97
98 [MethodImpl(MethodImplOptions.AggressiveInlining)]
99 private LinkIndex GetSequenceElements(LinkIndex sequence)
100 {
101     if (Options.UseSequenceMarker)
102     {
103         var linkContents = new Link<ulong>(Links.GetLink(sequence));
104         if (linkContents.Source == Options.SequenceMarkerLink)
105         {
106             return linkContents.Target;
107         }
108         if (linkContents.Target == Options.SequenceMarkerLink)
109         {
110             return linkContents.Source;
111         }
112     }
113     return sequence;
114 }
115
116 #region Count
117
118 [MethodImpl(MethodImplOptions.AggressiveInlining)]
119 public LinkIndex Count(ICollection<LinkIndex> restrictions)
120 {
121     if (restrictions.IsNullOrEmpty())
122     {
123         return Links.Count(Constants.Any, Options.SequenceMarkerLink, Constants.Any);
124     }
125     if (restrictions.Count == 1) // Первая связь это адрес
126     {
127         var sequenceIndex = restrictions[0];
128         if (sequenceIndex == Constants.Null)
129         {
130             return 0;
131         }
132         if (sequenceIndex == Constants.Any)
133         {
134             return Count(null);
135         }
136         if (Options.UseSequenceMarker)
137         {
138             return Links.Count(Constants.Any, Options.SequenceMarkerLink, sequenceIndex);
139         }
140         return Links.Exists(sequenceIndex) ? 1UL : 0;
141     }
142     throw new NotImplementedException();
143 }
144
145 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

146 private LinkIndex CountUsages(params LinkIndex[] restrictions)
147 {
148     if (restrictions.Length == 0)
149     {
150         return 0;
151     }
152     if (restrictions.Length == 1) // Первая связь это адрес
153     {
154         if (restrictions[0] == Constants.Null)
155         {
156             return 0;
157         }
158         var any = Constants.Any;
159         if (Options.UseSequenceMarker)
160         {
161             var elementsLink = GetSequenceElements(restrictions[0]);
162             var sequenceLink = GetSequenceByElements(elementsLink);
163             if (sequenceLink != Constants.Null)
164             {
165                 return Links.Count(any, sequenceLink) + Links.Count(any, elementsLink) -
166                     ↪ 1;
167             }
168             return Links.Count(any, elementsLink);
169         }
170         return Links.Count(any, restrictions[0]);
171     }
172     throw new NotImplementedException();
173 }
174 #endregion
175 #region Create
176 [MethodImpl(MethodImplOptions.AggressiveInlining)]
177 public LinkIndex Create(ICollection<LinkIndex> restrictions)
178 {
179     return _sync.ExecuteWriteOperation(() =>
180     {
181         if (restrictions.IsNullOrEmpty())
182         {
183             return Constants.Null;
184         }
185         Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
186         return CreateCore(restrictions);
187     });
188 }
189 [MethodImpl(MethodImplOptions.AggressiveInlining)]
190 private LinkIndex CreateCore(ICollection<LinkIndex> restrictions)
191 {
192     LinkIndex[] sequence = restrictions.SkipFirst();
193     if (Options.UseIndex)
194     {
195         Options.Index.Add(sequence);
196     }
197     var sequenceRoot = default(LinkIndex);
198     if (Options.EnforceSingleSequenceVersionOnWriteBasedOnExisting)
199     {
200         var matches = Each(restrictions);
201         if (matches.Count > 0)
202         {
203             sequenceRoot = matches[0];
204         }
205     }
206     else if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew)
207     {
208         return CompactCore(sequence);
209     }
210     if (sequenceRoot == default)
211     {
212         sequenceRoot = Options.LinksToSequenceConverter.Convert(sequence);
213     }
214     if (Options.UseSequenceMarker)
215     {
216         return Links.Unsync.GetOrCreate(Options.SequenceMarkerLink, sequenceRoot);
217     }
218     return sequenceRoot; // Возвращаем корень последовательности (т.е. сами элементы)
219 }
220
221
222

```

```

223 #endregion
224
225 #region Each
226
227 [MethodImpl(MethodImplOptions.AggressiveInlining)]
228 public List<LinkIndex> Each(IList<LinkIndex> sequence)
229 {
230     var results = new List<LinkIndex>();
231     var filler = new ListFiller<LinkIndex, LinkIndex>(results, Constants.Continue);
232     Each(filler.AddFirstAndReturnConstant, sequence);
233     return results;
234 }
235
236 [MethodImpl(MethodImplOptions.AggressiveInlining)]
237 public LinkIndex Each(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
238     ↪ restrictions)
239 {
240     return _sync.ExecuteReadOperation(() =>
241     {
242         if (restrictions.IsNullOrEmpty())
243         {
244             return Constants.Continue;
245         }
246         Links.EnsureInnerReferenceExists(restrictions, nameof(restrictions));
247         if (restrictions.Count == 1)
248         {
249             var link = restrictions[0];
250             var any = Constants.Any;
251             if (link == any)
252             {
253                 if (Options.UseSequenceMarker)
254                 {
255                     return Links.Unsync.Each(handler, new Link<LinkIndex>(any,
256                         ↪ Options.SequenceMarkerLink, any));
257                 }
258                 else
259                 {
260                     return Links.Unsync.Each(handler, new Link<LinkIndex>(any, any,
261                         ↪ any));
262                 }
263             }
264             if (Options.UseSequenceMarker)
265             {
266                 var sequenceLinkValues = Links.Unsync.GetLink(link);
267                 if (sequenceLinkValues[Constants.SourcePart] ==
268                     ↪ Options.SequenceMarkerLink)
269                 {
270                     link = sequenceLinkValues[Constants.TargetPart];
271                 }
272             }
273             var sequence = Options.Walker.Walk(link).ToArray().ShiftRight();
274             sequence[0] = link;
275             return handler(sequence);
276         }
277         else if (restrictions.Count == 2)
278         {
279             throw new NotImplementedException();
280         }
281         else if (restrictions.Count == 3)
282         {
283             return Links.Unsync.Each(handler, restrictions);
284         }
285         else
286         {
287             var sequence = restrictions.SkipFirst();
288             if (Options.UseIndex && !Options.Index.MightContain(sequence))
289             {
290                 return Constants.Break;
291             }
292             return EachCore(handler, sequence);
293         }
294     });
295 }
296
297 [MethodImpl(MethodImplOptions.AggressiveInlining)]
298 private LinkIndex EachCore(Func<IList<LinkIndex>, LinkIndex> handler, IList<LinkIndex>
299     ↪ values)

```

```

296 {
297     var matcher = new Matcher(this, values, new HashSet<LinkIndex>(), handler);
298     // TODO: Find out why matcher.HandleFullMatched executed twice for the same sequence
299     ↪ Id.
300     Func<IList<LinkIndex>, LinkIndex> innerHandler = Options.UseSequenceMarker ?
301     ↪ (Func<IList<LinkIndex>, LinkIndex>)matcher.HandleFullMatchedSequence :
302     ↪ matcher.HandleFullMatched;
303     //if (sequence.Length >= 2)
304     if (StepRight(innerHandler, values[0], values[1]) != Constants.Continue)
305     {
306         return Constants.Break;
307     }
308     var last = values.Count - 2;
309     for (var i = 1; i < last; i++)
310     {
311         if (PartialStepRight(innerHandler, values[i], values[i + 1]) !=
312         ↪ Constants.Continue)
313         {
314             return Constants.Break;
315         }
316     }
317     if (values.Count >= 3)
318     {
319         if (StepLeft(innerHandler, values[values.Count - 2], values[values.Count - 1])
320         ↪ != Constants.Continue)
321         {
322             return Constants.Break;
323         }
324     }
325     return Constants.Continue;
326 }
327
328 [MethodImpl(MethodImplOptions.AggressiveInlining)]
329 private LinkIndex PartialStepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
330 ↪ left, LinkIndex right)
331 {
332     return Links.Unsync.Each(doublet =>
333     {
334         var doubletIndex = doublet[Constants.IndexPart];
335         if (StepRight(handler, doubletIndex, right) != Constants.Continue)
336         {
337             return Constants.Break;
338         }
339         if (left != doubletIndex)
340         {
341             return PartialStepRight(handler, doubletIndex, right);
342         }
343         return Constants.Continue;
344     }, new Link<LinkIndex>(Constants.Any, Constants.Any, left));
345 }
346
347 [MethodImpl(MethodImplOptions.AggressiveInlining)]
348 private LinkIndex StepRight(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
349 ↪ LinkIndex right) => Links.Unsync.Each(rightStep => TryStepRightUp(handler, right,
350 ↪ rightStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, left,
351 ↪ Constants.Any));
352
353 [MethodImpl(MethodImplOptions.AggressiveInlining)]
354 private LinkIndex TryStepRightUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
355 ↪ right, LinkIndex stepFrom)
356 {
357     var upStep = stepFrom;
358     var firstSource = Links.Unsync.GetTarget(upStep);
359     while (firstSource != right && firstSource != upStep)
360     {
361         upStep = firstSource;
362         firstSource = Links.Unsync.GetSource(upStep);
363     }
364     if (firstSource == right)
365     {
366         return handler(new LinkAddress<LinkIndex>(stepFrom));
367     }
368     return Constants.Continue;
369 }
370
371 [MethodImpl(MethodImplOptions.AggressiveInlining)]

```

```

362 private LinkIndex StepLeft(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex left,
    ↳ LinkIndex right) => Links.Unsync.Each(leftStep => TryStepLeftUp(handler, left,
    ↳ leftStep[Constants.IndexPart]), new Link<LinkIndex>(Constants.Any, Constants.Any,
    ↳ right));
363
364 [MethodImpl(MethodImplOptions.AggressiveInlining)]
365 private LinkIndex TryStepLeftUp(Func<IList<LinkIndex>, LinkIndex> handler, LinkIndex
    ↳ left, LinkIndex stepFrom)
366 {
367     var upStep = stepFrom;
368     var firstTarget = Links.Unsync.GetSource(upStep);
369     while (firstTarget != left && firstTarget != upStep)
370     {
371         upStep = firstTarget;
372         firstTarget = Links.Unsync.GetTarget(upStep);
373     }
374     if (firstTarget == left)
375     {
376         return handler(new LinkAddress<LinkIndex>(stepFrom));
377     }
378     return Constants.Continue;
379 }
380
381 #endregion
382
383 #region Update
384
385 [MethodImpl(MethodImplOptions.AggressiveInlining)]
386 public LinkIndex Update(IList<LinkIndex> restrictions, IList<LinkIndex> substitution)
387 {
388     var sequence = restrictions.SkipFirst();
389     var newSequence = substitution.SkipFirst();
390     if (sequence.IsNullOrEmpty() && newSequence.IsNullOrEmpty())
391     {
392         return Constants.Null;
393     }
394     if (sequence.IsNullOrEmpty())
395     {
396         return Create(substitution);
397     }
398     if (newSequence.IsNullOrEmpty())
399     {
400         Delete(restrictions);
401         return Constants.Null;
402     }
403     return _sync.ExecuteWriteOperation((Func<ulong>)(() =>
404     {
405         ILinksExtensions.EnsureLinkIsAnyOrExists<ulong>(Links, (IList<ulong>)sequence);
406         Links.EnsureLinkExists(newSequence);
407         return UpdateCore(sequence, newSequence);
408     })));
409 }
410
411 [MethodImpl(MethodImplOptions.AggressiveInlining)]
412 private LinkIndex UpdateCore(IList<LinkIndex> sequence, IList<LinkIndex> newSequence)
413 {
414     LinkIndex bestVariant;
415     if (Options.EnforceSingleSequenceVersionOnWriteBasedOnNew &&
    ↳ !sequence.EqualTo(newSequence))
416     {
417         bestVariant = CompactCore(newSequence);
418     }
419     else
420     {
421         bestVariant = CreateCore(newSequence);
422     }
423     // TODO: Check all options only ones before loop execution
424     // Возможно нужно две версии Each, возвращающий фактические последовательности и с
    ↳ маркером,
425     // или возможно даже возвращать и тот и тот вариант. С другой стороны все варианты
    ↳ можно получить имея только фактические последовательности.
426     foreach (var variant in Each(sequence))
427     {
428         if (variant != bestVariant)
429         {
430             UpdateOneCore(variant, bestVariant);
431         }
432     }
433     return bestVariant;

```



```

434 }
435
436 [MethodImpl(MethodImplOptions.AggressiveInlining)]
437 private void UpdateOneCore(LinkIndex sequence, LinkIndex newSequence)
438 {
439     if (Options.UseGarbageCollection)
440     {
441         var sequenceElements = GetSequenceElements(sequence);
442         var sequenceElementsContents = new Link<ulong>(Links.GetLink(sequenceElements));
443         var sequenceLink = GetSequenceByElements(sequenceElements);
444         var newSequenceElements = GetSequenceElements(newSequence);
445         var newSequenceLink = GetSequenceByElements(newSequenceElements);
446         if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
447         {
448             if (sequenceLink != Constants.Null)
449             {
450                 Links.Unsync.MergeAndDelete(sequenceLink, newSequenceLink);
451             }
452             Links.Unsync.MergeAndDelete(sequenceElements, newSequenceElements);
453         }
454         ClearGarbage(sequenceElementsContents.Source);
455         ClearGarbage(sequenceElementsContents.Target);
456     }
457     else
458     {
459         if (Options.UseSequenceMarker)
460         {
461             var sequenceElements = GetSequenceElements(sequence);
462             var sequenceLink = GetSequenceByElements(sequenceElements);
463             var newSequenceElements = GetSequenceElements(newSequence);
464             var newSequenceLink = GetSequenceByElements(newSequenceElements);
465             if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
466             {
467                 if (sequenceLink != Constants.Null)
468                 {
469                     Links.Unsync.MergeAndDelete(sequenceLink, newSequenceLink);
470                 }
471                 Links.Unsync.MergeAndDelete(sequenceElements, newSequenceElements);
472             }
473         }
474         else
475         {
476             if (Options.UseCascadeUpdate || CountUsages(sequence) == 0)
477             {
478                 Links.Unsync.MergeAndDelete(sequence, newSequence);
479             }
480         }
481     }
482 }
483
484 #endregion
485
486 #region Delete
487
488 [MethodImpl(MethodImplOptions.AggressiveInlining)]
489 public void Delete(IList<LinkIndex> restrictions)
490 {
491     _sync.ExecuteWriteOperation(() =>
492     {
493         var sequence = restrictions.SkipFirst();
494         // TODO: Check all options only ones before loop execution
495         foreach (var linkToDelete in Each(sequence))
496         {
497             DeleteOneCore(linkToDelete);
498         }
499     });
500 }
501
502 [MethodImpl(MethodImplOptions.AggressiveInlining)]
503 private void DeleteOneCore(LinkIndex link)
504 {
505     if (Options.UseGarbageCollection)
506     {
507         var sequenceElements = GetSequenceElements(link);
508         var sequenceElementsContents = new Link<ulong>(Links.GetLink(sequenceElements));
509         var sequenceLink = GetSequenceByElements(sequenceElements);
510         if (Options.UseCascadeDelete || CountUsages(link) == 0)
511         {

```

```

512         if (sequenceLink != Constants.Null)
513         {
514             Links.Unsync.Delete(sequenceLink);
515         }
516         Links.Unsync.Delete(link);
517     }
518     ClearGarbage(sequenceElementsContents.Source);
519     ClearGarbage(sequenceElementsContents.Target);
520 }
521 else
522 {
523     if (Options.UseSequenceMarker)
524     {
525         var sequenceElements = GetSequenceElements(link);
526         var sequenceLink = GetSequenceByElements(sequenceElements);
527         if (Options.UseCascadeDelete || CountUsages(link) == 0)
528         {
529             if (sequenceLink != Constants.Null)
530             {
531                 Links.Unsync.Delete(sequenceLink);
532             }
533             Links.Unsync.Delete(link);
534         }
535     }
536     else
537     {
538         if (Options.UseCascadeDelete || CountUsages(link) == 0)
539         {
540             Links.Unsync.Delete(link);
541         }
542     }
543 }
544 }
545
546 #endregion
547
548 #region Compactification
549
550 [MethodImpl(MethodImplOptions.AggressiveInlining)]
551 public void CompactAll()
552 {
553     _sync.ExecuteWriteOperation(() =>
554     {
555         var sequences = Each((LinkAddress<LinkIndex>)Constants.Any);
556         for (int i = 0; i < sequences.Count; i++)
557         {
558             var sequence = this.ToList(sequences[i]);
559             Compact(sequence.ShiftRight());
560         }
561     });
562 }
563
564 /// <remarks>
565 /// bestVariant можно выбирать по максимальному числу использований,
566 /// но балансированный позволяет гарантировать уникальность (если есть возможность,
567 /// гарантировать его использование в других местах).
568 ///
569 /// Получается этот метод должен игнорировать Options.EnforceSingleSequenceVersionOnWrite
570 /// </remarks>
571 [MethodImpl(MethodImplOptions.AggressiveInlining)]
572 public LinkIndex Compact(ICollection<LinkIndex> sequence)
573 {
574     return _sync.ExecuteWriteOperation(() =>
575     {
576         if (sequence.IsNullOrEmpty())
577         {
578             return Constants.Null;
579         }
580         Links.EnsureInnerReferenceExists(sequence, nameof(sequence));
581         return CompactCore(sequence);
582     });
583 }
584
585 [MethodImpl(MethodImplOptions.AggressiveInlining)]
586 private LinkIndex CompactCore(ICollection<LinkIndex> sequence) => UpdateCore(sequence,
587     ↪ sequence);
588
589 #endregion

```

```

590 #region Garbage Collection
591
592 /// <remarks>
593 /// TODO: Добавить дополнительный обработчик / событие CanBeDeleted которое можно
594   ↳ определить извне или в унаследованном классе
595 /// </remarks>
596 [MethodImpl(MethodImplOptions.AggressiveInlining)]
597 private bool IsGarbage(LinkIndex link) => link != Options.SequenceMarkerLink &&
598   ↳ !Links.Unsync.IsPartialPoint(link) && Links.Count(Constants.Any, link) == 0;
599
600 [MethodImpl(MethodImplOptions.AggressiveInlining)]
601 private void ClearGarbage(LinkIndex link)
602 {
603     if (IsGarbage(link))
604     {
605         var contents = new Link<ulong>(Links.GetLink(link));
606         Links.Unsync.Delete(link);
607         ClearGarbage(contents.Source);
608         ClearGarbage(contents.Target);
609     }
610 }
611
612 #endregion
613
614 #region Walkers
615
616 [MethodImpl(MethodImplOptions.AggressiveInlining)]
617 public bool EachPart(Func<LinkIndex, bool> handler, LinkIndex sequence)
618 {
619     return _sync.ExecuteReadOperation(() =>
620     {
621         var links = Links.Unsync;
622         foreach (var part in Options.Walker.Walk(sequence))
623         {
624             if (!handler(part))
625             {
626                 return false;
627             }
628         }
629         return true;
630     });
631 }
632
633 public class Matcher : RightSequenceWalker<LinkIndex>
634 {
635     private readonly Sequences _sequences;
636     private readonly IList<LinkIndex> _patternSequence;
637     private readonly HashSet<LinkIndex> _linksInSequence;
638     private readonly HashSet<LinkIndex> _results;
639     private readonly Func<IList<LinkIndex>, LinkIndex> _stopableHandler;
640     private readonly HashSet<LinkIndex> _readAsElements;
641     private int _filterPosition;
642
643     [MethodImpl(MethodImplOptions.AggressiveInlining)]
644     public Matcher(Sequences sequences, IList<LinkIndex> patternSequence,
645         ↳ HashSet<LinkIndex> results, Func<IList<LinkIndex>, LinkIndex> stopableHandler,
646         ↳ HashSet<LinkIndex> readAsElements = null)
647         : base(sequences.Links.Unsync, new DefaultStack<LinkIndex>())
648     {
649         _sequences = sequences;
650         _patternSequence = patternSequence;
651         _linksInSequence = new HashSet<LinkIndex>(patternSequence.Where(x => x !=
652             ↳ _links.Constants.Any && x != ZeroOrMany));
653         _results = results;
654         _stopableHandler = stopableHandler;
655         _readAsElements = readAsElements;
656     }
657
658     [MethodImpl(MethodImplOptions.AggressiveInlining)]
659     protected override bool IsElement(LinkIndex link) => base.IsElement(link) ||
660     ↳ (_readAsElements != null && _readAsElements.Contains(link)) ||
661     ↳ _linksInSequence.Contains(link);
662
663     [MethodImpl(MethodImplOptions.AggressiveInlining)]
664     public bool FullMatch(LinkIndex sequenceToMatch)
665     {
666         _filterPosition = 0;
667         foreach (var part in Walk(sequenceToMatch))
668         {
669             if (!FullMatchCore(part))
670             {
671                 return false;
672             }
673         }
674         return true;
675     }
676
677     private bool FullMatchCore(LinkIndex part)
678     {
679         if (_filterPosition == 0)
680         {
681             return true;
682         }
683         if (_filterPosition > 0)
684         {
685             return false;
686         }
687         if (_filterPosition < 0)
688         {
689             return false;
690         }
691         if (_filterPosition == 0)
692         {
693             return true;
694         }
695         if (_filterPosition > 0)
696         {
697             return false;
698         }
699         if (_filterPosition < 0)
700         {
701             return false;
702         }
703         if (_filterPosition == 0)
704         {
705             return true;
706         }
707         if (_filterPosition > 0)
708         {
709             return false;
710         }
711         if (_filterPosition < 0)
712         {
713             return false;
714         }
715         if (_filterPosition == 0)
716         {
717             return true;
718         }
719         if (_filterPosition > 0)
720         {
721             return false;
722         }
723         if (_filterPosition < 0)
724         {
725             return false;
726         }
727         if (_filterPosition == 0)
728         {
729             return true;
730         }
731         if (_filterPosition > 0)
732         {
733             return false;
734         }
735         if (_filterPosition < 0)
736         {
737             return false;
738         }
739         if (_filterPosition == 0)
740         {
741             return true;
742         }
743         if (_filterPosition > 0)
744         {
745             return false;
746         }
747         if (_filterPosition < 0)
748         {
749             return false;
750         }
751         if (_filterPosition == 0)
752         {
753             return true;
754         }
755         if (_filterPosition > 0)
756         {
757             return false;
758         }
759         if (_filterPosition < 0)
760         {
761             return false;
762         }
763         if (_filterPosition == 0)
764         {
765             return true;
766         }
767         if (_filterPosition > 0)
768         {
769             return false;
770         }
771         if (_filterPosition < 0)
772         {
773             return false;
774         }
775         if (_filterPosition == 0)
776         {
777             return true;
778         }
779         if (_filterPosition > 0)
780         {
781             return false;
782         }
783         if (_filterPosition < 0)
784         {
785             return false;
786         }
787         if (_filterPosition == 0)
788         {
789             return true;
790         }
791         if (_filterPosition > 0)
792         {
793             return false;
794         }
795         if (_filterPosition < 0)
796         {
797             return false;
798         }
799         if (_filterPosition == 0)
800         {
801             return true;
802         }
803         if (_filterPosition > 0)
804         {
805             return false;
806         }
807         if (_filterPosition < 0)
808         {
809             return false;
810         }
811         if (_filterPosition == 0)
812         {
813             return true;
814         }
815         if (_filterPosition > 0)
816         {
817             return false;
818         }
819         if (_filterPosition < 0)
820         {
821             return false;
822         }
823         if (_filterPosition == 0)
824         {
825             return true;
826         }
827         if (_filterPosition > 0)
828         {
829             return false;
830         }
831         if (_filterPosition < 0)
832         {
833             return false;
834         }
835         if (_filterPosition == 0)
836         {
837             return true;
838         }
839         if (_filterPosition > 0)
840         {
841             return false;
842         }
843         if (_filterPosition < 0)
844         {
845             return false;
846         }
847         if (_filterPosition == 0)
848         {
849             return true;
850         }
851         if (_filterPosition > 0)
852         {
853             return false;
854         }
855         if (_filterPosition < 0)
856         {
857             return false;
858         }
859         if (_filterPosition == 0)
860         {
861             return true;
862         }
863         if (_filterPosition > 0)
864         {
865             return false;
866         }
867         if (_filterPosition < 0)
868         {
869             return false;
870         }
871         if (_filterPosition == 0)
872         {
873             return true;
874         }
875         if (_filterPosition > 0)
876         {
877             return false;
878         }
879         if (_filterPosition < 0)
880         {
881             return false;
882         }
883         if (_filterPosition == 0)
884         {
885             return true;
886         }
887         if (_filterPosition > 0)
888         {
889             return false;
890         }
891         if (_filterPosition < 0)
892         {
893             return false;
894         }
895         if (_filterPosition == 0)
896         {
897             return true;
898         }
899         if (_filterPosition > 0)
900         {
901             return false;
902         }
903         if (_filterPosition < 0)
904         {
905             return false;
906         }
907         if (_filterPosition == 0)
908         {
909             return true;
910         }
911         if (_filterPosition > 0)
912         {
913             return false;
914         }
915         if (_filterPosition < 0)
916         {
917             return false;
918         }
919         if (_filterPosition == 0)
920         {
921             return true;
922         }
923         if (_filterPosition > 0)
924         {
925             return false;
926         }
927         if (_filterPosition < 0)
928         {
929             return false;
930         }
931         if (_filterPosition == 0)
932         {
933             return true;
934         }
935         if (_filterPosition > 0)
936         {
937             return false;
938         }
939         if (_filterPosition < 0)
940         {
941             return false;
942         }
943         if (_filterPosition == 0)
944         {
945             return true;
946         }
947         if (_filterPosition > 0)
948         {
949             return false;
950         }
951         if (_filterPosition < 0)
952         {
953             return false;
954         }
955         if (_filterPosition == 0)
956         {
957             return true;
958         }
959         if (_filterPosition > 0)
960         {
961             return false;
962         }
963         if (_filterPosition < 0)
964         {
965             return false;
966         }
967         if (_filterPosition == 0)
968         {
969             return true;
970         }
971         if (_filterPosition > 0)
972         {
973             return false;
974         }
975         if (_filterPosition < 0)
976         {
977             return false;
978         }
979         if (_filterPosition == 0)
980         {
981             return true;
982         }
983         if (_filterPosition > 0)
984         {
985             return false;
986         }
987         if (_filterPosition < 0)
988         {
989             return false;
990         }
991         if (_filterPosition == 0)
992         {
993             return true;
994         }
995         if (_filterPosition > 0)
996         {
997             return false;
998         }
999         if (_filterPosition < 0)
1000        {
1001            return false;
1002        }
1003        if (_filterPosition == 0)
1004        {
1005            return true;
1006        }
1007        if (_filterPosition > 0)
1008        {
1009            return false;
1010        }
1011        if (_filterPosition < 0)
1012        {
1013            return false;
1014        }
1015        if (_filterPosition == 0)
1016        {
1017            return true;
1018        }
1019        if (_filterPosition > 0)
1020        {
1021            return false;
1022        }
1023        if (_filterPosition < 0)
1024        {
1025            return false;
1026        }
1027        if (_filterPosition == 0)
1028        {
1029            return true;
1030        }
1031        if (_filterPosition > 0)
1032        {
1033            return false;
1034        }
1035        if (_filterPosition < 0)
1036        {
1037            return false;
1038        }
1039        if (_filterPosition == 0)
1040        {
1041            return true;
1042        }
1043        if (_filterPosition > 0)
1044        {
1045            return false;
1046        }
1047        if (_filterPosition < 0)
1048        {
1049            return false;
1050        }
1051        if (_filterPosition == 0)
1052        {
1053            return true;
1054        }
1055        if (_filterPosition > 0)
1056        {
1057            return false;
1058        }
1059        if (_filterPosition < 0)
1060        {
1061            return false;
1062        }
1063        if (_filterPosition == 0)
1064        {
1065            return true;
1066        }
1067        if (_filterPosition > 0)
1068        {
1069            return false;
1070        }
1071        if (_filterPosition < 0)
1072        {
1073            return false;
1074        }
1075        if (_filterPosition == 0)
1076        {
1077            return true;
1078        }
1079        if (_filterPosition > 0)
1080        {
1081            return false;
1082        }
1083        if (_filterPosition < 0)
1084        {
1085            return false;
1086        }
1087        if (_filterPosition == 0)
1088        {
1089            return true;
1090        }
1091        if (_filterPosition > 0)
1092        {
1093            return false;
1094        }
1095        if (_filterPosition < 0)
1096        {
1097            return false;
1098        }
1099        if (_filterPosition == 0)
1100        {
1101            return true;
1102        }
1103        if (_filterPosition > 0)
1104        {
1105            return false;
1106        }
1107        if (_filterPosition < 0)
1108        {
1109            return false;
1110        }
1111        if (_filterPosition == 0)
1112        {
1113            return true;
1114        }
1115        if (_filterPosition > 0)
1116        {
1117            return false;
1118        }
1119        if (_filterPosition < 0)
1120        {
1121            return false;
1122        }
1123        if (_filterPosition == 0)
1124        {
1125            return true;
1126        }
1127        if (_filterPosition > 0)
1128        {
1129            return false;
1130        }
1131        if (_filterPosition < 0)
1132        {
1133            return false;
1134        }
1135        if (_filterPosition == 0)
1136        {
1137            return true;
1138        }
1139        if (_filterPosition > 0)
1140        {
1141            return false;
1142        }
1143        if (_filterPosition < 0)
1144        {
1145            return false;
1146        }
1147        if (_filterPosition == 0)
1148        {
1149            return true;
1150        }
1151        if (_filterPosition > 0)
1152        {
1153            return false;
1154        }
1155        if (_filterPosition < 0)
1156        {
1157            return false;
1158        }
1159        if (_filterPosition == 0)
1160        {
1161            return true;
1162        }
1163        if (_filterPosition > 0)
1164        {
1165            return false;
1166        }
1167        if (_filterPosition < 0)
1168        {
1169            return false;
1170        }
1171        if (_filterPosition == 0)
1172        {
1173            return true;
1174        }
1175        if (_filterPosition > 0)
1176        {
1177            return false;
1178        }
1179        if (_filterPosition < 0)
1180        {
1181            return false;
1182        }
1183        if (_filterPosition == 0)
1184        {
1185            return true;
1186        }
1187        if (_filterPosition > 0)
1188        {
1189            return false;
1190        }
1191        if (_filterPosition < 0)
1192        {
1193            return false;
1194        }
1195        if (_filterPosition == 0)
1196        {
1197            return true;
1198        }
1199        if (_filterPosition > 0)
1200        {
1201            return false;
1202        }
1203        if (_filterPosition < 0)
1204        {
1205            return false;
1206        }
1207        if (_filterPosition == 0)
1208        {
1209            return true;
1210        }
1211        if (_filterPosition > 0)
1212        {
1213            return false;
1214        }
1215        if (_filterPosition < 0)
1216        {
1217            return false;
1218        }
1219        if (_filterPosition == 0)
1220        {
1221            return true;
1222        }
1223        if (_filterPosition > 0)
1224        {
1225            return false;
1226        }
1227        if (_filterPosition < 0)
1228        {
1229            return false;
1230        }
1231        if (_filterPosition == 0)
1232        {
1233            return true;
1234        }
1235        if (_filterPosition > 0)
1236        {
1237            return false;
1238        }
1239        if (_filterPosition < 0)
1240        {
1241            return false;
1242        }
1243        if (_filterPosition == 0)
1244        {
1245            return true;
1246        }
1247        if (_filterPosition > 0)
1248        {
1249            return false;
1250        }
1251        if (_filterPosition < 0)
1252        {
1253            return false;
1254        }
1255        if (_filterPosition == 0)
1256        {
1257            return true;
1258        }
1259        if (_filterPosition > 0)
1260        {
1261            return false;
1262        }
1263        if (_filterPosition < 0)
1264        {
1265            return false;
1266        }
1267        if (_filterPosition == 0)
1268        {
1269            return true;
1270        }
1271        if (_filterPosition > 0)
1272        {
1273            return false;
1274        }
1275        if (_filterPosition < 0)
1276        {
1277            return false;
1278        }
1279        if (_filterPosition == 0)
1280        {
1281            return true;
1282        }
1283        if (_filterPosition > 0)
1284        {
1285            return false;
1286        }
1287        if (_filterPosition < 0)
1288        {
1289            return false;
1290        }
1291        if (_filterPosition == 0)
1292        {
1293            return true;
1294        }
1295        if (_filterPosition > 0)
1296        {
1297            return false;
1298        }
1299        if (_filterPosition < 0)
1300        {
1301            return false;
1302        }
1303        if (_filterPosition == 0)
1304        {
1305            return true;
1306        }
1307        if (_filterPosition > 0)
1308        {
1309            return false;
1310        }
1311        if (_filterPosition < 0)
1312        {
1313            return false;
1314        }
1315        if (_filterPosition == 0)
1316        {
1317            return true;
1318        }
1319        if (_filterPosition > 0)
1320        {
1321            return false;
1322        }
1323        if (_filterPosition < 0)
1324        {
1325            return false;
1326        }
1327        if (_filterPosition == 0)
1328        {
1329            return true;
1330        }
1331        if (_filterPosition > 0)
1332        {
1333            return false;
1334        }
1335        if (_filterPosition < 0)
1336        {
1337            return false;
1338        }
1339        if (_filterPosition == 0)
1340        {
1341            return true;
1342        }
1343        if (_filterPosition > 0)
1344        {
1345            return false;
1346        }
1347        if (_filterPosition < 0)
1348        {
1349            return false;
1350        }
1351        if (_filterPosition == 0)
1352        {
1353            return true;
1354        }
1355        if (_filterPosition > 0)
1356        {
1357            return false;
1358        }
1359        if (_filterPosition < 0)
1360        {
1361            return false;
1362        }
1363        if (_filterPosition == 0)
1364        {
1365            return true;
1366        }
1367        if (_filterPosition > 0)
1368        {
1369            return false;
1370        }
1371        if (_filterPosition < 0)
1372        {
1373            return false;
1374        }
1375        if (_filterPosition == 0)
1376        {
1377            return true;
1378        }
1379        if (_filterPosition > 0)
1380        {
1381            return false;
1382        }
1383        if (_filterPosition < 0)
1384        {
1385            return false;
1386        }
1387        if (_filterPosition == 0)
1388        {
1389            return true;
1390        }
1391        if (_filterPosition > 0)
1392        {
1393            return false;
1394        }
1395        if (_filterPosition < 0)
1396        {
1397            return false;
1398        }
1399        if (_filterPosition == 0)
1400        {
1401            return true;
1402        }
1403        if (_filterPosition > 0)
1404        {
1405            return false;
1406        }
1407        if (_filterPosition < 0)
1408        {
1409            return false;
1410        }
1411        if (_filterPosition == 0)
1412        {
1413            return true;
1414        }
1415        if (_filterPosition > 0)
1416        {
1417            return false;
1418        }
1419        if (_filterPosition < 0)
1420        {
1421            return false;
1422        }
1423        if (_filterPosition == 0)
1424        {
1425            return true;
1426        }
1427        if (_filterPosition > 0)
1428        {
1429            return false;
1430        }
1431        if (_filterPosition < 0)
1432        {
1433            return false;
1434        }
1435        if (_filterPosition == 0)
1436        {
1437            return true;
1438        }
1439        if (_filterPosition > 0)
1440        {
1441            return false;
1442        }
1443        if (_filterPosition < 0)
1444        {
1445            return false;
1446        }
1447        if (_filterPosition == 0)
1448        {
1449            return true;
1450        }
1451        if (_filterPosition > 0)
1452        {
1453            return false;
1454        }
1455        if (_filterPosition < 0)
1456        {
1457            return false;
1458        }
1459        if (_filterPosition == 0)
1460        {
1461            return true;
1462        }
1463        if (_filterPosition > 0)
1464        {
1465            return false;
1466        }
1467        if (_filterPosition < 0)
1468        {
1469            return false;
1470        }
1471        if (_filterPosition == 0)
1472        {
1473            return true;
1474        }
1475        if (_filterPosition > 0)
1476        {
1477            return false;
1478        }
1479        if (_filterPosition < 0)
1480        {
1481            return false;
1482        }
1483        if (_filterPosition == 0)
1484        {
1485            return true;
1486        }
1487        if (_filterPosition > 0)
1488        {
1489            return false;
1490        }
1491        if (_filterPosition < 0)
1492        {
1493            return false;
1494        }
1495        if (_filterPosition == 0)
1496        {
1497            return true;
1498        }
1499        if (_filterPosition > 0)
1500        {
1501            return false;
1502        }
1503        if (_filterPosition < 0)
1504        {
1505            return false;
1506        }
1507        if (_filterPosition == 0)
1508        {
1509            return true;
1510        }
1511        if (_filterPosition > 0)
1512        {
1513            return false;
1514        }
1515        if (_filterPosition < 0)
1516        {
1517            return false;
1518        }
1519        if (_filterPosition == 0)
1520        {
1521            return true;
1522        }
1523        if (_filterPosition > 0)
1524        {
1525            return false;
1526        }
1527        if (_filterPosition < 0)
1528        {
1529            return false;
1530        }
1531        if (_filterPosition == 0)
1532        {
1533            return true;
1534        }
1535        if (_filterPosition > 0)
1536        {
1537            return false;
1538        }
1539        if (_filterPosition < 0)
1540        {
1541            return false;
1542        }
1543        if (_filterPosition == 0)
1544        {
1545            return true;
1546        }
1547        if (_filterPosition > 0)
1548        {
1549            return false;
1550        }
1551        if (_filterPosition < 0)
1552        {
1553            return false;
1554        }
1555        if (_filterPosition == 0)
1556        {
1557            return true;
1558        }
1559        if (_filterPosition > 0)
1560        {
1561            return false;
1562        }
1563        if (_filterPosition < 0)
1564        {
1565            return false;
1566        }
1567        if (_filterPosition == 0)
1568        {
1569            return true;
1570        }
1571        if (_filterPosition > 0)
1572        {
1573            return false;
1574        }
1575        if (_filterPosition < 0)
1576        {
1577            return false;
1578        }
1579        if (_filterPosition == 0)
1580        {
1581            return true;
1582        }
1583        if (_filterPosition > 0)
1584        {
1585            return false;
1586        }
1587        if (_filterPosition < 0)
1588        {
1589            return false;
1590        }
1591        if (_filterPosition == 0)
1592        {
1593            return true;
1594        }
1595        if (_filterPosition > 0)
1596        {
1597            return false;
1598        }
1599        if (_filterPosition < 0)
1600        {
1601            return false;
1602        }
1603        if (_filterPosition == 0)
1604        {
1605            return true;
1606        }
1607        if (_filterPosition > 0)
1608        {
1609            return false;
1610        }
1611        if (_filterPosition < 0)
1612        {
1613            return false;
1614        }
1615        if (_filterPosition == 0)
1616        {
1617            return true;
1618        }
1619        if (_filterPosition > 0)
1620        {
1621            return false;
1622        }
1623        if (_filterPosition < 0)
1624        {
1625            return false;
1626        }
1627        if (_filterPosition == 0)
1628        {
1629            return true;
1630        }
1631        if (_filterPosition > 0)
1632        {
1633            return false;
1634        }
1635        if (_filterPosition < 0)
1636        {
1637            return false;
1638        }
1639        if (_filterPosition == 0)
1640        {
1641            return true;
1642        }
1643        if (_filterPosition > 0)
1644        {
1645            return false;
1646        }
1647        if (_filterPosition < 0)
1648        {
1649            return false;
1650        }
1651        if (_filterPosition == 0)
1652        {
1653            return true;
1654        }
1655        if (_filterPosition > 0)
1656        {
1657            return false;
1658        }
1659        if (_filterPosition < 0)
1660        {
1661            return false;
1662        }
1663        if (_filterPosition == 0)
1664        {
1665            return true;
1666        }
1667        if (_filterPosition > 0)
1668        {
1669            return false;
1670        }
1671        if (_filterPosition < 0)
1672        {
1673            return false;
1674        }
1675        if (_filterPosition == 0)
1676        {
1677            return true;
1678        }
1679        if (_filterPosition > 0)
1680        {
1681            return false;
1682        }
1683        if (_filterPosition < 0)
1684        {
1685            return false;
1686        }
1687        if (_filterPosition == 0)
1688        {
1689            return true;
1690        }
1691        if (_filterPosition > 0)
1692        {
1693            return false;
1694        }
1695        if (_filterPosition < 0)
1696        {
1697            return false;
1698        }
1699        if (_filterPosition == 0)
1700        {
1701            return true;
1702        }
1703        if (_filterPosition > 0)
1704        {
1705            return false;
1706        }
1707        if (_filterPosition < 0)
1708        {
1709            return false;
1710        }
1711        if (_filterPosition == 0)
1712        {
1713            return true;
1714        }
1715        if (_filterPosition > 0)
1716        {
1717            return false;
1718        }
1719        if (_filterPosition < 0)
1720        {
1721            return false;
1722        }
1723        if (_filterPosition == 0)
1724        {
1725            return true;
1726        }
1727        if (_filterPosition > 0)
1728        {
1729            return false;
1730        }
1731        if (_filterPosition < 0)
1732        {
1733            return false;
1734        }
1735        if (_filterPosition == 0)
1736        {
1737            return true;
1738        }
1739        if (_filterPosition > 0)
1740        {
1741            return false;
1742        }
1743        if (_filterPosition < 0)
1744        {
1745            return false;
1746        }
1747        if (_filterPosition == 0)
1748        {
1749            return true;
1750        }
1751        if (_filterPosition > 0)
1752        {
1753            return false;
1754        }
1755        if (_filterPosition < 0)
1756        {
1757            return false;
1758        }
1759        if (_filterPosition == 0)
1760        {
1761            return true;
1762        }
1763        if (_filterPosition > 0)
1764        {
1765            return false;
1766        }
1767        if (_filterPosition < 0)
1768        {
1769            return false;
1770        }
1771        if (_filterPosition == 0)
1772        {
1773            return true;
1774        }
1775        if (_filterPosition > 0)
1776        {
1777            return false;
1778        }
1779        if (_filterPosition < 0)
1780        {
1781            return false;
1782        }
1783        if (_filterPosition == 0)
1784        {
1785            return true;
1786        }
1787        if (_filterPosition > 0)
1788        {
1789            return false;
1790        }
1791        if (_filterPosition < 0)
1792        {
1793            return false;
1794        }
1795        if (_filterPosition == 0)
1796        {
1797            return true;
1798        }
1799        if (_filterPosition > 0)
1800        {
1801            return false;
1802        }
1803        if (_filterPosition < 0)
1804        {
1805            return false;
1806        }
1807        if (_filterPosition == 0)
1808        {
1809            return true;
1810        }
1811        if (_filterPosition > 0)
1812        {
1813            return false;
1814        }
1815        if (_filterPosition < 0)
1816        {
1817            return false;
1818        }
1819        if (_filterPosition == 0)
1820        {
1821            return true;
1822        }
1823        if (_filterPosition > 0)
1824        {
1825            return false;
1826        }
1827        if (_filterPosition < 0)
1828        {
1829            return false;
1830        }
1831        if (_filterPosition == 0)
1832        {
1833            return true;
1834        }
1835        if (_filterPosition > 0)
1836        {
1837            return false;
1838        }
1839        if (_filterPosition < 0)
1840        {
1841            return false;
1842        }
1843        if (_filterPosition == 0)
1844        {
1845            return true;
1846        }
1847        if (_filterPosition > 0)
1848        {
1849            return false;
1850        }
1851        if (_filterPosition < 0)
1852        {
1853            return false;
1854        }
1855        if (_filterPosition == 0)
1856        {
1857            return true;
1858        }
1859        if (_filterPosition > 0)
1860        {
1861            return false;
1862        }
1863        if (_filterPosition < 0)
1864        {
1865            return false;
1866        }
1867        if (_filterPosition == 0)
1868        {
1869            return true;
1870        }
1871        if (_filterPosition > 0)
1872        {
1873            return false;
1874        }
1875        if (_filterPosition < 0)
1876        {
1877            return false;
1878        }
1879        if (_filterPosition == 0)
1880        {
1881            return true;
1882        }
1883        if (_filterPosition > 0)
1884        {
1885            return false;
1886        }
1887        if (_filterPosition < 0)
1888        {
1889            return false;
1890        }
1891        if (_filterPosition == 0)
1892        {
1893            return true;
```

```

663         {
664             break;
665         }
666     }
667     return _filterPosition == _patternSequence.Count;
668 }
669
670 [MethodImpl(MethodImplOptions.AggressiveInlining)]
671 private bool FullMatchCore(LinkIndex element)
672 {
673     if (_filterPosition == _patternSequence.Count)
674     {
675         _filterPosition = -2; // Длиннее чем нужно
676         return false;
677     }
678     if (_patternSequence[_filterPosition] != _links.Constants.Any
679         && element != _patternSequence[_filterPosition])
680     {
681         _filterPosition = -1;
682         return false; // Начинается/Продолжается иначе
683     }
684     _filterPosition++;
685     return true;
686 }
687
688 [MethodImpl(MethodImplOptions.AggressiveInlining)]
689 public void AddFullMatchedToResults(ICollection<LinkIndex> restrictions)
690 {
691     var sequenceToMatch = restrictions[_links.Constants.IndexPart];
692     if (FullMatch(sequenceToMatch))
693     {
694         _results.Add(sequenceToMatch);
695     }
696 }
697
698 [MethodImpl(MethodImplOptions.AggressiveInlining)]
699 public LinkIndex HandleFullMatched(ICollection<LinkIndex> restrictions)
700 {
701     var sequenceToMatch = restrictions[_links.Constants.IndexPart];
702     if (FullMatch(sequenceToMatch) && _results.Add(sequenceToMatch))
703     {
704         return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
705     }
706     return _links.Constants.Continue;
707 }
708
709 [MethodImpl(MethodImplOptions.AggressiveInlining)]
710 public LinkIndex HandleFullMatchedSequence(ICollection<LinkIndex> restrictions)
711 {
712     var sequenceToMatch = restrictions[_links.Constants.IndexPart];
713     var sequence = _sequences.GetSequenceByElements(sequenceToMatch);
714     if (sequence != _links.Constants.Null && FullMatch(sequenceToMatch) &&
715         ↪ _results.Add(sequenceToMatch))
716     {
717         return _stopableHandler(new LinkAddress<LinkIndex>(sequence));
718     }
719     return _links.Constants.Continue;
720 }
721
722 /// <remarks>
723 /// TODO: Add support for LinksConstants.Any
724 /// </remarks>
725 [MethodImpl(MethodImplOptions.AggressiveInlining)]
726 public bool PartialMatch(LinkIndex sequenceToMatch)
727 {
728     _filterPosition = -1;
729     foreach (var part in Walk(sequenceToMatch))
730     {
731         if (!PartialMatchCore(part))
732         {
733             break;
734         }
735     }
736     return _filterPosition == _patternSequence.Count - 1;
737 }
738
739 [MethodImpl(MethodImplOptions.AggressiveInlining)]
740 private bool PartialMatchCore(LinkIndex element)
741 {

```

```

741     if (_filterPosition == (_patternSequence.Count - 1))
742     {
743         return false; // Нашлось
744     }
745     if (_filterPosition >= 0)
746     {
747         if (element == _patternSequence[_filterPosition + 1])
748         {
749             _filterPosition++;
750         }
751         else
752         {
753             _filterPosition = -1;
754         }
755     }
756     if (_filterPosition < 0)
757     {
758         if (element == _patternSequence[0])
759         {
760             _filterPosition = 0;
761         }
762     }
763     return true; // Ищем дальше
764 }
765
766 [MethodImpl(MethodImplOptions.AggressiveInlining)]
767 public void AddPartialMatchedToResults(LinkIndex sequenceToMatch)
768 {
769     if (PartialMatch(sequenceToMatch))
770     {
771         _results.Add(sequenceToMatch);
772     }
773 }
774
775 [MethodImpl(MethodImplOptions.AggressiveInlining)]
776 public LinkIndex HandlePartialMatched(IList<LinkIndex> restrictions)
777 {
778     var sequenceToMatch = restrictions[_links.Constants.IndexPart];
779     if (PartialMatch(sequenceToMatch))
780     {
781         return _stopableHandler(new LinkAddress<LinkIndex>(sequenceToMatch));
782     }
783     return _links.Constants.Continue;
784 }
785
786 [MethodImpl(MethodImplOptions.AggressiveInlining)]
787 public void AddAllPartialMatchedToResults(IEnumerable<LinkIndex> sequencesToMatch)
788 {
789     foreach (var sequenceToMatch in sequencesToMatch)
790     {
791         if (PartialMatch(sequenceToMatch))
792         {
793             _results.Add(sequenceToMatch);
794         }
795     }
796 }
797
798 [MethodImpl(MethodImplOptions.AggressiveInlining)]
799 public void AddAllPartialMatchedToResultsAndReadAsElements(IEnumerable<LinkIndex>
↵ sequencesToMatch)
800 {
801     foreach (var sequenceToMatch in sequencesToMatch)
802     {
803         if (PartialMatch(sequenceToMatch))
804         {
805             _readAsElements.Add(sequenceToMatch);
806             _results.Add(sequenceToMatch);
807         }
808     }
809 }
810 }
811
812 #endregion
813 }
814 }

```

1.152 ./csharp/Platform.Data.Doublets/Sequences/SequencesExtensions.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;

```

```

3 using Platform.Collections.Lists;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Sequences
8 {
9     public static class SequencesExtensions
10     {
11         [MethodImpl(MethodImplOptions.AggressiveInlining)]
12         public static TLink Create<TLink>(this ILinks<TLink> sequences, IList<TLink[]>
13         ↪ groupedSequence)
14         {
15             var finalSequence = new TLink[groupedSequence.Count];
16             for (var i = 0; i < finalSequence.Length; i++)
17             {
18                 var part = groupedSequence[i];
19                 finalSequence[i] = part.Length == 1 ? part[0] :
20                 ↪ sequences.Create(part.ShiftRight());
21             }
22             return sequences.Create(finalSequence.ShiftRight());
23         }
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         public static IList<TLink> ToList<TLink>(this ILinks<TLink> sequences, TLink sequence)
27         {
28             var list = new List<TLink>();
29             var filler = new ListFiller<TLink, TLink>(list, sequences.Constants.Break);
30             sequences.Each(filler.AddSkipFirstAndReturnConstant, new
31             ↪ LinkAddress<TLink>(sequence));
32             return list;
33         }
34     }
35 }

```

1.153 ./csharp/Platform.Data.Doublets/Sequences/SequencesOptions.cs

```

1 using System;
2 using System.Collections.Generic;
3 using Platform.Interfaces;
4 using Platform.Collections.Stacks;
5 using Platform.Converters;
6 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
7 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
8 using Platform.Data.Doublets.Sequences.Converters;
9 using Platform.Data.Doublets.Sequences.Walkers;
10 using Platform.Data.Doublets.Sequences.Indexes;
11 using Platform.Data.Doublets.Sequences.CriterionMatchers;
12 using System.Runtime.CompilerServices;
13
14 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
15
16 namespace Platform.Data.Doublets.Sequences
17 {
18     public class SequencesOptions<TLink> // TODO: To use type parameter <TLink> the
19     ↪ ILinks<TLink> must contain GetConstants function.
20     {
21         private static readonly EqualityComparer<TLink> _equalityComparer =
22         ↪ EqualityComparer<TLink>.Default;
23
24         public TLink SequenceMarkerLink
25         {
26             [MethodImpl(MethodImplOptions.AggressiveInlining)]
27             get;
28             [MethodImpl(MethodImplOptions.AggressiveInlining)]
29             set;
30         }
31
32         public bool UseCascadeUpdate
33         {
34             [MethodImpl(MethodImplOptions.AggressiveInlining)]
35             get;
36             [MethodImpl(MethodImplOptions.AggressiveInlining)]
37             set;
38         }
39
40         public bool UseCascadeDelete
41         {
42             [MethodImpl(MethodImplOptions.AggressiveInlining)]
43             get;
44             [MethodImpl(MethodImplOptions.AggressiveInlining)]
45             set;
46         }
47     }
48 }

```

```

44     }
45
46     public bool UseIndex
47     {
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         get;
50         [MethodImpl(MethodImplOptions.AggressiveInlining)]
51         set;
52     } // TODO: Update Index on sequence update/delete.
53
54     public bool UseSequenceMarker
55     {
56         [MethodImpl(MethodImplOptions.AggressiveInlining)]
57         get;
58         [MethodImpl(MethodImplOptions.AggressiveInlining)]
59         set;
60     }
61
62     public bool UseCompression
63     {
64         [MethodImpl(MethodImplOptions.AggressiveInlining)]
65         get;
66         [MethodImpl(MethodImplOptions.AggressiveInlining)]
67         set;
68     }
69
70     public bool UseGarbageCollection
71     {
72         [MethodImpl(MethodImplOptions.AggressiveInlining)]
73         get;
74         [MethodImpl(MethodImplOptions.AggressiveInlining)]
75         set;
76     }
77
78     public bool EnforceSingleSequenceVersionOnWriteBasedOnExisting
79     {
80         [MethodImpl(MethodImplOptions.AggressiveInlining)]
81         get;
82         [MethodImpl(MethodImplOptions.AggressiveInlining)]
83         set;
84     }
85
86     public bool EnforceSingleSequenceVersionOnWriteBasedOnNew
87     {
88         [MethodImpl(MethodImplOptions.AggressiveInlining)]
89         get;
90         [MethodImpl(MethodImplOptions.AggressiveInlining)]
91         set;
92     }
93
94     public MarkedSequenceCriterionMatcher<TLink> MarkedSequenceMatcher
95     {
96         [MethodImpl(MethodImplOptions.AggressiveInlining)]
97         get;
98         [MethodImpl(MethodImplOptions.AggressiveInlining)]
99         set;
100     }
101
102     public IConverter<IList<TLink>, TLink> LinksToSequenceConverter
103     {
104         [MethodImpl(MethodImplOptions.AggressiveInlining)]
105         get;
106         [MethodImpl(MethodImplOptions.AggressiveInlining)]
107         set;
108     }
109
110     public ISequenceIndex<TLink> Index
111     {
112         [MethodImpl(MethodImplOptions.AggressiveInlining)]
113         get;
114         [MethodImpl(MethodImplOptions.AggressiveInlining)]
115         set;
116     }
117
118     public ISequenceWalker<TLink> Walker
119     {
120         [MethodImpl(MethodImplOptions.AggressiveInlining)]
121         get;
122         [MethodImpl(MethodImplOptions.AggressiveInlining)]
123         set;
124     }

```

```

125 public bool ReadFullSequence
126 {
127     [MethodImpl(MethodImplOptions.AggressiveInlining)]
128     get;
129     [MethodImpl(MethodImplOptions.AggressiveInlining)]
130     set;
131 }
132
133 // TODO: Реализовать компактификацию при чтении
134 //public bool EnforceSingleSequenceVersionOnRead { get; set; }
135 //public bool UseRequestMarker { get; set; }
136 //public bool StoreRequestResults { get; set; }
137
138 [MethodImpl(MethodImplOptions.AggressiveInlining)]
139 public void InitOptions(ISynchronizedLinks<TLink> links)
140 {
141     if (UseSequenceMarker)
142     {
143         if (_equalityComparer.Equals(SequenceMarkerLink, links.Constants.Null))
144         {
145             SequenceMarkerLink = links.CreatePoint();
146         }
147         else
148         {
149             if (!links.Exists(SequenceMarkerLink))
150             {
151                 var link = links.CreatePoint();
152                 if (!_equalityComparer.Equals(link, SequenceMarkerLink))
153                 {
154                     throw new InvalidOperationException("Cannot recreate sequence marker
155                         ↪ link.");
156                 }
157             }
158         }
159         if (MarkedSequenceMatcher == null)
160         {
161             MarkedSequenceMatcher = new MarkedSequenceCriterionMatcher<TLink>(links,
162                 ↪ SequenceMarkerLink);
163         }
164         var balancedVariantConverter = new BalancedVariantConverter<TLink>(links);
165         if (UseCompression)
166         {
167             if (LinksToSequenceConverter == null)
168             {
169                 ICounter<TLink, TLink> totalSequenceSymbolFrequencyCounter;
170                 if (UseSequenceMarker)
171                 {
172                     totalSequenceSymbolFrequencyCounter = new
173                         ↪ TotalMarkedSequenceSymbolFrequencyCounter<TLink>(links,
174                         ↪ MarkedSequenceMatcher);
175                 }
176                 else
177                 {
178                     totalSequenceSymbolFrequencyCounter = new
179                         ↪ TotalSequenceSymbolFrequencyCounter<TLink>(links);
180                 }
181                 var doubletFrequenciesCache = new LinkFrequenciesCache<TLink>(links,
182                     ↪ totalSequenceSymbolFrequencyCounter);
183                 var compressingConverter = new CompressingConverter<TLink>(links,
184                     ↪ balancedVariantConverter, doubletFrequenciesCache);
185                 LinksToSequenceConverter = compressingConverter;
186             }
187         }
188         else
189         {
190             if (LinksToSequenceConverter == null)
191             {
192                 LinksToSequenceConverter = balancedVariantConverter;
193             }
194         }
195         if (UseIndex && Index == null)
196         {
197             Index = new SequenceIndex<TLink>(links);
198         }
199         if (Walker == null)
200         {

```



```

196         Walker = new RightSequenceWalker<TLink>(links, new DefaultStack<TLink>());
197     }
198 }
199
200 [MethodImpl(MethodImplOptions.AggressiveInlining)]
201 public void ValidateOptions()
202 {
203     if (UseGarbageCollection && !UseSequenceMarker)
204     {
205         throw new NotSupportedException("To use garbage collection UseSequenceMarker
206             ↪ option must be on.");
207     }
208 }
209 }

```

1.154 ./csharp/Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3
4 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6 namespace Platform.Data.Doublets.Sequences.Walkers
7 {
8     public interface ISequenceWalker<TLink>
9     {
10         [MethodImpl(MethodImplOptions.AggressiveInlining)]
11         IEnumerable<TLink> Walk(TLink sequence);
12     }
13 }

```

1.155 ./csharp/Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs

```

1 using System;
2 using System.Collections.Generic;
3 using System.Runtime.CompilerServices;
4 using Platform.Collections.Stacks;
5
6 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8 namespace Platform.Data.Doublets.Sequences.Walkers
9 {
10     public class LeftSequenceWalker<TLink> : SequenceWalkerBase<TLink>
11     {
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
14             ↪ isElement) : base(links, stack, isElement) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public LeftSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links, stack,
18             ↪ links.IsPartialPoint) { }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         protected override TLink GetNextElementAfterPop(TLink element) =>
22             ↪ _links.GetSource(element);
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected override TLink GetNextElementAfterPush(TLink element) =>
26             ↪ _links.GetTarget(element);
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         protected override IEnumerable<TLink> WalkContents(TLink element)
30         {
31             var links = _links;
32             var parts = links.GetLink(element);
33             var start = links.Constants.SourcePart;
34             for (var i = parts.Count - 1; i >= start; i--)
35             {
36                 var part = parts[i];
37                 if (IsElement(part))
38                 {
39                     yield return part;
40                 }
41             }
42         }
43     }
44 }

```

1.156 ./csharp/Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  //#define USEARRAYPOOL
8  #if USEARRAYPOOL
9  using Platform.Collections;
10 #endif
11
12 namespace Platform.Data.Doublets.Sequences.Walkers
13 {
14     public class LeveledSequenceWalker<TLink> : LinksOperatorBase<TLink>, ISequenceWalker<TLink>
15     {
16         private static readonly EqualityComparer<TLink> _equalityComparer =
17             ↪ EqualityComparer<TLink>.Default;
18
19         private readonly Func<TLink, bool> _isElement;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public LeveledSequenceWalker(ILinks<TLink> links, Func<TLink, bool> isElement) :
23             ↪ base(links) => _isElement = isElement;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         public LeveledSequenceWalker(ILinks<TLink> links) : base(links) => _isElement =
27             ↪ _links.IsPartialPoint;
28
29         [MethodImpl(MethodImplOptions.AggressiveInlining)]
30         public IEnumerable<TLink> Walk(TLink sequence) => ToArray(sequence);
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public TLink[] ToArray(TLink sequence)
34         {
35             var length = 1;
36             var array = new TLink[length];
37             array[0] = sequence;
38             if (_isElement(sequence))
39             {
40                 return array;
41             }
42             bool hasElements;
43             do
44             {
45                 length *= 2;
46 #if USEARRAYPOOL
47                 var nextArray = ArrayPool.Allocate<ulong>(length);
48 #else
49                 var nextArray = new TLink[length];
50 #endif
51                 hasElements = false;
52                 for (var i = 0; i < array.Length; i++)
53                 {
54                     var candidate = array[i];
55                     if (_equalityComparer.Equals(array[i], default))
56                     {
57                         continue;
58                     }
59                     var doubletOffset = i * 2;
60                     if (_isElement(candidate))
61                     {
62                         nextArray[doubletOffset] = candidate;
63                     }
64                     else
65                     {
66                         var links = _links;
67                         var link = links.GetLink(candidate);
68                         var linkSource = links.GetSource(link);
69                         var linkTarget = links.GetTarget(link);
70                         nextArray[doubletOffset] = linkSource;
71                         nextArray[doubletOffset + 1] = linkTarget;
72                         if (!hasElements)
73                         {
74                             hasElements = !(_isElement(linkSource) && _isElement(linkTarget));
75                         }
76                     }
77                 }
78             } while (length < array.Length);
79             if (array.Length > 1)

```

```

77         {
78             ArrayPool.Free(array);
79         }
80 #endif
81         array = nextArray;
82     }
83     while (hasElements);
84     var filledElementsCount = CountFilledElements(array);
85     if (filledElementsCount == array.Length)
86     {
87         return array;
88     }
89     else
90     {
91         return CopyFilledElements(array, filledElementsCount);
92     }
93 }
94
95 [MethodImpl(MethodImplOptions.AggressiveInlining)]
96 private static TLink[] CopyFilledElements(TLink[] array, int filledElementsCount)
97 {
98     var finalArray = new TLink[filledElementsCount];
99     for (int i = 0, j = 0; i < array.Length; i++)
100     {
101         if (!_equalityComparer.Equals(array[i], default))
102         {
103             finalArray[j] = array[i];
104             j++;
105         }
106     }
107 #if USEARRAYPOOL
108     ArrayPool.Free(array);
109 #endif
110     return finalArray;
111 }
112
113 [MethodImpl(MethodImplOptions.AggressiveInlining)]
114 private static int CountFilledElements(TLink[] array)
115 {
116     var count = 0;
117     for (var i = 0; i < array.Length; i++)
118     {
119         if (!_equalityComparer.Equals(array[i], default))
120         {
121             count++;
122         }
123     }
124     return count;
125 }
126 }
127 }

```

1.157 ./csharp/Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Collections.Stacks;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Sequences.Walkers
9  {
10     public class RightSequenceWalker<TLink> : SequenceWalkerBase<TLink>
11     {
12         [MethodImpl(MethodImplOptions.AggressiveInlining)]
13         public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
14             isElement) : base(links, stack, isElement) { }
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public RightSequenceWalker(ILinks<TLink> links, IStack<TLink> stack) : base(links,
18             stack, links.IsPartialPoint) { }
19
20         [MethodImpl(MethodImplOptions.AggressiveInlining)]
21         protected override TLink GetNextElementAfterPop(TLink element) =>
22             _links.GetTarget(element);
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected override TLink GetNextElementAfterPush(TLink element) =>
26             _links.GetSource(element);
27     }
28 }

```

```

24     [MethodImpl(MethodImplOptions.AggressiveInlining)]
25     protected override IEnumerable<TLink> WalkContents(TLink element)
26     {
27         var parts = _links.GetLink(element);
28         for (var i = _links.Constants.SourcePart; i < parts.Count; i++)
29         {
30             var part = parts[i];
31             if (IsElement(part))
32             {
33                 yield return part;
34             }
35         }
36     }
37 }
38 }

```

1.158 ./csharp/Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Collections.Stacks;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Sequences.Walkers
9  {
10     public abstract class SequenceWalkerBase<TLink> : LinksOperatorBase<TLink>,
11         ↳ ISequenceWalker<TLink>
12     {
13         private readonly IStack<TLink> _stack;
14         private readonly Func<TLink, bool> _isElement;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack, Func<TLink, bool>
18         ↳ isElement) : base(links)
19         {
20             _stack = stack;
21             _isElement = isElement;
22         }
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         protected SequenceWalkerBase(ILinks<TLink> links, IStack<TLink> stack) : this(links,
26         ↳ stack, links.IsPartialPoint) { }
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         public IEnumerable<TLink> Walk(TLink sequence)
30         {
31             _stack.Clear();
32             var element = sequence;
33             if (IsElement(element))
34             {
35                 yield return element;
36             }
37             else
38             {
39                 while (true)
40                 {
41                     if (IsElement(element))
42                     {
43                         if (_stack.IsEmpty)
44                         {
45                             break;
46                         }
47                         element = _stack.Pop();
48                         foreach (var output in WalkContents(element))
49                         {
50                             yield return output;
51                         }
52                         element = GetNextElementAfterPop(element);
53                     }
54                     else
55                     {
56                         _stack.Push(element);
57                         element = GetNextElementAfterPush(element);
58                     }
59                 }
60             }
61         }
62     }
63 }

```

```

60     [MethodImpl(MethodImplOptions.AggressiveInlining)]
61     protected virtual bool IsElement(TLink elementLink) => _isElement(elementLink);
62
63     [MethodImpl(MethodImplOptions.AggressiveInlining)]
64     protected abstract TLink GetNextElementAfterPop(TLink element);
65
66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     protected abstract TLink GetNextElementAfterPush(TLink element);
68
69     [MethodImpl(MethodImplOptions.AggressiveInlining)]
70     protected abstract IEnumerable<TLink> WalkContents(TLink element);
71 }
72 }

```

1.159 ./csharp/Platform.Data.Doublets/Stacks/Stack.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Collections.Stacks;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Stacks
8  {
9      public class Stack<TLink> : LinksOperatorBase<TLink>, IStack<TLink>
10     {
11         private static readonly EqualityComparer<TLink> _equalityComparer =
12             ↪ EqualityComparer<TLink>.Default;
13
14         private readonly TLink _stack;
15
16         public bool IsEmpty
17         {
18             [MethodImpl(MethodImplOptions.AggressiveInlining)]
19             get => _equalityComparer.Equals(Peek(), _stack);
20         }
21
22         [MethodImpl(MethodImplOptions.AggressiveInlining)]
23         public Stack(ILinks<TLink> links, TLink stack) : base(links) => _stack = stack;
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         private TLink GetStackMarker() => _links.GetSource(_stack);
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         private TLink GetTop() => _links.GetTarget(_stack);
30
31         [MethodImpl(MethodImplOptions.AggressiveInlining)]
32         public TLink Peek() => _links.GetTarget(GetTop());
33
34         [MethodImpl(MethodImplOptions.AggressiveInlining)]
35         public TLink Pop()
36         {
37             var element = Peek();
38             if (!_equalityComparer.Equals(element, _stack))
39             {
40                 var top = GetTop();
41                 var previousTop = _links.GetSource(top);
42                 _links.Update(_stack, GetStackMarker(), previousTop);
43                 _links.Delete(top);
44             }
45             return element;
46         }
47
48         [MethodImpl(MethodImplOptions.AggressiveInlining)]
49         public void Push(TLink element) => _links.Update(_stack, GetStackMarker(),
50             ↪ _links.GetOrCreate(GetTop(), element));
51     }
52 }

```

1.160 ./csharp/Platform.Data.Doublets/Stacks/StackExtensions.cs

```

1  using System.Runtime.CompilerServices;
2
3  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
4
5  namespace Platform.Data.Doublets.Stacks
6  {
7      public static class StackExtensions
8      {
9          [MethodImpl(MethodImplOptions.AggressiveInlining)]
10         public static TLink CreateStack<TLink>(this ILinks<TLink> links, TLink stackMarker)
11         {

```

```

12         var stackPoint = links.CreatePoint();
13         var stack = links.Update(stackPoint, stackMarker, stackPoint);
14         return stack;
15     }
16 }
17 }

```

1.161 ./csharp/Platform.Data.Doublets/SynchronizedLinks.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Runtime.CompilerServices;
4  using Platform.Data.Doublets;
5  using Platform.Threading.Synchronization;
6
7  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
8
9  namespace Platform.Data.Doublets
10 {
11     /// <remarks>
12     /// TODO: Autogeneration of synchronized wrapper (decorator).
13     /// TODO: Try to unfold code of each method using IL generation for performance improvements.
14     /// TODO: Or even to unfold multiple layers of implementations.
15     /// </remarks>
16     public class SynchronizedLinks<TLinkAddress> : ISynchronizedLinks<TLinkAddress>
17     {
18         public LinksConstants<TLinkAddress> Constants
19         {
20             [MethodImpl(MethodImplOptions.AggressiveInlining)]
21             get;
22         }
23
24         public ISynchronization SyncRoot
25         {
26             [MethodImpl(MethodImplOptions.AggressiveInlining)]
27             get;
28         }
29
30         public ILinks<TLinkAddress> Sync
31         {
32             [MethodImpl(MethodImplOptions.AggressiveInlining)]
33             get;
34         }
35
36         public ILinks<TLinkAddress> Unsync
37         {
38             [MethodImpl(MethodImplOptions.AggressiveInlining)]
39             get;
40         }
41
42         [MethodImpl(MethodImplOptions.AggressiveInlining)]
43         public SynchronizedLinks(ILinks<TLinkAddress> links) : this(new
44             ↳ ReaderWriterLockSynchronization(), links) { }
45
46         [MethodImpl(MethodImplOptions.AggressiveInlining)]
47         public SynchronizedLinks(ISynchronization synchronization, ILinks<TLinkAddress> links)
48         {
49             SyncRoot = synchronization;
50             Sync = this;
51             Unsync = links;
52             Constants = links.Constants;
53         }
54
55         [MethodImpl(MethodImplOptions.AggressiveInlining)]
56         public TLinkAddress Count(IList<TLinkAddress> restriction) =>
57             ↳ SyncRoot.ExecuteReadOperation(restriction, Unsync.Count);
58
59         [MethodImpl(MethodImplOptions.AggressiveInlining)]
60         public TLinkAddress Each(Func<IList<TLinkAddress>, TLinkAddress> handler,
61             ↳ IList<TLinkAddress> restrictions) => SyncRoot.ExecuteReadOperation(handler,
62             ↳ restrictions, (handler1, restrictions1) => Unsync.Each(handler1, restrictions1));
63
64         [MethodImpl(MethodImplOptions.AggressiveInlining)]
65         public TLinkAddress Create(IList<TLinkAddress> restrictions) =>
66             ↳ SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Create);
67
68         [MethodImpl(MethodImplOptions.AggressiveInlining)]
69         public TLinkAddress Update(IList<TLinkAddress> restrictions, IList<TLinkAddress>
70             ↳ substitution) => SyncRoot.ExecuteWriteOperation(restrictions, substitution,
71             ↳ Unsync.Update);
72     }
73 }

```

```

66     [MethodImpl(MethodImplOptions.AggressiveInlining)]
67     public void Delete(IList<TLinkAddress> restrictions) =>
        ↳ SyncRoot.ExecuteWriteOperation(restrictions, Unsync.Delete);
68
69     //public T Trigger(IList<T> restriction, Func<IList<T>, IList<T>, T> matchedHandler,
        ↳ IList<T> substitution, Func<IList<T>, IList<T>, T> substitutedHandler)
70     //{
71     //    if (restriction != null && substitution != null &&
        ↳ !substitution.EqualTo(restriction))
72     //        return SyncRoot.ExecuteWriteOperation(restriction, matchedHandler,
        ↳ substitution, substitutedHandler, Unsync.Trigger);
73
74     //    return SyncRoot.ExecuteReadOperation(restriction, matchedHandler, substitution,
        ↳ substitutedHandler, Unsync.Trigger);
75     //}
76 }
77 }

```

1.162 ./csharp/Platform.Data.Doublets/Time/DateTimeToLongRawNumberSequenceConverter.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Converters;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Time
8  {
9      public class DateTimeToLongRawNumberSequenceConverter<TLink> : IConverter<DateTime, TLink>
10     {
11         private readonly IConverter<long, TLink> _int64ToLongRawNumberConverter;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public DateTimeToLongRawNumberSequenceConverter(IConverter<long, TLink>
        ↳ int64ToLongRawNumberConverter) => _int64ToLongRawNumberConverter =
        ↳ int64ToLongRawNumberConverter;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public TLink Convert(DateTime source) =>
        ↳ _int64ToLongRawNumberConverter.Convert(source.ToFileTimeUtc());
18     }
19 }

```

1.163 ./csharp/Platform.Data.Doublets/Time/LongRawNumberSequenceToDateTimeConverter.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Converters;
4
5  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7  namespace Platform.Data.Doublets.Time
8  {
9      public class LongRawNumberSequenceToDateTimeConverter<TLink> : IConverter<TLink, DateTime>
10     {
11         private readonly IConverter<TLink, long> _longRawNumberConverterToInt64;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public LongRawNumberSequenceToDateTimeConverter(IConverter<TLink, long>
        ↳ longRawNumberConverterToInt64) => _longRawNumberConverterToInt64 =
        ↳ longRawNumberConverterToInt64;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public DateTime Convert(TLink source) =>
        ↳ DateTime.FromFileTimeUtc(_longRawNumberConverterToInt64.Convert(source));
18     }
19 }

```

1.164 ./csharp/Platform.Data.Doublets/UInt64LinksExtensions.cs

```

1  using System;
2  using System.Text;
3  using System.Collections.Generic;
4  using System.Runtime.CompilerServices;
5  using Platform.Singletons;
6  using Platform.Data.Doublets.Unicode;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets
11 {
12     public static class UInt64LinksExtensions

```

```

13 {
14     public static readonly LinksConstants<ulong> Constants =
15         ↳ Default<LinksConstants<ulong>>.Instance;
16
17     [MethodImpl(MethodImplOptions.AggressiveInlining)]
18     public static void UseUnicode(this ILinks<ulong> links) => UnicodeMap.InitNew(links);
19
20     [MethodImpl(MethodImplOptions.AggressiveInlining)]
21     public static bool AnyLinkIsAny(this ILinks<ulong> links, params ulong[] sequence)
22     {
23         if (sequence == null)
24         {
25             return false;
26         }
27         var constants = links.Constants;
28         for (var i = 0; i < sequence.Length; i++)
29         {
30             if (sequence[i] == constants.Any)
31             {
32                 return true;
33             }
34         }
35         return false;
36     }
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
40         ↳ Func<Link<ulong>, bool> isElement, bool renderIndex = false, bool renderDebug =
41         ↳ false)
42     {
43         var sb = new StringBuilder();
44         var visited = new HashSet<ulong>();
45         links.AppendStructure(sb, visited, linkIndex, isElement, (innerSb, link) =>
46             ↳ innerSb.Append(link.Index), renderIndex, renderDebug);
47         return sb.ToString();
48     }
49
50     [MethodImpl(MethodImplOptions.AggressiveInlining)]
51     public static string FormatStructure(this ILinks<ulong> links, ulong linkIndex,
52         ↳ Func<Link<ulong>, bool> isElement, Action<StringBuilder, Link<ulong>> appendElement,
53         ↳ bool renderIndex = false, bool renderDebug = false)
54     {
55         var sb = new StringBuilder();
56         var visited = new HashSet<ulong>();
57         links.AppendStructure(sb, visited, linkIndex, isElement, appendElement, renderIndex,
58             ↳ renderDebug);
59         return sb.ToString();
60     }
61
62     [MethodImpl(MethodImplOptions.AggressiveInlining)]
63     public static void AppendStructure(this ILinks<ulong> links, StringBuilder sb,
64         ↳ HashSet<ulong> visited, ulong linkIndex, Func<Link<ulong>, bool> isElement,
65         ↳ Action<StringBuilder, Link<ulong>> appendElement, bool renderIndex = false, bool
66         ↳ renderDebug = false)
67     {
68         if (sb == null)
69         {
70             throw new ArgumentNullException(nameof(sb));
71         }
72         if (linkIndex == Constants.Null || linkIndex == Constants.Any || linkIndex ==
73             ↳ Constants.Itself)
74         {
75             return;
76         }
77         if (links.Exists(linkIndex))
78         {
79             if (visited.Add(linkIndex))
80             {
81                 sb.Append('(');
82                 var link = new Link<ulong>(links.GetLink(linkIndex));
83                 if (renderIndex)
84                 {
85                     sb.Append(link.Index);
86                     sb.Append(':');
87                 }
88                 if (link.Source == link.Index)
89                 {
90                     sb.Append(link.Index);
91                 }
92             }
93         }
94     }
95 }

```



```

80     }
81     else
82     {
83         var source = new Link<ulong>(links.GetLink(link.Source));
84         if (isElement(source))
85         {
86             appendElement(sb, source);
87         }
88         else
89         {
90             links.AppendStructure(sb, visited, source.Index, isElement,
91                 ↪ appendElement, renderIndex);
92         }
93     }
94     sb.Append(' ');
95     if (link.Target == link.Index)
96     {
97         sb.Append(link.Index);
98     }
99     else
100    {
101        var target = new Link<ulong>(links.GetLink(link.Target));
102        if (isElement(target))
103        {
104            appendElement(sb, target);
105        }
106        else
107        {
108            links.AppendStructure(sb, visited, target.Index, isElement,
109                ↪ appendElement, renderIndex);
110        }
111    }
112    sb.Append(')');
113    }
114    else
115    {
116        if (renderDebug)
117        {
118            sb.Append('*');
119        }
120        sb.Append(linkIndex);
121    }
122    }
123    }
124    }
125    }
126    }
127    }
128    }
129    }
130    }
131    }

```

1.165 ./csharp/Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs

```

1  using System;
2  using System.Linq;
3  using System.Collections.Generic;
4  using System.IO;
5  using System.Runtime.CompilerServices;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Platform.Disposables;
9  using Platform.Timestamps;
10 using Platform.Unsafe;
11 using Platform.IO;
12 using Platform.Data.Doublets.Decorators;
13 using Platform.Exceptions;
14
15 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
16
17 namespace Platform.Data.Doublets
18 {
19     public class UInt64LinksTransactionsLayer : LinksDisposableDecoratorBase<ulong> //-V3073
20     {
21         /// <remarks>
22         /// Альтернативные варианты хранения трансформации (элемента транзакции):
23         ///

```

```

24     /// private enum TransitionType
25     /// {
26     ///     Creation,
27     ///     UpdateOf,
28     ///     UpdateTo,
29     ///     Deletion
30     /// }
31     ///
32     /// private struct Transition
33     /// {
34     ///     public ulong TransactionId;
35     ///     public UniqueTimestamp Timestamp;
36     ///     public TransactionItemType Type;
37     ///     public Link Source;
38     ///     public Link Linker;
39     ///     public Link Target;
40     /// }
41     ///
42     /// Или
43     ///
44     /// public struct TransitionHeader
45     /// {
46     ///     public ulong TransactionIdCombined;
47     ///     public ulong TimestampCombined;
48     ///
49     ///     public ulong TransactionId
50     ///     {
51     ///         get
52     ///         {
53     ///             return (ulong) mask & TransactionIdCombined;
54     ///         }
55     ///     }
56     ///
57     ///     public UniqueTimestamp Timestamp
58     ///     {
59     ///         get
60     ///         {
61     ///             return (UniqueTimestamp)mask & TransactionIdCombined;
62     ///         }
63     ///     }
64     ///
65     ///     public TransactionItemType Type
66     ///     {
67     ///         get
68     ///         {
69     ///             // Использовать по одному биту из TransactionId и Timestamp,
70     ///             // для значения в 2 бита, которое представляет тип операции
71     ///             throw new NotImplementedException();
72     ///         }
73     ///     }
74     /// }
75     ///
76     /// private struct Transition
77     /// {
78     ///     public TransitionHeader Header;
79     ///     public Link Source;
80     ///     public Link Linker;
81     ///     public Link Target;
82     /// }
83     ///
84     /// </remarks>
85     public struct Transition : IEquatable<Transition>
86     {
87         public static readonly long Size = Structure<Transition>.Size;
88
89         public readonly ulong TransactionId;
90         public readonly Link<ulong> Before;
91         public readonly Link<ulong> After;
92         public readonly Timestamp Timestamp;
93
94         [MethodImpl(MethodImplOptions.AggressiveInlining)]
95         public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
96         ↪ transactionId, Link<ulong> before, Link<ulong> after)
97         {
98             TransactionId = transactionId;
99             Before = before;
100             After = after;
101             Timestamp = uniqueTimestampFactory.Create();

```

```

101     }
102
103     [MethodImpl(MethodImplOptions.AggressiveInlining)]
104     public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
        ↳ transactionId, Link<ulong> before) : this(uniqueTimestampFactory, transactionId,
        ↳ before, default) { }
105
106     [MethodImpl(MethodImplOptions.AggressiveInlining)]
107     public Transition(UniqueTimestampFactory uniqueTimestampFactory, ulong
        ↳ transactionId) : this(uniqueTimestampFactory, transactionId, default, default) {
        ↳ }
108
109     [MethodImpl(MethodImplOptions.AggressiveInlining)]
110     public override string ToString() => $"{Timestamp} {TransactionId}: {Before} =>
        ↳ {After}";
111
112     [MethodImpl(MethodImplOptions.AggressiveInlining)]
113     public override bool Equals(object obj) => obj is Transition transition ?
        ↳ Equals(transition) : false;
114
115     [MethodImpl(MethodImplOptions.AggressiveInlining)]
116     public override int GetHashCode() => (TransactionId, Before, After,
        ↳ Timestamp).GetHashCode();
117
118     [MethodImpl(MethodImplOptions.AggressiveInlining)]
119     public bool Equals(Transition other) => TransactionId == other.TransactionId &&
        ↳ Before == other.Before && After == other.After && Timestamp == other.Timestamp;
120
121     [MethodImpl(MethodImplOptions.AggressiveInlining)]
122     public static bool operator ==(Transition left, Transition right) =>
        ↳ left.Equals(right);
123
124     [MethodImpl(MethodImplOptions.AggressiveInlining)]
125     public static bool operator !=(Transition left, Transition right) => !(left ==
        ↳ right);
126 }
127
128 /// <remarks>
129 /// Другие варианты реализации транзакций (атомарности):
130 /// 1. Разделение хранения значения связи ((Source Target) или (Source Linker
        ↳ Target)) и индексов.
131 /// 2. Хранение трансформаций/операций в отдельном хранилище Links, но дополнительно
        ↳ потребуется решить вопрос
132 /// со ссылками на внешние идентификаторы, или как-то иначе решить вопрос с
        ↳ пересечениями идентификаторов.
133 ///
134 /// Где хранить промежуточный список транзакций?
135 ///
136 /// В оперативной памяти:
137 /// Минусы:
138 /// 1. Может усложнить систему, если она будет функционировать самостоятельно,
139 /// так как нужно отдельно выделять память под список трансформаций.
140 /// 2. Выделенной оперативной памяти может не хватить, в том случае,
141 /// если транзакция использует слишком много трансформаций.
142 /// -> Можно использовать жёсткий диск для слишком длинных транзакций.
143 /// -> Максимальный размер списка трансформаций можно ограничить / задать
        ↳ константой.
144 /// 3. При подтверждении транзакции (Commit) все трансформации записываются разом
        ↳ создавая задержку.
145 ///
146 /// На жёстком диске:
147 /// Минусы:
148 /// 1. Длительный отклик, на запись каждой трансформации.
149 /// 2. Лог транзакций дополнительно наполняется отменёнными транзакциями.
150 /// -> Это может решаться упаковкой/исключением дублирующих операций.
151 /// -> Также это может решаться тем, что короткие транзакции вообще
152 /// не будут записываться в случае отката.
153 /// 3. Перед тем как выполнять отмену операций транзакции нужно дождаться пока все
        ↳ операции (трансформации)
        ↳ будут записаны в лог.
154 ///
155 /// </remarks>
156 public class Transaction : DisposableBase
157 {
158     private readonly Queue<Transition> _transitions;
159     private readonly UInt64LinksTransactionsLayer _layer;
160     public bool IsCommitted { get; private set; }
161     public bool IsReverted { get; private set; }
162

```

```

163 [MethodImpl(MethodImplOptions.AggressiveInlining)]
164 public Transaction(UInt64LinksTransactionsLayer layer)
165 {
166     _layer = layer;
167     if (_layer._currentTransactionId != 0)
168     {
169         throw new NotSupportedException("Nested transactions not supported.");
170     }
171     IsCommitted = false;
172     IsReverted = false;
173     _transitions = new Queue<Transition>();
174     SetCurrentTransaction(layer, this);
175 }
176
177 [MethodImpl(MethodImplOptions.AggressiveInlining)]
178 public void Commit()
179 {
180     EnsureTransactionAllowsWriteOperations(this);
181     while (_transitions.Count > 0)
182     {
183         var transition = _transitions.Dequeue();
184         _layer._transitions.Enqueue(transition);
185     }
186     _layer._lastCommittedTransactionId = _layer._currentTransactionId;
187     IsCommitted = true;
188 }
189
190 [MethodImpl(MethodImplOptions.AggressiveInlining)]
191 private void Revert()
192 {
193     EnsureTransactionAllowsWriteOperations(this);
194     var transitionsToRevert = new Transition[_transitions.Count];
195     _transitions.CopyTo(transitionsToRevert, 0);
196     for (var i = transitionsToRevert.Length - 1; i >= 0; i--)
197     {
198         _layer.RevertTransition(transitionsToRevert[i]);
199     }
200     IsReverted = true;
201 }
202
203 [MethodImpl(MethodImplOptions.AggressiveInlining)]
204 public static void SetCurrentTransaction(UInt64LinksTransactionsLayer layer,
205 ↪ Transaction transaction)
206 {
207     layer._currentTransactionId = layer._lastCommittedTransactionId + 1;
208     layer._currentTransactionTransitions = transaction._transitions;
209     layer._currentTransaction = transaction;
210 }
211
212 [MethodImpl(MethodImplOptions.AggressiveInlining)]
213 public static void EnsureTransactionAllowsWriteOperations(Transaction transaction)
214 {
215     if (transaction.IsReverted)
216     {
217         throw new InvalidOperationException("Transation is reverted.");
218     }
219     if (transaction.IsCommitted)
220     {
221         throw new InvalidOperationException("Transation is committed.");
222     }
223 }
224
225 [MethodImpl(MethodImplOptions.AggressiveInlining)]
226 protected override void Dispose(bool manual, bool wasDisposed)
227 {
228     if (!wasDisposed && _layer != null && !_layer.Disposable.IsDisposed)
229     {
230         if (!IsCommitted && !IsReverted)
231         {
232             Revert();
233         }
234         _layer.ResetCurrentTransation();
235     }
236 }
237
238 public static readonly TimeSpan DefaultPushDelay = TimeSpan.FromSeconds(0.1);
239
240

```

```

241 private readonly string _logAddress;
242 private readonly FileStream _log;
243 private readonly Queue<Transition> _transitions;
244 private readonly UniqueTimestampFactory _uniqueTimestampFactory;
245 private Task _transitionsPusher;
246 private Transition _lastCommittedTransition;
247 private ulong _currentTransactionId;
248 private Queue<Transition> _currentTransactionTransitions;
249 private Transaction _currentTransaction;
250 private ulong _lastCommittedTransactionId;
251
252 [MethodImpl(MethodImplOptions.AggressiveInlining)]
253 public UInt64LinksTransactionsLayer(ILinks<ulong> links, string logAddress)
254     : base(links)
255 {
256     if (string.IsNullOrEmpty(logAddress))
257     {
258         throw new ArgumentNullException(nameof(logAddress));
259     }
260     // В первой строке файла хранится последняя закоммиченную транзакцию.
261     // При запуске это используется для проверки удачного закрытия файла лога.
262     // In the first line of the file the last committed transaction is stored.
263     // On startup, this is used to check that the log file is successfully closed.
264     var lastCommittedTransition = FileHelpers.ReadFirstOrDefault<Transition>(logAddress);
265     var lastWrittenTransition = FileHelpers.ReadLastOrDefault<Transition>(logAddress);
266     if (!lastCommittedTransition.Equals(lastWrittenTransition))
267     {
268         Dispose();
269         throw new NotSupportedException("Database is damaged, autorecovery is not
270             ↳ supported yet.");
271     }
272     if (lastCommittedTransition == default)
273     {
274         FileHelpers.WriteFirst(logAddress, lastCommittedTransition);
275     }
276     _lastCommittedTransition = lastCommittedTransition;
277     // TODO: Think about a better way to calculate or store this value
278     var allTransitions = FileHelpers.ReadAll<Transition>(logAddress);
279     _lastCommittedTransactionId = allTransitions.Length > 0 ? allTransitions.Max(x =>
280         ↳ x.TransactionId) : 0;
281     _uniqueTimestampFactory = new UniqueTimestampFactory();
282     _logAddress = logAddress;
283     _log = FileHelpers.Append(logAddress);
284     _transitions = new Queue<Transition>();
285     _transitionsPusher = new Task(TransitionsPusher);
286     _transitionsPusher.Start();
287 }
288
289 [MethodImpl(MethodImplOptions.AggressiveInlining)]
290 public IList<ulong> GetLinkValue(ulong link) => _links.GetLink(link);
291
292 [MethodImpl(MethodImplOptions.AggressiveInlining)]
293 public override ulong Create(IList<ulong> restrictions)
294 {
295     var createdLinkIndex = _links.Create();
296     var createdLink = new Link<ulong>(_links.GetLink(createdLinkIndex));
297     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
298         ↳ default, createdLink));
299     return createdLinkIndex;
300 }
301
302 [MethodImpl(MethodImplOptions.AggressiveInlining)]
303 public override ulong Update(IList<ulong> restrictions, IList<ulong> substitution)
304 {
305     var linkIndex = restrictions[_constants.IndexPart];
306     var beforeLink = new Link<ulong>(_links.GetLink(linkIndex));
307     linkIndex = _links.Update(restrictions, substitution);
308     var afterLink = new Link<ulong>(_links.GetLink(linkIndex));
309     CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
310         ↳ beforeLink, afterLink));
311     return linkIndex;
312 }
313
314 [MethodImpl(MethodImplOptions.AggressiveInlining)]
315 public override void Delete(IList<ulong> restrictions)
316 {
317     var link = restrictions[_constants.IndexPart];
318     var deletedLink = new Link<ulong>(_links.GetLink(link));
319     _links.Delete(link);

```

```

316         CommitTransition(new Transition(_uniqueTimestampFactory, _currentTransactionId,
317             ↪ deletedLink, default));
318     }
319     [MethodImpl(MethodImplOptions.AggressiveInlining)]
320     private Queue<Transition> GetCurrentTransitions() => _currentTransactionTransitions ??
321         ↪ _transitions;
322     [MethodImpl(MethodImplOptions.AggressiveInlining)]
323     private void CommitTransition(Transition transition)
324     {
325         if (_currentTransaction != null)
326         {
327             Transaction.EnsureTransactionAllowsWriteOperations(_currentTransaction);
328         }
329         var transitions = GetCurrentTransitions();
330         transitions.Enqueue(transition);
331     }
332     [MethodImpl(MethodImplOptions.AggressiveInlining)]
333     private void RevertTransition(Transition transition)
334     {
335         if (transition.After.IsNull()) // Revert Deletion with Creation
336         {
337             _links.Create();
338         }
339         else if (transition.Before.IsNull()) // Revert Creation with Deletion
340         {
341             _links.Delete(transition.After.Index);
342         }
343         else // Revert Update
344         {
345             _links.Update(new[] { transition.After.Index, transition.Before.Source,
346                 ↪ transition.Before.Target });
347         }
348     }
349     [MethodImpl(MethodImplOptions.AggressiveInlining)]
350     private void ResetCurrentTransation()
351     {
352         _currentTransactionId = 0;
353         _currentTransactionTransitions = null;
354         _currentTransaction = null;
355     }
356     [MethodImpl(MethodImplOptions.AggressiveInlining)]
357     private void PushTransitions()
358     {
359         if (_log == null || _transitions == null)
360         {
361             return;
362         }
363         for (var i = 0; i < _transitions.Count; i++)
364         {
365             var transition = _transitions.Dequeue();
366             _log.Write(transition);
367             _lastCommittedTransition = transition;
368         }
369     }
370     [MethodImpl(MethodImplOptions.AggressiveInlining)]
371     private void TransitionsPusher()
372     {
373         while (!Disposable.IsDisposed && _transitionsPusher != null)
374         {
375             Thread.Sleep(DefaultPushDelay);
376             PushTransitions();
377         }
378     }
379     [MethodImpl(MethodImplOptions.AggressiveInlining)]
380     public Transaction BeginTransaction() => new Transaction(this);
381     [MethodImpl(MethodImplOptions.AggressiveInlining)]
382     private void DisposeTransitions()
383     {
384         try
385         {
386

```

```

392         var pusher = _transitionsPusher;
393         if (pusher != null)
394         {
395             _transitionsPusher = null;
396             pusher.Wait();
397         }
398         if (_transitions != null)
399         {
400             PushTransitions();
401         }
402         _log.DisposeIfPossible();
403         FileHelpers.WriteFirst(_logAddress, _lastCommittedTransition);
404     }
405     catch (Exception ex)
406     {
407         ex.Ignore();
408     }
409 }
410
411 #region DisposalBase
412
413 [MethodImpl(MethodImplOptions.AggressiveInlining)]
414 protected override void Dispose(bool manual, bool wasDisposed)
415 {
416     if (!wasDisposed)
417     {
418         DisposeTransitions();
419     }
420     base.Dispose(manual, wasDisposed);
421 }
422
423 #endregion
424
425 }

```

1.166 ./csharp/Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs

```

1  using System.Runtime.CompilerServices;
2  using Platform.Converters;
3
4  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
5
6  namespace Platform.Data.Doublets.Unicode
7  {
8      public class CharToUnicodeSymbolConverter<TLink> : LinksOperatorBase<TLink>,
9      ↪ IConverter<char, TLink>
10     {
11         private static readonly UncheckedConverter<char, TLink> _charToAddressConverter =
12         ↪ UncheckedConverter<char, TLink>.Default;
13
14         private readonly IConverter<TLink> _addressToNumberConverter;
15         private readonly TLink _unicodeSymbolMarker;
16
17         [MethodImpl(MethodImplOptions.AggressiveInlining)]
18         public CharToUnicodeSymbolConverter(ILinks<TLink> links, IConverter<TLink>
19         ↪ addressToNumberConverter, TLink unicodeSymbolMarker) : base(links)
20         {
21             _addressToNumberConverter = addressToNumberConverter;
22             _unicodeSymbolMarker = unicodeSymbolMarker;
23         }
24
25         [MethodImpl(MethodImplOptions.AggressiveInlining)]
26         public TLink Convert(char source)
27         {
28             var unaryNumber =
29             ↪ _addressToNumberConverter.Convert(_charToAddressConverter.Convert(source));
30             return _links.GetOrCreate(unaryNumber, _unicodeSymbolMarker);
31         }
32     }
33 }

```

1.167 ./csharp/Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Converters;
4  using Platform.Data.Doublets.Sequences.Indexes;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Unicode
9  {

```

```

10 public class StringToUnicodeSequenceConverter<TLink> : LinksOperatorBase<TLink>,
    ↳ IConverter<string, TLink>
11 {
12     private readonly IConverter<string, IList<TLink>> _stringToUnicodeSymbolListConverter;
13     private readonly IConverter<IList<TLink>, TLink> _unicodeSymbolListToSequenceConverter;
14
15     [MethodImpl(MethodImplOptions.AggressiveInlining)]
16     public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<string,
    ↳ IList<TLink>> stringToUnicodeSymbolListConverter, IConverter<IList<TLink>, TLink>
    ↳ unicodeSymbolListToSequenceConverter) : base(links)
17     {
18         _stringToUnicodeSymbolListConverter = stringToUnicodeSymbolListConverter;
19         _unicodeSymbolListToSequenceConverter = unicodeSymbolListToSequenceConverter;
20     }
21
22     [MethodImpl(MethodImplOptions.AggressiveInlining)]
23     public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<string,
    ↳ IList<TLink>> stringToUnicodeSymbolListConverter, ISequenceIndex<TLink> index,
    ↳ IConverter<IList<TLink>, TLink> listToSequenceLinkConverter, TLink
    ↳ unicodeSequenceMarker)
24     : this(links, stringToUnicodeSymbolListConverter, new
    ↳ UnicodeSymbolsListToUnicodeSequenceConverter<TLink>(links, index,
    ↳ listToSequenceLinkConverter, unicodeSequenceMarker)) { }
25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<char, TLink>
    ↳ charToUnicodeSymbolConverter, ISequenceIndex<TLink> index, IConverter<IList<TLink>,
    ↳ TLink> listToSequenceLinkConverter, TLink unicodeSequenceMarker)
28     : this(links, new
    ↳ StringToUnicodeSymbolsListConverter<TLink>(charToUnicodeSymbolConverter), index,
    ↳ listToSequenceLinkConverter, unicodeSequenceMarker) { }
29
30     [MethodImpl(MethodImplOptions.AggressiveInlining)]
31     public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<char, TLink>
    ↳ charToUnicodeSymbolConverter, IConverter<IList<TLink>, TLink>
    ↳ listToSequenceLinkConverter, TLink unicodeSequenceMarker)
32     : this(links, charToUnicodeSymbolConverter, new Unindex<TLink>(),
    ↳ listToSequenceLinkConverter, unicodeSequenceMarker) { }
33
34     [MethodImpl(MethodImplOptions.AggressiveInlining)]
35     public StringToUnicodeSequenceConverter(ILinks<TLink> links, IConverter<string,
    ↳ IList<TLink>> stringToUnicodeSymbolListConverter, IConverter<IList<TLink>, TLink>
    ↳ listToSequenceLinkConverter, TLink unicodeSequenceMarker)
36     : this(links, stringToUnicodeSymbolListConverter, new Unindex<TLink>(),
    ↳ listToSequenceLinkConverter, unicodeSequenceMarker) { }
37
38     [MethodImpl(MethodImplOptions.AggressiveInlining)]
39     public TLink Convert(string source)
40     {
41         var elements = _stringToUnicodeSymbolListConverter.Convert(source);
42         return _unicodeSymbolListToSequenceConverter.Convert(elements);
43     }
44 }
45 }

```

1.168 ./csharp/Platform.Data.Doublets/Unicode/StringToUnicodeSymbolsListConverter.cs

```

1 using System.Collections.Generic;
2 using System.Runtime.CompilerServices;
3 using Platform.Converters;
4
5 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
6
7 namespace Platform.Data.Doublets.Unicode
8 {
9     public class StringToUnicodeSymbolsListConverter<TLink> : IConverter<string, IList<TLink>>
10     {
11         private readonly IConverter<char, TLink> _charToUnicodeSymbolConverter;
12
13         [MethodImpl(MethodImplOptions.AggressiveInlining)]
14         public StringToUnicodeSymbolsListConverter(IConverter<char, TLink>
    ↳ charToUnicodeSymbolConverter) => _charToUnicodeSymbolConverter =
    ↳ charToUnicodeSymbolConverter;
15
16         [MethodImpl(MethodImplOptions.AggressiveInlining)]
17         public IList<TLink> Convert(string source)
18         {
19             var elements = new TLink[source.Length];
20             for (var i = 0; i < elements.Length; i++)
21             {

```



```

22         elements[i] = _charToUnicodeSymbolConverter.Convert(source[i]);
23     }
24     return elements;
25 }
26 }
27 }

```

1.169 ./csharp/Platform.Data.Doublets/Unicode/UnicodeMap.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Globalization;
4  using System.Runtime.CompilerServices;
5  using System.Text;
6  using Platform.Data.Sequences;
7
8  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Unicode
11 {
12     public class UnicodeMap
13     {
14         public static readonly ulong FirstCharLink = 1;
15         public static readonly ulong LastCharLink = FirstCharLink + char.MaxValue;
16         public static readonly ulong MapSize = 1 + char.MaxValue;
17
18         private readonly ILinks<ulong> _links;
19         private bool _initialized;
20
21         [MethodImpl(MethodImplOptions.AggressiveInlining)]
22         public UnicodeMap(ILinks<ulong> links) => _links = links;
23
24         [MethodImpl(MethodImplOptions.AggressiveInlining)]
25         public static UnicodeMap InitNew(ILinks<ulong> links)
26         {
27             var map = new UnicodeMap(links);
28             map.Init();
29             return map;
30         }
31
32         [MethodImpl(MethodImplOptions.AggressiveInlining)]
33         public void Init()
34         {
35             if (_initialized)
36             {
37                 return;
38             }
39             _initialized = true;
40             var firstLink = _links.CreatePoint();
41             if (firstLink != FirstCharLink)
42             {
43                 _links.Delete(firstLink);
44             }
45             else
46             {
47                 for (var i = FirstCharLink + 1; i <= LastCharLink; i++)
48                 {
49                     // From NIL to It (NIL -> Character) transformation meaning, (or infinite
50                     // ↪ amount of NIL characters before actual Character)
51                     var createdLink = _links.CreatePoint();
52                     _links.Update(createdLink, firstLink, createdLink);
53                     if (createdLink != i)
54                     {
55                         throw new InvalidOperationException("Unable to initialize UTF 16
56                         ↪ table.");
57                     }
58                 }
59             }
60         }
61
62         // 0 - null link
63         // 1 - nil character (0 character)
64         // ...
65         // 65536 (0(1) + 65535 = 65536 possible values)
66
67         [MethodImpl(MethodImplOptions.AggressiveInlining)]
68         public static ulong FromCharToLink(char character) => (ulong)character + 1;
69
70         [MethodImpl(MethodImplOptions.AggressiveInlining)]
71         public static char FromLinkToChar(ulong link) => (char)(link - 1);
72

```

```

71 [MethodImpl(MethodImplOptions.AggressiveInlining)]
72 public static bool IsCharLink(ulong link) => link <= MapSize;
73
74 [MethodImpl(MethodImplOptions.AggressiveInlining)]
75 public static string FromLinksToString(IList<ulong> linksList)
76 {
77     var sb = new StringBuilder();
78     for (int i = 0; i < linksList.Count; i++)
79     {
80         sb.Append(FromLinkToChar(linksList[i]));
81     }
82     return sb.ToString();
83 }
84
85 [MethodImpl(MethodImplOptions.AggressiveInlining)]
86 public static string FromSequenceLinkToString(ulong link, ILinks<ulong> links)
87 {
88     var sb = new StringBuilder();
89     if (links.Exists(link))
90     {
91         StopableSequenceWalker.WalkRight(link, links.GetSource, links.GetTarget,
92             x => x <= MapSize || links.GetSource(x) == x || links.GetTarget(x) == x,
93             element =>
94             {
95                 sb.Append(FromLinkToChar(element));
96                 return true;
97             }
98     }
99     return sb.ToString();
100 }
101
102 [MethodImpl(MethodImplOptions.AggressiveInlining)]
103 public static ulong[] FromCharsToLinkArray(char[] chars) => FromCharsToLinkArray(chars,
104     ↪ chars.Length);
105
106 [MethodImpl(MethodImplOptions.AggressiveInlining)]
107 public static ulong[] FromCharsToLinkArray(char[] chars, int count)
108 {
109     // char array to ulong array
110     var linksSequence = new ulong[count];
111     for (var i = 0; i < count; i++)
112     {
113         linksSequence[i] = FromCharToLink(chars[i]);
114     }
115     return linksSequence;
116 }
117
118 [MethodImpl(MethodImplOptions.AggressiveInlining)]
119 public static ulong[] FromStringToLinkArray(string sequence)
120 {
121     // char array to ulong array
122     var linksSequence = new ulong[sequence.Length];
123     for (var i = 0; i < sequence.Length; i++)
124     {
125         linksSequence[i] = FromCharToLink(sequence[i]);
126     }
127     return linksSequence;
128 }
129
130 [MethodImpl(MethodImplOptions.AggressiveInlining)]
131 public static List<ulong[]> FromStringToLinkArrayGroups(string sequence)
132 {
133     var result = new List<ulong[]>();
134     var offset = 0;
135     while (offset < sequence.Length)
136     {
137         var currentCategory = CharUnicodeInfo.GetUnicodeCategory(sequence[offset]);
138         var relativeLength = 1;
139         var absoluteLength = offset + relativeLength;
140         while (absoluteLength < sequence.Length &&
141             currentCategory ==
142             ↪ CharUnicodeInfo.GetUnicodeCategory(sequence[absoluteLength]))
143         {
144             relativeLength++;
145             absoluteLength++;
146         }
147         // char array to ulong array
148         var innerSequence = new ulong[relativeLength];
149         var maxLength = offset + relativeLength;

```

```

147         for (var i = offset; i < maxLength; i++)
148         {
149             innerSequence[i - offset] = FromCharToLink(sequence[i]);
150         }
151         result.Add(innerSequence);
152         offset += relativeLength;
153     }
154     return result;
155 }
156
157 [MethodImpl(MethodImplOptions.AggressiveInlining)]
158 public static List<ulong[]> FromLinkArrayToLinkArrayGroups(ulong[] array)
159 {
160     var result = new List<ulong[]>();
161     var offset = 0;
162     while (offset < array.Length)
163     {
164         var relativeLength = 1;
165         if (array[offset] <= LastCharLink)
166         {
167             var currentCategory =
168                 ↪ CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(array[offset]));
169             var absoluteLength = offset + relativeLength;
170             while (absoluteLength < array.Length &&
171                 array[absoluteLength] <= LastCharLink &&
172                 currentCategory == CharUnicodeInfo.GetUnicodeCategory(FromLinkToChar(
173                     ↪ array[absoluteLength])))
174             {
175                 relativeLength++;
176                 absoluteLength++;
177             }
178         }
179         else
180         {
181             var absoluteLength = offset + relativeLength;
182             while (absoluteLength < array.Length && array[absoluteLength] > LastCharLink)
183             {
184                 relativeLength++;
185                 absoluteLength++;
186             }
187             // copy array
188             var innerSequence = new ulong[relativeLength];
189             var maxLength = offset + relativeLength;
190             for (var i = offset; i < maxLength; i++)
191             {
192                 innerSequence[i - offset] = array[i];
193             }
194             result.Add(innerSequence);
195             offset += relativeLength;
196         }
197     }
198     return result;
199 }

```

1.170 ./csharp/Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs

```

1 using System;
2 using System.Runtime.CompilerServices;
3 using Platform.Interfaces;
4 using Platform.Converters;
5 using Platform.Data.Doublets.Sequences.Walkers;
6 using System.Text;
7
8 #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
9
10 namespace Platform.Data.Doublets.Unicode
11 {
12     public class UnicodeSequenceToStringConverter<TLink> : LinksOperatorBase<TLink>,
13         ↪ IConverter<TLink, string>
14     {
15         private readonly ICriterionMatcher<TLink> _unicodeSequenceCriterionMatcher;
16         private readonly ISequenceWalker<TLink> _sequenceWalker;
17         private readonly IConverter<TLink, char> _unicodeSymbolToCharConverter;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public UnicodeSequenceToStringConverter(ILinks<TLink> links, ICriterionMatcher<TLink>
21             ↪ unicodeSequenceCriterionMatcher, ISequenceWalker<TLink> sequenceWalker,
22             ↪ IConverter<TLink, char> unicodeSymbolToCharConverter) : base(links)
23         {

```

```

21         _unicodeSequenceCriterionMatcher = unicodeSequenceCriterionMatcher;
22         _sequenceWalker = sequenceWalker;
23         _unicodeSymbolToCharConverter = unicodeSymbolToCharConverter;
24     }
25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     public string Convert(TLink source)
28     {
29         if (!_unicodeSequenceCriterionMatcher.IsMatched(source))
30         {
31             throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
32                 ↳ not a unicode sequence.");
33         }
34         var sequence = _links.GetSource(source);
35         var sb = new StringBuilder();
36         foreach(var character in _sequenceWalker.Walk(sequence))
37         {
38             sb.Append(_unicodeSymbolToCharConverter.Convert(character));
39         }
40         return sb.ToString();
41     }
42 }

```

1.171 ./csharp/Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs

```

1  using System;
2  using System.Runtime.CompilerServices;
3  using Platform.Interfaces;
4  using Platform.Converters;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Unicode
9  {
10     public class UnicodeSymbolToCharConverter<TLink> : LinksOperatorBase<TLink>,
11         ↳ IConverter<TLink, char>
12     {
13         private static readonly UncheckedConverter<TLink, char> _addressToCharConverter =
14             ↳ UncheckedConverter<TLink, char>.Default;
15
16         private readonly IConverter<TLink> _numberToAddressConverter;
17         private readonly ICriterionMatcher<TLink> _unicodeSymbolCriterionMatcher;
18
19         [MethodImpl(MethodImplOptions.AggressiveInlining)]
20         public UnicodeSymbolToCharConverter(ILinks<TLink> links, IConverter<TLink>
21             ↳ numberToAddressConverter, ICriterionMatcher<TLink> unicodeSymbolCriterionMatcher) :
22             ↳ base(links)
23         {
24             _numberToAddressConverter = numberToAddressConverter;
25             _unicodeSymbolCriterionMatcher = unicodeSymbolCriterionMatcher;
26         }
27
28         [MethodImpl(MethodImplOptions.AggressiveInlining)]
29         public char Convert(TLink source)
30         {
31             if (!_unicodeSymbolCriterionMatcher.IsMatched(source))
32             {
33                 throw new ArgumentOutOfRangeException(nameof(source), source, "Specified link is
34                     ↳ not a unicode symbol.");
35             }
36             return _addressToCharConverter.Convert(_numberToAddressConverter.Convert(_links.GetS
37                 ↳ ource(source)));
38         }
39     }
40 }

```

1.172 ./csharp/Platform.Data.Doublets/Unicode/UnicodeSymbolsListToUnicodeSequenceConverter.cs

```

1  using System.Collections.Generic;
2  using System.Runtime.CompilerServices;
3  using Platform.Converters;
4  using Platform.Data.Doublets.Sequences.Indexes;
5
6  #pragma warning disable CS1591 // Missing XML comment for publicly visible type or member
7
8  namespace Platform.Data.Doublets.Unicode
9  {
10     public class UnicodeSymbolsListToUnicodeSequenceConverter<TLink> : LinksOperatorBase<TLink>,
11         ↳ IConverter<IList<TLink>, TLink>
12     {
13
14     }
15 }

```

```

12     private readonly ISequenceIndex<TLink> _index;
13     private readonly IConverter<IList<TLink>, TLink> _listToSequenceLinkConverter;
14     private readonly TLink _unicodeSequenceMarker;
15
16     [MethodImpl(MethodImplOptions.AggressiveInlining)]
17     public UnicodeSymbolsListToUnicodeSequenceConverter(ILinks<TLink> links,
18         ↪ ISequenceIndex<TLink> index, IConverter<IList<TLink>, TLink>
19         ↪ listToSequenceLinkConverter, TLink unicodeSequenceMarker) : base(links)
20     {
21         _index = index;
22         _listToSequenceLinkConverter = listToSequenceLinkConverter;
23         _unicodeSequenceMarker = unicodeSequenceMarker;
24     }
25
26     [MethodImpl(MethodImplOptions.AggressiveInlining)]
27     public UnicodeSymbolsListToUnicodeSequenceConverter(ILinks<TLink> links,
28         ↪ IConverter<IList<TLink>, TLink> listToSequenceLinkConverter, TLink
29         ↪ unicodeSequenceMarker)
30         : this(links, new Unindex<TLink>(), listToSequenceLinkConverter,
31             ↪ unicodeSequenceMarker) { }
32
33     [MethodImpl(MethodImplOptions.AggressiveInlining)]
34     public TLink Convert(IList<TLink> list)
35     {
36         _index.Add(list);
37         var sequence = _listToSequenceLinkConverter.Convert(list);
38         return _links.GetOrCreate(sequence, _unicodeSequenceMarker);
39     }
40 }

```

1.173 ./csharp/Platform.Data.Doublets.Tests/DefaultSequenceAppenderTests.cs

```

1  using System.Collections.Generic;
2  using Platform.Collections.Stacks;
3  using Platform.Data.Doublets.Memory;
4  using Platform.Data.Doublets.Memory.United.Generic;
5  using Platform.Data.Doublets.Sequences;
6  using Platform.Data.Doublets.Sequences.HeightProviders;
7  using Platform.Data.Numbers.Raw;
8  using Platform.Interfaces;
9  using Platform.Memory;
10 using Platform.Numbers;
11 using Xunit;
12 using Xunit.Abstractions;
13 using TLink = System.UInt64;
14
15 namespace Platform.Data.Doublets.Tests
16 {
17     public class DefaultSequenceAppenderTests
18     {
19         private readonly ITestOutputHelper _output;
20
21         public DefaultSequenceAppenderTests(ITestOutputHelper output)
22         {
23             _output = output;
24         }
25         public static ILinks<TLink> CreateLinks() => CreateLinks<TLink>(new IO.TemporaryFile());
26         public static ILinks<TLink> CreateLinks<TLink>(string dataDBFilename)
27         {
28             var linksConstants = new LinksConstants<TLink>(enableExternalReferencesSupport:
29                 ↪ true);
30             return new UnitedMemoryLinks<TLink>(new
31                 ↪ FileMappedResizableDirectMemory(dataDBFilename),
32                 ↪ UnitedMemoryLinks<TLink>.DefaultLinksSizeStep, linksConstants,
33                 ↪ IndexTreeType.Default);
34         }
35
36         public class ValueCriterionMatcher<TLink> : ICriterionMatcher<TLink>
37         {
38             public readonly ILinks<TLink> Links;
39             public readonly TLink Marker;
40             public ValueCriterionMatcher(ILinks<TLink> links, TLink marker)
41             {
42                 Links = links;
43                 Marker = marker;
44             }
45
46             public bool IsMatched(TLink link) =>
47                 ↪ EqualityComparer<TLink>.Default.Equals(Links.GetSource(link), Marker);
48         }
49     }
50 }

```

```

44     }
45
46     [Fact]
47     public void AppendArrayBug()
48     {
49         ILinks<TLink> links = CreateLinks();
50         TLink zero = default;
51         var markerIndex = Arithmetic.Increment(zero);
52         var meaningRoot = links.GetOrCreate(markerIndex, markerIndex);
53         var sequence = links.Create();
54         sequence = links.Update(sequence, meaningRoot, sequence);
55         var appendant = links.Create();
56         appendant = links.Update(appendant, meaningRoot, appendant);
57         ValueCriterionMatcher<TLink> valueCriterionMatcher = new(links, meaningRoot);
58         DefaultSequenceRightHeightProvider<ulong> defaultSequenceRightHeightProvider =
59             ↪ new(links, valueCriterionMatcher);
60         DefaultSequenceAppender<TLink> defaultSequenceAppender = new(links, new
61             ↪ DefaultStack<ulong>(), defaultSequenceRightHeightProvider);
62         var newArray = defaultSequenceAppender.Append(sequence, appendant);
63         var output = links.FormatStructure(newArray, link => link.IsFullPoint(), true);
64         Assert.Equal("(4:(2:1 2) (3:1 3))", output);
65     }
66 }

```

1.174 ./csharp/Platform.Data.Doublets.Tests/GenericLinksTests.cs

```

1  using System;
2  using Xunit;
3  using Platform.Reflection;
4  using Platform.Memory;
5  using Platform.Scopes;
6  using Platform.Data.Doublets.Memory.United.Generic;
7
8  namespace Platform.Data.Doublets.Tests
9  {
10     public unsafe static class GenericLinksTests
11     {
12         [Fact]
13         public static void CRUDTest()
14         {
15             Using<byte>(links => links.TestCRUDOperations());
16             Using<ushort>(links => links.TestCRUDOperations());
17             Using<uint>(links => links.TestCRUDOperations());
18             Using<ulong>(links => links.TestCRUDOperations());
19         }
20
21         [Fact]
22         public static void RawNumbersCRUDTest()
23         {
24             Using<byte>(links => links.TestRawNumbersCRUDOperations());
25             Using<ushort>(links => links.TestRawNumbersCRUDOperations());
26             Using<uint>(links => links.TestRawNumbersCRUDOperations());
27             Using<ulong>(links => links.TestRawNumbersCRUDOperations());
28         }
29
30         [Fact]
31         public static void MultipleRandomCreationsAndDeletionsTest()
32         {
33             Using<byte>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
34                 ↪ MultipleRandomCreationsAndDeletions(16)); // Cannot use more because current
35                 ↪ implementation of tree cuts out 5 bits from the address space.
36             Using<ushort>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Te
37                 ↪ stMultipleRandomCreationsAndDeletions(100));
38             Using<uint>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
39                 ↪ MultipleRandomCreationsAndDeletions(100));
40             Using<ulong>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Tes
41                 ↪ tMultipleRandomCreationsAndDeletions(100));
42         }
43
44         private static void Using<TLink>(Action<ILinks<TLink>> action)
45         {
46             using (var scope = new Scope<Types<HeapResizableDirectMemory,
47                 ↪ UnitedMemoryLinks<TLink>>>())
48             {
49                 action(scope.Use<ILinks<TLink>>>());
50             }
51         }
52     }
53 }

```

```
47 }
```

1.175 ./csharp/Platform.Data.Doublets.Tests/ILinksExtensionsTests.cs

```
1 using Xunit;
2
3 namespace Platform.Data.Doublets.Tests
4 {
5     public class ILinksExtensionsTests
6     {
7         [Fact]
8         public void FormatTest()
9         {
10             using (var scope = new TempLinksTestScope())
11             {
12                 var links = scope.Links;
13                 var link = links.Create();
14                 var linkString = links.Format(link);
15                 Assert.Equal("(1: 1 1)", linkString);
16             }
17         }
18     }
19 }
```

1.176 ./csharp/Platform.Data.Doublets.Tests/LinksConstantsTests.cs

```
1 using Xunit;
2
3 namespace Platform.Data.Doublets.Tests
4 {
5     public static class LinksConstantsTests
6     {
7         [Fact]
8         public static void ExternalReferencesTest()
9         {
10             LinksConstants<ulong> constants = new LinksConstants<ulong>((1, long.MaxValue),
11                                     ↪ (long.MaxValue + 1UL, ulong.MaxValue));
12
13             //var minimum = new Hybrid<ulong>(0, isExternal: true);
14             var minimum = new Hybrid<ulong>(1, isExternal: true);
15             var maximum = new Hybrid<ulong>(long.MaxValue, isExternal: true);
16
17             Assert.True(constants.IsExternalReference(minimum));
18             Assert.True(constants.IsExternalReference(maximum));
19         }
20     }
21 }
```

1.177 ./csharp/Platform.Data.Doublets.Tests/Numbers/Raw/BigIntegerConvertersTests.cs

```
1 using System.Numerics;
2 using Platform.Data.Doublets.Memory;
3 using Platform.Data.Doublets.Memory.United.Generic;
4 using Platform.Data.Doublets.Numbers.Raw;
5 using Platform.Data.Numbers.Raw;
6 using Platform.Memory;
7 using Xunit;
8 using TLink = System.UInt64;
9
10 namespace Platform.Data.Doublets.Tests.Numbers.Raw
11 {
12     public class BigIntegerConvertersTests
13     {
14         public ILinks<TLink> CreateLinks() => CreateLinks<TLink>(new
15             ↪ Platform.IO.TemporaryFile());
16
17         public ILinks<TLink> CreateLinks<TLink>(string dataDBFilename)
18         {
19             var linksConstants = new LinksConstants<TLink>(enableExternalReferencesSupport:
20                 ↪ true);
21             return new UnitedMemoryLinks<TLink>(new
22                 ↪ FileMappedResizableDirectMemory(dataDBFilename),
23                 ↪ UnitedMemoryLinks<TLink>.DefaultLinksSizeStep, linksConstants,
24                 ↪ IndexTreeType.Default);
25         }
26
27         [Fact]
28         public void Test()
29         {
30             var links = CreateLinks();
31             BigInteger bigInt = new(1);
32             AddressToRawNumberConverter<TLink> addressToRawNumberConverter = new();
33             RawNumberToAddressConverter<TLink> numberToAddressConverter = new();
34         }
35     }
36 }
```

```

28     BigIntegerToRawNumberSequenceConverter<TLink> bigIntegerToRawNumberSequenceConverter
    ↪ = new(links, addressToRawNumberConverter);
29     RawNumberSequenceToBigIntegerConverter<TLink> rawNumberSequenceToBigIntegerConverter
    ↪ = new(links, numberToAddressConverter);
30     var bigIntSequence = bigIntegerToRawNumberSequenceConverter.Convert(bigInt);
31     var bigIntFromSequence =
    ↪ rawNumberSequenceToBigIntegerConverter.Convert(bigIntSequence);
32     Assert.Equal(bigInt, bigIntFromSequence);
33 }
34
35 [Fact (Skip = "Does not work yet.")]
36 public void Test64BitNumber()
37 {
38     var links = CreateLinks();
39     BigInteger bigInt = new(ulong.MaxValue);
40     AddressToRawNumberConverter<TLink> addressToRawNumberConverter = new();
41     RawNumberToAddressConverter<TLink> numberToAddressConverter = new();
42     BigIntegerToRawNumberSequenceConverter<TLink> bigIntegerToRawNumberSequenceConverter
    ↪ = new(links, addressToRawNumberConverter);
43     RawNumberSequenceToBigIntegerConverter<TLink> rawNumberSequenceToBigIntegerConverter
    ↪ = new(links, numberToAddressConverter);
44     var bigIntSequence = bigIntegerToRawNumberSequenceConverter.Convert(bigInt);
45     var bigIntFromSequence =
    ↪ rawNumberSequenceToBigIntegerConverter.Convert(bigIntSequence);
46     Assert.Equal(bigInt, bigIntFromSequence);
47 }
48 }
49 }

```

1.178 ./csharp/Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs

```

1  using System;
2  using System.Linq;
3  using Xunit;
4  using Platform.Collections.Stacks;
5  using Platform.Collections.Arrays;
6  using Platform.Memory;
7  using Platform.Data.Numbers.Raw;
8  using Platform.Data.Doublets.Sequences;
9  using Platform.Data.Doublets.Sequences.Frequencies.Cache;
10 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
11 using Platform.Data.Doublets.Sequences.Converters;
12 using Platform.Data.Doublets.PropertyOperators;
13 using Platform.Data.Doublets.Incrementers;
14 using Platform.Data.Doublets.Sequences.Walkers;
15 using Platform.Data.Doublets.Sequences.Indexes;
16 using Platform.Data.Doublets.Unicode;
17 using Platform.Data.Doublets.Numbers.Unary;
18 using Platform.Data.Doublets.Decorators;
19 using Platform.Data.Doublets.Memory.United.Specific;
20 using Platform.Data.Doublets.Memory;
21
22 namespace Platform.Data.Doublets.Tests
23 {
24     public static class OptimalVariantSequenceTests
25     {
26         private static readonly string _sequenceExample = "зеленела зелёная зелень";
27         private static readonly string _loremIpsumExample = @"Lorem ipsum dolor sit amet,
    ↪ consectetur adipiscing elit, sed do eiusmod tempor incididunt ut labore et dolore
    ↪ magna aliqua.
28 Facilisi nullam vehicula ipsum a arcu cursus vitae congue mauris.
29 Et malesuada fames ac turpis egestas sed.
30 Eget velit aliquet sagittis id consectetur purus.
31 Dignissim cras tincidunt lobortis feugiat vivamus.
32 Vitae aliquet nec ullamcorper sit.
33 Lectus quam id leo in vitae.
34 Tortor dignissim convallis aenean et tortor at risus viverra adipiscing.
35 Sed risus ultricies tristique nulla aliquet enim tortor at auctor.
36 Integer eget aliquet nibh praesent tristique.
37 Vitae congue eu consequat ac felis donec et odio.
38 Tristique et egestas quis ipsum suspendisse.
39 Suspendisse potenti nullam ac tortor vitae purus faucibus ornare.
40 Nulla facilisi etiam dignissim diam quis lobortis scelerisque.
41 Imperdiet proin fermentum leo vel orci.
42 In ante metus dictum at tempor commodo.
43 Nisi lacus sed viverra tellus in.
44 Quam vulputate dignissim suspendisse in.
45 Elit scelerisque mauris pellentesque pulvinar pellentesque habitant morbi tristique senectus.
46 Gravida cum sociis natoque penatibus et magnis dis parturient.
47 Risus quis varius quam quisque id diam.
48 Congue nisi vitae suscipit tellus mauris a diam maecenas.
49 Eget nunc scelerisque viverra mauris in aliquam sem fringilla.
50 Pharetra vel turpis nunc eget lorem dolor sed viverra.

```



```

51 Mattis pellentesque id nibh tortor id aliquet.
52 Purus non enim praesent elementum facilisis leo vel.
53 Etiam sit amet nisl purus in mollis nunc sed.
54 Tortor at auctor urna nunc id cursus metus aliquam.
55 Volutpat odio facilisis mauris sit amet.
56 Turpis egestas pretium aenean pharetra magna ac placerat.
57 Fermentum dui faucibus in ornare quam viverra orci sagittis eu.
58 Porttitor leo a diam sollicitudin tempor id eu.
59 Volutpat sed cras ornare arcu dui.
60 Ut aliquam purus sit amet luctus venenatis lectus magna.
61 Aliquet risus feugiat in ante metus dictum at.
62 Mattis nunc sed blandit libero.
63 Elit pellentesque habitant morbi tristique senectus et netus.
64 Nibh sit amet commodo nulla facilisi nullam vehicula ipsum a.
65 Enim sit amet venenatis urna cursus eget nunc scelerisque viverra.
66 Amet venenatis urna cursus eget nunc scelerisque viverra mauris in.
67 Diam donec adipiscing tristique risus nec feugiat.
68 Pulvinar mattis nunc sed blandit libero volutpat.
69 Cras fermentum odio eu feugiat pretium nibh ipsum.
70 In nulla posuere sollicitudin aliquam ultrices sagittis orci a.
71 Mauris pellentesque pulvinar pellentesque habitant morbi tristique senectus et.
72 A iaculis at erat pellentesque.
73 Morbi blandit cursus risus at ultrices mi tempus imperdiet nulla.
74 Eget lorem dolor sed viverra ipsum nunc.
75 Leo a diam sollicitudin tempor id eu.
76 Interdum consectetur libero id faucibus nisl tincidunt eget nullam non.";
77
78 [Fact]
79 public static void LinksBasedFrequencyStoredOptimalVariantSequenceTest()
80 {
81     using (var scope = new TempLinksTestScope(useSequences: false))
82     {
83         var links = scope.Links;
84         var constants = links.Constants;
85
86         links.UseUnicode();
87
88         var sequence = UnicodeMap.FromStringToLinkArray(_sequenceExample);
89
90         var meaningRoot = links.CreatePoint();
91         var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
92         var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
93         var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
94             ↪ constants.Itself);
95
96         var unaryNumberToAddressConverter = new
97             ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
98         var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
99         var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
100             ↪ frequencyMarker, unaryOne, unaryNumberIncrementer);
101         var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
102             ↪ frequencyPropertyMarker, frequencyMarker);
103         var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
104             ↪ frequencyPropertyOperator, frequencyIncrementer);
105         var linkToItsFrequencyNumberConverter = new
106             ↪ LinkToItsFrequencyNumberConveter<ulong>(links, frequencyPropertyOperator,
107             ↪ unaryNumberToAddressConverter);
108         var sequenceToItsLocalElementLevelsConverter = new
109             ↪ SequenceToItsLocalElementLevelsConverter<ulong>(links,
110             ↪ linkToItsFrequencyNumberConverter);
111         var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
112             ↪ sequenceToItsLocalElementLevelsConverter);
113
114         var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
115             ↪ Walker = new LeveledSequenceWalker<ulong>(links) });
116
117         ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
118             ↪ index, optimalVariantConverter);
119     }
120 }
121
122 [Fact]
123 public static void DictionaryBasedFrequencyStoredOptimalVariantSequenceTest()
124 {
125     using (var scope = new TempLinksTestScope(useSequences: false))
126     {
127         var links = scope.Links;
128
129         links.UseUnicode();
130
131     }
132 }

```

```

119     var sequence = UnicodeMap.FromStringToLinkArray(_sequenceExample);
120
121     var totalSequenceSymbolFrequencyCounter = new
122     ↪ TotalSequenceSymbolFrequencyCounter<ulong>(links);
123
124     var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
125     ↪ totalSequenceSymbolFrequencyCounter);
126
127     var index = new
128     ↪ CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
129     var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<ulong>(linkFrequenciesCache);
130
131     var sequenceToItsLocalElementLevelsConverter = new
132     ↪ SequenceToItsLocalElementLevelsConverter<ulong>(links,
133     ↪ linkToItsFrequencyNumberConverter);
134     var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
135     ↪ sequenceToItsLocalElementLevelsConverter);
136
137     var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong>() {
138     ↪ Walker = new LeveledSequenceWalker<ulong>(links) });
139
140     ExecuteTest(sequences, sequence, sequenceToItsLocalElementLevelsConverter,
141     ↪ index, optimalVariantConverter);
142 }
143
144 private static void ExecuteTest(Sequences.Sequences sequences, ulong[] sequence,
145     ↪ SequenceToItsLocalElementLevelsConverter<ulong>
146     ↪ sequenceToItsLocalElementLevelsConverter, ISequenceIndex<ulong> index,
147     ↪ OptimalVariantConverter<ulong> optimalVariantConverter)
148 {
149     index.Add(sequence);
150
151     var optimalVariant = optimalVariantConverter.Convert(sequence);
152
153     var readSequence1 = sequences.ToList(optimalVariant);
154
155     Assert.True(sequence.SequenceEqual(readSequence1));
156 }
157
158 [Fact]
159 public static void SavedSequencesOptimizationTest()
160 {
161     LinksConstants<ulong> constants = new LinksConstants<ulong>((1, long.MaxValue),
162     ↪ (long.MaxValue + 1UL, ulong.MaxValue));
163
164     using (var memory = new HeapResizableDirectMemory())
165     using (var disposableLinks = new UInt64UnitedMemoryLinks(memory,
166     ↪ UInt64UnitedMemoryLinks.DefaultLinksSizeStep, constants, IndexTreeType.Default))
167     {
168         var links = new UInt64Links(disposableLinks);
169
170         var root = links.CreatePoint();
171
172         //var numberToAddressConverter = new RawNumberToAddressConverter<ulong>();
173         var addressToNumberConverter = new AddressToRawNumberConverter<ulong>();
174
175         var unicodeSymbolMarker = links.GetOrCreate(root,
176     ↪ addressToNumberConverter.Convert(1));
177         var unicodeSequenceMarker = links.GetOrCreate(root,
178     ↪ addressToNumberConverter.Convert(2));
179
180         var totalSequenceSymbolFrequencyCounter = new
181     ↪ TotalSequenceSymbolFrequencyCounter<ulong>(links);
182         var linkFrequenciesCache = new LinkFrequenciesCache<ulong>(links,
183     ↪ totalSequenceSymbolFrequencyCounter);
184         var index = new
185     ↪ CachedFrequencyIncrementingSequenceIndex<ulong>(linkFrequenciesCache);
186         var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<ulong>(linkFrequenciesCache);
187         var sequenceToItsLocalElementLevelsConverter = new
188     ↪ SequenceToItsLocalElementLevelsConverter<ulong>(links,
189     ↪ linkToItsFrequencyNumberConverter);
190         var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
191     ↪ sequenceToItsLocalElementLevelsConverter);

```

```

173     var walker = new RightSequenceWalker<ulong>(links, new DefaultStack<ulong>(),
174         ↪ (link) => constants.IsExternalReference(link) || links.IsPartialPoint(link));
175
176     var unicodeSequencesOptions = new SequencesOptions<ulong>()
177     {
178         UseSequenceMarker = true,
179         SequenceMarkerLink = unicodeSequenceMarker,
180         UseIndex = true,
181         Index = index,
182         LinksToSequenceConverter = optimalVariantConverter,
183         Walker = walker,
184         UseGarbageCollection = true
185     };
186
187     var unicodeSequences = new Sequences.Sequences(new
188         ↪ SynchronizedLinks<ulong>(links), unicodeSequencesOptions);
189
190     // Create some sequences
191     var strings = _loremIpsumExample.Split(new[] { '\n', '\r' },
192         ↪ StringSplitOptions.RemoveEmptyEntries);
193     var arrays = strings.Select(x => x.Select(y =>
194         ↪ addressToNumberConverter.Convert(y)).ToArray()).ToArray();
195     for (int i = 0; i < arrays.Length; i++)
196     {
197         unicodeSequences.Create(arrays[i].ShiftRight());
198     }
199
200     var linksCountAfterCreation = links.Count();
201
202     // get list of sequences links
203     // for each sequence link
204     // create new sequence version
205     // if new sequence is not the same as sequence link
206     // delete sequence link
207     // collect garbadge
208     unicodeSequences.CompactAll();
209
210     var linksCountAfterCompactification = links.Count();
211
212     Assert.True(linksCountAfterCompactification < linksCountAfterCreation);
213 }
214 }
215 }

```

1.179 ./csharp/Platform.Data.Doublets.Tests/ReadSequenceTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.Linq;
5  using Xunit;
6  using Platform.Data.Sequences;
7  using Platform.Data.Doublets.Sequences.Converters;
8  using Platform.Data.Doublets.Sequences.Walkers;
9  using Platform.Data.Doublets.Sequences;
10
11 namespace Platform.Data.Doublets.Tests
12 {
13     public static class ReadSequenceTests
14     {
15         [Fact]
16         public static void ReadSequenceTest()
17         {
18             const long sequenceLength = 2000;
19
20             using (var scope = new TempLinksTestScope(useSequences: false))
21             {
22                 var links = scope.Links;
23                 var sequences = new Sequences.Sequences(links, new SequencesOptions<ulong> {
24                     ↪ Walker = new LeveledSequenceWalker<ulong>(links) });
25
26                 var sequence = new ulong[sequenceLength];
27                 for (var i = 0; i < sequenceLength; i++)
28                 {
29                     sequence[i] = links.Create();
30                 }
31
32                 var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
33
34                 var sw1 = Stopwatch.StartNew();

```

```

34     var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
35
36     var sw2 = Stopwatch.StartNew();
37     var readSequence1 = sequences.ToList(balancedVariant); sw2.Stop();
38
39     var sw3 = Stopwatch.StartNew();
40     var readSequence2 = new List<ulong>();
41     SequenceWalker.WalkRight(balancedVariant,
42                             links.GetSource,
43                             links.GetTarget,
44                             links.IsPartialPoint,
45                             readSequence2.Add);
46
47     sw3.Stop();
48
49     Assert.True(sequence.SequenceEqual(readSequence1));
50
51     Assert.True(sequence.SequenceEqual(readSequence2));
52
53     // Assert.True(sw2.Elapsed < sw3.Elapsed);
54
55     Console.WriteLine($"Stack-based walker: {sw3.Elapsed}, Level-based reader:
56     ↪ {sw2.Elapsed}");
57
58     for (var i = 0; i < sequenceLength; i++)
59     {
60         links.Delete(sequence[i]);
61     }
62 }
63 }

```

1.180 ./csharp/Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs

```

1  using System.IO;
2  using Xunit;
3  using Platform.Singletons;
4  using Platform.Memory;
5  using Platform.Data.Doublets.Memory.United.Specific;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public static class ResizableDirectMemoryLinksTests
10     {
11         private static readonly LinksConstants<ulong> _constants =
12             ↪ Default<LinksConstants<ulong>>.Instance;
13
14         [Fact]
15         public static void BasicFileMappedMemoryTest()
16         {
17             var tempFilename = Path.GetTempFileName();
18             using (var memoryAdapter = new UInt64UnitedMemoryLinks(tempFilename))
19             {
20                 memoryAdapter.TestBasicMemoryOperations();
21             }
22             File.Delete(tempFilename);
23
24             [Fact]
25             public static void BasicHeapMemoryTest()
26             {
27                 using (var memory = new
28                     ↪ HeapResizableDirectMemory(UInt64UnitedMemoryLinks.DefaultLinksSizeStep))
29                 using (var memoryAdapter = new UInt64UnitedMemoryLinks(memory,
30                     ↪ UInt64UnitedMemoryLinks.DefaultLinksSizeStep))
31                 {
32                     memoryAdapter.TestBasicMemoryOperations();
33                 }
34
35                 private static void TestBasicMemoryOperations(this ILinks<ulong> memoryAdapter)
36                 {
37                     var link = memoryAdapter.Create();
38                     memoryAdapter.Delete(link);
39                 }
40
41                 [Fact]
42                 public static void NonexistentReferencesHeapMemoryTest()
43                 {
44                     using (var memory = new
45                         ↪ HeapResizableDirectMemory(UInt64UnitedMemoryLinks.DefaultLinksSizeStep))

```

```

44     using (var memoryAdapter = new UInt64UnitedMemoryLinks(memory,
45         ↪ UInt64UnitedMemoryLinks.DefaultLinksSizeStep))
46     {
47         memoryAdapter.TestNonexistentReferences();
48     }
49
50 private static void TestNonexistentReferences(this ILinks<ulong> memoryAdapter)
51 {
52     var link = memoryAdapter.Create();
53     memoryAdapter.Update(link, ulong.MaxValue, ulong.MaxValue);
54     var resultLink = _constants.Null;
55     memoryAdapter.Each(foundLink =>
56     {
57         resultLink = foundLink[_constants.IndexPart];
58         return _constants.Break;
59     }, _constants.Any, ulong.MaxValue, ulong.MaxValue);
60     Assert.True(resultLink == link);
61     Assert.True(memoryAdapter.Count(ulong.MaxValue) == 0);
62     memoryAdapter.Delete(link);
63 }
64 }
65 }

```

1.181 ./csharp/Platform.Data.Doublets.Tests/ScopeTests.cs

```

1  using Xunit;
2  using Platform.Scopes;
3  using Platform.Memory;
4  using Platform.Data.Doublets.Decorators;
5  using Platform.Reflection;
6  using Platform.Data.Doublets.Memory.United.Generic;
7  using Platform.Data.Doublets.Memory.United.Specific;
8
9  namespace Platform.Data.Doublets.Tests
10 {
11     public static class ScopeTests
12     {
13         [Fact]
14         public static void SingleDependencyTest()
15         {
16             using (var scope = new Scope())
17             {
18                 scope.IncludeAssemblyOf<IMemory>();
19                 var instance = scope.Use<IDirectMemory>();
20                 Assert.IsType<HeapResizableDirectMemory>(instance);
21             }
22         }
23
24         [Fact]
25         public static void CascadeDependencyTest()
26         {
27             using (var scope = new Scope())
28             {
29                 scope.Include<TemporaryFileMappedResizableDirectMemory>();
30                 scope.Include<UInt64UnitedMemoryLinks>();
31                 var instance = scope.Use<ILinks<ulong>>();
32                 Assert.IsType<UInt64UnitedMemoryLinks>(instance);
33             }
34         }
35
36         [Fact(Skip = "Would be fixed later.")]
37         public static void FullAutoResolutionTest()
38         {
39             using (var scope = new Scope(autoInclude: true, autoExplore: true))
40             {
41                 var instance = scope.Use<UInt64Links>();
42                 Assert.IsType<UInt64Links>(instance);
43             }
44         }
45
46         [Fact]
47         public static void TypeParametersTest()
48         {
49             using (var scope = new Scope<Types<HeapResizableDirectMemory,
50         ↪ UnitedMemoryLinks<ulong>>>())
51             {
52                 var links = scope.Use<ILinks<ulong>>();
53                 Assert.IsType<UnitedMemoryLinks<ulong>>(links);
54             }
55         }
56     }
57 }

```

```

54     }
55 }
56 }

```

1.182 ./csharp/Platform.Data.Doublets.Tests/SequencesTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.Linq;
5  using Xunit;
6  using Platform.Collections;
7  using Platform.Collections.Arrays;
8  using Platform.Random;
9  using Platform.IO;
10 using Platform.Singletons;
11 using Platform.Data.Doublets.Sequences;
12 using Platform.Data.Doublets.Sequences.Frequencies.Cache;
13 using Platform.Data.Doublets.Sequences.Frequencies.Counters;
14 using Platform.Data.Doublets.Sequences.Converters;
15 using Platform.Data.Doublets.Unicode;
16
17 namespace Platform.Data.Doublets.Tests
18 {
19     public static class SequencesTests
20     {
21         private static readonly LinksConstants<ulong> _constants =
22             ↪ Default<LinksConstants<ulong>>.Instance;
23
24         static SequencesTests()
25         {
26             // Trigger static constructor to not mess with performance measurements
27             _ = BitString.GetBitMaskFromIndex(1);
28         }
29
30         [Fact]
31         public static void CreateAllVariantsTest()
32         {
33             const long sequenceLength = 8;
34
35             using (var scope = new TempLinksTestScope(useSequences: true))
36             {
37                 var links = scope.Links;
38                 var sequences = scope.Sequences;
39
40                 var sequence = new ulong[sequenceLength];
41                 for (var i = 0; i < sequenceLength; i++)
42                 {
43                     sequence[i] = links.Create();
44                 }
45
46                 var sw1 = Stopwatch.StartNew();
47                 var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
48
49                 var sw2 = Stopwatch.StartNew();
50                 var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
51
52                 Assert.True(results1.Count > results2.Length);
53                 Assert.True(sw1.Elapsed > sw2.Elapsed);
54
55                 for (var i = 0; i < sequenceLength; i++)
56                 {
57                     links.Delete(sequence[i]);
58                 }
59
60                 Assert.True(links.Count() == 0);
61             }
62
63             //[Fact]
64             //public void CUDTest()
65             //{
66             //    var tempFilename = Path.GetTempFileName();
67
68             //    const long sequenceLength = 8;
69
70             //    const ulong itself = LinksConstants.Itself;
71
72             //    using (var memoryAdapter = new ResizableDirectMemoryLinks(tempFilename,
73             //        ↪ DefaultLinksSizeStep))
74             //    using (var links = new Links(memoryAdapter))
75             //    {

```

```

75 //         var sequence = new ulong[sequenceLength];
76 //         for (var i = 0; i < sequenceLength; i++)
77 //             sequence[i] = links.Create(itself, itself);
78
79 //         SequencesOptions o = new SequencesOptions();
80
81 // TODO: Из числа в bool значения o.UseSequenceMarker = ((value & 1) != 0)
82 //         o.
83
84 //         var sequences = new Sequences(links);
85
86 //         var sw1 = Stopwatch.StartNew();
87 //         var results1 = sequences.CreateAllVariants1(sequence); sw1.Stop();
88
89 //         var sw2 = Stopwatch.StartNew();
90 //         var results2 = sequences.CreateAllVariants2(sequence); sw2.Stop();
91
92 //         Assert.True(results1.Count > results2.Length);
93 //         Assert.True(sw1.Elapsed > sw2.Elapsed);
94
95 //         for (var i = 0; i < sequenceLength; i++)
96 //             links.Delete(sequence[i]);
97 //     }
98
99 //     File.Delete(tempFilename);
100 // }
101
102 [Fact]
103 public static void AllVariantsSearchTest()
104 {
105     const long sequenceLength = 8;
106
107     using (var scope = new TempLinksTestScope(useSequences: true))
108     {
109         var links = scope.Links;
110         var sequences = scope.Sequences;
111
112         var sequence = new ulong[sequenceLength];
113         for (var i = 0; i < sequenceLength; i++)
114         {
115             sequence[i] = links.Create();
116         }
117
118         var createResults = sequences.CreateAllVariants2(sequence).Distinct().ToArray();
119
120         //for (int i = 0; i < createResults.Length; i++)
121         //    sequences.Create(createResults[i]);
122
123         var sw0 = Stopwatch.StartNew();
124         var searchResults0 = sequences.GetAllMatchingSequences0(sequence); sw0.Stop();
125
126         var sw1 = Stopwatch.StartNew();
127         var searchResults1 = sequences.GetAllMatchingSequences1(sequence); sw1.Stop();
128
129         var sw2 = Stopwatch.StartNew();
130         var searchResults2 = sequences.Each1(sequence); sw2.Stop();
131
132         var sw3 = Stopwatch.StartNew();
133         var searchResults3 = sequences.Each(sequence.ShiftRight()); sw3.Stop();
134
135         var intersection0 = createResults.Intersect(searchResults0).ToList();
136         Assert.True(intersection0.Count == searchResults0.Count);
137         Assert.True(intersection0.Count == createResults.Length);
138
139         var intersection1 = createResults.Intersect(searchResults1).ToList();
140         Assert.True(intersection1.Count == searchResults1.Count);
141         Assert.True(intersection1.Count == createResults.Length);
142
143         var intersection2 = createResults.Intersect(searchResults2).ToList();
144         Assert.True(intersection2.Count == searchResults2.Count);
145         Assert.True(intersection2.Count == createResults.Length);
146
147         var intersection3 = createResults.Intersect(searchResults3).ToList();
148         Assert.True(intersection3.Count == searchResults3.Count);
149         Assert.True(intersection3.Count == createResults.Length);
150
151         for (var i = 0; i < sequenceLength; i++)
152         {
153             links.Delete(sequence[i]);
154         }
155     }
156 }

```

```

155     }
156 }
157
158 [Fact]
159 public static void BalancedVariantSearchTest()
160 {
161     const long sequenceLength = 200;
162
163     using (var scope = new TempLinksTestScope(useSequences: true))
164     {
165         var links = scope.Links;
166         var sequences = scope.Sequences;
167
168         var sequence = new ulong[sequenceLength];
169         for (var i = 0; i < sequenceLength; i++)
170         {
171             sequence[i] = links.Create();
172         }
173
174         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
175
176         var sw1 = Stopwatch.StartNew();
177         var balancedVariant = balancedVariantConverter.Convert(sequence); sw1.Stop();
178
179         var sw2 = Stopwatch.StartNew();
180         var searchResults2 = sequences.GetAllMatchingSequences0(sequence); sw2.Stop();
181
182         var sw3 = Stopwatch.StartNew();
183         var searchResults3 = sequences.GetAllMatchingSequences1(sequence); sw3.Stop();
184
185         // На количестве в 200 элементов это будет занимать вечность
186         //var sw4 = Stopwatch.StartNew();
187         //var searchResults4 = sequences.Each(sequence); sw4.Stop();
188
189         Assert.True(searchResults2.Count == 1 && balancedVariant == searchResults2[0]);
190
191         Assert.True(searchResults3.Count == 1 && balancedVariant ==
192             ↪ searchResults3.First());
193
194         //Assert.True(sw1.Elapsed < sw2.Elapsed);
195
196         for (var i = 0; i < sequenceLength; i++)
197         {
198             links.Delete(sequence[i]);
199         }
200     }
201 }
202
203 [Fact]
204 public static void AllPartialVariantsSearchTest()
205 {
206     const long sequenceLength = 8;
207
208     using (var scope = new TempLinksTestScope(useSequences: true))
209     {
210         var links = scope.Links;
211         var sequences = scope.Sequences;
212
213         var sequence = new ulong[sequenceLength];
214         for (var i = 0; i < sequenceLength; i++)
215         {
216             sequence[i] = links.Create();
217         }
218
219         var createResults = sequences.CreateAllVariants2(sequence);
220
221         //var createResultsStrings = createResults.Select(x => x + ": " +
222             ↪ sequences.FormatSequence(x)).ToList();
223         //Global.Trash = createResultsStrings;
224
225         var partialSequence = new ulong[sequenceLength - 2];
226
227         Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
228
229         var sw1 = Stopwatch.StartNew();
230         var searchResults1 =
231             ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
232
233         var sw2 = Stopwatch.StartNew();

```



```

231     var searchResults2 =
232         ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
233
234     //var sw3 = Stopwatch.StartNew();
235     //var searchResults3 =
236         ↪ sequences.GetAllPartiallyMatchingSequences2(partialSequence); sw3.Stop();
237
238     var sw4 = Stopwatch.StartNew();
239     var searchResults4 =
240         ↪ sequences.GetAllPartiallyMatchingSequences3(partialSequence); sw4.Stop();
241
242     //Global.Trash = searchResults3;
243
244     //var searchResults1Strings = searchResults1.Select(x => x + ": " +
245         ↪ sequences.FormatSequence(x)).ToList();
246     //Global.Trash = searchResults1Strings;
247
248     var intersection1 = createResults.Intersect(searchResults1).ToList();
249     Assert.True(intersection1.Count == createResults.Length);
250
251     var intersection2 = createResults.Intersect(searchResults2).ToList();
252     Assert.True(intersection2.Count == createResults.Length);
253
254     var intersection4 = createResults.Intersect(searchResults4).ToList();
255     Assert.True(intersection4.Count == createResults.Length);
256
257     for (var i = 0; i < sequenceLength; i++)
258     {
259         links.Delete(sequence[i]);
260     }
261 }
262
263 [Fact]
264 public static void BalancedPartialVariantsSearchTest()
265 {
266     const long sequenceLength = 200;
267
268     using (var scope = new TempLinksTestScope(useSequences: true))
269     {
270         var links = scope.Links;
271         var sequences = scope.Sequences;
272
273         var sequence = new ulong[sequenceLength];
274         for (var i = 0; i < sequenceLength; i++)
275         {
276             sequence[i] = links.Create();
277         }
278
279         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
280         var balancedVariant = balancedVariantConverter.Convert(sequence);
281
282         var partialSequence = new ulong[sequenceLength - 2];
283         Array.Copy(sequence, 1, partialSequence, 0, (int)sequenceLength - 2);
284
285         var sw1 = Stopwatch.StartNew();
286         var searchResults1 =
287             ↪ sequences.GetAllPartiallyMatchingSequences0(partialSequence); sw1.Stop();
288
289         var sw2 = Stopwatch.StartNew();
290         var searchResults2 =
291             ↪ sequences.GetAllPartiallyMatchingSequences1(partialSequence); sw2.Stop();
292
293         Assert.True(searchResults1.Count == 1 && balancedVariant == searchResults1[0]);
294         Assert.True(searchResults2.Count == 1 && balancedVariant ==
295             ↪ searchResults2.First());
296
297         for (var i = 0; i < sequenceLength; i++)
298         {
299             links.Delete(sequence[i]);
300         }
301     }
302 }
303
304 [Fact(Skip = "Correct implementation is pending")]
305 public static void PatternMatchTest()

```

```

303 {
304     var zeroOrMany = Sequences.Sequences.ZeroOrMany;
305
306     using (var scope = new TempLinksTestScope(useSequences: true))
307     {
308         var links = scope.Links;
309         var sequences = scope.Sequences;
310
311         var e1 = links.Create();
312         var e2 = links.Create();
313
314         var sequence = new[]
315         {
316             e1, e2, e1, e2 // mama / papa
317         };
318
319         var balancedVariantConverter = new BalancedVariantConverter<ulong>(links);
320
321         var balancedVariant = balancedVariantConverter.Convert(sequence);
322
323         // 1: [1]
324         // 2: [2]
325         // 3: [1,2]
326         // 4: [1,2,1,2]
327
328         var doublet = links.GetSource(balancedVariant);
329
330         var matchedSequences1 = sequences.MatchPattern(e2, e1, zeroOrMany);
331
332         Assert.True(matchedSequences1.Count == 0);
333
334         var matchedSequences2 = sequences.MatchPattern(zeroOrMany, e2, e1);
335
336         Assert.True(matchedSequences2.Count == 0);
337
338         var matchedSequences3 = sequences.MatchPattern(e1, zeroOrMany, e1);
339
340         Assert.True(matchedSequences3.Count == 0);
341
342         var matchedSequences4 = sequences.MatchPattern(e1, zeroOrMany, e2);
343
344         Assert.Contains(doublet, matchedSequences4);
345         Assert.Contains(balancedVariant, matchedSequences4);
346
347         for (var i = 0; i < sequence.Length; i++)
348         {
349             links.Delete(sequence[i]);
350         }
351     }
352 }
353
354 [Fact]
355 public static void IndexTest()
356 {
357     using (var scope = new TempLinksTestScope(new SequencesOptions<ulong> { UseIndex =
358         ↪ true }, useSequences: true))
359     {
360         var links = scope.Links;
361         var sequences = scope.Sequences;
362         var index = sequences.Options.Index;
363
364         var e1 = links.Create();
365         var e2 = links.Create();
366
367         var sequence = new[]
368         {
369             e1, e2, e1, e2 // mama / papa
370         };
371
372         Assert.False(index.MightContain(sequence));
373
374         index.Add(sequence);
375
376         Assert.True(index.MightContain(sequence));
377     }
378 }
379
380 /// <summary>Imported from https://raw.githubusercontent.com/Konard/LinksPlatform/%
381 ↪ D0%9E-%D1%82%D0%BE%D0%BC%2C-%D0%BA%D0%B0%D0%BA-%D0%B2%D1%81%D1%91-%D0%BD%D0%B0%D1%87
382 ↪ %D0%B8%D0%BD%D0%B0%D0%BB%D0%BE%D1%81%D1%8C.md</summary>

```

```
private static readonly string _exampleText =
    @"([english
    ↪ version](https://github.com/Konard/LinksPlatform/wiki/About-the-beginning))
```

Обозначение пустоты, какое оно? Темнота ли это? Там где отсутствие света, отсутствие фотонов
↪ (носителей света)? Или это то, что полностью отражает свет? Пустой белый лист бумаги? Там
↪ где есть место для нового начала? Разве пустота это не характеристика пространства?
↪ Пространство это то, что можно чем-то наполнить?

```
![чёрное пространство, белое
↪ пространство](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/1.png
↪ ""чёрное пространство, белое пространство"")](https://raw.githubusercontent.com/Konard/Links
↪ Platform/master/doc/Intro/1.png)
```

Что может быть минимальным рисунком, образом, графикой? Может быть это точка? Это ли простейшая
↪ форма? Но есть ли у точки размер? Цвет? Масса? Координаты? Время существования?

```
![чёрное пространство, чёрная
↪ точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png
↪ ""чёрное пространство, чёрная
↪ точка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/2.png)
```

А что если повторить? Сделать копию? Создать дубликат? Из одного сделать два? Может это быть
↪ так? Инверсия? Отражение? Сумма?

```
![белая точка, чёрная
↪ точка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png ""белая
↪ точка, чёрная
↪ точка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/3.png)
```

А что если мы вообразим движение? Нужно ли время? Каким самым коротким будет путь? Что будет
↪ если этот путь зафиксировать? Запомнить след? Как две точки становятся линией? Чертой?
↪ Гранью? Разделителем? Единицей?

```
![две белые точки, чёрная вертикальная
↪ линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png ""две
↪ белые точки, чёрная вертикальная
↪ линия"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/4.png)
```

Можно ли замкнуть движение? Может ли это быть кругом? Можно ли замкнуть время? Или остаётся
↪ только спираль? Но что если замкнуть предел? Создать ограничение, разделение? Получится
↪ замкнутая область? Полностью отделённая от всего остального? Но что это всё остальное? Что
↪ можно делить? В каком направлении? Ничего или всё? Пустота или полнота? Начало или конец?
↪ Или может быть это единица и ноль? Дуальность? Противоположность? А что будет с кругом если
↪ у него нет размера? Будет ли круг точкой? Точка состоящая из точек?

```
![белая вертикальная линия, чёрный
↪ круг](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png ""белая
↪ вертикальная линия, чёрный
↪ круг"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/5.png)
```

Как ещё можно использовать грань, черту, линию? А что если она может что-то соединять, может
↪ тогда её нужно повернуть? Почему то, что перпендикулярно вертикальному горизонтально?
↪ Горизонт? Инвертирует ли это смысл? Что такое смысл? Из чего состоит смысл? Существует ли
↪ элементарная единица смысла?

```
![белый круг, чёрная горизонтальная
↪ линия](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png ""белый
↪ круг, чёрная горизонтальная
↪ линия"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/6.png)
```

Соединять, допустим, а какой смысл в этом есть ещё? Что если помимо смысла ""соединить,
↪ связать"", есть ещё и смысл направления ""от начала к концу""? От предка к потомку? От
↪ родителя к ребёнку? От общего к частному?

```
![белая горизонтальная линия, чёрная горизонтальная
↪ стрелка](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png
↪ ""белая горизонтальная линия, чёрная горизонтальная
↪ стрелка"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/7.png)
```

Шаг назад. Возьмём опять отделённую область, которая лишь та же замкнутая линия, что ещё она
↪ может представлять собой? Объект? Но в чём его суть? Разве не в том, что у него есть
↪ граница, разделяющая внутреннее и внешнее? Допустим связь, стрелка, линия соединяет два
↪ объекта, как бы это выглядело?

```
![белая связь, чёрная направленная
↪ связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png ""белая
↪ связь, чёрная направленная
↪ связь"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/8.png)
```

```

415 Допустим у нас есть смысл ""связать"" и смысл ""направления"", много ли это нам даёт? Много ли
    ↳ вариантов интерпретации? А что если уточнить, каким именно образом выполнена связь? Что если
    ↳ можно задать ей чёткий, конкретный смысл? Что это будет? Тип? Глагол? Связка? Действие?
    ↳ Трансформация? Переход из состояния в состояние? Или всё это и есть объект, суть которого в
    ↳ его конечном состоянии, если конечно конец определён направлением?
416
417 [![белая обычная и направленная связи, чёрная типизированная
    ↳ связь](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png ""белая
    ↳ обычная и направленная связи, чёрная типизированная
    ↳ связь"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/9.png)
418
419 А что если всё это время, мы смотрели на суть как бы снаружи? Можно ли взглянуть на это изнутри?
    ↳ Что будет внутри объектов? Объекты ли это? Или это связи? Может ли эта структура описать
    ↳ сама себя? Но что тогда получится, разве это не рекурсия? Может это фрактал?
420
421 [![белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная типизированная
    ↳ связь с рекурсивной внутренней
    ↳ структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png
    ↳ ""белая обычная и направленная связи с рекурсивной внутренней структурой, чёрная
    ↳ типизированная связь с рекурсивной внутренней структурой"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/10.png)
422
423 На один уровень внутрь (вниз)? Или на один уровень во вне (вверх)? Или это можно назвать шагом
    ↳ рекурсии или фрактала?
424
425 [![белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная
    ↳ типизированная связь с двойной рекурсивной внутренней
    ↳ структурой](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png
    ↳ ""белая обычная и направленная связи с двойной рекурсивной внутренней структурой, чёрная
    ↳ типизированная связь с двойной рекурсивной внутренней структурой"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/11.png)
426
427 Последовательность? Массив? Список? Множество? Объект? Таблица? Элементы? Цвета? Символы? Буквы?
    ↳ Слово? Цифры? Число? Алфавит? Дерево? Сеть? Граф? Гиперграф?
428
429 [![белая обычная и направленная связи со структурой из 8 цветных элементов последовательности,
    ↳ чёрная типизированная связь со структурой из 8 цветных элементов последовательности](https://
    ↳ raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png ""белая обычная и
    ↳ направленная связи со структурой из 8 цветных элементов последовательности, чёрная
    ↳ типизированная связь со структурой из 8 цветных элементов последовательности"")](https://raw
    ↳ .githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/12.png)
430
431 ...
432
433 [![анимация](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro-anim
    ↳ ation-500.gif
    ↳ ""анимация"")](https://raw.githubusercontent.com/Konard/LinksPlatform/master/doc/Intro/intro
    ↳ -animation-500.gif)";
434
435     private static readonly string _exampleLoremIpsumText =
436         @"Lorem ipsum dolor sit amet, consectetur adipiscing elit, sed do eiusmod tempor
            ↳ incididunt ut labore et dolore magna aliqua.
437 Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo
    ↳ consequat.";
438
439     [Fact]
440     public static void CompressionTest()
441     {
442         using (var scope = new TempLinksTestScope(useSequences: true))
443         {
444             var links = scope.Links;
445             var sequences = scope.Sequences;
446
447             var e1 = links.Create();
448             var e2 = links.Create();
449
450             var sequence = new[]
451             {
452                 e1, e2, e1, e2 // mama / papa / template [(m/p), a] { [1] [2] [1] [2] }
453             };
454
455             var balancedVariantConverter = new BalancedVariantConverter<ulong>(links.Unsync);
456             var totalSequenceSymbolFrequencyCounter = new
                ↳ TotalSequenceSymbolFrequencyCounter<ulong>(links.Unsync);
457             var doubletFrequenciesCache = new LinkFrequenciesCache<ulong>(links.Unsync,
                ↳ totalSequenceSymbolFrequencyCounter);
458             var compressingConverter = new CompressingConverter<ulong>(links.Unsync,
                ↳ balancedVariantConverter, doubletFrequenciesCache);
459

```

```

460     var compressedVariant = compressingConverter.Convert(sequence);
461
462     // 1: [1]          (1->1) point
463     // 2: [2]          (2->2) point
464     // 3: [1,2]        (1->2) doublet
465     // 4: [1,2,1,2]    (3->3) doublet
466
467     Assert.True(links.GetSource(links.GetSource(compressedVariant)) == sequence[0]);
468     Assert.True(links.GetTarget(links.GetSource(compressedVariant)) == sequence[1]);
469     Assert.True(links.GetSource(links.GetTarget(compressedVariant)) == sequence[2]);
470     Assert.True(links.GetTarget(links.GetTarget(compressedVariant)) == sequence[3]);
471
472     var source = _constants.SourcePart;
473     var target = _constants.TargetPart;
474
475     Assert.True(links.GetByKeys(compressedVariant, source, source) == sequence[0]);
476     Assert.True(links.GetByKeys(compressedVariant, source, target) == sequence[1]);
477     Assert.True(links.GetByKeys(compressedVariant, target, source) == sequence[2]);
478     Assert.True(links.GetByKeys(compressedVariant, target, target) == sequence[3]);
479
480     // 4 - length of sequence
481     Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 0)
482         ↪ == sequence[0]);
483     Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 1)
484         ↪ == sequence[1]);
485     Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 2)
486         ↪ == sequence[2]);
487     Assert.True(links.GetSquareMatrixSequenceElementByIndex(compressedVariant, 4, 3)
488         ↪ == sequence[3]);
489 }
490
491 [Fact]
492 public static void CompressionEfficiencyTest()
493 {
494     var strings = _exampleLoremIpsumText.Split(new[] { '\n', '\r' },
495         ↪ StringSplitOptions.RemoveEmptyEntries);
496     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
497     var totalCharacters = arrays.Select(x => x.Length).Sum();
498
499     using (var scope1 = new TempLinksTestScope(useSequences: true))
500     using (var scope2 = new TempLinksTestScope(useSequences: true))
501     using (var scope3 = new TempLinksTestScope(useSequences: true))
502     {
503         scope1.Links.Unsync.UseUnicode();
504         scope2.Links.Unsync.UseUnicode();
505         scope3.Links.Unsync.UseUnicode();
506
507         var balancedVariantConverter1 = new
508             ↪ BalancedVariantConverter<ulong>(scope1.Links.Unsync);
509         var totalSequenceSymbolFrequencyCounter = new
510             ↪ TotalSequenceSymbolFrequencyCounter<ulong>(scope1.Links.Unsync);
511         var linkFrequenciesCache1 = new LinkFrequenciesCache<ulong>(scope1.Links.Unsync,
512             ↪ totalSequenceSymbolFrequencyCounter);
513         var compressor1 = new CompressingConverter<ulong>(scope1.Links.Unsync,
514             ↪ balancedVariantConverter1, linkFrequenciesCache1,
515             ↪ doInitialFrequenciesIncrement: false);
516
517         //var compressor2 = scope2.Sequences;
518         var compressor3 = scope3.Sequences;
519
520         var constants = Default<LinksConstants<ulong>>.Instance;
521
522         var sequences = compressor3;
523         //var meaningRoot = links.CreatePoint();
524         //var unaryOne = links.CreateAndUpdate(meaningRoot, constants.Itself);
525         //var frequencyMarker = links.CreateAndUpdate(meaningRoot, constants.Itself);
526         //var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot,
527             ↪ constants.Itself);
528
529         //var unaryNumberToAddressConverter = new
530             ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, unaryOne);
531         //var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links,
532             ↪ unaryOne);
533         //var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
534             ↪ frequencyMarker, unaryOne, unaryNumberIncrementer);
535         //var frequencyPropertyOperator = new FrequencyPropertyOperator<ulong>(links,
536             ↪ frequencyPropertyMarker, frequencyMarker);

```

```

523 //var linkFrequencyIncrementer = new LinkFrequencyIncrementer<ulong>(links,
    ↳ frequencyPropertyOperator, frequencyIncrementer);
524 //var linkToItsFrequencyNumberConverter = new
    ↳ LinkToItsFrequencyNumberConverter<ulong>(links, frequencyPropertyOperator,
    ↳ unaryNumberToAddressConverter);
525
526 var linkFrequenciesCache3 = new LinkFrequenciesCache<ulong>(scope3.Links.Unsync,
    ↳ totalSequenceSymbolFrequencyCounter);
527
528 var linkToItsFrequencyNumberConverter = new FrequenciesCacheBasedLinkToItsFrequencyNumberConverter<ulong>(linkFrequenciesCache3);
529
530 var sequenceToItsLocalElementLevelsConverter = new
    ↳ SequenceToItsLocalElementLevelsConverter<ulong>(scope3.Links.Unsync,
    ↳ linkToItsFrequencyNumberConverter);
531 var optimalVariantConverter = new
    ↳ OptimalVariantConverter<ulong>(scope3.Links.Unsync,
    ↳ sequenceToItsLocalElementLevelsConverter);
532
533 var compressed1 = new ulong[arrays.Length];
534 var compressed2 = new ulong[arrays.Length];
535 var compressed3 = new ulong[arrays.Length];
536
537 var START = 0;
538 var END = arrays.Length;
539
540 //for (int i = START; i < END; i++)
541 //    linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
542
543 var initialCount1 = scope2.Links.Unsync.Count();
544
545 var sw1 = Stopwatch.StartNew();
546
547 for (int i = START; i < END; i++)
548 {
549     linkFrequenciesCache1.IncrementFrequencies(arrays[i]);
550     compressed1[i] = compressor1.Convert(arrays[i]);
551 }
552
553 var elapsed1 = sw1.Elapsed;
554
555 var balancedVariantConverter2 = new
    ↳ BalancedVariantConverter<ulong>(scope2.Links.Unsync);
556
557 var initialCount2 = scope2.Links.Unsync.Count();
558
559 var sw2 = Stopwatch.StartNew();
560
561 for (int i = START; i < END; i++)
562 {
563     compressed2[i] = balancedVariantConverter2.Convert(arrays[i]);
564 }
565
566 var elapsed2 = sw2.Elapsed;
567
568 for (int i = START; i < END; i++)
569 {
570     linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
571 }
572
573 var initialCount3 = scope3.Links.Unsync.Count();
574
575 var sw3 = Stopwatch.StartNew();
576
577 for (int i = START; i < END; i++)
578 {
579     //linkFrequenciesCache3.IncrementFrequencies(arrays[i]);
580     compressed3[i] = optimalVariantConverter.Convert(arrays[i]);
581 }
582
583 var elapsed3 = sw3.Elapsed;
584
585 Console.WriteLine($"Compressor: {elapsed1}, Balanced variant: {elapsed2},
    ↳ Optimal variant: {elapsed3}");
586
587 // Assert.True(elapsed1 > elapsed2);
588
589 // Checks
590 for (int i = START; i < END; i++)

```

```

591 {
592     var sequence1 = compressed1[i];
593     var sequence2 = compressed2[i];
594     var sequence3 = compressed3[i];
595
596     var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
597         ↪ scope1.Links.Unsync);
598
599     var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
600         ↪ scope2.Links.Unsync);
601
602     var decompress3 = UnicodeMap.FromSequenceLinkToString(sequence3,
603         ↪ scope3.Links.Unsync);
604
605     var structure1 = scope1.Links.Unsync.FormatStructure(sequence1, link =>
606         ↪ link.IsPartialPoint());
607     var structure2 = scope2.Links.Unsync.FormatStructure(sequence2, link =>
608         ↪ link.IsPartialPoint());
609     var structure3 = scope3.Links.Unsync.FormatStructure(sequence3, link =>
610         ↪ link.IsPartialPoint());
611
612     //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
613     ↪ arrays[i].Length > 3)
614     //    Assert.False(structure1 == structure2);
615     //if (sequence3 != Constants.Null && sequence2 != Constants.Null &&
616     ↪ arrays[i].Length > 3)
617     //    Assert.False(structure3 == structure2);
618
619     Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
620     Assert.True(strings[i] == decompress3 && decompress3 == decompress2);
621 }
622
623 Assert.True((int)(scope1.Links.Unsync.Count() - initialCount1) <
624     ↪ totalCharacters);
625 Assert.True((int)(scope2.Links.Unsync.Count() - initialCount2) <
626     ↪ totalCharacters);
627 Assert.True((int)(scope3.Links.Unsync.Count() - initialCount3) <
628     ↪ totalCharacters);
629
630 Console.WriteLine($"{(double)(scope1.Links.Unsync.Count() - initialCount1) /
631     ↪ totalCharacters} | {(double)(scope2.Links.Unsync.Count() - initialCount2) /
632     ↪ totalCharacters} | {(double)(scope3.Links.Unsync.Count() - initialCount3) /
633     ↪ totalCharacters}");
634
635 Assert.True(scope1.Links.Unsync.Count() - initialCount1 <
636     ↪ scope2.Links.Unsync.Count() - initialCount2);
637 Assert.True(scope3.Links.Unsync.Count() - initialCount3 <
638     ↪ scope2.Links.Unsync.Count() - initialCount2);
639
640 var duplicateProvider1 = new
641     ↪ DuplicateSegmentsProvider<ulong>(scope1.Links.Unsync, scope1.Sequences);
642 var duplicateProvider2 = new
643     ↪ DuplicateSegmentsProvider<ulong>(scope2.Links.Unsync, scope2.Sequences);
644 var duplicateProvider3 = new
645     ↪ DuplicateSegmentsProvider<ulong>(scope3.Links.Unsync, scope3.Sequences);
646
647 var duplicateCounter1 = new DuplicateSegmentsCounter<ulong>(duplicateProvider1);
648 var duplicateCounter2 = new DuplicateSegmentsCounter<ulong>(duplicateProvider2);
649 var duplicateCounter3 = new DuplicateSegmentsCounter<ulong>(duplicateProvider3);
650
651 var duplicates1 = duplicateCounter1.Count();
652
653 ConsoleHelpers.Debug("-----");
654
655 var duplicates2 = duplicateCounter2.Count();
656
657 ConsoleHelpers.Debug("-----");
658
659 var duplicates3 = duplicateCounter3.Count();
660
661 Console.WriteLine($"{duplicates1} | {duplicates2} | {duplicates3}");
662
663 linkFrequenciesCache1.ValidateFrequencies();
664 linkFrequenciesCache3.ValidateFrequencies();
665
666 }
667
668 }
669

```

```

650 public static void CompressionStabilityTest()
651 {
652     // TODO: Fix bug (do a separate test)
653     //const ulong minNumbers = 0;
654     //const ulong maxNumbers = 1000;
655
656     const ulong minNumbers = 10000;
657     const ulong maxNumbers = 12500;
658
659     var strings = new List<string>();
660
661     for (ulong i = minNumbers; i < maxNumbers; i++)
662     {
663         strings.Add(i.ToString());
664     }
665
666     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
667     var totalCharacters = arrays.Select(x => x.Length).Sum();
668
669     using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
        ↳ SequencesOptions<ulong> { UseCompression = true,
        ↳ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
        using (var scope2 = new TempLinksTestScope(useSequences: true))
        {
670         scope1.Links.UseUnicode();
671         scope2.Links.UseUnicode();
672
673         //var compressor1 = new Compressor(scope1.Links.Unsync, scope1.Sequences);
674         var compressor1 = scope1.Sequences;
675         var compressor2 = scope2.Sequences;
676
677         var compressed1 = new ulong[arrays.Length];
678         var compressed2 = new ulong[arrays.Length];
679
680         var sw1 = Stopwatch.StartNew();
681
682         var START = 0;
683         var END = arrays.Length;
684
685         // Collisions proved (cannot be solved by max doublet comparison, no stable rule)
686         // Stability issue starts at 10001 or 11000
687         //for (int i = START; i < END; i++)
688         //{
689             // var first = compressor1.Compress(arrays[i]);
690             // var second = compressor1.Compress(arrays[i]);
691
692             // if (first == second)
693             //     compressed1[i] = first;
694             // else
695             // {
696                 // TODO: Find a solution for this case
697             // }
698         //}
699
700         for (int i = START; i < END; i++)
701         {
702             var first = compressor1.Create(arrays[i].ShiftRight());
703             var second = compressor1.Create(arrays[i].ShiftRight());
704
705             if (first == second)
706             {
707                 compressed1[i] = first;
708             }
709             else
710             {
711                 // TODO: Find a solution for this case
712             }
713         }
714
715         var elapsed1 = sw1.Elapsed;
716
717         var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
718
719         var sw2 = Stopwatch.StartNew();
720
721         for (int i = START; i < END; i++)
722         {
723             var first = balancedVariantConverter.Convert(arrays[i]);
724             var second = balancedVariantConverter.Convert(arrays[i]);
725
726
727

```



```

728         if (first == second)
729         {
730             compressed2[i] = first;
731         }
732     }
733
734     var elapsed2 = sw2.Elapsed;
735
736     Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
737     ↪ {elapsed2}");
738
739     Assert.True(elapsed1 > elapsed2);
740
741     // Checks
742     for (int i = START; i < END; i++)
743     {
744         var sequence1 = compressed1[i];
745         var sequence2 = compressed2[i];
746
747         if (sequence1 != _constants.Null && sequence2 != _constants.Null)
748         {
749             var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
750             ↪ scope1.Links);
751
752             var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
753             ↪ scope2.Links);
754
755             //var structure1 = scope1.Links.FormatStructure(sequence1, link =>
756             ↪ link.IsPartialPoint());
757             //var structure2 = scope2.Links.FormatStructure(sequence2, link =>
758             ↪ link.IsPartialPoint());
759
760             //if (sequence1 != Constants.Null && sequence2 != Constants.Null &&
761             ↪ arrays[i].Length > 3)
762             //    Assert.False(structure1 == structure2);
763
764             Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
765         }
766     }
767
768     Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
769     Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
770
771     Debug.WriteLine($"{{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
772     ↪ totalCharacters}} | {{(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
773     ↪ totalCharacters}}");
774
775     Assert.True(scope1.Links.Count() <= scope2.Links.Count());
776
777     //compressor1.ValidateFrequencies();
778 }
779
780 [Fact]
781 public static void RandomNumbersCompressionQualityTest()
782 {
783     const ulong N = 500;
784
785     //const ulong minNumbers = 10000;
786     //const ulong maxNumbers = 20000;
787
788     //var strings = new List<string>();
789
790     //for (ulong i = 0; i < N; i++)
791     //    strings.Add(RandomHelpers.DefaultFactory.NextUInt64(minNumbers,
792     ↪ maxNumbers).ToString());
793
794     var strings = new List<string>();
795
796     for (ulong i = 0; i < N; i++)
797     {
798         strings.Add(RandomHelpers.Default.NextUInt64().ToString());
799     }
800
801     strings = strings.Distinct().ToList();
802
803     var arrays = strings.Select(UnicodeMap.FromStringToLinkArray).ToArray();
804     var totalCharacters = arrays.Select(x => x.Length).Sum();

```

```

798 using (var scope1 = new TempLinksTestScope(useSequences: true, sequencesOptions: new
    ↳ SequencesOptions<ulong> { UseCompression = true,
    ↳ EnforceSingleSequenceVersionOnWriteBasedOnExisting = true }))
799 using (var scope2 = new TempLinksTestScope(useSequences: true))
800 {
801     scope1.Links.UseUnicode();
802     scope2.Links.UseUnicode();
803
804     var compressor1 = scope1.Sequences;
805     var compressor2 = scope2.Sequences;
806
807     var compressed1 = new ulong[arrays.Length];
808     var compressed2 = new ulong[arrays.Length];
809
810     var sw1 = Stopwatch.StartNew();
811
812     var START = 0;
813     var END = arrays.Length;
814
815     for (int i = START; i < END; i++)
816     {
817         compressed1[i] = compressor1.Create(arrays[i].ShiftRight());
818     }
819
820     var elapsed1 = sw1.Elapsed;
821
822     var balancedVariantConverter = new BalancedVariantConverter<ulong>(scope2.Links);
823
824     var sw2 = Stopwatch.StartNew();
825
826     for (int i = START; i < END; i++)
827     {
828         compressed2[i] = balancedVariantConverter.Convert(arrays[i]);
829     }
830
831     var elapsed2 = sw2.Elapsed;
832
833     Debug.WriteLine($"Compressor: {elapsed1}, Balanced sequence creator:
    ↳ {elapsed2}");
834
835     Assert.True(elapsed1 > elapsed2);
836
837     // Checks
838     for (int i = START; i < END; i++)
839     {
840         var sequence1 = compressed1[i];
841         var sequence2 = compressed2[i];
842
843         if (sequence1 != _constants.Null && sequence2 != _constants.Null)
844         {
845             var decompress1 = UnicodeMap.FromSequenceLinkToString(sequence1,
    ↳ scope1.Links);
846
847             var decompress2 = UnicodeMap.FromSequenceLinkToString(sequence2,
    ↳ scope2.Links);
848
849             Assert.True(strings[i] == decompress1 && decompress1 == decompress2);
850         }
851     }
852
853     Assert.True((int)(scope1.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
854     Assert.True((int)(scope2.Links.Count() - UnicodeMap.MapSize) < totalCharacters);
855
856     Debug.WriteLine($"{{(double)(scope1.Links.Count() - UnicodeMap.MapSize) /
    ↳ totalCharacters}} | {{(double)(scope2.Links.Count() - UnicodeMap.MapSize) /
    ↳ totalCharacters}}");
857
858     // Can be worse than balanced variant
859     //Assert.True(scope1.Links.Count() <= scope2.Links.Count());
860
861     //compressor1.ValidateFrequencies();
862 }
863
864
865 [Fact]
866 public static void AllTreeBreakDownAtSequencesCreationBugTest()
867 {
868     // Made out of AllPossibleConnectionsTest test.
869

```

```

870 //const long sequenceLength = 5; //100% bug
871 const long sequenceLength = 4; //100% bug
872 //const long sequenceLength = 3; //100% _no_bug (ok)
873
874 using (var scope = new TempLinksTestScope(useSequences: true))
875 {
876     var links = scope.Links;
877     var sequences = scope.Sequences;
878
879     var sequence = new ulong[sequenceLength];
880     for (var i = 0; i < sequenceLength; i++)
881     {
882         sequence[i] = links.Create();
883     }
884
885     var createResults = sequences.CreateAllVariants2(sequence);
886
887     Global.Trash = createResults;
888
889     for (var i = 0; i < sequenceLength; i++)
890     {
891         links.Delete(sequence[i]);
892     }
893 }
894
895 [Fact]
896 public static void AllPossibleConnectionsTest()
897 {
898     const long sequenceLength = 5;
899
900     using (var scope = new TempLinksTestScope(useSequences: true))
901     {
902         var links = scope.Links;
903         var sequences = scope.Sequences;
904
905         var sequence = new ulong[sequenceLength];
906         for (var i = 0; i < sequenceLength; i++)
907         {
908             sequence[i] = links.Create();
909         }
910
911         var createResults = sequences.CreateAllVariants2(sequence);
912         var reverseResults = sequences.CreateAllVariants2(sequence.Reverse().ToArray());
913
914         for (var i = 0; i < 1; i++)
915         {
916             var sw1 = Stopwatch.StartNew();
917             var searchResults1 = sequences.GetAllConnections(sequence); sw1.Stop();
918
919             var sw2 = Stopwatch.StartNew();
920             var searchResults2 = sequences.GetAllConnections1(sequence); sw2.Stop();
921
922             var sw3 = Stopwatch.StartNew();
923             var searchResults3 = sequences.GetAllConnections2(sequence); sw3.Stop();
924
925             var sw4 = Stopwatch.StartNew();
926             var searchResults4 = sequences.GetAllConnections3(sequence); sw4.Stop();
927
928             Global.Trash = searchResults3;
929             Global.Trash = searchResults4; //-V3008
930
931             var intersection1 = createResults.Intersect(searchResults1).ToList();
932             Assert.True(intersection1.Count == createResults.Length);
933
934             var intersection2 = reverseResults.Intersect(searchResults1).ToList();
935             Assert.True(intersection2.Count == reverseResults.Length);
936
937             var intersection0 = searchResults1.Intersect(searchResults2).ToList();
938             Assert.True(intersection0.Count == searchResults2.Count);
939
940             var intersection3 = searchResults2.Intersect(searchResults3).ToList();
941             Assert.True(intersection3.Count == searchResults3.Count);
942
943             var intersection4 = searchResults3.Intersect(searchResults4).ToList();
944             Assert.True(intersection4.Count == searchResults4.Count);
945         }
946
947         for (var i = 0; i < sequenceLength; i++)
948         {
949

```

```

950         links.Delete(sequence[i]);
951     }
952 }
953 }
954
955 [Fact(Skip = "Correct implementation is pending")]
956 public static void CalculateAllUsagesTest()
957 {
958     const long sequenceLength = 3;
959
960     using (var scope = new TempLinksTestScope(useSequences: true))
961     {
962         var links = scope.Links;
963         var sequences = scope.Sequences;
964
965         var sequence = new ulong[sequenceLength];
966         for (var i = 0; i < sequenceLength; i++)
967         {
968             sequence[i] = links.Create();
969         }
970
971         var createResults = sequences.CreateAllVariants2(sequence);
972
973         //var reverseResults =
974         ↪ sequences.CreateAllVariants2(sequence.Reverse().ToArray());
975
976         for (var i = 0; i < 1; i++)
977         {
978             var linksTotalUsages1 = new ulong[links.Count() + 1];
979
980             sequences.CalculateAllUsages(linksTotalUsages1);
981
982             var linksTotalUsages2 = new ulong[links.Count() + 1];
983
984             sequences.CalculateAllUsages2(linksTotalUsages2);
985
986             var intersection1 = linksTotalUsages1.Intersect(linksTotalUsages2).ToList();
987             Assert.True(intersection1.Count == linksTotalUsages2.Length);
988         }
989
990         for (var i = 0; i < sequenceLength; i++)
991         {
992             links.Delete(sequence[i]);
993         }
994     }
995 }
996 }

```

1.183 ./csharp/Platform.Data.Doublets.Tests/SplitMemoryGenericLinksTests.cs

```

1  using System;
2  using Xunit;
3  using Platform.Memory;
4  using Platform.Data.Doublets.Memory.Split.Generic;
5  using Platform.Data.Doublets.Memory;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public unsafe static class SplitMemoryGenericLinksTests
10     {
11         [Fact]
12         public static void CRUDTest()
13         {
14             Using<byte>(links => links.TestCRUDOperations());
15             Using<ushort>(links => links.TestCRUDOperations());
16             Using<uint>(links => links.TestCRUDOperations());
17             Using<ulong>(links => links.TestCRUDOperations());
18         }
19
20         [Fact]
21         public static void RawNumbersCRUDTest()
22         {
23             UsingWithExternalReferences<byte>(links => links.TestRawNumbersCRUDOperations());
24             UsingWithExternalReferences<ushort>(links => links.TestRawNumbersCRUDOperations());
25             UsingWithExternalReferences<uint>(links => links.TestRawNumbersCRUDOperations());
26             UsingWithExternalReferences<ulong>(links => links.TestRawNumbersCRUDOperations());
27         }
28
29         [Fact]
30         public static void MultipleRandomCreationsAndDeletionsTest()

```

```

31     {
32         Using<byte>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
            ↳ MultipleRandomCreationsAndDeletions(16)); // Cannot use more because current
            ↳ implementation of tree cuts out 5 bits from the address space.
33         Using<ushort>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Te
            ↳ stMultipleRandomCreationsAndDeletions(100));
34         Using<uint>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Test
            ↳ MultipleRandomCreationsAndDeletions(100));
35         Using<ulong>(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().Tes
            ↳ tMultipleRandomCreationsAndDeletions(100));
36     }
37
38     private static void Using<TLink>(Action<ILinks<TLink>> action)
39     {
40         using (var dataMemory = new HeapResizableDirectMemory())
41         using (var indexMemory = new HeapResizableDirectMemory())
42         using (var memory = new SplitMemoryLinks<TLink>(dataMemory, indexMemory))
43         {
44             action(memory);
45         }
46     }
47
48     private static void UsingWithExternalReferences<TLink>(Action<ILinks<TLink>> action)
49     {
50         var contants = new LinksConstants<TLink>(enableExternalReferencesSupport: true);
51         using (var dataMemory = new HeapResizableDirectMemory())
52         using (var indexMemory = new HeapResizableDirectMemory())
53         using (var memory = new SplitMemoryLinks<TLink>(dataMemory, indexMemory,
            ↳ SplitMemoryLinks<TLink>.DefaultLinksSizeStep, contants))
54         {
55             action(memory);
56         }
57     }
58 }
59 }

```

1.184 ./csharp/Platform.Data.Doublets.Tests/SplitMemoryUInt32LinksTests.cs

```

1  using System;
2  using Xunit;
3  using Platform.Memory;
4  using Platform.Data.Doublets.Memory.Split.Specific;
5  using TLink = System.UInt32;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public unsafe static class SplitMemoryUInt32LinksTests
10     {
11         [Fact]
12         public static void CRUDTest()
13         {
14             Using(links => links.TestCRUDOperations());
15         }
16
17         [Fact]
18         public static void RawNumbersCRUDTest()
19         {
20             UsingWithExternalReferences(links => links.TestRawNumbersCRUDOperations());
21         }
22
23         [Fact]
24         public static void MultipleRandomCreationsAndDeletionsTest()
25         {
26             Using(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultip
            ↳ leRandomCreationsAndDeletions(500));
27         }
28
29         private static void Using(Action<ILinks<TLink>> action)
30         {
31             using (var dataMemory = new HeapResizableDirectMemory())
32             using (var indexMemory = new HeapResizableDirectMemory())
33             using (var memory = new UInt32SplitMemoryLinks(dataMemory, indexMemory))
34             {
35                 action(memory);
36             }
37         }
38
39         private static void UsingWithExternalReferences(Action<ILinks<TLink>> action)
40         {

```

```

41         var constants = new LinksConstants<TLink>(enableExternalReferencesSupport: true);
42         using (var dataMemory = new HeapResizableDirectMemory())
43         using (var indexMemory = new HeapResizableDirectMemory())
44         using (var memory = new UInt32SplitMemoryLinks(dataMemory, indexMemory,
45             ↪ UInt32SplitMemoryLinks.DefaultLinksSizeStep, constants))
46         {
47             action(memory);
48         }
49     }
50 }

```

1.185 ./csharp/Platform.Data.Doublets.Tests/SplitMemoryUInt64LinksTests.cs

```

1  using System;
2  using Xunit;
3  using Platform.Memory;
4  using Platform.Data.Doublets.Memory.Split.Specific;
5  using TLink = System.UInt64;
6
7  namespace Platform.Data.Doublets.Tests
8  {
9      public unsafe static class SplitMemoryUInt64LinksTests
10     {
11         [Fact]
12         public static void CRUDTest()
13         {
14             Using(links => links.TestCRUDOperations());
15         }
16
17         [Fact]
18         public static void RawNumbersCRUDTest()
19         {
20             UsingWithExternalReferences(links => links.TestRawNumbersCRUDOperations());
21         }
22
23         [Fact]
24         public static void MultipleRandomCreationsAndDeletionsTest()
25         {
26             Using(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultipleRandomCreationsAndDeletions(500));
27         }
28
29         private static void Using(Action<ILinks<TLink>> action)
30         {
31             using (var dataMemory = new HeapResizableDirectMemory())
32             using (var indexMemory = new HeapResizableDirectMemory())
33             using (var memory = new UInt64SplitMemoryLinks(dataMemory, indexMemory))
34             {
35                 action(memory);
36             }
37         }
38
39         private static void UsingWithExternalReferences(Action<ILinks<TLink>> action)
40         {
41             var constants = new LinksConstants<TLink>(enableExternalReferencesSupport: true);
42             using (var dataMemory = new HeapResizableDirectMemory())
43             using (var indexMemory = new HeapResizableDirectMemory())
44             using (var memory = new UInt64SplitMemoryLinks(dataMemory, indexMemory,
45                 ↪ UInt64SplitMemoryLinks.DefaultLinksSizeStep, constants))
46             {
47                 action(memory);
48             }
49         }
50     }

```

1.186 ./csharp/Platform.Data.Doublets.Tests/TemplLinksTestScope.cs

```

1  using System.IO;
2  using Platform.Disposables;
3  using Platform.Data.Doublets.Sequences;
4  using Platform.Data.Doublets.Decorators;
5  using Platform.Data.Doublets.Memory.United.Specific;
6  using Platform.Data.Doublets.Memory.Split.Specific;
7  using Platform.Memory;
8
9  namespace Platform.Data.Doublets.Tests
10 {
11     public class TemplLinksTestScope : DisposableBase
12     {

```

```

13     public ILinks<ulong> MemoryAdapter { get; }
14     public SynchronizedLinks<ulong> Links { get; }
15     public Sequences.Sequences Sequences { get; }
16     public string TempFilename { get; }
17     public string TempTransactionLogFilename { get; }
18     private readonly bool _deleteFiles;
19
20     public TempLinksTestScope(bool deleteFiles = true, bool useSequences = false, bool
        ↪ useLog = false) : this(new SequencesOptions<ulong>(), deleteFiles, useSequences,
        ↪ useLog) { }
21
22     public TempLinksTestScope(SequencesOptions<ulong> sequencesOptions, bool deleteFiles =
        ↪ true, bool useSequences = false, bool useLog = false)
23     {
24         _deleteFiles = deleteFiles;
25         TempFilename = Path.GetTempFileName();
26         TempTransactionLogFilename = Path.GetTempFileName();
27         //var coreMemoryAdapter = new UInt64UnitedMemoryLinks(TempFilename);
28         var coreMemoryAdapter = new UInt64SplitMemoryLinks(new
        ↪ FileMappedResizableDirectMemory(TempFilename), new
        ↪ FileMappedResizableDirectMemory(Path.ChangeExtension(TempFilename, "indexes")),
        ↪ UInt64SplitMemoryLinks.DefaultLinksSizeStep, new LinksConstants<ulong>(),
        ↪ Memory.IndexTreeType.Default, useLinkedList: true);
29         MemoryAdapter = useLog ? (ILinks<ulong>)new
        ↪ UInt64LinksTransactionsLayer(coreMemoryAdapter, TempTransactionLogFilename) :
        ↪ coreMemoryAdapter;
30         Links = new SynchronizedLinks<ulong>(new UInt64Links(MemoryAdapter));
31         if (useSequences)
32         {
33             Sequences = new Sequences.Sequences(Links, sequencesOptions);
34         }
35     }
36
37     protected override void Dispose(bool manual, bool wasDisposed)
38     {
39         if (!wasDisposed)
40         {
41             Links.Unsync.DisposeIfPossible();
42             if (_deleteFiles)
43             {
44                 DeleteFiles();
45             }
46         }
47     }
48
49     public void DeleteFiles()
50     {
51         File.Delete(TempFilename);
52         File.Delete(TempTransactionLogFilename);
53     }
54 }
55 }

```

1.187 ./csharp/Platform.Data.Doublets.Tests/TestExtensions.cs

```

1  using System.Collections.Generic;
2  using Xunit;
3  using Platform.Ranges;
4  using Platform.Numbers;
5  using Platform.Random;
6  using Platform.Setters;
7  using Platform.Converters;
8
9  namespace Platform.Data.Doublets.Tests
10 {
11     public static class TestExtensions
12     {
13         public static void TestCRUDOperations<T>(this ILinks<T> links)
14         {
15             var constants = links.Constants;
16
17             var equalityComparer = EqualityComparer<T>.Default;
18
19             var zero = default(T);
20             var one = Arithmetic.Increment(zero);
21
22             // Create Link
23             Assert.True(equalityComparer.Equals(links.Count(), zero));
24
25             var setter = new Setter<T>(constants.Null);

```

```

26     links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
27
28     Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
29
30     var linkAddress = links.Create();
31
32     var link = new Link<T>(links.GetLink(linkAddress));
33
34     Assert.True(link.Count == 3);
35     Assert.True(equalityComparer.Equals(link.Index, linkAddress));
36     Assert.True(equalityComparer.Equals(link.Source, constants.Null));
37     Assert.True(equalityComparer.Equals(link.Target, constants.Null));
38
39     Assert.True(equalityComparer.Equals(links.Count(), one));
40
41     // Get first link
42     setter = new Setter<T>(constants.Null);
43     links.Each(constants.Any, constants.Any, setter.SetAndReturnFalse);
44
45     Assert.True(equalityComparer.Equals(setter.Result, linkAddress));
46
47     // Update link to reference itself
48     links.Update(linkAddress, linkAddress, linkAddress);
49
50     link = new Link<T>(links.GetLink(linkAddress));
51
52     Assert.True(equalityComparer.Equals(link.Source, linkAddress));
53     Assert.True(equalityComparer.Equals(link.Target, linkAddress));
54
55     // Update link to reference null (prepare for delete)
56     var updated = links.Update(linkAddress, constants.Null, constants.Null);
57
58     Assert.True(equalityComparer.Equals(updated, linkAddress));
59
60     link = new Link<T>(links.GetLink(linkAddress));
61
62     Assert.True(equalityComparer.Equals(link.Source, constants.Null));
63     Assert.True(equalityComparer.Equals(link.Target, constants.Null));
64
65     // Delete link
66     links.Delete(linkAddress);
67
68     Assert.True(equalityComparer.Equals(links.Count(), zero));
69
70     setter = new Setter<T>(constants.Null);
71     links.Each(constants.Any, constants.Any, setter.SetAndReturnTrue);
72
73     Assert.True(equalityComparer.Equals(setter.Result, constants.Null));
74 }
75
76 public static void TestRawNumbersCRUDOperations<T>(this ILinks<T> links)
77 {
78     // Constants
79     var constants = links.Constants;
80     var equalityComparer = EqualityComparer<T>.Default;
81
82     var zero = default(T);
83     var one = Arithmetic.Increment(zero);
84     var two = Arithmetic.Increment(one);
85
86     var h106E = new Hybrid<T>(106L, isExternal: true);
87     var h107E = new Hybrid<T>(-char.ConvertFromUtf32(107)[0]);
88     var h108E = new Hybrid<T>(-108L);
89
90     Assert.Equal(106L, h106E.AbsoluteValue);
91     Assert.Equal(107L, h107E.AbsoluteValue);
92     Assert.Equal(108L, h108E.AbsoluteValue);
93
94     // Create Link (External -> External)
95     var linkAddress1 = links.Create();
96
97     links.Update(linkAddress1, h106E, h108E);
98
99     var link1 = new Link<T>(links.GetLink(linkAddress1));
100
101     Assert.True(equalityComparer.Equals(link1.Source, h106E));
102     Assert.True(equalityComparer.Equals(link1.Target, h108E));
103
104     // Create Link (Internal -> External)
105     var linkAddress2 = links.Create();

```



```

106     links.Update(linkAddress2, linkAddress1, h108E);
107
108
109     var link2 = new Link<T>(links.GetLink(linkAddress2));
110
111     Assert.True(equalityComparer.Equals(link2.Source, linkAddress1));
112     Assert.True(equalityComparer.Equals(link2.Target, h108E));
113
114     // Create Link (Internal -> Internal)
115     var linkAddress3 = links.Create();
116
117     links.Update(linkAddress3, linkAddress1, linkAddress2);
118
119     var link3 = new Link<T>(links.GetLink(linkAddress3));
120
121     Assert.True(equalityComparer.Equals(link3.Source, linkAddress1));
122     Assert.True(equalityComparer.Equals(link3.Target, linkAddress2));
123
124     // Search for created link
125     var setter1 = new Setter<T>(constants.Null);
126     links.Each(h106E, h108E, setter1.SetAndReturnFalse);
127
128     Assert.True(equalityComparer.Equals(setter1.Result, linkAddress1));
129
130     // Search for nonexistent link
131     var setter2 = new Setter<T>(constants.Null);
132     links.Each(h106E, h107E, setter2.SetAndReturnFalse);
133
134     Assert.True(equalityComparer.Equals(setter2.Result, constants.Null));
135
136     // Update link to reference null (prepare for delete)
137     var updated = links.Update(linkAddress3, constants.Null, constants.Null);
138
139     Assert.True(equalityComparer.Equals(updated, linkAddress3));
140
141     link3 = new Link<T>(links.GetLink(linkAddress3));
142
143     Assert.True(equalityComparer.Equals(link3.Source, constants.Null));
144     Assert.True(equalityComparer.Equals(link3.Target, constants.Null));
145
146     // Delete link
147     links.Delete(linkAddress3);
148
149     Assert.True(equalityComparer.Equals(links.Count(), two));
150
151     var setter3 = new Setter<T>(constants.Null);
152     links.Each(constants.Any, constants.Any, setter3.SetAndReturnTrue);
153
154     Assert.True(equalityComparer.Equals(setter3.Result, linkAddress2));
155 }
156
157 public static void TestMultipleRandomCreationsAndDeletions<TLink>(this ILinks<TLink>
    ↪ links, int maximumOperationsPerCycle)
158 {
159     var comparer = Comparer<TLink>.Default;
160     var addressToUInt64Converter = CheckedConverter<TLink, ulong>.Default;
161     var uint64ToAddressConverter = CheckedConverter<ulong, TLink>.Default;
162     for (var N = 1; N < maximumOperationsPerCycle; N++)
163     {
164         var random = new System.Random(N);
165         var created = 0UL;
166         var deleted = 0UL;
167         for (var i = 0; i < N; i++)
168         {
169             var linksCount = addressToUInt64Converter.Convert(links.Count());
170             var createPoint = random.NextBoolean();
171             if (linksCount >= 2 && createPoint)
172             {
173                 var linksAddressRange = new Range<ulong>(1, linksCount);
174                 TLink source = uint64ToAddressConverter.Convert(random.NextUInt64(linksA
    ↪ ddressRange));
175                 TLink target = uint64ToAddressConverter.Convert(random.NextUInt64(linksA
    ↪ ddressRange));
176                 ↪ //-V3086
177                 var resultLink = links.GetOrCreate(source, target);
178                 if (comparer.Compare(resultLink,
    ↪ uint64ToAddressConverter.Convert(linksCount)) > 0)
179                 {
180                     created++;
181                 }
182             }
183             else
184             {
185                 deleted++;
186             }
187         }
188     }
189 }

```

```

180         }
181     }
182     else
183     {
184         links.Create();
185         created++;
186     }
187 }
188 Assert.True(created == addressToUInt64Converter.Convert(links.Count()));
189 for (var i = 0; i < N; i++)
190 {
191     TLink link = uInt64ToAddressConverter.Convert((ulong)i + 1UL);
192     if (links.Exists(link))
193     {
194         links.Delete(link);
195         deleted++;
196     }
197 }
198 Assert.True(addressToUInt64Converter.Convert(links.Count()) == 0L);
199 }
200 }
201 }
202 }

```

1.188 ./csharp/Platform.Data.Doublets.Tests/UInt64LinksTests.cs

```

1  using System;
2  using System.Collections.Generic;
3  using System.Diagnostics;
4  using System.IO;
5  using System.Text;
6  using System.Threading;
7  using System.Threading.Tasks;
8  using Xunit;
9  using Platform.Disposables;
10 using Platform.Ranges;
11 using Platform.Random;
12 using Platform.Timestamps;
13 using Platform.Reflection;
14 using Platform.Singletons;
15 using Platform.Scopes;
16 using Platform.Counters;
17 using Platform.Diagnostics;
18 using Platform.IO;
19 using Platform.Memory;
20 using Platform.Data.Doublets.Decorators;
21 using Platform.Data.Doublets.Memory.United.Specific;
22
23 namespace Platform.Data.Doublets.Tests
24 {
25     public static class UInt64LinksTests
26     {
27         private static readonly LinksConstants<ulong> _constants =
28             ↪ Default<LinksConstants<ulong>>.Instance;
29
30         private const long Iterations = 10 * 1024;
31
32         #region Concept
33
34         [Fact]
35         public static void MultipleCreateAndDeleteTest()
36         {
37             using (var scope = new Scope<Types<HeapResizableDirectMemory,
38                 ↪ UInt64UnitedMemoryLinks>>())
39             {
40                 new UInt64Links(scope.Use<ILinks<ulong>>()).TestMultipleRandomCreationsAndDeletions(100);
41             }
42         }
43
44         [Fact]
45         public static void CascadeUpdateTest()
46         {
47             var itself = _constants.Itself;
48             using (var scope = new TempLinksTestScope(useLog: true))
49             {
50                 var links = scope.Links;
51
52                 var l1 = links.Create();
53                 var l2 = links.Create();
54
55                 l2 = links.Update(l2, l2, l1, l2);
56             }
57         }
58     }
59 }

```

```

54         links.CreateAndUpdate(l2, itself);
55         links.CreateAndUpdate(l2, itself);
56
57         l2 = links.Update(l2, l1);
58
59         links.Delete(l2);
60
61         Global.Trash = links.Count();
62
63         links.Unsync.DisposeIfPossible(); // Close links to access log
64
65         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope ↵
66             ↪ e.TempTransactionLogFilename);
67     }
68 }
69
70 [Fact]
71 public static void BasicTransactionLogTest()
72 {
73     using (var scope = new TempLinksTestScope(useLog: true))
74     {
75         var links = scope.Links;
76         var l1 = links.Create();
77         var l2 = links.Create();
78
79         Global.Trash = links.Update(l2, l2, l1, l2);
80
81         links.Delete(l1);
82
83         links.Unsync.DisposeIfPossible(); // Close links to access log
84
85         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(scope ↵
86             ↪ e.TempTransactionLogFilename);
87     }
88 }
89
90 [Fact]
91 public static void TransactionAutoRevertedTest()
92 {
93     // Auto Reverted (Because no commit at transaction)
94     using (var scope = new TempLinksTestScope(useLog: true))
95     {
96         var links = scope.Links;
97         var transactionsLayer = (UInt64LinksTransactionsLayer)scope.MemoryAdapter;
98         using (var transaction = transactionsLayer.BeginTransaction())
99         {
100             var l1 = links.Create();
101             var l2 = links.Create();
102
103             links.Update(l2, l2, l1, l2);
104         }
105
106         Assert.Equal(0UL, links.Count());
107
108         links.Unsync.DisposeIfPossible();
109
110         var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(s ↵
111             ↪ cope.TempTransactionLogFilename);
112         Assert.Single(transitions);
113     }
114 }
115
116 [Fact]
117 public static void TransactionUserCodeErrorNoDataSavedTest()
118 {
119     // User Code Error (Autoreverted), no data saved
120     var itself = _constants.Itself;
121
122     TempLinksTestScope lastScope = null;
123     try
124     {
125         using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false, ↵
126             ↪ useLog: true))
127         {
128             var links = scope.Links;
129             var transactionsLayer = (UInt64LinksTransactionsLayer)((LinksDisposableDecor ↵
130                 ↪ atorBase<ulong>)links.Unsync).Links;
131             using (var transaction = transactionsLayer.BeginTransaction())

```

```

128         {
129             var l1 = links.CreateAndUpdate(itself, itself);
130             var l2 = links.CreateAndUpdate(itself, itself);
131
132             l2 = links.Update(l2, l2, l1, l2);
133
134             links.CreateAndUpdate(l2, itself);
135             links.CreateAndUpdate(l2, itself);
136
137             //Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transi
138             ↪ tion>(scope.TempTransactionLogFilename);
139
140             l2 = links.Update(l2, l1);
141
142             links.Delete(l2);
143
144             ExceptionThrower();
145
146             transaction.Commit();
147         }
148
149         Global.Trash = links.Count();
150     }
151 }
152 catch
153 {
154     Assert.False(lastScope == null);
155
156     var transitions = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(l
157     ↪ astScope.TempTransactionLogFilename);
158
159     Assert.True(transitions.Length == 1 && transitions[0].Before.IsNull() &&
160     ↪ transitions[0].After.IsNull());
161
162     lastScope.DeleteFiles();
163 }
164 }
165
166 [Fact]
167 public static void TransactionUserCodeErrorSomeDataSavedTest()
168 {
169     // User Code Error (Autoreverted), some data saved
170     var itself = _constants.Itself;
171
172     TempLinksTestScope lastScope = null;
173     try
174     {
175         ulong l1;
176         ulong l2;
177
178         using (var scope = new TempLinksTestScope(useLog: true))
179         {
180             var links = scope.Links;
181             l1 = links.CreateAndUpdate(itself, itself);
182             l2 = links.CreateAndUpdate(itself, itself);
183
184             l2 = links.Update(l2, l2, l1, l2);
185
186             links.CreateAndUpdate(l2, itself);
187             links.CreateAndUpdate(l2, itself);
188
189             links.Unsync.DisposeIfPossible();
190
191             Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(
192             ↪ scope.TempTransactionLogFilename);
193         }
194
195         using (var scope = lastScope = new TempLinksTestScope(deleteFiles: false,
196         ↪ useLog: true))
197         {
198             var links = scope.Links;
199             var transactionsLayer = (UInt64LinksTransactionsLayer)links.Unsync;
200             using (var transaction = transactionsLayer.BeginTransaction())
201             {
202                 l2 = links.Update(l2, l1);
203
204                 links.Delete(l2);
205
206                 ExceptionThrower();

```

```

203         transaction.Commit();
204     }
205
206     Global.Trash = links.Count();
207 }
208 }
209 catch
210 {
211     Assert.False(lastScope == null);
212
213     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(last
        ↪ Scope.TempTransactionLogFilename);
214
215     lastScope.DeleteFiles();
216 }
217 }
218
219 [Fact]
220 public static void TransactionCommit()
221 {
222     var itself = _constants.Itself;
223
224     var tempDatabaseFilename = Path.GetTempFileName();
225     var tempTransactionLogFilename = Path.GetTempFileName();
226
227     // Commit
228     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
        ↪ UInt64UnitedMemoryLinks(tempDatabaseFilename), tempTransactionLogFilename))
229     using (var links = new UInt64Links(memoryAdapter))
230     {
231         using (var transaction = memoryAdapter.BeginTransaction())
232         {
233             var l1 = links.CreateAndUpdate(itself, itself);
234             var l2 = links.CreateAndUpdate(itself, itself);
235
236             Global.Trash = links.Update(l2, l2, l1, l2);
237
238             links.Delete(l1);
239
240             transaction.Commit();
241         }
242
243         Global.Trash = links.Count();
244     }
245
246     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
        ↪ sactionLogFilename);
247 }
248
249 [Fact]
250 public static void TransactionDamage()
251 {
252     var itself = _constants.Itself;
253
254     var tempDatabaseFilename = Path.GetTempFileName();
255     var tempTransactionLogFilename = Path.GetTempFileName();
256
257     // Commit
258     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
        ↪ UInt64UnitedMemoryLinks(tempDatabaseFilename), tempTransactionLogFilename))
259     using (var links = new UInt64Links(memoryAdapter))
260     {
261         using (var transaction = memoryAdapter.BeginTransaction())
262         {
263             var l1 = links.CreateAndUpdate(itself, itself);
264             var l2 = links.CreateAndUpdate(itself, itself);
265
266             Global.Trash = links.Update(l2, l2, l1, l2);
267
268             links.Delete(l1);
269
270             transaction.Commit();
271         }
272
273         Global.Trash = links.Count();
274     }
275
276     Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran
        ↪ sactionLogFilename);

```

```

277 // Damage database
278
279 FileHelpers.WriteFirst(tempTransactionLogFilename, new
280     ↳ UInt64LinksTransactionsLayer.Transition(new UniqueTimestampFactory(), 555));
281
282 // Try load damaged database
283 try
284 {
285     // TODO: Fix
286     using (var memoryAdapter = new UInt64LinksTransactionsLayer(new
287         ↳ UInt64UnitedMemoryLinks(tempDatabaseFilename), tempTransactionLogFilename))
288     using (var links = new UInt64Links(memoryAdapter))
289     {
290         Global.Trash = links.Count();
291     }
292 }
293 catch (NotSupportedException ex)
294 {
295     Assert.True(ex.Message == "Database is damaged, autorecovery is not supported
296         ↳ yet.");
297 }
298
299 Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(tempTran_
300     ↳ sactionLogFilename);
301
302 File.Delete(tempDatabaseFilename);
303 File.Delete(tempTransactionLogFilename);
304 }
305
306 [Fact]
307 public static void Bug1Test()
308 {
309     var tempDatabaseFilename = Path.GetTempFileName();
310     var tempTransactionLogFilename = Path.GetTempFileName();
311
312     var itself = _constants.Itself;
313
314     // User Code Error (Autoreverted), some data saved
315     try
316     {
317         ulong l1;
318         ulong l2;
319
320         using (var memory = new UInt64UnitedMemoryLinks(tempDatabaseFilename))
321         using (var memoryAdapter = new UInt64LinksTransactionsLayer(memory,
322             ↳ tempTransactionLogFilename))
323         using (var links = new UInt64Links(memoryAdapter))
324         {
325             l1 = links.CreateAndUpdate(itself, itself);
326             l2 = links.CreateAndUpdate(itself, itself);
327
328             l2 = links.Update(l2, l2, l1, l2);
329
330             links.CreateAndUpdate(l2, itself);
331             links.CreateAndUpdate(l2, itself);
332         }
333
334         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp_
335             ↳ TransactionLogFilename);
336
337         using (var memory = new UInt64UnitedMemoryLinks(tempDatabaseFilename))
338         using (var memoryAdapter = new UInt64LinksTransactionsLayer(memory,
339             ↳ tempTransactionLogFilename))
340         using (var links = new UInt64Links(memoryAdapter))
341         {
342             using (var transaction = memoryAdapter.BeginTransaction())
343             {
344                 l2 = links.Update(l2, l1);
345
346                 links.Delete(l2);
347
348                 ExceptionThrower();
349
350                 transaction.Commit();
351             }
352
353             Global.Trash = links.Count();
354         }
355     }
356 }

```

```

349     }
350     catch
351     {
352         Global.Trash = FileHelpers.ReadAll<UInt64LinksTransactionsLayer.Transition>(temp ↵
            ↵ TransactionLogFilename);
353     }
354
355     File.Delete(tempDatabaseFilename);
356     File.Delete(tempTransactionLogFilename);
357 }
358
359 private static void ExceptionThrower() => throw new InvalidOperationException();
360
361 [Fact]
362 public static void PathsTest()
363 {
364     var source = _constants.SourcePart;
365     var target = _constants.TargetPart;
366
367     using (var scope = new TempLinksTestScope())
368     {
369         var links = scope.Links;
370         var l1 = links.CreatePoint();
371         var l2 = links.CreatePoint();
372
373         var r1 = links.GetByKeys(l1, source, target, source);
374         var r2 = links.CheckPathExistence(l2, l2, l2, l2);
375     }
376 }
377
378 [Fact]
379 public static void RecursiveStringFormattingTest()
380 {
381     using (var scope = new TempLinksTestScope(useSequences: true))
382     {
383         var links = scope.Links;
384         var sequences = scope.Sequences; // TODO: Auto use sequences on Sequences getter.
385
386         var a = links.CreatePoint();
387         var b = links.CreatePoint();
388         var c = links.CreatePoint();
389
390         var ab = links.GetOrCreate(a, b);
391         var cb = links.GetOrCreate(c, b);
392         var ac = links.GetOrCreate(a, c);
393
394         a = links.Update(a, c, b);
395         b = links.Update(b, a, c);
396         c = links.Update(c, a, b);
397
398         Debug.WriteLine(links.FormatStructure(ab, link => link.IsFullPoint(), true));
399         Debug.WriteLine(links.FormatStructure(cb, link => link.IsFullPoint(), true));
400         Debug.WriteLine(links.FormatStructure(ac, link => link.IsFullPoint(), true));
401
402         Assert.True(links.FormatStructure(cb, link => link.IsFullPoint(), true) ==
            ↵ "(5:(4:5 (6:5 4)) 6)");
403         Assert.True(links.FormatStructure(ac, link => link.IsFullPoint(), true) ==
            ↵ "(6:(5:(4:5 6) 6) 4)");
404         Assert.True(links.FormatStructure(ab, link => link.IsFullPoint(), true) ==
            ↵ "(4:(5:4 (6:5 4)) 6)");
405
406         // TODO: Think how to build balanced syntax tree while formatting structure (eg.
            ↵ "(4:(5:4 6) (6:5 4))" instead of "(4:(5:4 (6:5 4)) 6)"
407
408         Assert.True(sequences.SafeFormatSequence(cb, DefaultFormatter, false) ==
            ↵ "{{5}{5}{4}{6}}");
409         Assert.True(sequences.SafeFormatSequence(ac, DefaultFormatter, false) ==
            ↵ "{{5}{6}{6}{4}}");
410         Assert.True(sequences.SafeFormatSequence(ab, DefaultFormatter, false) ==
            ↵ "{{4}{5}{4}{6}}");
411     }
412 }
413
414 private static void DefaultFormatter(StringBuilder sb, ulong link)
415 {
416     sb.Append(link.ToString());
417 }
418
419 #endregion

```

```
420 #region Performance
421
422
```

```
423 /*
424 public static void RunAllPerformanceTests()
425 {
426     try
427     {
428         links.TestLinksInSteps();
429     }
430     catch (Exception ex)
431     {
432         ex.WriteToConsole();
433     }
434
435     return;
436
437     try
438     {
439         //ThreadPool.SetMaxThreads(2, 2);
440
441         // Запускаем все тесты дважды, чтобы первоначальная инициализация не повлияла на
442         // Также это дополнительно помогает в отладке
443         // Увеличивает вероятность попадания информации в кэши
444         for (var i = 0; i < 10; i++)
445         {
446             //0 - 10 ГБ
447             //Каждые 100 МБ срез цифр
448
449             //links.TestGetSourceFunction();
450             //links.TestGetSourceFunctionInParallel();
451             //links.TestGetTargetFunction();
452             //links.TestGetTargetFunctionInParallel();
453             links.Create64BillionLinks();
454
455             links.TestRandomSearchFixed();
456             //links.Create64BillionLinksInParallel();
457             links.TestEachFunction();
458             //links.TestForeach();
459             //links.TestParallelForeach();
460         }
461
462         links.TestDeletionOfAllLinks();
463
464     }
465     catch (Exception ex)
466     {
467         ex.WriteToConsole();
468     }
469 }*/
470
471 /*
472 public static void TestLinksInSteps()
473 {
474     const long gibibyte = 1024 * 1024 * 1024;
475     const long mebibyte = 1024 * 1024;
476
477     var totalLinksToCreate = gibibyte /
478     Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
479     var linksStep = 102 * mebibyte /
480     Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
481
482     var creationMeasurements = new List<TimeSpan>();
483     var searchMeasurements = new List<TimeSpan>();
484     var deletionMeasurements = new List<TimeSpan>();
485
486     GetBaseRandomLoopOverhead(linksStep);
487     GetBaseRandomLoopOverhead(linksStep);
488
489     var stepLoopOverhead = GetBaseRandomLoopOverhead(linksStep);
490
491     ConsoleHelpers.Debug("Step loop overhead: {0}.", stepLoopOverhead);
492
493     var loops = totalLinksToCreate / linksStep;
494
495     for (int i = 0; i < loops; i++)
496     {
497         creationMeasurements.Add(Measure(() => links.RunRandomCreations(linksStep)));
498         searchMeasurements.Add(Measure(() => links.RunRandomSearches(linksStep)));
499         deletionMeasurements.Add(Measure(() => links.RunRandomDeletions(linksStep)));
500     }
501 }
502 */
503
504 #endregion
505
```

↪ результат


```

497         Console.WriteLine("\rC + S {0}/{1}", i + 1, loops);
498     }
499
500     ConsoleHelpers.Debug();
501
502     for (int i = 0; i < loops; i++)
503     {
504         deletionMeasurements.Add(Measure(() => links.RunRandomDeletions(linksStep)));
505
506         Console.WriteLine("\rD {0}/{1}", i + 1, loops);
507     }
508
509     ConsoleHelpers.Debug();
510
511     ConsoleHelpers.Debug("C S D");
512
513     for (int i = 0; i < loops; i++)
514     {
515         ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i],
516         ↪ searchMeasurements[i], deletionMeasurements[i]);
517     }
518
519     ConsoleHelpers.Debug("C S D (no overhead)");
520
521     for (int i = 0; i < loops; i++)
522     {
523         ConsoleHelpers.Debug("{0} {1} {2}", creationMeasurements[i] - stepLoopOverhead,
524         ↪ searchMeasurements[i] - stepLoopOverhead, deletionMeasurements[i] - stepLoopOverhead);
525     }
526
527     ConsoleHelpers.Debug("All tests done. Total links left in database: {0}.",
528     ↪ links.Total);
529
530     private static void CreatePoints(this Platform.Links.Data.Core.Doublets.Links links, long
531     ↪ amountToCreate)
532     {
533         for (long i = 0; i < amountToCreate; i++)
534             links.Create(0, 0);
535     }
536
537     private static TimeSpan GetBaseRandomLoopOverhead(long loops)
538     {
539         return Measure(() =>
540         {
541             ulong maxValue = RandomHelpers.DefaultFactory.NextUInt64();
542             ulong result = 0;
543             for (long i = 0; i < loops; i++)
544             {
545                 var source = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
546                 var target = RandomHelpers.DefaultFactory.NextUInt64(maxValue);
547
548                 result += maxValue + source + target;
549             }
550             Global.Trash = result;
551         });
552     }
553
554     [Fact(Skip = "performance test")]
555     public static void GetSourceTest()
556     {
557         using (var scope = new TempLinksTestScope())
558         {
559             var links = scope.Links;
560             ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations.",
561             ↪ Iterations);
562
563             ulong counter = 0;
564
565             //var firstLink = links.First();
566             // Создаём одну связь, из которой будет производить считывание
567             var firstLink = links.Create();
568
569             var sw = Stopwatch.StartNew();
570
571             // Тестируем саму функцию
572             for (ulong i = 0; i < Iterations; i++)

```

```

571     {
572         counter += links.GetSource(firstLink);
573     }
574
575     var elapsedTime = sw.Elapsed;
576
577     var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
578
579     // Удаляем связь, из которой производилось считывание
580     links.Delete(firstLink);
581
582     ConsoleHelpers.Debug(
583         "{0} Iterations of GetSource function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
584     }
585 }
586
587 [Fact(Skip = "performance test")]
588 public static void GetSourceInParallel()
589 {
590     using (var scope = new TempLinksTestScope())
591     {
592         var links = scope.Links;
593         ConsoleHelpers.Debug("Testing GetSource function with {0} Iterations in
        ↳ parallel.", Iterations);
594
595         long counter = 0;
596
597         //var firstLink = links.First();
598         var firstLink = links.Create();
599
600         var sw = Stopwatch.StartNew();
601
602         // Тестируем саму функцию
603         Parallel.For(0, Iterations, x =>
604         {
605             Interlocked.Add(ref counter, (long)links.GetSource(firstLink));
606             //Interlocked.Increment(ref counter);
607         });
608
609         var elapsedTime = sw.Elapsed;
610
611         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
612
613         links.Delete(firstLink);
614
615         ConsoleHelpers.Debug(
616             "{0} Iterations of GetSource function done in {1} ({2} Iterations per
        ↳ second), counter result: {3}",
        Iterations, elapsedTime, (long)iterationsPerSecond, counter);
617     }
618 }
619
620 [Fact(Skip = "performance test")]
621 public static void TestGetTarget()
622 {
623     using (var scope = new TempLinksTestScope())
624     {
625         var links = scope.Links;
626         ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations.",
        ↳ Iterations);
627
628         ulong counter = 0;
629
630         //var firstLink = links.First();
631         var firstLink = links.Create();
632
633         var sw = Stopwatch.StartNew();
634
635         for (ulong i = 0; i < Iterations; i++)
636         {
637             counter += links.GetTarget(firstLink);
638         }
639
640         var elapsedTime = sw.Elapsed;
641
642         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
643
644         links.Delete(firstLink);
645     }
646 }

```

```

647     ConsoleHelpers.Debug(
648         "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
649         ↪ second), counter result: {3}",
650         Iterations, elapsedTime, (long)iterationsPerSecond, counter);
651     }
652 }
653
654 [Fact(Skip = "performance test")]
655 public static void TestGetTargetInParallel()
656 {
657     using (var scope = new TempLinksTestScope())
658     {
659         var links = scope.Links;
660         ConsoleHelpers.Debug("Testing GetTarget function with {0} Iterations in
661         ↪ parallel.", Iterations);
662
663         long counter = 0;
664
665         //var firstLink = links.First();
666         var firstLink = links.Create();
667
668         var sw = Stopwatch.StartNew();
669
670         Parallel.For(0, Iterations, x =>
671         {
672             Interlocked.Add(ref counter, (long)links.GetTarget(firstLink));
673             //Interlocked.Increment(ref counter);
674         });
675
676         var elapsedTime = sw.Elapsed;
677
678         var iterationsPerSecond = Iterations / elapsedTime.TotalSeconds;
679
680         links.Delete(firstLink);
681
682         ConsoleHelpers.Debug(
683             "{0} Iterations of GetTarget function done in {1} ({2} Iterations per
684             ↪ second), counter result: {3}",
685             Iterations, elapsedTime, (long)iterationsPerSecond, counter);
686     }
687 }
688
689 // TODO: Заполнить базу данных перед тестом
690 /*
691 [Fact]
692 public void TestRandomSearchFixed()
693 {
694     var tempFilename = Path.GetTempFileName();
695
696     using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
697     ↪ DefaultLinksSizeStep))
698     {
699         long iterations = 64 * 1024 * 1024 /
700     ↪ Platform.Links.Data.Core.Doublets.Links.LinkSizeInBytes;
701
702         ulong counter = 0;
703         var maxLink = links.Total;
704
705         ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.", iterations);
706
707         var sw = Stopwatch.StartNew();
708
709         for (var i = iterations; i > 0; i--)
710         {
711             var source =
712     ↪ RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
713             var target =
714     ↪ RandomHelpers.DefaultFactory.NextUInt64(LinksConstants.MinPossibleIndex, maxLink);
715
716             counter += links.Search(source, target);
717         }
718
719         var elapsedTime = sw.Elapsed;
720
721         var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;

```

```

717         ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
↪ Iterations per second), c: {3}", iterations, elapsedTime, (long)iterationsPerSecond,
↪ counter);
718     }
719
720     File.Delete(tempFilename);
721 }*/
722
723 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
724 public static void TestRandomSearchAll()
725 {
726     using (var scope = new TempLinksTestScope())
727     {
728         var links = scope.Links;
729         ulong counter = 0;
730
731         var maxLink = links.Count();
732
733         var iterations = links.Count();
734
735         ConsoleHelpers.Debug("Testing Random Search with {0} Iterations.",
↪ links.Count());
736
737         var sw = Stopwatch.StartNew();
738
739         for (var i = iterations; i > 0; i--)
740         {
741             var linksAddressRange = new
↪ Range<ulong>(_constants.InternalReferencesRange.Minimum, maxLink);
742
743             var source = RandomHelpers.Default.NextUInt64(linksAddressRange);
744             var target = RandomHelpers.Default.NextUInt64(linksAddressRange);
745
746             counter += links.SearchOrDefault(source, target);
747         }
748
749         var elapsedTime = sw.Elapsed;
750
751         var iterationsPerSecond = iterations / elapsedTime.TotalSeconds;
752
753         ConsoleHelpers.Debug("{0} Iterations of Random Search done in {1} ({2}
↪ Iterations per second), c: {3}",
↪ iterations, elapsedTime, (long)iterationsPerSecond, counter);
754     }
755 }
756
757 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
758 public static void TestEach()
759 {
760     using (var scope = new TempLinksTestScope())
761     {
762         var links = scope.Links;
763
764         var counter = new Counter<IList<ulong>, ulong>(links.Constants.Continue);
765
766         ConsoleHelpers.Debug("Testing Each function.");
767
768         var sw = Stopwatch.StartNew();
769
770         links.Each(counter.IncrementAndReturnTrue);
771
772         var elapsedTime = sw.Elapsed;
773
774         var linksPerSecond = counter.Count / elapsedTime.TotalSeconds;
775
776         ConsoleHelpers.Debug("{0} Iterations of Each's handler function done in {1} ({2}
↪ links per second)",
↪ counter, elapsedTime, (long)linksPerSecond);
777     }
778 }
779
780
781 /*
782 [Fact]
783 public static void TestForeach()
784 {
785     var tempFilename = Path.GetTempFileName();
786
787     using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↪ DefaultLinksSizeStep))

```

```

789     {
790         ulong counter = 0;
791
792         ConsoleHelpers.Debug("Testing foreach through links.");
793
794         var sw = Stopwatch.StartNew();
795
796         //foreach (var link in links)
797         //{
798             counter++;
799         //}
800
801         var elapsedTime = sw.Elapsed;
802
803         var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
804
805         ConsoleHelpers.Debug("{0} Iterations of Foreach's handler block done in {1} ({2}
↪ links per second)", counter, elapsedTime, (long)linksPerSecond);
806     }
807
808     File.Delete(tempFilename);
809 }
810 */
811
812 /*
813 [Fact]
814 public static void TestParallelForeach()
815 {
816     var tempFilename = Path.GetTempFileName();
817
818     using (var links = new Platform.Links.Data.Core.Doublets.Links(tempFilename,
↪ DefaultLinksSizeStep))
819     {
820         long counter = 0;
821
822         ConsoleHelpers.Debug("Testing parallel foreach through links.");
823
824         var sw = Stopwatch.StartNew();
825
826         //Parallel.ForEach((IEnumerable<ulong>)links, x =>
827         //{
828             // Interlocked.Increment(ref counter);
829         //});
830
831         var elapsedTime = sw.Elapsed;
832
833         var linksPerSecond = (double)counter / elapsedTime.TotalSeconds;
834
835         ConsoleHelpers.Debug("{0} Iterations of Parallel Foreach's handler block done in
↪ {1} ({2} links per second)", counter, elapsedTime, (long)linksPerSecond);
836     }
837
838     File.Delete(tempFilename);
839 }
840 */
841
842 [Fact(Skip = "performance test")]
843 public static void Create64BillionLinks()
844 {
845     using (var scope = new TempLinksTestScope())
846     {
847         var links = scope.Links;
848         var linksBeforeTest = links.Count();
849
850         long linksToCreate = 64 * 1024 * 1024 / UInt64UnitedMemoryLinks.LinkSizeInBytes;
851
852         ConsoleHelpers.Debug("Creating {0} links.", linksToCreate);
853
854         var elapsedTime = Performance.Measure(() =>
855         {
856             for (long i = 0; i < linksToCreate; i++)
857             {
858                 links.Create();
859             }
860         });
861
862         var linksCreated = links.Count() - linksBeforeTest;
863         var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
864
865

```

```

866         ConsoleHelpers.Debug("Current links count: {0}.", links.Count());
867
868         ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
869             ↪ linksCreated, elapsedTime,
870             (long)linksPerSecond);
871     }
872 }
873 [Fact(Skip = "performance test")]
874 public static void Create64BillionLinksInParallel()
875 {
876     using (var scope = new TempLinksTestScope())
877     {
878         var links = scope.Links;
879         var linksBeforeTest = links.Count();
880
881         var sw = Stopwatch.StartNew();
882
883         long linksToCreate = 64 * 1024 * 1024 / UInt64UnitedMemoryLinks.LinkSizeInBytes;
884
885         ConsoleHelpers.Debug("Creating {0} links in parallel.", linksToCreate);
886
887         Parallel.For(0, linksToCreate, x => links.Create());
888
889         var elapsedTime = sw.Elapsed;
890
891         var linksCreated = links.Count() - linksBeforeTest;
892         var linksPerSecond = linksCreated / elapsedTime.TotalSeconds;
893
894         ConsoleHelpers.Debug("{0} links created in {1} ({2} links per second)",
895             ↪ linksCreated, elapsedTime,
896             (long)linksPerSecond);
897     }
898 }
899 [Fact(Skip = "useless: 0(0), was dependent on creation tests")]
900 public static void TestDeletionOfAllLinks()
901 {
902     using (var scope = new TempLinksTestScope())
903     {
904         var links = scope.Links;
905         var linksBeforeTest = links.Count();
906
907         ConsoleHelpers.Debug("Deleting all links");
908
909         var elapsedTime = Performance.Measure(links.DeleteAll);
910
911         var linksDeleted = linksBeforeTest - links.Count();
912         var linksPerSecond = linksDeleted / elapsedTime.TotalSeconds;
913
914         ConsoleHelpers.Debug("{0} links deleted in {1} ({2} links per second)",
915             ↪ linksDeleted, elapsedTime,
916             (long)linksPerSecond);
917     }
918 }
919 #endregion
920 }
921 }

```

1.189 ./csharp/Platform.Data.Doublets.Tests/UInt64LinksExtensionsTests.cs

```

1  using Platform.Data.Doublets.Memory;
2  using Platform.Data.Doublets.Memory.United.Generic;
3  using Platform.Data.Numbers.Raw;
4  using Platform.Memory;
5  using Platform.Numbers;
6  using Xunit;
7  using Xunit.Abstractions;
8  using TLink = System.UInt64;
9
10 namespace Platform.Data.Doublets.Tests
11 {
12     public class UInt64LinksExtensionsTests
13     {
14         public static ILinks<TLink> CreateLinks() => CreateLinks<TLink>(new
15             ↪ Platform.IO.TemporaryFile());
16
17         public static ILinks<TLink> CreateLinks<TLink>(string dataDBFilename)
18         {

```

```

18         var linksConstants = new LinksConstants<TLink>(enableExternalReferencesSupport:
19             ↪ true);
20         return new UnitedMemoryLinks<TLink>(new
21             ↪ FileMappedResizableDirectMemory(dataDBFilename),
22             ↪ UnitedMemoryLinks<TLink>.DefaultLinksSizeStep, linksConstants,
23             ↪ IndexTreeType.Default);
24     }
25     [Fact]
26     public void FormatStructureWithExternalReferenceTest()
27     {
28         ILinks<TLink> links = CreateLinks();
29         TLink zero = default;
30         var one = Arithmetic.Increment(zero);
31         var markerIndex = one;
32         var meaningRoot = links.GetOrCreate(markerIndex, markerIndex);
33         var numberMarker = links.GetOrCreate(meaningRoot, Arithmetic.Increment(ref
34             ↪ markerIndex));
35         AddressToRawNumberConverter<TLink> addressToNumberConverter = new();
36         var numberAddress = addressToNumberConverter.Convert(1);
37         var numberLink = links.GetOrCreate(numberMarker, numberAddress);
38         var linkNotation = links.FormatStructure(numberLink, link => link.IsFullPoint(),
39             ↪ true);
40         Assert.Equal("(3:(2:1 2) 18446744073709551615)", linkNotation);
41     }
42 }
43 }

```

1.190 ./csharp/Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs

```

1  using Xunit;
2  using Platform.Random;
3  using Platform.Data.Doublets.Numbers.Unary;
4
5  namespace Platform.Data.Doublets.Tests
6  {
7      public static class UnaryNumberConvertersTests
8      {
9          [Fact]
10         public static void ConvertersTest()
11         {
12             using (var scope = new TempLinksTestScope())
13             {
14                 const int N = 10;
15                 var links = scope.Links;
16                 var meaningRoot = links.CreatePoint();
17                 var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
18                 var powerOf2ToUnaryNumberConverter = new
19                     ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, one);
20                 var toUnaryNumberConverter = new AddressToUnaryNumberConverter<ulong>(links,
21                     ↪ powerOf2ToUnaryNumberConverter);
22                 var random = new System.Random(0);
23                 ulong[] numbers = new ulong[N];
24                 ulong[] unaryNumbers = new ulong[N];
25                 for (int i = 0; i < N; i++)
26                 {
27                     numbers[i] = random.NextUInt64();
28                     unaryNumbers[i] = toUnaryNumberConverter.Convert(numbers[i]);
29                 }
30                 var fromUnaryNumberConverterUsingOrOperation = new
31                     ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
32                     ↪ powerOf2ToUnaryNumberConverter);
33                 var fromUnaryNumberConverterUsingAddOperation = new
34                     ↪ UnaryNumberToAddressAddOperationConverter<ulong>(links, one);
35                 for (int i = 0; i < N; i++)
36                 {
37                     Assert.Equal(numbers[i],
38                         ↪ fromUnaryNumberConverterUsingOrOperation.Convert(unaryNumbers[i]));
39                     Assert.Equal(numbers[i],
40                         ↪ fromUnaryNumberConverterUsingAddOperation.Convert(unaryNumbers[i]));
41                 }
42             }
43         }
44     }
45 }

```

1.191 ./csharp/Platform.Data.Doublets.Tests/UnicodeConvertersTests.cs

```

1  using Xunit;
2  using Platform.Converters;
3  using Platform.Memory;

```

```

4 using Platform.Reflection;
5 using Platform.Scopes;
6 using Platform.Data.Numbers.Raw;
7 using Platform.Data.Doublets.Incrementers;
8 using Platform.Data.Doublets.Numbers.Unary;
9 using Platform.Data.Doublets.PropertyOperators;
10 using Platform.Data.Doublets.Sequences.Converters;
11 using Platform.Data.Doublets.Sequences.Indexes;
12 using Platform.Data.Doublets.Sequences.Walkers;
13 using Platform.Data.Doublets.Unicode;
14 using Platform.Data.Doublets.Memory.United.Generic;
15 using Platform.Data.Doublets.CriterionMatchers;
16
17 namespace Platform.Data.Doublets.Tests
18 {
19     public static class UnicodeConvertersTests
20     {
21         [Fact]
22         public static void CharAndUnaryNumberUnicodeSymbolConvertersTest()
23         {
24             using (var scope = new TempLinksTestScope())
25             {
26                 var links = scope.Links;
27                 var meaningRoot = links.CreatePoint();
28                 var one = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
29                 var powerOf2ToUnaryNumberConverter = new
30                     ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, one);
31                 var addressToUnaryNumberConverter = new
32                     ↪ AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
33                 var unaryNumberToAddressConverter = new
34                     ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
35                     ↪ powerOf2ToUnaryNumberConverter);
36                 TestCharAndUnicodeSymbolConverters(links, meaningRoot,
37                     ↪ addressToUnaryNumberConverter, unaryNumberToAddressConverter);
38             }
39         }
40
41         [Fact]
42         public static void CharAndRawNumberUnicodeSymbolConvertersTest()
43         {
44             using (var scope = new Scope<Types<HeapResizableDirectMemory,
45                 ↪ UnitedMemoryLinks<ulong>>>())
46             {
47                 var links = scope.Use<ILinks<ulong>>();
48                 var meaningRoot = links.CreatePoint();
49                 var addressToRawNumberConverter = new AddressToRawNumberConverter<ulong>();
50                 var rawNumberToAddressConverter = new RawNumberToAddressConverter<ulong>();
51                 TestCharAndUnicodeSymbolConverters(links, meaningRoot,
52                     ↪ addressToRawNumberConverter, rawNumberToAddressConverter);
53             }
54         }
55
56         private static void TestCharAndUnicodeSymbolConverters(ILinks<ulong> links, ulong
57             ↪ meaningRoot, IConverter<ulong> addressToNumberConverter, IConverter<ulong>
58             ↪ numberToAddressConverter)
59         {
60             var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, links.Constants.Itself);
61             var charToUnicodeSymbolConverter = new CharToUnicodeSymbolConverter<ulong>(links,
62                 ↪ addressToNumberConverter, unicodeSymbolMarker);
63             var originalCharacter = 'H';
64             var characterLink = charToUnicodeSymbolConverter.Convert(originalCharacter);
65             var unicodeSymbolCriterionMatcher = new TargetMatcher<ulong>(links,
66                 ↪ unicodeSymbolMarker);
67             var unicodeSymbolToCharConverter = new UnicodeSymbolToCharConverter<ulong>(links,
68                 ↪ numberToAddressConverter, unicodeSymbolCriterionMatcher);
69             var resultingCharacter = unicodeSymbolToCharConverter.Convert(characterLink);
70             Assert.Equal(originalCharacter, resultingCharacter);
71         }
72
73         [Fact]
74         public static void StringAndUnicodeSequenceConvertersTest()
75         {
76             using (var scope = new TempLinksTestScope())
77             {
78                 var links = scope.Links;
79
80                 var itself = links.Constants.Itself;
81
82                 var meaningRoot = links.CreatePoint();

```



```

71     var unaryOne = links.CreateAndUpdate(meaningRoot, itself);
72     var unicodeSymbolMarker = links.CreateAndUpdate(meaningRoot, itself);
73     var unicodeSequenceMarker = links.CreateAndUpdate(meaningRoot, itself);
74     var frequencyMarker = links.CreateAndUpdate(meaningRoot, itself);
75     var frequencyPropertyMarker = links.CreateAndUpdate(meaningRoot, itself);
76
77     var powerOf2ToUnaryNumberConverter = new
78     ↪ PowerOf2ToUnaryNumberConverter<ulong>(links, unaryOne);
79     var addressToUnaryNumberConverter = new
80     ↪ AddressToUnaryNumberConverter<ulong>(links, powerOf2ToUnaryNumberConverter);
81     var charToUnicodeSymbolConverter = new
82     ↪ CharToUnicodeSymbolConverter<ulong>(links, addressToUnaryNumberConverter,
83     ↪ unicodeSymbolMarker);
84
85     var unaryNumberToAddressConverter = new
86     ↪ UnaryNumberToAddressOrOperationConverter<ulong>(links,
87     ↪ powerOf2ToUnaryNumberConverter);
88     var unaryNumberIncrementer = new UnaryNumberIncrementer<ulong>(links, unaryOne);
89     var frequencyIncrementer = new FrequencyIncrementer<ulong>(links,
90     ↪ frequencyMarker, unaryOne, unaryNumberIncrementer);
91     var frequencyPropertyOperator = new PropertyOperator<ulong>(links,
92     ↪ frequencyPropertyMarker, frequencyMarker);
93     var index = new FrequencyIncrementingSequenceIndex<ulong>(links,
94     ↪ frequencyPropertyOperator, frequencyIncrementer);
95     var linkToItsFrequencyNumberConverter = new
96     ↪ LinkToItsFrequencyNumberConverter<ulong>(links, frequencyPropertyOperator,
97     ↪ unaryNumberToAddressConverter);
98     var sequenceToItsLocalElementLevelsConverter = new
99     ↪ SequenceToItsLocalElementLevelsConverter<ulong>(links,
100    ↪ linkToItsFrequencyNumberConverter);
101     var optimalVariantConverter = new OptimalVariantConverter<ulong>(links,
102    ↪ sequenceToItsLocalElementLevelsConverter);
103
104     var stringToUnicodeSequenceConverter = new
105    ↪ StringToUnicodeSequenceConverter<ulong>(links, charToUnicodeSymbolConverter,
106    ↪ index, optimalVariantConverter, unicodeSequenceMarker);
107
108     var originalString = "Hello";
109
110     var unicodeSequenceLink =
111    ↪ stringToUnicodeSequenceConverter.Convert(originalString);
112
113     var unicodeSymbolCriterionMatcher = new TargetMatcher<ulong>(links,
114    ↪ unicodeSymbolMarker);
115     var unicodeSymbolToCharConverter = new
116    ↪ UnicodeSymbolToCharConverter<ulong>(links, unaryNumberToAddressConverter,
117    ↪ unicodeSymbolCriterionMatcher);
118
119     var unicodeSequenceCriterionMatcher = new TargetMatcher<ulong>(links,
120    ↪ unicodeSequenceMarker);
121
122     var sequenceWalker = new LeveledSequenceWalker<ulong>(links,
123    ↪ unicodeSymbolCriterionMatcher.IsMatched);
124
125     var unicodeSequenceToStringConverter = new
126    ↪ UnicodeSequenceToStringConverter<ulong>(links,
127    ↪ unicodeSequenceCriterionMatcher, sequenceWalker,
128    ↪ unicodeSymbolToCharConverter);
129
130     var resultingString =
131    ↪ unicodeSequenceToStringConverter.Convert(unicodeSequenceLink);
132
133     Assert.Equal(originalString, resultingString);
134 }
135 }
136 }

```

1.192 ./csharp/Platform.Data.Doublets.Tests/UnitedMemoryUInt32LinksTests.cs

```

1  using System;
2  using Xunit;
3  using Platform.Reflection;
4  using Platform.Memory;
5  using Platform.Scopes;
6  using Platform.Data.Doublets.Memory.United.Specific;
7  using TLink = System.UInt32;
8
9  namespace Platform.Data.Doublets.Tests

```

```

10 {
11     public unsafe static class UnitedMemoryUInt32LinksTests
12     {
13         [Fact]
14         public static void CRUDTest()
15         {
16             Using(links => links.TestCRUDOperations());
17         }
18
19         [Fact]
20         public static void RawNumbersCRUDTest()
21         {
22             Using(links => links.TestRawNumbersCRUDOperations());
23         }
24
25         [Fact]
26         public static void MultipleRandomCreationsAndDeletionsTest()
27         {
28             Using(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultipleRandomCreationsAndDeletions(100));
29         }
30
31         private static void Using(Action<ILinks<TLink>> action)
32         {
33             using (var scope = new Scope<Types<HeapResizableDirectMemory,
34                 ↳ UInt32UnitedMemoryLinks>>())
35             {
36                 action(scope.Use<ILinks<TLink>>());
37             }
38         }
39     }

```

1.193 ./csharp/Platform.Data.Doublets.Tests/UnitedMemoryUInt64LinksTests.cs

```

1  using System;
2  using Xunit;
3  using Platform.Reflection;
4  using Platform.Memory;
5  using Platform.Scopes;
6  using Platform.Data.Doublets.Memory.United.Specific;
7  using TLink = System.UInt64;
8
9  namespace Platform.Data.Doublets.Tests
10 {
11     public unsafe static class UnitedMemoryUInt64LinksTests
12     {
13         [Fact]
14         public static void CRUDTest()
15         {
16             Using(links => links.TestCRUDOperations());
17         }
18
19         [Fact]
20         public static void RawNumbersCRUDTest()
21         {
22             Using(links => links.TestRawNumbersCRUDOperations());
23         }
24
25         [Fact]
26         public static void MultipleRandomCreationsAndDeletionsTest()
27         {
28             Using(links => links.DecorateWithAutomaticUniquenessAndUsagesResolution().TestMultipleRandomCreationsAndDeletions(100));
29         }
30
31         private static void Using(Action<ILinks<TLink>> action)
32         {
33             using (var scope = new Scope<Types<HeapResizableDirectMemory,
34                 ↳ UInt64UnitedMemoryLinks>>())
35             {
36                 action(scope.Use<ILinks<TLink>>());
37             }
38         }
39     }

```

Index

./csharp/Platform.Data.Doublets.Tests/DefaultSequenceAppenderTests.cs, 237
./csharp/Platform.Data.Doublets.Tests/GenericLinksTests.cs, 238
./csharp/Platform.Data.Doublets.Tests/ILinksExtensionsTests.cs, 239
./csharp/Platform.Data.Doublets.Tests/LinksConstantsTests.cs, 239
./csharp/Platform.Data.Doublets.Tests/Numbers/Raw/BigIntegerConvertersTests.cs, 239
./csharp/Platform.Data.Doublets.Tests/OptimalVariantSequenceTests.cs, 240
./csharp/Platform.Data.Doublets.Tests/ReadSequenceTests.cs, 243
./csharp/Platform.Data.Doublets.Tests/ResizableDirectMemoryLinksTests.cs, 244
./csharp/Platform.Data.Doublets.Tests/ScopeTests.cs, 245
./csharp/Platform.Data.Doublets.Tests/SequencesTests.cs, 246
./csharp/Platform.Data.Doublets.Tests/SplitMemoryGenericLinksTests.cs, 260
./csharp/Platform.Data.Doublets.Tests/SplitMemoryUInt32LinksTests.cs, 261
./csharp/Platform.Data.Doublets.Tests/SplitMemoryUInt64LinksTests.cs, 262
./csharp/Platform.Data.Doublets.Tests/TempLinksTestScope.cs, 262
./csharp/Platform.Data.Doublets.Tests/TestExtensions.cs, 263
./csharp/Platform.Data.Doublets.Tests/UInt64LinksTests.cs, 266
./csharp/Platform.Data.Doublets.Tests/UInt64LinksExtensionsTests.cs, 278
./csharp/Platform.Data.Doublets.Tests/UnaryNumberConvertersTests.cs, 279
./csharp/Platform.Data.Doublets.Tests/UnicodeConvertersTests.cs, 279
./csharp/Platform.Data.Doublets.Tests/UnitedMemoryUInt32LinksTests.cs, 281
./csharp/Platform.Data.Doublets.Tests/UnitedMemoryUInt64LinksTests.cs, 282
./csharp/Platform.Data.Doublets/CriterionMatchers/TargetMatcher.cs, 1
./csharp/Platform.Data.Doublets/Decorators/LinksCascadeUniquenessAndUsagesResolver.cs, 1
./csharp/Platform.Data.Doublets/Decorators/LinksCascadeUsagesResolver.cs, 1
./csharp/Platform.Data.Doublets/Decorators/LinksDecoratorBase.cs, 1
./csharp/Platform.Data.Doublets/Decorators/LinksDisposableDecoratorBase.cs, 2
./csharp/Platform.Data.Doublets/Decorators/LinksInnerReferenceExistenceValidator.cs, 3
./csharp/Platform.Data.Doublets/Decorators/LinksItselfConstantToSelfReferenceResolver.cs, 3
./csharp/Platform.Data.Doublets/Decorators/LinksNonExistentDependenciesCreator.cs, 4
./csharp/Platform.Data.Doublets/Decorators/LinksNullConstantToSelfReferenceResolver.cs, 4
./csharp/Platform.Data.Doublets/Decorators/LinksUniquenessResolver.cs, 5
./csharp/Platform.Data.Doublets/Decorators/LinksUniquenessValidator.cs, 5
./csharp/Platform.Data.Doublets/Decorators/LinksUsagesValidator.cs, 5
./csharp/Platform.Data.Doublets/Decorators/NonNullContentsLinkDeletionResolver.cs, 6
./csharp/Platform.Data.Doublets/Decorators/UInt32Links.cs, 6
./csharp/Platform.Data.Doublets/Decorators/UInt64Links.cs, 7
./csharp/Platform.Data.Doublets/Decorators/UniLinks.cs, 8
./csharp/Platform.Data.Doublets/Doublet.cs, 13
./csharp/Platform.Data.Doublets/DoubletComparer.cs, 15
./csharp/Platform.Data.Doublets/ILinks.cs, 15
./csharp/Platform.Data.Doublets/ILinksExtensions.cs, 15
./csharp/Platform.Data.Doublets/ISynchronizedLinks.cs, 28
./csharp/Platform.Data.Doublets/Incrementers/FrequencyIncrementer.cs, 28
./csharp/Platform.Data.Doublets/Incrementers/UnaryNumberIncrementer.cs, 28
./csharp/Platform.Data.Doublets/Link.cs, 29
./csharp/Platform.Data.Doublets/LinkExtensions.cs, 32
./csharp/Platform.Data.Doublets/LinksOperatorBase.cs, 32
./csharp/Platform.Data.Doublets/Memory/ILinksListMethods.cs, 32
./csharp/Platform.Data.Doublets/Memory/ILinksTreeMethods.cs, 33
./csharp/Platform.Data.Doublets/Memory/IndexTreeType.cs, 33
./csharp/Platform.Data.Doublets/Memory/LinksHeader.cs, 33
./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksRecursionlessSizeBalancedTreeMethodsBase.cs, 34
./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSizeBalancedTreeMethodsBase.cs, 37
./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSourcesRecursionlessSizeBalancedTreeMethods.cs, 40
./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksSourcesSizeBalancedTreeMethods.cs, 41
./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksTargetsRecursionlessSizeBalancedTreeMethods.cs, 42
./csharp/Platform.Data.Doublets/Memory/Split/Generic/ExternalLinksTargetsSizeBalancedTreeMethods.cs, 43
./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksRecursionlessSizeBalancedTreeMethodsBase.cs, 44
./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSizeBalancedTreeMethodsBase.cs, 46
./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesLinkedListMethods.cs, 49
./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesRecursionlessSizeBalancedTreeMethods.cs, 50
./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksSourcesSizeBalancedTreeMethods.cs, 51
./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksTargetsRecursionlessSizeBalancedTreeMethods.cs, 52
./csharp/Platform.Data.Doublets/Memory/Split/Generic/InternalLinksTargetsSizeBalancedTreeMethods.cs, 53
./csharp/Platform.Data.Doublets/Memory/Split/Generic/SplitMemoryLinks.cs, 54
./csharp/Platform.Data.Doublets/Memory/Split/Generic/SplitMemoryLinksBase.cs, 56

[illegible]

./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksTargetsRecursionlessSizeBalancedTreeMethods.cs, 142
./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64LinksTargetsSizeBalancedTreeMethods.cs, 143
./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64UnitedMemoryLinks.cs, 144
./csharp/Platform.Data.Doublets/Memory/United/Specific/UInt64UnusedLinksListMethods.cs, 146
./csharp/Platform.Data.Doublets/Numbers/Raw/BigIntegerToRawNumberSequenceConverter.cs, 146
./csharp/Platform.Data.Doublets/Numbers/Raw/LongRawNumberSequenceToNumberConverter.cs, 147
./csharp/Platform.Data.Doublets/Numbers/Raw/NumberToLongRawNumberSequenceConverter.cs, 148
./csharp/Platform.Data.Doublets/Numbers/Raw/RawNumberSequenceToBigIntegerConverter.cs, 148
./csharp/Platform.Data.Doublets/Numbers/Unary/AddressToUnaryNumberConverter.cs, 149
./csharp/Platform.Data.Doublets/Numbers/Unary/LinkToFrequencyNumberConverter.cs, 149
./csharp/Platform.Data.Doublets/Numbers/Unary/PowerOf2ToUnaryNumberConverter.cs, 150
./csharp/Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressAddOperationConverter.cs, 151
./csharp/Platform.Data.Doublets/Numbers/Unary/UnaryNumberToAddressOrOperationConverter.cs, 152
./csharp/Platform.Data.Doublets/PropertyOperators/PropertiesOperator.cs, 153
./csharp/Platform.Data.Doublets/PropertyOperators/PropertyOperator.cs, 153
./csharp/Platform.Data.Doublets/Sequences/Converters/BalancedVariantConverter.cs, 154
./csharp/Platform.Data.Doublets/Sequences/Converters/CompressingConverter.cs, 155
./csharp/Platform.Data.Doublets/Sequences/Converters/LinksListToSequenceConverterBase.cs, 158
./csharp/Platform.Data.Doublets/Sequences/Converters/OptimalVariantConverter.cs, 158
./csharp/Platform.Data.Doublets/Sequences/Converters/SequenceToLocalElementLevelsConverter.cs, 160
./csharp/Platform.Data.Doublets/Sequences/CriterionMatchers/DefaultSequenceElementCriterionMatcher.cs, 161
./csharp/Platform.Data.Doublets/Sequences/CriterionMatchers/MarkedSequenceCriterionMatcher.cs, 161
./csharp/Platform.Data.Doublets/Sequences/DefaultSequenceAppender.cs, 161
./csharp/Platform.Data.Doublets/Sequences/DuplicateSegmentsCounter.cs, 162
./csharp/Platform.Data.Doublets/Sequences/DuplicateSegmentsProvider.cs, 162
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequenciesCache.cs, 165
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkFrequency.cs, 167
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Cache/LinkToFrequencyValueConverter.cs, 167
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/MarkedSequenceSymbolFrequencyOneOffCounter.cs, 168
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/SequenceSymbolFrequencyOneOffCounter.cs, 168
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyCounter.cs, 169
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalMarkedSequenceSymbolFrequencyOneOffCounter.cs, 169
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyCounter.cs, 169
./csharp/Platform.Data.Doublets/Sequences/Frequencies/Counters/TotalSequenceSymbolFrequencyOneOffCounter.cs, 170
./csharp/Platform.Data.Doublets/Sequences/HeightProviders/CachedSequenceHeightProvider.cs, 171
./csharp/Platform.Data.Doublets/Sequences/HeightProviders/DefaultSequenceRightHeightProvider.cs, 171
./csharp/Platform.Data.Doublets/Sequences/HeightProviders/ISequenceHeightProvider.cs, 172
./csharp/Platform.Data.Doublets/Sequences/Indexes/CachedFrequencyIncrementingSequenceIndex.cs, 172
./csharp/Platform.Data.Doublets/Sequences/Indexes/FrequencyIncrementingSequenceIndex.cs, 173
./csharp/Platform.Data.Doublets/Sequences/Indexes/ISequenceIndex.cs, 174
./csharp/Platform.Data.Doublets/Sequences/Indexes/SequenceIndex.cs, 174
./csharp/Platform.Data.Doublets/Sequences/Indexes/SynchronizedSequenceIndex.cs, 174
./csharp/Platform.Data.Doublets/Sequences/Indexes/Unindex.cs, 175
./csharp/Platform.Data.Doublets/Sequences/Sequences.Experiments.cs, 175
./csharp/Platform.Data.Doublets/Sequences/Sequences.cs, 203
./csharp/Platform.Data.Doublets/Sequences/SequencesExtensions.cs, 213
./csharp/Platform.Data.Doublets/Sequences/SequencesOptions.cs, 214
./csharp/Platform.Data.Doublets/Sequences/Walkers/ISequenceWalker.cs, 217
./csharp/Platform.Data.Doublets/Sequences/Walkers/LeftSequenceWalker.cs, 217
./csharp/Platform.Data.Doublets/Sequences/Walkers/LeveledSequenceWalker.cs, 217
./csharp/Platform.Data.Doublets/Sequences/Walkers/RightSequenceWalker.cs, 219
./csharp/Platform.Data.Doublets/Sequences/Walkers/SequenceWalkerBase.cs, 220
./csharp/Platform.Data.Doublets/Stacks/Stack.cs, 221
./csharp/Platform.Data.Doublets/Stacks/StackExtensions.cs, 221
./csharp/Platform.Data.Doublets/SynchronizedLinks.cs, 222
./csharp/Platform.Data.Doublets/Time/DateTimeToLongRawNumberSequenceConverter.cs, 223
./csharp/Platform.Data.Doublets/Time/LongRawNumberSequenceToDateTimeConverter.cs, 223
./csharp/Platform.Data.Doublets/UInt64LinksExtensions.cs, 223
./csharp/Platform.Data.Doublets/UInt64LinksTransactionsLayer.cs, 225
./csharp/Platform.Data.Doublets/Unicode/CharToUnicodeSymbolConverter.cs, 231
./csharp/Platform.Data.Doublets/Unicode/StringToUnicodeSequenceConverter.cs, 231
./csharp/Platform.Data.Doublets/Unicode/StringToUnicodeSymbolsListConverter.cs, 232
./csharp/Platform.Data.Doublets/Unicode/UnicodeMap.cs, 233
./csharp/Platform.Data.Doublets/Unicode/UnicodeSequenceToStringConverter.cs, 235
./csharp/Platform.Data.Doublets/Unicode/UnicodeSymbolToCharConverter.cs, 236
./csharp/Platform.Data.Doublets/Unicode/UnicodeSymbolsListToUnicodeSequenceConverter.cs, 236