Derived medication variables for metabolic syndrome at age 53 years (1999)

Claudia Langenberg, Darya Gaysina | 15/06/09

Medication variables at age 53

Contents

Document details 2

Variables in this document 2

Document details

Categories of variables	Cardiovascular health
Summary of work undertaken	Coding and labelling of medication at age 53
Names of source variables	b02299a, b02499a, b02599a, b02699a, b06199a, b212099a
Output variables	b02299a, b02499a, b02599a, b02699a, b06199a, b212099a, medbp99

Variables in this document

6 high-confidence matches

Variable	Label	How it was found
Questionnaire data [55] › Medications [505] › Regular medication [5052] › Regular medication - Derived variables [50522] › Medication derivations at data collection level (cross-sectional) [505221]		
b02299a	Antihypertensive medication (diuretics) - at age 53 years	topsheet field
b02499a	Antihypertensive medication (beta blockers) - at age 53 years	topsheet field
b02599a	Antihypertensive medication (RA system drugs and others) - at age 53 years	topsheet field
b06199a	Derived: Regular medication - BNFs 061xxx - drugs used in diabetes - BNF 6.1 at age 53 years	topsheet field
b212099a	Derived: Regular medication - BNFs 2120xx - lipid-regulating drugs (BNF 40) - lipid-lowering drugs (BNF 27) - BNF 2.12 at age 53 years	topsheet field
medbp99	Does participant take any antihypertensive medication at age 53 years	topsheet field