

\_\_\_\_ (R)  
/\_\_\_\_ /\_\_\_\_ /\_\_\_\_  
\_\_\_\_ /\_\_\_\_ /\_\_\_\_ 14.2 Copyright 1985-2015 StataCorp LLC  
Statistics/Data Analysis StataCorp  
4905 Lakeway Drive  
Special Edition College Station, Texas 77845 USA  
800-STATATA-PC <http://www.stata.com>  
979-696-4600 [stata@stata.com](mailto:stata@stata.com)  
979-696-4601 (fax)

Single-user Stata perpetual license:

Serial number: **XXXXXXXX**

Licensed to: Lucas Helal

Universidade Federal do Rio Grande do Sul

Notes:

1. Unicode is supported; see help `unicode_advice`.
2. Maximum number of variables is set to 5000; see help `set_maxvar`.

. cs Severe Adverse Events Treatment

variable Severe not found

r(111);

. csi 271 108 63 222

## Instructions (Code)

1. Go to: Statistics/Epidemiology and Related/Table for Epidemiologists/Cohort-study Risk Ratio etc. calculator
2. As counting data, they were extracted directly by the article -

Hortobagyi et al. **N Engl J Med** 2016; 375:1738-1748

## Supporting Data

N treatment arm: 334, N control arm: 330; MACE (including MI) treatment arm: 271;  
MACE (including MI) control arm: 108

N treatment arm: 334, N control arm: 330; minor ad events treatment arm: 25;  
MACE (including MI) control arm: 5

## Results

|          | Exposed        | Unexposed            | Total    |
|----------|----------------|----------------------|----------|
| Cases    | 271            | 108                  | 379      |
| Noncases | 63             | 222                  | 285      |
| Total    | 334            | 330                  | 664      |
| Risk     | .8113772       | .3272727             | .5707831 |
|          | Point estimate | [95% Conf. Interval] |          |

|                 |                              |  |
|-----------------|------------------------------|--|
|                 | -----+-----                  |  |
| Risk difference | .4841045   .4183541 .5498549 |  |
| Risk ratio      | 2.479208   2.1061 2.918415   |  |
| Attr. frac. ex. | .5966454   .5251888 .6573482 |  |
| Attr. frac. pop | .4266251                     |  |
|                 | +-----                       |  |

|          |                           |
|----------|---------------------------|
|          | Exposed Unexposed   Total |
|          | -----+-----+-----         |
| Cases    | 25 5   30                 |
| Noncases | 309 325   634             |

|       |                   |
|-------|-------------------|
|       | -----+-----+----- |
| Total | 334 330   664     |

|      |                              |  |
|------|------------------------------|--|
|      |                              |  |
| Risk | .0748503 .0151515   .0451807 |  |

|  |                                       |  |
|--|---------------------------------------|--|
|  |                                       |  |
|  | Point estimate   [95% Conf. Interval] |  |

|                 |                                   |  |
|-----------------|-----------------------------------|--|
|                 | -----+-----                       |  |
| Risk difference | .0596988   .0285516 .090846       |  |
| Risk ratio      | 4.94012   1.914267 12.74889       |  |
| Attr. frac. ex. | .7975758   .4776068 .9215618      |  |
| Attr. frac. pop | .6646465                          |  |
| Odds ratio      | 5.2589   1.988126 13.9106 (Woolf) |  |
|                 | +-----                            |  |

1-sided Fisher's exact P = 0.0001

2-sided Fisher's exact  $P = 0.0002$

.