

# Hortonworks Data Platform

## Ambari 2.2.1 Release Notes

(Mar 1, 2016)

## Hortonworks Data Platform : Ambari 2.2.1 Release Notes

Copyright © 2012-2016 Hortonworks, Inc. All rights reserved.

The Hortonworks Data Platform, powered by Apache Hadoop, is a massively scalable and 100% open source platform for storing, processing and analyzing large volumes of data. It is designed to deal with data from many sources and formats in a very quick, easy and cost-effective manner. The Hortonworks Data Platform consists of the essential set of Apache Hadoop projects including MapReduce, Hadoop Distributed File System (HDFS), HCatalog, Pig, Hive, HBase, Zookeeper and Ambari. Hortonworks is the major contributor of code and patches to many of these projects. These projects have been integrated and tested as part of the Hortonworks Data Platform release process and installation and configuration tools have also been included.

Unlike other providers of platforms built using Apache Hadoop, Hortonworks contributes 100% of our code back to the Apache Software Foundation. The Hortonworks Data Platform is Apache-licensed and completely open source. We sell only expert technical support, [training](#) and partner-enablement services. All of our technology is, and will remain free and open source. Please visit the [Hortonworks Data Platform](#) page for more information on Hortonworks technology. For more information on Hortonworks services, please visit either the [Support](#) or [Training](#) page. Feel free to [Contact Us](#) directly to discuss your specific needs.

Licensed under the Apache License, Version 2.0 (the "License"); you may not use this file except in compliance with the License. You may obtain a copy of the License at

<http://www.apache.org/licenses/LICENSE-2.0>

Unless required by applicable law or agreed to in writing, software distributed under the License is distributed on an "AS IS" BASIS, WITHOUT WARRANTIES OR CONDITIONS OF ANY KIND, either express or implied. See the License for the specific language governing permissions and limitations under the License.

## Table of Contents

1. Release Notes Ambari - 2.2.1.0 .....	1
1.1. New Features .....	1
1.2. Behavioral Changes .....	2
1.3. Patch Information .....	4
1.4. Common Vulnerabilities and Exposures .....	4
1.5. Known Issues .....	4
1.6. Fixed Issues .....	9

# List of Tables

- 1.1. Table 1.1: New Features in Ambari 2.2.1.0 ..... 1
- 1.2. Table 1.2: New Features in Ambari 2.2.0.0 ..... 1
- 1.3. Ambari 2.2 Behavioral Changes ..... 2
- 1.4. Ambari 2.2.1 Known Issues ..... 4

# 1. Release Notes Ambari - 2.2.1.0

The Release Notes summarize and describe the following information released in Ambari 2.2.1.0:

- [New Features](#)
- [Behavioral Changes](#)
- [Patch Information](#)
- [Common Vulnerabilities and Exposures](#)
- [Known Issues](#)
- [Fixed Issues](#)

## 1.1. New Features

Ambari 2.2 includes the following new features and improvements:

**Table 1.1. Table 1.1: New Features in Ambari 2.2.1.0**

Feature	Description
Metric Widget Graph Custom Time Range <a href="#">AMBARI-14612</a>	Ability to select a custom time range for metric widget graph data.
HDP 2.4 Support <a href="#">AMBARI-14321</a>	Added support for installing and managing HDP 2.4.
Blueprint: Rack Info <a href="#">AMBARI-14600</a>	This feature is a <b>Technical Preview</b> . Support for setting host Rack Info when installing a cluster via a Blueprint.

**Table 1.2. Table 1.2: New Features in Ambari 2.2.0.0**

Feature	Description
Express HDP Upgrade <a href="#">AMBARI-13407</a>	New Express Upgrade option for HDP upgrades. See the Ambari Upgrade Guide for more information.
Ambari Web User Inactivity Timeout <a href="#">AMBARI-13419</a>	Ability to configure automatic logout due to inactivity for Ambari Web users. See the Ambari Reference Guide for more information.
Manage KDC Admin Credentials <a href="#">AMBARI-13449</a>	Ability to store and manage the KDC Admin credentials. See the Ambari Security Guide for more information.
Export Metric Widget Graph <a href="#">AMBARI-13313</a>	Ability to export the Ambari Web metric widget graph data in CSV or JSON format.
User Configurable timezones <a href="#">AMBARI-13293</a>	Ability for users to set timezone used to display Ambari Web metric widget graphs.
Customizable time range for graphs <a href="#">AMBARI-13331</a>	Ability to customize the time range display for Ambari Web Dashboard and Host Details pages.
Blueprints: Ranger	This feature is <b>Technical Preview</b> .

Feature	Description
<a href="#">AMBARI-13421</a>	Support for installing a cluster via a Blueprint that includes Ranger components, Ranger plugins and Ranger HA configuration.
Blueprints: Kerberos	This feature is <b>Technical Preview</b> .
<a href="#">AMBARI-13431</a>	Support for installing a cluster via a Blueprint that has Kerberos enabled.
Blueprints: Recommendations	This feature is <b>Technical Preview</b> .
<a href="#">AMBARI-13487</a>	Support for applying Stack Advisor recommendations when installing a cluster via a Blueprint.
Ranger Guided Configs	Service Configs for Ranger include new UI controls and improved organization/layout.
<a href="#">AMBARI-13263</a>	

## 1.2. Behavioral Changes

Ambari 2.2 introduces the following changes in behavior as compared to previous Ambari versions:

**Table 1.3. Ambari 2.2 Behavioral Changes**

Apache Jira	HWX Jira	Title	Description
<a href="#">AMBARI-13241</a> <a href="#">AMBARI-13251</a>	BUG-45125	DataNode Mount Directory List	The <code>hadoop-env/dfs.datanode.data.dir.mount.file</code> configuration property is no longer customizable from Ambari. The original default value of <code>"/etc/hadoop/conf/dfs_data_dir_mount.hist"</code> is now <code>"/var/lib/ambari-agent/data/datanode/dfs_data_dir_mount.hist"</code> , which is not customizable. On Ambari Agent upgrade, Ambari will automatically move the file from <code>"/etc/hadoop/conf/dfs_data_dir_mount.hist"</code> to <code>"/var/lib/ambari-agent/data/datanode/dfs_data_dir_mount.hist"</code> . If you have not modified this configuration property, no action is required. If you had previously modified this value, after upgrading to Ambari 2.2, you must restart your DataNodes for the file to be written to the new location.
<a href="#">AMBARI-12901</a> <a href="#">AMBARI-13062</a>	BUG-42230	Kerberos: Storm Headless Principal	The Ambari "headless" principal for Storm now includes <code>{cluster-name}</code> by default. Be sure to check the Ambari Principal names (on the Configure Identities step) when enabling Kerberos. This is <b>very important</b> when upgrading from Ambari 2.0 or earlier to Ambari 2.2
<a href="#">AMBARI-13067</a>	BUG-43905	Kafka Rolling Restart Action	Kafka Service Actions include an option for Rolling Restart of Kafka Brokers. This should be used in lieu of Restart All, which can result in Brokers failing to elect a leader while stopping
<a href="#">AMBARI-9784</a>	BUG-32201	JDK Support	Added support for JDK 1.8 and removed support for JDK 1.6. You must upgrade to JDK 1.7 in your current Ambari before upgrading to Ambari 2.2.
<a href="#">AMBARI-9791</a>	BUG-32223	OS Support	Added support for RHEL/CentOS/Oracle Linux 7 and removed support for RHEL/CentOS/Oracle Linux 5. You must be running RHEL/CentOS/Oracle Linux 6 or 7 before upgrading to Ambari 2.2.
<a href="#">AMBARI-6646</a>	RMP-3096	Rack Awareness	Added support for HDFS Rack Awareness. If you currently configured HDFS for rack awareness using your own topology script, that configuration will stay in place. If you want to switch to use Ambari Rack Awareness features, you will need to update the HDFS <code>net.topology.script.file.name</code> property to use the Ambari-generated script: <code>/etc/hadoop/conf/topology_script.py</code>
<a href="#">AMBARI-10506</a>	BUG-33967	SSL Client and Server Configuration	Added support for managing <code>ssl-client</code> and <code>ssl-server</code> HDFS configurations. If you are currently managing these files

Apache Jira	HWX Jira	Title	Description
			manually across the hosts in your cluster, you will need to migrate management to Ambari.
<a href="#">AMBARI-12258</a>	BUG-40449	ambari-env.sh Backup	During Ambari upgrade, the existing ambari-env.sh file is overwritten and a backup copy of ambari-env.sh (with extension .rpmsave) is created. If you have manually modified ambari-env.sh (for example, to change Ambari Server heap), you will need to re-apply your changes to the new file.
<a href="#">AMBARI-10648</a>	BUG-34434	Heatmaps	The Ambari Web Dashboard > Heatmaps tab includes a list of all heatmaps available for the hosts and services in the cluster. In addition, each Service that has Heatmaps also include a Service > Heatmaps tab with the list of the heatmaps specific to that Service. For example, HDFS and YARN include a heatmaps tab under their respective Services.
<a href="#">AMBARI-9794</a>	BUG-32000	Config Organization	The new Guided Configs features changes the layout + controls of Service Configs for HDFS, YARN, Hive and HBase. Under the Service > Configs tab, you will see sub-tabs "Settings" and "Advanced". The Settings tab include the most commonly used configuration properties for that service. The Advanced tab includes all other properties (with a layout similar to previous Ambari releases), including the Custom sections where you can add custom properties to a service configuration.
<a href="#">AMBARI-10400</a>	BUG-34054	Sudo Usage	When Ambari Agents are configured to run as non-root, Ambari will use sudo to execute commands. Therefore, sudo must be available in order to run non-root Agents. If you are not running a non-root Agent configuration, sudo will not be used to execute commands.
		Removed SLES 11 SP1 Support	SLES 11 SP1 or SP3 can be used with Ambari when installing and managing HDP 2.2 or 2.1 clusters. SLES 11 SP1 cannot be used with Ambari installing and managing HDP 2.3. You must use SLES 11 SP3.
		HDP 2.1 Support Deprecated	Ambari support for HDP 2.1 is <b>deprecated</b> with Ambari 2.2. Support for HDP 2.1 <b>will be removed</b> in a future Ambari release.
		HDP 2.2 Support Deprecated	Ambari support for HDP 2.2 is <b>deprecated</b> with Ambari 2.2.1. Support for HDP 2.2 <b>will be removed</b> in a future Ambari release.
		HDP 2.0 Support Removed	Ambari support for installing and managing HDP 2.0 has been removed. Before upgrading to Ambari 2.2, <b>you must first upgrade to HDP 2.2 using either Ambari 1.7 or 2.0</b> . Once running HDP 2.2, you can upgrade your current Ambari to Ambari 2.2.
		HDP 2.1 to HDP 2.2 Upgrade	Ambari 2.2 does <b>not</b> support directly upgrading from HDP 2.1 to HDP 2.2. In order to upgrade from HDP 2.1, <b>you must first upgrade to HDP 2.2 using either Ambari 1.7 or 2.0</b> . Once completed, upgrade your current Ambari to Ambari 2.2.
		HDP 2.1 to HDP 2.3 Upgrade	Ambari 2.2 does <b>not</b> support upgrading from HDP 2.1 to HDP 2.3 if Kerberos is enabled in your HDP 2.1 cluster. Please contact Hortonworks Support for guidance on how to proceed.
		HDP 2.3.0 and 2.3.2 ATS Support	With newer maintenance releases of HDP 2.3 (2.3.4 or latest), the ATS component of YARN supports a new store configuration. Therefore, if attempting to install HDP 2.3.2 or earlier with Ambari, you will need to modify the store-class used by YARN ATS to work with the earlier LevelDB store. Refer to the <a href="#">Troubleshooting Guide</a> for more information.
		Slider View Deprecated	The Slider View is <b>deprecated</b> with Ambari 2.2. Support for the Slider View <b>will be removed</b> in a future Ambari release.

## 1.3. Patch Information

Ambari 2.2.1.0 is based on Apache Ambari 2.2.1 and does not require any additional Apache patches to match the Apache code base. Hortonworks' philosophy is to provide patches only when absolutely necessary to assure inter-operability of the components. Unless you are explicitly directed by Hortonworks Support to take a patch update, Ambari 2.2.1.0 needs to remain at this package version level to ensure a certified and supported copy of Ambari 2.2.1.0.

## 1.4. Common Vulnerabilities and Exposures

Ambari 2.2.1.0 includes fixes for the following information-security **Common Vulnerabilities and Exposures (CVEs)**:

**CVE-2016-0731:** Restrict file:// access through Ambari File Browser View

**Severity:** Important

**Vendor:** Hortonworks

**Versions Affected:** Ambari 2.2.0 and All Ambari 2.1.x releases

**Users Affected:** All users of the Ambari File Browser View.

**Impact:** : See BUG-51550 and [AMBARI-14780](#). An Ambari Administrator can configure the Ambari File Browser View to access local files by entering a file:// value as the WebHDFS URL configuration setting.

**Recommended Action:** Upgrade to Ambari 2.2.1.

## 1.5. Known Issues

Ambari 2.2.1.0 has the following known issues, scheduled for resolution in a future release. Also, refer to the [Ambari Troubleshooting Guide](#) for additional information.

**Table 1.4. Ambari 2.2.1 Known Issues**

Apache Jira	HWX Jira	Problem	Solution
	BUG-52221	When using HDP 2.4 and adding Atlas Service to a cluster that includes Hive, the Atlas Metadata Server fails to start if Ambari was upgraded from a previous release and then HDP stack was then upgraded to 2.4 version.	When adding Atlas to a cluster that includes Hive, the Atlas Metadata Server fails to start with the following error:



Apache Jira	HWX Jira	Problem	Solution
			<pre> Traceback (most recent call last):   File "/var/lib/ambari-agent/ cache/common-services/ATLAS/ 0.1.0.2.3/ package/scripts/ metadata_server.py", line 132, in &lt;module&gt;     MetadataServer().execute()   File "/usr/lib/python2.6/site- packages/resource_management/ libraries/script/script.py", line 219, in execute     method(env)   File "/var /lib/ambari-agent/ cache/common-services/ATLAS/ 0.1.0.2.3/ package /scripts/ metadata_server.py", line 53, in start     self.configure(env) ...   File "/usr/lib/python2.6/site- packages/resource_management/core/ source.py", line 51, in __call__     return self.get_content()   File "/usr/lib/python2.6/site- packages/resource_management/core/ source.py", line 75, in get_content     raise Fail( "{0} Source file {1} is not found". format(repr(self), path)) resource_management.core. exceptions.Fail: StaticFile('/usr/ hdp/current/atlas-server/server/ webapp/atlas.war') Source file /usr/hdp/current/atlas- server/server/webapp/atlas.war is not found </pre> <p>This situation occurs because Atlas was not installed on the host although Ambari thought it was successful (and therefore, failed to start). The workaround is to manually install the following package on the host.</p> <pre>yum install atlas-metadata_2_4_*</pre> <p>and then copy the file client.properties in /usr/hdp/&lt;2.4.x.y&gt;/etc/atlas/conf.dist/ directory to /etc/atlas/conf/ directory where &lt;2.4.x.y&gt; is the HDO version, for example 2.4.0.0-160 .</p> <p>Then, start Atlas from Ambari Web.</p>
	BUG-51515	When selecting a time range that does not include any data, the metric widget graph will not be updated.	When viewing a metric widget graph, if you are select a time range that does not include any metrics data, the graph will not be updated in the Ambari Web UI. This might occur if you select a time range that is prior to collection starting on the cluster. Select a different time range.
	BUG-51254	When using RHEL/CentOS 7.2 or above, systemd does not work on ambari-server.	<p>The following message appears when systemctl on ambari-server is used on RHEL/CentOS 7.2 or above:</p> <pre> [root@c7201 ~]# systemctl status ambari-server ambari- server.service Loaded: not- found (Reason: No such file </pre>

Apache Jira	HWX Jira	Problem	Solution
			<p>or directory) Active: inactive (dead)</p> <p>To correct the problem, run the following on the ambari-server host:</p> <pre>unlink /etc/rc.d/init.d/ ambari-server &amp;&amp; cp -a / usr/sbin/ambari-server /etc/ rc.d/init.d/ambari-server &amp;&amp; systemctl daemon-reload</pre>
	BUG-50992	Ambari is not showing active/standby status for NameNodes. This is because, when NameNode HA is enabled, if the NameNode ports specified through <code>dfs.namenode.http(s)-address.{nameservice}.{namenode}</code> e.g. <code>dfs.namenode.http(s)-address.nameservice.nn1</code> and <code>dfs.namenode.http(s)-address.nameservice.nn2</code> are different than the one specified using <code>dfs.namenode.http-address</code> .	Modify the port number specified in <code>dfs.namenode.http(s)-address</code> to match the port numbers specified in <code>dfs.namenode.http(s)-address.{nameservice}.{namenode}</code>
	BUG-50791	If you have configured your cluster for LZO, MapReduce and Oozie Service checks might fail after HDP Upgrade.	<ol style="list-style-type: none"> <li>1. If you are using LZO, make sure before starting upgrade that LZO codec path does not contain hard-coded HDP version. LZO codec path is specified as a part of <code>mapreduce.application.classpath</code> property value at <code>mapred-site</code> config for YARN. The correct LZO codec path should look like the following: <pre>/usr/hdp/\${hdp.version}/hadoop/ lib/hadoop-lzo-0.6.0.\${hdp. version}.jar</pre> </li> <li>2. Also, if you configured your cluster for Tez and LZO, then make sure before starting upgrade that property <code>tez.cluster.additional.classpath.prefix</code> of <code>tez-site</code> config does not contain hard-coded HDP version. Proper classpath value should look like the following: <pre>/usr/hdp/\${hdp.version}/hadoop/ lib/hadoop-lzo-0.6.0.\${hdp. version}.jar:/etc/hadoop/conf/ secure</pre> </li> <li>3. In addition, if you have Oozie service installed, after removing the hdp version hardcoding from LZO path update the <code>oozie-env</code> with following: <pre>export HADOOP_OPTS="- Dhdp.version=\$HDP_VERSION \$HADOOP_OPTS"</pre> </li> </ol>
	BUG-49728	When adding a ZooKeeper service, Kafka property is not updated.	If you are running Kafka and add an additional ZooKeeper server to your cluster, the <code>zookeeper.connect</code> property is not automatically updated to include the newly added ZooKeeper server.

Apache Jira	HWX Jira	Problem	Solution
			You must manually add the ZooKeeper server to the zookeeper.connect property.
<a href="#">AMBARI-14012</a>	BUG-41044	After upgrading from HDP 2.1 and restarting Ambari, the Admin > Stack and Versions > Versions tab does not show in Ambari Web.	After performing an upgrade from HDP 2.1 and restarting Ambari Server and the Agents, if you browse to Admin > Stack and Versions in Ambari Web, the Versions tab does not display. Give all the Agent hosts in the cluster a chance connect to Ambari Server by wait for Ambari to show the Agent heartbeats as green and then refresh your browser.
<a href="#">AMBARI-12389</a>	BUG-41040	After adding Falcon to your cluster, the Oozie configuration is not properly updated.	<p>After adding Falcon to your cluster using "Add Service", the Oozie configuration is not properly updated. After completion of Add Service wizard, add properties on Services &gt; Oozie &gt; Configs &gt; Advanced &gt; Custom oozie-site. The list of properties can be found here: <a href="https://github.com/apache/ambari/blob/branch-2.1/ambari-server/src/main/resources/common-services/FALCON/0.5.0.2.1/configuration/oozie-site.xml">https://github.com/apache/ambari/blob/branch-2.1/ambari-server/src/main/resources/common-services/FALCON/0.5.0.2.1/configuration/oozie-site.xml</a>. Once added, Restart Oozie and execute this command on oozie server host:</p> <pre>su oozie -c '/usr/hdp/current/oozie-server/bin/oozie-setup.sh prepare-war'</pre> <p>Start Oozie.</p>
<a href="#">AMBARI-12412</a>	BUG-41016	Storm has no metrics if service is installed via a Blueprint.	<p>The following properties need to be added to <b>storm-site</b>. Browse to Services &gt; Storm &gt; Configs and add the following properties. Restart the Storm service.</p> <pre>topology.metrics.consumer.register=[{'class': 'org.apache.hadoop.metrics2.sink.storm.StormTimelineMetricsSink', 'parallelism.hint': 1}] metrics.reporter.register=org.apache.hadoop.metrics2.sink.storm.StormTimelineMetricsReporter</pre>
	BUG-40773	Kafka broker fails to start after disabling Kerberos security.	<p>When enabling Kerberos, Kafka security configuration is set and all the ZooKeeper nodes in Kafka will have ACLs set so that only Kafka brokers can modify entries in ZooKeeper. If you disable Kerberos, you user must set all the Kafka ZooKeeper entries to world readable/writable prior to disabling Kerberos. Before disabling kerberos for Kafka. Log-in as user "kafka" on one of Kafka nodes:</p> <pre>kinit -k -t /etc/security/keytabs/kafka.service.keytab kafka/_HOST</pre> <p>where _HOST should be replaced by the hostname of that node. Run the following command to open zookeeper shell:</p> <pre>/usr/hdp/current/kafka-broker/bin/zookeeper-shell.sh hostname:2181</pre> <p>where hostname here should be replaced by one of the zookeeper nodes</p>

Apache Jira	HWX Jira	Problem	Solution
			<pre>setAcl /brokers world:anyone:crdwa setAcl /config world:anyone:crdwa setAcl /controller   world:anyone:crdwa setAcl /admin world:anyone:crdwa</pre> <p>If the above commands do not run prior to disabling Kerberos, the only option is to set "zookeeper.connect property" to a new ZooKeeper root. This can be done by appending "/newroot" to "zookeeper.connect.property" string. For example "host1:port1,host2:port2,host3:port3/newroot"</p>
	BUG-40694	The Slider view is not supported on a cluster with SSL (wire encryption) enabled.	Only use the Slider view on clusters without wire encryption enabled. If it is required to run Slider on a cluster with wire encryption enabled, please contact Hortonworks support for further help.
	BUG-40541	If there is a trailing slash in the Ranger External URL the NameNode will fail to startup.	Remove the trailing slash from the External URL and and start up the Name Node.
AMBARI-12436	BUG-40481	<p>Falcon Service Check may fail when performing Rolling Upgrade, with the following error:</p> <pre>2015-06-25 18:09:07,235 ERROR - [main:] ~ Failed to start ActiveMQ JMS Message Broker. Reason: java.io.IOException: Invalid location: 1:6763311, : java.lang. NegativeArraySizeException (BrokerService:528) java.io.IOException: Invalid location: 1:6763311, : java.lang. NegativeArraySizeException at org.apache.kahadb. journal.DataFileAccessor. readRecord(DataFileAccessor. java:94)</pre> <p>This condition is rare.</p>	<p>When performing a Rolling Upgrade from HDP 2.2 to HDP 2.3 and Falcon Service Check fails with the above error, browse to the Falcon ActiveMQ data dir (specified in falcon properties file), remove the corrupted queues, and stop and start the Falcon Server.</p> <pre>cd &lt;ACTIVEMQ_DATA_DIR&gt; rm -rf ./localhost cd /usr/hdp/current/falcon-server su -l &lt;FALCON_USER&gt; ./bin/falcon-stop ./bin/falcon-start</pre>
	BUG-40323	After switching RegionServer ports, Ambari will report RegionServers are live and dead.	HBase maintains the list of dead servers and live servers according to it's semantics. Normally a new server coming up again with the same port will cause the old server to be removed from the dead server list. But due to port change, it will stay in that list for ~2 hours. If the server does not come at all, it will still be removed from the list after 2 hours. Ambari will alert, based on that list until the RegionServers are removed from the list by HBase.
AMBARI-12283	BUG-40300	After adding or deleting ZooKeeper Servers to an existing cluster, Service Check fails.	After adding or deleting ZooKeeper Servers to an existing cluster, Service Check fails due to conflicting zk ids. Restart ZooKeeper service to clear the ids.
AMBARI-12005	BUG-24902	Setting cluster names hangs Ambari.	If you attempt to rename a cluster to a string > 100 chars, Ambari Server will

Apache Jira	HWX Jira	Problem	Solution
			hang. Restart Ambari Server to clear the hang.

## 1.6. Fixed Issues

The following table lists selected issues resolved in Ambari 2.2:

Version	Category	Apache Jira	HWX Jira	Summary
2.2.1.0	Other	<a href="#">AMBARI-14697</a>	BUG-51097	AMS monitor should use same hostname as ambari agent and server.
2.2.1.0	Other	<a href="#">AMBARI-14680</a>	BUG-50715	Journal node https results JournalsStatus not available in the API
2.2.1.0	Other	<a href="#">AMBARI-14636</a>	BUG-50536	Add stack advisor validation for AMS distributed properties
2.2.1.0	Other	<a href="#">AMBARI-14455</a>	BUG-50283	After changing the hostname on the HA cluster the ZKFC's metadata still uses old hostname.
2.2.1.0	Other	<a href="#">AMBARI-14410</a>	BUG-50048	It failed to change the host name from Upper to Lower case for the cluster
2.2.1.0	Other	<a href="#">AMBARI-14449</a>	BUG-49929	ambari download client configs says config generation failed want to retry when it actually worked
2.2.1.0	Other	<a href="#">AMBARI-14514</a>	BUG-49899	Hive View: Config changes(Local <=> Custom) are not reflected unless ambari-server is restarted
2.2.1.0	Other	<a href="#">AMBARI-14382</a>	BUG-49892	some hdfs metrics do not use active NN
2.2.1.0	Other	<a href="#">AMBARI-14659</a>	BUG-49757	Pig view : explain script contains errors on secure cluster
2.2.1.0	Other	<a href="#">AMBARI-14464</a>	BUG-49740	Yarn ATS show alert at single node cluster via blueprints without slave components
2.2.1.0	Other	<a href="#">AMBARI-14506</a>	BUG-49239	Certain config properties get reverted when adding new host or host component (secure cluster)
2.2.1.0	Other	<a href="#">AMBARI-13700</a>	BUG-45736	hbase.root dir for metrics server does not get updated after NN HA is enabled
2.2.1.0	Performance	<a href="#">AMBARI-14660</a>	BUG-50793	HistoryServer upgrade times out when /app-logs is too large
2.2.1.0	Performance	<a href="#">AMBARI-14519</a>	BUG-49797	GET calls to /requests become very slow after installing packages on 900 node cluster
2.2.1.0	Performance	<a href="#">AMBARI-14520</a>	BUG-49793	BE: Install packages call takes more than 3 minutes on 900 node cluster
2.2.1.0	Performance	<a href="#">AMBARI-14509</a>	BUG-49792	Handle the case when UI call to 'Install Packages' action times out
2.2.1.0	Performance	<a href="#">AMBARI-14607</a>	BUG-49397	Requests to start/stop all services are very slow
2.2.1.0	Security	<a href="#">AMBARI-14698</a>	BUG-51098	Kerberos automation logic should use stack advisor when determining configuration updates
2.2.1.0	Security	<a href="#">AMBARI-14667</a>	BUG-50862	Cannot add new service when kerberos is enabled w/ blueprint
2.2.1.0	Security	<a href="#">AMBARI-14668</a>	BUG-50325	Kerberos specifical properties reverted during secured cluster deploy via blueprint
2.2.1.0	Security	<a href="#">AMBARI-14434</a>	BUG-50123	Passwords for headless principals with cached keytab files are changed unnecessarily
2.2.1.0	Security	<a href="#">AMBARI-14460</a>	BUG-50106	Enable kerberos security after express upgrade has failed at Start service step because of slider client xml permission.
2.2.1.0	Security	<a href="#">AMBARI-14550</a>	BUG-50095	Ranger KMS install from Ambari - Add ability to skip DB/DB user setup
2.2.1.0	Security	<a href="#">AMBARI-14484</a>	BUG-49906	JDK was installed with incorrect permissions on agent host
2.2.1.0	Security	<a href="#">AMBARI-14466</a>	BUG-49448	warning setpgid failed issued when starting ambari server

Version	Category	Apache Jira	HWX Jira	Summary
2.2.1.0	Security	<a href="#">AMBARI-14409</a>	BUG-49334	Blueprints: Kerberos deployments fail intermittently due to invalid keytabs
2.2.1.0	Security	<a href="#">AMBARI-14503</a>	BUG-48884	Hive View does not honour auth_to_local rules when running queries
2.2.1.0	Security	<a href="#">AMBARI-14251</a> , <a href="#">AMBARI-14664</a>	BUG-48337	Blueprints: After Kerberos deployment, UI requires that Yarn service be restarted
2.2.1.0	Security	<a href="#">AMBARI-14708</a>	BUG-45167	LDAP Requests Via nsld Take Too Long In Some Organizations
2.2.1.0	Stability	<a href="#">AMBARI-14718</a>	BUG-51186	on region server restart ambari is setting /tmp to hbase:hadoop
2.2.1.0	Stability	<a href="#">AMBARI-14729</a>	BUG-51185	API does not return host component metrics (except for one host)
2.2.1.0	Stability	<a href="#">AMBARI-14704</a>	BUG-51103	Restart storm fails with a metrics storm sink jar related error sometimes
2.2.1.0	Stability	<a href="#">AMBARI-14707</a>	BUG-51024	Ambari should return 400 (instead of 500) when the hive query cannot be compiled
2.2.1.0	Stability	<a href="#">AMBARI-14734</a>	BUG-50826	RU/EU, add PreCheck to prevent starting upgrade if a previous upgrade skipped the step Save DB State
2.2.1.0	Stability	<a href="#">AMBARI-14643</a>	BUG-50784	Ambari agent dir is not recreated if /var/run/<ambari_dir> is deleted on non-root agent
2.2.1.0	Stability	<a href="#">AMBARI-14611</a>	BUG-50733	Stack advisor: ConcurrentModificationException with blueprint provisioning
2.2.1.0	Stability	<a href="#">AMBARI-14593</a>	BUG-50420	Ambari not showing active/standby status for Resource manager when custom ports are used
2.2.1.0	Stability	<a href="#">AMBARI-14493</a>	BUG-50262	Add Service: deploy fails due to duplicate components create
2.2.1.0	Stability	<a href="#">AMBARI-14454</a>	BUG-50191	File Permission is not applied properly while using fast-hdfs-resource.jar
2.2.1.0	Stability	<a href="#">AMBARI-14465</a>	BUG-50133	When the JDBC URL for Oracle contains a non-standard port, some changes cannot be made via Smart Configs UI for Hive
2.2.1.0	Stability	<a href="#">AMBARI-14420</a>	BUG-50044	Atlas MetaData server start fails due to missing package while adding Atlas service after Hive service
2.2.1.0	Stability	<a href="#">AMBARI-14479</a>	BUG-50005	Namenode start fails when time taken to get out of safemode is more than 20 minutes.
2.2.1.0	Stability	<a href="#">AMBARI-14491</a>	BUG-49992	ZOOKEEPER_SERVER INSTALL failed
2.2.1.0	Stability	<a href="#">AMBARI-14424</a>	BUG-49310	Hive Metastore alert timeout
2.2.1.0	Stability	<a href="#">AMBARI-14199</a>	BUG-49255	Ambari Agent should not rely on CWD of user who started it
2.2.1.0	Stability	<a href="#">AMBARI-14507</a>	BUG-48747	Attempt to Open a Saved Query Returns Unexpected Results
2.2.1.0	Upgrade	<a href="#">AMBARI-14652</a>	BUG-50877	Express upgrade to HDP 2.4 has failed on Calculating Yarn Properties for Spark
2.2.1.0	Upgrade	<a href="#">AMBARI-14730</a>	BUG-50688	After upgrade from 2.3.2 to 2.3.4, HBase fails to start, remove props for local indexing
2.2.1.0	Upgrade	<a href="#">AMBARI-14517</a>	BUG-50304	Database version check doesn't work in case of existing database from older Ambari version
2.2.1.0	Upgrade	<a href="#">AMBARI-14581</a>	BUG-50160	Intermittent error during Hive Server restart while EU from Dal to Dal M10 to Dal M20
2.2.1.0	Upgrade	<a href="#">AMBARI-14581</a>	BUG-50158	Intermittent error during Hive Metastore restart while EU from 2.2.8 to 2.3.4.0 on SLES
2.2.1.0	Upgrade	<a href="#">AMBARI-14436</a>	BUG-50113	Spark ThriftServer Does Not Upgrade
2.2.1.0	Upgrade	<a href="#">AMBARI-14775</a>	BUG-50068	HiveServer2 shows down after downgrade to 2.2.9 due to schema version mismatch
2.2.1.0	Upgrade	<a href="#">AMBARI-14505</a>	BUG-49957	UpgradeCatalog211 executeHostComponentStateDDLUpdates is not idempotent

Version	Category	Apache Jira	HWX Jira	Summary
2.2.1.0	Upgrade	<a href="#">AMBARI-14489</a>	BUG-49639	EU/RU: failure not shown on all levels
2.2.1.0	Upgrade	<a href="#">AMBARI-14389</a>	BUG-49613	tez view disappeared after upgrading from ambari 2.1.2 to 2.2.0.0
2.2.1.0	Upgrade	<a href="#">AMBARI-14398</a>	BUG-49318	SUPERVISOR START failed post EU
2.2.1.0	Upgrade	<a href="#">AMBARI-14352</a>	BUG-49296	EU/RU: add error handler for "Pause upgrade"
2.2.1.0	Usability	<a href="#">AMBARI-14705</a>	BUG-51107	nodes in non default config group do no get prompted for restart to update stale configs
2.2.1.0	Usability	<a href="#">AMBARI-14473</a>	BUG-49874	Cannot update storm zk quorum from ambari UI
2.2.1.0	Usability	<a href="#">AMBARI-14468</a>	BUG-49873	adding zk servers post install did not update the zk servers in other services
2.2.0.0	Other	<a href="#">AMBARI-12362</a>	BUG-45219	NFSGateway reports wrong count after manual stack upgrade
2.2.0.0	Other	<a href="#">AMBARI-12873</a>	BUG-44998	Handle Oracle DB connection string when not running port 1521
2.2.0.0	Other	<a href="#">AMBARI-13151</a>	BUG-44534	Multiple Oozie Servers can be added with Install Wizard and ASW
2.2.0.0	Other	<a href="#">AMBARI-13200</a>	BUG-42195	Pig View has incorrect class org.apache.hcatalog.pig.HCatLoader(); being loaded with the pre
2.2.0.0	Other	<a href="#">AMBARI-13212</a>	BUG-44659	There is no need to put 700 for /user/hive directory, or at least make it configurable
2.2.0.0	Other	<a href="#">AMBARI-13226</a>	BUG-44989	Second ambari-server silent-mode setup does not switch DB - add unit tests
2.2.0.0	Other	<a href="#">AMBARI-13227</a>	BUG-44515	Debian 7. Host check does not show warning about THP enabled on hosts.
2.2.0.0	Other	<a href="#">AMBARI-13256</a>	BUG-44957	configs.sh cannot add name-value pair to an empty config
2.2.0.0	Other	<a href="#">AMBARI-13281</a>	BUG-45448	Hive View [Visualization] Enhancements
2.2.0.0	Other	<a href="#">AMBARI-13284</a>	BUG-42903	HostCleanup script does not work for hosts that are manually registered
2.2.0.0	Other	<a href="#">AMBARI-13297</a>	BUG-45208	change nimbus.monitor.freq.secs=120 in ambari
2.2.0.0	Other	<a href="#">AMBARI-13317</a>	BUG-45331	API call to load Host Component links on Service dashboard should be independent of metrics.
2.2.0.0	Other	<a href="#">AMBARI-13322</a>	BUG-44979	Should not log "unable to get latest URL" as ERROR
2.2.0.0	Other	<a href="#">AMBARI-13338</a>	BUG-45529	Ambari Web should surface HTTP 413 error
2.2.0.0	Other	<a href="#">AMBARI-13343</a>	BUG-46175	Ambari Hive View should be able to talk HTTP to HS2
2.2.0.0	Other	<a href="#">AMBARI-13344</a> , <a href="#">AMBARI-13345</a>	BUG-46283	Views: HDFS API utility needs to work with WASB
2.2.0.0	Other	<a href="#">AMBARI-13356</a>	BUG-43525	Manual commands given by Ambari are incorrect when yarn.timeline-service.leveldb-timeline-store.path is non-default
2.2.0.0	Other	<a href="#">AMBARI-13360</a>	BUG-45770	Redundant links to Ganglia Web UI
2.2.0.0	Other	<a href="#">AMBARI-13361</a>	BUG-45492	Ambari does not install phoenix if one enables phoenix after cluster install is done
2.2.0.0	Other	<a href="#">AMBARI-13376</a>	BUG-44852	Prioritize point in time queries to JMX endpoints
2.2.0.0	Other	<a href="#">AMBARI-13388</a>	BUG-45786	Update hbase-env config without removing custom changes
2.2.0.0	Other	<a href="#">AMBARI-13390</a>	BUG-45000	Unable to set user value for kafka-broker/kafka.metrics.reporters
2.2.0.0	Other	<a href="#">AMBARI-13394</a>	BUG-45318	Save checkpoint window does not appear for hosts operations
2.2.0.0	Other	<a href="#">AMBARI-13523</a>	BUG-44021	Ambari should expose storm log4j configs
2.2.0.0	Other	<a href="#">AMBARI-13538</a>	BUG-44881	Allow special characters in Ranger passwords
2.2.0.0	Other	<a href="#">AMBARI-13540</a>	BUG-46590	Emails Dispatched From Ambari Are Not RFC 2822 Compliant And May Be Rejected

Version	Category	Apache Jira	HWX Jira	Summary
2.2.0.0	Other	<a href="#">AMBARI-13585</a>	BUG-46215	Flume metrics do not match up with data being processed by storm in our streaming pipeline
2.2.0.0	Other	<a href="#">AMBARI-13598</a>	BUG-46156	flume metrics show 0 numbers on the y axis even though the graph has data
2.2.0.0	Other	<a href="#">AMBARI-13606</a>	BUG-46998	Files View: Enable to preview files in WEBHDFS
2.2.0.0	Other	<a href="#">AMBARI-13641</a>	BUG-45708	Various metrics show no data available - when HA enabled
2.2.0.0	Other	<a href="#">AMBARI-13693</a>	BUG-46963	Ambari Blueprint sets inconsistent Yarn RM values
2.2.0.0	Other	<a href="#">AMBARI-13809</a>	BUG-47368	In an upgraded cluster: JDK 1.8 option not available in ambari-server setup
2.2.0.0	Other	<a href="#">AMBARI-13866</a>	BUG-47778	SNMPv3 option for SNMP Alert Notification needs to be removed
2.2.0.0	Other	<a href="#">AMBARI-13884</a>	BUG-47679	Devdeploy: Knox service check have started before the knox start action
2.2.0.0	Other	<a href="#">AMBARI-13899</a>	BUG-45879	Spark config with hdp.version info
2.2.0.0	Other	<a href="#">AMBARI-13938</a>	BUG-46800	Select on large BIGINT in Ambari Hive View returns incorrect value
2.2.0.0	Other	<a href="#">AMBARI-13953</a>	BUG-44679	Config types, incorrect number of selected=1
2.2.0.0	Other	<a href="#">AMBARI-13988</a>	BUG-48443	Hive View : Upload Table Tab : if selected datatabase is default then data does not show in table
2.2.0.0	Other	<a href="#">AMBARI-14218</a>	BUG-40737	Table does not have all the vertices for outputs after CTAS queries
2.2.0.0	Other	RANGER-741	BUG-47984	Audit to DB properties are required to be filled even if user doesn't want to use DB auditing
2.2.0.0	Performance	<a href="#">AMBARI-12537</a> , <a href="#">AMBARI-13833</a>	BUG-41531	Blueprints Cluster configuration task thread should not wait indefinitely
2.2.0.0	Performance	<a href="#">AMBARI-13147</a>	BUG-44719	Heatmaps page: page hangs for a while on HDFS metrics
2.2.0.0	Performance	<a href="#">AMBARI-13275</a>	BUG-45196	Comparing of config versions works incorrectly for DBs
2.2.0.0	Performance	<a href="#">AMBARI-13290</a>	BUG-45433	Set kafka userid ulimit open files to 32k for kafka broker through Ambari
2.2.0.0	Performance	<a href="#">AMBARI-13473</a>	BUG-45511	Navigation between pages in installer too long
2.2.0.0	Performance	<a href="#">AMBARI-13517</a>	BUG-46066	Ambari throwing harmless message ObjectGraphWalker:209 - The configured limit of 1,000 object references was reached
2.2.0.0	Performance	<a href="#">AMBARI-13560</a>	BUG-45885	Ambari server Deadlock on View deploy
2.2.0.0	Performance	<a href="#">AMBARI-13643</a>	BUG-45644	Warn if Xmn size is oversubscribed
2.2.0.0	Performance	<a href="#">AMBARI-13735</a>	BUG-47763	Manage Ambari Alert Notifications editing group causes ConcurrentModificationException
2.2.0.0	Performance	<a href="#">AMBARI-13811</a>	BUG-47707	Typing fast in 'name' filter field of the Hosts table misses trailing characters
2.2.0.0	Performance	<a href="#">AMBARI-14051</a>	BUG-48414	Remove httpclient library dep from AbstractTimelineMetricsSink to respect timeout settings
2.2.0.0	Performance	<a href="#">AMBARI-14088</a>	BUG-48720	Add GC tuning params to Collector daemon similar to HBase
2.2.0.0	Performance	<a href="#">AMBARI-14140</a>	BUG-48488	Test / Adopt FIFO compaction policy for AMS high load tables
2.2.0.0	Potential Data Loss	<a href="#">AMBARI-13368</a>	BUG-45345	'chmod -R 755' should be executed against Nodemanager local dirs
2.2.0.0	Potential Data Loss	<a href="#">AMBARI-13880</a>	BUG-47974	DataNode Data Directories Which Contain Meta Information Tags Trigger Alerts
2.2.0.0	Potential Data Loss	<a href="#">AMBARI-14030</a>	BUG-48302	Datanode shows up prematurely as 'Decomissioned' in Ambari UI while it is 'Decomissioning in Progress' in Namenode UI
2.2.0.0	Security	<a href="#">AMBARI-13138</a>	BUG-44506	Ranger installed with HDP 2.2 doesn't handle alerts when http, https ports value are changed



Version	Category	Apache Jira	HWX Jira	Summary
2.2.0.0	Security	<a href="#">AMBARI-13177</a>	BUG-44062	(Ambari 2.1 with HDP 2.2) Ranger setup in Ambari does not respect custom service users
2.2.0.0	Security	<a href="#">AMBARI-13183</a>	BUG-44772	Unable to 'Download CSV' file from the Kerberos Wizard on Safari
2.2.0.0	Security	<a href="#">AMBARI-13258</a>	BUG-45066	Kerberos Wizard: next button on Confirm Configuration doesn't work after page refresh
2.2.0.0	Security	<a href="#">AMBARI-13278</a>	BUG-45016	Add security-related HTTP headers to keep Ambari up to date with best-practices
2.2.0.0	Security	<a href="#">AMBARI-13295</a>	BUG-45148	ACCUMULO_TRACER START failed after enabling Kerberos
2.2.0.0	Security	<a href="#">AMBARI-13304</a>	BUG-45589	Add security-related HTTP headers to Views to keep Ambari up to date with best-practices
2.2.0.0	Security	<a href="#">AMBARI-13316</a>	BUG-44827	Stack Advisor for hive.security.authorization.manager with Ranger enabled is not specific enough
2.2.0.0	Security	<a href="#">AMBARI-13321</a>	BUG-45634	Oozie Alert Fails In Kerberized Environment That Is Not SSL
2.2.0.0	Security	<a href="#">AMBARI-13346</a>	BUG-44519	Hiveserver start fails when ranger digital password used
2.2.0.0	Security	<a href="#">AMBARI-13354</a>	BUG-44502	Ambari is not able to run Oozie Server which configured with different username than oozie
2.2.0.0	Security	<a href="#">AMBARI-13436</a>	BUG-45065	Kerberos Wizard: null in request logs
2.2.0.0	Security	<a href="#">AMBARI-13441</a>	BUG-44280	If Ambari Server is not part of the cluster, basic operations throw 500 (NPE) when Kerberos is enabled (even if it is Manual Kerberos)
2.2.0.0	Security	<a href="#">AMBARI-13488</a>	BUG-45684	Add 'hive.conf.restricted.list' property under hiveserver2-site when Ranger Hive plugin is enabled
2.2.0.0	Security	<a href="#">AMBARI-13566</a>	BUG-46302	After upgrade Namenode fails to start when Kerberos is enabled using HDP 2.2.8.0
2.2.0.0	Security	<a href="#">AMBARI-13706</a>	BUG-46736	Ambari Alert for verifying if Ranger admin password is in sync between Ranger and Ambari
2.2.0.0	Security	<a href="#">AMBARI-13711</a>	BUG-47290	AMS HBase principals for Master and RS need to have the same value
2.2.0.0	Security	<a href="#">AMBARI-13767</a>	BUG-45536	Group Membership not pulled in with FreeIPA/OpenLDAP/RHELIDM
2.2.0.0	Security	<a href="#">AMBARI-13793</a>	BUG-47106	Resource Manager (HA) fails to start after enabling Kerberos
2.2.0.0	Security	<a href="#">AMBARI-13813</a>	BUG-47370	After kerberization, Kafka brokers fail to start
2.2.0.0	Security	<a href="#">AMBARI-13831</a>	BUG-47047	After enabling kerberos with option 'Manage Kerberos principals and keytabs manually', adding new component buttons will not respond
2.2.0.0	Security	<a href="#">AMBARI-13837</a>	BUG-47361	Ambari doesn't let user specify Active Directory LDAP configs when using HS2
2.2.0.0	Security	<a href="#">AMBARI-13875</a>	BUG-43702	Hive View job submitted as ambari process owner, not as login user.
2.2.0.0	Security	<a href="#">AMBARI-13888</a>	BUG-44995	Ranger Usersync Moving From Seconds to Millis On Stack Upgrade
2.2.0.0	Security	<a href="#">AMBARI-13943</a>	BUG-48989	User cannot login after group-membership pulling in freeIPA
2.2.0.0	Security	<a href="#">AMBARI-14228</a>	BUG-45773	Ambari Files View ignores alternate HDFS authorization mechanisms
2.2.0.0	Stability	<a href="#">AMBARI-10413</a>	BUG-45178	Knox gateway fails to restart on Ubuntu 12.04 after system restart using custom pid dir because /usr/hdp/current/knox-server/pids does not point to custom pid dir
2.2.0.0	Stability	<a href="#">AMBARI-12575</a>	BUG-38735	Overrides may have same value is original config
2.2.0.0	Stability	<a href="#">AMBARI-12628</a>	BUG-46806	NameNode HA causes issues <a href="#">AMBARI-12628</a>
2.2.0.0	Stability	<a href="#">AMBARI-12678</a>	BUG-46243	Installing additional Kafka broker on node with hostname that comes alphabetically before existing broker fails to start

Version	Category	Apache Jira	HWX Jira	Summary
2.2.0.0	Stability	<a href="#">AMBARI-12688</a>	BUG-41914	HDFS check fails after move NameNode on NN HA cluster
2.2.0.0	Stability	<a href="#">AMBARI-13034</a>	BUG-33534	If for some reason, structured-out-status.json is empty then ambari-server will fail to report any status
2.2.0.0	Stability	<a href="#">AMBARI-13202</a>	BUG-44986	Blueprints: POST-ing an empty Blueprint document results in a NullPointerException
2.2.0.0	Stability	<a href="#">AMBARI-13267</a>	BUG-47666	Configuring SNMP V3 Alerts in Ambari result in java.lang.NullPointerException when trap is fired
2.2.0.0	Stability	<a href="#">AMBARI-13279</a>	BUG-38937	Pig view shows completed but does not state if anything went wrong.
2.2.0.0	Stability	<a href="#">AMBARI-13282</a>	BUG-35816	hive-site.xml in /etc/server/conf is not updated on webhcat server
2.2.0.0	Stability	<a href="#">AMBARI-13286</a>	BUG-44308	During installation of Storm/Atlas, Ambari overwrites and warns about wrong dependent configuration
2.2.0.0	Stability	<a href="#">AMBARI-13307</a>	BUG-45113	Memory leak in ambari-agent caused by logger being created on every task
2.2.0.0	Stability	<a href="#">AMBARI-13311</a>	BUG-45498	Ambari failing Yarn service check even when error code is 0
2.2.0.0	Stability	<a href="#">AMBARI-13330</a>	BUG-45695	[Hive View] UI issue with Hive View in old Firefox browser
2.2.0.0	Stability	<a href="#">AMBARI-13336</a>	BUG-45129	Flume agent specific metrics not showing up as graphs
2.2.0.0	Stability	<a href="#">AMBARI-13345</a>	BUG-45151	Views: HDFS API utility needs to work with WASB
2.2.0.0	Stability	<a href="#">AMBARI-13352</a>	BUG-45790	JobHistoryServer start fails with bad permissions on state directory.
2.2.0.0	Stability	<a href="#">AMBARI-13353</a>	BUG-45572	Add Service wizard: Browser refresh on Assign Master page loses all installed service components
2.2.0.0	Stability	<a href="#">AMBARI-13355</a>	BUG-45449	Journal node went in critical state on Ambari : message on UI : Connection failed: [Errno 111] Connection refused to 0.0.0.0:8480
2.2.0.0	Stability	<a href="#">AMBARI-13373</a>	BUG-45749	hdfs balancer via ambari fails to run once HA is enabled
2.2.0.0	Stability	<a href="#">AMBARI-13373</a>	BUG-45960	hdfs balancer via ambari fails to run after Ambari upgrade with NN HA enabled
2.2.0.0	Stability	<a href="#">AMBARI-13373</a> , <a href="#">AMBARI-13861</a>	BUG-45961	hdfs balancer via ambari fails to run after HDP upgrade with NN HA enabled
2.2.0.0	Stability	<a href="#">AMBARI-13380</a>	BUG-45320	HDFS Checkpoint window does not appear for restart all reconfigured operation on host
2.2.0.0	Stability	<a href="#">AMBARI-13391</a>	BUG-45924	Long API query should be made part of request body
2.2.0.0	Stability	<a href="#">AMBARI-13411</a> , <a href="#">AMBARI-13517</a>	BUG-46121	Ambari Server JVM crashed after several clicks in Web UI to navigate graphs
2.2.0.0	Stability	<a href="#">AMBARI-13437</a>	BUG-43805	HDFS File caching does not work because of ulimit not being passed into the start command for datanode.
2.2.0.0	Stability	<a href="#">AMBARI-13459</a>	BUG-45328	Hive Metastore Upgrade Retry Fails Because Of Driver Copy Issue
2.2.0.0	Stability	<a href="#">AMBARI-13471</a>	BUG-45940	ZooKeeper "log4j.rootLogger" should have ROLLINGFILE instead of CONSOLE
2.2.0.0	Stability	<a href="#">AMBARI-13489</a>	BUG-43624	MySQL Ambari Repository gives Key Too Long error messages for hostcomponentdesiredstate table.
2.2.0.0	Stability	<a href="#">AMBARI-13490</a>	BUG-45793	If there are more than one ambari-server*.jar in classpath we should fail to start
2.2.0.0	Stability	<a href="#">AMBARI-13492</a>	BUG-46312	NN HA wizard gets stuck when JournalNodes fail after getting started
2.2.0.0	Stability	<a href="#">AMBARI-13494</a>	BUG-45061	After HDFS HA deployment and namenode move, Accumulo failed to come up.
2.2.0.0	Stability	<a href="#">AMBARI-13525</a>	BUG-45803	Exception in collector logs for JOIN queries

Version	Category	Apache Jira	HWX Jira	Summary
2.2.0.0	Stability	<a href="#">AMBARI-13549</a>	BUG-46070	enabling metastore HA enables compactor initiator on all metastores.
2.2.0.0	Stability	<a href="#">AMBARI-13558</a>	BUG-45314	App Timeline Server unexpectedly turn down [rarely reproduced]
2.2.0.0	Stability	<a href="#">AMBARI-13575</a>	BUG-46293	Hive View query error, should use GetOperationStatus thrift api to verify if hive query is completed successfully
2.2.0.0	Stability	<a href="#">AMBARI-13578</a>	BUG-46275	Hive Server Start times out due to ranger http calls
2.2.0.0	Stability	<a href="#">AMBARI-13636</a>	BUG-46825	Complete is always disabled if Start all services are failed when enabling RM HA
2.2.0.0	Stability	<a href="#">AMBARI-13641</a>	BUG-47084	Null Pointer exception warning message at org.apache.ambari.server.controller.metrics.timeline.cache.Timeline
2.2.0.0	Stability	<a href="#">AMBARI-13656</a>	BUG-46885	oozie service check failing after reassigning host with custom service user
2.2.0.0	Stability	<a href="#">AMBARI-13667</a>	BUG-39246	500 error when adding service to a host with 'HEARTBEAT LOST' status
2.2.0.0	Stability	<a href="#">AMBARI-13696</a>	BUG-47075	HDFS has issues after enabling wire encryption and reconfiguring DATANODEs
2.2.0.0	Stability	<a href="#">AMBARI-13727</a>	BUG-44244	Ambari JDK: need to switch to 8uXX by default when choosing Oracle JDK Option 1 during setup
2.2.0.0	Stability	<a href="#">AMBARI-13741</a>	BUG-47225	API call to delete service fails with error: ORA-02292 integrity constraint violated - child record found
2.2.0.0	Stability	<a href="#">AMBARI-13743</a>	BUG-47262	Flume and Storm Ambari metrics are not working
2.2.0.0	Stability	<a href="#">AMBARI-13744</a>	BUG-47164	Implement ability to retry operations after database exception for blueprint deploy
2.2.0.0	Stability	<a href="#">AMBARI-13753</a>	BUG-47484	Refactor code that caches stale entity references
2.2.0.0	Stability	<a href="#">AMBARI-13758</a>	BUG-47367	Zookeeper quorum hosts for AMS should point to localhost for distributed mode.
2.2.0.0	Stability	<a href="#">AMBARI-13795</a>	BUG-47560	Ambari Agent cannot talk to server if "test -w" command hangs
2.2.0.0	Stability	<a href="#">AMBARI-13862</a>	BUG-44655	Check status of RS process for AMS in embedded mode
2.2.0.0	Stability	<a href="#">AMBARI-13905</a>	BUG-47727	Add error logs to script alerts when there are failures
2.2.0.0	Stability	<a href="#">AMBARI-13926</a>	BUG-47999	AMS log file not getting created
2.2.0.0	Stability	<a href="#">AMBARI-13945</a>	BUG-48141	Missing HDFS tag.HAState JMX Metric Causes JavaScript Errors
2.2.0.0	Stability	<a href="#">AMBARI-13970</a>	BUG-47183	Ambari 2.1.2.1 points to Incorrect Repository version [After upgraded from ambari 1.7.0]
2.2.0.0	Stability	<a href="#">AMBARI-14006</a>	BUG-48079	During Component Install conf-select Shell Uses Current Working Directory That Doesn't Exist Yet
2.2.0.0	Stability	<a href="#">AMBARI-14017</a>	BUG-47043	Service or component install fails when a non-ambari apt-get command is running
2.2.0.0	Stability	<a href="#">AMBARI-14046</a>	BUG-48493	Refactor code that breaks transaction chaining
2.2.0.0	Stability	<a href="#">AMBARI-14050</a>	BUG-48562	Produce a Warning When Jetty Pool Size Is Too Low And Increase It
2.2.0.0	Stability	<a href="#">AMBARI-14058</a>	BUG-48780	"Application Tracking URL" in Tez View broken due to RM HA changes in Ambari views framework
2.2.0.0	Stability	<a href="#">AMBARI-14138</a> , <a href="#">HDFS-7931</a>	BUG-47113	Upgrade Ambari Views to Hadoop 2.7.1 jar which has the fix for HDFS-7931
2.2.0.0	Stability	<a href="#">AMBARI-14149</a>	BUG-48375	Python 2.7.9 or later fails to establish connection between agent and server.
2.2.0.0	Stability	<a href="#">AMBARI-14162</a>	BUG-49132	Files view fails at runtime to instantiate ProtobufRpcEngine class

Version	Category	Apache Jira	HWX Jira	Summary
2.2.0.0	Upgrade	<a href="#">AMBARI-11552</a> , <a href="#">AMBARI-13325</a>	BUG-45594	Ambari-server upgrade and RU update hbase bucket cache setting incorrectly
2.2.0.0	Upgrade	<a href="#">AMBARI-13283</a>	BUG-45324	Class not found exception while running step "ambari-server upgradestack HDP-2.3" for upgrade path 2.2 -> 2.3.2 Amabari DB is Oracle
2.2.0.0	Upgrade	<a href="#">AMBARI-13298</a>	BUG-45218	Hive Metastore start error after stack upgrade
2.2.0.0	Upgrade	<a href="#">AMBARI-13314</a>	BUG-44186	Add tooltips for status icon in Upgrade Wizard
2.2.0.0	Upgrade	<a href="#">AMBARI-13320</a>	BUG-45531	Cannot Perform RU If Ambari Server Is Not A Part of the Cluster
2.2.0.0	Upgrade	<a href="#">AMBARI-13335</a>	BUG-45351	Install package command during RU should honor excluded packages
2.2.0.0	Upgrade	<a href="#">AMBARI-13358</a>	BUG-45751	Ambari throwing ganglia errors after upgrade
2.2.0.0	Upgrade	<a href="#">AMBARI-13413</a>	BUG-45957	Finalization Fails After Manual Upgrade Because of Cluster Version State Set To UPGRADING
2.2.0.0	Upgrade	<a href="#">AMBARI-13418</a>	BUG-46089	Upgrade Precheck call does not work for both upgrade types
2.2.0.0	Upgrade	<a href="#">AMBARI-13418</a>	BUG-46091	Stop-and-Start Upgrade: Upgrade START call cannot find upgrade pack to use
2.2.0.0	Upgrade	<a href="#">AMBARI-13420</a>	BUG-44938	RU should check for INSTALL_FAILED components before starting
2.2.0.0	Upgrade	<a href="#">AMBARI-13425</a>	BUG-46228	Ambari 1.7 to 2.1.x upgrade with existing Kerberos, keytab files fail to be distributed to some hosts
2.2.0.0	Upgrade	<a href="#">AMBARI-13427</a>	BUG-45424	NAMENODE START failed after upgrade ambari from 1.7.0 to 2.1.2 HA with both NN's being passive
2.2.0.0	Upgrade	<a href="#">AMBARI-13478</a>	BUG-46278	Upgrade path on ORA 1.6.1 -> 2.0.1 -> 2.1.1
2.2.0.0	Upgrade	<a href="#">AMBARI-13568</a>	BUG-45443	RU - Downgrade from 2.3 to 2.2 may fail if configs were not back'ed up
2.2.0.0	Upgrade	<a href="#">AMBARI-13572</a>	BUG-46679	Allow any snapshots/backups to be skippable when doing RU.
2.2.0.0	Upgrade	<a href="#">AMBARI-13682</a>	BUG-40322	RU Progress Popup: even though there is a failure during service check it has a green tick mark
2.2.0.0	Upgrade	<a href="#">AMBARI-13684</a>	BUG-47181	Ambari Metrics Collector failed to start in Ambari 2.1.2.1 [upgraded from ambari 1.7.0]
2.2.0.0	Upgrade	<a href="#">AMBARI-13716</a>	BUG-47013	Check Tez is failed(after upgrade from 1.6.1 to 2.1.2.1)
2.2.0.0	Upgrade	<a href="#">AMBARI-13797</a>	BUG-46737	RU: PreCheck for consistency of password between Ranger and Ambari
2.2.0.0	Upgrade	<a href="#">AMBARI-13798</a>	BUG-47651	Add ams-site resultset limit property to upgrade
2.2.0.0	Upgrade	<a href="#">AMBARI-13835</a>	BUG-46674	After stack_upgrade 2.2 to 2.3 hook script fails due to missing /configurations/tez-site/tez.am.view-acls value
2.2.0.0	Upgrade	<a href="#">AMBARI-13836</a>	BUG-47295	NPE when enabling security during Update Configurations stage (after upgrade from 1.6.1 to 2.1.2.1)
2.2.0.0	Upgrade	<a href="#">AMBARI-13872</a>	BUG-47032	Rolling Upgrade: Configuration Groups not applied for upgrades across stack versions
2.2.0.0	Upgrade	<a href="#">AMBARI-13918</a>	BUG-47356	Stack Upgrade: Kafka to call migration script when upgrading across HDP 2.3.4.0
2.2.0.0	Upgrade	<a href="#">AMBARI-13934</a>	BUG-47738	Ensure upgrade request is un-affected if there exists a stage with no tasks
2.2.0.0	Upgrade	<a href="#">AMBARI-14122</a>	BUG-48711	"Falcon - Oozie Integration" property are populated and marked Mandatory After rolling Upgrade
2.2.0.0	Upgrade	<a href="#">AMBARI-14167</a>	BUG-49137	After Intra-Stack Upgrade Web Client Still Uses Old Stack Version In Requests
2.2.0.0	Usability	<a href="#">AMBARI-13208</a>	BUG-44713	Markup issue with user button
2.2.0.0	Usability	<a href="#">AMBARI-13254</a>	BUG-45191	Components filter works incorrectly on Hosts page

Version	Category	Apache Jira	HWX Jira	Summary
2.2.0.0	Usability	<a href="#">AMBARI-13308</a>	BUG-45256	Config Versions list isn't updated while user is on the configs page after adding/removing HiveServer2
2.2.0.0	Usability	<a href="#">AMBARI-13386</a>	BUG-44097	Browser size 1024 clips tooltips
2.2.0.0	Usability	<a href="#">AMBARI-13400</a>	BUG-45740	ambari does not redirect the user to the tez ui if log in is required
2.2.0.0	Usability	<a href="#">AMBARI-13469</a>	BUG-45707	spelling mistake in the help message for max capacity in capacity scheduler
2.2.0.0	Usability	<a href="#">AMBARI-13502</a>	BUG-46093	Blank Tez View page is displayed if ResourceManagers are down
2.2.0.0	Usability	<a href="#">AMBARI-13509</a>	BUG-46189	hdfs disk usage metric confusing
2.2.0.0	Usability	<a href="#">AMBARI-13576</a>	BUG-46805	Ambari Hive View is not default with hive service
2.2.0.0	Usability	<a href="#">AMBARI-13584</a>	BUG-46954	Ambari stack definition for Spark has incorrect value for SPARK_CONF_DIR
2.2.0.0	Usability	<a href="#">AMBARI-13651</a>	BUG-46807	Hive View Data Visualization - Change of Tab Order
2.2.0.0	Usability	<a href="#">AMBARI-13685</a>	BUG-47141	Unable to compare config Versions when chosen from 'Show more'
2.2.0.0	Usability	<a href="#">AMBARI-13694</a>	BUG-47207	Code to read keydir cannot handle space in the front
2.2.0.0	Usability	<a href="#">AMBARI-13700</a>	BUG-45736	hbase.root dir for metrics server does not get updated after NN HA is enabled
2.2.0.0	Usability	<a href="#">AMBARI-13709</a>	BUG-46889	When editing alert notifications, changes to severity are not reflected
2.2.0.0	Usability	<a href="#">AMBARI-13786</a>	BUG-47565	Ambari HDFS files (View) appends several "non-printable" characters at the end of the file.
2.2.0.0	Usability	<a href="#">AMBARI-13806</a>	BUG-45886	Multi statement queries with errors after the first statement cause orphaned AMs
2.2.0.0	Usability	<a href="#">AMBARI-13817</a>	BUG-46598	HDP-2.3 does not have the ability to set heapsize for hive components
2.2.0.0	Usability	<a href="#">AMBARI-13821</a>	BUG-47768	Info about kafka ranger plugin state does not appeared after adding kafka
2.2.0.0	Usability	<a href="#">AMBARI-13890</a>	BUG-44940	Configs: Values/units for HiveServer2 Heap Size overlapping on slider
2.2.0.0	Usability	<a href="#">AMBARI-13897</a>	BUG-46088	Ambari does not configure hbase.coprocessor.regionserver.classes
2.2.0.0	Usability	<a href="#">AMBARI-13965</a>	BUG-45635	Ambari CS View "Ambari Cluster URL" setting regex is too restrictive
2.2.0.0	Usability	<a href="#">AMBARI-13986</a>	BUG-47617	Hive View : Upload Table tab : Distorted alignment of form fields
2.2.0.0	Usability	<a href="#">AMBARI-14082</a>	BUG-47616	Hive View : In Database Explorer the scroll bar come over the show table button
2.2.0.0	Usability	<a href="#">AMBARI-7591</a>	BUG-45766	ambari-server Should Return Correct System Level Run Code