

T TrustNode

BRAND & UI SYSTEM · V1.0

The TrustNode Identity Guide

A handoff document for AI generators, designers and front-end developers. Covers logo, color, typography, dark & light mode rules, components, charts, and exact tokens for the Login page and the Plant App.

AUDIENCE

AI · Designers · Developers

SCOPE

Login · Dashboard · Power · Charts

VERSION

1.0 — May 2026

01 — CONTENTS

What's inside

Use this as a checklist when re-creating the product surface in any tool — Figma, Cursor, Lovable, v0 or another LLM.

02	Brand essence Voice, principles, what TrustNode stands for	p. 03
03	Logo & mark Lockups, clear space, do / don't	p. 04
04	Color system Primary, neutrals, semantic, dark & light tokens	p. 05
05	Dark vs Light mode Contrast pairs, tokens that flip, tokens that stay	p. 07
06	Typography Manrope · JetBrains Mono — sizes, weights, color rules	p. 09
07	Spacing, radius, elevation The 8-pt grid, corners, shadows	p. 11
08	Components Buttons, inputs, pills, cards, tables	p. 12
09	Login page Layout, copy, states, AI prompt	p. 14
10	App shell & Dashboard Rail, topbar, tiles, page composition	p. 15
11	Chart system 10 chart types, when to use each, color rules	p. 16
12	Copy & tone Headlines, microcopy, technical vocabulary	p. 18
13	Handoff prompt Drop-in prompt for AI generators	p. 19

02 — ESSENCE

Trustworthy by design

TrustNode is a technical edge platform: it collects from automation lines and turns plant data into databases, reports and dashboards. The brand should feel like the equipment it sits next to — calm, exact, industrial-grade.

Calm

Industrial dashboards run for hours. Surfaces are quiet, contrast is intentional, motion is restrained.

Exact

Every number monospaced. Units beside values. Status pills with one of three states, never "kind of green".

Resilient

Designed to be readable on a control room screen at 10 ft and a phone at 30 cm. Dark mode is the default.

One sentence to remember: TrustNode is a stethoscope for a factory — its job is to listen, label and report, never to shout.


Voice

YES	NO
"3 gateways enabled · 2 244 tags streaming"	"You're crushing it! 🚀 Data flowing!"
"Last sync 2 seconds ago"	"Just synced now"
"Peak demand -4.8% vs yesterday"	"Great news — demand is down"
"Sign in"	"Let's get you in!"


03 — LOGO

Logo & mark

The mark is a square monogram in the navy→teal gradient. It pairs with the wordmark in Manrope ExtraBold, −2% letter-spacing.



Primary · light surfaces



Primary · dark surfaces (default)

Clear space & minimum size

- Reserve clear space equal to the height of the **T** mark on every side.
- Minimum digital size: **20 px tall** for the mark, **120 px wide** for the lockup.
- Never recolor the gradient. If single-color is required: solid #14A89A on light, #3CD2C2 on dark.

Don't

Don't place the mark on a busy photo without a tinted scrim.

Don't stretch the lockup or change wordmark weight.

Don't recolor the mark to red, purple or rainbow gradients.

04 — COLOR · PRIMARY

The color system

Two brand colors do the heavy lifting. Everything else is neutral or semantic.

Brand

Navy
#1F3A5F · oklch(34% .07 252)
BRAND · HEADERS · GRADIENT L

Teal
#14A89A · oklch(64% .11 184)
PRIMARY ACTION · LIVE DATA

Signature gradient
linear-gradient(135deg, #1F3A5F → #0E8479)
LOGO MARK · APPLY CTA · AVATAR

Brand support

Navy deep
#16314F

Teal deep
#0E8479

Teal bright
#3CD2C2

Teal soft
rgba(20,168,154,.12)

Semantic

Good
#14A89A
RUNNING · OK

Warn
#E0A050
SYNCING · THRESHOLD

Bad
#E2585D
STOPPED · FAULT

Info / 2nd series
#6E8DD2
CHARTS L2 · SECONDARY

The 60 / 30 / 10 rule. 60% surfaces (page, card, rail). 30% ink (text, lines). 10% accent (teal, semantic).
If a screen looks "colorful", reduce the 10%.

04 — COLOR · NEUTRALS

Neutral scale

Two scales: a cool grey (warm-leaning blue) for surfaces, and an "ink" scale for text. Both are tuned for HDR-bright control-room monitors.

Grey 50
#F6F8FA

Grey 100
#ECEFF3

Grey 300
#C8D0DA

Grey 600
#6E7989

Grey 950
#0E1116

Ink scale (text on surfaces)

TOKEN	ON DARK	ON LIGHT	USE
--ink	#F2F4F7	#0E1116	Headlines, KPI values, primary text
--ink-muted	#B6C0CC	#4A5566	Body copy, table cells
--ink-soft	#8A98AB	#6E7989	Secondary, captions, meta
--ink-faint	#5C6B7C	#98A2AE	Labels, axis ticks, faint hints

Contrast pairs (WCAG AA)

FOREGROUND	BACKGROUND	RATIO	VERDICT
#F2F4F7	#0B0E12	17.6 : 1	AAA — body on dark page
#0E1116	#FFFFFF	19.1 : 1	AAA — body on light card
#3CD2C2	#0F131B	9.8 : 1	AAA — teal accent on dark
#0E8479	#FFFFFF	4.6 : 1	AA — teal on white (use deep teal for text)
#14A89A	#FFFFFF	3.0 : 1	UI only — never use for body text on light
#E2585D	#0F131B	5.4 : 1	AA — bad/stop on dark

Watch out: base teal #14A89A is fine for chart fills, pills and large UI on white — but *not* for body text. For text on a light background, use **teal-deep #0E8479**.

05 — DARK vs LIGHT

Dark mode & light mode

Dark is the default (control rooms run dim). Light is provided for office, print and reports. Same components, same layout — only the surface and ink tokens flip.

DARK — DEFAULT

184.3 kW

▲ +2.4% vs yesterday

RunningSyncingStopped

LIGHT — FOR REPORTS

184.3 kW

▲ +2.4% vs yesterday

RunningSyncingStopped

Tokens that *flip* per theme

TOKEN	DARK	LIGHT	NOTES
--bg-page	#0B0E12	#ECEFF3	App background
--bg-card	#0F131B	#FFFFFF	Card / panel
--bg-card-2	#141923	#F6F8FA	Nested / hover surface
--ink	#F2F4F7	#0E1116	Primary text
--ink-muted	#B6C0CC	#4A5566	Body
--ink-soft	#8A98AB	#6E7989	Captions
--line	rgba(255,255,255,.07)	#E1E6EC	Hairlines
accent text	#3CD2C2 (teal-bright)	#0E8479 (teal-deep)	Live values, "+%" trend

Tokens that *stay the same* in both

TOKEN	VALUE	WHY IT DOESN'T FLIP
--navy / gradient	#1F3A5F	Brand asset — must remain recognizable on every surface
--teal (base)	#14A89A	Used for fills/pills which stay readable in both themes
--warn	#E0A050	Semantic intent must not change with theme
--bad	#E2585D	Same — red is red on every screen

Rule of thumb. Brand & semantic colors are constants. Neutrals are variables. If you're tempted to make red "more red" in dark mode — don't. Adjust the surface, not the signal.

06 — TYPE

Typography

Two families. **Manrope** for everything human (titles, body, labels). **JetBrains Mono** for everything that came from a sensor (numbers, IDs, code, keyboard hints).

MANROPE

Aa Bb 0123

Weights used: 400, 500, 600, 700, 800.
Geometric, slightly humanist — friendly without being soft.

JETBRAINS MONO

Aa Bb 0123

Weights used: 400, 500, 600, 700.
Used for: KPI values, units, IDs (EDGE-A1), timestamps, kbd.

Type scale & color rules

Display

56 / 700
-3% LSP
Manrope

Plant overview

H1

28 / 700
-2% LSP

Power overview

H2

20 / 700

Throughput by gateway

H3 / Card

14 / 600

Activity heatmap · today

Body

13 / 400

3 gateways enabled · 2 244 tags streaming · last sync 2 seconds ago.

Caption

11 / 500

vs yesterday · last 24h · target 850

Label

10 / 700
+12% LSP
UPPERCASE

GATEWAY · SITE · DRIVER

Numeric

184.3 kW

24 / 700
JetBrains
Mono

06 — TYPE · COLOR & SIZE

Color rules per text size

Larger text can carry more saturation; smaller text needs more contrast. The table below is the law.

TEXT ROLE	SIZE	WEIGHT	COLOR · DARK	COLOR · LIGHT
Display / H1	28–56 px	700–800	#F2F4F7	#0E1116
H2 section	20 px	700	#F2F4F7	#0E1116
H3 card title	14 px	600	#F2F4F7	#0E1116
Body	13 px	400	#B6C0CC	#4A5566
Caption / meta	11 px	500	#8A98AB	#6E7989
Eyebrow / label	10 px	700	#5C6B7C	#98A2AE
KPI numeric	22–32 px	700	#F2F4F7	#0E1116
KPI unit	11 px	500	#8A98AB	#6E7989
Trend ▲ positive	11 px	600	#3CD2C2	#0E8479
Trend ▼ negative	11 px	600	#E2585D	#C53D43
Link / action	13 px	600	#3CD2C2	#0E8479
Code / mono ID	11 px	500	#8A98AB	#6E7989

Tips

- **Letter-spacing:** tighten as size grows — Display –3%, H1 –2%, H2/H3 –1%, Body 0, Labels +12%.
- **Line-height:** 1.0 for display, 1.15 for H1/H2, 1.25 for H3, 1.5 for body, 1.4 for captions.
- **Numbers:** always JetBrains Mono with `font-variant-numeric: tabular-nums` so columns align.
- **Units:** always one space and one weight lighter than the value (e.g. **184.3** kW).
- **Don't:** use base teal #14A89A for body text on white — fails AA. Use teal-deep #0E8479.
- **Don't:** use pure white on dark surfaces — use #F2F4F7 to reduce halation.

07 — SPACE · RADIUS · ELEVATION

Geometry

Spacing scale (8-pt grid)

TOKEN	PIXELS	USE
space-1	4 px	Inline gap, dot to label
space-2	8 px	Icon to text, chip padding
space-3	12 px	Card inner gap
space-4	14-16 px	Card padding, grid gap
space-6	22 px	Page-section margin
space-8	32 px	Page padding, big section break

Radius

TOKEN	PX	USE
--r-xs	4	kbd, chip-square
--r-sm	8	Inputs, selects, ghost buttons
--r-md	10	Icon buttons, sparkbox
--r-lg	14	Cards, KPI tiles, gateway tiles
--r-pill	999	Status pills, badges

Elevation

TOKEN	BOX-SHADOW	USE
--shadow-card	0 30px 80px -40px rgba(0,0,0,.6)	Cards on dark
--shadow-card-light	0 1px 3px rgba(14,17,22,.06)	Cards on light
--shadow-overly	0 24px 60px -20px rgba(0,0,0,.45)	Tweaks panel, popovers

Borders before shadows. On dark, a 1px rgba(255,255,255,.07) hairline does the work of a heavy shadow. Save shadows for floating overlays.

08 — COMPONENTS

Component playbook

Buttons

VARIANT	BG	TEXT	WHEN
Primary	linear-gradient(135deg, #1F3A5F, #0E8479)	#FFFFFF	One per page max — Sign in, Apply, Add gateway
Secondary	--bg-card	--ink	Refresh, Cancel
Ghost	transparent + 1 px line	--ink-muted	Export, secondary actions
Icon	--field-bg	--ink-muted	Theme toggle, alerts bell, row actions
Destructive	rgba(226,88,93,.12)	#E2585D	Stop, Delete, Disable

Inputs

- Height **36 px**, radius **8 px**, border var(--line), focus border var(--teal).
- Field label is 10 pt 700 +12% LSP UPPERCASE in --ink-faint, sitting **above** the input.
- Placeholder uses --ink-faint. Real value uses --ink.
- Errors: 1 px border #E2585D + 11 pt helper text in same color, no shake.

Status pills

STATE	BG	TEXT	DOT
Running / OK	rgba(20,168,154,.12)	#14A89A → #3CD2C2 in dark	Pulses every 1.6 s
Syncing / Warn	rgba(224,160,80,.12)	#E0A050	Static
Stopped / Bad	rgba(226,88,93,.12)	#E2585D	Static

Cards

- Background --bg-card, 1 px --line, radius **14 px**.
- Card head is 14 pt 600, padding 14 × 16, border-bottom --line.
- Card body padding 14 × 16. Use .tight when wrapping a table (no body padding).

Tables

- Header is 10 pt 700 +12% LSP UPPERCASE on --bg-card-2.
- Row padding 12 × 14. Hover bg --field-bg. Last row no bottom border.
- Numeric cells use JetBrains Mono and right-align *only* if the column is purely numeric.
- ID cell pattern: bold name on top, faint mono ID below.

09 — LOGIN

Login & activation

Layout

- Full-bleed factory photo, scrim 60% navy at 0% → 80% black at 100%, vignette 20% at edges.
- Glass card centered, max-width **440 px**, padding **32 px**, radius **20 px**.
- Card surface: `rgba(15, 19, 27, 0.72) + backdrop-filter: blur(18px) + 1px rgba(255, 255, 255, 0.08)`.
- Two tabs (Sign in / Activate gateway) — never replace the page, only swap the form body with a 200 ms cross-fade.

Copy

SLOT	TEXT
H1	Sign in to TrustNode
Sub	Plant data, controlled at the edge.
Field 1	Work email
Field 2	Password
CTA	Sign in
Footer	Need a gateway key? <i>Activate device</i> →

States

STATE	VISUAL
Default	Empty inputs, primary CTA enabled
Loading	CTA shows 14 px teal-bright spinner, disabled, label "Signing in..."
Wrong credentials	Helper text under password: "Email or password is incorrect." in #E2585D. Border on both fields turns #E2585D. No shake.
Activation OK	Card replaced by checkmark in teal-soft circle, "Gateway EDGE-A1 paired."

T TrustNode

Sign in to TrustNode

Plant data, controlled at the edge.

Sign in Activate

WORK EMAIL

PASSWORD

Sign in →

Glass card · 440 px · backdrop-blur 18 px

10 — APP SHELL

The plant app

Two-column layout: 240 px left rail, fluid main column. A 56-px topbar persists across pages.

Left rail


- Width **240 px**. Background `--bg-rail`, border-right `--line`.
- Logo lockup at top, 40 px tall.
- Two grouped sections: **Operations · Workspace**. Group label is the eyebrow style.
- Active item: `bg --field-bg`, 2 px inset teal accent on the left, icon turns teal.
- User avatar (32 px circle, navy→teal gradient with initials) docked to bottom.

Topbar

- Height **56 px**. Crumbs left ("Plant São Paulo > Dashboard"), search center, theme + bell right.
- Search is 320 px, 36 px tall, with a  kbd hint.
- Bell shows a 8 px teal "ping" dot when unread alerts exist.

Page composition

1. **Page head** — H1 left, primary action right (gradient).
2. **Filter bar** (when applicable) — single card, 36 px controls, gradient Apply.
3. **KPI strip** — 4–6 KPI tiles or 3 gateway tiles.
4. **Charts** — 1, 2 or 3 columns; never more than 3.
5. **Table** — at the bottom, full-width, with row actions.



11 – CHARTS

The chart system

Ten chart types cover everything an automation/data-acquisition surface needs. Pick by the question being answered, not by aesthetics.

CHART	ANSWERS	WHERE	COLOR RULE
Sparkline	"How is this trending right now?"	Inside KPI tile, gateway tile	1 series, brand teal or tile color
Line	"How do 2–3 series compare over time?"	Production units/hour: Good vs Scrap vs Target	Teal, bad, dashed warn for target
Stacked area	"What's the composition over time?"	Throughput by gateway, kW by phase	Teal → indigo → warn (descending series size)
Vertical bars	"What did we make per day/shift?"	7-day output with target line	Teal; bars below target turn warn
Horizontal bars	"Who is consuming most?"	Top energy consumers	Teal, length proportional to value
Donut	"How does the time / volume split?"	Time allocation: producing/changeover/stop	Teal · indigo · warn · bad
Heatmap	"When during the day is it busy?"	Activity heatmap (24 cells)	Mix base teal with field-bg by intensity 0–100%
Box / range	"How much variance in this process?"	Bottle weight, cap torque $\pm 2\sigma$	Teal box + median in teal-bright
Sankey flow	"Where does input become output / scrap?"	First-pass / rework / scrap yield	Source teal → branches teal/indigo/bad gradient ribbons
Gauge / radial	"Where am I vs target?"	OEE, efficiency, winding temp	Teal until threshold, warn at >80%, bad at limit

Universal chart rules

- Axis ticks: JetBrains Mono 10 pt in `--ink-faint`.
- Gridlines: `--grid` at 1 px, dashed 2 / 4 for non-zero lines.
- Hover crosshair: 1 px `--ink` at 40% opacity, dashed 3 / 3, with a 4 px filled dot at the point.
- Tooltips: `--bg-card-2` + 1 px `--line-strong`, radius 8, mono 11 pt.
- Series order: **Teal** → **Indigo (#6E8DD2)** → **Warn (#E0A050)** → **Bad (#E2585D)**. Do not introduce new hues.
- Animate on mount only. No looping breath. Live data = data-driven movement only.

The 3-phase oscilloscope is the signature. When real-time waveform makes sense, render it: 60 Hz sine on a graph-grid background, three phase traces in teal / amber / indigo, RMS readouts below. It's TrustNode's identifier.

12 — COPY

Copy & tone

Headlines

- Use sentence case. "Plant overview" — not "Plant Overview".
- Lead with the scope, not the action: "Power overview" beats "View power data".
- Avoid emoji entirely.

Subheads & meta

- Use mid-dot separators: "3 gateways enabled · 2 244 tags streaming · last sync 2 seconds ago".
- Show units. Show timestamps. Show source.
- Numbers always in JetBrains Mono with thin-space thousand separator (2 244, not 2,244).

Microcopy library

SLOT	USE
Empty state	"No gateways yet. Connect your first edge device to start collecting."
Error	"Couldn't reach EDGE-C7. Last contact 8 minutes ago."
Confirm destructive	"Stop streaming from EDGE-A1? Production data will pause for downstream consumers."
Success	"EDGE-D2 paired · streaming 902 tags."
Loading (long)	"Reading historian... this can take up to 30 seconds for large ranges."
Help link	"What's a tag?"

Vocabulary

USE	AVOID
Gateway, edge, tag, signal, driver	Connector, integration, sensor (unless physical)
Plant, line, cell, motor, meter	Site, group, machine, thing
Sync, throughput, sample rate, peak demand	Refresh, speed, rate, max
Stopped / Running / Syncing	Off / On / Working

13 — HANDOFF

Drop-in prompt for AI generators

Paste this as the system prompt or first user message when generating a new TrustNode screen with another LLM (v0, Lovable, Cursor, Claude, GPT, etc).

```
/* TrustNode — Brand & UI rules */

You are designing for TrustNode, a technical edge platform that
collects data from automation lines and turns it into databases,
reports and dashboards. Tone: calm, exact, industrial. No emoji.

// Fonts
font-body: 'Manrope', system-ui, sans-serif (400/500/600/700/800)
font-mono: 'JetBrains Mono' (for numbers, IDs, timestamps, kbd)

// Brand
--navy: #1F3A5F;
--teal: #14A89A;      // primary action / live data
--teal-deep: #0E8479; // teal text on light surfaces
--teal-bright: #3CD2C2; // teal text on dark surfaces
gradient: linear-gradient(135deg, #1F3A5F, #0E8479);

// Semantic (do not flip per theme)
--warn: #E0A050;
--bad: #E2585D;
--info: #6E8DD2;

// Theme — DARK (default, control rooms)
--bg-page: #0B0E12;
--bg-card: #0F131B;
--ink: #F2F4F7;
--ink-muted: #B6C0CC;
--ink-soft: #8A98AB;
--line: rgba(255,255,255,0.07);

// Theme — LIGHT (reports, office)
--bg-page: #ECEFF3;
--bg-card: #FFFFFF;
--ink: #0E1116;
--ink-muted: #4A5566;
--ink-soft: #6E7989;
--line: #E1E6EC;

// Geometry
radius: 14 for cards / KPI tiles · 8 for inputs · 999 for pills
spacing: 8-pt grid · card padding 14×16 · grid gap 14
border: 1px var(--line) on every card; never use shadow alone

// Type scale (color = ink unless noted)
H1 28/700 · H2 20/700 · H3 14/600 · body 13/400 · caption 11/500
label 10/700 +12% LSP UPPERCASE in --ink-faint
KPI value 24-32/700 in JetBrains Mono; unit 11/500 in --ink-soft
trend ▲ in teal (deep on light, bright on dark); trend ▼ in --bad
```

```
// Components
primary button: linear-gradient(135deg, #1F3A5F, #0E8479), white
status pill: 11/600 mono, dot pulses 1.6 s only when "Running"
card: --bg-card + 1px --line + r14
table: header 10/700 +12% LSP UPPERCASE on --bg-card-2
input: 36 px, r8, focus border --teal; label above, UPPERCASE 10/700

// Charts
series order: teal → #6E8DD2 → #E0A050 → #E2585D
ticks: JetBrains Mono 10 in --ink-faint; gridlines 1 px --line
no animation loops; animate on mount only; live data = real movement

// Voice
sentence case headlines · mid-dot meta separators
show units, timestamps, source · numbers in JetBrains Mono
no emoji · no exclamation marks · no "let's"

// Always
- dark mode is default
- one primary action per screen
- numbers monospaced + tabular-nums
- borders before shadows
```

For AI image generation (concept art, marketing): "low-light industrial control room, navy & deep teal palette, glowing teal accents, monospaced numerics on glass panels, calm, no people, photoreal, 24mm, f/4".