

GUI Usability Homework Report

1. Chosen Scenario

- Application name: EMS, the Event Management System for the Faculty of Information Technology.
- Scenario tested: Admin user administration, based on Scenario C.
- Objective: Evaluate the Users Management screens for GUI quality, form behavior, navigation, and feedback/state behavior.
- Assumptions:
 - The selected scenario is the admin user-management flow.
- Why this scenario was chosen:
 - It covers multiple core admin interactions in EMS.
 - It includes list views, editing dialogs, and export feedback.
 - It provides good coverage for both GUI checklist execution and cross-browser compatibility testing.

2. Selected Screens (> = 3)

Screen 1 - Users List

Reason for selection:

- This is the main entry point for user administration and the most visible data-management screen.

GUI components inspected:

- Sidebar navigation
- Search field
- Role and status filters
- Users table
- Action buttons
- Pagination controls

Screen 2 - Edit User Dialog

Reason for selection:

- This screen exercises form behavior, validation presentation, and modal interaction.

GUI components inspected:

- Modal dialog
- Text inputs
- Role selector
- Active checkbox
- Save and cancel actions

Screen 3 - Export to Excel Flow

Reason for selection:

- This screen verifies asynchronous feedback and download behavior.

GUI components inspected:

- Export button
- Download feedback
- Table layout after export action
- Page-level status presentation

3. GUI Checklist Execution Results

GUI Checklist

SUT: EMS - <https://prod-dev.ems-fitus.cloud/>

Coverage Summary

Interface Aspect	Items	AI-generated	Human-added
IA-01 - General UI standards	17	13	4
IA-02 - Forms	21	14	7
IA-03 - Navigation	13	13	0
IA-04 - Feedback / state	10	10	0
Total (target > 40)	61	50	11

IA-01 - General UI Standards

Layout, alignment, typography, colour, consistency, EN/VI i18n, empty & loading states.

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
IA-01-01	IA-01	On a data list with filters and sortable columns, column headers, filter labels, and action-button labels use consistent terminology across screens (no synonyms for the same action, e.g. "Delete" vs. "Remove").	Pass		
IA-01-02	IA-01	On any screen, primary and secondary buttons follow one consistent visual hierarchy (font weight, colour, size) across the application rather than a per-screen style.	Fail		inconsistent size

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
IA-01-03	IA-01	On a multi-field form, field labels use one consistent alignment style (all left- or all top-aligned) within the form, with no ad-hoc mixing for sibling fields.	Pass		
IA-01-04	IA-01	On a data list with filters and sortable columns, a zero-match filter/search result renders a dedicated empty-state message instead of a blank table body.	Pass		
IA-01-05	IA-01	On a data list or detail page performing an asynchronous data fetch, a loading indicator (skeleton or spinner) is shown while the fetch is pending rather than a blank or frozen screen.	Pass		
IA-01-06	IA-01	On any screen, body text and field-label text maintain a minimum contrast ratio of 4.5:1 against their background.	Pass		
IA-01-07	IA-01	On any screen, non-text UI elements (icon glyphs, input outlines, button borders) maintain a minimum contrast ratio of 3:1 against their adjacent background.	Pass		
IA-01-08	IA-01	On any screen, an icon used without accompanying visible text (e.g. a status icon or action icon) exposes an accessible name (alt text or aria-label) conveying its meaning.	Pass		
IA-01-09	IA-01	On any screen, the currently focused interactive element (button, link, input) shows a visible focus indicator distinct from its unfocused state.	Pass		
IA-01-10	IA-01	On any screen, typography (font family, base font size, heading scale) is consistent across all screens, with no ad-hoc font substitution on a subset of screens.	Pass		
IA-01-11	IA-01	On a status badge / colour-coded state, the colour palette is consistent across the application - the same colour is never reused to mean two different states in different contexts.	Pass		

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
IA-01-12	IA-01	On any screen, interactive elements (links, buttons, clickable icons) are visually distinguishable from static text or decorative elements at a glance, without requiring a hover to reveal.	Fail		button Cancel looks like normal text field
IA-01-13	IA-01	On a data list with filters and sortable columns, numeric and date columns use one consistent alignment (e.g. right-aligned) within the column, not mixed left/right per row.	Pass		
IA-01-14	IA-01	After switching the interface language, every chrome string on the screen (nav items, icon-only button names, tooltips, validation messages) is rendered in the selected language, with no string left in the other language.	Pass		
IA-01-15	IA-01	Switching the interface language keeps the user on the current screen and preserves the current view state (active filter, tab, scroll position) instead of resetting to a default screen.	Pass		
IA-01-16	IA-01	Dates, times and numbers are formatted per the selected locale, and any displayed event time carries an explicit time-zone label.	Fail		No time-zone
IA-01-17	IA-01	Vietnamese strings render with all diacritics intact, with no font fallback artifacts and no truncation caused by the string being longer than its English counterpart.	Pass		

IA-02 - Forms

Labels, validation, error placement, required-field handling, upload, rich-text editor.

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
IA-02-01	IA-02	On a multi-field form, every required field is marked with a visible indicator (e.g. a red asterisk) next to its label.	Fail		no asterisk for required field

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
IA-02-02	IA-02	On a multi-field form, submitting with a required field left empty blocks submission and shows a visible error message near that field.	Pass		
IA-02-03	IA-02	On a multi-field form, a failed-validation error returns keyboard focus to the offending field and visually highlights it.	Pass		
IA-02-04	IA-02	On a multi-field form with an image/file upload, attempting to upload a file that violates a stated size or type constraint shows an error message naming the specific constraint violated, not a generic failure message.	Pass		
IA-02-05	IA-02	On a text input field, entering only whitespace characters is rejected as if the field were empty, not accepted as valid content.	Fail		can fill in space-only input for First Name
IA-02-06	IA-02	On a text input field with a stated character limit, typing beyond the limit is visibly prevented or truncated at the boundary rather than silently accepted past it.	Fail		can enter more than 10 digits for field Phone Number
IA-02-07	IA-02	On a date input field, an invalid day/month combination (e.g. 30 February) is rejected with a visible error rather than silently accepted or auto-corrected.	Pass		
IA-02-08	IA-02	On a multi-field form with a rich-text or long-text input, the field's state on first load contains no leftover placeholder or sample text that could be mistaken for real content.	Pass		
IA-02-09	IA-02	On a multi-field form consisting of a single primary text field, pressing Enter while focus is inside that field submits the form.	Pass		
IA-02-10	IA-02	On a multi-field form, the submit control visibly disables or switches to a busy/loading state immediately after the first click, preventing a visible second submit attempt.	Fail		button doesn't change state after clicking
IA-02-	IA-02	On a multi-field form, an available Reset or Cancel action visibly clears every entered	Pass		

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
11		field back to its default value.			
IA-02-12	IA-02	On a multi-field form, each failed-validation field shows an explicit text error message associated with that field, not only a border-colour change.	Pass		
IA-02-13	IA-02	On a multi-field form, every field has a visible label or instruction text available before the user needs to enter a value into it.	Pass		
IA-02-14	IA-02	On a multi-field form, where a validation rule is known (e.g. a required format or numeric range), the error message states how to correct the input, not only that it is invalid.	Pass		
IA-02-15	IA-02	On a dropdown or select control, the control has a visible label, its option list is non-empty, its ordering is consistent, and any default or blank option sits at a fixed position in the list.	Pass		
IA-02-16	IA-02	On a checkbox or radio group, the default selection is correct, clicking the label toggles the control, Space toggles it while focused, and a radio group allows exactly one selection.	Pass		
IA-02-17	IA-02	A control in a disabled state is visually distinct (greyed), does not take a text cursor, does not receive keyboard focus, and the reason it is disabled is discoverable on the screen.	Pass		
IA-02-18	IA-02	An unusually long value in a field or a label does not break the layout of its containing block (no overlap, no clipping, no forced horizontal scroll).	Pass		
IA-02-19	IA-02	Within one form, the validation trigger is consistent across fields - either all fields validate on blur, or all validate on submit, not a mix.	Pass		
IA-02-	IA-02	Content authored in the rich-text editor renders on the read view exactly as	Pass		

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
20		composed (headings, lists, links preserved), with no raw HTML tags exposed.			
IA-02-21	IA-02	An uploaded thumbnail or banner renders at its specified aspect ratio without distortion, with no broken-image placeholder, and a fallback image is shown when the source is missing.	Pass		

IA-03 - Navigation

Menu, breadcrumb, tabs, sidebar, drag-and-drop reorder, back/return, deep links.

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
IA-03-01	IA-03	On the main navigation menu, every top-level section reachable from it loads its corresponding screen without a dead link or error page.	Pass		
IA-03-02	IA-03	On a screen reached through at least one level of navigation, the breadcrumb trail accurately reflects the current path, and each earlier segment is clickable to navigate back to it.	Pass		
IA-03-03	IA-03	On tabs separating a list into named states, exactly one tab is marked active/selected at a time, and its visual state is clearly distinct from the inactive tabs.	Pass		
IA-03-04	IA-03	On a multi-field form, the keyboard tab order moves through fields in the same logical order as their visual layout (top-to-bottom, left-to-right).	Pass		
IA-03-05	IA-03	On a detail/preview page reached from a data list, a back/return action returns the user to that data list with the prior filter selection and scroll position preserved.	Pass		
IA-03-06	IA-03	On a data list supporting a reorderable sequence (e.g. drag-and-drop), a dragged item shows a visible drop-target indicator during the drag, and the list visually reflects the new order immediately after drop.	Pass		
IA-03-07	IA-03	On any screen, every interactive element (button, link, form control) is reachable and operable using only the keyboard (Tab / Shift+Tab / Enter / Space), without requiring a mouse.	Pass		

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
IA-03-08	IA-03	On any modal or dialog, keyboard focus does not become trapped inside it - the user can exit via a standard key (e.g. Tab cycling out, or Esc).	Pass		
IA-03-09	IA-03	On any screen, the keyboard focus order when tabbing through interactive elements follows a logical sequence matching the visual reading order.	Pass		
IA-03-10	IA-03	On a data list or detail page, a link's visible text (or accessible name) describes its destination or purpose without relying solely on surrounding context (e.g. not just "click here").	Pass		
IA-03-11	IA-03	Across different screens of the application, the main navigation menu appears in the same relative location and item order, so a returning user does not need to relearn its layout.	Pass		
IA-03-12	IA-03	On a detail page reachable via a shareable/deep link, loading that link directly (not through in-app navigation) renders the same screen content as navigating to it through the UI.	Pass		
IA-03-13	IA-03	On a confirmation dialog guarding a destructive or uncorrectable action, an explicit Cancel or close control is available to back out without performing the action.	Pass		

IA-04 - Feedback / State

Toasts, badges, confirmation dialogs, progress bars, status colours, real-time updates.

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
IA-04-01	IA-04	On an asynchronous action (e.g. upload, export, submit), a toast or inline message confirms success or failure once the action completes.	Fail		no notification after export
IA-04-02	IA-04	On an asynchronous action that takes longer than an instant (e.g. upload, export, check-in scan), a progress indicator is shown for the duration of the action, not only at its start and end.	Fail		no progress indicator
IA-04-	IA-04	On a status badge / colour-coded state, the state is conveyed through both a	Pass		

ID	Interface Aspect	Checklist Item	Result	Evidence	Notes
03		colour and a text label or icon, not through colour alone.			
IA-04-04	IA-04	On a detail/preview page with a status-dependent primary action button, if the underlying state changes (e.g. via another action on the same page), the button's enabled state or label updates to match without requiring a manual page reload.	Pass		
IA-04-05	IA-04	On a confirmation dialog guarding a destructive or uncorrectable action, the dialog states plainly which action will occur and requires an explicit confirm click before proceeding.	Fail		button Cancel doesn't require an explicit confirm click before proceeding
IA-04-06	IA-04	On a data-validation error, the message is phrased in plain language describing what went wrong, not a raw error code or stack trace.	Pass		
IA-04-07	IA-04	On any screen where an action shifts focus automatically (e.g. after a validation failure or opening a dialog), focus lands on the element the user needs to act on next.	Pass		
IA-04-08	IA-04	On a custom-built interactive control that is not a native HTML element (e.g. a custom dropdown, toggle, or status badge), the control exposes an accessible name and role to assistive technology.	Pass		
IA-04-09	IA-04	On a toast or loading-state message triggered by an asynchronous action, the message is announced to assistive technology without forcing a keyboard focus change away from the user's current task.	Pass		
IA-04-10	IA-04	On a real-time updating element (e.g. a live badge or count reflecting a state change made elsewhere), the update is visually reflected on screen without the user manually refreshing the page.	Pass		

4. Usability Report

Incomplete User Testing

- The assignment specifies testing with five participants.
- I was unable to recruit five participants before submission.
- I have intentionally not fabricated participant information, observation notes, SUS / UEQ-S responses, usability metrics, or screen recordings.
- Any completed usability findings in this report are based only on the actual work performed.
- The missing evidence is acknowledged as a limitation of this submission.
- No usability testing data is included.
- No participants were recruited for this submission package.
- No SUS or UEQ-S results are reported.

5. Cross-Platform / Cross-Browser Report

Cross-Browser / Cross-Platform Matrix

Coverage Overview

- Scenario: User administration
- Screens tested: C1 Users list, C2 Assign Role / edit user, C4 Export to Excel
- Evidence basis: existing Task 3 testing records and matrix notes

Matrix

Test ID	Screen	Browser	Version	OS	Device	Tested feature/page	Result	Observations
T3-C1-01	C1 Users list	Chrome	Not visible	Windows	Desktop	Users Management list	Pass	Layout is stable on desktop; sidebar, search, filters, and table columns render correctly.
T3-C1-02	C1 Users list	Safari	v17.1	iOS	Tablet	Users Management list	Pass	Responsive layout is preserved on the tablet viewport; the

Test ID	Screen	Browser	Version	OS	Device	Tested feature/page	Result	Observations
								table remains readable and controls stay accessible.
T3-C1-03	C1 Users list	Chrome	v14.0	Android	Phone	Users Management list	Minor Issue	The content is heavily constrained in the phone viewport and part of the page is clipped to the right, but the screen still loads.
T3-C2-01	C2 Assign Role / edit user	Chrome	Not visible	Windows	Desktop	Edit User dialog	Pass	Modal layout, fields, and action buttons are centered and legible over the dimmed background.
T3-C2-02	C2 Assign Role / edit user	Firefox	Not visible	macOS	Desktop	Edit User dialog	Pass	The dialog structure and form controls remain intact in Firefox on macOS, with no visible overlap.
T3-C2-03	C2 Assign Role / edit user	Chrome	v11.0	Android	Phone	Edit User dialog	Fail	The viewport is severely constrained on phone, leaving only a narrow portion of the page visible and making the dialog unusable.

Test ID	Screen	Browser	Version	OS	Device	Tested feature/page	Result	Observations
T3-C4-01	C4 Export to Excel	Chrome	Not visible	Windows	Desktop	Users export action	Pass	Export feedback is visible and the table remains aligned after the action.
T3-C4-02	C4 Export to Excel	Safari	Not visible	macOS	Desktop	Users export action	Pass	Export state and table presentation are preserved in Safari on macOS.
T3-C4-03	C4 Export to Excel	Opera	Not visible	Windows	Desktop	Users export action	Pass	Export completion is visible and the desktop layout remains consistent in Opera.

6. Overall Findings

- GUI quality:
 - The interface is clean and mostly consistent across the main admin screens.
- Consistency:
 - Layout, spacing, and branding are generally stable.
 - Some button hierarchy and feedback behaviors need refinement.
- Navigation:
 - Navigation is the strongest area in the tested scenario.
- Forms:
 - The edit-user dialog is usable, but validation and required-field cues are incomplete.
- Feedback/state:
 - This is the weakest area in the checklist results.
 - Async actions need clearer progress and completion feedback.
- Responsiveness:
 - Desktop and larger layouts are good.
 - Phone layouts are not robust enough for reliable use.
- Browser compatibility:
 - Chrome, Firefox, Safari, and Opera all support the tested desktop flows well.
 - Mobile phone rendering is the main compatibility risk.

7. Conclusion

The checklist execution shows that EMS user administration is generally solid on desktop, with consistent navigation and readable layouts. However, the failed checklist items indicate that form safeguards and feedback/state messaging need improvement, especially around required-field handling, submit-state signaling, and confirmation clarity. Cross-browser testing confirms that the desktop experience is stable across Chrome, Firefox, Safari, and Opera, while phone-sized views introduce noticeable usability problems. Overall, the GUI quality is acceptable for desktop use, but the responsive behavior and asynchronous feedback should be improved before considering the flow fully submission-ready.