实验报告

盛模則 实验名称: 级: 0 bon 909

号: 1320191085 姓

1. 放大E, 发射结正看. 杂电络反痛

2. 10mg - 50. b.

3. q.b.

4. a.a.b.

2-6. 晶体管反向. 涡轮放大

2-4. A. VX>Vy>.Vz. PAP. B Vy>Vx>Vz NA.

2-7 a. Vc>Ub>Ve. 不知 tVcc>-Vcc. b Vb=Ve. 不能 RB接到Vcc


> C. Vs>Vc. 基极反流接地. 基极与Veilmor.

d. Vb=0 应将RB飞精弹Vcc. 似秋大.


似敏大.

东腹椒如Rc.

对欧大姐站按该流海域中Co




100-pJb IDQ=0.5mA=0.01mA




rbe = rbb' + c1+B). rbe = 27901 Au = -BRC - BRC/Ri

指导教师签字:

3.Ri =Rb//rbe =2-7ka. Ro = Rc=16ka.



rbe= rbb+e1+B) 120=1.3kn
R1=Rb1//RB1//rbe=1.21(n
lug2 Vo=- Ri B(RO/R) ++



Roske= 8-2/50




$$72 = \frac{V_3 - 0.7v}{R_4 - R_1} = 1.18 \times 10^{3} \text{A}$$


$$100 = 100 + (1+10) = 1.4 \times 10^{3} \text{A}$$

$$100 = \frac{10}{V_7} = -15 \text{J}$$

$$100 = \frac{10}{V_7} = 6.5 \times 1$$


$$100 = \frac{10}{13} = 6.5 \times 1$$







rbe= +307+ (+13)=2012 1.2kn.
R1= 1/3 = 8.3 Kn.
Avs1 = 1/3 = -0.79


实验报告



Ro= >20.







指导教师签字:_____

《方式:_____

北京理工大学良乡校区管理处监制

电话: 813820

