

# AACR GENIE clinical and sample data summary report

Larson Hogstrom

2024-01-29

## Overview

The goal of this document is to analyze patient and sample information from the AACR GENIE data set. A number of fields are available for each patient including high-level demographic information, academic center, contact date, and death status.

## Loading data

```
bDir <- "../..data/processed/balderResultsDb"
figDir <- "../..output/actionability_db_curation_20231220"
mydb <- DBI::dbConnect(RSQLite::SQLite(), paste0(bDir,"/actionable-biomarker-db.sqlite"))

#genie <- RSQLite::dbGetQuery(mydb, 'SELECT * FROM GeniePatientVariants')
sample.genie <- RSQLite::dbGetQuery(mydb, 'SELECT * FROM GenieClinicalSampleData')
patient.genie <- RSQLite::dbGetQuery(mydb, 'SELECT * FROM GeniePatientData')
```

## Exploratory data analysis

Summary of columns and proportion of null entries

	Count of null entries	Proportion of null
PATIENT_ID	0	0%
SEX	629	0.39%
PRIMARY_RACE	20291	12.61%
ETHNICITY	42306	26.28%
CENTER	0	0%
INT_CONTACT	14367	8.93%
INT_DOD	12483	7.76%
YEAR_CONTACT	14101	8.76%
DEAD	11672	7.25%
YEAR_DEATH	12451	7.74%

Print data from python

```
patient_py = reticulate::r_to_py(patient.genie)
```

Summary of pandas fields

## Summary of categorical fields

```
knitr::kable(py$categorical_summary,format="latex", align="l")
```

	PATIENT_ID	SEX	PRIMARY_RACE	ETHNICITY	CENTER	INT_CONTACT
count	160965	160965	160965	160965	160965	160965
unique	160965	4	9	4	19	22
top	GENIE-VICC-101416	Female	White	Non-Spanish/non-Hispanic	MSK	Un
freq	1	86078	114120	109341	65577	11

```
categorical_summary = data.describe(include=['object'])
categorical_summary
```


```

count          PATIENT_ID    SEX  ...    DEAD    YEAR_DEATH
unique          160965      4    ...      8          54
top      GENIE-VICC-101416  Female  ...    False  Not Applicable
freq              1    86078  ...    76021          83681
```

[4 rows x 10 columns]



## Plotting of categorical fields (from Chat GPT)



## Review of survival data





Count tble of year of patient death

```
table(as.numeric(patient.genie$YEAR_DEATH),exclude=NULL)
```

Warning in table(as.numeric(patient.genie\$YEAR\_DEATH), exclude = NULL): NAs introduced by coercion

1900	1950	1977	1980	1981	1982	1983	1984	1985	1986	1987
1	1	1	1	4	3	2	3	6	6	7
1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998
9	8	14	16	33	36	51	57	79	77	64
1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009
59	67	62	72	62	64	68	62	78	73	50
2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020
44	36	72	352	1669	3781	5453	6835	7901	8310	9092
2021	2022	2023	<NA>							
8075	5758	493	101898							

## Plots of DOB, Year of last contact, and survival



```
#dod_summ = reticulate::py_to_r(int_dod_summary)
dod_summ = py$int_dod_summary
knitr::kable(head(dod_summ,10), )
```

	X
count	54747.000
mean	23170.952
std	4774.158
min	6573.000
25%	20445.500
50%	23809.000
75%	26632.000
max	32482.000

## Review of patient data pairwise

```
ggpairs(patient.genie[,c("SEX","DEAD")]) # "PRIMARY_RACE",
```

