Patient demographics tables for Balder ML modeling

Overview

This document presents tables on patient demographics used for ML modeling. It primarily reports on GENIE data.

Loading data

Aggregation of data by cancer type

Data split by OncoTree codes

```
knitr::kable(outCntTbl, )
```

ONCOTREE_CODE	CANCER_TYPE	CANCER_TYPE_DETAILED	n_patients	n_Level1_patients
LUAD	Lung Cancer	Lung Adenocarcinoma	18775	8019
IDC	Breast Cancer	Breast Invasive Ductal Carcinoma	9282	3822
BRCA	Breast Cancer	Invasive Breast Carcinoma	3141	1412
GIST	Gastrointestinal Stromal Tumor	Gastrointestinal Stromal Tumor	1553	1212
MEL	Melanoma	Melanoma	3671	1159
COAD	Colorectal Cancer	Colon Adenocarcinoma	9647	1010
THPA	Thyroid Cancer	Papillary Thyroid Cancer	1295	876
ILC	Breast Cancer	Breast Invasive Lobular Carcinoma	1456	841
PRAD	Prostate Cancer	Prostate Adenocarcinoma	5661	741

ONCOTREE_CODE	CANCER_TYPE	CANCER_TYPE_DETAILED	n_patients	n_Level1_patients
AML	Acute myeloid leukemia	Acute myeloid leukemia	2167	701
SKCM	Melanoma	Cutaneous Melanoma	1940	656
BLCA	Bladder Cancer	Bladder Urothelial Carcinoma	3609	647
NSCLC	Non-Small Cell Lung Cancer	Non-Small Cell Lung Cancer	1780	512
ODG	Glioma	Oligodendroglioma	495	467
HGSOC	Ovarian Cancer	High-Grade Serous Ovarian Cancer	3726	444
ASTR	Glioma	Astrocytoma	577	368
MDLC	Breast Cancer	Breast Mixed Ductal and Lobular Carcinoma	602	306

```
# #| echo: false
# #| echo: false
# #knitr::kable(mtcars[1:5, ], )
# n.patients <- length(unique(msk$PATIENT_ID))
# n.variants <- length(unique(dbAlteration$AAChange))
#
# c1 <- c("Raw string match","Ontology-based match","N/A")
# c2 <- c("Restricted","Restricted","Unestricted")
# c3 <- c(dim(msk.protein.restricted.raw.cancer.cnt)[[1]],
#         dim(msk.protein.restricted.ontology.cnt)[[1]],
#         dim(msk.protein.unrestricted.cnt)[[1]])
# c4 <- paste0(round(100*(c3/n.variants),1),"%")
# c5 <- c(sum(msk.protein.restricted.raw.cancer.cnt$n.patients.mutated),
#         sum(msk.protein.restricted.ontology.cnt$n.patients.mutated),
#         sum(msk.protein.unrestricted.cnt$n.patients.mutated))
# c6 <- paste0(round(100*(c5/n.patients),1),"%")
# # Create a data frame
# df <- data.frame(c1=c1, c2=c2, c3=c3, c4=c4, c5=c5, c6=c6)
# colnames(df) <- c("Cancer type matching approach", "Cancer type match restriction","number
# # Print the data frame
# #print(df)
# knitr::kable(df, )
```