

CommsHub Tool User Guide

1. Overview
2. Accessing the Tool
3. Dashboard – Campaign Overview
 - Summary Cards
 - Campaign List Columns
 - Filtering & Search
 - Creating a New Campaign
4. Creating / Updating a Campaign
 - Step 1 – Campaign Setup
 - Basic Details
 - Channels
 - Delivery and Targeting
 - Step 2 – Notification Setup
 - Channel Rules – Push
 - Channel Rules - Notification Center (NC)
 - Linked Push – How it works
 - Business Rules
 - Frequency Period
 - Message Variants
 - Step 3 – Review & Launch
 - Saving & Submitting
 - Pending Approval Panel
 - Approval Process (Production only)
5. Campaign Lifecycle
6. Approvals
 - Summary Cards
 - Approval List Columns
 - Filters
 - Why ServiceNow instead of Jira?
7. FAQ & Troubleshooting
8. Related Pages

1. Overview

CommsHub Simplification is PayPal's new self-serve campaign management portal for creating and managing consumer-facing communications like Push Notifications and Notification Center (NC) alerts across both event-driven and bulk pipelines. It replaces the previous multi-system setup (PStudio + ALP + ICP) with a single 3-step workflow.

 **Key outcome:** Campaign launch time-to-market reduced from **5–10 days** to **< 1 hour** (excluding localization and ECM-ops review).

 **Scope:** CommsHub Simplification supports the **Oslo App** and beyond. It does not support Venice.

2. Accessing the Tool

Environment	URL
QA	https://go/comms-qa
Sandbox	https://go/comms-sandbox
Production	https://go/comms-prod

Log in with your **PayPal CorpID**. The left sidebar shows the environments you have access to: Production, Sandbox, Stage, and Dev.

 **Approval behaviour by environment:** ServiceNow approval is enabled on Production only. Test and Stage environments auto-approve to maintain developer velocity.

3. Dashboard – Campaign Overview

The Dashboard is your home screen. It shows a summary of campaigns and provides quick access to create, search, and filter.

Summary Cards

Card	Description
My Campaigns	Total campaigns where you are listed as a Campaign Owner
All Campaigns	Total campaigns across all owners in your environment

Published	Number of currently live (Published) campaigns
-----------	--

Campaign List Columns

Column	Description
Campaign Name	Clickable link to open the campaign detail / edit view
Description	Short description set during Campaign Setup
Status	Draft · Submitted · Approved · Published · Archived
Owners	CorpIDs of all campaign owners. Overflow shown as +N
Created At	Date the campaign was first saved
Updated By / At	Last user who modified the campaign and when
Actions	⋮ menu — Edit, Archive, etc.

Filtering & Search

- Use the **Search campaigns...** box to filter by name.
- Use the **All Status** dropdown to filter by campaign status.
- Toggle **All Campaigns / My Campaigns** to scope the list to your owned campaigns.

Creating a New Campaign

- Click **+ New Campaign** (top right) to start the 3-step creation wizard.
- To import an existing campaign configuration, use **Import Campaign**.

Screenshot:

Tenant	✓	Currently PayPal . Additional tenants are configuration-only additions.
Description	–	Human-readable summary of the campaign's intent.
Product	✓	Part of the Unified Asset Metadata Framework, Product is the the PayPal product or feature area that the campaign's notification relates to.
Actions	✓	Also part of Part of the Unified Asset Metadata Framework, Action is the Business action the campaign is associated with each Product. The primary business action the campaign wants the user to take.
Team DL	✓	Distribution list email (e.g., <code>team-name@paypal.com</code>). Ensures campaign ownership is always traceable.
Campaign Owners	✓	One or more PayPal CorpIDs. Owners can edit the campaign and see it under "My Campaigns".

Communications Hub

Update Campaign

V1 Dashboard

1 Campaign Setup 2 Notification Setup 3 Review & Launch

Campaign Setup

Campaign Name* Test_Campaign_Push ?

Tenant* PAYPAL ?

Description This is a test campaign.

Product* Account

Actions* Add Photo

Team DLs* comms-decisioning-dev@paypal.com X eg. team-name@paypal.com ?

Campaign Owners* gsharma9 X Enter PayPal CorplD

Channels*

Notification Center Push

Channels

Select one or more channels. Currently supported:

Channel	Status
Push	✓ Live
Notification Center (NC)	✓ Live

i Badging is implicit. You do not need to configure a separate badge channel. Every NC alert automatically triggers an Out-of-App (OOA) Badge update. Previously badging had to be configured as a separate channel.

Delivery and Targeting

Field	Required	Description
Countries	✓	Select one or more target countries (Canada, United States, Australia, and all other PayPal-supported markets).

Delivery Type	✓	• Schedule Based Bulk Trigger (send to batch audience at scheduled time) - Only for Push • API Based Trigger (trigger per event via API call, additionally campaign schedule can be setup) • Non-Triggered(static alerts placed for notification center for all the target audience selected, these do not need any trigger. Campaign schedule must be setup for this delivery type) - Only for NC
Target Audience	–	• For Bulk: Custom Audience Table (enter table name) or RPS Segment • For API based: RPS segment for more user segment targeted delivery. • For Non-Triggered: All Users for targeting all the users of the targeted countries or RPS segment for more user segment targeted delivery.
Device OS	–	• All Users iOS only Android only. • Selecting iOS or Android reveals app version dropdowns for granular targeting.
Experimentation	–	Integrates with Statsig . Any experiment tagged with CommsHub appears in this dropdown.

 You can **Save Draft** at any point on any step. You can also navigate to the next step without saving to explore the form.

Screenshot

Delivery and Targeting

Countries*

Select at least one country to target

☐ Select All

☒ United States

☐ American Samoa

☐ Canada

☐ Australia

☐ Bhutan

Delivery Type*

☒ **Schedule Based Bulk Trigger**
Send to audience at scheduled time

Target Audience [Clear](#)

☒ Custom Audience [?](#)

Custom Audience

pypl-bods.prd_pzn_comms_common.generic_bulk_elmo_data

☐ User Segments [?](#)

☐ **API Based Trigger**
Trigger via API call

Device Level Filtering Criteria

Device OS

Experimentation [?](#)

Experiment Name

Previous

Next →

Step 2 – Notification Setup

Configure channel specific rules and message content for your notifications. The page is tab-separated by channel (Push, Notification Center).

Channel Rules – Push

Field	Required	Description
Push Notification Type	✓	- Receipt or Request - Linked Push (Push + NC + Badge) is supported for Request only. Selecting Request automatically adds the NC channel.
Push Preference	✓	Select from dropdown the app-level push notification preference the campaign is tied to — only users who have opted in will receive it.
Priority	–	Standard Time Sensitive

Channel Rules - Notification Center (NC).

Field	Required	Description
-------	----------	-------------

Section	–	NC section to display the alert in (e.g., Default/All Urgent)
Time Duration Type	✓	Days / Hours / Minutes – now supports sub-day units as well.
Time Duration	✓	How long the NC alert persists before expiry
Items Limit	✓	Max number of this campaign's alerts visible in NC per user at a time

Linked Push – How it works

When **Request** is selected as Push Notification Type:

1. Notification Center is **automatically added** as a connected channel – you do not configure the NC tab separately.
2. All Push configurations and content are **replicated to NC automatically**. A banner on the NC tab communicates this clearly.
3. User actions are **connected across channels**:
 - User taps push → NC alert marked as read + badge count decrements
 - User visits NC → all alerts marked as read + badge resets

Business Rules

Add eligibility rules that determine which users receive the notification. For each rule:

Field	Description
Data Type	Category of data to check (select from dropdown)
Attribute	Specific attribute within that data type
Operator	Comparison operator (equals, contains, greater than, etc.)
Value	The value to compare against

Click **Add** to apply the rule, then + **Add new Rule** for additional conditions.

Frequency Period

Option	Description
ONCE	Ensures no duplicate sends per campaign instance (idempotency). Recommended for transactional use cases.
ALWAYS	Fires every time the trigger is hit.

Notification Setup

 Push

 Notification Center

Channel Rules - Push

Push Notification Type*

Request



Push Preference*

Mandatory Information



Priority

Standard



Linked Push

Your push is linked with a Notification Center alert, so your message reaches users even if the push is missed. A badge will also be sent alongside the push and the alert.

Alert Expiry Duration Type*

Days



Alert Expiry Duration*

90



Section

DEFAULT



Alert Display Limit*

3



Business Rules

Data Type



Attribute



Operator



Value



Add

+ Add new Rule

Frequency Period

ONCE



Message Variants

Each variant defines the message content. Click **+ Add Variant** (top right) to create additional variants.

Field	Required	Description
Content Name	–	Label for this variant (e.g., Variant 1)
Content Locale	–	Default locale (e.g., United States (en-US))

Title	✓	Message title. Shown in bold on the device. For both Push and NC Max 35 characters supported for both Push & NC.
Body	✓	Message body text. Max 160 characters supported for Push. Max 50 characters supported for NC.
Deeplink	✓	In-app deeplink URL that opens when the user taps the notification.
Advanced Fields	–	Rich Push image URL and custom key-value pairs.
Variant Rules	-	The Variant Rules section has three parts. 1. Experimentation — if your campaign is tied to a Statsig experiment, select the treatment arm (e.g. <code>control</code>, <code>treatment_a</code>) from the Treatment Name dropdown; the dropdown stays empty until an experiment is linked in Campaign Setup. 2. Device Level Filtering Criteria(For NC only) — use this to restrict delivery to specific devices; leave it empty to target all devices. 3. Business Rules — define attribute-based targeting by filling in Data Type, Attribute, Operator, and Value per row.

		Add ; multiple rules stack as AND conditions. All three sections are optional.
Localization	-	Please provide Content Legal Review ticket in order to initiate the Localization, if Content LR ticket is unavailable, please request for exception and provide a valid reason as well.

A live **Preview** shows how the notification will appear on **Android** and **iOS**.

 **Localization warning:** If content is not provided for all locales required by your selected countries, a warning banner appears listing the missing locales. Until localization is complete, the fallback locale (en-US) is used, which may result in untranslated content. To initiate localization, expand the **Localization** section at the bottom of the variant and perform export to github action – this auto-raises a PR in the comms-content repo. Refer [Content Localization document](#) for more details.

- On **Production**: Saving prompts you to **Request Approval** – this auto creates a ServiceNow ticket and notifies the reviewer group. See the [Approval Process](#) section below.
- On **Stage**: Campaigns are auto-approved.
- Once approved, return to this screen and click **Launch** to make the campaign live.

Pending Approval Panel

Once an approval is requested, a Pending Approval panel appears at the bottom of Step 3:

Field	Description
Status	OPEN (awaiting review) APPROVED REJECTED
Requested By	CorpID of the user who submitted the approval request
Requested On	Timestamp of submission
ServiceNow Ticket	Direct link to the RITM ticket for tracking

Approval Process (Production only)

When a campaign approval is requested on Production, the following happens:

1. A **ServiceNow ticket is auto-generated** and the reviewer group (ECM-ops) is automatically notified.
2. The campaign owner must open the ServiceNow ticket (link is visible in the Pending Approval Panel) and:
 - Upload **test recordings** of the notification for the reviewer to validate.
 - Attach any other supporting context the reviewer may need.
3. **All approval related conversation and sign-off must happen directly on the ServiceNow ticket.** Do not use Slack or Jira for approval discussions. The ticket is the single source of truth and maintains a full audit trail.
4. Once the approver approves the use case on the ServiceNow ticket, the campaign becomes eligible for Production.
5. Return to the [Step 3 – Review & Launch](#) of Campaign Detail page to **Launch** the campaign on production.

 **Need to make changes after requesting approval?** Use **Withdraw Request** action button to retract the approval, make your edits, and re-submit. The campaign cannot be edited directly while an approval request is OPEN.

Screenshot:

Review & Launch

Campaign Setup

Basic Details

Campaign Name

Test_Campaign_Omni

Campaign Description

This Is A Test Description

Campaign Tenant

Paypal

Actions

Add Debit Card

Countries

United States

Campaign Status

Approved

Campaign Owners

gsharma9 hukaur

Product

Wallet

Team DLs

comms-decisioning-dev@paypal.com

Channels

Notification Center Push

Delivery Config

Delivery Type

API Based Trigger

Start Date

10/06/2026, 12:00:00

Time Zone

Asia/Calcutta

Dynamic Segments

hukaur_test_ds

[View Details](#)

Target Audience Type

Dynamic Segment

End Date

30/06/2026, 12:00:00

Service Name

testserv

Device Filter

Device OS

All

iOS Operator

Greater Than Or Equal

iOS Version

9.0.0

Android Operator

Greater Than Or Equal

Android Version

9.0.0

Notification Setup

Notification Center

Push

Basic Channel Details

Notification Type

Non Transactional

Push Preference

Mandatory Information

Priority

Standard

Frequency Period

Once

Variant Details

Index	Message Name	Message Details
1	Variant 1	Test Title en-US Test Description View Details

Previous

Launch

Pending Approval

Status

OPEN

Requested By

hukaur

Requested On

03/06/2026, 01:29:12

ServiceNow Ticket

https://paypalqa.service-now.com/nav_to.do?uri=sc_req_item.do?sysparm_query=number=RITM3548254

5. Campaign Lifecycle

1	
2	Draft → Submitted → Approval Requested → Approved → Published →
3	UnPublished → Archived

Status	Description	Available Actions
Draft	Saved but not submitted. Editable by owners.	Edit Save Campaign to submit Archive to retire

Submitted	Save Camapign action on Step3 will submit the campaign.	Edit Submit for approval Archive to retire
Approval Requested	ServiceNow ticket raised; awaiting approver. Locked for editing.	Approver: Approve or Reject. Withdraw request to unblock edits
Approved	Approved by CommsHub / ECM. Ready to go live.	Launch (Published)
Published	Live and actively sending notifications.	Unpublish to pause.
Archived	Retired. Not sending. Can be restored.	Unarchive → returns to Draft

6. Approvals

The **Approvals** page (left sidebar) lets you track all approval requests across the team.

Summary Cards

Card	Description
My Approvals	Approval requests you submitted
All Approvals	All approval requests in the environment
Approved	Number of requests that have been approved

Approval List Columns

Column	Description
Campaign Name	Name of the campaign under review

Requested By	CorpID of who submitted the request
Requested On	Date the request was raised
Status	Approval Requested • Approved • Rejected
Ticket	View Ticket – opens the ServiceNow RITM ticket

Filters

- Filter by **Status** (All / Approval Requested / Approved / Rejected)
- Toggle **Requested by me / Anyone** to scope the list

Why ServiceNow instead of Jira?

ServiceNow is the standard recommendation for change management at PayPal. It provides automated reviewer group assignment, a full history trail, and aligns with ECM-ops processes. The old Jira-based flow required multiple manual approvers at several levels, causing delays.

Screenshot:

The screenshot displays the 'Approvals' dashboard in ServiceNow. At the top, there are three summary cards: 'My Approvals' with a count of 1, 'All Approvals' with a count of 31, and 'Approved' with a count of 30. Below these cards is a filter section with a dropdown for 'All Status' (set to 'All Status') and a 'Filter By' section with radio buttons for 'Requested by me' and 'Anyone' (selected). The main table lists campaigns with columns: CAMPAIGN NAME, REQUESTED BY, REQUESTED ON, STATUS, and TICKET. The table contains 7 rows of data.

CAMPAIGN NAME	REQUESTED BY	REQUESTED ON	STATUS	TICKET
Comms Test Campaign 3	spratapsingh	2026-06-03	Approved	View Ticket
Test Campaign_1	hukaur	2026-06-03	Approval Requested	View Ticket
test_ga	gsharma9	2026-06-03	Approved	View Ticket
Spring Sale Campaign-23	hukaur	2026-06-02	Approved	View Ticket
test_dph_sp	spratapsingh	2026-06-01	Approved	View Ticket
demo_campaion_27Mav	praghuvasni	2026-05-27	Approved	View Ticket

7. FAQ & Troubleshooting

Q: I can't edit my campaign after requesting approval. What do I do?

Once approval requested, a campaign is locked. Go to Step 3 → Review & Launch and click **Withdraw Request**. The campaign returns to Draft and you can make changes.

Q: My push notification shows a localization warning. What should I do?

The warning means content has not been provided for all locales required by your target countries. Expand the **Localization** section at the bottom of the Message Variant, add translations for the listed locales, and save. Until localization is complete, the fallback locale (en-US) will be used.

Q: How do I set up an Linked Push campaign (Push + NC + Badge)?

On Step 2 (Notification Setup), set **Push Notification Type** to **Request**. The NC channel is automatically added. Configure your Push content – it will be replicated to NC. Badging is implicit and requires no separate configuration.

Q: How long does it take for campaign changes to take effect?

After saving or updating a campaign, changes are reflected in the delivery pipeline within approximately **3 minutes** in QA environment and **5 minutes** in Production environment. Newly created campaigns will be reflected immediately.

Q: How do I target an RPS segment without waiting for the RPS team?

When selecting Delivery Type → Schedule Based Bulk Trigger or API Based Trigger, the Target Audience field includes an **RPS Segment** dropdown with available segments already created in the RPS portal. No BQ table creation or RPS team ticket is required.

Q: The Stage environment is not auto-approving. What's wrong?

Auto-approval applies to Stage and Test environments only. Verify you are not accidentally on the Production environment.

Q: Why does the API response look different from the old system?

The old GCE pipeline required callers to pass complicated fields (specversion, source, dataschema, etc.). The new contract is simplified – only mandatory parameters are required:

campaign_name, security context, and dynamic placeholders (if any). The response now also provides per-channel delivery status (sent / failed / filtered) so you have visibility into exactly what happened.

8. Related Pages

- [CommsHub Tool Content Localization](#)
- [What changed vs PStudio/CommsHub-v1 Tool](#)
- [CommsHub Simplified - EBM Integration Guide](#)