The Applications of Some Programm Analysis Technologies in Security

Introduction & Case Study

Xinyi Li

July 4, 2020

Overview

Definition: What is a Program Analyzer?

*A program that takes other programs as input and decides whether or not they have a certain **property**.*[1]

Static Analysis

- ▶ Analysis of programs without executing
- ▶ Reason for non-trivial properties

Dynamic Analysis

- ▶ Analysis of programs by actual executing
- ▶ Common testing methods for a desire property

Symbolic Execution

- ▶ Analysis of programs by executing with **symbolic** inputs
- ▶ Determine what inputs cause each part of a program to execute

---

[1]Anders Møller and Michael I. Schwartzbach. *Static Program Analysis*. Department of Computer Science, Aarhus University. 2018.

No Free Lunch
Limitations of Program Analysis

> *Program testing can be used to show the presence of bugs, but never to show their absence.*[2]

[2]Edsger W. Dijkstra. "Notes on Structured Programming". circulated privately. Apr. 1970.
[3]Henry Gordon Rice. "Classes of recursively enumerable sets and their decision problems". In: *Transactions of the American Mathematical Society* 74.2 (1953), pp. 358–366.

No Free Lunch
Limitations of Program Analysis

> *Program testing can be used to show the presence of bugs, but never to show their absence.*[2]

Rice's theorem[3]

All interesting questions about the behavior (*i.e. non-trivial properties*) of programs (written in Turing-complete programming languages) are **undecidable**.

---

[2]Edsger W. Dijkstra. "Notes on Structured Programming". circulated privately. Apr. 1970.
[3]Henry Gordon Rice. "Classes of recursively enumerable sets and their decision problems". In: *Transactions of the American Mathematical Society* 74.2 (1953), pp. 358–366.

Motivation: To-do

table

- pro/cons
- case/ref

SAFE-PDF[4]: Detect Malicious Embedded Javascript in PDFs

PLAS 2019 / Oracle / University of Sydney

Methodology:

1. **Outside In**: commercial js code extractor
2. **Abstract interpretation**: Main technology
3. **Semantic whitelist**: Classify if the behavior is accepted

Results: Conservative, compared to SOTA PDF Malware detectors

1. Higher *recall*, acceptable *accuracy*
2. Resilient to evasions attack (Chameleon dataset)
3. Most of *positive* reports are readily interpretable

---

[4]Alexander Jordan, François Gauthier, Behnaz Hassanshahi, et al. "Unacceptable Behavior: Robust PDF Malware Detection Using Abstract Interpretation". In: *Proceedings of the 14th ACM SIGSAC Workshop on Programming Languages and Analysis for Security*. 2019, pp. 19–30.