03 • APP FLOW

App Flow

What happens when someone taps, when something goes wrong, and what the system does by itself.

Updated 19 Oct 2026 | Live at sali.one


Lia Ben Yehonatan
Planning documents for the Sali app

GitHub: supermarket-prices | Live site: sali.one


IN ONE MINUTE

- Six screens: **Home, Product, Scan, Basket, Deals, About**, each with its own plain address. A floating bottom bar has Home, Scan (raised) and Basket.
- The usual path: **search → product → add to basket → compare the basket**. Deals is a second way in.
- Nothing dead-ends: every failure shows a plain message.


01 Screen map



Search results
Photo cards, sort, scroll



Filter stores
City, chain, near me



Group deal
Choose which product

Addresses on sali.one: `/` Home, `/product/<barcode>`, `/basket`, `/promotions` Deals, `/scan`, `/about`. An unknown address shows a “page not found” page with links back to search and Deals.

02 The main journeys

A • A shopper builds a weekly basket

Home type “milk” or tap a photo → **Results** photo cards, cheapest shown → **Product page** stores, cheapest first → **Add to basket** the item flies to the basket → **Basket page** total at each store

B • Checking a price at the shelf

In the store tap “Scan” → **Camera** point at the barcode → **Check** server confirms the product → **Product page** opens by itself

C • Picking up a real bargain

Home Deals strip or banner → **Deals page** search, filter, scroll → **Deal card** tap to add, or choose a product → **Basket page** the deal is in the total

D • Finding a store close by

Product page tap “Near me” → **Phone asks** permission for location → **Distance** worked out on the phone → **Nearby stores** within 15 km, closest first

E • Seeing the basket on a map (coming next)

Basket result tap “Map” → **Map** pins show basket totals → **Tap a pin** store card appears → **Navigate** Waze or Google Maps

03 What happens on a tap, and when it goes wrong


The tap	What happens	If it goes wrong
Search	Results appear and keep loading as the user scrolls; sort by relevance or cheapest.	“No products found”, or “Could not load, try again”
+ add to basket	The item flies to the basket icon and joins the active basket (the first add of a visit asks which, if there are several).	Adding the same item raises its quantity

Filter or Near me	The list narrows and the choice is remembered; “near me” shows stores within 15 km with distances.	None match or no permission: all stores shown, with a note
Deals page	A search box finds deals by product or chain; the list keeps loading as the user scrolls, deals with a picture first.	No match: a message and a button to clear the search
Deal card	Opens the product; the button adds exactly the units the deal needs; a group deal opens a list to choose from.	A finished deal is simply not listed
Compare basket	Totals at each store with deals applied and shown per line.	Empty basket message; “N items missing”; a note when we lack fresh deal data for a branch
Scan	The camera reads the code and the product opens.	Clear message with no permission or camera; unknown code offers typing
Back from a product	Same results or same card, same scroll position.	If cleared from memory, the list loads again

Failures never leave a blank screen: an unexpected error shows “Something went wrong” and a way home, a late answer never overwrites a newer one, pages fade in without flashing, and blocked browser storage only means the basket is not kept.

04 The journey nobody sees: the twice-daily refresh

At 06:00 and 18:00 Israel time; each run takes 2 to 3 hours.



Golden rule. A file counts as loaded only once its data is safely saved, and is deleted only after that. A chain that fails is recorded and the others carry on; a failed run retries two hours later.