



Andrew Zhu*, Liam Dugan*, Alyssa Hwang, Chris Callison-Burch {andrz*, Idugan, ahwang16, ccb}@seas.upenn.edu *correspondence *equal contribution

A Lightweight and Highly Hackable Framework for Building Language Model Applications



It's 22 degrees
Celsius and
sunny in Tokyo
right now.





CORE FEATURES

CHAT HISTORY MANAGEMENT: Estimate and truncate tokens to ensure prompts never exceed the context window **ROBUST FUNCTION CALLING**: Control flow and validate LLM-generated calls of developer-written Python functions **MODEL-AGNOSTIC**: Common Engine and ChatMessage interfaces afford easy interoperability among many LLMs

USE CASES

RETRIEVAL-AUGMENTED GENERATION: Write functions to access and use knowledge bases for enhanced responses **AGENT SPAWNING**: Spawn a new Kani instance within a Kani to collaborate, specialize, or delegate tasks autonomously **API HOSTING**: Host and productionize Kani instances smoothly through our convenient asynchronous design

AND MORE

NO PROMPT HACKS: Interact with LLMs without hidden adjustments that affect the output without your knowledge

OVERRIDABLE METHODS: Hook into every part of the library and customize it to your exact specifications

MULTIMODAL SUPPORT: Official extensions for vision-language models (LLaVA, GPT-4V), with more on the way

MINIMALIST IMPLEMENTATION: Lightweight, unopinionated framework for simpler, shorter, less bloated code

MAXIMALIST DOCUMENTATION: Ever-growing, example-driven documentation covering a wide range of applications

REPRODUCIBILITY: Conduct research or product experiments with greater control and consistency over model behavior

OPEN TO CONTRIBUTIONS: Submit a pull request, issue, or comment on GitHub—we are excited to see what you make!







discord.gg/eTepTNDxYT

Penn NLP @ University of Pennsylvania



