




Java API practice



Exercises on the use of methods



- Requested: make correct use of the following methods from the **class Line** that you have created yourself last week:

Constructors:

`Line()`

Methods:

`String`

`showCharacteristics()`

`void`

`makeThicker()`

`void`

`setEndY(int endY)`

`int`

`getBeginningX();`

Exercises on the use of methods



- Requested: make correct use of the following methods from a **class Dream** that you have created yourself:

Constructors:

`Dream(String subject)`

Methods:

<code>String</code>	<code>makeDeeper(int number)</code>
<code>static int</code>	<code>getMinimumLength()</code>
<code>void</code>	<code>extend(String extra)</code>

Exercises on the use of methods



- Requested: make correct use of the following methods from the Java API of the **class String**:

`boolean`

`endsWith(String suffix)`

Tests if this string ends with the specified suffix.

`String`

`concat(String str)`

Concatenates the specified string to the end of this string.

`static String`

`valueOf(double d)`

Returns the string representation of the `double` argument.

`char`

`charAt(int index)`

Returns the `char` value at the specified index.

Exercises on the use of methods




- Requested: make correct use of the following methods from the Java API of the **class Double**:

<code>static int</code>	<code>compare(double d1, double d2)</code> Compares the two specified double values.
<code>int</code>	<code>compareTo(Double anotherDouble)</code> Compares two Double objects numerically.
<code>static boolean</code>	<code>isInfinite(double v)</code> Returns true if the specified number is infinitely large in magnitude, false otherwise.
<code>boolean</code>	<code>isNaN()</code> Returns true if this Double value is a Not-a-Number (NaN), false otherwise.



Java API practice



Exercises on the use of methods



- Requested: make correct use of the following methods from the **class Line** that you have created yourself last week:

Constructors:

Line()

Methods:

String	showCharacteristics()
void	makeThicker()
void	setEndY(int endY)
int	getBeginningX();

2

1.

```
Line line = new Line();
```

2.

```
Line line = new Line();  
String result = line.showCharacteristics();
```

3.

```
Line line = new Line();  
line.makeThicker()
```

4.

```
Line line = new Line();  
line.setEndY(5);
```

5.

```
Line line = new Line()  
int result = line.getBeginningX();
```

Exercises on the use of methods



- Requested: make correct use of the following methods from a **class Dream** that you have created yourself:

Constructors:

`Dream(String subject)`

Methods:

<code>String</code>	<code>makeDeeper(int number)</code>
<code>static int</code>	<code>getMinimumLength()</code>
<code>void</code>	<code>extend(String extra)</code>

3

1.
`Dream dream = new Dream("Holiday");`
2.
`Dream dream = new Dream("Holiday");`
`String result = dream.makeDeeper(5);`
3.
`int result = Dream.getMinimumLenth();`
4.
`Dream dream = new Dream("Holiday");`
`dream.extend("in the Caribbean");`

Exercises on the use of methods



- Requested: make correct use of the following methods from the Java API of the **class String**:

boolean	endsWith(String suffix) Tests if this string ends with the specified suffix.
String	concat(String str) Concatenates the specified string to the end of this string.
static String	valueOf(double d) Returns the string representation of the double argument.
char	charAt(int index) Returns the char value at the specified index.

4

1.

```
String name = "James";  
boolean result = name.endsWith("xx");
```

2.

```
String name = "James";  
String result = name.concat("Bond");
```

3.

```
String result = String.valueOf(0.007);
```

4.

```
String name = "James";  
char result = name.charAt(0);
```

Exercises on the use of methods



- Requested: make correct use of the following methods from the Java API of the **class Double**:

static int	compare (double d1, double d2) Compares the two specified double values.
int	compareTo (Double anotherDouble) Compares two Double objects numerically.
static boolean	isInfinite (double v) Returns true if the specified number is infinitely large in magnitude, false otherwise.
boolean	isNaN () Returns true if this Double value is a Not-a-Number (NaN), false otherwise.

5

1.

```
int result = Double.compare(0.1, 0.2);
```

2.

```
Double double = 0.1;  
int result = double.compareTo(0.2);
```

3.

```
boolean result = Double.isInfinite(0.0);
```

4.

```
Double double = 0.1;  
Boolean result = double.isNaN();
```