## Homework 02-2: due 2022/03/31 14:10 (70%)

- Tutorial : <a href="https://machinelearningmastery.com/pytorch-tutorial-develop-deep-learning-models/">https://machinelearningmastery.com/pytorch-tutorial-develop-deep-learning-models/</a>)
- After you go through the tutorials, you should be able to work on this assignment.
- Please answer the following questions and work directly on this jupyter notebook.
- Make sure the code can be run and show the result and figures properly.
- Please write down your observation with markdown in this notebook briefly.

You will train a regression model in this part. The data is Concrete Compressive Strength Dataset, you can find the details of each column at <a href="https://archive.ics.uci.edu/ml/datasets/concrete+compressive+strength">https://archive.ics.uci.edu/ml/datasets/concrete+compressive+strength</a>

https://archive.ics.uci.edu/mi/datasets/concrete+compressive+strength(https://archive.ics.uci.edu/mi/datasets/concrete+compressive+strength)

### In [32]:

```
# Import necessory modules
%matplotlib inline
import pandas as pd
import numpy as np
import random
import torch
import torch.nn as nn
import torch.optim as optim
from torch.utils.data import Dataset, DataLoader, random_split
import matplotlib.pyplot as plt
from tqdm.notebook import tqdm
from sklearn.preprocessing import MinMaxScaler
```

#### In [33]:

```
# For reproduce the result
torch.manual_seed(0)
random.seed(0)
np.random.seed(0)
```

- 1. Define the model and dataset (10%)
- 1.1 Please follow the tutorial to create a class ConcreteDataset, for loading the data you need and also do the *Min-Max scaling* to the *feature and label*. In this part, please predict the strength of concrete. (5%)

In [34]:

```
class ConcreteDataset():
    def __init__():
    def __len__():
    def __getitem__():
```

1.2 By following the tutorial, try to create a class MLP(Neural Network) with three hidden layers as your network architecture. (5%)

```
In [35]:
```

```
class MLP():
    def __init__():
    def forward():
```

## 2. Train the model (60%)

2.1 Please load the *train.csv/ validation.csv* in ./data, and turn them into dataloader with batch size 64 and determine whether shuffle or not. (5%)

```
In [ ]:
```

2.2 Create two MLP model from the table below and print the model (10%):

(Note. The output layer and activation function you should determine by the task and the dataset.)

	First Layer	Second Layer	Third Layer	Activation between each two layers	Output Activation
Model1	256	64	8	Tanh	Tanh
Model1	64	16	8	Sigmoid	Identity

```
In [ ]:
```

2.3 Train the above two models with same hyperpameter below and do the validation every epoch. Choose the appropriate type of loss according to the task. (25%)

(Note. You should record the training/validation loss every epoch)


2022/3/17 晚上8:00 HW2-2\_regression


	Learning rate	epochs	optimizer	momentum
Hyperparameter	0.01	300	SGD	0.9

_	
Tn	١.
<b>T11</b>	

# 2.4 Please draw the plot with training/validation loss with two models and write down the observation. (5%)

## Here is the example figure





2.5 From the observation of previous question, please determine a appropriate epoch and retrain tw	10
models to avoid overfitting. Also, draw the loss plot of two models and save the last model as	
model1.pth and model2.pth. (10%)	

(Note. You should reload the models optimizer, otherwise, you will resume from the previous stop.)

In [ ]:

2.6 Please load the checkpoints saved from previous question and calculate the mean squared error on test dataset for two models respectively. Also, ake a dataframe with target and prediction like below and save it as *regression.csv* (5%)

Target	Model1	Model2
24.05	26.35	27.04
21 67	32 78	21 95