#### Sample title

Anonymous

Faculty of Physics Some University

June 28, 2015

#### K&R Hello World

```
/* Arguably the most famous program
  ever to be written!
  hello.c */

#include <stdio.h>

main()
{
    printf("hello, world\n");
}
```

#### 99 Bottles of Beer

#### One-line code

One-line code formatting sample: \mint {tex}|x \Rightarrow y|

A html example:

```
Sample <strong>text</strong>
```

In this slide, some important text will be highlighted beause it's important. Please, don't abuse it.

#### Remark

Sample text

#### Important theorem

Sample text in red

#### Examples

Sample text in green. "Examples" is fixed as block title.

In this slide

In this slide the text will be partially visible

In this slide the text will be partially visible And finally everything will be there

This is a text in second frame. For the sake of showing an example.

Text visible on slide 1

This is a text in second frame. For the sake of showing an example.

- Text visible on slide 1
- Text visible on slide 2

This is a text in second frame. For the sake of showing an example.

- Text visible on slide 1
- Text visible on slide 2
- Text visible on slide 3

This is a text in second frame. For the sake of showing an example.

- Text visible on slide 1
- Text visible on slide 2

Text visible on slide 4

#### Two-column slide

This is a text in first column.

$$E = mc^2$$

- First item
- Second item

This text will be in the second column and on a second tought this is a nice looking layout in some cases.

# Backround Image



# Tiling Background

Text here

## Sample equation

$$ds^{2} = c^{2}dt^{2} - R^{2}(t) \left\{ \frac{d\sigma^{2} + \sigma^{2}(d\theta^{2} + \sin^{2}\theta d\phi^{2})}{\left[ (1 + \frac{k}{4})\sigma^{2} \right]^{2}} \right\}$$
(1)

#### The End

```
mov ebx, 0
mov eax, 1
int 0x80
```

Homepage: example.com Email: some@example.com



Figure: Pixel Dailies