Package 'ConvenienceFunctions'

October 14, 2021

Type Package

Title Convenience functions for R for QBS181

Version 0.1.0

Author Libby Czarniak

Description We proide general utilities for common taks in data wrangling

License MIT

Depends R (>= 3.5.0)

Encoding UTF-8

LazyData true

Imports stats,
ggplot2

RoxygenNote 7.1.2

R topics documented:

`completeFun` *Drop NAs by Columns*

Description

Remove NAs based on specified columns in the data @param data data.frame object of observations @param desiredCols list of columns from which incomplete cases should be dropped

@return dataframe with removed observations @examples data<-data.frame(a=1:4,b=c("a", "b", "c", "d"), c=c(NA, "keep", NA, "keep")) completeFun(data,c("c"))

@export

Usage

```
completeFun(data, desiredCols)
```

factorial *Factorial*

Description

Function to calculate the factorial of a variable

Usage

```
factorial(x)
```

Arguments

x	numeric vector

Value

numeric value of factorial

Examples

```
factorial(5)
```

gm_mean *Geometric mean*

Description

Function to calculate the geometric mean of a variable

Usage

```
gm_mean(x, na.rm = TRUE)
```

Arguments

x	numeric vector

Value

numeric value of geometric mean

Examples

```
x<-c(1,1,3,5,6,6)
gm_mean(x)
```

Modes *Mode*

Description

Function to calculate the mode of a variable

Usage

```
Modes(x)
```

Arguments

x	numeric vector

Value

numeric vector of modes

Examples

```
x<-c(1,1,3,5,6,6)
Modes(x)
```

nonUnique *Non-unique*

Description

Function that returns all non-unique values in a vector

Usage

```
nonUnique(x)
```

Arguments

x	numeric or character vector

Value

numeric or character vector of non-unique values

Examples

```
x<-c(1,1,3,5,6,6)
nonUnique(x)
```

Index