EXP. NUMBER	EXPERIMENT/SUBJECT	DATE
4	Selected Tests on Finished Products	Feb. 16/16

NAME	LAB PARTNER	LOCKER/DESK NO.	COURSE & SECTION NO.
Libby Reeves	Nicole Mazzocchi	—	—

Material to be Tested: ~~Acetaminophen tablets~~ ASA tablets / 511913SKL / JL 2019/Equate
2R

Method Used	NF19 - Tablet Hardness Pass
Amount Used Procedural Notes and/or Deviation	weight = 4.1961g (10 tablets)
Reagents Used	none
Equipment Used	~~Vankel Frac~~ 2R ~~4-2134-0703~~ 2R VK 200 Tablet Hardness Tester
Calculations	① 11.3 kp ⑥ 11.7 kp avg = 11.27kp ② 11.0 kp ⑦ 11.3 kp range = ③ 11.3 kp ⑧ 11.5 2R kp 11.0kp - 11.7kp ④ 11.6 kp ⑨ 11.0 kp ⑤ 11.0 kp ⑩ 11.0 kp
Observations	- each tablet had a visible deep crack one from one end of the tablet to the other

SIGNATURE	DATE	WITNESS/TA	DATE
Libby Reeves	Mar 1/16	CH	3.1.16

THE HAYDEN-McNEIL STUDENT LAB NOTEBOOK

NOTE: INSERT DIVIDER UNDER COPY SHEET BEFORE WRITING

COPY

Scanned by CamScanner

EXP. NUMBER	EXPERIMENT/SUBJECT	DATE
4	Selected Tests on Finished Products	Feb. 16/16

NAME	LAB PARTNER	LOCKER/DESK NO.	COURSE & SECTION NO.
Libby Reeves	Nicole Mazzocchi	—	—

ASA tablets / 51+191 3SKL / JL 2019 ~~Equipment Tablets~~ — 2R

Method Used	NF-19 Friability <1216> Pass
Amount Used Procedural Notes and/or Deviations clean cit.	weight of 10 tablets = 4.1892g (10 tablets)
Reagents Used	none
Equipment Used	Vankel ~~Friabilator~~ 2R Fricbilator 4-2134 - 0703
Calculations	weight initial of tablets = 4.1892g weight of tablets + weigh boat = 5.7960g weigh boat = 1.6203g weight after fricbilator = (4.1892g) − (5.7960g − 1.6203g) = 0.0135g $\%loss = \frac{0.0135g}{4.1892g} \times 100\% = 0.32\%$
Observations	- there was little powder left in the drum of the fricbilator

SIGNATURE	DATE	WITNESS/TA	DATE
Libby Reeves	Mar 1/16	CH	3/1/16

NOTE: INSERT DIVIDER UNDER COPY SHEET BEFORE WRITING

COPY

Scanned by CamScanner

EXP. NUMBER	EXPERIMENT/SUBJECT	DATE
4	Selected Tests on Finished Products	Feb. 16/16

NAME	LAB PARTNER	LOCKER/DESK NO.	COURSE & SECTION NO.
Libby Reeves	Nicole Mazzocchi	—	—

ASA tablets / 5H19135KL / JL 2019 / ~~Equide Acetaminophen tablets~~ AR

Method Used	NF-19 Disintegration <701> Pass
Amount Used Procedural Notes and/or Deviations	2.5025g (6 tablets)
Reagents Used	water (in house)
Equipment Used	37.1°C Sotax DT 3 #DI-2
Calculations	trial #1 (3 tablets) 18.99 sec trial #2 (3 tablets) 16.09 sec avg time 17.54sec
Observations	- tablets dissolved leaving the water ~~true~~ AR with a white tint (translucent) - left lots of sediment on the bottom

clean cH

Physical Description of Tablet
- white in colour
- powdery to the touch (uncoated)
- concave with flat edges
- no visible score marks
- no other visible markings

SIGNATURE	DATE	WITNESS/TA	DATE
Libby Reeves	Mar 1/16	CH	3.1.16

NOTE: INSERT DIVIDER UNDER COPY SHEET BEFORE WRITING

COPY

Scanned by CamScanner